



**REQUEST FOR QUOTATION**  
**SHOPPING**  
**(SECTION 52.1b)**

Date : September 08, 2020  
PR No. : GF-20-02-00132C

Name of Company : \_\_\_\_\_  
Address : \_\_\_\_\_  
Contact No. : \_\_\_\_\_  
Project Title : **Procurement of Uninterruptible Power Supply**  
Approved budget of the Contract : **Php 8,440.00**  
End-User / Implementing Office : **Human Resource Management Department**

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than September 11, 2020, 10:00 AM Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI)
- 3 Mayor's/Business Permit (2020);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the **QC BAC- Goods and Services**
- 6 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** shall:

- 1 Contain the Project Name and PR Number of the contract to be bid in capital letters;
- 2 Bear the name and address of the Bidder in capital letters;
- 3 Be addressed to the Procuring Entity's BAC.

**Project Title : PROCUREMENT OF UNINTERRUPTIBLE POWER SUPPLY**

**Quezon City Local Government  
BIDS AND AWARDS COMMITTEE  
2/F Procurement Department, Finance Building  
Quezon City Hall Compound**

For any clarification you may contact us at 89884242 loc. 8506/8709.

**(Sgd.) ATTY. DOMINIC B. GARCIA**  
Officer-In-Charge/Head, BAC Secretariat

**TERMS AND CONDITIONS**

1. Bidders shall **provide correct and accurate** information required in this form in black ink only.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation **exceeding** the Approved Budget for the Contract (ABC) shall be **rejected**.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1	<b>UNINTERRUPTIBLE POWER SUPPLY (UPS)</b> 550W/1100VA Output Power Capacity 550 watts/ 1.1 kVA Max Configurable Power (watts) 550 watts/ 1.1 kVA Nominal Output Voltage 230 V Output Frequency (sync to mains) 50/60 Hz +/-1 Hz Output Frequency (not synced) 50/60 Hz Topology Line Interactive Waveform Type Stepped approximation to a sinewave Output Connections (2) IEC 320 C13 (Battery Backup) Transfer Time 4ms typical: 6ms maximum Nominal Input Voltage 230V Input Frequency 50/60 Hz +/-3 Hz (auto sensing) Input Connections IEC-320 C14, NEMA 5-15P Cord Length 1.22 meters Input Voltage Range for main operations 150-280 V Number of Power Cords 1 Type of Input Protection Required 3-pole breaker Maximum Input Current 10.0A Input Power Factor at Full Load 0.5 Battery type maintenance-free sealed Lead-Acid battery with suspended electrolyte: leak-proof included battery Modules 1 Typical recharge time 6 hours Replacement Battery RBC17 Expected Battery Life (years) 2-4 Efficiency View Efficiency Graph Control Panel LED status display with load and battery bar-graphs and On Line: On Battery: Replace Battery: and Overload Indicators Audible Alarm when on battery: distinctive low battery alarm: overload continuous tone alarm surge energy rating 273 Joules Maximum Height 215mm, 21.5cm Maximum Width 130mm, 13.0cm Maximum Depth 336mm, 33.6cm Net Weight 9.2 kg shipping weight 10.6kg shipping height 295mm, 29.5cm shipping width 245mm, 24.5cm shipping depth 440mm, 44.0cm Color Black Approvals CE, WEEE Standard warranty 2 years repair and replace RoHS Compliant REACH REACH: Contains No SVHCs.	unit	1		
<b>Total Quoted Amount</b>					

Amount in Words: \_\_\_\_\_

---

Delivery Period : Fifteen (15) calendar days  
Warranty : \_\_\_\_\_

\_\_\_\_\_  
Signature over printed name

\_\_\_\_\_  
Office Telephone No./Fax/Mobile No.

\_\_\_\_\_  
Date

\_\_\_\_\_  
Email Address