

PHILIPPINE BIDDING DOCUMENTS
(As Harmonized with Development Partners)

**Procurement of
INFRASTRUCTURE
PROJECTS**

Government of the Republic of the Philippines

PROPOSED CONSTRUCTION OF STAGE AT MINES
ELEMENTARY SCHOOL

Project No.: 20-00036

Sixth Edition
July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the “Works”) through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv) the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

Glossary of Terms, Abbreviations, and Acronyms	5
Section I. Invitation to Bid.....	8
Section II. Instructions to Bidders	9
1. Scope of Bid	10
2. Funding Information	10
3. Bidding Requirements.....	10
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	11
5. Eligible Bidders	11
6. Origin of Associated Goods	11
7. Subcontracts	11
8. Pre-Bid Conference.....	12
9. Clarification and Amendment of Bidding Documents	12
10. Documents Comprising the Bid: Eligibility and Technical Components	12
11. Documents Comprising the Bid: Financial Component	13
12. Alternative Bids	13
13. Bid Prices	13
14. Bid and Payment Currencies	14
15. Bid Security	14
16. Sealing and Marking of Bids	14
17. Deadline for Submission of Bids	14
18. Opening and Preliminary Examination of Bids.....	15
19. Detailed Evaluation and Comparison of Bids	15
20. Post Qualification	15
21. Signing of the Contract	15
Section III. Bid Data Sheet	16
Section IV. General Conditions of Contract.....	17
1. Scope of Contract.....	18
2. Sectional Completion of Works	18
3. Possession of Site.....	18
4. The Contractor's Obligations	18
5. Performance Security	19
6. Site Investigation Reports	19

7.	Warranty.....	19
8.	Liability of the Contractor.....	19
9.	Termination for Other Causes	19
10.	Dayworks.....	20
11.	Program of Work	20
12.	Instructions, Inspections and Audits	20
13.	Advance Payment	20
14.	Progress Payments	20
15.	Operating and Maintenance Manuals	21
Section V. Special Conditions of Contract.....		22
Section VI. Specifications		23
Section VII. Drawings.....		25
Section VIII. Bill of Quantities		26
Section IX. Checklist of Technical and Financial Documents		29

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



REPUBLIC OF THE PHILIPPINES
QUEZON CITY GOVERNMENT



BIDS AND AWARDS COMMITTEE FOR INFRASTRUCTURE & CONSULTANCY
2nd floor, Finance Building, Procurement Department, Quezon City Hall Complex, Elliptical Road, Quezon City

October 3, 2020

INVITATION TO BID

No.	Project No.	Project Name	Location	Amount	Duration Cal. Days	Office	Source Fund
<u>Buildings – Small B</u>							
1	20-00035	Proposed Improvement of Electrical System of Nick M. Joaquin Senior High School	Bahay Toro	2,158,497.58	120	City Engineering Department	Special Educational Fund (SEF)
2	20-00036	Proposed Construction of Stage at Mines Elementary School	Vasra	2,322,428.36	90	City Engineering Department	Special Educational Fund (SEF)
3	20-00037	Proposed Rehabilitation of Roof Deck and Upper Roof Deck at QCRRMO Building	Central	2,515,087.12	120	City Engineering Department	General Fund-Engineering Dept.
4	20-00038	Proposed Construction of Flagpole, Stage and Covered Court at Nick Joaquin Senior High School	Bahay Toro	2,873,144.07	120	City Engineering Department	Special Educational Fund (SEF)
5	20-00039	Proposed Improvement of Barangay Hall with Daycare Center	West Kamias	2,927,446.02	120	City Engineering Department	General Fund-Engineering Dept.
6	20-00040	Proposed Renovation and Expansion of Senior Citizen Multi Purpose Hall	Pinagkaisahan	3,433,214.27	120	City Engineering Department	City Engineering Dept-Continuing
7	20-00041	Proposed Rehabilitation of Sitio Maligaya Multi-Purpose Hall	Bahay Toro	3,501,733.92	90	City Engineering Department	City Engineering Dept-Continuing
8	20-00042	Proposed Construction of Covered Pathwalk at Bagong Pag-Asa Elementary School	Bagong Pag-Asa	4,338,083.07	120	City Engineering Department	Special Educational Fund (SEF)
9	20-00043	Proposed Construction of Exit Gate, Covered Pathwalk and Standard Toilet facilities at Ramon Magsaysay Elementary School	Lourdes	6,359,701.62	120	City Engineering Department	Special Educational Fund (SEF)
10	20-00044	Proposed Improvement of Covered Court and Stage at GSIS Village Elementary School	Sangandaan	6,532,001.97	150	City Engineering Department	Special Educational Fund (SEF)
11	20-00045	Proposed Upgrading of Main Electrical Service Entrance of San Agustin Elementary School	San Agustin	6,804,995.05	150	City Engineering Department	Special Educational Fund (SEF)
12	20-00046	Proposed Renovation of Vice Mayor's Office, Information Desk and QCADDAAC	Central	7,245,482.39	150	City Engineering Department	General Fund-Engineering Dept.
13	20-00047	Proposed Construction of two (2) storey Multi Purpose Hall at R.T. Gonzales Park	San Bartolome	7,991,277.39	180	City Engineering Department	City Engineering Dept-Continuing
14	20-00048	Proposed Construction of Covered Pathwalk, Waiting Area, Hand Washing Area and Exit Gate at Placido Del Mundo Elementary School	Talipapa	9,006,063.18	150	City Engineering Department	Special Educational Fund (SEF)
15	20-00049	Proposed Construction of Covered Pathwalk / Waiting Area at Toro Hills Elementary School	Bahay Toro	9,623,352.25	120	City Engineering Department	Special Educational Fund (SEF)
<u>Building – Medium A</u>							
16	20-00050	Proposed Construction of Lucrecia Kasilag Performing Arts Building	Veterans Village	34,314,107.16	180	City Engineering Department	General Fund-Engineering Dept.

1. The **QUEZON CITY LOCAL GOVERNMENT** now invites bids for Various Projects. Completion of the works is required *as stated above*. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders
2. A complete set of Bidding Documents may be acquired by interested Bidders on **October 4, 2020** upon submission of a Document Request List (DRL) printed from the Philippine Government Electronic Procurement System (PhilGEPS) website from the address below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB.*

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of the bids.

3. The following are the requirements for purchase of Bidding Documents;
 1. PhilGEPS Registration Certificate (Platinum – 3 Pages)
 2. Document Request List (DRL)
 3. Authorization to purchase bidding documents
 - 3.1 Secretary’s Certificate (for corporation)
 - 3.2 Special Power of Attorney (for sole proprietorship)
 4. Notarized Joint Venture Agreement (if applicable)
 5. Letter of Intent

It must be duly received by the BAC Secretariat at 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before **October 11, 2020 - 5:00PM**

4. The **QC- BAC- INFRASTRUCTURE & CONSULTANCY** will hold a Pre-Bid Conference on **October 14, 2020 at 11:00 AM** at **2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound** or we encourage the prospective bidders to join through our **Virtual Conference (ZOOM APP)**
Meeting ID : 89111859539
Password : 598996
5. Bids must be duly received by the BAC Secretariat at the address below on or before **October 28, 2020 – 11:00AM**. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause.

 Bid opening will be on **October 28, 2020 - 1:00PM** at **2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound**. Bids will be opened in the presence of the bidders’ representatives who choose to attend at the address below. Late bids shall not be accepted.
6. The **Quezon City Local Government** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

7. For further information, please refer to:

ATTY. DOMINIC B. GARCIA
OIC, Procurement Department
2nd Floor, Procurement Department,
Finance Building, Quezon City Hall Compound
Elliptical Road, Barangay Central Diliman, Quezon City.
Tel. No. (02)8988-4242 loc. 8506/8710
Email Add: procurement@quezoncity.gov.ph
Website: www.quezoncity.gov.ph

By:


ATTY. MARK DALE DIAMOND P. PERRAL
Chairman BAC-Infra and Consultancy 

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *[indicate name]* invites Bids for the *[insert Procurement Project]*, with Project Identification Number *[indicate number]*.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *[indicate funding year]* in the amount of *[indicate amount]*.

2.2. The source of funding is:

[If an early procurement activity, select one and delete others:]

- a. NGA, the National Expenditure Program.
- b. GOCC and GFIs, the proposed Corporate Operating Budget.
- c. LGUs, the proposed Local Expenditure Program.

[If not an early procurement activity, select one and delete others:]

- a. NGA, the General Appropriations Act or Special Appropriations.
- b. GOCC and GFIs, the Corporate Operating Budget.
- c. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic

conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA’s CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be “similar” to the contract to be bid if it has the major categories of work stated in the **BDS**.

5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:
[Select one, delete other/s]

- a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed fifty percent (50%) of the contracted Works.
- b. Subcontracting is not allowed.

- 7.1. *[If Procuring Entity has determined that subcontracting is allowed during the bidding , state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterion stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.2. *[If subcontracting is allowed during the contract implementation stage, state:]* The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.
- 7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address *{[insert if applicable]}* and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.

- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during

contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

14.2. *Payment of the contract price shall be made in:*

[Select one, delete other/s]

a. Philippine Pesos.

b. *[indicate currency if procurement involves a foreign-denominated bid as allowed by the Procuring Entity, which shall be tradeable or acceptable by the BSP.]*

15. Bid Security

15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

15.2. The Bid and bid security shall be valid until *[indicate date]*. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

- 18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.

- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
1.1	<p>The Procuring Entity is Quezon City Government</p> <p>The name of the Contract is PROPOSED CONSTRUCTION OF STAGE AT MINES ELEMENTARY SCHOOL, BARANGAY VASRA</p> <p>The identification number of the Contract is 20-00036</p>
2	<p>The Funding Source is:</p> <p>The Government of the Philippines (GOP) through Special Educational Fund (SEF) in the amount of Two Million Three Hundred Twenty Two Thousand Four Hundred Twenty Eight Pesos & 36/100 Cts. (P 2,322,428.36).</p> <p><i>NOTE: In the case of National Government Agencies, the General Appropriations Act and/or continuing appropriations; in the case of Government-Owned and/or –Controlled Corporations, Government Financial Institutions, and State Universities and Colleges, the Corporate Budget for the contract approved by the governing Boards; in the case of Local Government Units, the Budget for the contract approved by the respective Sanggunian.</i></p> <p>The name of the Project is Proposed Construction of Stage at Mines Elementary School, Barangay Vasra, District 1, Quezon City</p>
3.1	No further instructions.
5.1	<p>In addition, eligible bidders shall qualify or comply with the following:</p> <p>1. Bidders with valid Philippine Contractors Accreditation Board (PCAB) Type</p> <p><input type="checkbox"/> Buildings_Small B</p> <p>2. Completed construction project(s) which is similar to the Project and which cost at least fifty percent (50%) of the ABC.</p>
5.2	Bidding is restricted to eligible bidders as defined in ITB Clause 5.1.
5.4(a)	No further instructions.
5.4(b)	For this purpose, similar contracts shall refer to contracts which have the same major categories of work.
8.1	Subcontracting is not allowed
8.2	Not applicable

9.1	The QC-BAC- Infrastructure and Consultancy will hold a pre-bid conference for this Project on October 14, 2020 11:00 A.M. at 2 nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound or we encourage the prospective bidders to join through our Virtual Conference (ZOOM APP) Meeting ID: 89111859539 Password : 598996																																				
10.1	The Procuring Entity’s address is: QUEZON CITY GOVERNMENT Quezon City Hall Compound Barangay Central, Quezon City ATTY. DOMINIC B. GARCIA Procurement Department 2 nd Floor, Finance Building, Quezon City Hall Compound, Barangay Central, Quezon City 8988-4242 loc. 8709/8710 Email Add: procurement@quezoncity.gov.ph Website: www.quezoncity.gov.ph																																				
10.4	No further instructions.																																				
12	Bidders are encouraged but not required to comply with the following: -all copy documents be originally stamped “Certified True Copy”and duly signed by the authorized signatory; -use of more visible color of ink other than black when stamping for Certified True Copy; and -tabbing of the required documents																																				
12.1(a)	In the statement of all on-going and completed contracts, all requirements in support of the enumerated projects shall be presented in proper sequence as they appear in the issued bid documents.																																				
12.1(a)(ii)	Each contractor shall submit its relevant and number of completed projects which shall be subjected to detailed evaluation later on.																																				
12.1(b)(ii.2)	<table><tr><td colspan="4">The minimum work experience requirements for key personnel are the following:</td></tr><tr><td>Qty.</td><td><u>Key Personnel</u></td><td><u>General Experience</u></td><td><u>Relevant Experience</u></td></tr><tr><td>1</td><td>Project Manager</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>Project Engineer</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>Materials Engineer</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>Foreman</td><td>3 years</td><td>3 years</td></tr><tr><td>7</td><td>Skilled Worker</td><td>3 years</td><td>3 years</td></tr><tr><td>8</td><td>Laborer</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>Driver</td><td>3 years</td><td>3 years</td></tr></table>	The minimum work experience requirements for key personnel are the following:				Qty.	<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>	1	Project Manager	3 years	3 years	1	Project Engineer	3 years	3 years	1	Materials Engineer	3 years	3 years	1	Foreman	3 years	3 years	7	Skilled Worker	3 years	3 years	8	Laborer	3 years	3 years	1	Driver	3 years	3 years
The minimum work experience requirements for key personnel are the following:																																					
Qty.	<u>Key Personnel</u>	<u>General Experience</u>	<u>Relevant Experience</u>																																		
1	Project Manager	3 years	3 years																																		
1	Project Engineer	3 years	3 years																																		
1	Materials Engineer	3 years	3 years																																		
1	Foreman	3 years	3 years																																		
7	Skilled Worker	3 years	3 years																																		
8	Laborer	3 years	3 years																																		
1	Driver	3 years	3 years																																		

	<i>In addition, the bidder must execute an affidavit of undertaking duly notarized stating that the foregoing personnel shall perform work exclusively for the project until its completion. Please see attached bid forms.</i>																		
12.1(b)(iii.3)	<p>The minimum major equipment requirements are the following:</p> <table><tr><td><u>Equipment</u></td><td><u>Capacity</u></td><td><u>Number of Units</u></td></tr><tr><td>Dump Truck</td><td></td><td>1</td></tr><tr><td>Scaffolding</td><td></td><td>3</td></tr><tr><td>Power Tools</td><td></td><td>7</td></tr><tr><td>Elf Truck</td><td></td><td>1</td></tr><tr><td>Minor Tools</td><td></td><td>8</td></tr></table> <p><i>In addition, the bidder must execute an affidavit of undertaking duly notarized stating that the foregoing equipment shall be used exclusively for the project until its completion. Please see attached bid forms.</i></p>	<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>	Dump Truck		1	Scaffolding		3	Power Tools		7	Elf Truck		1	Minor Tools		8
<u>Equipment</u>	<u>Capacity</u>	<u>Number of Units</u>																	
Dump Truck		1																	
Scaffolding		3																	
Power Tools		7																	
Elf Truck		1																	
Minor Tools		8																	
12.1.(b).(iii)	<p>The bidder’s authorized signatory is the one who executes the Omnibus Sworn Statement, otherwise, a separate Special Power of Attorney (SPA) shall be attached in support of the Omnibus Sworn Statement.</p> <p>An Affidavit of Site Inspection shall also be submitted or as part of the Omnibus Sworn Statement.</p>																		
13.1	“No additional Requirements.																		
13.1(b)	<p>This shall include all of the following documents:</p> <ul style="list-style-type: none">• Bid prices in the Bill of Quantities;• Detailed estimates, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; and• Cash flow by quarter or payment schedule.																		
13.2	<p>The ABC is Two Million Three Hundred Twenty Two Thousand Four Hundred Twenty Eight Pesos & 36/100 Cts. (₱ 2,322,428.36). Any bid with a financial component exceeding this amount shall not be accepted.</p>																		
14.2	No further instructions																		
15.4	No further instruction																		
16.1	The bid prices shall be quoted in Philippine Pesos.																		
16.3	No further instructions.																		
17.1	<p>Bids will be valid until 120 calendar days from opening of bids</p> <p>Surety Bond issued by the private insurance company shall be callable on demand, valid up to 120cd, affixed with documentary stamps, with original Official Receipt of premium payment, and accompanied by a Certificate of Authority to issue such security by the Insurance Commission. For bonds issued by the GSIS certification by the Insurance Commission and documentary stamps are not required.</p>																		
18.1	The bid security shall be in the form of a Bid Securing Declaration or																		

	<p>any of the following forms and amounts:</p> <ul style="list-style-type: none"> • The amount of not less than ₱ 46,448.57 [2% of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; • The amount of not less than ₱ 116,121.42 [5% of ABC] if bid security is in Surety Bond.
18.2	The bid security shall be valid until 120 calendar days from opening of bids
20.3	Each Bidder shall submit <i>one (1) original)</i> and one (1) copies of the first and second components of its bid.
21	<p>The address for submission of bids is at Bids and Awards Committee (BAC) <i>Bidding Room, Procurement Department, 2nd Floor, Civic Center Building F, Quezon City Hall Compound, Barangay Central, Quezon City</i></p> <p>The deadline for submission of bids is 11:00 AM, October 28, 2020.</p>
24.1	<p>The place of bid opening is at Bids and Awards Committee (BAC) <i>Bidding Room, Procurement Department, 2nd Floor, Civic Center Building F, Quezon City Hall Compound, Barangay Central, Quezon City</i></p> <p>The date and time of bid opening is 1:00 PM, October 28, 2020.</p>
24.2	No further instructions.
24.3	No further instructions.
27.3	Partial bid is not allowed. The infrastructure project is packaged in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
27.4	No further instructions.
28.2	None
31.4(f)	<p>Additional Contract Documents relevant to the Project as required:</p> <ol style="list-style-type: none"> 1. Construction Schedule and S-curve, 2. Manpower Schedule, 3. Construction Methods, 4. Equipment Utilization Schedule, 5. PERT/CPM or other acceptable tools of project scheduling, shall be included in the submission of Technical Proposal.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.

4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex “E” of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor’s Bid shall be used for small additional amounts of work only when the Procuring Entity’s Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

11.1. The Contractor shall submit to the Procuring Entity’s Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.

11.2. The Contractor shall submit to the Procuring Entity’s Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor’s accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex “E” of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity’s Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide “as built” Drawings and/or operating and maintenance manuals as specified in the **SCC**.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity’s Representative’s approval, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be

accepted subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

5th, 6th, 7th Floors, QC Civic Center Building "B"
Telephone Nos. 8988-4242 Local 8538



PROJECT NAME: PROPOSED CONSTRUCTION OF STAGE AT MINES ELEMENTARY SCHOOL
LOCATION: BARANGAY VASRA, DISTRICT 1, QUEZON CITY

QUANTITY TAKE-OFF

I GENERAL REQUIREMENTS

Temporary Enclosure around the Construction Area

Mark	Length (m)	Width (m)	Offset (m)	Perimeter (m)
Stage	8	6	1	32

20-00036

H-Frame Scaffolding Rental

Remarks(m)	Perimeter (m)	Height (m)	Percent	Area(sqm)
Perimeter	28	3	100%	84

II SITE WORKS

Lay-out and Staking

Mark	Length (m)	Width (m)	Area
Site Area	8	6	48

Cleaning and Preparation

Mark	Length (m)	Width (m)	Area
Site Area	8	6	48

Excavation

Mark	Length (m)	Width (m)	Depth (m)	Qty	Volume (cu.m.)	Total Vol + 5%
Column Footing	1	1	1	8	8	8.5
Wall Footing 1	33.6	0.4	0.6	1	8.064	8.5
Wall Footing 2	5	0.4	0.6	1	1.2	1.3
Septic Tank	3.6	1.4	1.5	1	7.56	8

Filling Materials (Imported Earthfill)

Mark	Length (m)	Width (m)	Height (m)	Qty	Volume (cu.m.)	Total Vol + 5%
Site Area	8	6	0.7	1	33.6	36

Soil Poisoning/ Termite Proofing

Mark	Length (m)	Width (m)	Area	Total Vol + 5%
Site Area	8	6	48	50

Gravel Bedding

Mark	Length (m)	Width (m)	Height (m)	Qty	Volume (cu.m.)	Total Vol + 5%
Column Footing	1	1	0.05	8	0.4	0.5
Wall Footing 1	33.6	0.4	0.05	1	0.672	1
Wall Footing 2	5	0.4	0.05	1	0.1	0.5
Slab-on-fill	8	6	0.05	1	2.4	3
Septic Tank	3.6	1.4	0.05	1	0.252	0.5
						5.5

III CIVIL WORKS/ STRUCTURAL WORKS

CONCRETE WORKS

Concreting

Mark	Length (m)	Width (m)	Thickness	Qty	Volume (cu.m.)	Total Vol + 5%
Column Footing	1	1	0.3	8	2.4	2.5
Column	5.2	0.2	0.3	8	2.496	3
Beam	22	0.2	0.3	1	1.32	1.5
Wall Footing 1	33.6	0.4	0.05	1	0.672	1

2

Wall Footing 2	5	0.4	0.05	1	0.1	0.5
Slab-on-Fill	8	6	0.1	1	4.8	5
Septic Tank	3.6	1.4	0.1	1	0.504	1

Reinforcing Steel Bars

20-00036

Column Footing 16mm

Remark	# of Bars at L	bar at L (m)	# of Bars at W	bar at W (m)	Quantity	Total length
Column Footing	8	1	8	1	8	128
				total length	weight per meter	total kgs
				128	1.58	202.24
				Total Vol + 5%		212.5

Column 16mm

Remark	Length	pcs (cross sec.)	Quantity	Total length	weight per meter	total kgs
C 1	5.2	8	8	332.8	1.58	525.82
				total kgs	Total Vol + 5%	
				525.82	552	

Column Stirrups 10mm

Remark	Total length	Spacing	total # of Stirrups	length per stirrups	weight per meter	total kgs
C 1	41.6	0.15	277.33	0.8	0.62	137.56
				total kgs	Total Vol + 5%	
				137.56	145	

Beams 16mm

Remark	Length	pcs (cross sec.)	Quantity	Total length	weight per meter	total kgs
Beam	22	6	1	132	1.58	208.56
				total kgs	Total Vol + 5%	
				208.56	219	

Beams Stirrups 10mm

Remark	Total length	Spacing	total # of Stirrups	length per stirrups	weight per meter	total kgs
Beam	22	0.2	110	1	0.62	68.2
				total kgs	Total Vol + 5%	
				68.20	72	

Wall Footing 12mm

Remark	Length	pcs (cross sec.)	Total length	weight per meter	total kgs
WF 1	33.6	3	100.8	1.1	110.88
			total kgs	Total Vol + 5%	
			110.88	117	

Wall Footing Stirrups 10mm

Remark	Total length	Spacing	total # of Stirrups	length per stirrups	weight per meter	total kgs
WF 1	33.6	0.3	112	0.5	1.1	61.6
				total kgs	Total Vol + 5%	
				61.60	65	

Wall Footing 12mm

Remark	Length	pcs (cross sec.)	Total length	weight per meter	total kgs
WF 2	5	3	15	1.1	16.5
			total kgs	Total Vol + 5%	
			16.50	17.5	

Wall Footing Stirrups 10mm

Remark	Total length	Spacing	total # of Stirrups	length per stirrups	weight per meter	total kgs
WF 2	5	0.3	16.67	0.50	1.10	9.17
				total kgs	Total Vol + 5%	
				9.17	10	

Remark	Length (m)	Width (m)	Spacing	bar	Length	Total length
Slab-on-Fill	8	6	0.3	20	8	432
				total length	weight per meter	total kgs
				432	0.62	267.84
						Total Vol + 5%
						281

Formworks

Mark	Length (m)	Width (m)	Qty	Total Area	Total Vol + 5%
Column Footing	4	0.3	8	9.6	10
Column	5.2	1	8	20.8	22
Beams	22	1	1	22	23

20-00036

MASONRY WORKS

Laying of 150 CHB (Wall Footing to Finish Floor Line

Remark	Height	Length	Area	Less	Total	Total Vol + 5%
Front	1.15	7	8.05	0	8.05	
Rear	1.15	8	9.2	0	9.2	
Left-Side	1.15	7	8.05	0	8.05	
Right Side	1.15	7	8.05	0	8.05	
Laying of 150 CHB (Finish Floor Line to Roof Beam)						
Remark	Height	Length	Area	Less	Total	
Rear	3.4	8	27.2	0	27.2	
Left-Side	4.15	1	4.15	0	4.15	
Right Side	4.15	1	4.15	0	4.15	
Toilet	3.4	3.2	10.88	0	10.88	
					79.73	84

Laying of 100 CHB (Finish Floor Line to Roof Beam)

Remark	Height	Length	Area	Less	Total	Total Vol + 5%
Backdrop incl. sides	4.15	8	33.2	0	33.2	
Left-Side	4.15	4	16.6	0	16.6	
Right Side	4.15	4	16.6	0	16.6	
					66.4	70

Remark	Height	Length	Area	qty	Total	Total Vol + 5%
Septic Tank	1.5	11.4	17.1	1	17.1	22.155
Catch Basin	0.5	2	1	4	4	
					21.1	23

Plastering of Door and Window Openings

Mark	Length (m)	Height (m)	Perimeter (m)	Qty	Total Length	Total Vol + 5%
D-1	0.8	2.1	5	3	15	
D-2	0.6	2.1	4.8	1	4.8	
W-1	1.8	0.6	4.8	1	4.8	
W-2	0.6	0.6	2.4	1	2.4	
					27	28

METAL WORKS

Remarks	total length/truss	quantity	total	wt. per meter	Total
2' x 2' x 1/4" thk Angle Bar	15	8	120	4.95	594
				Total	Total Vol + 5%
				594	624

Remarks	total length/truss	quantity	total	wt. per meter	Total
1 1/2" x 1 1/2" x 1/4" thk Angle Bar	18	8	144	3.65	525.6
				Total	Total Vol + 5%
				525.6	552

Remarks	total length	quantity	total
CEE- Purlins	132	1	132

Thickness	Sectional Area	Density	Total Length	kgs	Total Vol + 5%
0.00625	0.28	7850	132	1813	1905

Sagrod

Remarks	total length	quantity	total
12mm dia.	36	1	36

20-00036

Thickness	Sectional Area	Density	Total Length	kgs	Total Vol + 5%
0.00625	0.025	7850	36	44.16	47

Cross Bracing

Remarks	total length	quantity	total
12mm dia.	46	1	46

Thickness	Sectional Area	Density	Total Length	kgs	Total Vol + 5%
0.00625	0.025	7850	46	56.42	59

ROOFING WORKS

Prepainted Roofing

PREPAINTED ROOFING					
Remarks(m)	Length (m)	Width(m)	Percent	Area(sqm)	Total Vol + 5%
Uno Aguas	10	7	100%	70	74

Insulation

INSULATION					
Remarks(m)	Length (m)	Width(m)	Percent	Area(sqm)	Total Vol + 5%
Uno Aguas	10	7	100%	70	74

Downspout

DOWNSPOUT					
Remarks(m)	Length (m)	Percent	Total (m)	Pcs	Total Vol + 5%
Uno Aguas	17	100%	17	8	8.5

Miscellaneous

- 1. GI Strap
- 2. Vulca Seal
- 3. Silicone Sealant
- 4. Blind Rivets
- 5. Tekscrew
- 6. Solvent Cement

THERMAL AND MOISTURE PROTECTION

Toilet

WATERPROOFING WORKS					
Remarks(m)	Length (m)	Width(m)	Percent	Area(sqm)	Total Vol + 5%
Floor	2.2	1	100%	3	3.15

IV ARCHITECTURAL WORKS

Tile Works

60 x 60 Non-skid Floor Tiles

Mark	Length (m)	Width (m)	Area	Less	Total	Total Vol + 5%
Stage	8	6	48	2.2	45.8	48

30 x 30 Toilet Tiles

Mark	Length (m)	Width (m)	Area	Less	Total	Total Vol + 5%
Floor	2.2	1	2.2	0	2.2	2.31
Wall	6.4	1.5	9.6	0.9	8.7	9.14

20-00036

Wall Finish (Deco Stone)

Mark	Length (m)	Height (m)	Area	Total	Total Vol + 5%
Front Stage	7	0.75	5.25	5.25	6

Ceiling Works

Hardiflex in Light Metal Framing

Mark	Length (m)	Width (m)	Qty	Perimeter (m)	Total Vol + 5%
Stage	10	7	1	70	74

Fabricated Materials

- Door 10.80m x 2.10m Swing Type Panel Door
- Door 20.60m x 2.10m Swing Type Panel Door
- Window 11.80m x 0.60m Aluminum Framed Awning Type Window
- Window 20.60m x 0.60m Aluminum Framed Awning Type Window

Miscellaneous Works

- Stainless Steel Railings at 3" dia.7 l.m.
- QC Logo
- "MINES ELEMENTARY SCHOOL" Stainless Steel Signage
- "QUEZON CITY" Stainless Steel Signage

Painting Works

Exterior Wall Paint

Remark	Height	Length	Area	Less	Total	Total Vol + 5%
Backdrop	4.15	8	33.2	3.36	29.84	
Rear	4.15	8	33.2	3.2	30	
Left-Side	4.15	6	24.9	6.8	18.1	
Right Side	4.15	6	24.9	6.8	18.1	
					96.04	100

Interior Wall Paint

Remark	Height	Length	Area	Less	Total
Backdrop	4.15	8	33.2	3.36	29.84
Rear	4.15	8	33.2	3.2	30
Left-Side	4.15	6	24.9	6.8	18.1
Right Side	4.15	6	24.9	6.8	18.1
					96.04

Partition Wall Paint

Remark	Height	Length	Area	Sides	Less	Total
Toilets	3.4	6.4	21.76	2	9.60	33.92
					Total	Total Vol + 5%
					129.96	137

Ceiling Enamel Paint

Mark	Length (m)	Width (m)	Qty	Perimeter (m)	Total Vol + 5%
Ceiling	10	7	1	70	74

20-00036

V PLUMBING WORKS

FIXTURES

1. Water Closet Tank Type w/ Fittings and accessories	1
3. Counter Top Lavatory w/ Fittings and accessories	1
3. Floor Drain	1
4. Roof Drain	2
5. Faucet	1
6. Catch Basin	4

EQUIPMENTS

1. Transfer Pump	1
2. Stainless Steel Tank	1


Drainage

DRAINAGE LINE				
Remarks(m)	Length (m)	Percent	Total (m)	Pcs
Rear Side to Tapping Point	15	100%	15	7

VI ELECTRICAL WORKS

1. Panel Board w/ Circuit Breaker Main: 40 AT Branches: 2 - 20 AT 2P Bolt-on	1
2. 300mm x 1200mm, 1 x 36w Surface Mounted	8
3. Directional Spotlight	4
4. Duplex Convenient Outlet w/ Ground	8
5. Three Gang Switch	1
6. Two Gang switch	1
7. Single Switch	1

Prepared by:


RYAN D. NAVARRO

Planning and Programming Division


Checked by:


ENGR. JOCELYN A. NAONG

Planning and Programming Division


Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]




1 VICINITY MAP

SCALE : NTS




3 SITE DEVELOPMENT PLAN

SCALE : NTS



2 LOCATION MAP

SCALE : NTS



4 PERSPECTIVE

SCALE : NTS

TABLE OF CONTENTS

ARCHITECTURAL

AR-01	VICINITY MAP LOCATION MAP SITE DEVELOPMENT PLAN PERSPECTIVE
AR-02	FLOOR PLAN REFLECTED CEILING PLAN ROOF PLAN FRONT ELEVATION REAR ELEVATION
AR-03	LEFT ELEVATION RIGHT ELEVATION SCHEDULE OF DOORS AND WINDOWS TYPICAL DETAIL OF COMFORT ROOM
AR-04	LONGITUDINAL SECTION CROSS SECTION

STRUCTURAL

ST-01	GENERAL NOTES COLUMN FOOTING DETAIL SCHEDULE OF COLUMN SCHEDULE OF BEAM WALL FOOTING DETAIL FOUNDATION PLAN FRAMING PLAN ROOF FRAMING PLAN TRUSS DETAIL SIGNAGE DETAIL
ST-02	

ELECTRICAL

EL-01	GENERAL NOTES LEGENDS AND SYMBOLS RISER DIAGRAM POLE DETAIL PANEL BOARD DETAIL SCHEDULE OF LOADS LIGHTING LAYOUT POWER LAYOUT
EL-02	

PLUMBING

PL-01	GENERAL NOTES LEGEND AND SYMBOLS CATCH BASIN DETAIL FLOOR DRAIN DETAIL SEPTIC TANK DETAIL SEWER LINE LAYOUT STORM DRAINAGE LAYOUT WATERLINE LAYOUT ISOM. VIEW OF SEWER LINE LAYOUT ISOM. VIEW OF WATERLINE LAYOUT ISOM. VIEW OF STORM DRAIN. LAYOUT
PL-02	
PL-03	

REPUBLIC OF THE PHILIPPINES
Department of Public Works and Highways
Department of Transportation and
Communication

Office of the Building Official

20-00036

City / Municipality / Province

LAND USE & ZONING

LINE AND GRADE

ARCHITECTURAL

STRUCTURAL

ELECTRICAL

PLUMBING / SANITARY

MECHANICAL



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:

PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL

BARANGAY VASRA, DISTRICT 1, QUEZON CITY

DRAWN BY:

DATE:

CHECKED BY:

REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
CHIEF, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA, JR.
CHIEF, CITY ENGINEERING DEPARTMENT

APPROVED BY:


HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT

VICINITY MAP
LOCATION MAP
SITE DEVELOPMENT PLAN
PERSPECTIVE


SHEET NO.

AR
01



1 FLOOR PLAN


SCALE : 1 : 100 MTS



20-00036


2 REFLECTED CEILING PLAN

SCALE : 1 : 100 MTS



3 ROOF PLAN

SCALE : 1 : 100 MTS



4 FRONT ELEVATION

SCALE : 1 : 100 MTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE :

**PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL**

BARANGAY VASRA, DISTRICT 1, QUEZON CITY

DRAWN BY:

DATE:

CHECKED BY:

REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. SAGANI R. VERZOSA, JR.
CITY ENGINEERING DEPARTMENT

APPROVED BY:


HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT

FLOOR PLAN
REFLECTED CEILING PLAN
ROOF PLAN
FRONT ELEVATION


SHEET NO.

AR
02




1 REAR ELEVATION

SCALE : 1 : 100 MTS




2 RIGHT SIDE ELEVATION

SCALE : 1 : 100 MTS



3 LEFT SIDE ELEVATION

SCALE : 1 : 100 MTS



4 SCHEDULE OF DOORS AND WINDOWS

SCALE : NTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE :

**PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL**

BARANGAY VASRA , DISTRICT 1 , QUEZON CITY

DRAWN BY:

DATE:

CHECKED BY:

REVISION NO. :

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD , PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA , JR.
OIC, CITY ENGINEERING DEPARTMENT

APPROVED BY:

HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR , QUEZON CITY


SHEET CONTENT

REAR ELEVATION
RIGHT SIDE ELEVATION
LEFT SIDE ELEVATION
SCHEDULE OF DOORS
AND WINDOWS

SHEET NO.



AR
03

20-00036



1 TYPICAL DETAIL OF COMFORT ROOM

SCALE : NTS



2 LONGITUDINAL SECTION

SCALE : 1 : 100 MTS

3 CROSS SECTION

SCALE : 1 : 100 MTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE :

PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL

BARANGAY VASRA , DISTRICT 1 , QUEZON CITY

DRAWN BY:

DATE:

CHECKED BY:

REVISION NO. :

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA , JR.
CITY ENGINEERING DEPARTMENT

APPROVED BY:

HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR , QUEZON CITY

SHEET CONTENT

TYPICAL DETAIL OF
COMFORT ROOM
LONGITUDINAL
SECTION
CROSS SECTION

SHEET NO.

AR
04

GENERAL NOTES

1. CONSTRUCTION NOTES AND TYPICAL DETAILS APPLY TO ALL DRAWINGS UNLESS OTHERWISE SHOWN OR NOTED MODIFY TYPICAL DETAILS AS DIRECTED TO MEET SPECIAL CONDITIONS

2. SHOP DRAWINGS WITH ERECTION AND PLACING DIAGRAM OF ALL STRUCTURAL FOR ENGINEER'S APPROVAL BEFORE FABRICATION
3. CONTRACTOR SHALL VERIFY ALL DIMENSIONS BEFORE ALL WORK IS TO BEGIN. CHECK WITH MECHANICAL AND ELECTRICAL CONTRACTORS FOR CONDUITS, PIPE SLEEVES, ETC TO BE EMBEDDED IN CONCRETE
4. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE ADEQUATE SHORINGS AND BRACINGS OF THE STRUCTURE FOR ALL LOADS THAT MAY BE IMPOSED DURING CONSTRUCTION
5. IN CASE OF QUESTION ARISING FROM THE INTERPRETATION OF OR CONFLICT WITH OTHER DOCUMENTS THE ATTENTION OF THE OWNER/ENGINEER SHALL BE CALLED IN WRITING

CONCRETE & REINFORCEMENT

1. ALL MATERIALS AND WORKMANSHIP SHALL CONFORM WITH THE LATEST BUILDING CODE OF AMERICAN CONCRETE INSTITUTE (ACI 318)
2. ALL CONCRETE SHALL DEVELOP A MINIMUM COMPRESSIVE STRENGTH AT THE END OF TWENTY EIGHT (28) DAYS WITH CORRESPONDING MAXIMUM SIZE AGGREGATE AND SLUMPS AS FOLLOWS

LOCATION	STRENGTH	MAX SIZE OF AGGREGATES	MAX SLUMP
a. SLAB ON GRADE CURBS, PAVEMENTS WALL FOOTING	3000 Psi (20.685 MPa)	1 in (25mm)	4 in (100mm)
b. BEAMS, COLUMNS FOOTINGS, SUSPENDED SLAB	3000 Psi (20.685 MPa)	3/4 in (19mm)	4 in (100mm)

3. ALL REINFORCING BARS SHALL CONFORM TO PHSA8 GRADE 275 FOR 12MM AND SMALLER BARS AND GRADE 415 FOR 16mm AND LARGER BARS
4. IN GENERAL THE LATEST EDITION OF ACI 318, MANUAL OF STANDARD PRACTICE DETAILING REINFORCED CONCRETE STRUCTURES SHALL BE ADHERED TO UNLESS OTHERWISE SHOWN OR NOTED
5. MAINTAIN MINIMUM CONCRETE COVER FOR REINFORCING STEEL AS FOLLOWS:

CONCRETE DEPOSITED DIRECTLY AGAINST GROUND	75mm
SUSPENDED SLABS	20mm
SLAB ON GRADE	40 mm
WALLS ABOVE GRADE	25 mm
BEAMS & COLUMNS	40mm

6. SPLICES SHALL BE SECURELY WIRED TOGETHER AND SHALL LAP OR EXTEND IN ACCORDANCE WITH TABLE 1 (TABLE OF LAP SPICE AND ANCHORAGE LENGTH UNLESS OTHERWISE SHOWN ON DRAWINGS SPLICES SHALL BE STAGGERED WHENEVER POSSIBLE)
7. ALL ANCHOR BOLTS, DOWELS AND OTHER INSERTS SHALL BE PROPERLY POSITIONED AND SECURED IN PLACE PRIOR TO PLACING OF CONCRETE
8. CONTRACTOR SHALL NOTE AND PROVIDE ALL MISCELLANEOUS CURBS, SILLS, STOOLS, EQUIPMENT AND MECHANICAL BASES THAT ARE REQUIRED BY THE ARCHITECTURAL, ELECTRICAL, AND MECHANICAL DRAWINGS
9. ALL CONCRETE SHALL BE KEPT MOIST FOR A MINIMUM OF SEVEN (7) CONSECUTIVE DAYS IMMEDIATELY AFTER POURING BY THE USE OF WET BURLAP, FOG SPRAYING, CURING COMPOUNDS OR OTHER APPROVED METHODS
10. STRIPPING OF FORMS AND SHORES.

CONCRETE	CURING
FOUNDATION	24 HRS
SUSPENDED SLAB EXCEPT WHEN ADDITIONAL LOADS ARE IMPOSED	34 DAYS
PEDESTAL, COLUMNS, WALLS, BEAMS	2 DAYS
11. DEVELOPMENT LENGTH FOR ALL BARS SHALL BE A MINIMUM OF 50 BAR DIAMETER UNLESS OTHERWISE NOTED	23 DAYS

STRUCTURAL STEEL AND PLATES


1. ALL STRUCTURAL STEEL SHALL CONFORM TO ASTM (A-36) SPECIFICATIONS WITH MINIMUM YIELD STRENGTH, $f_y = 250 \text{ MPa}$
2. ANCHOR & FASTENER BOLTS. ALL BOLTS SHALL CONFORM TO ASTM (A-307) SPECIFICATIONS
3. WELDING RODS. ALL WELDING RODS SHALL BE MILD STEEL ELECTRODE LOW HYDROGEN E7018 WITH MINIMUM YIELD STRENGTH = 420 MPa

FOUNDATION

1. FOUNDATION IS DESIGNED BASED ON NATIONAL BUILDING CODE OF THE PHILIPPINES FOR AN ALLOWABLE SOIL BEARING CAPACITY OF 250 KPa
2. FOUNDATION SHALL REST ON NATURAL SOIL UNLESS OTHERWISE NOTED BY THE ENGINEER NO PART OF THE FOUNDATION SHALL REST ON FILL
3. THE CONTRACTOR SHALL NOTIFY THE ENGINEER UPON COMPLETION OF FOUNDATION EXCAVATION FOR ACTUAL SOIL CONDITIONS WHICH DO NOT CONFORM TO THE BOA BEARING CAPACITY FOR PROPER REVISION

MASONRY WALLS

1. ALL MATERIALS WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE APPLICABLE STANDARD & SPECIFICATIONS OF THE STRUCTURAL CODE OF THE PHILIPPINES & UNIFORM BUILDING CODE
2. MORTAR & GROUT FOR ALL CONCRETE MASONRY SHALL CONFORM TO ASTM 270 - TYPE N & SHALL HAVE A MINIMUM OF 28 DAYS STANDARD CYLINDER COMPRESSIVE STRENGTH OF 17.5 MPa (2500 PSI)
3. ALL CHB SHALL BE LAID OUT WITH CELLS IN UNOBSTRUCTED VERTICAL CONTINUITY
4. ALL CELLS ESPECIALLY THOSE WITH REINFORCEMENT SHALL BE FILLED WITH MORTAR
5. REINFORCEMENT, AS TABULATED BELOW SHALL BE PROVIDED UNLESS OTHERWISE SPECIFIED IN THE PLAN
- 5a. ALL MASONRY WALLS SHALL BE PROVIDED WITH STIFFENED BEAM BLOCK & STIFFENER AS REQUIRED
- 5b. FOR HIGH WALLS: EVERY 3000MM & COLUMN (BOLT) AT 3000 mm ON CENTER
- 5c. FOR DOORS & WINDOWS OPENING PROVIDE LINTEL BEAM SAME AS STIFFENER BEAM BLOCK




MARK	DIMENSION			REINFORCEMENTS		D	REMARKS
	W (mm)	L (mm)	t (mm)	B	L		
F-1	1000	1000	300	8 - 16mm Ø	8 - 16mm Ø	1000	SQUARE FOOTING

2 COLUMN FOOTING DETAIL

SCALE : NTS


MARK	C-1
FOUNDATION TO ROOF BEAM	0.30
MAIN REINF.	6 - 16mm Ø
COL. TIES	10mm Ø, 1 @ 0.05M, 2 @ 0.10M, 3 @ 0.15M, REST @ 0.20M



BEAM	DIMENSION		BAR Ø	TOP BARS			BOTTOM BARS			WEB BAR	STIRRUPS
MARK	B (mm)	H (mm)		LEFT SUPPORT	MID SPAN	RIGHT SUPPORT	LEFT SUPPORT	MID SPAN	RIGHT SUPPORT		10mm Ø DSB
B	200	300	16	6	2	6	2	6	2	—	1 @ 50, 4 @ 100, REST @ 200

4 SCHEDULE OF BEAM

SCALE : NTS



1 GENERAL NOTES

SCALE : NTS

3 SCHEDULE OF COLUMN

SCALE : NTS

5 WALL FOOTING DETAIL

SCALE : NTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE :

PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL

BARANGAY VASRA, DISTRICT 1, QUEZON CITY

DRAWN BY: *JS*

DATE:

CHECKED BY: *JS*

REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. SAGANI R. VERZOSA, JR.
CIC, CITY ENGINEERING DEPARTMENT

APPROVED BY:


HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT

GENERAL NOTES
COLUMN FOOTING DETAIL
SCHEDULE OF COLUMN
SCHEDULE OF BEAM
WALL FOOTING DETAIL


SHEET NO.

ST
01



1 FOUNDATION PLAN


SCALE: 1:100 MTS



20-00036


2 FRAMING PLAN

SCALE: 1:100 MTS



3 ROOF FRAMING PLAN

SCALE: 1:100 MTS



NOTE

USE: 2-1 1/2" X 1 1/2" X 1/4" ANGULAR BAR (TOP AND BOTTOM CHORD)


USE: 2-1" X 1" X 1/4" ANGULAR BAR (WEB MEMBER)

USE: 12mm PLAIN ROUND BAR SAGRODS

USE: 1/2" THK GUSSET PLATE IN EVERY TRUSS CONNECTION

4 TRUSS DETAIL

SCALE: NTS



5 SIGNAGE DETAIL

SCALE: NTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:

PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL

BARANGAY VASRA, DISTRICT 1, QUEZON CITY

DRAWN BY:

DATE:

CHECKED BY:

REVISION NO.:

SUBMITTED BY:

ENGR. LEOS. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA, JR.
C.E.D. ENGINEERING DEPARTMENT

APPROVED BY:

HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT

FOUNDATION PLAN
FRAMING PLAN
ROOF FRAMING PLAN
TRUSS DETAIL
SIGNAGE DETAIL

SHEET NO.

ST
02

20-00036

- ALL WORKS SHALL BE DONE IN ACCORDANCE WITH THE PLANS AND SPECIFICATION
- THE WORKS SHALL COMPLY WITH THE PROVISION OF THE LATEST EDITION OF THE PHILIPPINE ELECTRICAL CODE, LAWS, ORDINANCES, RULES AND REGULATIONS OF THE LOCALITY HAVING JURISDICTION OVER THE PROJECT REQUIREMENTS OF LOCAL POWER COMPANY.
- ALL THE JOB SHALL BE EXECUTED IN THE MOST THOROUGH PROMPT AND WORKMANLIKE MANNER EMPLOYING STANDARD TOOLS, EQUIPMENT, METHOD AND GOOD ENGINEERING PRACTICES. THE JOB SHALL BE DONE COMPLETE IN ALL ASPECTS AS REQUIRED PER PLANS AND SPECIFICATIONS AND READY FOR OPERATIONS.
- ALL MATERIALS TO BE USED SHALL BE OF THE BEST QUALITY, BRAND NEW AS SPECIFIED.
- THE DRAWINGS AND SPECIFICATIONS ARE INTENDED TO PRESENT GENERAL LAYOUT AND BROAD OUTLINE/DESCRIPTION OF THE PROJECT BUT DO NOT NECESSARILY INDICATE/DESCRIBE ACTUAL LOCATIONS, LEVEL AND DISTANCES OF THE EQUIPMENT. THE CONTRACTOR IS HEREBY REQUIRED TO MAKE SUCH ADJUSTMENT AT THE JOBSITE AS LOCATION, DISTANCES AND LEVELS ARE GOVERNED BY ACTUAL FIELD CONDITIONS.
- ANY DISCREPANCY BETWEEN THE PLANS AND SPECIFICATIONS SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER FOR CLARIFICATION /DECISION.
- ALL LIGHTING AND CONVENIENCE OUTLET CIRCUITS SHALL BE 3.5 SQ. MM. THW COPPER WIRE UNLESS OTHERWISE NOTED. MINIMUM SIZE OF WIRE SHALL BE 3.5 SQ. MM. COPPER WIRE
- ALL DUPLEX RECEPTACLE OUTLETS SHALL BE GROUNDING TYPE WITH PARALLEL SLOTS FOR 220V.
- UNLESS NOTED OTHERWISE IN THE DRAWING, WIRING DEVICES SHALL BE INSTALLED AS FOLLOWS.

LIGHTING CONTROL - 1.40 M. ABOVE FLOOR FINISH
OUTLET
CONVENIENCE - 0.30 M. ABOVE FLOOR FINISH
OUTLET

- BOXES, WIRE, GUTTERS, ENCLOSURE SHALL BE FABRICATED FROM STEEL WITH THICKNESS AS FOLLOWS:

SURFACE STEEL	GA
UP TO INCLUDING 152.40mm	GA 16
OVER 152.40 mm BUT NOT OVER 457.30 mm	GA 14
OVER 457.30 mm BUT NOT OVER 762 mm	GA 12
OVER 762 mm	GA 10

- REFER TO NOTES AND SPECIFICATION FOR MORE INFORMATION.

SWITCH SYMBOLS

S SINGLE POLE TOGGLE SWITCH, NOMENCLATURE
DENOTES THE CIRCUIT OR PORTION OF CIRCUIT
CONTROLLED BY SWITCH



NOMENCLATURE:

3W - THREE WAY SWITCH
2Sab - TWO GANG SWITCH

—	CIRCUIT LINE	Sc	SINGLE GANG SWITCH
—	SWITCH LINE	Sab	TWO GANG SWITCH
⊕	LIGHTING CONVENIENCE OUTLET	Sabc	THREE GANG SWITCH
⊕	9W LED PINLIGHT	⊕	CONVENIENCE DUPLEX OUTLET
⊕	OUTDOOR WALL LAMP	⊕	SPECIAL PURPOSE OUTLET (ACU)
⊕	1-18W LED FL IN TROFFER FIXTURE	⊕	CIRCUIT HOMERUN
⊕	EXHAUST FAN (WALL MOUNTED)	⊕	LP-LIGHTING/ POWER PANEL

2 LEGENDS AND SYMBOLS

SCALE : NTS



1 GENERAL NOTES

SCALE : NTS

3 RISER DIAGRAM

SCALE : NTS

4 POLE DETAIL

SCALE : NTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:

**PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL**

BARANGAY VASRA, DISTRICT 1, QUEZON CITY

DRAWN BY:

DATE:

CHECKED BY:

REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA, JR.
CITY ENGINEERING DEPARTMENT

APPROVED BY:


HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT

GENERAL NOTES
LEGENDS AND SYMBOLS
RISER DIAGRAM
POLE DETAIL


SHEET NO.

**EL
01**



1 PANEL BOARD DETAIL

SCALE : NTS



3 LIGHTING LAYOUT

SCALE : 1:100 MTS

LIGHTING AND POWER PANEL-LPP							
CKT. NO.	LOAD DESCRIPTION	VOLTS	VA	AMPERES	AT	SIZE OF	
						WIRES	CONDUITS
1	8-FL. L.O., 1-B. L.O. & 4-D.L.O.	230	1,300	5.65	20	2-3.5mm ² THWN-2 COPPER WIRE 1-3.5mm ² TW GROUND WIRE	IN 20mmØ PVC PIPE
2	8-DUPLEX CONVENIENCE OUTLETS	230	1,440	6.26	20	2-3.5mm ² THWN-2 COPPER WIRE 1-3.5mm ² TW GROUND WIRE	IN 20mmØ PVC PIPE
TOTAL			2,740	11.91			

COMPUTATION :

$$IT = \frac{2,740 \text{ VA}}{230} = 11.91 \text{ AMPERES}$$

OVER CURRENT PROTECTION:
 USE : 40AT, 2P, 230V CIRCUIT BREAKER IN NEMA 1R

MAIN FEEDER:
 USE : 2-8.0 mm² THWN-2 & 1-8.0 mm² TW GROUND WIRE
 IN 20mmØ PVC PIPE/ 15mmØ IMC PIPE

2 SCHEDULE OF LOADS

SCALE : NTS

4 POWER LAYOUT

SCALE : 1:100 MTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE :

**PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL**

BARANGAY VASRA, DISTRICT 1, QUEZON CITY

DRAWN BY:

DATE:

CHECKED BY:

REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA, JR.
CIC, CITY ENGINEERING DEPARTMENT

APPROVED BY:

HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT

PANEL BOARD
DETAIL
SCHEDULE OF LOADS
LIGHTING LAYOUT
POWER LAYOUT

SHEET NO.


EL
02

1. ALL PLUMBING WORKS AND MATERIALS INDICATED HEREIN SHALL BE COMPLAINT TO THE LATEST EDITION OF NATIONAL PLUMBING CODE, THE RULES AND REGULATION OF LOCAL AUTHORITIES CONCERNED, THE RULES AND REGULATIONS OF LOCAL UTILITY COMPANIES AND THE PROVISIONS OF THE LAND DEVELOPER WHEN AND WHERE APPLICABLE.
2. THE PLUMBING LAYOUT IS ONLY DIAGRAMMATIC, PIPES, CLEANOUTS AND CHECK VALVES SHALL BE CONCEALED AS MUCH AS POSSIBLE IT IS NOT INTENDED TO SHOW THE ACTUAL DIMENSION OF THE PIPES AND FIXTURES IN THE DRAWING BUT ALL THE PIPES AND FIXTURE SHALL BE INSTALLED AS AND WHERE INDICATED. ANY RELOCATION WILL REQUIRE PROPER EXECUTION IN RELATION WITH OTHER TRADES.
3. THE PLUMBING CONTRACTOR SHALL VERIFY ALL EXISTING UTILITIES AT THE SITE AND SHALL COORDINATED THE WORK WITH TRADES.
4. PIPES SHALL NOT BE EMBEDDED IN STRUCTURAL MEMBERS UNLESS OTHERWISE SPECIFIED OR ALLOWED.
5. MINIMUM SLOPE FOR HORIZONTAL SEWER LINES SHALL BE 1% AND FOR DRAIN LINES SHALL BE 5%.
6. PROPOSED PLUMBING UTILITIES SHALL CONFORM WITH THE ACTUAL LOCATION, DEPTH AND INVERT ELEVATION OF ALL EXISTING PIPES/UTILITIES.
7. CONNECTION OF FIXTURES TO PIPED AND FITTING SHALL BE ACCORDING TO MANUFACTURER'S SPECIFICATIONS.
8. ALL FLOOR DRAINS SHALL BE VERIFIED INDIVIDUALLY.
9. ALL CLEAN OUT FERRULES SHALL BE FLUSH-MOUNTED TO WALL AND SHALL BE PROVIDED WITH POLISHED COVER CAPS. DO NOT INSTALL FLOOR CLEAN OUTS EXCEPT AT LINES ON GRADE AND SEVICE AREA NOT SUBJECT TO TRAFFIC.
10. ALL UNDER GROUND G.I. PIPES IN DIRECT CONTACT WITH SOIL SHALL BE PROVIDED WITH TWO (2) COATS OF PROTECTIVE TAR COVERING AND WRAPPED WITH JUTE CLOTH THOROUGHLY SOAKED IN TAR OR ASPHALT
11. PROVIDE VENT STACK AND VENT PIPE THRU ROOF OF CAST IRON SERVICE WEIGHT AS REQUIRED.
12. ALL CAST IRON PIPES SHALL BE OF APPROVED QUALITY AND G.I. FOR WATER DISTRIBUTION LINES SHALL BE SCHEDULE 40 U.S. STANDARD WEIGHT.
13. PROVIDE GATE VALVES TO ALL WATER SUPPLY LINES TO FIXTURES.
14. ALL HOT WATER LINES SHALL BE PROVIDED WITH PROPER INSULATION WHERE EXPOSED.
15. ALL INDIVIDUAL BRANCHES TO FIXTURE OR GROUP OF FIXTURES AND/OR EQUIPMENTS SHALL BE PROVIDED WITH AIR CHAMBER OR CAPPED VERTICAL PIPE EXTENSIONS OF DIMENSIONS AS SHOWN.

H = 450 mm FOR 19 mm AND LARGER

H = 300 mm FOR 12 mm Ø AND SMALLER

16. ALL HOSE BIBBS SHALL BE 19 mm (3/4") UNLESS OTHERWISE INDICATED.
17. INLET PIPE OF SEPTIC TANK IS 50 mm HIGHER THAN THE SIPHON PIPE WHICH IS 30 mm HIGHER THAN THE OUTLET PIPE.
18. ALL PLUMBING WORKS AND MANNER OF CONSTRUCTION SHALL BE UNDER THE DIRECT SUPERVISION OF AN ABLE AND DULY LICENSED MASTER PLUMBER OR REGISTERED SANITARY ENGINEER ANY DISCREPANCIES FOUND IN PLAN SHALL BE NOTIFIED TO THE SAME PERSON.





1 GENERAL NOTES

3 CATCH BASIN / AREA DRAIN DETAIL

SCALE: NTS

	UNION PATENT
	CHECK VALVE
BS	BUILDING SEWER
BD	BUILDING DRAIN
PT	WASTE LINE
AD/CB	AREA DRAIN/CATCH BASIN
FD	FLOOR DRAIN
Ø	DIAMETER
—	WASTE LINE
—	WATER LINES
—	GATE VALVE
DD	DECK DRAIN
CO	CLEAN OUT
—	PIPE DOWN
—	PIPE UP
mm	MILLIMETER
GV	GATE VALVE
□	AREA DRAIN / CATCH BASIN
WC	WATER CLOSET
LAV	LAVATORY
HB	HOSE BIBB
—	STORM DRAIN LINE
—	VENT LINE
VAC	VENT ABOVE CEILING
CP/RCP	CONCRETE PIPE/REINF. CONC. PIPE
VTR	VENT THRU ROOF
→	DIRECTION OF FLOW



2 LEGENDS AND SYMBOLS

4 FLOOR DRAIN DETAIL

SCALE: NTS

5 SEPTIC TANK DETAIL

SCALE: NTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:

**PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL**

BARANGAY VASRA, DISTRICT 1, QUEZON CITY

DRAWN BY:

DATE:

CHECKED BY:

REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA, JR.
OC, CITY ENGINEERING DEPARTMENT

APPROVED BY:


HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT

GENERAL NOTES
LEGENDS AND
SYMBOLS
CATCH BASIN / AREA
DRAIN DETAIL
FLOOR DRAIN DETAIL
SEPTIC TANK DETAIL


SHEET NO.

**PL
01**



1 SEWER LINE LAYOUT


SCALE : 1:100 MTS



20-00036


3 WATERLINE LAYOUT

SCALE : 1:100 MTS



2 STORM DRAINAGE LAYOUT

SCALE : 1:100 MTS



4 ISOMETRIC VIEW OF SEWER LINE LAYOUT

SCALE : NTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE :

**PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL**

BARANGAY VASRA , DISTRICT 1 , QUEZON CITY

DRAWN BY: *[Signature]*

DATE:

CHECKED BY: *[Signature]*

REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD , PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA , JR.
OIC, CITY ENGINEERING DEPARTMENT

APPROVED BY:



HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR , QUEZON CITY

SHEET CONTENT

SEWER LINE LAYOUT
STORM DRAINAGE
LAYOUT
WATER LINE LAYOUT
ISOMETRIC VIEW OF
SEWER LINE LAYOUT

SHEET NO.

**PL
02**



1 ISOMETRIC VIEW OF WATER LINE LAYOUT

SCALE : NTS

2 ISOMETRIC VIEW OF STORM DRAINAGE LINE LAYOUT

SCALE : NTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE :

**PROPOSED CONSTRUCTION OF
STAGE AT MINES ELEMENTARY
SCHOOL**

BARANGAY VASRA, DISTRICT 1, QUEZON CITY

DRAWN BY: *[Signature]*

DATE:

CHECKED BY: *[Signature]*

REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENGR. ISAGANI R. VERZOSA, JR.
OIC, CITY ENGINEERING DEPARTMENT

APPROVED BY:

HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT

ISOMETRIC VIEW OF
WATER LINE LAYOUT
ISOMETRIC VIEW OF
STORM DRAINAGE LINE
LAYOUT

SHEET NO.

PL
03

Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

BILL OF QUANTITIES

(Building Construction/Rehabilitation Project)

PROJECT TITLE : PROPOSED CONSTRUCTION OF STAGE AT MINES ELEMENTARY SCHOOL

LOCATION : BARANGAY VASRA, DISTRICT 1, QUEZON CITY

PROJECT NO. : 20 - 00036

DURATION : NINETY (90) CALENDAR DAYS

Scope of Works :

- 1 General Requirement including temporary enclosure, lighting & water facilities and billboard, scaffoldings and construction protective equipments.
- 2 Site Works including excavation, backfill and compaction, soil poisoning, gravel bedding for wall & column footings and septic tank.
- 3 Civil Works including concreting, masonry works, metal works and roofing works
- 4 Architectural Works including wall, floor finishes, doors and windows and logos and letterings.
- 5 Plumbing Works including roughing ins for waterline, storm drain, waste vent, catch basins and fixtures.
- 6 Electrical Works including roughing ins, power and lighting system
- 7 All necessary testing & commissioning shall be performed in accordance to standards.

ITEM NO.	WORK DESCRIPTION AND SCOPE OF WORKS	UNIT	QTY	UNIT COST	TOTAL COST
I	GENERAL REQUIREMENTS				
	Temporary enclosure around the construction area (H=2.4m)	lm	32	P	P
	Temporary lighting and water facilities	days	90		
	Construction Health and Safety Equipments	unit	1		
	Billboard	pc.	1		
	Scaffolding Rental	sq.m.	84		
	Direct Cost I				P
II	SITE WORKS				
	Earthworks				
	Layout and Staking	m ²	48		
	Site Cleaning and Preparation	m ²	48		
	Excavation (Solid Rock Adobe)				
	Column Footings	m ³	8.5		
	Wall Footings	m ³	10		
	Septic Tank	m ³	8		
	Hauling and Disposal	t.l.	1		
	Subtotal				P

ITEM NO.	WORK DESCRIPTION AND SCOPE OF WORKS	UNIT	QTY	UNIT COST	TOTAL COST
	Soil treatment	m ²	50	P	P
	Gravel Bedding and compaction				
	Column Footings, Wall Footings, Slab-on fill, Catch Basin & Septic Tank	m ³	5.5		
	Filling Materials	m ³	36		
	Materials Cost				P
	Labor Cost				
	Subtotal				P
	Materials Cost II				P
	Labor Cost II				P
	Direct Cost II				P
III	CIVIL/ STRUCTURAL WORKS				
A	Concrete Works				
	Concreting including pumpcrete				
	Column Footing, 4000 psi, 3/4" Gravel	m ³	2.5		
	Columns, 4000 psi, 3/4" Gravel	m ³	3		
	Beams, 4000 psi, 3/4" Gravel	m ³	1.5		
	Wall Footings, 3000 psi, 3/4" Gravel	m ³	1.5		
	Slab-on-fill, 3000 psi, 3/4" Gravel	m ³	5		
	Septic Tank, 3000 psi, 3/4" Gravel	m ³	1		
B.	Reinforcing Steel Bars				
	Grade 60 Reinforcing Steel Bars				
	Column Footing	kg	212		
	Column	kg	552		
	Beam	kg	219		
	Grade 40 Reinforcing Steel Bars				
	Column	kg	145		
	Beam	kg	72		
	Wall Footing	kg	209		
	Septic Tank	kg	60		
	Slab-on-fill	kg	281		
	G.I. Tie Wire	kgs	50		
C.	Formworks				
	Column Footing	m ²	10		
	Columns	m ²	21		
	Beams	m ²	22		
	Septic Tank	m ²	11		

ITEM NO.	WORK DESCRIPTION AND SCOPE OF WORKS	UNIT	QTY	UNIT COST	TOTAL COST
D.	Scaffoldings / Shoring				
	Columns	lm	42		
	Beams	lm	23		
	Septic Tank	m ²	5		
E.	Masonry Works				
	100mm CHB Laying including mortar and reinforcement for Walls	m ²	70		
	100mm CHB Laying including mortar and reinforcements for Septic tank and Catch basin	m ²	23		
	150mm CHB Laying including mortar and reinforcement	m ²	84		
	Plastering of Walls	m ²	354		
	Plastering of Window and Door Openings	l.m.	5		
F.	Metal Works				
	Roof Framing				
	Angle Bar 2' x 2' x 1/4"	kg	624		
	Angle Bar 1 1/2" x 1 1/2" x 1/4"	kg	552		
	Cross Bracing 16mmØ Round Bar	kg	59		
	16mm Turn Buckle	pcs	6		
	Gusset Plate (Mild Steel Plate 4' x 8' x 1/4")	kg	142		
	Metal C - Purlin 2" x 4" x 1/4"	kg	1,905		
	Sag Rod 12mmØ	kg	47		
	Stainless Steel 3" Ø Stair Railing	l.m	7		
G.	Miscellaneous and Consummables				
	Assorted Metal Drill Bit	pcs	10		
	Cut Off Blade	pcs	10		
	Grinding Disc Metal	pcs	10		
	Welding Machine Rentals	days	20		
	Welding Rod	boxes	4		
H.	Roofing Works				
	Pre-painted G.I. Rib Type Roofing including bended accessories	m ²	74		
	Fiber Cement Board Fascia including accessories, Painted Finish	lm	22		
	Roof Insulation 10mm thk Double Aluminum Foil	sq.m.	74		
	Tekscrew	pcs	500		
	Silicon Sealant	tubes	5		
	Vulca Seal	gals	5		
	G.I. Clamp	pcs	26		

ITEM NO.	WORK DESCRIPTION AND SCOPE OF WORKS	UNIT	QTY	UNIT COST	TOTAL COST
I.	Thermal and Moisture Protection				
	Cementitious Capillary Type Waterproofing				
	Toilets	m ²	3.5		
	Materials Cost III				P
	Labor Cost III				P
	Direct Cost III				P
IV	ARCHITECTURAL WORKS				
A.	Floor Finishes				
	600mm x 600mm Non Skid Floor Tiles	m ²	48	P	P
	300mm x 300mm Non Skid Floor Tiles	m ²	2.5		
	300mm x 300mm Non Skid Floor Tiles	m ²	9.5		
B.	Painting Works				
	Latex Paint (exterior walls)	m ²	100		
	Latex Paint (interior walls)	m ²	137		
	Semigloss Paint Finish (Ceiling)	m ²	74		
C.	Special Wall Finish				
	Decorative Stone	m ²	6		
D.	Ceiling Finishes				
	1.2m x 2.4m x 1/4" HardiFlex Board on light weight metal frame	m ²	74		
	Materials Cost				P
	Labor Cost				
	Subtotal				P
E.	Doors & Windows				
	Doors				
	D1 - Swing Flush Door 0.80m x 2.10m	set	3	P	P
	D2 - Swing Flush Door 0.60m x 2.10m	set	1		
	Windows including accessories				
	W1 - Aluminum Framed Awning Glass Window 1.80m x 0.60m	sets	1		
	W2 - Aluminum Framed Awning Glass Window 0.60m x 0.60m	sets	1		
	Hardware accessories				
	Door Jambs	lm	20		
	Door Hinges	pcs	12		
	Door Knob	sets	4		

ITEM NO.	WORK DESCRIPTION AND SCOPE OF WORKS	UNIT	QTY	UNIT COST	TOTAL COST
F.	Logos and Letterings				
	QC Logo	set	1		
	S/S Signage (10"x8") QUEZON CITY MINES ELEMENTARY SCHOOL	sq.in	2480		
	Materials Cost				P
	Labor Cost				
	Subtotal				P
	Materials Cost IV				P
	Labor Cost IV				P
	Direct Cost IV				P
V	PLUMBING WORKS				
A.	Sanitary/Sewer Line				
	PVC Pipe, S-1000				
	PVC Pipe, 4" Ø x 3m	pcs	7	P	P
	PVC Pipe, 3" Ø x 3m	pcs	5		
	PVC Pipe, 3" Ø elbow	pcs	5		
	PVC Fittings				
	Wye, 75 Ø x 75 Ø	pcs	3		
	Wye, 75 Ø x 50 Ø	pcs	2		
	Tee, 75 Ø x 50 Ø	pcs	1		
	1/8 Bend 50 Ø	pcs	2		
	1/8 Bend 75 Ø	pcs	4		
	Cleanout 75 Ø	pcs	3		
	P-Trap, 50 Ø	pcs	2		
B.	Waterline				
	PPR Pipe, 25 Ø x 4m	pcs	5		
	Tee Equal, 25 Ø x 25 Ø	pcs	6		
	End Cap, 25mm Ø	pcs	2		
	90° Elbow, 25mmØ	pcs	8		
	Coupling, 25 Ø	pcs	4		
	Female Threaded Tee, 25Ø x 3/4"	pcs	3		
	Gate Valve PPR, 25 Ø	pcs	1		
	Check Valve, 25 Ø	pcs	1		
	Water Meter, 25 Ø	pcs	1		

ITEM NO.	WORK DESCRIPTION AND SCOPE OF WORKS	UNIT	QTY	UNIT COST	TOTAL COST
C.	Plumbing Fixtures				
	Water Closet, Tank Type with accessories	set	1		
	Lavatory Wall hung	set	1		
	Faucet (kitchen)	set	1		
	Floor Drain, 50Ø	pcs	1		
	Roof Drain, 50mmØ	pcs	2		
D.	Miscellaneous and Consummables				
	Hacksaw Blade	pc	2		
	Solvent Cement, 400cc	can	1		
	Teflon Tape	roll	6		
	Waste Cloth	kg	1		
	Materials Cost V				P
	Labor Cost V				P
	Direct Cost V				P
VI	ELECTRICAL WORKS				
A.	Roughing-ins				
	1/2" Ø x 3m PVC Pipe	pcs	40	P	P
	1" Ø x 3m PVC Pipe	pcs	10		
	1/2" Ø PVC Long Elbow	pcs	25		
	1" Ø PVC Long Elbow	pcs	4		
	1/2" Ø PVC Adaptor	pair	30		
	1" Ø PVC Adaptor	pair	4		
	1/2" Ø PVC Locknut and Bushing	pair	30		
	1" Ø PVC Locknut and Bushing	pair	4		
	1/2" Ø PVC Rigid Iron Clamp	pcs	30		
	1" Ø PVC Rigid Iron Clamp	pcs	12		
	2" x 4" PVC Utility Box	pcs	12		
	4" x 4" PVC Junction Box w/ cover	pair	15		
	Single Pole Switch w/ Plate & Cover	pair	1		
	3/8" Ø Mica Tube	mts	10		
B.	Wires and Cables				
	3.5mm² THHN Wire	rolls	2		
	8.0mm² THHN Wire (Black)	mtrs	60		
	8.0mm² THHN Wire (White)	mtrs	30		
C.	Wiring Devices & Lighting Fixtures				
	9W LED Directional Spotlight	set	12		
	Duplex C.O. with ground	pcs	8		
	Single Pole Switch w/ Plate & Cover	pcs	1		
	Two Pole Switch w/ Plate & Cover	pcs	1		
	Three Pole Switch w/ Plate & Cover	pcs	1		

ITEM NO.	WORK DESCRIPTION AND SCOPE OF WORKS	UNIT	QTY	UNIT COST	TOTAL COST
D.	Panelboard				
	Panel Board Circuit Breaker 40 AT, 2P	Assy	1		
	230 V, Bolt-on Type, with 3 Branches				
	Branches : 2- 20AT 2P Bolt-on, 2P, 230V				
	1- 15AT 2P Bolt-on, 2P, 230V				
E.	Miscellaneous & Consumables				
	Electrical tape	rolls	3	50	
	GI Tie Wire	kgs	1	80	
	Hacksaw Blade	pcs	1	60	
	Masking tape	rolls	1	50	
	Materials Cost VI				P
	Labor Cost VI				P
	Direct Cost VI				P

TOTAL DIRECT COST P

Overhead, Contingencies & Miscellaneous (OCM)

Profit

VAT

TOTAL ESTIMATED COST P

SUMMARY

I	GENERAL REQUIREMENTS	P	
II	SITE WORKS		
III	CIVIL/ STRUCTURAL WORKS		
IV	ARCHITECTURAL WORKS		
V	PLUMBING WORKS		
VI	ELECTRICAL WORKS		
	TOTAL DIRECT COST P		
	OCM		
	PROFIT		
	VAT		
	PROJECT COST P		

Name of Project : PROPOSED CONSTRUCTION OF STAGE AT MINES ELEMENTARY SCHOOL

Location : BARANGAY VASRA, DISTRICT 1, QUEZON CITY

Project No. : 20 - 00036

Duration : Ninety (90) Calendar Days

BREAKDOWN OF COST

Item of Work (Description)		MATERIALS COST	LABOR COST	INDIRECT COST	AGGREGATE COST
I	GENERAL REQUIREMENTS				
II	SITE WORKS				
III	CIVIL/ STRUCTURAL WORKS				
IV	ARCHITECTURAL WORKS				
V	PLUMBING WORKS				
VI	ELECTRICAL WORKS				

TOTAL P _____

TOTAL LUMP SUM IN WORE : _____

Contractor : _____

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Bid Form

Date: _____

IB¹ N°: _____

To: *[name and address of PROCURING ENTITY]*

Address: *[insert address]*

We, the undersigned, declare that:

- (a) We have examined and have no reservation to the Bidding Documents, including Addenda, for the Contract *[insert name of contract]*;
- (b) We offer to execute the Works for this Contract in accordance with the Bid and Bid Data Sheet, General and Special Conditions of Contract accompanying this Bid;

The total price of our Bid, excluding any discounts offered below is: *[insert information]*;

The discounts offered and the methodology for their application are: *[insert information]*;

- (c) Our Bid shall be valid for a period of *[insert number]* days from the date fixed for the Bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (d) If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract;
- (e) Our firm, including any subcontractors or suppliers for any part of the Contract, have nationalities from the following eligible countries: *[insert information]*;
- (f) We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- (g) Our firm, its affiliates or subsidiaries, including any subcontractors or suppliers for any part of the Contract, has not been declared ineligible by the Funding Source;
- (h) We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and

¹ If ADB, JICA and WB funded projects, use IFB.

- (i) We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- (j) We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- (k) We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name: _____

In the capacity of: _____

Signed: _____

Duly authorized to sign the Bid for and on behalf of: _____

Date: _____

Form of Contract Agreement

THIS AGREEMENT, made this *[insert date]* day of *[insert month]*, *[insert year]* between *[name and address of PROCURING ENTITY]* (hereinafter called the “Entity”) and *[name and address of Contractor]* (hereinafter called the “Contractor”).

WHEREAS, the Entity is desirous that the Contractor execute *[name and identification number of contract]* (hereinafter called “the Works”) and the Entity has accepted the Bid for *[insert the amount in specified currency in numbers and words]* by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents shall be attached, deemed to form, and be read and construed as integral part of this Agreement, to wit:
 - (a) General and Special Conditions of Contract;
 - (b) Drawings/Plans;
 - (c) Specifications;
 - (d) Invitation to Bid;
 - (e) Instructions to Bidders;
 - (f) Bid Data Sheet;
 - (g) Addenda and/or Supplemental/Bid Bulletins, if any;
 - (h) Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;
 - (i) Eligibility requirements, documents and/or statements;
 - (j) Performance Security;
 - (k) Notice of Award of Contract and the Bidder’s conforme thereto;
 - (l) Other contract documents that may be required by existing laws and/or the Entity.
3. In consideration of the payments to be made by the Entity to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Entity to execute and complete the Works and remedy any defects therein in conformity with the provisions of this Contract in all respects.

4. The Entity hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects wherein, the Contract Price or such other sum as may become payable under the provisions of this Contract at the times and in the manner prescribed by this Contract.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

Signed, sealed, delivered by _____ the _____ (for the Entity)

Signed, sealed, delivered by _____ the _____ (for the Contractor).

Binding Signature of Procuring Entity

Binding Signature of Contractor

[Addendum showing the corrections, if any, made during the Bid evaluation should be attached with this agreement]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. *Select one, delete the other:*

If a sole proprietorship: I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. *Select one, delete the other:*

If a sole proprietorship: As the owner and sole proprietor or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]* *[insert "as shown in the attached duly notarized Special Power of Attorney" for the authorized representative]*;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, accompanied by the duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable;

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. ***Select one, delete the rest:***

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder:
- a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS WHEREOF, I have hereunto set my hand this ____ day of ____, 20__ at _____, Philippines.

Bidder's Representative/Authorized Signatory

SUBSCRIBED AND SWORN to before me this ____ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on ____ at _____.

Witness my hand and seal this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Serial No. of Commission _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. _____ *[date issued]*, *[place issued]*

IBP No. _____ *[date issued]*, *[place issued]*

Doc. No. _____

Page No. _____

Book No. _____

Series of _____

* This form will not apply for WB funded projects.

Bid-Securing Declaration

(REPUBLIC OF THE PHILIPPINES)

CITY OF _____) S.S.

X-----X

Invitation to Bid *[Insert reference number]*

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1 (f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - c. I am/we are declared as the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]

Affiant

SUBSCRIBED AND SWORN to before me this ____ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____.

Witness my hand and seal this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Serial No. of Commission _____
Notary Public for _____ **until** _____
Roll of Attorneys No. _____
PTR No. __, *[date issued]*, *[place issued]*
IBP No. __, *[date issued]*, *[place issued]*
Doc. No. ____
Page No. ____
Book No. ____
Series of ____.

REPUBLIC OF THE PHILIPPINES)

_____) S. S.

AFFIDAVIT OF UNDERTAKING

I, _____, of legal age, Filipino, _____ **[OFFICER OR REPRESENTATIVE]**

with office address at _____ after having been duly sworn to in accordance with law, hereby voluntary depose and state:

That I am duly authorized representative of the **[Name of Bidder]** to execute this undertaking as evidenced by Secretary's Certificate and Board Resolution.

That **[Name of Bidder]** bidding for the (Name of Project)

That relative to the aforementioned Project, the **[Name of Bidder]** hereby undertake that the equipment to be use and the key personnel to be assign shall exclusively be used and will only perform to the said project until its completion.

That I am executing this affidavit to attest to the truth of the foregoing and in compliance with the submission of the technical requirements for the public bidding of the said project.

IN WITNESS HEREOF, I have hereunto signed my name below this _____ day of _____, _____ at _____.

AFFIANT FURTHER SAYETH NAUGHT.

Affiant

SUBSCRIBED AND SWORN TO BEFORE ME this ____ day of _____, _____ in _____,

affiant exhibiting to me his/her _____ issued at _____ on _____.

Doc. No. ;
Page No. ;
Book No. ;
Series of 2020

Notary Public

