PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

PROPOSED RENOVATION OF VICE MAYOR'S OFFICE, INFORMATION DESK AND QCADDAAC

Project No.: 20-00046

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv) the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

Glo	ossar	y of Terms, Abbreviations, and Acronyms	5
Sec	ction	I. Invitation to Bid	8
Sec	ction	II. Instructions to Bidders	9
	1.	Scope of Bid	10
	2.	Funding Information	10
	3.	Bidding Requirements	10
	4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	11
	5.	Eligible Bidders	11
	6.	Origin of Associated Goods	11
	7.	Subcontracts	11
	8.	Pre-Bid Conference	12
	9.	Clarification and Amendment of Bidding Documents	12
	10.	Documents Comprising the Bid: Eligibility and Technical Components	12
	11.	Documents Comprising the Bid: Financial Component	13
	12.	Alternative Bids	13
	13.	Bid Prices	13
	14.	Bid and Payment Currencies	14
	15.	Bid Security	14
	16.	Sealing and Marking of Bids	14
	17.	Deadline for Submission of Bids	14
	18.	Opening and Preliminary Examination of Bids	15
	19.	Detailed Evaluation and Comparison of Bids	15
	20.	Post Qualification	15
	21.	Signing of the Contract	15
Sec	ction	III. Bid Data Sheet	16
Sec	ction	IV. General Conditions of Contract	17
	1.	Scope of Contract	18
	2.	Sectional Completion of Works	18
	3.	Possession of Site	
	4.	The Contractor's Obligations	18
	5.	Performance Security	19
	6.	Site Investigation Reports	

Warranty	19
Liability of the Contractor	19
Termination for Other Causes	19
Dayworks	20
Program of Work	20
Instructions, Inspections and Audits	20
Advance Payment	20
Progress Payments	20
Operating and Maintenance Manuals	21
V. Special Conditions of Contract	22
VI. Specifications	23
VII. Drawings	25
VIII. Bill of Quantities	
IX. Checklist of Technical and Financial Documents	29
	Liability of the Contractor Termination for Other Causes Dayworks Program of Work Instructions, Inspections and Audits Advance Payment Progress Payments Operating and Maintenance Manuals V. Special Conditions of Contract VI. Specifications VII. Drawings VIII. Bill of Quantities

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

 $\boldsymbol{SEC}-\boldsymbol{Securities}$ and Exchange Commission.

 ${\bf SLCC-Single\ Largest\ Completed\ Contract}.$

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT



BIDS AND AWARDS COMMITTEE FOR INFRASTRACTURE & CONSULTANCY

2nd floor, Finance Building, Procurement Department, Quezon City Hall Complex, Elliptical Road, Quezon City

October 3, 2020

INVITATION TO BID

No.	Project No.	Project Name	Location	Amount	Duration Cal. Days	Office	Source Fund
Buil	<u>dings – S</u>	<u>maii B</u>	Т			T	
1	20-00035	Proposed Improvement of Electrical System of Nick M. Joaquin Senior High School	Bahay Toro	2,158,497.58	120	City Engineering Department	Special Educational Fund (SEF)
2	20-00036	Proposed Construction of Stage at Mines Elementary School	Vasra	2,322,428.36	90	City Engineering Department	Special Educational Fund (SEF)
3	20-00037	Proposed Rehabilitation of Roof Deck and Upper Roof Deck at QCDRRMO Building	Central	2,515,087.12	120	City Engineering Department	General Fund- Engineering Dept.
4	20-00038	Proposed Construction of Flagpole, Stage and Covered Court at Nick Joaquin Senior High School	Bahay Toro	2,873,144.07	120	City Engineering Department	Special Educational Fund (SEF)
5	20-00039	Proposed Improvement of Barangay Hall with Daycare Center	West Kamias	2,927,446.02	120	City Engineering Department	General Fund- Engineering Dept.
6	20-00040	Proposed Renovation and Expansion of Senior Citizen Multi Purpose Hall	Pinagkaisahan	3,433,214.27	120	City Engineering Department	City Engineering Dept-Continuing
7	20-00041	Proposed Rehabilitation of Sitio Maligaya Multi-Purpose Hall	Bahay Toro	3,501,733.92	90	City Engineering Department	City Engineering Dept-Continuing
8	20-00042	Proposed Construction of Covered Pathwalk at Bagong Pag-Asa Elementary School	Bagong Pag- Asa	4,338,083.07	120	City Engineering Department	Special Educational Fund (SEF)
9	20-00043	Proposed Construction of Exit Gate, Covered Pathwalk and Standard Toilet facilities at Ramon Magsaysay Elementary School	Lourdes	6,359,701.62	120	City Engineering Department	Special Educational Fund (SEF)
10	20-00044	Proposed Improvement of Covered Court and Stage at GSIS Village Elementary School	Sangandaan	6,532,001.97	150	City Engineering Department	Special Educational Fund (SEF)
11	20-00045	Proposed Upgrading of Main Electrical Service Entrance of San Agustin Elementary School	San Agustin	6,804,995.05	150	City Engineering Department	Special Educational Fund (SEF)
12	20-00046	Proposed Renovation of Vice Mayor's Office, Inforamtion Desk and QCADDAAC	Central	7,245,482.39	150	City Engineering Department	General Fund- Engineering Dept.
13	20-00047	Proposed Construction of two (2) storey Multi Purpose Hall at R.T. Gonzales Park	San Bartolome	7,991,277.39	180	City Engineering Department	City Engineering Dept-Continuing
14	20-00048	Proposed Construction of Covered Pathwalk, Waiting Area, Hand Washing Area and Exit Gate at Placido Del Mundo Elementary School	Talipapa	9,006,063.18	150	City Engineering Department	Special Educational Fund (SEF)
15	20-00049	Proposed Construction of Covered Pathwalk / Waiting Area at Toro Hills Elementary School	Bahay Toro	9,623,352.25	120	City Engineering Department	Special Educational Fund (SEF)
<u>Buil</u>	<u>ding – N</u>	<u>ledium A</u>					
16	20-00050	Proposed Construction of Lucrecia Kasilag Performing Arts Building	Veterans Village	34,314,107.16	180	City Engineering Department	General Fund- Engineering Dept.

- 1. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for Various Projects. Completion of the works is required *as stated above*. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders
- 2. A complete set of Bidding Documents may be acquired by interested Bidders on *October* 4, 2020 upon submission of a Document Request List (DRL) printed from the Philippine Government Electronic Procurement System (PhilGEPS) website from the address below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of the bids.

- 3. The following are the requirements for purchase of Bidding Documents;
 - 1. PhilGEPS Registration Certificate (Platinum 3 Pages)
 - 2. Document Request List (DRL)
 - 3. Authorization to purchase bidding documents
 - 3.1 Secretary's Certificate (for corporation)
 - 3.2 Special Power of Attorney (for sole proprietorship)
 - 4. Notarized Joint Venture Agreement (if applicable)
 - 5. Letter of Intent

It must be duly received by the BAC Secretariat at 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before **October 11, 2020 - 5:00PM**

4. The *QC- BAC- INFRASTRUCTURE* & *CONSULTANCY* will hold a Pre-Bid Conference on **October 14, 2020** at **11:00** AM at 2nd Floor, **Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound** or we encourage the prospective bidders to join through our **Virtual Conference (ZOOM APP)**

Meeting ID: 89111859539 Password: 598996

- 5. Bids must be duly received by the BAC Secretariat at the address below on or before October 28, 2020 11:00AM. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause.
 - Bid opening will be on October 28, 2020 1:00PM at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.
- 6. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department

2nd Floor, Procurement Department,
Finance Building, Quezon City Hall Compound
Elliptical Road, Barangay Central Diliman, Quezon City.
Tel. No. (02)8988-4242 loc. 8506/8710
Email Add: procurement@quezoncity.gov.ph
Website: www.quezoncity.gov.ph

By:

ATTY. MARK DAYE DIAMOND P. PERRAL. Chairman BAQ-Infra and Consultancy

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, [indicate name] invites Bids for the [insert Procurement Project], with Project Identification Number [indicate number].

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for [indicate funding year] in the amount of [indicate amount].
- 2.2. The source of funding is:

[If an early procurement activity, select one and delete others:]

- a. NGA, the National Expenditure Program.
- b. GOCC and GFIs, the proposed Corporate Operating Budget.
- c. LGUs, the proposed Local Expenditure Program.

[If not an early procurement activity, select one and delete others:]

- a. NGA, the General Appropriations Act or Special Appropriations.
- b. GOCC and GFIs, the Corporate Operating Budget.
- c. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic

conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that: [Select one, delete other/s]

- a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed fifty percent (50%) of the contracted Works.
- b. Subcontracting is not allowed.
- 7.1. [If Procuring Entity has determined that subcontracting is allowed during the bidding, state:] The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterial stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.2. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in ITB Clause 5 to the implementing or end-user unit.
- 7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address {[insert if applicable] and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.

- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during

contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in:

[Select one, delete other/s]

- a. Philippine Pesos.
- b. [indicate currency if procurement involves a foreign-denominated bid as allowed by the Procuring Entity, which shall be tradeable or acceptable by the BSP.]

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until [indicate date]. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the ${\bf IB}$.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
1.1	The Procuring Entity is Quezon City Government
	The name of the Contract is PROPOSED RENOVATION OF VICE
	MAYOR'S OFFICE, INFORAMTION DESK AND QCADDAAC,
	BARANGAY CENTRAL
	The identification number of the Contract is 20-00046
2	The Funding Source is:
	The Government of the Philippines (GOP) through General Fund-
	Engineering Dept. in the amount of Seven Million Two Hundred Forty
	Five Thousand Four Hundred Eighty Two Pesos & 39/100 Ctvs.
	(P 7,245,482.39).
	NOTE: In the case of National Government Agencies, the General Appropriations Act and/or continuing appropriations; in the case of Government-Owned and/or —Controlled Corporations, Government Financial Institutions, and State Universities and Colleges, the Corporate Budget for the contract approved by the governing Boards; in the case of Local Government Units, the Budget for the contract approved by the respective Sanggunian.
	The name of the Project is Proposed Renovation of Vice Mayor's
	Office, Inforamtion Desk and QCADDAAC, Barangay Central,
	District 4, Quezon City
3.1	No further instructions.
5.1	
	In addition, eligible bidders shall qualify or comply with the following:
	Bidders with valid Philippine Contractors Accreditation Board (PCAB) Type
	☐ Buildings_Small B
	Completed construction project(s) which is similar to the Project and which cost at least fifty percent (50%) of the ABC.
5.2	Bidding is restricted to eligible bidders as defined in ITB Clause 5.1.
5.4(a)	No further instructions.
5.4(b)	For this purpose, similar contracts shall refer to contracts which have the
	same major categories of work.
8.1	Subcontracting is not allowed

1

8.2	Not applicable
9.1	The <i>QC-BAC- Infrastructure and Consultancy</i> will hold a pre-bid conference for this Project on <i>October 14, 2020 11:00 A.M.</i> at 2 nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound or we encourage the prospective bidders to join through our <i>Virtual Conference (ZOOM APP)</i> Meeting ID: 89111859539 Password: 598996
10.1	The Procuring Entity's address is:
	QUEZON CITY GOVERNMENT Quezon City Hall Compound Barangay Central, Quezon City
	ATTY. DOMINIC B. GARCIA Procurement Department 2 nd Floor, Finance Building, Quezon City Hall Compound, Barangay Central, Quezon City 8988-4242 loc. 8709/8710 Email Add: procurement@quezoncity.gov.ph Website: www.quezoncity.gov.ph
10.4	No further instructions.
12	Bidders are encouraged but not required to comply with the following:
	 -all copy documents be originally stamped "Certified True Copy"and duly signed by the authorized signatory; -use of more visible color of ink other than black when stamping for Certified True Copy; and -tabbing of the required documents
12.1(a)	In the statement of all on-going and completed contracts, all requirements in support of the enumerated projects shall be presented in proper sequence as they appear in the issued bid documents.
12.1(a)(ii)	Each contractor shall submit its relevant and number of completed projects which shall be subjected to detailed evaluation later on.
12.1(b)(ii.2)	The minimum work experience requirements for key personnel are the following:
	Qnty.Key PersonnelGeneral ExperienceRelevant Experience1Project Manager3 years3 years1Project Engineer3 years3 years1Materials Engineer3 years3 years1Foreman3 years3 years11Skilled Worker3 years3 years15Laborer3 years3 years1Driver3 years3 years

2

	In addition, the bidder must execute an affathat the foregoing personnel shall perform completion. Please see attached bid forms.	work exclusively for th	,	
12.1(b)(iii.3)	The minimum major equipment requ	uirements are the fo	ollowing:	
	<u>Equipment</u>	<u>Capacity</u>	<u>Number of</u> <u>Units</u>	
	Elf Truck		1	
	Bar Cutter Cut-Off Machine		1 1	
	Scaffolding (H-Frame)		5 sets	
	Power Tools		2 sets	
	In addition, the bidder must execute an affither that the foregoing equipment shall be used its completion. Please see attached bid form	d exclusively for the pro	•	
12.1.(b).(iii)	The bidder's authorized signatory is Sworn Statement, otherwise, a sepashall be attached in support of the Co	arate Special Powe	r of Attorney (SPA)	
	An Affidavit of Site Inspection shall a Omnibus Sworn Statement.	also be submitted o	or as part of the	
13.1	"No additional Requirements.			
13.1(b)	This shall include all of the following documents:			
	Bid prices in the Bill of Quant	ities;		
	 Detailed estimates, including prices of construction materia used in coming up with the B 	als, labor rates, and	_	
	Cash flow by quarter or paym	nent schedule.		
13.2	The ABC is Seven Million Two Hundred Eighty Two Pesos & 39/ with a financial component exceeding	100 Ctvs. (P 7,245	.482.39). Any bid	
14.2	No further instructions			
15.4	No further instruction			
16.1	The bid prices shall be quoted in Ph	ilippine Pesos.		
16.3	No further instructions.			
17.1	Bids will be valid until 120 calendar	days from openii	ng of bids	
	Surety Bond issued by the private in on demand, valid up to 120cd, affixed original Official Receipt of premium Certificate of Authority to issue such Commission. For bonds issued by the Commission and documentary stam	ed with documentar payment, and acco security by the Ins he GSIS certification	ry stamps, with ompanied by a surance on by the Insurance	

3

18.1	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts:
	 The amount of not less than P 144,909.65 [2% of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;
	• The amount of not less than ₽ 362,274.12 [5% of ABC] if bid security is in Surety Bond.
18.2	The bid security shall be valid until 120 calendar days from opening of bids
20.3	Each Bidder shall submit <i>one</i> (1) original) and one (1) copies of the first and second components of its bid.
21	The address for submission of bids is at Bids and Awards Committee (BAC) Bidding Room, Procurement Department, 2 nd Floor, Civic Center Building F, Quezon City Hall Compound, Barangay Central, Quezon City
	The deadline for submission of bids is 11:00 AM, October 28, 2020.
24.1	The place of bid opening is at Bids and Awards Committee (BAC) <i>Bidding Room, Procurement Department, 2nd Floor, Civic Center Building F, Quezon City Hall Compound, Barangay Central, Quezon City</i>
	The date and time of bid opening is 1:00 PM, October 28, 2020.
24.2	No further instructions.
24.3	No further instructions.
27.3	Partial bid is not allowed. The infrastructure project is packaged in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
27.4	No further instructions.
28.2	None
31.4(f)	Additional Contract Documents relevant to the Project as required: 1. Construction Schedule and S-curve, 2. Manpower Schedule, 3. Construction Methods, 4. Equipment Utilization Schedule, 5. PERT/CPM or other acceptable tools of project scheduling, shall be included in the submission of Technical Proposal.

4

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract** (SCC), references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

- 4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the SCC, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the SCC, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC.**
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be

accepted subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.



Republika ng Pilipinas Lungsod ng Quezon

CITY ENGINEERING DEPARTMENT

5th, 6th, 7th Floors, QC Civic Center Building "B" Telephone Nos. 8988-4242 Local 8538

PROJECT NAME:

PROPOSED RENOVATION OF VICE MAYOR'S OFFICE, INFORMATION DESK

AND QCADAAC

LOCATION:

BARANGAY CENTRAL, DISTRICT III, QUEZON CITY

TECHNICAL SPECIFICATIONS

20-00046

General Requirements

These supplemental items consist of temporary lighting & water facilities, billboard, construction safety net and health. Personnel Protective Equipment (PPE) should be used by the construction personnel or manpower at all times.

II. Site Works

This item consists of disposal of material that has been removed and replaced.

III. Painting Works

- a. Old & uneven paints should be scrap, surfaces should be thoroughly clean & dried.
- b. Wood work shall be sand papered and dusted clean.
- Masonry or plaster shall be completely dried before any sealer or paint is applied.
- d. Metal shall be clean, dry and free from mill scale, oil, grease and rust.
- e. Cleaned metal shall be primed with quality epoxy metal primer paint, red lead or red oxide primer.
- f. Two (2) coatings of paints should be applied until the desired coat is achieved.

IV. Concrete Works

Concrete works must be done using 2 bagger mixers with 3000 psi or 4000 psi with Grade 40 or Grade 60 reinforcing bars as specified in the plan and program of works.

V. Masonry Works

The materials to be used shall conform to the concrete masonry standards as indicated in the plan. For wall and partitions shown on the detailed drawings requiring concrete hollow blocks must be reinforced with grade 40-10mm diameter reinforcing steel bars.

VI. Ceiling Works

All ceiling works must be 6mm thick Hardiflex board with metal furring as specified in the plan and program of works.

VII. Fabricated Materials

- Sliding panels shall be suspended with concealed roller overhead tracks with bottom guide pitch outward and slotted for complete drainage.
- Sliding panels shall be provided with interior handles.
- c. The locking devices shall be spring loaded extruded latch that automatically engages special frame hips.
- All doors must be in approved quality as specified in the plan and program of work.

VIII.Tile Works

- a. Both broken and unbroken old tiles must be chip-off
- b. Surface should be smoothen & clean.
- Ceramic tiles shall be soaked in clean water prior to installation.
- d. Lay the tiles true to profile as specified in the plan.

IX. Electrical Works

- Lighting fixtures should energy saving, like Lighting Emitting Diode (LED) bulbs to comply with Energy Efficient Law.
- Electrical Fixtures and rough-ins including wirings must be in approved quality as specified in the plan and program of works.

X. Plumbing Works

All piping materials fixtures and appliances fitting accessories whether specifically mentioned or not necessary to complete these items shall be furnished and installed.

RYAN D. NAVARRO

Prepared By

Planning and Programming Division

Checked By:

JOCERYN A. NAONG

Planning and Programming Division



Republika ng Pilipinas Lungsod ng Quezon

CITY ENGINEERING DEPARTMENT





PROJECT NAME:

PROPOSED RENOVATION OF VICE MAYORS OFFICE, INFORMATION DESK AND QCADAAC

LOCATION:

BARANGAY CENTRAL, DISTRICT 4

1. IMPROVEMENT OF VICE MAYORS OFFICE

A. GENERAL REQUIREMENTS

20-00046

	TEMPORARY ENCLOSURE					
Length (m)	Width (m)	Storey	Height (m)	Offset	Perimeter	Area(sqm)
32	0	1	2.7	1.5	35	47.25
					Total Area	48

B. DEMOLITION & CLEARING

Removal of Existing Ceiling

ength (m)	Width(m)	Percent	Area(sqm)
32	10.2	88%	287.2

Removal of Existing Grid Wood Mouldings at Facade

n.c	MOVAL OF WO	JU INIOULDIN	0.5
Length (m)	Height (m)	Percent	Area(sqm)
32	2.7	30%	13

Removal of Metal Divider at Vice Mayors Office

	REMOVAL OF M	ETAL DIVIDER	
Length (m)	Height (m)	Percent	Area(sqm)
3.2	2.7	100%	4.5

Removal of Tiles

Г	REMOVAL OF DILAPIDATED TILES				
I	Length (m)	Width (m)	Percent	Area(sqm)	
(VM Pantry)	2.4	2.25	100%	3	
(Common Pantry)	3	1.55	100%	2.5	
	1000		Total	5.5	

Removal of Toilet Tiles

- 1	REMO	OVAL OF DILAPIL	DATED FLOOR	TILES
- 1	Length (m)	Width (m)	Percent	Area(sqm)
Male	1.5	1.3	100%	1
emale	1,5	1.3	100%	1
	7,000		Total	2

Г	REMOVAL OF DILAPIDATED WALL TILES				
	Length (m)	Height (m)	Percent	Area(sqm)	
Male	2.8	2.7	100%	4	
emale	2.8	2.7	100%	4	
	7800		Total	8	

C. IMPROVEMENT WORKS

Replacement of Existing Ceiling at VM Office and Staff Offices

IET DACEIVICIAL	OF DILAPIDATE	o celentorio	7007700 0071110
Length (m)	Width(m)	Percent	Area(sqm)
32	10.2	77%	251.3

Provision of Dry-Wall Clad for Wires at Offices

Γ	CLAD FOR WIRES					
- 1	Length (m)	Height (m)	Percent	Area(sqm)		
Office 1	0.6	2.7	100%	1		
Office 2	0.6	2.7	100%	1		
Office 3	0.6	2.7	100%	1		
Office 4	0.6	2.7	100%	1		

Total 2

Replacement of Tiles (30x30)

	REPLACEMENT OF DILAPIDATED TILES				
	Length (m)	Width (m)	Percent	Area(sqm)	
(VM Pantry)	2.4	2.25	60%	2	
Common Pantry)	3	1.55	80%	2	
			Total	4	

Replacement of Toilet Tiles (30x30)

[REPLACEMENT OF DILAPIDATED FLOOR TILES					
- [Length (m)	Width (m)	Percent	Area(sqm)		
Male	1.5	1.3	100%	1		
Female	1.5	1.3	100%	1		

Total

20-00046

- [REP	LACEMENT OF DI	APIDATED WAL	L TILES
Ī	Length (m)	Height (m)	Percent	Area(sqm)
Male	2.8	2.7	100%	4
emale	2.8	2.7	100%	4
			Total	8

REGROUTING OF FLOOR TILES				
Length	Width	Percent	Area(sqm)	# of bags
32	10.2	100	326.4	45.97183099

^{* 1} bag - 7.1 sq.m.

46

Fabricated Materials

Replacement of Metal to Glass Divider at Vice Mayors Office

REPL	ACEMENT OF ME	TAL TO GLASS D	DIVIDER
Length (m)	Height (m)	Percent	Area(sqm)
3.2	2.7	100%	4.5
		Total	A.F.

Total

4.5

Replacement of Door at Common Toilets

0.60m x 2.10m PVC Door	2
------------------------	---

D. PAINTING WORKS

1. Latex Paint w/ Standard Design Finish (Interior Walls)

		REPAIN	ITING INTERIOR W	VALL		
Remarks	Length (m)	Width (m)	Height (m)	Percent	Perimeter	Area(sqm)
Single Storey	32	13	2.7	65%	90	157.95
					TOTAL	158

2. Repainting of Vice Mayor's Staff Area

	REPAI	NTING INTERIOR	PARTITION WA	ALL	
Remarks	Total Length (m)	Height (m)	Sides	Percent	Area(sqm)
Single Storey	82	2.7	2	85%	376.38
				TOTAL	377

		REPAINTING OF	CABINETS		
Remarks	Total Length (m)	Height (m)	Sides	Percent	Area(sqm)
Legal Office	2	2.7	2	150%	16.2
Pantry	3	2.7	2	150%	24.3
				ΤΩΤΔΙ	41

	REPAINTING OF C	EILING (PANTRY)	AND TOILETS)	
Remarks	Length (m)	Width (m)	Percent	Area(sam)
Pantry	3	1.55	100%	5
Male Toilet	1.5	1.3	100%	2
FemaleToilet	1.5	1.3	100%	2

9

3. Repainting of Vice Mayors Office including receiving Area

Remarks	Total Length (m)	Height (m)	Sides	Percent	Area(sgm)
Single Storey	29	2.7	2	65%	101.79

	REPA	INTING OF CEILIN	G	
Remarks	Length (m)	Width (m)	Percent	Area(sqm)
Receiving	14	0.8	100%	12
Office	15.5	0.8	100%	13
Pantry	2.4	2.25	100%	6
Quarters	2.7	2.25	100%	7
Toilet	2.25	2.25	100%	6
				44

20-00046

	REPAINTING	WOOD GRAINE	D CABINETS AN	ID CLADS	
Remarks	Total Length (m)	Height (m)	Sides	Percent	Area(sqm)
Receiving	12.5	2.7	1	80%	27
Office	8	2.7	1	80%	17.28
Quarters	2.25	2.7	1	80%	4.86

50 TOTAL

F. PLUMBING WORKS

Vice Mayors Staff Office, Vice Mayors Office,

incl. Receiving, Pantry and Toilet	Pcs.
Water Closet	2
Lavatory	1
Kitchen Sink (Double)	2

2. RENOVATION OF OVM DISTRICT COORDINATORS OFFICE

A. GENERAL REQUIREMENTS

Length (m)	Width (m)	Storey	Height (m)	Offset	Perimeter	Area(sqm,
32	13	1	2.7	0	45	60.75

Total Area

B. DEMOLITION & CLEARING

Removal of Existing Ceiling

1	REMOVAL OF DIL	APIDATED CEILI	NG
Length (m)	Width(m)	Percent	Area(sqm)
32	13	100%	416
		Total	116

Total

416

Removal of Tiles

	REMOVAL OF D	LAPIDATED TILE	S
Length (m)	Width (m)	Percent	Area(sqm)
32	13	100%	416
		T 1 1	410

Total 416

Removal of Trophy Cabinet at Trophy Room

	REMOVAL OF T	ROPHY CABINE	T
Length (m)	Width (m)	Percent	Area(sqm)
5.9	0.6	100%	4

Total

C. IMPROVEMENT WORKS

Repl	acement	of	Existing	Ceiling

KEFLACEIVIEN	I UF DILAFIDAT	ED CEILING ACO	USTICS BUAKD
Length (m)	Width(m)	Percent	Area(sqm)
32	13	98%	408

REPLACEMENT OF DILAPIDATED ACOUSTICS BOARD TO HARDIFLE					
Length (m)	Width(m)	Percent	Area(sqm)		
5.9	2	100%	12		

Total

20-00046

Replacement of Existing Floor Tiles (40x40)

Length (m)	Width (m)	Percent	Area(sqm)
7	0.7	100%	2.5
32	13	100%	416

Construction of Counter at Pantry

	COUNTER	AT PANTRY	
Length (m)	Height (m)	Percent	Area(sqm)
7	0.7	100%	2.5

Total 2.5

Replacement of Door at Storage

1		
	0.70m x 2.10m Panel Door	1

D. PAINTING WORKS

1. Latex Paint w/ Standard Design Finish (Interior Walls)

		REPAIN	ITING INTERIOR W	VALL		
Remarks	Length (m)	Width (m)	Height (m)	Percent	Perimeter	Area(sqm)
Single Storey	32	10	2.7	65%	84	147.42
					TOTAL	148

	KEPAI	NTING INTERIOR	PARTITION WA	ALL	20.
Remarks	Total Length (m)	Height (m)	Sides	Percent	Area(sqm)
Single Storey	22	2.7	2	90%	106.92

F. PLUMBING WORKS

(Direct Counting From Plans)

	Pcs.
Kitchen Sink (Double)	1

3. RENOVATION OF OVM ADMIN. LEGISLATIVE (UNIT 206)

A. GENERAL REQUIREMENTS

TEMPORARY ENCLOSURE						
Length (m)	Width (m)	Storey	Height (m)	Offset	Perimeter	Area(sqm)
3.8	0	1	2.7	1.5	6.8	9.18

Total Area 10

B. DEMOLITION & CLEARING

Removal of Existing Ceiling

	REMOVAL OF DIL	APIDATED CEILI	NG
Length (m)	Width(m)	Percent	Area(sqm)
9.1	3.8	85%	30
		Total	30

Removal of Tiles (30x30)

REMO	VAL OF DILAPIDA	TED TOILET FLO	OR TILES
Length (m)	Width (m)	Percent	Area(sqm)
1.6	1.6	100%	3

Total

REMOVAL OF DILAPIDATED TOILET WALL TILES			
Length (m)	Height (m)	Percent	Area(sqm)
6.4	2.4	93%	15
		T-4-1	47

Total

15

C. IMPROVEMENT WORKS

Replacement of Existing Ceiling

REPLACEMENT OF DILAPIDATED CEILING ACOUST			USTICS BOARD
Length (m)	Width(m)	Percent	Area(sqm)
9.1	3.8	85%	30

Total

20-00046

Length (m)	Width(m)	Percent	Area(sqm)
1.6	1.6	100%	3

Replacement of Existing Floor Tiles

Length (m)	Width (m)	Percent	Area(sqm)
1.6	1.6	100%	3

Length (m)	Height (m)	Percent	Area(sqm)
6.4	2.4	93%	15

Replacement of Existing PVC Toilet Door

/C Toilet Door 1

D. PAINTING WORKS

1. Latex Paint w/ Standard Design Finish (Interior Walls)

		REPAIN	ITING INTERIOR V	VALL	74	
Remarks	Length (m)	Width (m)	Height (m)	Percent	Perimeter	Area(sqm)
Single Storey	9.1	3.8	2.7	65%	25.8	45.279
					TOTAL	46

REPAINTING INTERIOR PARTITION WALL					
Remarks	Total Length (m)	Height (m)	Sides	Percent	Area(sqm)
Single Storey	4.8	2.7	1	100%	12.96
				TOTAL	13

REPAINTING OF WOOD SURFACES					
Remarks	Total Length (m)	Height (m)	Sides	Percent	Area(sqm)
Shelf Partition	4	2.7	2	100%	21.6
Wooden Door	0.8	2.7	2	100%	4.32
	1			ΤΩΤΔΙ	26

F. PLUMBING WORKS

(Direct Counting From Plans)

	Pcs.
Water Closet	1
Wall Mounted Lavatory	1
Floor Drain	1

0

4. RENOVATION OF Q.C. ANTI-DRUG ABUSE ADVISORY COUNCIL -1

A. GENERAL REQUIREMENTS

		TEM	PORARY ENCLOSU	RE		
Length (m)	Width (m)	Storey	Height (m)	Offset	Perimeter	Area(sqm)
8.3	0	1	2.7	1.5	11.3	15.255
					Total Area	16

20-00046

B. DEMOLITION & CLEARING

Removal of Existing Ceiling

Length (m)	Width(m)	Percent	Area(sqm)
9.3	8.4	42%	33

REMOVAL OF DILAPIDATED HARDIFLEX CEILING Length (m) Width(m) Percent Area(sqm) 9.3 8.4 50% 40 40 Total

Removal of Floor Finishes (except Toilet tiles)

Length (m)	Width (m)	Percent	Area(sqm)	
9.3	9.3 8.4	94%	74	

Removal of Dry Wall Partitions

Length (m)	Height (m)	Percent	Area(sqm)
12.9	2.5	100%	33

Removal of Glass Partitions

Length (m)	Height (m)	Percent	Area(sqm)
6.7	2.5	100%	17

C. IMPROVEMENT WORKS

Replacement of Existing Ceiling

Length (m)	Width(m)	Percent	Area(sqm)
9.3	8.4	42%	33

Length (m)	Width(m)	Percent	Area(sqm)	
9.3	9.3 8.4	50%	40	

Replacement of Existing Floor Tiles (40x40)

Length (m)	Width (m)	Percent	Area(sqm)
9.3	8.4	94%	74

Replacement of Dry Wall Partitions

Length (m)	Height (m)	Percent	Area(sqm)
11	2.5	100%	28

Replacement of Glass Partitions (less Door openings)

F	REPLACEMENT OF GLASS PARTITION.		ONS
Length (m)	Height (m)	Percent	Area(sqm)
6.7	2.5	70%	12

12 Total

Replacement of Doors

0.80m Panel Door (at Staff Room)	1
0.70m Glass Door (at Legal, Staff, Legal Office and Records Room)	3

D. PAINTING WORKS

1. Latex Paint w/ Standard Design Finish (Interior Walls)

20-00046

Remarks	Lenath (m)	Width (m)	Height (m)	Percent	Perimeter	Area(sam)
			ricigire (m)			1 1 1
Single Storey	9.3	8.35	2./	60%	35.3	57.186

REPAINTING INTERIOR PARTITION WALL					
Remarks	Total Length (m)	Height (m)	Sides	Percent	Area(sqm)
Single Storey	18	2.5	2	100%	90
				TOTAL	90

5. RENOVATION OF Q.C. ANTI-DRUG ABUSE ADVISORY COUNCIL -2

A. GENERAL REQUIREMENTS

		TEM	PORARY ENCLOSU	RE		
Length (m)	Width (m)	Storey	Height (m)	Offset	Perimeter	Area(sqm)
7.85	0	1	2.7	1.5	10.85	14.6475

Total Area

15

B. DEMOLITION & CLEARING

Removal of Existing Ceiling

REMOVAL	OF DILAPIDATE	D ACOUSTIC BOA	ARD CEILING
Length (m)	Width(m)	Percent	Area(sqm)
7.85	9.1	91%	66
		Total	66

Removal of Floor Finishes

Length (m)	Width (m)	Percent	Area(sqm)
7.85	9.1	100%	72

Removal of Dry Wall Partitions

REMOV	AL OF DILAPIDAT	ED DRY WALL P	ARTITIONS
Length (m)	Height (m)	Percent	Area(sqm)
20	1.5	100%	30
		Total	30

C. IMPROVEMENT WORKS

Replacement of Existing Ceiling

REPLACEME	NT OF DILAPIDAT	ED CEILING ACC	USTICS BOARD
Length (m)	Width(m)	Percent	Area(sqm)
7.85	9.1	91%	66

Total

66

Replacement of Floor Finishes (40x40)

REM	OVAL OF DILAPIL	DATED FLOOR FI	NISHES
Length (m)	Width (m)	Percent	Area(sqm)
7.85	9.1	100%	72

Total

72

D. PAINTING WORKS

1. Latex Paint w/ Standard Design Finish (Interior Walls)

		REPAIN	ITING INTERIOR V	VALL		
Remarks	Length (m)	Width (m)	Height (m)	Percent	Perimeter	Area(sqm)
Single Storey	7.85	9.1	2.7	70%	33.9	64.071
Single Storey	7.85	9.1	2.7	70%	33.3	

TOTAL

65

6. RENOVATION OF INFORMATION BOOTH OF OFFICE OF THE VICE MAYOR AND QUEZON CITY COUNCIL

A. GENERAL REQUIREMENTS

		TEM	PORARY ENCLOSU	RE		
Length (m)	Width (m)	Storey	Height (m)	Offset	Perimeter	Area(sqm)
6.37	4.8	1	2.7	1.5	14.17	19.1295

Total Area

20

		TEM	PORARY ENCLOSU	R <i>E</i>		
Length (m)	Width (m)	Storey	Height (m)	Offset	Perimeter	Area(sqm)
2.6	2	1	2.7	1.5	7.6	10.26

Total Area

11

TOTAL	31 sq.m.

20-00046

B. DEMOLITION & CLEARING

Removal of Glass Partitions Council

REMOVAL OF GLASS PARTITIONS Length (m) Height (m) Percent Area(sqm) 2.7 1.2 50% 2 3.3 100% 4.4

Fromt Wall Left Side Wall

> 17 Total

C. IMPROVEMENT WORKS

Council

Replacement of Glass Partitions

REPLACEMENT OF GLASS PARTITIONS Height (m) Percent Area(sqm) Length (m) 100% 12 Total

Left Side Wall

REPLACEMENT OF GLASS PARTITIONS TO DRY WALL Area(sqm) Height (m) Percent Length (m) Left Side Wall 0.6 100% 4.4 3 (top of glass prtition) Total

CHB Laying at Front Wall

Length (m)	Height (m)	Percent	Area(sqm)
1.7	2.4	60%	3

Council

Additional Backdrop at Front Wall

Length (m)	Height(m)	Percent	Area(sqm)
1.7	2.4	100%	5

Vice Mayor

Additional Backdrop at Wall

	ADDITIONA	L BACKDROP	V
Length (m)	Height(m)	Percent	Area(sqm)
2.6	2.4	100%	7
		Total	7

Total

Council

Additional Laminated Finish of Counter

Length (m)	Height(m)	Percent	Area(sqm)
10	1.2	100%	12

Vice Mayor

Additional Laminated Finish of Counter

ADDI	TIONAL LAMINAT	ED FINISH OF CO	OUNTER
Length (m)	Height(m)	Percent	Area(sqm)
4	1.2	100%	5

Total

5

TOTAL .	29 sq.m.
---------	----------

Council

Additional Drop Ceiling (will be added at dry-wall)

Length (m)	vviain (m)	Percent	Area(sqm)
10	0.7	100%	7

Vice Mayor

Additional Drop Ceiling (will be added at dry-wall)

	ADDITIONAL	DROP CEILING	
Length (m)	Width (m)	Percent	Area(sqm)
3.3	0.7	100%	3

Total

Council

Installation of Glass Door

20 -	0	0	0	4	6
------	---	---	---	---	---

3

0.70m Glass Door 1

Installation og QC Logo

	Pcs.
Stainless Steel Q.C. Logo w/ Backlight	1
Stainless Steel Vice Mayor Logo w/ Backlight	1

D. PAINTING WORKS

1. Latex Paint w/ Standard Design Finish (Interior Walls)

Council

REPAINTING INTERIOR WALL						
Remarks	Length (m)	Width (m)	Height (m)	Percent	Perimeter	Area(sqm)
Single Storey	4	2.7	2.4	70%	13.4	22.512
			· ·		TOTAL	22

TOTAL

23

Remarks	Width (m)	Length (m)	Sides	Percent	Area(sqm)
Back of Stairs	2	2.6	1	100%	5.2

Painting of Backdrop

PAINTING OF BACKDROP				
Length (m)	Height(m)	Percent	Area(sqm)	
2.6	2.4	100%	7	
		Total	7	

Total

Painting of Drop Ceiling

	PAINTING OF	DROP CEILING	
Length (m)	Width (m) including	Percent	Area(sqm)
3.3	0.7	100%	3

Total

3

Prepared by:

Checked by:

RYAN D. NAVARRO


Planning and Programming Division


JOCELYN A. NAONG


Planning and Programming Division


Section VII. Drawings


[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]























OVM - RECEPTION REFLECTED CEILING PLAN


SCALE 1:50 METERS

EXISTING FACADE DETAILS

NOT TO SCALE



PROJECT TITLE:



APPROVED BY:

OVM - RECEPTION PROPOSED LAYOUT

SCALE 1:50 METERS

SUBMITTED BY:

PROPOSED FACADE DETAILS

RECOMMENDING APPROVAL:

NOT TO SCALE

Republika ng Pilipinas Lungsod ng Quezon CITY ENGINEERING DEPARTMENT PROPOSED RENOVATION OF VICE DATE: MAYOR'S OFFICE, INFORMATION **DESK AND QCADAAC**

BRGY. CENTRAL, DISTRICT IV, QUEZON CITY

CHECKED BY: REVISION NO. :

ENGR. LEO S. DEL ROSARIO HEAD , PLANNING & PROGRAMMING DIVISION

ENGR/ISAGANI R. VERZOSA , JR.


ONE CITY ENGINEERING DEPARTMENT

HON. MA. JOSEFINA G. BELMONTE CITY MAYOR, QUEZON CITY

AS SHOWN

SHEET CONTENT

AR 80



QUEZON CITY COUNCIL
INFORMATION

20-00046

EXISTING CEILING TO BE PAINT STRIPPED


EXISTING COUNTER TO BE DISMANTLED


QUEZON CITY COUNCIL - RECEPTION PROPOSED LAYOUT

SCALE 1:50 METERS

3 EXISTING FACADE DETAILS

NOT TO SCALE





APPROVED BY:

2 011

QUEZON CITY COUNCIL - RECEPTION REFLECTED CEILING PLAN

PROJECT TITLE:

SCALE 1:50 METERS

PROPOSED FACADE DETAILS

NOT TO SCALE

Republika ng Pilipinas Lungsod ng Quezon CITY ENGINEERING DEPARTMENT PROPOSED RENOVATION OF VICE MAYOR'S OFFICE, INFORMATION DESK AND QCADAAC

BRGY. CENTRAL, DISTRICT IV, QUEZON CITY

E DATE:

CHECKED BY:

REVISION NO.:

DRAWN BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING A PROGRAMMING DIVISION

ENGR ISAGANI R. VERZOSA , JR.


RECOMMENDING APPROVAL:


HON. MA. JOSEFINA G. BELMONTE

AS SHOWN

SHEET CONTENT

AR 09





Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

BILL OF QUANTITIES

(Building Construction/Rehabilitation Project)

PROJECT: PROPOSED RENOVATION OF VICE MAYOR'S OFFICE, INFORMATION DESK AND QCADAAC

LOCATION: BARANGAY CENTRAL, DISTRICT 4, QUEZON CITY

PROJECT NO.: 20 - 00046

DURATION: One Hundred Fifty (150) Calendar Days

SCOPE OF WORK:

I. General Requirement including temporary enclosure, lighting, water facilities, billboard

Construction safety and health and Scaffolding rental.

II. Repair and Improvement of Existing Offices

1. VICE MAYORS OFFICE

- a. Temporary Enclosure
- b. Demolition and Clearing
 - b.1. Removal and Disposal of Dilapidated Ceiling
 - b.2. Removal and Disposal of Wooden Mouldings
 - b.3. Removal and Disposal of Metal Divider
 - b.4. Removal and Disposal of Dilapidated Tiles at Offices and Toilets
 - b.5. Surface Preparation of Wall and Ceiling Boards
- c. Improvement Works
 - c.1. Replacement of Acoustic Board
 - c.2. Replacement of Metal to Glass Divider at Vice Mayors Office
 - c.3. Replacement of Dilapidated Tiles
 - c.4. Construction of Cladding for for Exposed Wires at Offices
 - c.5. Installation of Laminine Board at Vice Mayors Office cabinets
- d. Painting Works
 - d.1. Repainting of Interior Wall
 - d.2. Repainting of Partition Wall incl. clad for wires at rooms
 - d.3. Repainting of Cabinets
 - d.4. Repainting of Ceiling Boards (non Acoustic)
- e. Electrical Works
 - e.1. Replacement of Panel Board and Fixtures
 - e.2. Installation of Additional Roughing-ins
 - e.3. Replacement and Installation of Additional Wires
- f. Plumbing Works
 - f.1. Replacement of Plumbing Fixtures at Toilets at Staff Pantry

2. OFFICE OF THE VICE MAYORS DISTRICT COORDINATORS OFFICE

- a. Temporary Enclosure
- b. Demolition and Clearing
 - b.1. Removal and Disposal of Dilapidated Ceiling
 - b.2. Removal and Disposal of Dilapidated Tiles
 - b.3. Demolition and Disposal of Trophy Cabinet
 - b.4. Surface Preparation of Wall and Ceiling Boards
- c. Improvement Works
 - c.1. Replacement of Acoustic Board
 - c.2. Replacement of Dilapidated Acoustic Board to Hardiflex Board at Staff Room
 - c.3. Replacement of Dilapidated Tiles
 - c.4. Construction of Counter at Pantry
 - c.5. Replacement of Door at Storage
- d. Painting Works
 - d.1. Repainting of Interior Wall
 - d.2. Repainting of Partition Wall
- e. Electrical Works
 - e.1. Replacement of Panel Board and Fixtures
 - e.2. Installation of Additional Roughing-ins
 - e.3. Replacement and Installation of Additional Wires
- f. Plumbing Works
 - f.1. Installation of Double Sink at Pantry

3. OVM ADMIN. LEGISLATIVE (UNIT 206)

- a. Temporary Enclosure
- b. Demolition and Clearing
 - b.1. Removal and Disposal of Dilapidated Ceiling
 - b.2. Removal and Disposal of Dilapidated Tiles
 - b.4. Surface Preparation of Wall and Ceiling Boards
- c. Improvement Works
 - c.1. Replacement of Acoustic Board
 - c.2. Replacement of Dilapidated Hardiflex Board at Toilet
- c.3. Replacement of Dilapidated Tiles
- c.4. Replacement of PVC Door at Toilet
- d. Painting Works
 - d.1. Repainting of Interior Wall
 - d.2. Repainting of Partition Wall
 - d.3. Repainting of Wooden Shelves
- e. Electrical Works
 - e.1. Replacement of Panel Board and Fixtures
 - e.2. Installation of Additional Roughing-ins
 - e.3. Replacement and Installation of Additional Wires
- f. Plumbing Works
 - f.1. Replacement of Plumbing Fixtures at Toilet

4. QC ANTI-DRUG ABUSE ADVISORY COUNCIL 1

- a. Temporary Enclosure
- b. Demolition and Clearing
 - b.1. Removal and Disposal of Dilapidated Ceiling (Acoustic and Hardiflex Boards)
 - b.2. Removal and Disposal of Dilapidated Flooring
 - b.3. Removal and Disposal of Dilapidated Wall (Dry Wall and Glass Partitions)
 - b.5. Surface Preparation of Wall and Ceiling Boards
- c. Improvement Works
 - c.1. Replacement of Ceiling (Acoustic and Hardiflex Boards)
 - c.2. Replacement of Dilapidated Carpet to Floor Tiles
 - c.3. Replacement of Dilapidated Wall (Dry Wall and Glass Partitions)
 - c.4. Replacement of Panel and Glass Doors
- d. Painting Works
 - d.1. Repainting of Interior Wall
 - d.2. Repainting of Partition Wall
- e. Electrical Works
 - e.1. Replacement of Panel Board and Fixtures
 - e.2. Installation of Additional Roughing-ins
 - e.3. Replacement and Installation of Additional Wires

5. QC ANTI-DRUG ABUSE ADVISORY COUNCIL 2

- a. Temporary Enclosure
- b. Demolition and Clearing
 - b.1. Removal and Disposal of Dilapidated Ceiling
 - b.2. Removal and Disposal of Dilapidated Flooring
 - b.3. Removal of Dilapidated Wooden Partitions
 - b.5. Surface Preparation of Wall
- c. Improvement Works
 - c.1. Replacement of Acoustic Ceiling
 - c.2. Replacement of Dilapidated Floor Tiles
- d. Painting Works
 - d.1. Repainting of Interior Wall
- e. Electrical Works
 - e.1. Replacement of Panel Board and Fixtures
 - e.2. Installation of Additional Roughing-ins
 - e.3. Replacement and Installation of Additional Wires

6. RENOVATION OF VICE MAYORS AND QUEZON CITY COUNCIL INFORMATION DESK

- a. Temporary Enclosure
- b. Demolition and Clearing
 - b.1. Removal of Glass Partition
 - b.1. Surface Preparation for Laminine Installation at Front Desk and Backdrop
- c. Improvement Works
 - c.1. Replacement of Glass Partitions
 - c.2. Replacement of Glass Partitions to Dry Wall
- c.3. Installation of Laminine at Desk
- c.4. Additional CHB Laying at Front Wall
- c.5. Additional Backdrop at Front Wall
- c.6. Additional Drop Ceiling
- c.7. Installation of Glass Door
- c.8. Installation of Vice Mayor and QC Logo
- d. Painting Works
 - d.1. Repainting of stairs
 - d.2. Painting Drop Ceiling
- e. Electrical Works
 - e.1. Replacement and Additional Fixtures
 - e.2. Installation of Additional Roughing-ins
 - e.3. Replacement and Installation of Additional Wires

TEM NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST		
I.	GENERAL REQUIREMENTS						
	Temporary Electrical and Water Facilities	days	150	P	P		
	Billboard	рс	1				
	Scaffolding Rental (H-Frame, Cross Bracing & Catwalk)	sq.m	30				
	Construction Safety and Health						
	Safety Helmet/Hard Hat	pcs.	30				
	Safety Shoes	pcs.	30				
	Safety Gloves	pcs.	30				
	Vest	pcs.	30				
	Harness	pcs.	8				
	Dust Mask	pcs.	31				
	Eye Googles	pcs.	30				
		F 4-5-		Direct Cost	P		
II.	REPAIR AND IMPROVEMENT OF EXISTING OFFICES						
1	VICE MAYORS OFFICE						
а	ENCLOSURES						
	Temporary Enclosure around the construction area	sq.m	48				
	Tomporary Environmental and contraction area	04.111		Direct Cost	P		
b	DEMOLITION/CLEANING & CLEARING						
	Removal and Disposal of Existing Ceilings	sq.m	287				
	Demolition and Disposal of Walls (Wood Mouldings and Metal Dividers)	sq.m	17.5				
	Removal / Chipping and Disposal of Existing Tiles	sq.m	15.5				
	Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cladding and Ceiling Board)	sq.m	781				
				Subtotal	P		
С	IMPROVEMENT WORKS			Cubiciai			
	Ceiling Works						
	Installation of 60 x 120 Acoustic Board incl. T-Runner and Accessories	sq.m	251				
	Cladding for Wire at Offices	04.111		1			
	Dry Wall on Light Metal Framing	sq.m	2				
	Tile Works	34.111	_	1	1		
	30cm x 30cm Non-Skid Tiles	sqm	6				
	30cm x 30cm Ceramic Tiles	sqm	8				
	Regrouting	Sqiii	· ·				
	Tile Grout	haa	46				
	Muriatic Acid	bag	23	1			
	Miscellaneous and Consummables	gal	23	1	1		
		1	25		I		
	Waste Cloth	kgs	25	Materials Cost	D		
				Labor Cost Direct Cost	-		

ΓEM NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST				
	Fabricated Materials								
	Partitions								
	Tempered Glass Partition at Vice Mayors Lounge	sq.m	5						
	Doors			1					
	PVC Toilet Door	set	2						
				Materials Cost	P				
				Labor Cost					
				Direct Cost	P				
i	PAINTING WORKS			Direct Cost c	P				
_	Latex Paint w/ Standard Design Finish (interior walls)	sq.m	678						
		sq.m	53						
	Enamel Paint Finish (ceiling board)	-	50						
	Duco Finish (Cabinets and Doors at Vice Mayors Office)	sq.m	30	Materials Cost	D				
				Labor Cost	<u> </u>				
				Direct Cost	В				
	EL EGTRICAL MORKO			בוופטו סטאו	 -				
)	ELECTRICAL WORKS								
	Panel Board & Fixtures		4						
	Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type	set	1						
	with 14 Branches								
	4 sets - 15AT, CB, 2P, 230V, Bolt on Type								
	6 sets - 20AT, CB, 2P, 230V, Bolt on Type								
	3 sets - 30AT, CB, 2P, 230V, Bolt on Type								
	1 set - 40AT, CB, 2P, 230V, Bolt on Type								
	with Ground Terminal								
	Single Switch w/ Plate (Wide Series)	sets	9						
	Duplex Switch w/ Plate (Wide Series)	set	5						
	Three Gang Switch w/ Plate (Wide Series)	sets	5						
	Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series)	sets	55						
	Single Convenience Outlet 3-Prong w/ Plate (Wide Series)	sets	4						
	2 x 9 watts LED Flourescent Tube w/ Reflectorized Diffuser,	sets	14						
	Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m)								
	2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser,	sets	30						
	Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m)								
	5 watts LED Pinlight 4" dia.	sets	28						
	5 watts LED Pinlight 6" dia.	sets	4						
	Emergency Light	sets	3						
l	Rough-Ins	•	•						
	1/2"dia x 10' PVC Pipe	pcs	195						
	3/4"dia x 10' PVC Pipe	pcs	50						
	1/2"dia PVC Long Elbow	pcs	75						
	3/4"dia PVC Long Elbow	pcs	30						
	1/2"dia PVC Adaptor w/ Locknut & Bushing	pairs	200						
	3/4"dia PVC Adaptor w/ Locknut & Bushing	pairs	40						
	1/2" x 1/4" dia. Adaptor Bolt w/ Nut and Washer	pairs	100						
	3/4" x 1/4" dia. Adaptor Bolt w/ Nut and Washer	pairs	30						
	1/4"dia Nut	box	1						
	Utility Box	pcs	10						
	Junction Box w/ Cover		90						
	4/16"dia Square Box w/ Cover	pairs pairs	10						
	PVC AMCO Box		30						
	3/4"dia x 8' PVC Moulding	pcs	50						
	· · · · · · · · · · · · · · · · · · ·	pcs							
	1" x 1/4"dia Grip Anchor	box	3						
	1/4"dia x 8' Hanger Rod	pcs	20						
	1" x 3/16" x 6m Angle Bar	pcs	10						

ITEM NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST
Ш	Miscellaneous and Consummables				
	1" Masking Tape	pcs	4		
	Electrical Tape	pcs	30		
	Tox #6 w/ 1" x 8 Metal Screw	box	2		
	Torch w/ Butane	set	4		
	1/8" dia. Steel Bit	рс	2		
	6mm dia. Concrete Masonry Bit	рс	3		
	PVC Solvent (100cc)	can	4		
	Hacksaw w/ Blade	set	4		
	3/8"dia MICA Tube	mts	90		
В	Wires				
	3.5mm² THHN Wire	roll	18		
	2.0mm² THHN Wire	roll	4		
	5.5mm² THHN Wire	roll	2		
	8.0mm² THHN Wire	roll	1		
	30mm² THHN Wire	mts	15		
				Materials Cost	₽
				Labor Cost	
				Direct Cost	P
g	PLUMBING WORKS				
	Fixtures				
	Water Closet	set	2		
	Lavatory	set	1		
	Stainless Sink (Double)	set	2		
	Goose Neck Faucets	set	1		
	Faucets	set	2		
	Floor Drain	set	2		
	Miscellaneous and Consummables				
	Solvent Cement (400cc)	can	1		
	Waste Cloth	kgs	2		
	Teflon Tape	roll	3		
				Materials Cost	P
				Labor Cost	
				Direct Cost	P
				SUB-TOTAL 1	P

10.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST
<u>. </u>	OFFICE OF THE VICE MAYORS DISTRICT COORDINATORS OFFICE				
l	ENCLOSURES				
	Temporary Enclosure around the construction area	sq.m	61		
				Direct Cost	P
)	DEMOLITION/CLEANING & CLEARING				
	Removal and Disposal of Existing Ceilings	sq.m	416		
	Removal / Chipping and Disposal of Existing Tiles	sq.m	416		
	Demolition and Disposal of Trophy Room Display Cabinet	sq.m	7		
	Cleaning of surfaces for painting preparation	sq.m	255		
				Direct Cost	P
2	IMPROVEMENT WORKS				
	Ceiling Works		T		T
	Installation of 60 x 120 Acoustic Board incl. T-Runner and Accessories	sq.m	408		
	Replacement of Ceiling (6mm Hardiflex on light Metal Framing)	sq.m	8		
	Tile Works		ı	T	T
	40cm x 40cm Non-Skid Tiles	sqm	416		
	Built-Up Concrete Counter including Formworks, Reinforcements Concrete Works, Tile Works and	sqm	2.5		
	Painting			Materials Cost	D
				Labor Cost	
				Direct Cost	
	F1			Direct Cost	F
	Fabricated Material				
	0.70m Panel Door	set	1	Materials Cost	D
				Labor Cost	
				Direct Cost	
				Direct Cost c	
	DAINTING WODIG			Direct Cost C	r
u	PAINTING WORKS	00 m	255		Ι
	Latex Paint w/ Standard Design Finish (interior walls)	sq.m	255	Materials Cost	D
				Materials Cost	-
				Lahor Cost	
				Labor Cost	
Δ.	ELECTRICAL WORKS			Labor Cost Direct Cost	
e ı	ELECTRICAL WORKS Page Roard & Figures				
e I	Panel Board & Fixtures	cot	1		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type	set	1		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches	set	1		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type	set	1		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type	set	1		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type	set	1		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type	set	1		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal				
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series)	sets	2		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series)	sets set	2 3		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series)	sets set sets	2 3 6		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series)	sets set sets sets	2 3 6 36		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series)	sets set sets sets sets sets	2 3 6 36 2		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser,	sets set sets sets	2 3 6 36		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m)	sets set sets sets sets sets sets	2 3 6 36 2 43		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light	sets set sets sets sets sets	2 3 6 36 2		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins	sets set sets sets sets sets sets	2 3 6 36 2 43		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins 1/2"dia x 10' PVC Pipe	sets sets sets sets sets sets pcs	2 3 6 36 2 43		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins 1/2"dia x 10' PVC Pipe 3/4"dia x 10' PVC Pipe	sets sets sets sets sets sets pcs pcs	2 3 6 36 2 43 2		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins 1/2"dia x 10' PVC Pipe 3/4"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow	sets sets sets sets sets sets pcs pcs	2 3 6 36 2 43 2 130 25 50		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins 1/2"dia x 10' PVC Pipe 3/4"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 3/4"dia PVC Long Elbow	sets sets sets sets sets sets pcs pcs pcs	2 3 6 36 2 43 2 130 25 50 25		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins 1/2"dia x 10' PVC Pipe 3/4"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 3/4"dia PVC Long Elbow 1/2"dia PVC Long Elbow 1/2"dia PVC Long Elbow 1/2"dia PVC Adaptor w/ Locknut & Bushing	sets sets sets sets sets sets pcs pcs pcs pairs	2 3 6 36 2 43 2 130 25 50 25 120		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins 1/2"dia x 10' PVC Pipe 3/4"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 3/4"dia PVC Long Elbow 1/2"dia PVC Adaptor w/ Locknut & Bushing 3/4"dia PVC Adaptor w/ Locknut & Bushing	sets sets sets sets sets sets pcs pcs pcs pairs pairs	2 3 6 36 2 43 2 130 25 50 25 120 30		
I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins 1/2"dia x 10' PVC Pipe 3/4"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 3/4"dia PVC Long Elbow 1/2"dia PVC Adaptor w/ Locknut & Bushing 3/4"dia PVC Adaptor w/ Locknut & Bushing 1/2" x 1/4" dia. Adaptor Bolt w/ Nut and Washer	sets sets sets sets sets sets sets pcs pcs pcs pairs pairs pairs	2 3 6 36 2 43 2 130 25 50 25 120 30 75		
e I	Panel Board & Fixtures Panel Board Circuit Breaker 100AT, 3P, 3P, 230V, Bolt on Type with 14 Branches 4 sets - 15AT, CB, 2P, 230V, Bolt on Type 6 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 30AT, CB, 2P, 230V, Bolt on Type 1 set - 40AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m) Emergency Light Rough-Ins 1/2"dia x 10' PVC Pipe 3/4"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 3/4"dia PVC Long Elbow 1/2"dia PVC Adaptor w/ Locknut & Bushing 3/4"dia PVC Adaptor w/ Locknut & Bushing	sets sets sets sets sets sets pcs pcs pcs pairs pairs	2 3 6 36 2 43 2 130 25 50 25 120 30		

ITEM NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST
	Junction Box w/ Cover	pairs	50		
	4/16"dia Square Box w/ Cover	pairs	5		
	PVC AMCO Box	pcs	12		
	3/4"dia x 8' PVC Moulding	pcs	30		
	1" x 1/4"dia Grip Anchor	box	1		
	1/4"dia x 8' Hanger Rod	pcs	15		
	1" x 3/16" x 6m Angle Bar	pcs	8		
Ш	Miscellaneous and Consummables				
	1" Masking Tape	pcs	3		
	Electrical Tape	pcs	20		
	Tox #6 w/ 1" x 8 Metal Screw	box	2		
	3/8"dia MICA Tube	mts	50		
	Torch w/ Butane	set	4		
	1/8" dia. Steel Bit	рс	2		
	6mm dia. Concrete Masonry Bit	pc	3		
	PVC Solvent (100cc)	can	4		
	Hacksaw w/ Blade	set	4		
IV	Wires		!		
	3.5mm² THHN Wire	roll	15		
	2.0mm² THHN Wire	roll	4		
	5.5mm² THHN Wire	roll	1		
	8.0mm² THHN Wire	roll	1		
	30mm² THHN Wire	mts	15		
			!	Materials Cost	P
				Labor Cost	
				Direct Cost	P
f	PLUMBING WORKS				
	Fixtures				
	Stainless Sink (Double)	set	1		
	Goose Neck Faucets	set	1		
	PVC Pipe	pcs	2		
	PVC Elbow	pcs	2		
	Miscellaneous and Consummables	poo			
	Solvent Cement (400cc)	can	1		
	Waste Cloth	kgs	1		
	Teflon Tape	pcs	2		
	· · · · · · · · · · · · · · · · · · ·	pos		Materials Cost	P
				Labor Cost	-
				Direct Cost	P
				2551. 5001	-
				SUB-TOTAL 2	P

NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST			
3	OVM ADMIN. LEGISLATIVE (UNIT 206)			l				
а	ENCLOSURES							
	Temporary Enclosure around the construction area	sq.m	10					
	, ,			Direct Cost	P			
b	DEMOLITION/CLEANING & CLEARING							
	Removal and Disposal of Existing Ceilings	sq.m	30					
	Removal / Chipping and Disposal of Existing Tiles	sq.m	36					
	Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cladding and Ceiling Board)	sq.m	85					
	Clouring of durable for painting proparation (masonly, 21) wan, clauding and coming board)	04	00	Di	_			
				Direct Cost	P			
С	IMPROVEMENT WORKS							
	Ceiling Works	I						
	Installation of 60 x 120 Acoustic Board incl. T-Runner and Accessories	sq.m	30					
	Replacement of Ceiling (6mm Hardiflex on light Metal Framing)	sq.m	3					
	Tile Works		1					
	40cm x 40cm Non-Skid Tiles	sqm	18					
	30cm x 30cm Non-Skid Tiles	sqm	3					
	30cm x 30cm Ceramic Tiles	sqm	15					
				Materials Cost	₽			
				Labor Cost				
				Direct Cost	P			
	Fabricated Material							
	Doors							
	PVC Toilet Door	set	1					
				Materials Cost	₽			
	Labor Cost							
				Labor Cost				
				Labor Cost Direct Cost	P			
					P			
d	PAINTING WORKS			Direct Cost				
d	PAINTING WORKS Latex Paint w/ Standard Design Finish (interior walls)	sq.m	59	Direct Cost				
d	Latex Paint w/ Standard Design Finish (interior walls)	sq.m sq.m	59 29	Direct Cost				
d				Direct Cost	P			
d	Latex Paint w/ Standard Design Finish (interior walls)			Direct Cost Sub-total c	P			
d	Latex Paint w/ Standard Design Finish (interior walls)			Sub-total c Materials Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls)			Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door)			Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS			Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures	sq.m	29	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches	sq.m	29	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type	sq.m	29	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type	sq.m	29	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type	sq.m	29	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal	sq.m	29	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series)	sq.m	1 2	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series)	sq.m set sets sets	1	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series)	sq.m set sets sets sets sets	1 1 2 2 2 2	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series)	sq.m set sets sets sets sets sets sets	1 2 2 2	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series)	sq.m set sets sets sets sets sets sets se	29 1 2 2 2 1 7	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser,	sq.m set sets sets sets sets sets sets	1 2 2 2 2 1 7	Sub-total c Materials Cost Labor Cost	P P			
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser, Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m)	sq.m set sets sets sets sets sets sets se	29 1 2 2 2 1 7 1 4	Sub-total c Materials Cost Labor Cost	P P			
e I	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board, Cabinets and Door) ELECTRICAL WORKS Panel Board & Fixtures Panel Board Circuit Breaker 40AT, CB, 3P, 230V, Bolt on Type with 6 Branches 2 sets - 30AT, CB, 2P, 230V, Bolt on Type 2 sets - 15AT, CB, 2P, 230V, Bolt on Type 2 sets - 20AT, CB, 2P, 230V, Bolt on Type 3 sets - 20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series) Single Convenience Outlet 3-Prong w/ Plate (Wide Series) 2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser,	sq.m set sets sets sets sets sets sets se	29 1 2 2 2 1 7	Sub-total c Materials Cost Labor Cost	P P			

ITEM NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST
	Rough-Ins		l	1	
	1/2"dia x 10' PVC Pipe	pcs	30		
	1/2"dia PVC Long Elbow	pcs	20		
	1/2"dia PVC Adaptor w/ Locknut & Bushing	pairs	40		
	1/2" x 1/4" dia. Adaptor Bolt w/ Nut and Washer	pairs	20		
	1/4"dia Nut	box	20		
	Utility Box	pcs	5		
	Junction Box w/ Cover	pairs	12		
	4/16"dia Square Box w/ Cover	pairs	1		
	PVC AMCO Box	pcs	5		
	3/4"dia x 8' PVC Moulding	pcs	10		
	1" x 1/4"dia Grip Anchor	pcs	20		
	1/4"dia x 8' Hanger Rod		3		
III	Miscellaneous and Consummables	pcs			
	3/8"dia MICA Tube	mto	12		
	1" Masking Tape	mts	3		
	Electrical Tape	pcs	5		
	Tox #6 w/ 1" x 8 Metal Screw	pcs	2		
	Torch w/ Butane	box	1		
	1/8" dia. Steel Bit	set	1		
	6mm dia. Concrete Masonry Bit	pc	1		
	PVC Solvent (100cc)	pc	2		
	Hacksaw w/ Blade	can	1		
IV	Wires	set	'		
1 V	3.5mm² THHN Wire	roll	2		
	2.0mm² THHN Wire	roll	1		
	5.5mm² THHN Wire	mts	30		
	14mm² THHN Wire	mts	15		
	THIRD THINK WHO	IIIIS	10	Materials Cost	P.
				Labor Cost	
				Direct Cost	P
f	PLUMBING WORKS				-
	Fixtures				
	Water Closet	set	1		
	Lavatory	set	1		
	Stainless Sink (Double)	set	1		
	Faucets	set	1		
	Floor Drain	set	1		
	1 looi Dialii	301		Materials Cost	P
				Labor Cost	
				Direct Cost	P
					<u>-</u>
				SUB-TOTAL 3	P
4	QC ANTI-DRUG ABUSE ADVISORY COUNCIL 1			-	
а	ENCLOSURES				
	Temporary Enclosure around the construction area	sq.m	16		
	, ,		1	Direct Cost	P
b	DEMOLITION/CLEANING & CLEARING			I	
	Removal and Disposal of Existing Ceilings	sq.m	73		
	Demolition and Disposal of Walls (Dry Wall and Glass Partitions)	sq.m	50		
	Removal / Chipping and Disposal of Existing Tiles	sq.m	69		
	Cleaning of surfaces for painting preparation	sq.m	148		
	(Masonry and Dry Wall)	541			

EM	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST
С	IMPROVEMENT WORKS				
	Partitions				
	Dry Wall Partition on Light Metal Framing	sq.m	28		
	Ceiling Works				
	Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories		22		
	Installation of 60 x 60 Acoustic Board Inc. 1-Runner and Accessories	sq.m	33		
			40		
	Replacement of Ceiling (6mm Hardiflex on light Metal Framing)	sq.m			
	Tile Works		T		
	40cm x 40cm Non-Skid Tiles	sqm	69		
				Materials Cost	P
				Labor Cost	
				Direct Cost	P
	Fabricated Materials				
	Doors and Partitions				
	D3 - 0.70m Glass Door	set	3		
	Glass Partitions on Alum. Framing	sq.m	7.2		
		' '		Materials Cost	₽
				Labor Cost	
				Direct Cost	P
				Sub-Total c	P
t	PAINTING WORKS				•
	Latex Paint w/ Standard Design Finish (interior walls)	sq.m	176		
	, , ,	·	40		
	Enamel Paint Finish (ceiling board)	sq.m	40	Materials Cost	D
				Labor Cost	<u> </u>
				Direct Cost	<u> </u>
е .	ELECTRICAL WORKS				
l	Panel Board & Fixtures				
	Panel Board Circuit Breaker 100AT, CB, 3P, 230V, Bolt on Type	set	1		
	with 10 Branches				
	5 sets - 30AT, CB, 2P, 230V, Bolt on Type				
	3 sets - 20AT, CB, 2P, 230V, Bolt on Type				
	2 sets - 40AT, CB, 2P, 230V, Bolt on Type				
	with Ground Terminal				
	2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser,	sets	8		
	Louver Type w/ complete accessories (0.60m x 1.20m x 1.0m)				
	5 Watts LED Pinlights	sets	26		
	Three Gang Switch w/ Plate (Wide Series)	sets	2		
	Duplex Switch w/ Plate (Wide Series)	set	1		
	Single Switch w/ Plate (Wide Series)	sets	3		
	Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series)	sets	17		
	Aircon Outlet 3 Prong w/ Plate	sets	1		
I	Rough-Ins	3013			
•	1/2"dia x 10' PVC Pipe	nce	80		
	1/2 dia x 10 FVC Fipe 1/2 dia PVC Long Elbow	pcs	30		
	1/2 dia PVC Long Elbow 1/2"dia PVC Adaptor w/ Locknut & Bushing	pcs	75		
		pairs			
	1/2"dia PVC Locknut & Bushing	pairs	75		
	1/2" x 1/4" dia. Adaptor Bolt w/ Nut and Washer	pairs	30		
	3/4"dia x 8' PVC Moulding	pcs	25		
	1" x 1/4"dia Grip Anchor	pcs	30		
	1/4"dia x 8' Hanger Rod		5		

TEM NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST
	PVC AMCO Box	pcs	10		
	Utility Box	pcs	20		
	Junction Box w/ Cover	pairs	40		
	4/16"dia Square Box w/ Cover	pairs	2		
Ш	Miscellaneous and Consummables			'	
	3/8"dia MICA Tube	mts	15		
	Electrical Tape	pcs	8		
	1" Masking Tape	pcs	2		
	1/8" dia. Steel Bit	рс	2		
	6mm dia. Concrete Masonry Bit	pc	1		
	Torch w/ Butane	set	1		
	PVC Solvent (100cc)	can	2		
	Hacksaw w/ Blade	set	2		
IV	Wires	301	_		
_	3.5mm² THHN Wire	roll	5		
	2.0mm² THHN Wire	roll	1		
	5.5mm² THHN Wire	mts	100		
	30mm² THHN Wire		15		
	John Hill Wile	mts	13	Materials Cost	D
				Labor Cost	-
				Direct Cost	В
				D.11001 0001	
				SUB-TOTAL 4	P
5	QC ANTI-DRUG ABUSE ADVISORY COUNCIL 2				
-	QC ANTI-DRUG ABUSE ADVISORY COUNCIL 2 ENCLOSURES				
_		sq.m	15		
_	ENCLOSURES	sq.m	15	Direct Cost	
а	ENCLOSURES	sq.m	15	Direct Cost	
а	ENCLOSURES Temporary Enclosure around the construction area	sq.m	15	Direct Cost	
а	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings	sq.m		Direct Cost	
а	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall)	sq.m sq.m	72	Direct Cost	
а	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles	sq.m sq.m sq.m	72 30	Direct Cost	
а	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation	sq.m sq.m	72 30 72	Direct Cost	
а	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles	sq.m sq.m sq.m	72 30 72	Direct Cost	P
b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets)	sq.m sq.m sq.m	72 30 72		P
5 a b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS	sq.m sq.m sq.m	72 30 72		P
b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works	sq.m sq.m sq.m	72 30 72 58		P
b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS	sq.m sq.m sq.m	72 30 72		P
b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works	sq.m sq.m sq.m sq.m	72 30 72 58		P
a b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories	sq.m sq.m sq.m sq.m	72 30 72 58		P
a b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories Tile Works	sq.m sq.m sq.m sq.m	72 30 72 58		P P
a b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories Tile Works	sq.m sq.m sq.m sq.m	72 30 72 58	Direct Cost	P P
b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories Tile Works	sq.m sq.m sq.m sq.m	72 30 72 58	Direct Cost Materials Cost	P P
b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories Tile Works 40cm x 40cm Non-Skid Tiles	sq.m sq.m sq.m sq.m	72 30 72 58	Direct Cost Materials Cost Labor Cost	P P
b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories Tile Works 40cm x 40cm Non-Skid Tiles	sq.m sq.m sq.m sq.m	72 30 72 58	Direct Cost Materials Cost Labor Cost	P P
b c	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories Tile Works 40cm x 40cm Non-Skid Tiles	sq.m sq.m sq.m sq.m	72 30 72 58 66	Direct Cost Materials Cost Labor Cost	P P
b	ENCLOSURES Temporary Enclosure around the construction area DEMOLITION/CLEANING & CLEARING Removal and Disposal of Existing Ceilings Demolition and Disposal of Walls (Dry Wall) Removal / Chipping and Disposal of Existing Tiles Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets) IMPROVEMENT WORKS Ceiling Works Installation of 60 x 60 Acoustic Board incl. T-Runner and Accessories Tile Works 40cm x 40cm Non-Skid Tiles	sq.m sq.m sq.m sq.m	72 30 72 58 66	Direct Cost Materials Cost Labor Cost Direct Cost	P P

NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST
е	ELECTRICAL WORKS			1	
	Panel Board & Fixtures				
	Panel Board Circuit Breaker 70AT, 3P, 230V, Bolt on Type	ant	1		
	with 6 Branches	set	'		
}	3 - 30AT, CB, 2P, 230V, Bolt on Type				
}	•				
ł	3-20AT, CB, 2P, 230V, Bolt on Type with Ground Terminal				
}	2 x 18 watts LED Flourescent Tube w/ Reflectorized Diffuser,	ooto	12		
ŀ	Louver Type w/ complete accessories (0.60m x 1.20m x 0.10m)	sets	1.2		
ł	Three Gang Switch w/ Plate (Wide Series)	set	2		
	Duplex Switch w/ Plate (Wide Series)	sets	1		
	Duplex Convenience Outlet 3-Prong w/ Plate (Wide Series)	sets	16		
	Aircon Outlet 3-Prong w/ Plate (Wide Series)	set	1		
	Rough-Ins	561	'		
"	1/2"dia x 10' PVC Pipe	nos	30		
}	1/2"dia PVC Long Elbow	pcs	25		
-	1/2"dia PVC Long Elbow 1/2"dia PVC Adaptor w/ Locknut & Bushing	pcs	40		
1	1/2 dia PVC Adaptor w Lockful & Bushing 1/2"dia PVC Locknut & Bushing	pcs	40		
1	1/2"dia x 1/4"dia U- Bolt w/ Nut & washer	pcs	25		
ł	3/4"dia x 8' PVC Moulding	pcs	30	1	
}	1" x 1/4"dia Grip Anchor	pcs	30		
ł	1/4"dia x 8' Hanger Rod	pcs	5		
ł	PVC AMCO Box	pcs	9		
ł	Utility Box		10		
}	Junction Box w/ Cover	pcs pairs	25		
ŀ	4/16"dia Square Box w/ Cover	pairs	2		
Ш	Miscellaneous and Consummables	pails	_		
	3/8"dia MICA Tube	mts	10		
	Electrical Tape	pcs	5		
	1" Masking Tape		5		
	1/8" dia. Steel Bit	pcs	2		
	6mm dia. Concrete Masonry Bit	pc pc	2		
	Torch w/ Butane	set	1		
	PVC Solvent (100cc)	can	2		
	Hacksaw w/ Blade	set	2		
IV	Wires	561			
-	3.5mm² THHN Wire	rolle	4		
ł	2.0mm² THHN Wire	rolls	1		
ł	5.5mm² THHN Wire	mts	30	1	
ł	22.0mm² THHN Wire	mts	15		
ŀ	8.0mm² THHN Wire	mts	5		
ł	5.5 IIIII III	IIII		Materials Cost	P
ŀ				Labor Cost	-
ŀ				Direct Cost	P
1					
ŀ				SUB-TOTAL 5	P
6	RENOVATION OF VICE MAYORS AND QUEZON CITY COUNCIL INFORMATION DESK			 	
-	ENCLOSURES				
<u>~</u>	Temporary Enclosure around the construction area	ea m	31		
-	remporary Endosure around the constitution area	sq.m	31	Direct Cost	P
b	DEMOLITION/CLEANING & CLEARING			200.0031	•
N.		22 m	17		
	Demolition of Walls (Dry Wall, Glass Partitions and Metal Dividers)	sq.m			
}	Cleaning of surfaces for painting preparation (Masonry, Dry Wall, Cabinets)	sq.m	58		

EM IO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST
С	IMPROVEMENT WORKS	•		'	
	Partitions				
	CHB Laying incl. 10mm Rebars at 0.60m Spacing	sq.m	3		
	Dry Wall Partition on Light Metal Framing	sq.m	7.5		
	Melamine Laminate (Wood Grain Finish)	sq.m	29		
	Melamine Laminate Trim	I.m.	77		
	Miscellaneous and Consummables			1	
	Contact Cement (1 Gal.)	can	2		
	Waste Cloth	kgs	4		
	Ceiling Works	go		l l	
	Replacement of Ceiling (6mm Hardiflex on light Metal Framing)	sq.m	55		
				Materials Cost	P
				Labor Cost	•
				Direct Cost	P
	Fabricated Materials				
	Doors / Partitions / Logo's				
	D3 - 0.70m Glass Door	pcs	1		
	Glass Partitions on Alum. Framing	sq.m	15.4		
	Stainless Steel Vice Mayor Logo w/ Backlight	pcs	1		
	Stainless Steel Q.C. Logo w/ Backlight	pcs	1		
	Stanness Gloci Q.S. Logo W Backlight	pos	'	Materials Cost	D.
				Labor Cost	<u>-</u>
				Direct Cost	D
				Direct Gost	<u> </u>
				Sub-Total c	
4	DAINTING WORKS			Sub-Total c	P
t	PAINTING WORKS		1260	Sub-Total c	P
d	Latex Paint w/ Standard Design Finish (interior walls)	sq.m	1260	Sub-Total c	P
t		sq.m sq.m	1260 103		
d	Latex Paint w/ Standard Design Finish (interior walls)	·		Materials Cost	
d	Latex Paint w/ Standard Design Finish (interior walls)	·		Materials Cost Labor Cost	Þ
	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board)	·		Materials Cost	Þ
Э	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS	·		Materials Cost Labor Cost	Þ
e	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board)	·		Materials Cost Labor Cost	Þ
•	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS	·	2	Materials Cost Labor Cost	Þ
•	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures	sq.m	103	Materials Cost Labor Cost	Þ
)	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories	sq.m	2	Materials Cost Labor Cost	Þ
e	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories	sq.m sets sets	2 3	Materials Cost Labor Cost	Þ
•	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series)	sq.m sets sets sets sets	2 3 5	Materials Cost Labor Cost	Þ
Э	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series)	sq.m sets sets sets sets sets	2 3 5	Materials Cost Labor Cost	Þ
e	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series)	sq.m sets sets sets set set set	103 2 3 5 1	Materials Cost Labor Cost	Þ
•	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries)	sq.m sets sets sets sets set set	103 2 3 5 1 1	Materials Cost Labor Cost	Þ
2	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins	sq.m sets sets sets set set set set	103 2 3 5 1 1	Materials Cost Labor Cost	Þ
•	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins 1/2"dia x 10' PVC Pipe	sq.m sets sets sets set set set set set set	103 2 3 5 1 1 1 8	Materials Cost Labor Cost	Þ
2	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins 1/2"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow	sq.m sets sets sets set set set set set set	103 2 3 5 1 1 1 8	Materials Cost Labor Cost	Þ
e	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins 1/2"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 1/2"dia PVC Long Elbow 1/2"dia PVC Afaptor	sq.m sets sets sets set set set set set set	103 2 3 5 1 1 1 8 25 25 30	Materials Cost Labor Cost	Þ
2	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins 1/2"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 1/2"dia PVC Afaptor 1/2"dia Locknut & Bushing	sets sets sets sets set set set set set	103 2 3 5 1 1 8 25 30 30	Materials Cost Labor Cost	Þ
e I	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins 1/2"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 1/2"dia PVC Afaptor 1/2"dia Locknut & Bushing 1/2"dia Riged Iron Clamp	sets sets sets sets set set set set set	2 3 5 1 1 1 8 25 25 30 30 40	Materials Cost Labor Cost	Þ
e	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins 1/2"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 1/2"dia PVC Afaptor 1/2"dia Riged Iron Clamp 3/4"dia x 8' PVC Moulding	sq.m sets sets sets sets set set set	2 3 5 1 1 1 8 25 25 30 30 40	Materials Cost Labor Cost	Þ
e I	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins 1/2"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 1/2"dia Locknut & Bushing 1/2"dia Riged Iron Clamp 3/4"dia x 8' PVC Moulding PVC AMCO Box	sq.m sets sets sets sets set set set	2 3 5 1 1 1 8 25 25 30 30 40 10 8	Materials Cost Labor Cost	Þ
e I	Latex Paint w/ Standard Design Finish (interior walls) Enamel Paint Finish (ceiling board) ELECTRICAL WORKS Fixtures 2 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 1 x 18 watts LED Flourescent Tube Box Type w/ complete accessories 5 watts LED Pinlight Single Switch w/ Plate (Wide Series) Duplex Switch w/ Plate (Wide Series) Three Gang Switch w/ Plate (Wide Series) Duplex Convenience Outlet w/ Plate (Wide Deries) Rough-Ins 1/2"dia x 10' PVC Pipe 1/2"dia PVC Long Elbow 1/2"dia PVC Afaptor 1/2"dia Riged Iron Clamp 3/4"dia x 8' PVC Moulding	sq.m sets sets sets sets set set set	2 3 5 1 1 1 8 25 25 30 30 40	Materials Cost Labor Cost	Þ

ITEM NO.	WORK DESCRIPTION & SCOPE OF WORKS	UNIT	QTY.	UNIT COST	TOTAL COST	
Ш	Miscellaneous and Consummables	•		•		
	3/8" dia MICA Tube	pairs	10			
	Electrical Tape	pcs	5			
	Tox No. 6 w/ 1"x 7' Metal Screw	box	2			
	1/8" dia. Steel Bit	рс	2			
	6mm dia. Concrete Masonry Bit	рс	2			
	Torch w/ Butane	set	1			
	PVC Solvent (100cc)	can	2			
	Hacksaw w/ Blade	set	1			
IV	Wires					
	3.5mm² THHN Wire	rolls	2	Materials Cost	D.	
				Labor Cost	<u> </u>	
				Direct Cost	В	
				Direct Cost		
				SUB-TOTAL 6		
				002 1017.20	·	
			TOT	AL DIRECT COST	P	
	Overhead, Cor	ntingencies &	Miscellaneous	Expenses (OCM)		
				Profit		
				VAT		
				PROJECT COST	P	
	SUMMARY					
1	GENERAL REQUIREMENTS					
II	REPAIR AND IMPROVEMENT OF EXISTING OFFICES					
1	OFFICE OF THE VICE MAYOR					
2	OFFICE OF THE VICE MAYORS DISTRICT COORDINATORS OFFICE					
3	OVM ADMIN. LEGISLATIVE (UNIT 206)					
4	QC ANTI-DRUG ABUSE ADVISORY COUNCIL 1					
5	QC ANTI-DRUG ABUSE ADVISORY COUNCIL 2					
6	RENOVATION OF VICE MAYORS AND QUEZON CITY COUNCIL INFORMATION DESK					
			TOTA	AL DIRECT COST	P	
				OCM		
				PROFIT		
				VAT	_	
	PROJECT COST P					

PROJECT: PROPOSED RENOVATION OF VICE MAYOR'S OFFICE, INFORMATION DESK AND

QCADAAC

LOCATION: BARANGAY CENTRAL, DISTRICT 4, QUEZON CITY

PROJECT NO.: 20 - 00046

DURATION: One Hundred Fifty (150) Calendar Days

BREAKDOWN OF COST

		Item of Work (Description)	MATERIALS COST	LABOR COST	INDIRECT COST	AGGREGATE COST
İ						
L	I	GENERAL REQUIREMENTS				
		REPAIR AND IMPROVEMENT OF EXISTING				
ı	Ш	OFFICES				
I						
	1	OFFICE OF THE VICE MAYOR				
	2	OFFICE OF THE VICE MAYORS DISTRICT				
ı		COORDINATORS OFFICE				
L	3	OVM ADMIN. LEGISLATIVE (UNIT 206)				
L	4	QC ANTI-DRUG ABUSE ADVISORY COUNCIL 1				
	5	QC ANTI-DRUG ABUSE ADVISORY COUNCIL 2				
I	_	RENOVATION OF VICE MAYORS AND QUEZON				
	6	CITY COUNCIL INFORMATION DESK				
		OTT TOO STOLE IN OTTIMATION DESIGN				

	TOTAL COSTP
LUMP SUM BID IN WORDS :	
-	
Contractor :	

Bid Form

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Bid Form

Date:
IB ¹ N°:

To: [name and address of PROCURING ENTITY]

Address: [insert address]

We, the undersigned, declare that:

- (a) We have examined and have no reservation to the Bidding Documents, including Addenda, for the Contract [insert name of contract];
- (b) We offer to execute the Works for this Contract in accordance with the Bid and Bid Data Sheet, General and Special Conditions of Contract accompanying this Bid;

The total price of our Bid, excluding any discounts offered below is: <u>[insert information]</u>;

The discounts offered and the methodology for their application are: [insert information];

- (c) Our Bid shall be valid for a period of [insert number] days from the date fixed for the Bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (d) If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract;
- (e) Our firm, including any subcontractors or suppliers for any part of the Contract, have nationalities from the following eligible countries: [insert information];
- (f) We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- (g) Our firm, its affiliates or subsidiaries, including any subcontractors or suppliers for any part of the Contract, has not been declared ineligible by the Funding Source;
- (h) We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and

_

¹ If ADB, JICA and WB funded projects, use IFB.

- (i) We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- (j) We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- (k) We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
In the capacity of:	
Signed:	
Duly authorized to sign the Bid for and on behalf of:	
Date:	

Form of Contract Agreement

THIS AGREEMENT, made this [insert date] day of [insert month], [insert year] between [name and address of PROCURING ENTITY]_(hereinafter called the "Entity") and [name and address of Contractor] (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute [name and identification number of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [insert the amount in specified currency in numbers and words] by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents shall be attached, deemed to form, and be read and construed as integral part of this Agreement, to wit:
 - (a) General and Special Conditions of Contract;
 - (b) Drawings/Plans;
 - (c) Specifications;
 - (d) Invitation to Bid;
 - (e) Instructions to Bidders:
 - (f) Bid Data Sheet:
 - (g) Addenda and/or Supplemental/Bid Bulletins, if any;
 - (h) Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - (i) Eligibility requirements, documents and/or statements;
 - (i) Performance Security;
 - (k) Notice of Award of Contract and the Bidder's conforme thereto;
 - (l) Other contract documents that may be required by existing laws and/or the Entity.
- 3. In consideration of the payments to be made by the Entity to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Entity to execute and complete the Works and remedy any defects therein in conformity with the provisions of this Contract in all respects.

4. The Entity hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects wherein, the Contract Price or such other sum as may become payable under the provisions of this Contract at the times and in the manner prescribed by this Contract.

[Addendum showing the corrections, if any, made during the Bid evaluation should be attached with this agreement]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)		
CITY/MUNICIPALITY OF)	S	.S

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity] [insert "as shown in the attached duly notarized Special Power of Attorney" for the authorized representative];

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], accompanied by the duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable;

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5.	[Name	of	Bidder]	is	authorizing	the	Head	of	the	Procuring	Entity	or	its	duly
	authoriz	zed	represent	tati	ve(s) to verif	y all	the do	cum	ents	submitted;				

6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS WHEREOF, I have here	eunto set my hand	this day of	, 20 at
, Philippines.			

SUBSCRIBED AND SWORN to before me this day of [month of execution], Philippines. Affiant/s is/are personally known to me and was by me through competent evidence of identity as defined in the 2004 R Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert typidentification card used], with his/her photograph and signature appearing and his/her Community Tax Certificate No issued on	as/were identified tules on Notarial pe of government thereon, with no.
Witness my hand and seal this day of [month] [year].	
NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], IBP No [date issued],	[place issued]
Doc. No Page No Book No Series of	

* This form will not apply for WB funded projects.

Bid-Securing Declaration

(REPUBLIC OF THE PH	IILIPPINES)
CITY OF) S.S.
X	X

Invitation to Bid [Insert reference number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1 (f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - c. I am/we are declared as the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

REPUBLIC OF THE PHILIPPINES)
) S. S.
AFFIDAVIT OF UNDERTAKING
I,, of legal age, Filipino,
with office address at after having been duly sworn to in accordance with law, hereby voluntary depose and state:
That I am duly authorized representative of the <u>[Name of Bidder</u> to execute th undertaking as evidenced by Secretary's Certificate and Board Resolution.
That[Name of Bidder]bidding for the (Name of Project)
That relative to the aforementioned Project, the <a>[Name of Bidder] hereby undertake that the equipment to be use and the key personnel to be assign shall exclusively be used and will only perform to the said project until its completion.
That I am executing this affidavit to attest to the truth of the foregoing and in compliance with the submission of the technical requirements for the public bidding of the said project.
IN WITNESS HEREOF, I have hereunto signed my name below this da of, at
AFFIANT FURTHER SAYETH NAUGHT.
Affiant
SUBSCRIBED AND SWORN TO BEFORE ME this day of in,
affiant exhibiting to me his/her issued a

_____ on _ Doc. No. Page No. Book No. Series of 2020

Notary Public

