



Republic of the Philippines
QUEZON CITY GOVERNMENT
BIDS AND AWARDS COMMITTEE
2nd Floor, Procurement Department,
Finance Building, Quezon City Hall Compound



REQUEST FOR QUOTATION
NEGOTIATED PROCUREMENT
SECTION 53.9

Date: January 26, 2021
PR No: GF-20-08-01199B

Name of Company : _____
Address : _____
Contact No. : _____
Project Title : **PROCUREMENT OF EXTERNAL FLASH FOR CAMERA AND OTHERS**
Approved Budget for the Contract : **Php 409,365.00**
End-User / Implementing Office : **PUBLIC AFFAIRS AND INFORMATION SERVICES DEPARTMENT**

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **January 29, 2021, 10:00 a.m.** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI / SEC);
- 3 Mayor's/Business Permit (2021);
- 4 Tax Clearance;
- 5 Income/Business Tax Return (for FY 2019) (For ABC P500,000.00 above);
- 6 Omnibus Sworn Statement prescribed by the Government Procurement Policy Board (GPPB).
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** shall:

- 1 Contain the Project Name and PR Number of the contract to be bid in capital letters;
- 2 Bear the name and address of the Bidder in capital letters;
- 3 Be addressed to the Procuring Entity's BAC.

Project Title: **PROCUREMENT EXTERNAL FLASH FOR CAMERA AND OTHERS**

Quezon City Local Government
BIDS AND AWARDS COMMITTEE
2/F Procurement Department, Finance Building
Quezon City Hall Compound

For any clarification you may contact us at 89884242 loc. 8505/8709.

ATTY. DOMINIC B. GARCIA
Officer-In-Charge/Head, BAC Secretariat

TERMS AND CONDITIONS

1. Bidders shall **provide correct and accurate** information required in this form.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation **exceeding** the Approved Budget for the Contract (ABC) shall be **rejected**.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1	Mirrorless Camera Body + 18-135mm zoom lens, E-mount lenses, 3.2 Approx. 24.2 megapixels, APS-C type (23.5 x 15.6 mm), Exmor CMOS Sensor, JPEG (DCF Ver. 2.0 Exit Ver. 2.31 MPF Baseline compliant), RAW (ARW 2.3 format), XAVC S, AVCHD format Ver. 2.0 compliant. XAVC S, MPEG-4 AVC/H. 264, AVCHD, MPEG-4AVC/H.264 Fast Hybrid AF (phase detection AF//contrast-detection AF) Exmor CMOS sensor, AC adaptor: AC-UUE 12, Accessory shoe cap, Body cap, Eyepiece cup, lens cap, Lens Mood, lens rear cap, Micro USB cable, Power Cord Rechargeable Battery: NP-FZ100. SEL18135, Shoulder strap.	pc	1		
2	External Flash, Compatible with ADI/PTL, Guide number: 105' at ISO 100 and 105mm Zoom Range 24-105mm (15mm with Panel) Tilts from -8 to 90 Rotate 180" and Right and 90" Left Wireless TTL Controller/Remote Flash LCD Panel & Dust Water Resistant Recycle Time: 0.1-5 Second Slow: High Speed 1st and 2nd Curtain Sync Runs on 2AA Batteries.	pc	1		
3	80 Bit HD/SD Capture and Playback USB 3.0 Support 10-Bit HDMI Video Direct Capture Separate Slides for inputs and outputs. Support of Multiple Video Standard. Analog Video Inputs: Independent connections for Component Composite and S-Video, Analog Video Output: Independent connections for Component Composite and S-Video Analog for Audio Inputs: 2 Channel RCA Hifi audio in 24-bit, Analog Audio Outputs: 2 Channel RCA Hifi audio in 24-bit. HDMI Video Inputs: 1 x HDMI type A connector, HDMI Video Outputs: 1 x HDMI type A connector, HDMI Audio Inputs: 8 Channels HDMI Audio Outputs: 8 Channels.	pc	1		
4	Phone Videomic with windshield, pressure gradient electret condenser cardiod 20 Hz to 20 Khz 74.5 dB 19 dBa SPL 15dB SPL. powered by IOS device, bus powered lightning. 3.5mm TRS headphone jack for direct monitoring lightning connector 1 in, 2 out 24-BIT 44.1 AND 48 khZ olS 11 and later aluminum with winshiwl [included).	pc	2		

5	Recorder, digital stereo rec, format LCPM. MP3. depth sample rate 11.025 KHz-48 KHz activated recording internal stereo-2 elements microphone sensitivity SENS setting high/low frequency response 50Hz-20KHz sample rate. Internal memory installed: flash memory 4GB microSD 1/8" mini female microphone in 1/8 mini female headphone out USB 2.0 OS support windows macOS/OS X	pc	2		
6	Phone coverage, capacity 25Gb display 6.5 splash, water on dust resistant chip A12 bionic chip next generation nueral engine dual 12MP wide angle and telephoto: cameras wide-angle: f 1 .8 aperture telephoto: f/2.4 aperture 2x optical zoom up to 10x dual optical image stabilization image formal captured: HEIF and JPEG.	pc	2		
7	Wireless Cardiod Handheld microphone system with receiver and transmitter, system-wireless transmissions analog UHF number of Rf channels 160 included transmitters 1x bodypack with microphone diversity antenna diversity RF frequency band A: 516 to 588 MHz Rf bandwidth 42 MHz frequency step size 25 KHz max operating range 330/ 100.6m	pc	1		
8	Shotgun mic with boompole, bag and shockmount complete HDSLR kit, super cardiod/lobar. 40Hz to 20KHz. 21mV/Pa with 48 V powering. 19 mV/Pa with battery powering, 132 dB with 48V powering, 126 dB with battery powering, 15 dB (A) with 48 powering 16dB (A) with battery powering. 48 V+/-4V (P48, IEC. 61938)via XLR-3or AAsize battery/rechargeable battery (1.5/1.2V), 4.4 mA with P48 powering, 1x XLR	pc	1		
Total Quoted Amount					

Amount in Words:_____.

OTHER INSTRUCTIONS/SPECIFICATIONS:	
1. <i>Statement of Warranty – Minimum of One (1) year</i>	

Delivery Period : Thirty (30) Calendar Days
Warranty : _____

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

Email Address