


# Republic of the Philippines **OUEZON CITY GOVERNMENT** BIDS AND AWARDS COMMITTEE





## REQUEST FOR QUOTATION

### NEGOTIATED PROCUREMENT **SECTION 53.9**

		Date: <u>January 19. 2021</u> PR No: <u>GF-20-10-01918</u>	_
Name of Company Address	:.		-
Contact No.	:		_
Project Title	:.	PROCUREMENT OF CONFERENCE TABLE AND OTHERS	
Approved Budget for the Contract		Php 888,131.43	_
End-User /	. 1	ENVIRONMENTAL PROTECTION AND WASTE MANAGEMENT DEPARTMENT	

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than January 22, 2021, 10:00 a.m. Philippine Standard Time, together with the following documents of your company:

- PhilGEPS certificate (not expired on the time of opening of quotations); 1
- Business Registration (DTI / SEC); 2
- Mayor's/Business Permit (2021); 3
- 4 Tax Clearance;
- Income/Business Tax Return (for FY 2019) (For ABC P500,000.00 above); 5
- Omnibus Sworn Statement prescribed by the Government Procurement 6 Policy Board (GPPB).
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

### in a **SEALED LONG BROWN ENVELOPE** shall:

- Contain the Project Name and PR Number of the contract to be bid in capital letters;
- 2 Bear the name and address of the Bidder in capital letters;
- 3 Be addressed to the Procuring Entity's BAC.

Project Title: PROCUREMENT OF CONFERENCE TABLE AND OTHERS

Quezon City Local Government BIDS AND AWARDS COMMITTEE 2/F Procurement Department, Finance Building **Quezon City Hall Compound** 

For any clarification you may contact us at 89884242 loc. 8505/8709.

ATTY. DOMÍNIC B. GARCIA Officer-In-Charge/Head, BAC Secretariat

#### TERMS AND CONDITIONS

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
- 4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
- 5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 7. The City General Services Department (CGSD) shall have the right to inspect the goods.
- 8. Non-submission of eligibility documents shall mean disqualification of Quotation.
- 9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1	<ul> <li>CONFERENCE TABLE 10 SEATER</li> <li>Boat shaped conference table</li> <li>Center grommet for cable management</li> <li>Adjustable floor levelers</li> <li>Melamine lamination for heat and scratch resistance</li> <li>D-nut metal to metal connection for durability and easy re-installation</li> <li>Materials: 25mm melamine faced chipboard, powdered coated metal</li> <li>Dimensions: (LxWxH) 240 x 120 x 75cm</li> <li>Colors: Hazel + White</li> <li>10 Chairs</li> </ul>	set	1		
2	VISITORS CHAIR  • Features: armrest, back handle  • Origin: Taiwan  • Base Material: Chrome sled base  • Coverings: Seat-Leatherette, Back-Leatherette  • Dimensions (H x W x D)  • Overall: 88.50 x 49 x 43.5 cm  • Seat: 42.5 x 49 x 43.5 cm  • Back: 45 x 45 cm	рс	8		
3	**Main Table Dimension (L x D x H) 1800mm, 800mm, 750mm     **Cabinet Carcass - Standard 18mm thick     **Melamine Faced Chipboard Board Top     **Inclusive of 2 built-in 3 drawer with lock and key     **Legs; 1x3 metal square tube in 2mm thick customized powder coat     **Colors: Hazel + White	рс	1		

4	EXECUTIVE CHAIR	рс	1		
	Pneumatic Seat				
	Synchro Tilt				
	Tension Control				
	• Tilt Lock				
	Base Material: Chrome base, twin casters				
	Coverings: Seat-Leatherette, Back-				
	Leatherette				
	Colors: Black				
	• Dimensions: (HxWxD)				
	• Overall: 111-120 x 65 x 53cm				
	• Seat: 47 x 54 x 53cm				
	• Back: 68 x 52.5cm				
5	OFFICE TABLE	рс	8		
	• Dimension (Lx D x H) 1400mm, 600mm,				
	750mm				
	Melamine Faced Chipboard Board Top				
	• Legs: 1 x 3 metal square tube in 2mm thick				
	customized powder coat				
	Colors: Hazel + White		360		
6	OFFICE CHAIR	рс	8		
-	Features: Pneumatic Seat, Back tilt				
	Origin: Taiwan				
	Base Material: Nylon base, twin casters				
	Color: black     Color: black				
	• Color: black				
	• Dimensions: (H x W x D)				
	• Overall: 83-92 x 56 x 37cm				
	• Seat: 51 x 45 x 37cm				
	• Back: 46 x 41 cm				
	• 25mm x 25mm x 2.40m Wall Angle				
7	MEDIUM HEIGHT CABINET WITH GLASS DOOR	set	4		
	Medium height cabinet with glass door				
	Three adjustable shelves				
	Frosted tempered safety glass on aluminum				2 8
	frame				
	Melamine lamination for heat and scratch				ii ii
	resistance				
					H
	• Elegant metal handles				
	Materials: 25mm melamine faced chipboard,     to me and along all minutes.				
	tempered glass aluminum				
	Color: Hazel+White				
	• Dimensions [ H x W x D)				1
	Overall: 80x40x137cm				
8	MEDIUM HEIGHT CABINET WITH WOODEN DOOR	set	8		
	Medium height cabinet with wooden door				
	Three adjustable shelves				
	Central lock				
	Melamine lamination for scratch and heat				
	resistance				
	Elegant metal handles				
	Materials: 25mm melamine faced chipboard				
	Materials: 25mm melamine racea chippoara     Dimensions (H x W x D): 80 x 40 x 137cm				
	I BILLION CONTRACTOR V VV V I IL'XIIV /IIIV I 3/CM	i	1	1	1
	Color: Hazel+White				

9 AIRCONDITIONING UNIT (WINDOW TYPE)  • Window-type airconditioning unit • Inverter Technology • Cooling capacity - 1HP • Econo Feature • 8in1 Filter System • 24 Hour on and off timer • Energy Saving Plug • Auto Swing • Slide out Chassis • Dehumidifying Feature • Cool-Dry-Fan Operation Modes • Warranty for parts, labor, and compressor  10 AIRCONDITIONING UNIT (SPLIT TYPE) • Split-type airconditioning unit • Inverter Technology • Cooling capacity - 2HP • Advanced Nano Filtration system • Double Clean System • Eco sleep timer • R32 refrigerant			1	рс	tioning unit P er	<ul> <li>Window-type aircondi</li> <li>Inverter Technology</li> <li>Cooling capacity - 1HI</li> <li>Econo Feature</li> <li>8in1 Filter System</li> <li>24 Hour on and off time</li> <li>Energy Saving Plug</li> <li>Auto Swing</li> </ul>
Window-type airconditioning unit Inverter Technology Cooling capacity - 1HP Econo Feature Sin1 Filter System 24 Hour on and off timer Energy Saving Plug Auto Swing Slide out Chassis Dehumidifying Feature Cool-Dry-Fan Operation Modes Warranty for parts, labor, and compressor  AIRCONDITIONING UNIT (SPLIT TYPE) Split-type airconditioning unit Inverter Technology Cooling capacity - 2HP Advanced Nano Filtration system Double Clean System Eco sleep timer					tioning unit P er	<ul> <li>Window-type aircondi</li> <li>Inverter Technology</li> <li>Cooling capacity - 1HI</li> <li>Econo Feature</li> <li>8in1 Filter System</li> <li>24 Hour on and off time</li> <li>Energy Saving Plug</li> <li>Auto Swing</li> </ul>
<ul> <li>Inverter Technology</li> <li>Cooling capacity - 1HP</li> <li>Econo Feature</li> <li>8in1 Filter System</li> <li>24 Hour on and off timer</li> <li>Energy Saving Plug</li> <li>Auto Swing</li> <li>Slide out Chassis</li> <li>Dehumidifying Feature</li> <li>Cool-Dry-Fan Operation Modes</li> <li>Warranty for parts, labor, and compressor</li> <li>AIRCONDITIONING UNIT (SPLIT TYPE)</li> <li>Split-type airconditioning unit</li> <li>Inverter Technology</li> <li>Cooling capacity - 2HP</li> <li>Advanced Nano Filtration system</li> <li>Double Clean System</li> <li>Eco sleep timer</li> </ul>					P er	<ul> <li>Inverter Technology</li> <li>Cooling capacity - 1HI</li> <li>Econo Feature</li> <li>8in1 Filter System</li> <li>24 Hour on and off time</li> <li>Energy Saving Plug</li> <li>Auto Swing</li> </ul>
Cooling capacity - 1HP Econo Feature 8in1 Filter System 24 Hour on and off timer Energy Saving Plug Auto Swing Slide out Chassis Dehumidifying Feature Cool-Dry-Fan Operation Modes Warranty for parts, labor, and compressor  AIRCONDITIONING UNIT (SPLIT TYPE) Split-type airconditioning unit Inverter Technology Cooling capacity - 2HP Advanced Nano Filtration system Double Clean System Eco sleep timer					er	<ul> <li>Cooling capacity - 1HI</li> <li>Econo Feature</li> <li>8in1 Filter System</li> <li>24 Hour on and off time</li> <li>Energy Saving Plug</li> <li>Auto Swing</li> </ul>
Econo Feature     8in1 Filter System     24 Hour on and off timer     Energy Saving Plug     Auto Swing     Slide out Chassis     Dehumidifying Feature     Cool-Dry-Fan Operation Modes     Warranty for parts, labor, and compressor  10 AIRCONDITIONING UNIT (SPLIT TYPE)     Split-type airconditioning unit     Inverter Technology     Cooling capacity - 2HP     Advanced Nano Filtration system     Double Clean System     Eco sleep timer					er	<ul> <li>Econo Feature</li> <li>8in1 Filter System</li> <li>24 Hour on and off time</li> <li>Energy Saving Plug</li> <li>Auto Swing</li> </ul>
*8in1 Filter System     *24 Hour on and off timer     *Energy Saving Plug     *Auto Swing     *Slide out Chassis     *Dehumidifying Feature     *Cool-Dry-Fan Operation Modes     *Warranty for parts, labor, and compressor  10 AIRCONDITIONING UNIT (SPLIT TYPE)     *Split-type airconditioning unit     *Inverter Technology     *Cooling capacity - 2HP     *Advanced Nano Filtration system     *Double Clean System     *Eco sleep timer						<ul><li>8in1 Filter System</li><li>24 Hour on and off time</li><li>Energy Saving Plug</li><li>Auto Swing</li></ul>
• 24 Hour on and off timer     • Energy Saving Plug     • Auto Swing     • Slide out Chassis     • Dehumidifying Feature     • Cool-Dry-Fan Operation Modes     • Warranty for parts, labor, and compressor  10 AIRCONDITIONING UNIT (SPLIT TYPE)     • Split-type airconditioning unit     • Inverter Technology     • Cooling capacity - 2HP     • Advanced Nano Filtration system     • Double Clean System     • Eco sleep timer						<ul><li>24 Hour on and off time</li><li>Energy Saving Plug</li><li>Auto Swing</li></ul>
Energy Saving Plug     Auto Swing     Slide out Chassis     Dehumidifying Feature     Cool-Dry-Fan Operation Modes     Warranty for parts, labor, and compressor  10 AIRCONDITIONING UNIT (SPLIT TYPE)     Split-type airconditioning unit     Inverter Technology     Cooling capacity - 2HP     Advanced Nano Filtration system     Double Clean System     Eco sleep timer						<ul><li>Energy Saving Plug</li><li>Auto Swing</li></ul>
Auto Swing     Slide out Chassis     Dehumidifying Feature     Cool-Dry-Fan Operation Modes     Warranty for parts, labor, and compressor  AIRCONDITIONING UNIT (SPLIT TYPE)     Split-type airconditioning unit     Inverter Technology     Cooling capacity - 2HP     Advanced Nano Filtration system     Double Clean System     Eco sleep timer						<ul> <li>Auto Swing</li> </ul>
Slide out Chassis Dehumidifying Feature Cool-Dry-Fan Operation Modes Warranty for parts, labor, and compressor  AIRCONDITIONING UNIT (SPLIT TYPE) Split-type airconditioning unit Inverter Technology Cooling capacity - 2HP Advanced Nano Filtration system Double Clean System Eco sleep timer						_
Dehumidifying Feature     Cool-Dry-Fan Operation Modes     Warranty for parts, labor, and compressor      AIRCONDITIONING UNIT (SPLIT TYPE)     Split-type airconditioning unit     Inverter Technology     Cooling capacity - 2HP     Advanced Nano Filtration system     Double Clean System     Eco sleep timer						1
Cool-Dry-Fan Operation Modes     Warranty for parts, labor, and compressor  AIRCONDITIONING UNIT (SPLIT TYPE)     Split-type airconditioning unit     Inverter Technology     Cooling capacity - 2HP     Advanced Nano Filtration system     Double Clean System     Eco sleep timer						<ul> <li>Slide out Chassis</li> </ul>
Cool-Dry-Fan Operation Modes     Warranty for parts, labor, and compressor  AIRCONDITIONING UNIT (SPLIT TYPE)     Split-type airconditioning unit     Inverter Technology     Cooling capacity - 2HP     Advanced Nano Filtration system     Double Clean System     Eco sleep timer					9	Dehumidifving Feature
Warranty for parts, labor, and compressor  AIRCONDITIONING UNIT (SPLIT TYPE)     Split-type airconditioning unit     Inverter Technology     Cooling capacity - 2HP     Advanced Nano Filtration system     Double Clean System     Eco sleep timer						
10 AIRCONDITIONING UNIT (SPLIT TYPE)  • Split-type airconditioning unit • Inverter Technology • Cooling capacity - 2HP • Advanced Nano Filtration system • Double Clean System • Eco sleep timer	,					
Split-type airconditioning unit     Inverter Technology     Cooling capacity - 2HP     Advanced Nano Filtration system     Double Clean System     Eco sleep timer			2	no		
<ul> <li>Inverter Technology</li> <li>Cooling capacity - 2HP</li> <li>Advanced Nano Filtration system</li> <li>Double Clean System</li> <li>Eco sleep timer</li> </ul>				pc		
<ul> <li>Cooling capacity - 2HP</li> <li>Advanced Nano Filtration system</li> <li>Double Clean System</li> <li>Eco sleep timer</li> </ul>					rig oriii	
<ul> <li>Advanced Nano Filtration system</li> <li>Double Clean System</li> <li>Eco sleep timer</li> </ul>					<b>5</b>	
Double Clean System     Eco sleep timer						
• Eco sleep timer					tion system	
						Double Clean System
• R32 refrigerant						<ul> <li>Eco sleep timer</li> </ul>
						R32 refrigerant
• 5-fans speed						
Warranty for parts, labor, and compressor					or and compressor	
		ad Amanumb	al Ouel	Tot	or, and compressor	s waitainiy for parts, lab
Total Quoted Amount		ed Amount	ai Quoi	100		
Amount in Words:  HER INSTRUCTIONS/SPECIFICATIONS:					ATIONS:	
Statement of Warranty for parts, labor and compressor for item nos. 9 and 10 (Minimum of One (1) ye		imum of One (1)	nd 10 (Mir	em nos. 9 ai	abor and compressor for it	atement of Warranty for parts, la
Statement of Walturity for parts, labor and compressor for hem hos. S and to (Minimum of one (1) ye		mum of one (1)	10 (1411)	ont noo. 7 ui	abor and compressor for it	atement of viarranty for parts, it
	:	(30) Calendar Da	Thirty	:	Delivery Period	
Delivery Period : Thirty (30) Calendar Days	,	(,	,			
Delivery Period : Thirty (30) Calendar Days	,			•	Warranty	
Delivery Period : Thirty (30) Calendar Days  Warranty :				•		
				•		
Warranty :		Signatura and				
		Signature over prin		•		
Warranty :		Signature over prin		•		
Warranty :Signature over printe	ed name			•		
Warranty :	ed name		Offic	·		
Warranty :Signature over printe	ed name		Offic	•		
Warranty :Signature over printe	ed name	e Telephone No./F	Offic	•		
Warranty :  Signature over printe  Office Telephone No./Fax	ed name	e Telephone No./F	Offic	•		
Warranty :  Signature over printe  Office Telephone No./Fax	ed name k/Mobile No.	e Telephone No./F	Offic	•		