

Republic of the Philippines QUEZON CITY GOVERNMENT

BAC-Goods and Services 2nd Floor, Procurement Department,





March 16, 2021

Date:

REQUEST FOR OUOTATION SMALL VALUE ROCUREMENT (SECTION 53.9)

PR No.: GF-21-01-00039 Name of Company Address Contact No. Project Title SUPPLY AND INSTALLATION OF CCTV CAMERA AND OTHERS Approved budget of the Contract P 900,000.00

End-User /

QUEZON CITY PROTECTION CENTER

Implementing Office:

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than March 22, 2021 10:00AM Philippine Standard Time, together with the following documents of your company:

- PhilGEPS certificate (not expired on the time of opening of quotations); Business Registration (DTI/SEC) $\,$ 2
- Mayor's/Business Permit (2021); 3 4 5
- Tax Clearance; and
- Omnibus Sworn Statement prescribed by the QC BAC- Goods and Services
- Income/Business Tax Return (for FY 2019) (For ABC P500,000.00 above) 6
- If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a SEALED LONG BROWN ENVELOPE shall:

- Contain the Project Name and PR Number of the contract to be bid in capital letters;
- Bear the name and address of the Bidder in capital letters;
- Be addressed to the Procuring Entity's BAC.

Project Title: SUPPLY AND INSTALLATION OF CCTV CAMERA AND OTHERS

Quezon City Local Government
BIDS AND AWARDS COMMITTEE
2/F Procurement Department, Finance Building **Quezon City Hall Compound**

For any clarification you may contact us at 89884242 loc. 8506/8709.

ATTY. DØMINIC B. GARCIA Officer-In-Charge/Head, BAC Secretariat

TERMS AND CONDITIONS

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
- 4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
- 5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 7. The City General Services Department (CGSD) shall have the right to inspect the goods.
- 8. Non-submission of eligibility documents shall mean disqualification of Quotation.
- 9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

3 P H 3 4 R E E 5 T	LADDER ALUMINUM A-TYPE 6 feet, rubber insulated (2x6 steps) Main: Fiberglass LADDER ALUMINUM A-TYPE 10 feet, rubber insulated. Heavy Duty with rubber stopper, reflectorized, electric grade PUSH CART TROLLEY - 4 WHEEL ALUMINUM, Heavy Duty - (L&W) 920x610mm, Loading Capacity 300kgs: Caster REFRIGERANT LEAK DETECTOR TESTER- Heavy Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	piece piece piece unit	1 1 4 1 5		
2 L in re 3 P H 3 4 R E 5 T	LADDER ALUMINUM A-TYPE 10 feet, rubber insulated. Heavy Duty with rubber stopper, reflectorized, electric grade PUSH CART TROLLEY - 4 WHEEL ALUMINUM, Heavy Duty - (L&W) 920x610mm, Loading Capacity 300kgs: Caster REFRIGERANT LEAK DETECTOR TESTER- Heavy Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	piece piece	4		
3 P F 3 4 R E 5 T	insulated. Heavy Duty with rubber stopper, reflectorized, electric grade PUSH CART TROLLEY - 4 WHEEL ALUMINUM, Heavy Duty - (L&W) 920x610mm, Loading Capacity 300kgs: Caster REFRIGERANT LEAK DETECTOR TESTER- Heavy Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	piece piece	4		
3 P F 3 P 4 R E 5 T	reflectorized, electric grade PUSH CART TROLLEY - 4 WHEEL ALUMINUM, Heavy Duty - (L&W) 920x610mm, Loading Capacity 300kgs: Caster REFRIGERANT LEAK DETECTOR TESTER- Heavy Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	piece piece	1		
3 P H 3 4 R E 5 T	PUSH CART TROLLEY - 4 WHEEL ALUMINUM, Heavy Duty - (L&W) 920x610mm, Loading Capacity 300kgs: Caster REFRIGERANT LEAK DETECTOR TESTER- Heavy Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	piece	1		
4 R 5 T	Heavy Duty - (L&W) 920x610mm, Loading Capacity 300kgs: Caster REFRIGERANT LEAK DETECTOR TESTER- Heavy Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	piece	1		
3 4 R E 5 T	300kgs: Caster REFRIGERANT LEAK DETECTOR TESTER- Heavy Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	•			
4 R E 5 T	REFRIGERANT LEAK DETECTOR TESTER- Heavy Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	•			
5 T	Duty TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	•			
5 T	TENT - 8 Ft x 16 Ft- Custom made design, 8ftxl 6ft, 20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	unit	5		
	20-ounce heavy duty canvas tarpaulin with collapsible support stand G.I Pipe 1 1/2" diameter with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,	unit	5		
2	collapsible support stand G.I Pipe $1 \frac{1}{2}$ " diameter with 2 support braces $1 \frac{1}{2}$ " diameter x 16ft Length round tube with 12mm round bar cross braces,				
	with 2 support braces 1 1/2" diameter x 16ft Length round tube with 12mm round bar cross braces,				
	round tube with 12mm round bar cross braces,				
	coated with epoxy paint				
	MOBILE SCISSOR LIFT- Item type: Special Features:	unit	1		
A	Aerial Work Platform, Item Height: 2m, Type @				
	Hydraulic Jack, Item Width:0.9m, item Length: From				
	6m to 12mm, Load Capacity: 300kg	201			
7 T	TABLE LIFT TROLLEY- Hydraulic push cart type	unit	1		
	serial works Platform 32x48', Four (4) post 37.59"				
	Height Capacity 250kgs, hydraulic lift tables				
	LECTERN PODIUM- Clear Acrylic, 47" Tall with	piece	1		
	inner Shelf Rubber Feet, 26.5" Width x 15.8" D Top				
	Surface, Rubber Feet protect flooring from scuffs and scratching				
	PUSH CART TROLLEY- 300KGS. Capacity, 4 wheels		1		
	platform, cart, stainless	unit	1		
	PUSH CART- 2 wheels warehouse hand trolley,		2		
	Materials: Iron Weight: 10(kg) Load capacity: 120kg	unit			
	Castor: 8x2" Body Size: 120mmLx470mmWx357mmH				
	PUSH CART GROCERY TYPE LARGE- metal tube	unit	2		
	base frame wire mesh with carrying, low carbon steel	unit	_		
	25.6kg., 1025x580x1000mm. Flat/travelators caster,				
	195, 100kg., zinc plating with transparent powder				
	coating, 2 back rigid wheels				
	and 2 front swivel				
		Total	Quot	ed Amount	

Amount in Words:	
operation of the State of the S	

Delivery Period	:	Thirty (30) calendar days
Warranty	:	
		Signature over printed name
		Office Telephone No./Fax/Mobile No.
		Date
		Email Address

GF-20-11-02086