

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROJECT AURORA: QUEZON CITY GOVERNMENT UNIFIED CCTV COMMAND SYSTEM

PROJECT NO. CMO-21-SSDE-05

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	on I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	12
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	
6.	Origin of Goods	
7.	Subcontracts	
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components 154	
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	15
13.	Bid and Payment Currencies	16
14.	Bid Security	
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	on III. Bid Data Sheet	19
Sectio	on IV. General Conditions of Contract	22
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	
5.	Warranty	23
6.	Liability of the Supplier	
Sectio	on V. Special Conditions of Contract	25
Sectio	on VI. Schedule of Requirements	30
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



INVITATION TO BID

March 29, 2021

ITEM NO.	P.R. NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	GF-20-09- 01625B	OFFICE OF THE CITY MAYOR	MOTOR VEHICLE (PASSENGER VAN)	P 4,800,000.00	GENERAL FUND	30 CAL. DAYS
2	GF-20-10- 01922B	OFFICE OF THE CITY MAYOR	SUPPLY AND INSTALLATION OF LED WALL	P 1,420,000.00	GENERAL FUND	15 CAL. DAYS
3	GF-20-09- 01680	OFFICE OF THE CITY MAYOR	LAPTOP COMPUTERS AND OTHERS	P 6,719,275.00	GENERAL FUND	15 CAL. DAYS
4	GF-20-09- 01624	OFFICE OF THE CITY MAYOR	MOTOR VEHICLE (MULTI-CAB)	P 10,200,000.00	GENERAL FUND	15 CAL. DAYS
5	CMO-21- SSDE-05	OFFICE OF THE CITY MAYOR	PROJECT AURORA: QUEZON CITY GOVERNMENT UNIFIED CCTV COMMAND SYSTEM	P 58,000,000.00	GENERAL FUND	90 CAL. DAYS
6	GF-20-10- 01982B	OFFICE OF THE CITY MAYOR	VARIOUS CONSTRUCTION EQUIPMENT	P 1,151,862.40	GENERAL FUND	30 CAL. DAYS
7	GF-20-09- 01571B	OFFICE OF THE CITY MAYOR	COMPUTER HUB ON WHEELS	P 10,000,000.00	GENERAL FUND	90 CAL. DAYS
8	GF-21-02- 00145	OFFICE OF THE CITY MAYOR (QCDRRMO)	PERSONAL PROTECTIVE EQUIPMENT SUIT	P 24,276,000.00	GENERAL FUND	30 CAL. DAYS
9	GF-21-02- 00147	OFFICE OF THE CITY MAYOR (QCDRRMO)	COVID KIT	P 20,400,000.00	GENERAL FUND	30 CAL. DAYS
10	GF-21-02- 00144	OFFICE OF THE CITY MAYOR (QCDRRMO)	HYGIENE KIT	P 11,000,000.00	GENERAL FUND	45 CAL. DAYS
11	GF-20-10- 01923B	OFFICE OF THE CITY MAYOR (PDAO)	MOTOR VEHICLE	P 1,600,000.00	GENERAL FUND	30 CAL. DAYS
12	GF-20-06- 00976B	OFFICE OF THE CITY MAYOR (CITY ASSESSOR'S OFFICE)	RACK MOUNT 24 CORE SERVER	P 1,724,380.00	GENERAL FUND	30 CAL. DAYS
13	GF-20-11- 02066B	CITY ASSESSOR'S OFFICE	RACK MOUNT SERVER AND OTHERS	P 14,896,609.50	GENERAL FUND	30 CAL. DAYS
14	CAO-21-OE CONSUMA BLES-06	OFFICE OF THE CITY ADMINISTRATOR	THERMAL CARD PRINTER RIBBON	39,200,000.00	GENERAL FUND	SEVEN (7) MONTHS
15	SEF-20-12- 02187B	SCHOOLS DIVISION OFFICE	BRAILLE EMBOSSER/PRINTER WITH SOFTWARE PACKAGE	P 1,750,000.00	SPECIAL EDUCATIONA L FUND	30 CAL. DAYS
16	GF-21-03- 00171B	CITY GENERAL SERVICES DEPARTMENT	JANITORIAL SERVICES FOR HOPE 3 MEDICAL AND HEALTH FACILITIES AND MOLECULAR	P 6,244,588.32	GENERAL FUND	8 MONTHS

17	GF-20-09- 01586B	CITY GENERAL SERVICES DEPARTMENT	GSD INFORMATION AND INVENTORY SYSTEM (FIRST PHASE MODULES)	P 2,290,440.00	GENERAL FUND	30 CAL. DAYS
18	GF-21-01- 00024	CITY GENERAL SERVICES DEPARTMENT	SUPPLY AND INSTALLATION OF FIXED GLASS PARTITION/SWING DOOR/PATCH FITTING DOOR AT	P4,765,414.29	GENERAL FUND	30 CAL. DAYS
19	GF-20-09- 01436B	OFFICE OF THE VICE MAYOR (QUEZON CITY ANTI-DRUG	LAPTOP AND OTHERS	P 1,180,507.50	GENERAL FUND	15 CAL. DAYS
20	GF-20-03- 00436	QUEZON CITY HEALTH DEPARTMENT	CARTRIDGE-BASED NUCLEIC- ACID AMPLIFICATION TEST/REAL-TIME PCR EQUIPMENT	P4,320,000.00	GENERAL FUND	60 CAL. DAYS
21	GF-20-05- 00796B	QUEZON CITY HEALTH DEPARTMENT	VARIOUS MEDICAL EQUIPMENT (FETAL DOPPLER MACHINE, CHEST FREEZER FOR PLACENTA, AND OTHERS)	P 2,765,641.00	GENERAL FUND	30 CAL. DAYS
22	GF-20-03- 00441B	QUEZON CITY SMALL BUSINESS AND	MOTOR VEHICLE	P 1,090,800.00	GENERAL FUND	60 CAL. DAYS
23	GF-20-08- 01389B	QUEZON CITY UNIVERSITY	MICROCONTROLLER MODULE TRAINER	P 2,410,560.00	GENERAL FUND	90 CAL. DAYS
24	GF-20-11- 02123B	RADIO COMMUNICATIONS SERVICE OFFICE	SUPPLY AND INSTALLATION OF CONTACT CENTER SOLUTION	P 9,445,700.00	GENERAL FUND	60 CAL. DAYS
25	GF-20-02- 00261C	CITY PLANNING AND DEVELOPMENT	GEOGRAPHIC INFORMATION SYSTEM (GIS) MAPPING SOFTWARE	P 2,230,000.00	GENERAL FUND	30 CAL. DAYS

1. The **QUEZON CITY LOCAL GOVERNMENT**, through the **General Fund and Special** Educational Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects/Purchase Request numbers. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The **QUEZON CITY LOCAL GOVERNMENT**, through the **General Fund and Special Educational Fund** of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects/Purchase Request numbers of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- The QUEZON CITY LOCAL GOVERNMENT now invites bids for Various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m. – 5:00 p.m.*
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday, April* 23, 2021 from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB.* The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person.*

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- Authorization to Purchase Bidding Documents
 3.1 Corporate Secretary Certificate (for corporation)
 3.2 Special Power of Attorney (for single proprietorship)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The Quezon City Local Government will hold a Pre-Bid Conference on 10:00 A.M. of Friday, April 30, 2021 at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting Join Zoom Meeting <u>https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1Q</u> T09

Meeting ID: 848 3500 2246 Passcode: 154733

- Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of Friday, May 14, 2021. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 1:00 P.M. of **Friday, May 14, 2021** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING Join Zoom Meeting <u>https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz0</u> <u>9</u>

Meeting ID: 858 5085 5933 Passcode: 118682

10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods@quezoncity.gov.ph</u> Tel. No. (02)8988-4242 loc. 8506/8710 Website: <u>www.quezoncity.gov.ph</u>

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

(Sgd.) ROWENA T. MACATAO Chairperson, QC-BAC-Goods and Services

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the *PROJECT AURORA: QUEZON CITY GOVERNMENT UNIFIED CCTV COMMAND SYSTEM* with identification number CMO-21-SSDE-05.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of four (4) items, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2021** in the amount of **FIFTY EIGHT MILLION PESOS ONLY (Php 58,000,000.00)**
- 2.2. The source of funding is:
 - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data	Sheet
-----------------	-------

Г

ITB				
Clause				
5.3	For this purpose, contracts similar to the Project shall be:			
	a. A single contract similar to the item/s to be bid and must be at least FIFTY percent (50%) of the ABC.			
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.			
7.1	Subcontracting is not allowed.			
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.			
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:			
	a. The amount of not less than <i>Php1,160,000.00</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or			
	 b. The amount of not less than <i>Php2,900,000.00</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond. 			
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]			
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]			
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.			
	• No additional requirement.			

21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	 Statement of Warranty- minimum of One (1) year onsite warranty on parts and services Submit a Certification that they are the Authorized Distributor of the brand being offered Single line diagram and camera locations reflected on a floor plan or site
	Development Plan
	• Certificate of Site Inspection from the End-User
	List of existing service center and technical support
	• Affidavit of Undertaking for the following:
	 Upgrades for version during warranty at no additional cost
	 Must include a system maintenance during the warranty period End to and tasks best transfer for the and energy
	 End to end technology transfer for the end user Must have at least 15 years of experience in the electronic security,
	surveillance industry
	The offered brand for CCTV cameras and equipment must at least have been in the market for at least 20 years in experience in the Philippine Market (there should be a proof of company stability who manufactures the CCTVs)

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

1	Contract Description
	Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	The terms of payment shall be as follows:
	 15% upon submission of project implementation plan which includes: 1) Scope of work to be done, 2) Plotting of Camera Locations, and 3) Timeline / Gantt chart for work schedule.

•	 40% Upon Delivery of all equipment included in Phase 1 10% Upon Completion of Phase II which includes Supply and Installation of Cables, Supervision, Installation, Termination, Testing, Commissioning, for Equipment installed at the City Hall. 25% Upon Completion of Phase III which includes Supply and Installation of Remote Communication Boxes, Installation of Cables, Supervision. Installation, Termination, Testing, Commissioning, for Remote Surveillance Equipment and set up of Command Center No. 2 10% for the completion of the Unification of the Command Center
4 The Prese	inspections and tests that will be conducted are: <i>Product ntation/Demonstration/Site Inspection, if applicable.</i>

Section VI. Schedule of Requirements

Project Name: *PROJECT AURORA: QUEZON CITY GOVERNMENT UNIFIED CCTV COMMAND SYSTEM*

Project No. CMO-21-SSDE-05

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
Number	Description Equipment OUTDOOR FIELD EQUIPMENT FIXED IP BULLET CAMERA with Surge Protection (200 SETS) 1 / 2.9" Black Light CMOS Sensor Min. Illumination: Color 0.0001 Lux (F1.2, AGC on), 0.1 Lux with IR B/W :0.0001 Lux (F1.2, AGC on), 0.1 Lux with IR Camera should be able to capture and transmit an image size of 3MP (2304 x 1296) at 20 fps, 1080P 25fps Camera is intended to be a bullet style 4 LED array, (2 white light; 2 Infrared Light) 50-60m IR Range, Fixed Lens with focal length of 3.6mm True Day & Night with an Infrared Cut Filter, auto Supports DWDR, 3D DNR Motion Detection, Video Loss, Video Block, AI Human Detection, Face Detection Shutter Time/Speed of 1/50(1/60)s to 1/10,000s with Anti-Flicker Applicable to Mobile phone remote Monitoring (iOS & Android) H.265+/H.265/H.264 High Profile Supports WEB, CMS, VMS & Cloud Storage Services Maximum Bitrate of 0.1-10Mbps P/ Protocol: TCP/IP, HTTP, DHCP, DDNS, PPPoE, SMTP, NTP ONVIF Compliant Voltage 12V DC, PoE (IEEE 802.3af) Ingress Protection: IP67 Grade Operating Temperature of -10°C to +60°C Maximum of 10W power consumption <th>of Issue</th> <th>•</th> <th></th>	of Issue	•	
	Illumination 5MP CMOS Sensor Min. Illumination: Color: 0.01 Lux (F1.2, AGC on), 0 Lux with IR B/W :0.001 Lux (F1.2, AGC on), 0 Lux with IR Camera should be able to capture and transmit an image size of 5MP (2592 x 1944) at 6 fps Camera is intended to be a bullet style			
	4 LED array, (2 white light; 2 Infrared Light) 30m Range Fixed Lens with focal length of 3.6mm True Day & Night with an Infrared Cut Filter and with auto switch Shutter Time/Speed of 1/50(1/60)s to 1/10,000s with Anti-Flicker Applicable to Mobile phone remote Monitoring (iOS & Android) H.264+ High Profile Video Compressions			

2	Supports three connection mode, LAN (wired) or Wifi (wireless) and AP Mode Motion Detection, Video Loss, Video Block, AI Human Detection, Face Detection Maximum Bitrate of 0.1-8Mbps Supports two-way audio communication Audio Compression G.711a ONVIF Compliant Voltage 12V DC Ingress Protection: IP66 Grade Operating Temperature of -10°C to +60°C Maximum of 5W power consumption Support micro SD-Card / TF Local Storage IP PTZ DOME CAMERA with Surge Protection Auto Electronic Shutter Time Supports DWDR, 3D DNR H.265+ (compatible H.265/H.264) encoding algorithm Mobile Phone Remote Monitoring (iOS, Android) Multi Browser Access (IE, Chrome, Firefox, Safari) Information Superposition (ID, IP, DDNS, etc) Supports WEB, CMS, VMS, Cloud services, cloud storage Supports HVR/NVR, ONVIF Protocol Sensor: 1/2.8″ Starlight CMOS Minimum Illumination: Color: 0.0001 Lux @ F1.6 B/W: 0.0001 Lux @ F1.6 Shutter Time: Automatic Maximum Image: 1920*1080 Frame Rate: NITSC: 1920 x 1080P @ 25 fps Day & Night: IR Cut Filter with Auto Switch Lens Aperture: F1.6 – F2.7 Lens Focal Length: 4.7 mm – 84.6mm Optical Zoom: 18X IR Range: 8 LED Lamps 120m Rotation Range: Horizontal: 0 – 360 deg continuous rotation, Vertical: -15 – 90 deg continuous monitoring Auto Mode: Preset Point/Preset Point Cruise/Horizontal Scan / Auto Scan / Path PTZ Function: Support the turn-on movement, support power memory function Protocol TCP/IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP, NTP (HTTPS, SIP, 802.1x, IPv6 Optional) Storage: Network Storage, internal SD Card to 128G Ethernet: 1*10/100 Mbps Ethernet port, RJ45 port Material: Metal + ABS Plastic Ingress Protection: IP66	set	101	Within Ninety (90) Calendar Days upon issuance of Notice to Proceed (NTP)
	Lightning Proof and Anti-Surge: TVS4000V			
	NETWORK COMMUNICATION EQUIPMENT			
3	Network Switches for Command Center 32 Ports, 10G Managed Optical Fiber Switch, 24 Ports Gigabit SFP, plus 4*RJ45 Gigabit ports plus 4*SFP ports 10Gig uplink ports, Built-in power supply Standard 1U Rack Includes SFP Module, LC Dual Fiber Single Mode SFP Transceiver 2x Gigabit LC port 1310nm, at least 20KM transmission distance	set	1	
4	28 Ports , L3 10G Managed Switch 24 Port RJ45ports plus 4*SFP Uplink Ports 10Gig, Built-in power supply Standard 1U Rack Includes SFP Module, LC Dual Fiber Single Mode SFP Transceiver 2x Gigabit LC port 1310nm, at least 20KM transmission distance	set	1	

5	Industrial 12 port Full Gigabit POE switch At least 8 x 10/100/1000 Base-T PoE Ports (Data/Power) 2 x 10/100/1000 Base-T Uplink RJ45 Ports (Data) 2 x 100/1000 Base-X Uplink SFP slot Ports (Data) Duplex Setting: Half/Full at least 824Gbps switching capacity Switching latency for 64-byte packet: 17.86 Mpps Able to support Jumbo Frames up to 9.2 kilobytes size, at least 30 W POE budget power per port Able to support 240 W maximum power rating Able to support a minimum of 8K MAC Address With Lightning Protection of 6KV 8/20uS IP40 protection Level With Anti Vibration (IEC60068-2-6), Anti Shock (IEC60068-2-27) & Free Fall (IEC60068-2-32) Includes SFP Module, LC Dual Fiber Single Mode SFP Transceiver 2x Gigabit LC port 1310nm, at least 20KM transmission distance	set	11	
6	28-port Full Gigabit PoE Switch At least 24 x 10/100/1000M PoE Ports + 2 x RJ45 Ports + 2 x SFP Uplink Ports IEEE802.3af/at Power Consumption of 400W Includes SFP Module, LC Dual Fiber Single Mode SFP Transceiver 2x Gigabit LC port 1310nm, at least 20KM transmission distance	set	10	Within Ninety
7	 15U Wall Mount Data Cabinet - (9 sets) 15U Data Cabinet, wall mount including 24ports Cat6 Patch Panels shelves, powerstrip and other accessories 4-Port SC Fiber Terminal Box SC Coupler loaded Includes splice tray Power Distribution Board - (9 sets) Isolation and Protection for Equipment and AC Surge Protection. The size of the PDB shall be constructed such that it will fit in the power supplies if needed, surge protectors, and other components For outdoor use, the PDB shall be designed for outdoor installation and can withstand all types of weather conditions. The PDB must include a circuit breaker for tapping of main power source and It should provide protection against residual current Each line output shall have a one-pole circuit breakers to provide protection against over-current and short circuit AC Surge Protection applicable for protecting AC220- 240V Min surge current of 6000A, Min surge voltage of 6000V 42U Closed Data Cabinet - (2 sets) 42U 600*800 Closed Data Cabinet including 24ports Cat6 Patch Panels shelves, powerstrip and other accessories 24-Port SC Fiber Terminal Box SC Coupler loaded Includes splice tray 	set	20	Within Ninety (90) Calendar Days upon issuance of Notice to Proceed (NTP)

Schedule of Requirements Page 3 of 7

	Motion Detection, Video Loss, Video Block, AI Human Detection, Face Detection The system helps administrators provide users with vertical industry cloud platform solutions at PaaS / SaaS level. To supply a platform where users can access unlimited devices at any time, enabling a quick assignment of roles to different users with different management rights, set up multiple project sites, or sub command centers without the need to setup and deploy the server hardware and software saving time and effort. It should be able to support multi-level group and a centralized equipment management with a unified configuration. Which will effectively solve the problem of multiple monitoring points. It should support equipment batch configuration and maintenance, with a one click deployment It should provide remote monitoring in real time, using the web or mobile phone app, users can preview and playback the video, push alarm notification in real time, with system status monitoring. Cloud Storage available in D1 and 2MP Plan, using Main Stream and Sub Stream			
9	Network Video Server 128-ch 3M Recording, 64-ch 3M Forwarding up to 24 bays SATA HDD (Max. 10 TB per bay) 2*100/100/1000 Mbps Auto-sensng RJ45 Ethernet Port Supports ONVIF Protocol Supports GB28181 (Optional) Video Compression: H.265/H.264 Professional Embedded Hardware and Software Design, Stable and Reliable Operation; Supports Remote Access, ARSP Mobile Phone Remote Monitoring (iOS, Android) Processor: Intel Xeon E3-1230 V5 Operating System: Embedded Linux; Video: 128-ch 3M Recording, 64-ch 3M Forwarding Video Compression: H.265/H.264 Record Mode: Manual> Alarm> Motion Detection> Timing Inquire Mode: Inquiry by Time/Calendar/Event/Channel Storage: HDD Storage, Network Storage Video Output Interface: 2*HDMI, 1*VGA Ethernet Port: 2*10/100/1000 Mbps RJ45 Ethernet Port USB Port: 3*USB 20 Ports, 1*USB 3.0 Port HDD: 24 bays SATA (Max10 TB per bay) PAUDA 5.6	set	8	Within Ninety (90) Calendar Days upon issuance of Notice to Proceed (NTP)
10	RAID 0, 1, 5, 6, 10, 50, 60 Enterprise Grade Hard Disk Drive 6TB Enterprise Grade Excellent random and sequential performance Non-volatile cache (NVC) 2M hours MTBF and 0.44% AFR Up to 255MB/s transfer rate (512e/4Kn); 233MB/s transfer rate (512n) Dual-stage Micro Actuator	set	128	
11	Keyboard Controller Supports Network Control mode Supports vector variable speed joystick Quick and easy installation	set	1	
12	Digital Video Matrix Supports 8 ch 4K/ 8 ch 1080P Display Output, 32 ch 4k, 128ch 1080P, 256ch 720P/ 512ch D1 video input Supports H.265/ H.264 and other stream decoding (MPEG4 and MPEG2) Seamless output switching among splicing, segmentation, round tour, PIP and roaming Supports standard ONVIF, supports major camera manufacturer protocols Video Input Signal: Net Test Signal, Video Streaming, Video File	set	2	

Schedule of Requirements Page 5 of 7

13	Output Resolution: 4K, 1080P Mosaic: 2*2, 2*3, 2*4, 8*8, etc. Split Display Mode: 2/4/6/8/9/12/14/18/18/20/25/30/32/36 Others: Supports picture-in-picture and roaming Maximum Decoding Capacity: 4-ch 4K/16-ch 180P, 32-ch 720P/ 64-ch D1 46" Video Wall CCTV Monitor Support up to 1920 x 1080 resolution High contrast ratio 4,000:1 178 degree horizontal and vertical viewing angle HDMI, DVI, VGA, and USB Inputs RJ45 I/O: 1 / 1; BNC I/O: 1 / 1 Built-in Speaker Fan-less Design, No Noise VESA mount of 500 x 400 (mm) Response Time (ms) 5 Operator Workstation CPU Intel OctaCore i7 At least 16GB RAM, At least 8Gb Video Card At least 1TB HDD	set	8	Within Ninety (90) Calendar Days upon issuance of Notice to Proceed (NTP)
15	Windows 10 Operating System USB Keyboard, Mouse & Antivirus PC workstation must be branded. Operator Workstation Monitor - 22" LED Monitor 21.5" screen size Supports up to 1920 x 1080 resolution 16:9 display High contrast ratio 1000 :1 Fast response time 5ms	set	9	
16	HDMI/VGA input connection 3KVA On-line UPS Power Rating: 3000 VA INPUT Voltage / Load:208V, 220V, 230V, 240V 50 / 60 Hz Auto Sensing Surge Protection: 120V (IEEEC62.41) / 230V (IEEEC1000-4- 5 Level 3) Short Circuit Protection: Output Cut-off immediately Indicate line, bypass, inverter, back up, bat capacity, lod capacity, I/P voltage, I/P frequency, O/P Voltage, O/P frequency, internal temperature, fault status. Alarm when battery discharge and UPS fault. RS-232 Serial Port and USB Tower mount	set	6	
PHASE				-
17	Supply and Installation of Cables, Supervision, Installation, Termination, Testing, Commissioning, for Equipment installed at the City Hall.	lot	1	
18	CCTV Console Console must be a CCTV Console table/Rack, design base on the number of monitors and workstation required Console must be approved by the end user.	set	2	
PHASE			ı	1
19	Supply and Installation of Remote Communication Boxes, and Installation of Cables, Supervision, Installation, Termination, Testing, Commissioning, for Remote Surveillance Equipment and set up of Command Center No. 2	lot	1	

20	Remote Communication Box 4G Outdoor wireless router, 300Mbps Transmission Speed 2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A Built-in 4G and Wifi Antenna Outdoor Network PoE Switch, 4* 10/100M POE, 1*SC Single Fiber Single Mode IEEE802.3, IEEE 802.3u, 802.3af, IEEE802.3x Backplane Bandwidth:1Gbps, at least 4K MAC Address VLAN, POE:48V, 802.3at/af), AC 100-240V, IP65 Power Distribution Board (PDB), Isolation and Protection for Equipment and AC Surge Protection. The size of the PDB shall be constructed such that it will fit in the power supplies if needed, surge protectors, and other components For outdoor use, the PDB shall be designed for outdoor installation and can withstand all types of weather conditions. The PDB must include a circuit breaker for tapping of main power source and It should provide protection against residual current Each line output shall have a one-pole circuit breakers to provide protection against over-current and short circuit AC Surge Protection applicable for protecting AC220-240V Min surge current of 6000A, Min surge voltage of 6000V Gigabit PoE Network Surge Protector Set Applicable to 10M/100/Gigabit POE Switches, C	set	242	Within Ninety (90) Calendar Days upon issuance of Notice to Proceed (NTP)
PHASE				
21	 INSTALLATION OF HEAD-END EQUIPMENT FOR THE UNIFIED COMMAND CENTER 1) Mobilization & Demobilization 2) Project Management 3) Installation, Termination, Testing & Commissioning 4) Project Hand Over - End User's Training 5) after sales support, preventive and corrective maintenance during the warranty period 	lot	1	
	(With attached Terms of Reference which will form an integral part of this Bidding Documents)			

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Schedule of Requirements Page 7 of 7

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Project Name: PROJECT AURORA: QUEZON CITY GOVERNMENT UNIFIED CCTV COMMAND SYSTEM Project No. CMO-21-SSDE-05

Item	Specification	Statement of Compliance
PHASI	E 1 - Supply and Delivery of Cameras, IDF & Network	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	unication Equipment	
	OUTDOOR FIELD EQUIPMENT	
A. 1	 FIXED IP BULLET CAMERA with Surge Protection (200 SETS) 1 / 2.9" Black Light CMOS Sensor Min. Illumination: Color: 0.0001 Lux (F1.2, AGC on), 0.1 Lux with IR B/W :0.0001 Lux (F1.2, AGC on), 0.1 Lux with IR Camera should be able to capture and transmit an image size of 3MP (2304 x 1296) at 20 fps, 1080P 25fps Camera is intended to be a bullet style 4 LED array, (2 white light; 2 Infrared Light) 50-60m IR Range Fixed Lens with focal length of 3.6mm True Day & Night with an Infrared Cut Filter, auto Supports DWDR, 3D DNR Motion Detection, Video Loss, Video Block, AI Human Detection, Face Detection Shutter Time/Speed of 1/50(1/60)s to 1/10,000s with Anti- Flicker Applicable to Mobile phone remote Monitoring (iOS & Android) H.265+/H.265/H.264 High Profile Supports WEB, CMS, VMS & Cloud Storage Services Maximum Bitrate of 0.1-10Mbps IP/ Protocol: TCP/IP, HTTP, DHCP, DDNS, PPPoE, SMTP, NTP ONVIF Compliant Voltage 12V DC, PoE (IEEE 802.3af) Ingress Protection: IP67 Grade Operating Temperature of -10°C to +60°C Maximum of 10W power consumption FIXED IP BULLET CAMERA with Surge Protection (141 SETS) Imaging Device Scanning System 1 / 2.7 Low Illumination 5MP CMOS Sensor Min. Illumination: 	

	Color: 0.01 Lux (F1.2, AGC on), 0 Lux with IR	
	B/W :0.001 Lux (F1.2, AGC on), 0 Lux with IR	
	Camera should be able to capture and transmit an image size of	
	5MP (2592 x 1944) at 6 fps	
	Camera is intended to be a bullet style	
	4 LED array, (2 white light; 2 Infrared Light) 30m Range	
	Fixed Lens with focal length of 3.6mm	
	True Day & Night with an Infrared Cut Filter and with auto	
	switch	
	Shutter Time/Speed of 1/50(1/60)s to 1/10,000s with Anti- Flicker	
	Applicable to Mobile phone remote Monitoring (iOS & Android)	
	H.264+ High Profile Video Compressions	
	Supports three connection mode, LAN (wired) or Wifi (wireless)	
	and AP Mode	
	Motion Detection, Video Loss, Video Block, AI Human Detection,	
	Face Detection	
	Maximum Bitrate of 0.1-8Mbps	
	Supports two-way audio communication	
	Audio Compression G.711a	
	ONVIF Compliant	
	Voltage 12V DC	
	Ingress Protection: IP66 Grade	
	Operating Temperature of -10°C to +60°C	
	Maximum of 5W power consumption	
	Support micro SD-Card / TF Local Storage IP PTZ DOME CAMERA with Surge Protection	
2	Auto Electronic Shutter Time	
	Supports DWDR, 3D DNR	
	H.265+ (compatible H.265/H.264) encoding algorithm	
	Mobile Phone Remote Monitoring (iOS, Android)	
	Multi Browser Access (IE, Chrome, Firefox, Safari)	
	Information Superposition (ID, IP, DDNS, etc)	
	Supports WEB, CMS, VMS, Cloud services, cloud storage	
	Supports HVR/NVR, ONVIF Protocol	
	Sensor: 1/2.8" Starlight CMOS	
	Minimum Illumination: Color: 0.0001 Lux @ F1.6	
	B/W: 0.0001 Lux @ F1.6	
	Shutter Time: Automatic	
	Maximum Image: 1920*1080	
	Frame Rate: NTSC: 1920 x 1080P @ 25 fps	
	Day & Night: IR Cut Filter with Auto Switch	
	Lens Aperture: F1.6 – F2.7	
	Lens Focal Length: 4.7 mm – 84.6mm	
	Optical Zoom: 18X	
	IR Range: 8 LED Lamps 120m	
	Rotation Range: Horizontal: 0 - 360 deg continuous rotation,	
	Vertical: -15 – 90 deg continuous monitoring	
	Auto Mode: Preset Point/Preset Point Cruise/Horizontal Scan/	
	Auto Scan/ Path	
	PTZ Function: Support the turn-on movement, support power	
	memory function	
	Protocol TCP/IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP,	
	NTP (HTTPS, SIP, 802.1x, IPv6 Optional)	
	Storage: Network Storage, internal SD Card to 128G	
	Ethernet: 1*10/100 Mbps Ethernet port, RJ45 port	
	Material: Metal + ABS Plastic	
	Ingress Protection: IP66	
	Lightning Proof and Anti-Surge: TVS4000V	
	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT	
3	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT Network Switches for Command Center	
3	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT Network Switches for Command Center 32 Ports, 10G Managed Optical Fiber Switch,	
3	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT Network Switches for Command Center 32 Ports, 10G Managed Optical Fiber Switch, 24 Ports Gigabit SFP, plus 4*RJ45 Gigabit ports plus 4*SFP ports	
3	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT Network Switches for Command Center 32 Ports, 10G Managed Optical Fiber Switch, 24 Ports Gigabit SFP, plus 4*RJ45 Gigabit ports plus 4*SFP ports 10Gig uplink ports,	
3	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT Network Switches for Command Center 32 Ports, 10G Managed Optical Fiber Switch, 24 Ports Gigabit SFP, plus 4*RJ45 Gigabit ports plus 4*SFP ports 10Gig uplink ports, Built-in power supply	
3	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT Network Switches for Command Center 32 Ports, 10G Managed Optical Fiber Switch, 24 Ports Gigabit SFP, plus 4*RJ45 Gigabit ports plus 4*SFP ports 10Gig uplink ports, Built-in power supply Standard 1U Rack	
3	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT Network Switches for Command Center 32 Ports, 10G Managed Optical Fiber Switch, 24 Ports Gigabit SFP, plus 4*RJ45 Gigabit ports plus 4*SFP ports 10Gig uplink ports, Built-in power supply Standard 1U Rack Includes SFP Module, LC Dual Fiber	
3	Lightning Proof and Anti-Surge: TVS4000V NETWORK COMMUNICATION EQUIPMENT Network Switches for Command Center 32 Ports, 10G Managed Optical Fiber Switch, 24 Ports Gigabit SFP, plus 4*RJ45 Gigabit ports plus 4*SFP ports 10Gig uplink ports, Built-in power supply Standard 1U Rack	

4	28 Ports, L3 10G Managed Switch	
	24 Port RJ45ports plus 4*SFP Uplink Ports 10Gig,	
	Built-in power supply	
	Standard 1U Rack	
	Includes SFP Module, LC Dual Fiber	
	Single Mode SFP Transceiver	
	2x Gigabit LC port	
	1310nm, at least 20KM transmission distance	
	Industrial 12 port Full Gigabit POE switch	
5	1 0	
	At least 8 x 10/100/1000 Base-T PoE Ports (Data/Power)	
	2 x 10/100/1000 Base-T Uplink RJ45 Ports (Data)	
	2 x 100/1000 Base-X Uplink SFP slot Ports (Data)	
	Duplex Setting: Half/Full	
	at least 824Gbps switching capacity	
	Switching latency for 64-byte packet: 17.86 Mpps	
	Able to support Jumbo Frames up to 9.2 kilobytes size, at least 30	
	W POE budget power per port	
	Able to support 240 W maximum power rating	
	Able to support a minimum of 8K MAC Address	
	With Lightning Protection of 6KV 8/20uS	
	IP40 protection Level	
	With Anti Vibration (IEC60068-2-6), Anti Shock (IEC60068-2-27)	
	& Free Fall (IEC60068-2-32)	
	Includes SFP Module, LC Dual Fiber	
	Single Mode SFP Transceiver	
	2x Gigabit LC port	
	1310nm, at least 20KM transmission distance	
	28-port Full Gigabit PoE Switch	
6		
	At least 24 x 10/100/1000M PoE Ports + 2 x RJ45 Ports + 2 x SFP	
	Uplink Ports IEEE802.3af/at	
	Power Consumption of 400W	
	Includes SFP Module, LC Dual Fiber	
	Single Mode SFP Transceiver	
	2x Gigabit LC port	
	1310nm, at least 20KM transmission distance	
7	15U Wall Mount Data Cabinet - (9 sets)	
	15U Data Cabinet, wall mount including 24ports Cat6 Patch	
	Panels	
	shelves, powerstrip and other accessories	
	4-Port SC Fiber Terminal Box	
	SC Coupler loaded	
	Includes splice tray	
	· · · · · · · · · · · · · · · · · · ·	
	Power Distribution Board - (9 sets)	
	Isolation and Protection for Equipment and AC Surge	
	Protection.	
	The size of the PDB shall be constructed such that it will fit in	
	the power supplies if needed, surge protectors, and other	
	components	
	For outdoor use, the PDB shall be designed for outdoor	
	installation and can withstand all types of weather conditions.	
	The PDB must include a circuit breaker for tapping of main	
	power source and It should provide protection against residual	
	current	
	Each line output shall have a one-pole circuit breakers to	
	provide protection against over-current and short circuit	
	AC Surge Protection applicable for protecting AC220-240V	
	Min surge current of 6000A, Min surge voltage of 6000V	
	42U Closed Data Cabinet - (2 sets)	
	42U 600*800 Closed Data Cabinet including 24ports Cat6 Patch	
	Panels	
	shelves, powerstrip and other accessories	
	· 1 1	
	24-Port SC Fiber Terminal Box	
	24-Port SC Fiber Terminal Box SC Coupler loaded	
	24-Port SC Fiber Terminal Box SC Coupler loaded Includes splice tray	

Technical Specifications Page 3 of 7

	HEAD-END EQUIPMENT	
8	Central Management Server	
	Professional Platform for central management and monitoring	
	of cameras, media server, storage devices, authority	
	management for each command center.	
	Linux Operating System with high performance 64-bit multi-	
	core processor; simple and convenient integration Supports multiple connections: Net SDK, GB28181 protocol,	
	ONVIF protocol	
	Able to assign different permission, for Multi-system user	
	grouping with multiple user roles	
	Alarm management and video linkage; Supports uploading	
	various alarm information of IPC and NVR to Command Center	
	such as Motion detection, signal loss, I/O alarm, and video	
	blind; realizes untied management and query of alarm source,	
	alarm event, receiving object, and alarm type; supports alarm	
	linkage recording	
	Simple and convenient integration; Platform supports GB28181	
	protocol, HTTP interaction protocol, HLS, RTSP, PTMP (HTTP-	
	FLV) streaming protocol; provides each platform access to SDK	
	(Phone, Linux, Windows)	
	Automatically Detects IPC, DVR, NVR and other devices	
	connection status, visual display device online, offline status	
	and prompts the cause	
	Detailed log management: Quickly troubleshoots problems	
	through logs to ensure stable operation of the system	
	Remote configuration: the administrator can manage the	
	centralized monitoring system through web browsers can monitor the device operating status, and can modify various	
	device parameters	
	Memory self-start: starts automatically after a sudden power	
	failure: the device maintains the last working state before the	
	power failure	
	Intelligent Platform Management Interface (IPMI): intelligent	
	remote monitoring of devices, controls and resumes	
	automatically the server operation	
	Adopts 2U chassis intelligent heal dissipation system design,	
	suitable for a variety of application environment	
	Operating System: Embedded Linux	
	Processor: High Performance 64-bit Multi-Core Processor	
	Main Board: Server-grade Mainboard	
	RAM: 8G	
	Built-in Disk: 1T Enterprise Hard Disk	
	Video Management: Default 200 channel management	
	(Maximum expansion 5000 channels) + Up to 128	
	channel forwarding (3M stream)	
	Management Function: Central Management, Front-End	
	Management, User Rights Management, Registration	
	Management, Storage Management, Stream Media	
	Management, Alarm Management, etc Display Interface: VGA * 1	
	USB Interface: USB * 6	
	Network Interface: 2 Gigabit NIC Ports and 1 IPMI Port	
	Radiator: Server-grade radiator	
	Fan: Server-grade Fan * 4	
	LED Indicators: Power Indicator, Hard Disk Indicator, Net Port	
	Indicator, Fault Alarm Indicator	
	Integrated Cloud Platform	
	To provide a main administrator account to the customer on the	
	Cloud Platform	
	It should include a cloud service operation management	
	platform which integrates project management, equipment	
	management, user management, storage and storage	
	management, and financial management. Manage alarms or	
	notifications from the cameras, Motion Detection, Video Loss,	
	Video Block, AI Human Detection, Face Detection	
	The system helps administrators provide users with vertical	
	industry cloud platform solutions at PaaS / SaaS level. To	

	supply a platform where users can access unlimited devices at	
	any time, enabling a quick assignment of roles to different users	
	with different management rights, set up multiple project sites, or	
	sub command centers without the need to setup and deploy the	
	server hardware and software saving time and effort.	
	It should be able to support multi-level group and a centralized	
	equipment management with a unified configuration. Which will	
	effectively solve the problem of multiple monitoring points.	
	It should support equipment batch configuration and	
	maintenance, with a one click deployment	
	It should provide remote monitoring in real time, using the web	
	or mobile phone app, users can preview and playback the video,	
	push alarm notification in real time, with system status	
	monitoring.	
	Cloud Storage available in D1 and 2MP Plan, using Main Stream	
1	and Sub Stream	
1		
9	Network Video Server	
1	128-ch 3M Recording, 64-ch 3M Forwarding	
1	up to 24 bays SATA HDD (Max. 10 TB per bay)	
1		
1	2*100/100/1000 Mbps Auto-sensng RJ45 Ethernet Port	
1	Supports ONVIF Protocol	
	Supports GB28181 (Optional)	
1		
1	Video Compression: H.265/H.264	
1	Professional Embedded Hardware and Software Design, Stable	
1	and Reliable Operation;	
1	Supports Remote Access, ARSP	
1		
	Mobile Phone Remote Monitoring (iOS, Android)	
	Processor: Intel Xeon E3-1230 V5	
	Operating System: Embedded Linux;	
	Video: 128-ch 3M Recording, 64-ch 3M Forwarding	
	Video Compression: H.265/H.264	
	Record Mode: Manual> Alarm> Motion Detection> Timing	
	Inquire Mode: Inquiry by Time/Calendar/Event/Channel	
	Storage: HDD Storage, Network Storage	
	Video Output Interface: 2*HDMI, 1*VGA	
	Ethernet Port: 2*10/100/1000 Mbps RJ45 Ethernet Port	
	USB Port: 3*USB 20 Ports, 1*USB 3.0 Port	
	HDD: 24 bays SATA (Max10 TB per bay)	
	RAID 0, 1, 5, 6, 10, 50, 60	
10	Enterprise Grade Hard Disk Drive	
10		
	6TB Enterprise Grade	
	Excellent random and sequential performance	
	Non-volatile cache (NVC)	
	2M hours MTBF and 0.44% AFR	
	Up to 255MB/s transfer rate (512e/4Kn); 233MB/s transfer rate	
	(512n)	
1	Dual-stage Micro Actuator	
<u> </u>		
11	Keyboard Controller	
	Supports Network Control mode	
	Supports vector variable speed joystick	
	11 1 , 5	
<u> </u>	Quick and easy installation	
12	Digital Video Matrix	
	Supports 8 ch 4K/ 8 ch 1080P Display Output, 32 ch 4k, 128ch	
1	1080P, 256ch 720P/ 512ch D1 video input	
1		
	Supports H.265/ H.264 and other stream decoding (MPEG4 and	
	MPEG2)	
	Seamless output switching among splicing, segmentation, round	
	tour, PIP and roaming	
1		
1	Supports standard ONVIF, supports major camera manufacturer	
1	protocols	
1		
	Video Inplif Signal: Net Lest Signal, Video Streaming, Video Hile	
l	Video Input Signal: Net Test Signal, Video Streaming, Video File	
	Support Equipment: IPC/NVR/Streaming Media Forwarding	
	Support Equipment: IPC/NVR/Streaming Media Forwarding Server/Storage Server, etc.	
	Support Equipment: IPC/NVR/Streaming Media Forwarding Server/Storage Server, etc. Input Interface: 10/100/1000 Mbps Adaptive Network Port	
	Support Equipment: IPC/NVR/Streaming Media Forwarding Server/Storage Server, etc. Input Interface: 10/100/1000 Mbps Adaptive Network Port Resistance: 75 ohms	
	Support Equipment: IPC/NVR/Streaming Media Forwarding Server/Storage Server, etc. Input Interface: 10/100/1000 Mbps Adaptive Network Port Resistance: 75 ohms Crosstalk: < -60dB @ 4.43 MHz	
	Support Equipment: IPC/NVR/Streaming Media Forwarding Server/Storage Server, etc. Input Interface: 10/100/1000 Mbps Adaptive Network Port Resistance: 75 ohms Crosstalk: < -60dB @ 4.43 MHz	
	Support Equipment: IPC/NVR/Streaming Media Forwarding Server/Storage Server, etc. Input Interface: 10/100/1000 Mbps Adaptive Network Port Resistance: 75 ohms Crosstalk: < -60dB @ 4.43 MHz Video Output: 2-ch HDMI Output	
	Support Equipment: IPC/NVR/Streaming Media Forwarding Server/Storage Server, etc. Input Interface: 10/100/1000 Mbps Adaptive Network Port Resistance: 75 ohms Crosstalk: < -60dB @ 4.43 MHz	

	Split Display Mode: 2/4/6/8/9/12/14/18/18/20/25/30/32/36	
	Others: Supports picture-in-picture and roaming	
	Maximum Decoding Capacity: 4-ch 4K/16-ch 180P, 32-ch 720P/	
	64-ch D1	
13	46" Video Wall CCTV Monitor	
	Support up to 1920 x 1080 resolution	
	High contrast ratio 4,000:1	
	178 degree horizontal and vertical viewing angle	
	HDMI, DVI, VGA, and USB Inputs	
	RJ45 I/O: 1 / 1; BNC I/O: 1 / 1	
	Built-in Speaker	
	Fan-less Design, No Noise	
	VESA mount of 500 x 400 (mm)	
	Response Time (ms) 5	
14	Operator Workstation and 22" LED Monitor	
	CPU Intel OctaCore i7	
	At least 16GB RAM, At least 8Gb Video Card	
	At least 1TB HDD	
	Windows 10 Operating System	
	USB Keyboard, Mouse & Antivirus	
	PC workstation must be branded.	
15	Operator Workstation Monitor	
	21.5" screen size	
	Supports up to 1920 x 1080 resolution	
	16:9 display	
	High contrast ratio 1000 :1	
	Fast response time 5ms	
	HDMI/VGA input connection	
16	3KVA On-line UPS	
10	Power Rating: 3000 VA	
	INPUT Voltage / Load:208V, 220V, 230V, 240V	
	50 / 60 Hz Auto Sensing	
	Surge Protection: 120V (IEEEC62.41) / 230V (IEEEC1000-4-5 Level	
	3)	
	,	
	Short Circuit Protection: Output Cut-off immediately	
	Indicate line, bypass, inverter, back up, bat capacity, lod capacity,	
	I/P voltage, I/P frequency, O/P Voltage, O/P frequency, internal	
	temperature, fault status.	
	Alarm when battery discharge and UPS fault.	
	RS-232 Serial Port and USB	
	Tower mount	
риλ	SE II	
гпа	SE II	
17	Supply and Installation of Cables, Supervision, Installation,	
17	Termination, Testing, Commissioning, for Equipment	
	installed at the City Hall.	
18	CCTV Console	
10	Console must be a CCTV Console table/Rack, design base on the	
	number of monitors and workstation required	
	Console must be approved by the end user.	
	Console musi de approveu dy me enu user.	
РНА	SE III	
19	Supply and Installation of Remote Communication Boxes, and	
	Installation of Cables, Supervision, Installation, Termination,	
	Testing, Commissioning, for Remote Surveillance Equipment and	
	set up of Command Center No. 2	
20	Remote Communication Box	
	4G Outdoor wireless router, 300Mbps Transmission Speed	
	2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A	
	2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A	
	2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A Built-in 4G and Wifi Antenna	
	2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A Built-in 4G and Wifi Antenna Outdoor Network PoE Switch, 4* 10/100M POE, 1*SC Single Fiber Single Mode	
	2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A Built-in 4G and Wifi Antenna Outdoor Network PoE Switch, 4* 10/100M POE, 1*SC Single Fiber Single Mode IEEE802.3, IEEE 802.3u, 802.3af, IEEE802.3x	
	2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A Built-in 4G and Wifi Antenna Outdoor Network PoE Switch, 4* 10/100M POE, 1*SC Single Fiber Single Mode IEEE802.3, IEEE 802.3u, 802.3af, IEEE802.3x Backplane Bandwidth:1Gbps, at least 4K MAC Address	
	2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A Built-in 4G and Wifi Antenna Outdoor Network PoE Switch, 4* 10/100M POE, 1*SC Single Fiber Single Mode IEEE802.3, IEEE 802.3u, 802.3af, IEEE802.3x Backplane Bandwidth:1Gbps, at least 4K MAC Address VLAN, POE:48V, 802.3at/af), AC 100-240V, IP65	
	2 x 10/100 RJ45 Interface, PoE Powered: 24V 1A Built-in 4G and Wifi Antenna Outdoor Network PoE Switch, 4* 10/100M POE, 1*SC Single Fiber Single Mode IEEE802.3, IEEE 802.3u, 802.3af, IEEE802.3x Backplane Bandwidth:1Gbps, at least 4K MAC Address	

Technical Specifications Page 6 of 7

		1
	The size of the PDB shall be constructed such that it will fit in the	
	power supplies if needed, surge protectors, and other	
	components	
	For outdoor use, the PDB shall be designed for outdoor	
	installation and can withstand all types of weather conditions.	
	The PDB must include a circuit breaker for tapping of main	
	power source and It should provide protection against residual	
	current	
	Each line output shall have a one-pole circuit breakers to provide	
	protection against over-current and short circuit	
	AC Surge Protection applicable for protecting AC220-240V	
	Min surge current of 6000A, Min surge voltage of 6000V	
	Gigabit PoE Network Surge Protector Set	
	Applicable to 10M/100/Gigabit POE Switches, Camera, POE	
	Injector	
	Data protection: 1.2.3.6.4.5.7.8, DC 48V power protection), RJ45	
	Interface	
	IP PoE Extender 10/100M, 1 * input port, IEEE802.3af/at/bt;	
	+ 2* output port; IEEE802.3af, Extends up to 200m	
РНА	SE IV	
21	INSTALLATION OF HEAD-END EQUIPMENT FOR THE	
	UNIFIED COMMAND CENTER	
	l) Mobilization & Demobilization	
	2) Project Management	
	3) Installation, Termination, Testing &Commissioning	
	4) Project Hand Over - End User's Training	
	5) after sales support, preventive and corrective maintenance	
	during the warranty period	
	(With attached Terms of Reference which will form an integral	
	part of this Bidding Documents)	
	pur of this blaung bocunents)	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Technical Specifications Page 7 of 7

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

TECHNICAL COMPONENT ENVELOPE I.

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

and

- Mayor's or Business permit issued by the city or municipality where the (c) principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and
- Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved (d) by the Bureau of Internal Revenue (BIR).

Technical Documents

- Statement of the prospective bidder of all its ongoing government and private (f) contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- Statement of the bidder's Single Largest Completed Contract (SLCC) similar \Box (g) to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- Original copy of Bid Security. If in the form of a Surety Bond, submit also a \Box (h) certification issued by the Insurance Commission; or

Original copy of Notarized Bid Securing Declaration; and

- Conformity with the Technical Specifications, which may include \Box (i) production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and
- Original duly signed Omnibus Sworn Statement (OSS); (j) and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- \Box (k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- The prospective bidder's computation of Net Financial Contracting Capacity \Box (1) (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND **SERVICES**);

or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

☐ (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- □ (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- □ (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- \Box (a) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- \Box (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

- (a) Statement of Warranty- minimum of One (1) year onsite warranty on parts and services
- □ (b) Submit a Certification that they are the Authorized Distributor of the brand being offered
- (c) Single line diagram and camera locations reflected on a floor plan or site Development Plan
- (d) Certificate of Site Inspection from the End-User
- \Box (e) List of existing service center and technical support
- \Box (f) Affidavit of undertaking for the following:
 - Upgrades for version during warranty at no additional cost
 - Must include a system maintenance during the warranty period
 - $\,\circ\,$ End to end technology transfer for the end user
 - $\circ\,$ Must have at least 15 years of experience in the electronic security, surveillance industry
 - The offered brand for CCTV cameras and equipment must at least have been in the market for at least 20 years in experience in the Philippine Market (there should be a proof of company stability who manufactures the CCTVs)

Note:

1. Please refer to [

https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=s haring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

