

### REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel

# And

Hospital Online Teleconsultation Online Appointment with gsuite and Others

PROJECT NO. QCGH-21-IT-71

Government of the Republic of the Philippines

Sixth Edition July 2020

# **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	on I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	8
1.	Scope of Bid	12
2.	Funding Information	
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	12
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components . 144	
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	
21.	Signing of the Contract	17
Sectio	on III. Bid Data Sheet	18
Sectio	on IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	22
5.	Warranty	22
6.	Liability of the Supplier	23
Sectio	on V. Special Conditions of Contract	24
Sectio	on VI. Schedule of Requirements	28
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



# REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



July 1, 2021

# Invitation to Bid

ITEM NO.	P.R. / PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	CMO-21- VEHICLE-42B	OFFICE OF THE CITY MAYOR	PRISONERS VAN	P 1,644,300.00	GENERAL FUND	90 CAL. DAYS
2	CMO-21- VEHICLE-45B	OFFICE OF THE CITY MAYOR	MOTOR VEHICLE	P 2,242,500.00	GENERAL FUND	30 CAL. DAYS
3	CONSO-21- FURNITURE- 104	VARIOUS OFFICE (CITY LEGAL DEPARTMENT / SCHOOLS DIVISION OFFICE)	VARIOUS FURNITURES	P 1,015,745.15	GENERAL FUND / SPECIAL EDUCATION FUND	30 CAL. DAYS
4	SDO-21- BOOKS-100	SCHOOLS DIVISION OFFICE	ECCD LEARNING PACKAGE (BOOKS AND MATERIALS)	P 11,864,782.20	SPECIAL EDUCATION FUND	30 CAL. DAYS
5	SDO-21-ETS- 101	SCHOOLS DIVISION OFFICE	ECCD LEARNING PACKAGE (ONLINE TRAINING FOR CHILD DEVELOPMENT WORKERS)	P 2,693,500.00	SPECIAL EDUCATION FUND	30 CAL. DAYS
6	SDO-21-OE- 50B	SCHOOLS DIVISION OFFICE	LINE 1: COMPUTER PRINTER (3-IN-1)	P 9,930,000.00	SPECIAL EDUCATION FUND	30 CAL. DAYS
7	CONSO-21- ELECTRICAL- 94	VARIOUS OFFICES  (CITY ACCOUNTING DEPARTMENT/ OFFICE OF THE CITY ADMINISTRATOR- TF STREETLIGHTS)	VARIOUS ELECTRICAL SUPPLIES	P 7,568,915.50	GENERAL FUND	5 MONTHS
8	BPLD-21- SERVICES-92	BUSINESS PERMITS AND LICENSING DEPARTMENT	ENGAGEMENT OF COURIER SERVICES FOR THE DELIVERY OF BUSINESS PERMITS LINKED TO THE AUTOMATED DOCUMENT DELIVERY SYSTEM OF THE BPLD OF QUEZON CITY	P 5,000,000.00	GENERAL FUND	5 MONTHS
9	GF-21-06- 00294	QC INFORMATION TECHNOLOGY DEVELOPMENT DEPARTMENT	LAPTOP AND OTHERS	P 16,809,611.80	GENERAL FUND	60 CAL. DAYS
10	QCGH-21-IT- 71	QUEZON CITY GENERAL HOSPITAL	SUPPLY, DELIVERY, INSTALLATION OF DATA CENTER WITH INDOOR LED WALL SB HALL FOR THE USE OF DOCTORS, NURSES AND NON- MEDICAL PERSONNEL And HOSPITAL ONLINE TELECONSULTATION ONLINE APPOINTMENT WITH GSUITE AND OTHERS	P 15,677,810.00	GENERAL FUND	90 CAL. DAYS
11	CTO-21-AAS- 102	CITY TREASURER'S OFFICE	SUPPLY AND INSTALLATION OF AIRCONDITIONING UNITS	P1,501,485.00	GENERAL FUND	30 CAL. DAYS
12	RMBGH-21- PS-103	ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL	PRINTING OF HOSPITAL PATIENT CARD AND OTHERS	P 1,045,000.00	GENERAL FUND	30 CAL. DAYS

- 1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Special Educational Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
  - The **QUEZON CITY LOCAL GOVERNMENT**, through the *General Fund*, *Special Educational Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for *Various Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three* (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m.* 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday*, *July* 02, 2021 from the given address and website(s) below *and upon payment of the applicable fee* for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

#### **STANDARD RATES:**

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
  - 3.1 Corporate Secretary Certificate (for corporation)
  - 3.2 Special Power of Attorney (for single proprietorship)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The *Quezon City Local Government* will hold a Pre-Bid Conference on 10:00 A.M. of Friday, July 09, 2021 at 2<sup>nd</sup> Floor, Procurement Department-Bidding Room, Finance

**Building, Quezon City Hall Compound**, and/or through video conferencing *via Zoom* which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1Q

<u>T09</u>

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Thursday**, **July 22**, **2021**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 1:00 P.M. of **Thursday, July 22, 2021** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

 $\underline{https://us02web.zoom.us/j/85850855933?pwd} = R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz0$ 

9

Meeting ID: 858 5085 5933

Passcode: 118682

- 10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

#### ATTY. DOMINIC B. GARCIA

OIC, Procurement Department

2<sup>nd</sup> Floor, Procurement Department,

Finance Building, Quezon City Hall Compound

Elliptical Road, Barangay Central Diliman, Quezon City.

Email Add: bacgoods.procurement@quezoncity.gov.ph

Tel. No. (02)8988-4242 loc. 8506/8710

Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

**ROWENA T. MACATAO** 

Chairperson, QC-BAC-Goods and Services

# Section II. Instructions to Bidders

# **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## 1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel *and* Hospital online teleconsultation, online appointment with gsuite and others with identification number QCGH-21-IT-71.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of Twelve (12) *Items*, the details of which are described in Section VII (Technical Specifications).

### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of FIFTEEN MILLION SIX HUNDRED SEVENTY SEVEN THOUSAND EIGHT HUNDRED TEN PESOS ONLY (Php 15,677,810.00).
- 2.2. The source of funding is:
  - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 7 of the **IB**.

### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

# 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid,

<sup>&</sup>lt;sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 8 of the **IB**.

## 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 10 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the

lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

# 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

## **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to the items to be bid and must be at least FIFTY percent (50%) of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	<ul> <li>a. The amount of not less than Php 313,556.20 [or equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than Php 783,890.50 [or equivalent to five percent (5%) of ABC] if bid security is in Surety Bond</li> </ul>
19.3	The ABC per item are:
	1. Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel
	The Approved Budget for the Contract is Philippines Peso: NINE MILLION EIGHT HUNDRED SIXTY SEVEN THOUSAND FIVE HUNDRED SEVENTY PESOS AND 00/100 ONLY (PHP 9,867,570.00).
	2. Hospital online teleconsultation, online appointment with gsuite and Others.
	The Approved Budget for the Contract is Philippines Peso: FIVE MILLION EIGHT HUNDRED TEN THOUSAND TWO HUNDRED FORTY PESOS AND 00/100 ONLY (PHP 5,810,240.00)
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]
	No Additional Requirements
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	For the : Quezon City General Hospital Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel
	<ul> <li>Affidavit of Undertaking for the Following:         <ol> <li>Provision of Application, Customization/Professional Services and implementation services - Requirements</li> <li>System installation and configuration</li> <li>Procedural study and data adjustments</li> <li>Project Planning and Management, Review Meeting, Result of Planning;</li> </ol> </li> </ul>

- -Technical Updates, maintenance services
- 2. Provision of Documentations

The solution provider shall provide a complete documentation for the deliverables. QCGH shall own any and all documents and shall reserve the right to reproduce at no additional cost.

The documentation must be written in English of durable construction with concise and high quality presentation to include but not limited to the following:

User Manuals

Technical/Reference Manual

System/Operation Manual

Troubleshooting and Installation Guides

All documentation must be in hard copy and soft copies accompanied with a compact disc/USB copy on (e.g. Microsoft Word for Windows) format and delivered to the QCGH.

\* Please refer to the attached Terms of Reference Section V. Project and Standards)

#### 3.Statement of Warranty

\* Please refer to the attached Terms of Reference XI. Warranty)

4.The Solution Provider shall provide 24/7 on call technical support services in the course of the implementation of the project and during the warranty period.

\* Please refer to the attached Terms of Reference XII. Service Level Agreement)

# For the: Hospital Online teleconsultation, online appointment with gsuite and others.

#### > Affidavit of Undertaking for the Following:

- 1. Provision of Application, Customization/Professional Services and implementation Services
- -Requirements
  - -System installation
  - -Procedural study and data adjustments
  - Project Planning and Management, Review Meeting, Result of Planning;
  - -Technical Updates, maintenance services
- 2. Provision of Documentations

The solution provider shall provide a complete documentation for the deliverables. *QCGH* shall own any and all documents and shall reserve the right to reproduce at no additional cost.

The documentation must be written in English of durable contruction with concise and high quality presentation to include but not limited to the following:

Technical/Reference Manual

System/Operation Manual

Troubleshooting and Installation Guides

All documentation must be in hard copy and soft copies accompanied with a compact disc/USB copy on (e.g. Microsoft Word for Windows) format and delivered to the *QCGH*.

- \* Please refer to the attached Terms of Reference Section V. Project and Standards)
- 3.Statement of Warranty
  - \* Please refer to the attached Terms of Reference XI. Warranty)
- 4.The Solution Provider shall provide 24/7 on call technical support services in the course of the implementation of the project and during the warranty period.
  - \* Please refer to the attached Terms of Reference XII. Service Level Agreement)

# Section IV. General Conditions of Contract

# **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

## 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

# 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

### 5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

# 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

# **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

**Special Conditions of Contract** 

GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>[indicate name(s)]</i> .
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	<ul><li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li><li>c. furnishing of a detailed operations and maintenance manual for each</li></ul>
	<ul> <li>appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ul>
	<ul> <li>e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. [Specify additional incidental service requirements, as needed.]</li> </ul>
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

**Contract Description** 

**Final Destination** 

	Gross weight Any special lifting instructions Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	"The terms of payment shall be as follows:
	<ol> <li>Fifteen percent (15%) upon complete delivery and conduct of a Project installation.</li> <li>Forty-four percent (44%) upon deployment of the license office and anti-virus software to QCGH.</li> <li>Forty percent (40%) upon system utilization and final acceptance</li> <li>One percent (1%) retention upon completion of project one (1) year from date of final acceptance."</li> </ol>
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection</i> , <i>if applicable</i> .

# Section VI. Schedule of Requirements

**Project Name:** Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel and

Hospital online teleconsultation, online appointment with gsuite and Others

### Project No. QCGH-21-IT-71

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
A	Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel			
1	Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel  Supply, Delivery And Installation Of QCGH Data Center / Server Room  includes the following: Local Installation and Delivery: supply of labor, tools, materials & supervision, transportation and allowances for the delivery & installation of 13.76 m2 raised flooring system. Panel Area: 13.76 sq.m = 37 panels, 122 pcs Pedestal Head and Base. 66 pcs. Stringer and 132 pcs. Screwbolt	Lot	1	
2	Supply, Delivery and Installation of Raised Flooring, 3 units CCTV  CCTV Specification  Max. 30fps@1080P  HD and SD output switchable  Video, data, and power over one (1) coaxial cable  Supports up to 800m(1080P)/1200m(720P) transmission via coaxial cable, and up to 300m(1080P)/450m(720P) via UTP cable  Supports multiple video formats including HDCVI, CVBS and other two common HD analog formats in the market (switchable thru OSD menu or by PFM820(UTC controller)  Compatible with not only HCVRs but also most end user's existing HD/SD DVRs  3.6mm fixed lens (2.8mm, 6mm optional)  DWDR, BLC, HLC, 2D DNR for clear imaging  Smart IR to ensure brightness uniformity in B/W image under low illumination, up to 20m IR distance  IP67 Protection Weatherproof, DC12V	Package		Within Ninety (90) Calendar Days Upon Issuance of Notice to Proceed

3	Biometrics Door lock for the QCGH data Center/Server Room Biometrics Specification:  • 2.4-inch TFT color screen and Touch keys  • Ultra thin and elegant design  • Full Access Control Features: Anti- passback, access control interface for 3rd party electric lock, door  • Network interface by TCP/IP or RS485  • Built-in auxiliary input with enhanced flexibility to link with wired detector or emergency switch  • Push Button for Exit  • Power Supply for Device, • Magnetic Lock and Push Button with Inline power	Unit	1	
4	IP Address Management Solution - Delivery, Installations and configuration:  NIC Ethernet: 4x 1Gbps PS: 1x 250W AC BTU/hr: 1039 Disk: 1  Features:  1. Network Discovery - Using Netchange you can discover devices connected to your network (ex. Mac, switch, switch port, router firmware, port capacity, etc.)  2. DNS Guardian - Behavioral detection of advanced DNS Threats (ex. DNS Tunneling) 3. Hybrid-DNS - Multiple DNS engine to block zero-day DNS vulnerabilities.  4. IPAM/IP Space - Enable org to manage conflicting IP Block/Subnets. (ex. Production Network - 10.0.0.0/8, Staging Network - 10.0.0.0/8)  5. SmartArchitecture - Template-based driven DNS/DHCP management.	Lot	1	
5	One (1) Amplify (HD) Wifi System for server room  Wifi System Specification: Max. TX Power: 26 dBm Radios: 6 MIMO Chains: 18 Speed: 5.25 Gbps  Router Specification: Max. TX Power: 26 dBm Radios: 2 MIMO Chains: 6 Speed: 1750 Mbps Networking Interface: Wi-Fi/Gigabit Ethernet (1) WAN, (4) LAN Max. Power Consumption: 11W ESD/EMP Protection ± 24kV Air/Contact Buttons: Reset Antennas: (1) Dual-Band Antenna, Tri-Polarity Display: 40.6 mm (1.6") Diagonal, 240 x 240, 212 ppi, G+F Touch, Full Color Wi-Fi Standards: 802.11ac Power Save: Supported Wireless Security: WPA2-PSK AES/TKIP  Mesh Point Specification: Max. TX Power: 26 dBm	package	1	

Radios: 2  MMO Chains: 6 Speed: 1750 Mips Spreed: 1750 Mips Supported Data Rades Spreed: 1750 Mips Spr		1 .		1	1
Speech: 1750 Mbps ESD/EMF Protection ± 24kV Air/Contact Buttons Reset Anternas: (1) Daal-Band Anterna. Tri-Folarity Wi-Fi Standards: 802.11ac Power Save: Supported Wireless Security WPA2-PSK APS/TKIP Supported Data Rates 802.11ac/n/a/b/g  6 Installation Configuration and Knowledge transfer for the following: CCTV, Biometrics Door Access, 11' Management System and Wiff Meals System Pay 17 Pay 170.00 Rt D WAIT. (Sonny Belmonte Hall) Sh Hall  Actual Size: 4m w x 2.5m Display zone: o Vicleo zone x2 (vicleo file/streaming/audio) o HIFML zone x3 o Image zone x2 o Clock zone x1 o Itackground image x1  Use any web-editing tool to create HIFML pages with unlimited vicleo zones, image zones and ficker Pinge in All Size: 4m w x 2.5m RSS 3 options: Skin, Program and Playlish Web Language: Support HIFML5, JavaScript, CSS3 And RSS Content show whole or part of HIML/Flash files. remete URL, weather, social media (e.g. twitty) or integrate with user's network facilities and databases. RTB (MPEG-LTS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPFC-TS, Codec: MPEG2/MPEG4). RTSP/RTP (MPFC-TS, Codec: MPEG2/MPEG4). RTSP/RTP (MPFC-TS, Codec: MPEG2/MPEG4). HTTP/MMS Format: MPHG (MFC, VOB), AVI (11.264), WMV, WMA, MP3, MP4 Codes: MPEG-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPFC-TS, Codec: MPEG2/MPEG4). RESOLUTION: up to 15mbps (MPEG2, MPEG4, MWV, H.264) Resolution: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 16mbp (1920 x 1080) Format: WMA, MP3, Scadec: MP, WMA 7/8 format: Pinge (MPEG2, MPEG4, WMV, H.264) Resolution: up to 16mbp (1920 x 1080) Format: WMA, MP3, Scadec: MP, WMA 7/8 format: Lange (MPEG2, MPEG4, WMV, H.264) Resolution: up to 16mbp (1920 x 1080) Format: WMA, WP3, Scadec: MP, WMA 7/8 format: WMA, WP3, Scadec: MP, WMA 7/8 format: WMA, WP3, Scadec: MP, WMA 7/8 format: maps: MTML value and collected contently on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set achedules to true or centrally cont		Radios: 2			
ESD/FAMP Protection = 24kV Air/Contact   Butturas Reset		MIMO Chains: 6			
ESD/FAMP Protection = 24kV Air/Contact   Butturas Reset		Speed: 1750 Mbps			
Butturas Reset Antennas: (1) Dual-Band Antenna, Tri-Polarity Wi-Fi Standards: 802.11ac Power Save: Supported Wireless: Security WFA2-PSK AES/TKIP Supported Data Rates 802.11ac/n/a/b/g  6 Installation Configuration and Knowledge transfer for the following: CCTV, Biometries Door Access, IP Management System and Wifi Mesh System  7 P3-91 NDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m Display zone: o Video zone x2 (video file/streaming/audio) o HTMI, zone x3 o Image zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and licker School S					
Antennas (1) Dual-Band Antenna, Tri-Polarity Wi-Fi Stardards & St21 Hac Power Save: Supported Wireless Security WPA2-FSK AES/TKIP Supported Data Rates 802.11ac/n/a/b/g  6 Installation Configuration and Knowledge CCTV. Biometrics Door Access, IP Management System and WISI Mesh System 7 P39 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w 2.5m Display zone: o Vicleo zone x2 (vicleo file/streaming/audio) oi HTML zone x3 oi mage zone x2 oi Clock zone x1 oi Background image x1  Use any web-editing tool to create HTML pages with unlimited vicleo zones, Image zones and ticker zones. 3 options: Skin, Program and Playisis Web Language: Support HTML 5, JavaScript, CSS3 and RSS feed. Plugain: Adobe Hash Player (VI 11 innx build) Media Player (vicleo and audio) Ticker, Image Sildeshow Content: show whole or part of HTML/Flash files, remote URL, wetther, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEG-15). MPEG-275; bit rate: 1-5 Mpbps). RTSF/RTP (MPEG-15; Codec: MPEG/MPEG/MPEG/MPEG/MPEG/MPEG/MPEG/MPEG/					
Wi-Fi Standards 802-Hac Power Save Supported Wireless: Security WPA2-PSK AES/TKIP  Supported Data Rates 802-Hac Power Save Supported to the following: CCTV. Biometrics Door Access. IP Management System and WIff Mesh System P P P P P INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m  Display zone:  O Video zone x2 (video file/ streaming/ audio) o HTML. zone x2 o linker zone x2 o linker zone x2 o licker zone x2 o licker zone x1 o background image x1  Use any web-editing tool to create HTML pages with unfinited video zones, Image zones and ticker  Zones. 3 options: Skin. Program and Playlist Web Language: Support HTML 5, JavaScript, CSS: O report of the System of the System P P P P P P P P P P P P P P P P P P P					
Power Save: Supported Wireless: Security WPA2-ISK AIS/TKIP  Supported Data Rates 802.11ac/n/a/b/g  Installation Configuration and Knowledge CCTV, Biometries Door Access, IP Management System and Wiff Mesh System  7		` '			
Wireless: Security WPA2-PSK AFS/TKIP  Supported Data Rates 802.11ac/n/a/b/g  6 Installation Configuration and Knowledge transfer for the following: CCTV, Biometries Door Access, IIP Management System and Wiff Mesh System 7 P3 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m Display zone: o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1 Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker 3. options: Skin, Program and Playlist Web Language: Support HTML 5, JavaScript, CSS3 and RSS feed. Pluy-in: Adobe Flash Player (V 11 Linux beild) Media Player (video and audio) Ticker, Image Stideshow Content: show whole or part of HTML/Flash files, remote URL, weather, soxial media (e.g., twifter) or integrate with user's network facilities and databases. RTB (MFEG-4TS), MFEG-2TS, bit rate: 1-5 Mpps). RTBY/RTP (MPEG-1TS). Codec: MFFG-2/MPEG4, MMV, H.264) H-TTP/MMS Format: MFEG (MFC, VOB), AVI (H.264), MFA Codec: MFEG-1/2, MFEG-4 ISO, WMV 7/8/9, H.264 BH-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MF3, § Codec: MFEG-4/2 kinulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by o server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMFs volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood), SMFs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Wi-Fi Standards: 802.11ac			
Wireless: Security WPA2-PSK AFS/TKIP  Supported Data Rates 802.11ac/n/a/b/g  6 Installation Configuration and Knowledge transfer for the following: CCTV, Biometries Door Access, IIP Management System and Wiff Mesh System 7 P3 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m Display zone: o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1 Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker 3. options: Skin, Program and Playlist Web Language: Support HTML 5, JavaScript, CSS3 and RSS feed. Pluy-in: Adobe Flash Player (V 11 Linux beild) Media Player (video and audio) Ticker, Image Stideshow Content: show whole or part of HTML/Flash files, remote URL, weather, soxial media (e.g., twifter) or integrate with user's network facilities and databases. RTB (MFEG-4TS), MFEG-2TS, bit rate: 1-5 Mpps). RTBY/RTP (MPEG-1TS). Codec: MFFG-2/MPEG4, MMV, H.264) H-TTP/MMS Format: MFEG (MFC, VOB), AVI (H.264), MFA Codec: MFEG-1/2, MFEG-4 ISO, WMV 7/8/9, H.264 BH-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MF3, § Codec: MFEG-4/2 kinulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by o server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMFs volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood), SMFs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Power Save: Supported			
Supported Data Rates 802.11ac/n/a/b/g  Installation Configuration and Knowledge CCIV, Biometrics Door Access, IP Management System and Wiff Mesh System  7					
6 Installation Configuration and Knowledge CCTV. Biometrics Door Access, IP Management System and Wiff Melseh System 7 P39 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size- 4m w x 2.5m Display zone: 0 Video zone x2 (video file/streaming/audio) 0 HIML zone x3 0 Inage zone x3 1 Toker zone x2 0 Clock zone x1 1 O Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Inage zones and ticker 2 zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS 3 and James Signey (V 11 Limux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEC4-TS, MPEC2-TS) bit rate: 1-5 Mbps), RTSP/RTP (MPEG-IS: Codec MPTC2/MPEC4), HTTP/MMS Format: MPFG (MPC, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPFG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec MP3, WMA 7/8 format: Graph of the social splay may differy) Local & central scheduling edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMF volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood), SMFs web manager Online (Matuonatically): CAYIN CMS Server Offline: USB Storage Device		,			
6 Installation Configuration and Knowledge CCTV. Biometrics Door Access, IP Management System and Wiff Melseh System 7 P39 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size- 4m w x 2.5m Display zone: 0 Video zone x2 (video file/streaming/audio) 0 HIML zone x3 0 Inage zone x3 1 Toker zone x2 0 Clock zone x1 1 O Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Inage zones and ticker 2 zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS 3 and James Signey (V 11 Limux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEC4-TS, MPEC2-TS) bit rate: 1-5 Mbps), RTSP/RTP (MPEG-IS: Codec MPTC2/MPEC4), HTTP/MMS Format: MPFG (MPC, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPFG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec MP3, WMA 7/8 format: Graph of the social splay may differy) Local & central scheduling edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMF volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood), SMFs web manager Online (Matuonatically): CAYIN CMS Server Offline: USB Storage Device		Cummouted Data Rates			
6 Installation Configuration and Knowledge transfer for the following: CCTV. Biometries Door Access. II P Management System and Wlff Mesh System  7 P3 NINOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m Display zone:  o Video zone x2 (video file/ streaming/audio) o HTML zone x3 o Image zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unilimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML 5, JavaScript. CSS3 and RSS feed. Pluy-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Bash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MFEG-1TS, MFEG2-TS) tit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS: Codec: MPLC2/MTEC4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264). WMV, WM, MP3, MP4 Code: MPEG-J2, MFEG2-MPEG4, WNV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WHA, MP3, & Codec: MP3, WMA 7/8 format: IPUC/GIF/BMP Playback simulator: image. HTML/Flash, remote URL, and ticker (Kone: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules turn on/of the screen, adjusts SMPs volume, or restar the system Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAVIN CMS Server.					
CCTV Biometrics Door Access, II P Management System and Wifi Mesh System  7 P39 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m  Display zone:  o Video zone x2 (video file/streaming/audio)  o HTML zone x3  o Image zone x2  o Clock zone x1  o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones.  3 options: Skin, Program and Playlist Web Language Support HTML, Javascript, CSS3  and RSS feed.  Plug-im: Adobe Hash Player (V 11 Linux build)  Media Player (video and audio) Ticker, Image Sideshow  Content; show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases.  RTB (MPFG4-TS, MPFG2-TS, bit rate: 1-5 Mlps).  RTSF/RTP (MPFG4).  HTTP/MMS  Format: MPFG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4  Codec: MPFC-1/2, MPIRG-4 ISO, WMV 7/8/9, H.264)  Bit-rate: up to 15mbps (MPFG2, MPFG4, WMV, H.264)  Resolution: up to 1080p (1920 x 1080)  Format: MPFG (MPG, Actual display may differ)  Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server, View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USS Storage Device		802.11ac/n/a/b/g			
CCTV Biometrics Door Access, II P Management System and Wifi Mesh System  7 P39 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m  Display zone:  o Video zone x2 (video file/streaming/audio)  o HTML zone x3  o Image zone x2  o Clock zone x1  o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones.  3 options: Skin, Program and Playlist Web Language Support HTML, Javascript, CSS3  and RSS feed.  Plug-im: Adobe Hash Player (V 11 Linux build)  Media Player (video and audio) Ticker, Image Sideshow  Content; show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases.  RTB (MPFG4-TS, MPFG2-TS, bit rate: 1-5 Mlps).  RTSF/RTP (MPFG4).  HTTP/MMS  Format: MPFG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4  Codec: MPFC-1/2, MPIRG-4 ISO, WMV 7/8/9, H.264)  Bit-rate: up to 15mbps (MPFG2, MPFG4, WMV, H.264)  Resolution: up to 1080p (1920 x 1080)  Format: MPFG (MPG, Actual display may differ)  Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server, View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USS Storage Device					
transfer for the following: CCTV, Biometrics Door Access, IP Management System and Wiff Mesh System  7 P39 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m Display zone: o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language Support HTML5, JavaScript, CSS3 and RS5 feed. Plug-in: Adobe Plash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Sideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mhys), RTSP/RTP (MPEG-TS) MPEG./MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Code: WPT-C-1/2, MPTG-4 EO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG-2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format:	6	Installation Configuration and Knowledge	Lot	1	
CCIV, Biometrics Door Access, IP  Management System and Wiff Mesh System  7 P39 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m Display zone: o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones, 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CS3 cript, CS3 cript, CS3 cript, CS4 cript, CS4 cript, CS5 crip					
Management System and Wifi Mesh System  7		e de la companya de			
Actual Size: 4m w x 2.5m Display zone: o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker so options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed, Plug-in: Alobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEG-1TS, MPEG2-1S) bit rate: 1-5 Mbps). RTSF/RTP (MPTG-TS; Codec: MPTC-2/MPFG-4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPTG-(T)/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: my MA, Artual display may differ.) Local & central scheduling; edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Actual Size 4m w x 2.5m  Display zone:  o Video zone x2 (video file/streaming/audio)  o HTML zone x3  o Image zone x2  o Ticker zone x2  o Clock zone x1  o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker  zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow  Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEC4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG2-TS; Dit rate: 1-5 Mbps). RTSP/RTP (MPEG4-TS, Codec: MPEG2/MPEG4). HTTT/MMS Format: MPEG (MPC, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG1/2, MPEG4-RSO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, S Codec: MP3, WMA 7/8 format:  Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Sct schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAVIN CMS Server Offline: USB Storage Device			nackaga	1	-
Actual Size: 4m w x 2.5m  Display zone: o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker solvent in the stream of th	/	` ,	package	1	
o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-im: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-I/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, \$ Codec: MP3, WMA 7/8 format: Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood). SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Hall) SB Hall			
o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-im: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-I/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, \$ Codec: MP3, WMA 7/8 format: Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood). SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-im: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-I/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, \$ Codec: MP3, WMA 7/8 format: Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood). SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Ticker zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-im: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-I/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, \$ Codec: MP3, WMA 7/8 format: Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system Online (Manually): FTP, Network Shares (Network neighborhood). SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Actual Size: 4m w x 2.5m			
o Video zone x2 (video file/streaming/audio) o HTML zone x3 o Image zone x2 o Clock zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Sildeshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mtps). RTSP/RTP (MPEG-TS; Codec: MPEG-TS), MPEG2/MEG4). HTTP/MMS Format: MPFG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG4-ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format:					
o HTML zone x3 o Image zone x2 o Ticker zone x2 o Ticker zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RS5 feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEC2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format:					
o Image zone x2 o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin. Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (v1 II Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPFG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, & Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
o Ticker zone x2 o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG1/2, MPEG4-I SO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: [PEG/GIF/BMP] Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
o Clock zone x1 o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RS5 feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Sikideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: "PEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones. Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEC2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP2, WMA 7/8 format: "MPA, MP3, § Codec: MP2, WMA 7/8 format: "MPA, MP3, § Codec: MP2, WMA 7/8 format: "MPA, MP3, § Codec: MP3, WMA 7/8 format: "MPA, MP3, § Codec: MP3, WMA 7/8 format: "GetTal scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYNI CMS Server Offline: USB Storage Device		o Ticker zone x2			
o Background image x1  Use any web-editing tool to create HTML pages with unlimited video zones. Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEC2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP2, WMA 7/8 format: "MPA, MP3, § Codec: MP2, WMA 7/8 format: "MPA, MP3, § Codec: MP2, WMA 7/8 format: "MPA, MP3, § Codec: MP3, WMA 7/8 format: "MPA, MP3, § Codec: MP3, WMA 7/8 format: "GetTal scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYNI CMS Server Offline: USB Storage Device		o Clock zone x1			
Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones.  3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps).  RTSF/RTP (MPEG-TS; Codec: MPFC2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMW, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
with unlimited video zones, Image zones and zones. 3 options: Skin, Program and Playlist Web Language: Support HTMI.5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: jPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		o buckground mage xi			
with unlimited video zones, Image zones and zones. 3 options: Skin, Program and Playlist Web Language: Support HTMI.5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: jPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		He can well a dition to all to anothe HTML and an			
ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RS5 feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		· ·			
Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: precomplete image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		ticker zones.			
Web Language: Support HTML5, JavaScript, CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: precomplete image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		3 options: Skin, Program and Playlist			
CSS3 and RSS feed. Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g., twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: WMA, MP3, § Codec: MP3, WMA 7/8 format: WMA, MP3, server, Simulation is for reference only. Actual display may diiffer.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPC, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, \$ Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		0 0 11			
Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format:					
Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases. RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: IPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		, ,			
Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases.  RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps).  RTSF/RTP (MPEG-TS; Codec: MPEG2/MPEG4).  HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264  Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264)  Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format:  "PEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Media Player (video and audio) Ticker, Image			
files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases.  RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps).  RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4).  HTTP/MMS  Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4  Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264  Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264)  Resolution: up to 1080p (1920 x 1080)  Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP  Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.)  Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Slideshow			
files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases.  RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps).  RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4).  HTTP/MMS  Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4  Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264  Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264)  Resolution: up to 1080p (1920 x 1080)  Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP  Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.)  Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Content: show whole or part of HTML/Flash			
twitter) or integrate with user's network facilities and databases.  RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps).  RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4).  HTTP/MMS  Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4  Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264  Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264))  Resolution: up to 1080p (1920 x 1080)  Format: WMA, MP3, § Codec: MP3, WMA 7/8  format: JPEG/GIF/BMP  Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.)  Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
facilities and databases.  RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps).  RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4).  HTTP/MMS  Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264  Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264)  Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format:  JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		,			
Mbps). RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		,			
MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Mbps).			
MPEG2/MPEG4). HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		RTSP/RTP (MPEG-TS; Codec:			
HTTP/MMS Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: IPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		*			
Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
WMV, WMA, MP3, MP4 Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format:		· · · · · · · · · · · · · · · · · · ·			
H.264 Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format:					
Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		H.264			
H.264) Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV.			
Resolution: up to 1080p (1920 x 1080) Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Format: WMA, MP3, § Codec: MP3, WMA 7/8 format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
format: JPEG/GIF/BMP Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		Playback simulator: image, HTML/Flash,			
reference only. Actual display may differ.) Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server.  View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
directly on an SMP Player or centrally control multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
multiple players in groups by a server. View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		View type: Calendar or time table			
SMPs volume, or restart the system  Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		· · · · · · · · · · · · · · · · · · ·			
(Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device		on the system			
(Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Online (Automatically): CAYIN CMS Server Offline: USB Storage Device					
Offline: USB Storage Device					
O Company of the comp					
Osci interface. Cimese ( fractituoriar), Cimese		O			
				ĺ	1

(Simplified), English, French, German, Italian, Japanese, Polish, Portuguese, Russian, Spanish, Thai Ticker support: Unicode (UTF-8) compatible languages; able to use default fonts or upload fonts. Screen resolutions: 640x480, 800x600, 1024x768, 1152x864, 1280x720 (720p),1280x768, 1280x1024, 1360x768, 1366x768, 1600x900, 1600x1200, 1680x1050, 1920x1080, 1920x1200, 1920x1440; up to 2048 pixels for one side by user-defined mode. Portrait mode: Support 90 and 270 degree display rotation 4 signal output modes: Single, Clone, Extended, Modes Support to detect EDID/DDC parameters Support the screen saver function Support to incorporate with USB HID Compliance touch screen Set system time manually or synchronize the clock NTP server from an Track SMPs current location by GPS or simply show a static location in Google Maps Check CPU temperature and utilization of CPU, system DRAM, and hard drive Create log files recording the system status Automatic notification of patch and firmware updates. Able to restart/shutdown/recover the system and backup/restore configurations remotely Support static IP and dynamic IP (DHCP) Support HTTP, HTTPS, SMB, ICMP, RTP, MMS, SYSLOG, NTP, RTSP. FTP Provide templates and materials in Library and Online resources IE11 or later, Chrome 35 or later, Firefox 31 or DIMENSIONS: 129(W) x 109.4(D) x 34(H) mm CPU: INTEL Bay Trail-M Quad Core Soc Processor 802.11 b/g/n Wireless controller (optional) Data Network (optional) INTERNAL STORAGE: SSD 32gb (optional 256gb) upgrade up to EXTERNAL STORAGE: Supports up to 4TB SUPPORT VIDEO STREAMING: HDMI Capture Card (USB UVC compatible device, Format: MIPG) DISPLAY OUTPUT: VGA D-SUB x 1 100-240V POWER: AC CE/FCC **CERTIFICATE:** certificate **BRIGHTNESS:** 1100 nits COLOR TEMPERATURE: 6500-9500k SCAN: 1/13 PANEL DIMENSION (W\*H\*D): 500mm x 75mm RESOLUTION: PANEL. 128\*256 pixel PANEL WEIGHT: 7-11 kg. **CABINET MATERIAL:** MAX POWER CONSUMPTION: 650w/m AVERAGE POWER CONSUMPTION: 325w/m VIEWING ANGLE: H:160 V:140 REFRESH RATE: 1920Hz GRAY SCALE: 14-16 bit IP RATING: IP30 OPERATING HUMIDITY: 10%-60%RH OPERATING TEMPERATURE: -20C-+40C MAX. STACKING: 12 pcs. MAX. HANGING: 12 pcs. CURVE (OPTIONAL): +7.5 degree

В	Hospital online teleconsultation, online appointment with gsuite and others.	Lot	1	
1	Domain World Wide Web Hospital Digital transformation (Online appointment / Teleconsultation)			
	Hospital online teleconsultation,online appointment with gsuite. (1 year subscription) Customization / Professional services and implementation website publishing - Procedural study and data adjustments - Website Planning and Management, Review Meeting, Result of Planning, Technical Updates, maintenance services			
2	Zoom Account (can cater up to 100participants) 1 year subscription	Lot	1	Within Ninety (90)
3	1TB Cloud Storage, 1 year Subscription	Lot	1	Calendar Days Upon Issuance of Notice to
4	Server Anti-Virus with Anti ransomeware for desktop and server (80 licenses for endpoint and 1 server license, 1 year subscription) Processor: Quad-core 3.3Ghz, Chipset C246, Memory: 1x 8GB DDR4 2666 Unbuff; 4DIMM slots, Expansion Slot: 1x PCi-E 3.0 x 16 On Board LAN: Dual LAN with Intel I210-AT, On Board VGA: ASPEED AST2500 BMC Storage Controller: 6 SATA3 (6Gbps) ports, SW RAID 0,1,5,10 (Subject to compatibility) Storage: 1x 1TB SATA 7200RPM 3.5 HDD Drive Bays: 4x35" Hot-Swap Drive bays Power Supply: 350W Platinum Level Power Supply single	Package	1	Proceed
5	Office 365 Business type Basic (offline) 1 year subscription (80 licenses)	Lot	1	
	Bidder must provide 24x7 pro-active server monitoring for 12 months (Fully automated maintenance service)			

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Rid for and hehalf of	

Schedule of Requirements Page 5 of 5

# Section VII. Technical Specifications

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# **Technical Specifications**

Project Name: Quezon City General Hospital Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel and

Hospital online teleconsultation, online appointment with gsuite and Others

# Project No. QCGH-21-IT-71

Specification	Statement of Compliance
	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel	
Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel  Supply, Delivery And Installation Of QCGH Data Center / Server Room  includes the following: Local Installation and Delivery: supply of labor, tools, materials & supervision, transportation and allowances for the delivery & installation of 13.76 m2 raised flooring system. Panel Area: 13.76 sq.m = 37 panels, 122 pcs Pedestal Head and Base.  66 pcs. Stringer and 132 pcs. Screwbolt	
Supply, Delivery and Installation of Raised Flooring, 3 units CCTV  CCTV Specification  Max. 30fps@1080P  HD and SD output switchable  Video, data, and power over one (1) coaxial cable  Supports up to 800m(1080P)/1200m(720P) transmission via coaxial cable, and up to 300m(1080P)/450m(720P) via UTP cable  Supports multiple video formats including HDCVI, CVBS and other two common HD analog formats in the market (switchable thru OSD menu or by PFM820(UTC controller)	
	Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel  Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel  Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel  Supply, Delivery And Installation Of QCGH Data Center / Server Room  includes the following: Local Installation and Delivery: supply of labor, tools, materials & supervision, transportation and allowances for the delivery & installation of 13.76 m2 raised flooring system. Panel Area: 13.76 sq.m = 37 panels, 122 pcs Pedestal Head and Base.  66 pcs. Stringer and 132 pcs. Screwbolt  Supply, Delivery and Installation of Raised Flooring, 3 units CCTV  CCTV Specification  Max. 30fps@1080P  HD and SD output switchable  Video, data, and power over one (1) coaxial cable  Supports up to 800m(1080P)/1200m(720P) transmission via coaxial cable, and up to 300m(1080P)/450m(720P) via UTP cable  Supports multiple video formats including HDCVI, CVBS and other two common HD analog formats in the market (switchable thru OSD menu

 $Technical\ Specifications\ Page\ 1\ of\ 5$ 

	<ul> <li>end user's existing HD/SD DVRs</li> <li>3.6mm fixed lens (2.8mm, 6mm optional)</li> <li>DWDR, BLC, HLC, 2D DNR for clear imaging</li> <li>Smart IR to ensure brightness uniformity in B/W image under low illumination, up to 20m IR distance</li> <li>IP67 Protection Weatherproof, DC12V</li> </ul>	
3	Biometrics Door lock for the QCGH data Center / Server Room Biometrics Specification:  • 2.4-inch TFT color screen and Touch keys • Ultra thin and elegant design • Full Access Control Features: Anti-passback, access control interface for 3rd party electric lock, door • Network interface by TCP/IP or RS485 • Built-in auxiliary input with enhanced flexibility to link with wired detector or emergency switch • Push Button for Exit • Power Supply for Device,  Magnetic Lock and Push Button with Inline power	
4	IP Address Management Solution - Delivery, Installations and configuration:	
	NIC Ethernet: 4x 1Gbps PS: 1x 250W AC BTU/hr: 1039 Disk: 1  Features:	
	<ol> <li>Network Discovery - Using Netchange you can discover devices connected to your network (ex. Mac, switch, switch port, router firmware, port capacity, etc.)</li> <li>DNS Guardian - Behavioral detection of advanced DNS Threats (ex. DNS Tunneling)</li> <li>Hybrid-DNS - Multiple DNS engine to block zero-day DNS vulnerabilities.</li> <li>IPAM/IP Space - Enable org to manage conflicting IP Block/Subnets. (ex. Production Network - 10.0.0.0/8, Staging Network - 10.0.0.0/8)</li> <li>SmartArchitecture - Template-based driven DNS/DHCP management.</li> </ol>	
5	One (1) Amplify (HD) Wifi System for server room	
5	Wifi System Specification: Max. TX Power: 26 dBm Radios: 6 MIMO Chains: 18 Speed: 5.25 Gbps	
	Router Specification: Max. TX Power: 26 dBm Radios: 2 MIMO Chains: 6 Speed: 1750 Mbps Networking Interface: Wi-Fi/Gigabit Ethernet (1) WAN, (4) LAN Max. Power Consumption: 11W ESD/EMP Protection ± 24kV Air/Contact	
	Buttons: Reset Antennas: (1) Dual-Band Antenna, Tri-Polarity Display: 40.6 mm (1.6") Diagonal, 240 x 240, 212 ppi, G+F Touch, Full Color Wi-Fi Standards: 802.11ac Power Save: Supported	

	Wireless Security: WPA2-PSK AES/TKIP	
6	Mesh Point Specification: Max. TX Power: 26 dBm Radios: 2 MIMO Chains: 6 Speed: 1750 Mbps ESD/EMP Protection ± 24kV Air/Contact Buttons: Reset Antennas: (1) Dual-Band Antenna, Tri-Polarity Wi-Fi Standards: 802.11ac Power Save: Supported Wireless: Security WPA2-PSK AES/TKIP Supported Data Rates 802.11ac/n/a/b/g  Installation Configuration and Knowledge transfer for	
O O	the following: CCTV, Biometrics Door Access, IP Management System and WIfi Mesh System	
7	P3.9 INDOOR LED WALL (Sonny Belmonte Hall) SB Hall  Actual Size: 4m w x 2.5m  Display zone:  o Video zone x2 (video file/streaming/audio)  o HTML zone x3  o Image zone x2  o Ticker zone x2  o Clock zone x1  o Background image x1	
	Use any web-editing tool to create HTML pages with unlimited video zones, Image zones and ticker zones. 3 options: Skin, Program and Playlist Web Language: Support HTML5, JavaScript, CSS3 and RSS feed.  Plug-in: Adobe Flash Player (V 11 Linux build) Media Player (video and audio) Ticker, Image Slideshow Content: show whole or part of HTML/Flash files, remote URL, weather, social media (e.g. twitter) or integrate with user's network facilities and databases.  RTB (MPEG4-TS, MPEG2-TS; bit rate: 1-5 Mbps).  RTSP/RTP (MPEG-TS; Codec: MPEG2/MPEG4).  HTTP/MMS  Format: MPEG (MPG, VOB), AVI (H.264), WMV, WMA, MP3, MP4  Codec: MPEG-1/2, MPEG-4 ISO, WMV 7/8/9, H.264  Bit-rate: up to 15mbps (MPEG2, MPEG4, WMV, H.264)  Resolution: up to 1080p (1920 x 1080)  Format: WMA, MP3, § Codec: MP3, WMA 7/8  format: JPEG/GIF/BMP  Playback simulator: image, HTML/Flash, remote URL, and ticker (Note: Simulation is for reference only. Actual display may differ.)  Local & central scheduling: edit schedules directly on an SMP Player or centrally control multiple players in groups by a server.  View type: Calendar or time table Set schedules to turn on/off the screen, adjusts SMPs volume, or restart the system	
	Online (Manually): FTP, Network Shares (Network neighborhood), SMPs web manager Online (Automatically): CAYIN CMS Server Offline: USB Storage Device User Interface: Chinese (Traditional), Chinese (Simplified), English, French, German, Italian, Japanese, Polish, Portuguese, Russian, Spanish, Thai	

	Ticker support: Unicode (UTF-8) compatible languages; able to use default fonts or upload TTF fonts.	
	Screen resolutions: 640x480, 800x600, 1024x768, 1152x864,	
	1280x720 (720p), 1280x768, 1280x1024, 1360x768, 1366x768, 1600x900, 1600x1200, 1680x1050, 1920x1080, 1920x1200,	
	1920x1440; up to 2048 pixels for one side by user-defined mode.	
	Portrait mode: Support 90 and 270 degree display rotation	
	4 signal output modes: Single, Clone, Extended, Distinct Modes	
	Support to detect EDID/DDC parameters	
	Support the screen saver function Support to incorporate with USB HID Compliance touch	
	screen	
	Set system time manually or synchronize the clock from an NTP server	
	Track SMPs current location by GPS or simply show a static	
	location in Google Maps Check CPU temperature and utilization of CPU, system	
	DRAM, and hard drive	
	Create log files recording the system status Automatic notification of patch and firmware updates.	
	Able to restart/shutdown/recover the system and	
	backup/restore configurations remotely Support static IP and dynamic IP (DHCP)	
	Support HTTP, HTTPS, SMB, ICMP, RTP, RTSP, MMS, SYSLOG, NTP, FTP	
	Provide templates and materials in Library and Online	
	resources IE11 or later, Chrome 35 or later, Firefox 31 or later	
	DIMENSIONS: 129(W) x 109.4(D) x 34(H) mm	
	CPU: INTEL Bay Trail-M Quad Core Soc Processor 802.11 b/g/n Wireless controller (optional)	
	3G Data Network (optional)	
	INTERNAL STORAGE: SSD 32gb (optional upgrade up to 256gb)	
	EXTERNAL STORAGE: Supports up to 4TB SUPPORT VIDEO STREAMING: HDMI Capture Card	
	(USB UVC compatible device, Format: MJPG)	
	DISPLAY OUTPUT: VGA D-SUB x 1 POWER: 100-240V AC	
	CERTIFICATE: CE/FCC certificate	
	BRIGHTNESS: 1100 nits COLOR TEMPERATURE: 6500-9500k	
	SCAN: 1/13	
	PANEL DIMENSION (W*H*D): 500mm x 500mm x 75mm PANEL RESOLUTION: 128*256 pixel	
	PANEL WEIGHT: 7-11 kg.	
	CABINET MATERIAL:	
	MAX POWER CONSUMPTION: 650w/m AVERAGE POWER CONSUMPTION: 325w/m	
	VIEWING ANGLE: H:160 V:140	
	REFRESH RATE: 1920Hz GRAY SCALE: 14-16 bit	
	IP RATING: IP30	
	OPERATING HUMIDITY: 10%-60%RH OPERATING TEMPERATURE: -20C-+40C	
	MAX. STACKING: 12 pcs. MAX. HANGING: 12 pcs.	
	MAX. HANGING: 12 pcs. CURVE (OPTIONAL): +7.5 degree	
В	Hospital online teleconsultation, online	
-	appointment with gsuite and others.	
1	Domain World Wide Web Hospital Digital transformation	
	(Online appointment / Teleconsultation)	
	Hospital online teleconsultation, online appointment with	
	gsuite. (1 year subscription)	

	Customization / Professional services and implementation website publishing - Procedural study and data adjustments - Website Planning and Management, Review Meeting, Result of Planning, Technical Updates, maintenance services	
2	Zoom Account (can cater up to 100participants) 1 year subscription	
3	1TB Cloud Storage, 1 year Subscription	
4	Server Anti-Virus with Anti ransomeware for desktop and server  (80 licenses for endpoint and 1 server license, 1 year subscription)  Processor: Quad-core 3.3Ghz, Chipset C246, Memory: 1x 8GB DDR4  2666 Unbuff; 4DIMM slots, Expansion Slot: 1x PCi-E 3.0 x 16  On Board LAN: Dual LAN with Intel I210-AT, On Board VGA: ASPEED AST2500 BMC  Storage Controller: 6 SATA3 (6Gbps) ports, SW RAID 0,1,5,10 (Subject to compatibility)  Storage: 1x 1TB SATA 7200RPM 3.5 HDD  Drive Bays: 4x35" Hot-Swap Drive bays  Power Supply: 350W Platinum Level Power Supply single	
5	Office 365 Business type Basic (offline) 1 year subscription (80 licenses)	
	Bidder must provide 24x7 pro-active server monitoring for 12 months (Fully automated maintenance service)	
В	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

# Section VIII. Checklist of Technical and Financial Documents

# **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# **Checklist of Technical and Financial Documents**

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

#### and

② (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;

#### <u>and</u>

(d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

#### **Technical Documents**

?

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- ② (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

#### or

Original copy of Notarized Bid Securing Declaration; and

- ② (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- Original duly signed Omnibus Sworn Statement (OSS);

  and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- (I) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a **FORM prescribed by the QC-BAC-GOODS AND**

#### **SERVICES)**;

#### or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### Class "B" Documents

(m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

#### or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### Other documentary requirements under RA No. 9184 (as applicable)

- (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ② (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

#### II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).

#### **III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2**

For the: Quezon City General Hospital Supply, Delivery, Installation of Data Center with Indoor Led Wall SB Hall For the use of Doctors, Nurses and Non-Medical Personnel

- > Affidavit of Undertaking for the Following:
  - 1. Provision of Application, Customization/Professional Services and implementation services -Requirements
  - System installation and configuration
  - Procedural study and data adjustments
  - -Project Planning and Management, Review Meeting, Result of Planning;
  - -Technical Updates, maintenance services
  - 2. Provision of Documentations

The solution provider shall provide a complete documentation for the deliverables. QCGH shall own any and all documents and shall reserve the right to reproduce at no additional cost.

The documentation must be written in English of durable construction with concise and high quality presentation to include but not limited to the following:

User Manuals

Technical/Reference Manual

System/Operation Manual

Troubleshooting and Installation Guides

All documentation must be in hard copy and soft copies accompanied with a compact disc/USB copy on (e.g. Microsoft Word for Windows) format and delivered to the QCGH.

\* Please refer to the attached Terms of Reference Section V. Project and Standards)

#### 3.Statement of Warranty

\* Please refer to the attached Terms of Reference XI. Warranty)

4.The Solution Provider shall provide 24/7 on call technical support services in the course of the implementation of the project and during the warranty period.

\* Please refer to the attached Terms of Reference XII. Service Level Agreement)

For the: Hospital Online teleconsultation, online appointment with gsuite and others.

#### > Affidavit of Undertaking for the Following:

- 1. Provision of Application, Customization/Professional Services and implementation Services -Requirements
  - -System installation
  - -Procedural study and data adjustments
  - Project Planning and Management, Review Meeting, Result of Planning;

Technical Updates, maintenance services

2. Provision of Documentations

The solution provider shall provide a complete documentation for the deliverables. *QCGH* shall own any and all documents and shall reserve the right to reproduce at no additional cost.

The documentation must be written in English of durable contruction with concise and high quality presentation to include but not limited to the following:

Technical/Reference Manual System/Operation Manual Troubleshooting and Installation Guides

All documentation must be in hard copy and soft copies accompanied with a compact disc/USB copy on (e.g. Microsoft Word for Windows) format and delivered to the *QCGH*.

\* Please refer to the attached Terms of Reference Section V. Project and Standards)
3.Statement of Warranty

\* Please refer to the attached Terms of Reference XI. Warranty)

4.The Solution Provider shall provide 24/7 on call technical support services in the course of the implementation of the project and during the warranty period.

\* Please refer to the attached Terms of Reference XII. Service Level Agreement)

#### Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B\_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
  - a. Bid Form;
  - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
  - c. Bid Securing Declaration; and
  - d. Omnibus Sworn Statement

