



REPUBLIC OF THE PHILIPPINES  
QUEZON CITY GOVERNMENT  
BIDS AND AWARDS COMMITTEE –  
GOODS AND SERVICES



# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

## Supply and Installation of Modular Partitions Including Furniture and Fixtures

**PROJECT NO. CMO-21-FF-199**

Government of the Republic of the Philippines

Sixth Edition  
July 2020

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission,*” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

|  |           |
|--|-----------|
| <b>Glossary of Acronyms, Terms, and Abbreviations .....</b>                  | <b>4</b>  |
| <b>Section I. Invitation to Bid.....</b>                                     | <b>7</b>  |
| <b>Section II. Instructions to Bidders.....</b>                              | <b>11</b> |
| 1. Scope of Bid .....  | 12        |
| 2. Funding Information.....  | 12        |
| 3. Bidding Requirements .....  | 12        |
| 4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....              | 12        |
| 5. Eligible Bidders.....   | 12        |
| 6. Origin of Goods .....   | 13        |
| 7. Subcontracts .....  | 13        |
| 8. Pre-Bid Conference .....  | 13        |
| 9. Clarification and Amendment of Bidding Documents .....                    | 13        |
| 10. Documents comprising the Bid: Eligibility and Technical Components ..... | 144       |
| 11. Documents comprising the Bid: Financial Component .....                  | 14        |
| 12. Bid Prices .....   | 14        |
| 13. Bid and Payment Currencies .....   | 15        |
| 14. Bid Security .....   | 15        |
| 15. Sealing and Marking of Bids .....  | 15        |
| 16. Deadline for Submission of Bids .....                                    | 15        |
| 17. Opening and Preliminary Examination of Bids .....                        | 16        |
| 18. Domestic Preference .....  | 16        |
| 19. Detailed Evaluation and Comparison of Bids .....                         | 16        |
| 20. Post-Qualification .....   | 16        |
| 21. Signing of the Contract .....  | 17        |
| <b>Section III. Bid Data Sheet .....</b>                                     | <b>18</b> |
| <b>Section IV. General Conditions of Contract .....</b>                      | <b>21</b> |
| 1. Scope of Contract .....   | 22        |
| 2. Advance Payment and Terms of Payment .....                                | 22        |
| 3. Performance Security .....  | 22        |
| 4. Inspection and Tests .....  | 22        |
| 5. Warranty .....  | 22        |
| 6. Liability of the Supplier .....   | 23        |
| <b>Section V. Special Conditions of Contract .....</b>                       | <b>24</b> |
| <b>Section VI. Schedule of Requirements .....</b>                            | <b>28</b> |
| <b>Section VII. Technical Specifications .....</b>                           | <b>56</b> |
| <b>Section VIII. Checklist of Technical and Financial Documents .....</b>    | <b>30</b> |

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# ***Section I. Invitation to Bid***

## **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.





**QUEZON CITY GOVERNMENT  
BAC – GOODS AND SERVICES**



August 12, 2021

**INVITATION TO BID**

| ITEM NO. | P.R./PROJECT NO.      | OFFICE  | PROJECT NAME  | AMOUNT          | SOURCE OF FUND | DELIVERY PERIOD |
|----------|-----------------------|---|---|-----------------|----------------|-----------------|
| 1        | CMO-21-HCS-203        | OFFICE OF THE CITY MAYOR  | TENT  | P 1,979,550.00  | GF 2021        | 30 CD           |
| 2        | VMO-21-SG-213         | OFFICE OF THE VICE MAYOR  | BICYCLE WITH HELMET   | P 11,896,500.00 | GF 2021        | 15 CD           |
| 3        | PLANNING-21-PS-221    | CITY PLANNING AND DEVELOPMENT DEPARTMENT  | COMPREHENSIVE DEVELOPMENT PLAN AND OTHERS   | P 1,400,000.00  | GF 2021        | 30 CD           |
| 4        | SDO-21-BOOKS-208      | SCHOOLS DIVISION OFFICE   | BOOK FOR KINDER (BIP-BIP - BILIS SA PAGBASA NG BATANG ISIP PINOY)   | P 9,570,000.00  | SEF 2021       | 30 CD           |
| 5        | CONSO-21-DM-222       | VARIOUS OFFICES (SCHOOLS DIVISION OFFICE/CITY ACCOUNTING DEPARTMENT)  | DRUGS AND MEDICINES   | P 1,065,053.00  | SEF/GF 2021    | 30 CD           |
| 6        | CLD-21-IT-216         | CITY LEGAL DEPARTMENT   | ONLINE LEGAL SERVICE, FORMS AND KNOWLEDGE TECHNOLOGY PLATFORM FOR QUEZON CITY CONSTITUENTS                        | P 39,999,999.88 | GF 2021        | 30 CD           |
| 7        | CLD-21-IT-217         | CITY LEGAL DEPARTMENT   | SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF DOCUMENT MANAGEMENT SYSTEM FOR CITY LEGAL DEPARTMENT | P 15,000,000.00 | GF 2021        | 98 CD           |
| 8        | CONSO-21-OE-224       | VARIOUS OFFICE (OFFICE OF THE CITY PROSECUTOR/ CITY ACCOUNTING DEPARTMENT/ QUEZON CITY YOUTH DEVELOPMENT OFFICE/ CITY LEGAL DEPARTMENT/ QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE/ CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE)/ PARKS DEVELOPMENT AND ADMINISTRATION DEPARTMENT) | VARIOUS OFFICE EQUIPMENT  | P 1,367,269.30  | GF 2021        | 30 CD           |
| 9        | PARKS-21-VRM-220      | PARKS DEVELOPMENT & ADMINISTRATION DEPARTMENT   | RM - MOTOR VEHICLE (PARTS AND LABOR)  | P 569,482.50    | GF 2021        | 30 CD           |
| 10       | VETERINARY-21-VPS-148 | QUEZON CITY VETERINARY DEPARTMENT   | ANTI-RABIES VACCINE FOR ANIMALS AND OTHERS  | P 6,270,055.00  | GF 2021        | 30 CD           |
| 11       | CONSO-21-PLASTIC-99   | VARIOUS OFFICES (HUMAN RESOURCE MANAGEMENT DEPARTMENT/ BARANGAY AND COMMUNITY RELATIONS DEPARTMENT)   | MONOBLOC CHAIRS & TABLE AND OTHERS  | P 4,450,075.00  | GF 2021        | 15 CD           |
| 12       | CONSO-21-MS-130       | BARANGAY AND COMMUNITY RELATIONS DEPARTMENT   | FACE MASK   | P 4,999,800.00  | GF 2021        | 15 CD           |
| 13       | CDS-21-PCP-219        | OFFICE OF COUN. DIORELLA MARIA SOTTO-ANTONIO  | HYGIENE KIT   | P 1,600,000.00  | GF 2021        | 15 CD           |
| 14       | CONSO-21-OS-211       | VARIOUS OFFICES (DEPARTMENT OF ENGINEERING/ OFFICE OF THE SECRETARY TO THE SANGGUNIANG PANLUNGSOD)  | VARIOUS OFFICE SUPPLIES   | P 788,144.45    | GF 2021        | 30 CD           |

|    |               |                          |   |                 |         |       |
|----|---------------|--------------------------|---|-----------------|---------|-------|
| 15 | CMO-21-FF-199 | OFFICE OF THE CITY MAYOR | LINE 1: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 6TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  | P 19,289,710.00 | GF 2021 | 90 CD |
|    | CMO-21-FF-199 | OFFICE OF THE CITY MAYOR | LINE 2: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 12TH FLOOR AT QUEZON CITY HALL MAIN BUILDING | P 16,176,848.75 | GF 2021 | 90 CD |
|    | CMO-21-FF-199 | OFFICE OF THE CITY MAYOR | LINE 3: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 7TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  | P 17,918,461.60 | GF 2021 | 90 CD |
|    | CMO-21-FF-199 | OFFICE OF THE CITY MAYOR | LINE 4: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR QUEZON CITY ANIMAL POUND                     | P 2,710,641.00  | GF 2021 | 90 CD |

1. The **QUEZON CITY LOCAL GOVERNMENT**, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The **QUEZON CITY LOCAL GOVERNMENT**, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The **QUEZON CITY LOCAL GOVERNMENT** now invites bids for **Various Projects**. Delivery of the Goods is required *as stated above*. Bidders should have completed, within **the last three (3) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from **QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat** and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m. – 5:00 p.m.*
5. A complete set of Bidding Documents may be acquired by interested Bidders on **Friday, August 13, 2021** from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

**STANDARD RATES:**

| Approved Budget for the Contract      | Maximum Cost of Bidding Documents<br>(in Philippine Peso) |
|---------------------------------------|---|
| More than 500,000 up to 1 Million     | 1,000.00  |
| More than 1 Million up to 5 Million   | 5,000.00  |
| More than 5 Million up to 10 Million  | 10,000.00   |
| More than 10 Million up to 50 Million | 25,000.00   |

|  |           |
|--|-----------|
| More than 50 Million up to 500 Million | 50,000.00 |
| More than 500 Million                  | 75,000.00 |

The following are the requirements for purchase of Bidding Documents;

1. PhilGEPS Registration Certificate (Platinum – 3 pages)
  2. Document Request List (DRL)
  3. Authorization to Purchase Bidding Documents
    - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
    - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
  4. Notarized Joint Venture Agreement (as applicable)
6. The **Quezon City Local Government** will hold a Pre-Bid Conference on 10:00 A.M. of **Friday, August 20, 2021** at **2<sup>nd</sup> Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound**, and/or through video conferencing *via Zoom* which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting

Join Zoom Meeting

<https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09>

Meeting ID: 848 3500 2246

Passcode: 154733

7. Bids must be duly received by the BAC Secretariat through manual submission at the 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Thursday, September 02, 2021**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on 1:00 P.M. of **Thursday, September 02, 2021** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

<https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz09>

Meeting ID: 858 5085 5933

Passcode: 118682

10. The **Quezon City Local Government** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

**ATTY. DOMINIC B. GARCIA**

OIC, Procurement Department

2<sup>nd</sup> Floor, Procurement Department,

Finance Building, Quezon City Hall Compound

Elliptical Road, Barangay Central Diliman, Quezon City.

Email Add: [bacgoods.procurement@quezoncity.gov.ph](mailto:bacgoods.procurement@quezoncity.gov.ph)

Tel. No. (02)8988-4242 loc. 8506/8710

Website: [www.quezoncity.gov.ph](http://www.quezoncity.gov.ph)

12. You may visit the following websites:  
For downloading of Bidding Documents: [www.quezoncity.gov.ph](http://www.quezoncity.gov.ph)

By:

(sgd) **ROWENA T. MACATAO**  
Chairperson, QC-BAC-Goods and Services

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## 1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** wishes to receive Bids for the **Supply and Installation of Modular Partitions Including Furniture and Fixtures** with identification number **CMO-21-FF-199**.

*[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]*

The Procurement Project (referred to herein as “Project”) is composed of **Four (4) Line item/s**, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2021** in the amount of **FIFTY SIX MILLION NINETY FIVE THOUSAND SIX HUNDRED SIXTY ONE PESOS AND 35/100 ONLY (Php 56,095,661.35)**.

2.2. The source of funding is:

a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

### **14. Bid Security**

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security *in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### **16. Deadline for Submission of Bids**

---

<sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.



- 16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

| ITB Clause |   |
|------------|---|
| 5.3        | <p>For this purpose, contracts similar to the Project shall be:</p> <ol style="list-style-type: none"> <li>a. <i>A single contract similar to the items to be bid and must be at least <b>FIFTY percent (50%)</b> of the ABC.</i></li> <li>b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a <b>FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.</b></li> </ol>   |
| 7.1        | Subcontracting is not allowed.  |
| 12         | The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.   |
| 14.1       | <p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p><b>LINE 1: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 6TH FLOOR AT QUEZON CITY HALL MAIN BUILDING</b></p> <ol style="list-style-type: none"> <li>a) The amount of not less than <i>Php 385,794.20</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b) The amount of not less than <i>Php 964,485.50</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol> <p><b>LINE 2: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 12TH FLOOR AT QUEZON CITY HALL MAIN BUILDING</b></p> <ol style="list-style-type: none"> <li>a) The amount of not less than <i>Php 323,536.98</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b) The amount of not less than <i>Php 808,842.44</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol> <p><b>LINE 3: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 7TH FLOOR AT QUEZON CITY HALL MAIN BUILDING</b></p> <ol style="list-style-type: none"> <li>a) The amount of not less than <i>Php 358,369.23</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b) The amount of not less than <i>Php 895,923.08</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol> <p><b>LINE 4: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR QUEZON CITY ANIMAL POUND</b></p> <ol style="list-style-type: none"> <li>a) The amount of not less than <i>Php 54,212.82</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b) The amount of not less than <i>Php 135,532.05</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ol> |

|      |   |   |     |               |            |            |            |
|------|---|---|-----|---------------|------------|------------|------------|
| 19.3 | <b>DESCRIPTION</b>  |   |     |               | <b>QTY</b> | <b>UOM</b> | <b>ABC</b> |
|      | LINE 1: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 6TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  | 1 | lot | 19,289,710.00 |            |            |            |
|      | LINE 2: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 12TH FLOOR AT QUEZON CITY HALL MAIN BUILDING   | 1 | lot | 16,176,848.75 |            |            |            |
|      | LINE 3: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 7TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  | 1 | lot | 17,918,461.60 |            |            |            |
|      | LINE 4: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR QUEZON CITY ANIMAL POUND   | 1 | lot | 2,710,641.00  |            |            |            |
| 20.2 | <p>List of required licenses and permits relevant to the Project and the corresponding law requiring it.</p> <p>N/A</p>   |   |     |               |            |            |            |
| 21.2 | <p>Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.</p> <p><i>*Statement of Warranty – Minimum of One (1) Year</i></p> |   |     |               |            |            |            |

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## 5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



## *Section V. Special Conditions of Contract*

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

| GCC Clause |   |
|------------|---|
| 1          | <p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]</i></p> <p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>[indicate name(s)]</i>.</p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ol> |
|            | <ol style="list-style-type: none"> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. <i>[Specify additional incidental service requirements, as needed.]</i></li> </ol> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>  |

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

*Select appropriate requirements and delete the rest.*

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

**Packaging –**

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

- Name of the Procuring Entity
- Name of the Supplier

|     |   |
|-----|---|
|     | <p>Contract Description<br/> Final Destination<br/> Gross weight<br/> Any special lifting instructions<br/> Any special handling instructions<br/> Any relevant HAZCHEM classifications</p>   |
|     | <p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>  |
|     | <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p> |
| 2.2 | <i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows:  |
| 4   | The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>   |

# Section VI. Schedule of Requirements

**Project Name: Supply and Installation of Modular Partitions Including Furniture and Fixtures**

**LINE 1: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 6TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  
Project No. CMO-21-FF-199**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description   | Unit of Issue  | Quantity | Delivered, Weeks/Months  |
|-------------|---|----------------|----------|--|
|             | <b>SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 6<sup>TH</sup> FLOOR-LOCAL ECONOMIC INVESTMENT PROMOTIONS OFFICE, INVESTMENT AFFAIRS OFFICE, AND SMALL BUSINESS AND COOPERATIVES DEVELOPMENT AND PROMOTIONS OFFICE AT QC HALL MAIN BUILDING</b> |                |          |  |
| 1           | <b>Modular Laminated Partition, with or without glass</b><br>60mm thick with aluminum end trim (color - oft white) and cable wire ready baseboard, (floor to ceiling)   | m <sup>2</sup> | 217      | <b>Within Ninety (90) Calendar Days Upon Issuance Of Notice To Proceed</b> |
| 2           | <b>Fabric with Glass Low Partition</b><br>60mm thick 2-tone Modular Fabric Partition (1.20m Ht.) with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric : top color - (0.15m) & bottom color-(1.05m)                | m <sup>2</sup> | 260      |  |
| 3           | <b>Modular Desks, 600mm width</b><br>30mm Thick Modular Desktop high pressure laminated top (600mm width) with drawer and powdercoated bracket, color: light brown (wood grain)   | m <sup>2</sup> | 116      |  |
| 4           | <b>Folding Door System</b><br>Single/Double opening, 153mm wide and 12.55mm thick MDF panel core, wood veneer or solid color laminate with heavy duty ball-bearing and tracks   | m <sup>2</sup> | 19       |  |
| 5           | <b>Roller Shade Blinds (with aluminum framing)</b><br>Indoor Sunscreen Fabric, Color: Khaki   | m <sup>2</sup> | 30       |  |
| 6           | <b>Roller Shade Blinds (with aluminum framing)</b><br>Indoor Combi Fabric, Color: Khaki   | m <sup>2</sup> | 16       |  |
| 7           | <b>Roller Shade Blinds (with aluminum framing)</b><br>Indoor Blackout Fabric, Color: Khaki  | m <sup>2</sup> | 7        |  |
| 8           | <b>Drywall Partition (laminated w/ AT finish on both sides)</b><br>1/4inch Marine Plywood - double wall (6inches thickness) on metal studs and tracks, wall laminate finish (formica) with horizontal Aluminum Trim (Groove) on both sides  | m <sup>2</sup> | 12       |  |

|    |  |                |     |  |
|----|--|----------------|-----|--|
| 9  | <b>Drywall Partition (lamineate w/ AT &amp; wallpaper finish)</b><br>1/4inch Fiber Cement Board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6inches thickness) - wall laminate finish (Formica) with horizontal Aluminum Trim (Groove) on one side & wallpaper finish (with 1st coat painting) on the other side | m <sup>2</sup> | 133 | <b>Within Ninety (90) Calendar Days Upon Issuance Of Notice To Proceed</b> |
| 10 | <b>Drywall Partition (wallpaper finish both sides)</b><br>1/4inch Fiber Cement Board - double wall (6inches thickness) on metal studs and tracks, wallpaper with 1st coat painting on both sides   | m <sup>2</sup> | 128 |  |
| 11 | <b>Drywall Partition (lamineate w/ AT &amp; painted finish)</b><br>1/4inch Fiber Cement Board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6inches thickness) - wall laminate finish (formica) with horizontal Aluminum Trim (Groove) on one side and painted finish on the other side                            | m <sup>2</sup> | 33  |  |
| 12 | <b>Drywall Partition (wallpaper and painted finish)</b><br>1/4inch Fiber Cement Board - double wall (6inches thickness) on metal studs and tracks, wallpaper one side (with 1st coat painting) and painted finish on the other side  | m <sup>2</sup> | 54  |  |
| 13 | <b>Wallpaper</b><br>plain or with design, with adhesive  | m <sup>2</sup> | 20  |  |
| 14 | <b>Fixed Glass Panel</b><br>0.60 mm thick glass, with 2inches x 4inches wood jamb, 1inch x 2inches wood casing and 1/2inch x 1/2inch wood Stiffener. with frosted film. Duco paint finish  | Set            | 12  |  |
| 15 | <b>Tubular Chrome legs for modular desks</b><br>10cm diameter x 74cm height  | pc             | 17  |  |
| 16 | <b>Backwall (BW)</b><br>Laminated wall with aluminum grooves and backlights including 3-drawers. painted plywood backing and 2 -power outlets. 3.20m width x 2.40m height  | set            | 3   |  |
| 17 | <b>Magnetic Glass Board, 1.219mH x 2.438mW</b><br>5mm thick. Low Iron Tempered Glass, white, including magnets, PB-GI Sheet backing and other materials/ accessories   | set            | 2   |  |
| 18 | <b>Modular Door, 0.80 x 2.10m (D1)</b><br>60mm thick Laminated Partition-Half Glass Door with Door Jambs, single leaf, 800mm Width x 2100mm Height   | pc             | 10  |  |
| 19 | <b>Panel Type Door, Single leaf (D3)</b><br>0.80m x 2.10m height including 2inches x 4inches solid wood door jamb with (1inchx3inches) door casing, duco paint finish, half glass with frosted glass film with complete hardwares and accessories  | set            | 9   |  |
| 20 | <b>Panel Type Door, Double Leaf (D5)</b><br>1.60m x 2.10m height including 2inches x 4inches solid wood door jamb with (1 inchx3inches) door casing, duco paint finish, half glass with frosted glass film with complete hardwares and accessories   | set            | 5   |  |
| 21 | <b>Flush Door with Louver (D7)</b><br>0.70m x 2.10m height with louver, including 2inchesx4inches door jamb with (1inchx3inches) door casing, duco paint   | set            | 5   |  |

|    |   |     |    |  |
|----|---|-----|----|--|
|    | finish both sides complete hardwares and accessories  |     |    | <b>Within Ninety (90) Calendar Days Upon Issuance Of Notice To Proceed</b> |
| 22 | <b>Double Action Double Leaf Frameless Glass Door (D10)</b><br>8mm thick. Frameless glass door (1.50m x 2.10mH) on patch fittings with 1.0m high stainless steel door handle, with 8mm thick. fixed frameless tempered glass (0.60m x 2.10H) - glass door and fixed glass with frosted film | set | 2  |  |
| 23 | <b>Chair Gang-4 Seater (2)</b><br>4 Seater, stainless steel, panel (1.5-1.8mm in thickness) with armrest; backrest & seat are of perforated stainless   | pc  | 1  |  |
| 24 | <b>Staff Chair (4)</b><br>Fabric type, mid-back with armrest, gas lift with 5-pronged star base legs  | pc  | 89 |  |
| 25 | <b>Cabinet Mobile Pedestal, (5)</b><br>3 Drawers, (2 small & 1 File Drawer), Ball Bearing Roller, Dimension;<br>W40xD56xH70cm, Steel, Gauge 22, powder coated color: off white  | pc  | 86 |  |
| 26 | <b>Executive Mobile Pedestal (5a)</b><br>Top board in icebirke or rosewood color, with filing drawers at the bottom and 2 small drawers on upper, 460mmL x 560mmW x 680mmH  | pc  | 7  |  |
| 27 | <b>Sofa-3 Seater (6)</b><br>With armrest leatherette, color; light brown  | pc  | 5  |  |
| 28 | <b>Sofa A - 2 Seater (7a)</b><br>2-seater sofa, fabric type with tufting, 1400mmL x 600mmDx 1100mmH, with armrest and 4 tapered wooden legs (Scandinavian type)   | pc  | 1  |  |
| 29 | <b>Sofa -1 Seater (27)</b><br>With armrest, leatherette, color: light brown   | pc  | 13 |  |
| 30 | <b>Sofa A -1 Seater (27a)</b><br>1-seater sofa, fabric type with tufting, 750mmL x 750mmDx 1000mmH, with armrest and 4 tapered wooden legs (Scandinavian type)  | pc  | 2  |  |
| 31 | <b>Center Table Rectangular (8)</b><br>Stainless steel base, glass top 1.0m Length x 0.60m Width x 0.47m Height   | pc  | 7  |  |
| 32 | <b>Center Table Rectangular - Glass w/ wooden legs (8b)</b><br>10mm thick tempered glass top with wooden base, 600mmL x 400mmD x 450mmH, legs in 18mm HPL laminated finish with glider  | pc  | 1  |  |
| 33 | <b>Center Table Round - Glass w/ wooden legs (8c)</b><br>10mm thick tempered glass top with wooden base, 600mmD x 450mm H, legs in 18mm HPL laminated finish with glider  | pc  | 1  |  |
| 34 | <b>Side Table with Stainless Steel Base (9)</b><br>glass top, 0.45m Length x 0.45m Width x 0.60m Height   | pc  | 4  |  |
| 35 | <b>Manager's Highback Chair, (11)</b><br>With armrest, gaslift, backtilt and five pronged star base legs, leatherette Finish  | pc  | 6  |  |
| 36 | <b>Executive Visitor's Chair - mesh type (12a)</b><br>Semi High Back mesh type with armrest gas lift with five pronged star base chrome legs, NET series color black  | pc  | 28 |  |
| 37 | <b>Manager's Visitor's Chair (12c)</b><br>without armrest, low back sled type, leatherette Finish   | pc  | 12 |  |

|    |  |    |    |  |
|----|--|----|----|--|
| 38 | <b>Executive Visitor's Chair - sled type (12f)</b><br>Semi High Back mesh type with armrest, sled type chrome legs, NET series color black   | pc | 80 | <b>Within Ninety<br/>(90) Calendar<br/>Days Upon<br/>Issuance Of<br/>Notice To<br/>Proceed</b> |
| 39 | <b>Filing Cabinet Vertical - 4 drawers (13)</b><br>4 drawers, gauge 22, steel, size:46x62x134cm, heavy duty, roller, metal guide, color: off-white   | pc | 40 |  |
| 40 | <b>Executive Table with Side Table - 2.0m (14)</b><br>45mm thick Solid wood in high pressured laminate top finish with bull-nose edging in rosewood color, 2.0mL x 1.0mW x 0.75mH and side table, 1.0mL x 0.50mW x 0.75mH, rosewood color  | pc | 3  |  |
| 41 | <b>Executive Table with Side Table - 1.8m (14a)</b><br>45mm thick Solid wood in high pressured laminate top finish w/ bull-nose edging in icebirke color, 1.8mL x 0.9mW x 0.750mH and Side table, 1.0mL x 0.450mW x 0.75mH, icebirke color | pc | 4  |  |
| 42 | <b>Accent Chair - Midback (20)</b><br>1 seater modern midback accent chair fabric type with low armrest and 4 tapered wooden legs (Scandinavian type)  | pc | 2  |  |
| 43 | <b>Accent Chair - Highback (20a)</b><br>tall wingback chair with tufted fabric, low armrest and 4 tapered wooden legs (Scandinavian type)  | pc | 2  |  |
| 44 | <b>Bar Counter Chair (21)</b><br>Designer bar chair, upholstered seater, wooden fixed frame, 4 tapered wooden legs (Scandinavian type)   | pc | 2  |  |
| 45 | <b>Lateral Filing Cabinet, wooden, 4-layers (22a)</b><br>2-filing drawers on bottom and 2-index drawers on upper part drawers in MFC finish, 0.90m L x 0.45m W x 1.06m H   | pc | 3  |  |
| 46 | <b>Low cabinet wood on laminate finish (22b)</b><br>With swing-out door and 2-adjustable shelves, color: light brown (wood grain) or icebirke, 0.90mL x 0.45mW x 1.06Mh  | pc | 17 |  |
| 47 | <b>Cabinet Filing Lateral-3 drawers (24)</b><br>Gauge 22 ; Size: 90cm W x 45cm D x 106cm H   | pc | 5  |  |
| 48 | <b>Table Free Standing - with side table (30)</b><br>Free Standing Table, 1.50mL x 0.70mW x 0.75mH with Free Standing Side Table, 1.0mL x 0.50mW x 0.75mH, color: light brown (wood grain) powder coated metal legs and drawer with lock   | pc | 6  |  |
| 49 | <b>Conference Chair (35)</b><br>Midback chair with arm rest gas lift and back tilt 2 tone fabric with five pronged star base legs  | pc | 40 |  |
| 50 | <b>Table Working, 2.4mL x 1.2mW x 0.750mH (42)</b><br>High pressured laminated top, color: light brown (wood grain), with 4-stainless legs   | pc | 1  |  |
| 51 | <b>Executive High Back Chair with chrome legs (43)</b><br>Executive High Back Chair with armrest, gas lift and back tilt mesh type with five pronged star base chrome legs NET series black  | pc | 3  |  |
| 52 | <b>Rectangular Carpet (60)</b><br>Modern design Cut pile carpet in 100% PP-BCF yarn, size: 160cm x 230cm   | pc | 2  |  |



|    |   |     |   |  |
|----|---|-----|---|--|
| 53 | <b>Round Table - Glass Top, (71a)</b><br>4 seater, glass top and stainless legs 0.90m diameter x 0.70m height   | pc  | 3 | <b>Within Ninety (90) Calendar Days Upon Issuance Of Notice To Proceed</b> |
| 54 | <b>Table Secretary with High Acrylic Partition (76a)</b><br>L 2.40m x W 0.70m x H 0.75, high-pressured laminated top, color light brown (wood grain), embossed front panel, powder coated metal legs (black) including 2 drawers with lock with 1.2 meters high acrylic partition   | pc  | 2 |  |
| 55 | <b>Table Conference-10 seater (83)</b><br>Rectangular shape, High Pressure Laminated top with wooden legs, color - rosewood 2 m L x 1.2m W x 0.75m H  | pc  | 2 |  |
| 56 | <b>0-Shape Conference Table, 20-seater (88)</b><br>High Pressured Laminate top finish and metal legs (black) which consists of 6pcs 1.4m x 0.60m table, 2 pcs 1.60m x 0.60m table and 4 pcs 0.60m quarter circle table  | set | 1 |  |
| 57 | <b>Curtain - Floor to Ceiling</b><br>50 x 95 inches (floor to ceiling) panel curtain, opaque fabric with grommets on top  | pc  | 9 |  |
|    | <b>BUSINESS LOUNGE AREA</b>   |     |   |  |
| 58 | <b>Elevation A Layout</b><br><b>1.Civil / Architectural Works</b><br>including Demolition Works,<br>Hauling and Disposal<br>2-m <sup>2</sup> PVC Door<br>8-m <sup>2</sup> Panel Door (Sliding)<br>4-pc 3/4inch thick. Marine Plywood<br>6-pc 3/4inch thick. Plyboard<br>6-bd.ft 1 1/6inches x 1 1/6inches Solid Wood<br>64-m <sup>2</sup> Duco Paint (Wood)<br>25-m <sup>2</sup> Latex Paint Finish (Masonry)<br>1-m <sup>2</sup> 3/4inch thick. Granite Countertop with backsplash (CDS)<br>1-m <sup>2</sup> 3/4inch thick. Granite Countertop (CDS)<br>2-pc wall laminate (formica)<br>3-lm Stainless Steel Curtain Rod including accessories<br>4-m <sup>2</sup> 12mm thick. MR Gypsum Board on Light Aluminum Frame<br>4-m <sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br>20-m <sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br>1-m <sup>2</sup> 6mm thick facial mirror on 6mm thick marine plywood backing<br>including all incidentals to complete<br>Miscellaneous<br>○ 3-pc Paint brush<br>○ 3-pc Roller brush<br>○ 4-kg Finishing nail<br>○ 1-pc 1/2 L Wood Glue<br>○ 3-lm Sanding Paper<br>○ 1-pc Aging, 1/2 x 1 x 8inches<br>○ 10-pc Cabinet Handle<br>○ 30-pc Door & Cabinet Hinges<br>○ 1-pc Door Knob<br><br><b>2.Electrical Works</b><br>Roughing-ins<br>3-pc 1/2inch dia. x 3m PVC Pipe<br>10-pc 1/2 inch dia. PVC Adaptor<br>10-pc 1/2 inch dia. PVC Locknut<br>2-pc 2inches x 4inches Utility Box<br>6-pc 1/2inch x 1/2inch PVC Moulding | lot | 1 |  |

|    |   |     |   |   |
|----|---|-----|---|---|
|    | <p>3-pc 4inches x 4inches Junction Box with cover<br/> 6-pc 1/2 inch dia. Flexible Metallic Conduit<br/> 8-pc 1/2 inch dia. Straight Connector with locknut<br/> Wires<br/> 20-lm 2.0mm<sup>2</sup> THW Copper Wire<br/> 40-lm 3.5mm<sup>2</sup> THHN Copper Wire<br/> Wiring Devices &amp; Lighting Fixtures<br/> 2-pc LED T5 Cove Light<br/> 2-pc LED Drop Light<br/> 2-pc Single Pole Switch w/ Plate &amp; Cover<br/> Miscellaneous &amp; Consumables<br/> 2-roll Electrical tape</p> <p><b>3. Plumbing Works</b><br/> Plumbing Works including sanitary pipes and fittings and replacement of kitchen sink</p> |     |   | <b>Within Ninety<br/> (90) Calendar<br/> Days Upon<br/> Issuance Of<br/> Notice To<br/> Proceed</b> |
| 59 | <p><b>Elevation B Layout</b><br/> 7-m<sup>2</sup> Drywall Partition (Painted Both Sides)<br/> 2-pc 3/4inch thk. Plyboard (Curtain Cove)<br/> 10-m<sup>2</sup> Duco Paint (Curtain Cove)<br/> 12-m<sup>2</sup> 8mm thk. Frameless Tempered Glass with Frosted Film (Fixed)<br/> 9-lm Stainless Steel Curtain Rod including accessories<br/> Miscellaneous<br/> ○ 3-pc Paint Brush<br/> ○ 2-kgs Finishing Nail<br/> ○ 1-pc 1L Wood Glue<br/> 2-lm Sanding Paper</p>   | lot | 1 |   |
| 60 | <p><b>Elevation C Layout</b><br/> 1-unit QC Logo<br/> 2-pc 3/4inch thk. Plyboard<br/> 119-bd.ft. 3inchesx 6inches Solid Wood<br/> 13-m<sup>2</sup> Duco Paint<br/> 14-m<sup>2</sup> Latex Paint Finish (Masonry)<br/> Miscellaneous<br/> ○ 4-pc Paint Brush<br/> ○ 5-pc Roller Brush<br/> ○ 6-kgs Finishing Nail<br/> ○ 1-pc1L Wood Glue<br/> 7-lm Sanding Paper</p>  | lot | 1 |   |
| 61 | <p><b>Elevation D Layout</b><br/> 6-m<sup>2</sup> 8mm thk. Frameless Tempered Glass with Frosted Film (Fixed)<br/> 6-m<sup>2</sup> Double Action, Double Leaf Door, 8mm thk. Frameless tempered glass (1.20m x 2.10mH) with Frosted Film and 1.0m stainless steel door handle (Code: GD)<br/> 6-m<sup>2</sup> Latex Paint Finish (Masonry)<br/> Miscellaneous<br/> ○ 2-set Stainless Steel Door Handle (1.0m)<br/> ○ 2-pc Paint Brush<br/> ○ 1-pc Roller Brush<br/> ○ 3-kgs Finishing Nail<br/> ○ 1-pc1L Wood Glue<br/> 3-lm Sanding Paper</p>  | lot | 1 |   |
| 62 | <p>DEPARTMENT HEAD – IAO TOILET AND PANTRY<br/> including Demolition Works, Hauling and Disposal<br/> 2-pc 3/4inch thk. Marine Plywood<br/> 1-pc 3/4inch thk. Plyboard<br/> 2-bd.ft. 1 1/6inches x 1 1/6inches Solid Wood</p>   | lot | 1 |   |

|    |   |     |   |  |
|----|---|-----|---|--|
|    | <p>12-m<sup>2</sup> Duco Paint (Wood)<br/> 2-m<sup>2</sup> 3/4inch thk. Granite Countertop with<br/> backsplash (CDS)<br/> 6-m<sup>2</sup> 12mm thk. MR Gypsum Board on<br/> Light Aluminum Frame<br/> 6-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain<br/> Tiles<br/> 25-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thk facial mirror on 6mm thk<br/> marine plywood backing<br/> including all incidentals to complete<br/> Miscellaneous</p> <ul style="list-style-type: none"> <li>o 5-pc Paint Brush</li> <li>o 4-pc Roller Brush</li> <li>o 6-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> <li>o 9-lm Sanding Paper</li> </ul> <p>1-lot Plumbing Works including sanitary<br/> pipes and fittings and replacement of kitchen<br/> sink</p>  |     |   |  |
| 63 | <p><b>DEPARTMENT HEAD - LEIPO<br/> TOILET AND PANTRY</b><br/> including Demolition Works, Hauling and<br/> Disposal<br/> 2-m<sup>2</sup> PVC Door<br/> 2-pc 3/4inch thk. Marine Plywood<br/> 1-pc 3/4inch thk. Plyboard<br/> 1-bd.ft. 1 1/6inches x 1 1/6inches Solid<br/> Wood<br/> 9-m<sup>2</sup> Duco Paint (Wood)<br/> 2-m<sup>2</sup> 3/4inch thk. Granite Countertop with<br/> backsplash (CDS)<br/> 7-m<sup>2</sup> 12mm thk. MR Gypsum Board on<br/> Light Aluminum Frame<br/> 7-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain<br/> Tiles<br/> 24-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thk facial mirror on 6mm thk<br/> marine plywood backing<br/> including all Incidentals to complete<br/> Miscellaneous</p> <ul style="list-style-type: none"> <li>o 5-pc Paint Brush</li> <li>o 4-pc Roller Brush</li> <li>o 6-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> <li>o 9-lm Sanding Paper</li> </ul> <p>1-lot Plumbing Works including sanitary<br/> pipes and fittings and replacement of kitchen<br/> sink</p> | lot | 1 | <p><b>Within Ninety<br/> (90) Calendar<br/> Days Upon<br/> Issuance Of<br/> Notice To<br/> Proceed</b></p> |
| 64 | <p><b>LEIPO STAFF PANTRY</b><br/> 4-pc 3/4inch thk. Marine Plywood<br/> 1-pc 3/4inch thk. Plyboard<br/> 4-bd.ft. 1 1/6inches x 1 1/6inches Solid<br/> Wood<br/> 25-m<sup>2</sup> Duco Paint (Wood)<br/> 3-m<sup>2</sup> 3/4inch thk. Granite Countertop with<br/> backsplash (CDS)<br/> Miscellaneous</p> <ul style="list-style-type: none"> <li>o 5-pc Paint Brush</li> <li>o 4-pc Roller Brush</li> <li>o 6-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> <li>o 9-lm Sanding Paper</li> </ul> <p>1-lot Plumbing Works including sanitary<br/> pipes and fittings and replacement of kitchen<br/> sink</p>  | lot | 1 |  |
| 65 | <p><b>DEPARTMENT HEAD - SBCDPO<br/> TOILET AND PANTRY</b></p>   | lot | 1 |  |

|    |  |     |   |   |
|----|--|-----|---|---|
|    | <p>including Demolition Works, Hauling and Disposal<br/> 3-pc 3/4inch thk. Marine Plywood<br/> 1-pc 3/4inch thk. Plyboard<br/> 3-bf.ft 1 1/6inches x 1 1/6inches Solid Wood<br/> 17-m<sup>2</sup> Duco Paint (Wood)<br/> 3-m<sup>2</sup> 3/4inch thk. Granite Countertop with backsplash (CDS)<br/> 6-m<sup>2</sup> 12mm thk. MR Gypsum Board on Light Aluminum Frame<br/> 6-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/> 22-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thk facial mirror on 6mm thk marine plywood backing<br/> including all incidentals to complete<br/> Miscellaneous</p> <ul style="list-style-type: none"> <li>o 5-pc Paint Brush</li> <li>o 4-pc Roller Brush</li> <li>o 6-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> <li>o 9-lm Sanding Paper</li> </ul> <p>1-lot Plumbing Works including sanitary pipes and fittings and replacement of kitchen sink</p> |     |   |   |
| 66 | <p><b>MEETING ROOM - SBCDPO TOILET AND PANTRY</b><br/> including Demolition Works, Hauling and Disposal<br/> 3-pc 3/4inch thk. Marine Plywood<br/> 1-pc 3/4inch thk. Plyboard<br/> 3-bd.ft. 1 1/6inches x 1 1/6inches Solid Wood<br/> 19-m<sup>2</sup> Duco Paint (Wood)<br/> 3-m<sup>2</sup> 3/4inch thk. Granite Countertop with backsplash (CDS)<br/> 5-m<sup>2</sup> 12mm thk. MR Gypsum Board on Light Aluminum Frame<br/> 5-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/> 30cm x 60cm Porcelain Wall Tiles<br/> Miscellaneous</p> <ul style="list-style-type: none"> <li>o 5-pc Paint Brush</li> <li>o 4-pc Roller Brush</li> <li>o 6-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> <li>o 9-lm Sanding Paper</li> </ul> <p>1-lot Plumbing Works including sanitary pipes and fittings and replacement of kitchen sink</p>   | lot | 1 | <p><b>Within Ninety (90) Calendar Days Upon Issuance Of Notice To Proceed</b></p> |
| 67 | <p><b>OFFICE SIGNAGES FOR IAO, LEIPO &amp; SBCDPO</b><br/> 2-set QC Logo<br/> 8-pc Stainless Steel Letter (150mm) LEIPO and IAO<br/> 8-pc Stainless Steel Letter (150mm) SBCDPO<br/> 54-pc Stainless Steel Letter (125mm) LEIPO and IAO<br/> 50-pc Stainless Steel Letter (125mm) SBCDPO</p>   | lot | 1 |   |
| 68 | <p><b>OTHER ELECTRICAL MATERIALS</b><br/> 6-pc Emergency Light<br/> 6-pc Simplex Convenience Outlet<br/> 126-pc Duplex Convenience Outlet<br/> 27-pc Simplex Voice (TEL) Outlet<br/> 90-pc Simplex Data Outlet<br/> 13-pc Duplex Data Outlet</p>   | lot | 1 |   |

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

*Schedule of Requirements Page 9 of 9*

# *Section VI. Schedule of Requirements*

**Project Name: Supply and Installation of Modular Partitions Including Furniture and Fixtures**

**LINE 2: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 12TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  
Project No. CMO-21-FF-199**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description   | Unit of Issue  | Quantity | Delivered, Weeks/Months  |
|-------------|---|----------------|----------|--|
|             | <b>SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR PUBLIC AFFAIRS AND INFORMATION SERVICE DEPARTMENT AND EDUCATION AFFAIRS UNIT AT THE 12<sup>TH</sup> FLOOR, QC HALL MAIN BUILDING</b>  |                |          |  |
| 1           | <b>Modular Laminated Partition, with or without glass</b><br>60mm thick with aluminum end trim (color - oft white) and cable wire ready baseboard, (floor to ceiling)   | m <sup>2</sup> | 17       | <b>Within Ninety (90) Calendar Days upon issuance of Notice to Proceed</b> |
| 2           | <b>Fabric with Glass Low Partition</b><br>60mm thick 2-tone Modular Fabric Partition (1.20m Ht.) with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric : top color - (0.15m) & bottom color- (1.05m) | m <sup>2</sup> | 360      |  |
| 3           | <b>Modular Desks, 600mm width</b><br>30mm Thick Modular Desktop high pressure laminated<br>lop (600mm width) with drawer and powder coated bracket, color: light brown (wood grain)   | m <sup>2</sup> | 190      |  |
| 4           | <b>Roller Shade Blinds</b><br>Indoor Sunscreen Fabric, Color: Khaki   | m <sup>2</sup> | 36       |  |
| 5           | <b>Roller Shade Blinds</b><br>Indoor Combi Fabric, Color: Khaki   | m <sup>2</sup> | 23       |  |
| 6           | <b>Roller Shade Blinds</b><br>Indoor Block out Fabric, Color: Khaki   | m <sup>2</sup> | 7        |  |
| 7           | <b>Counter Top</b><br>30mm thick high pressure laminate finish with powder coated bracket, 1000mm Lx 300mmW color SP SF1176   | lm             | 3        |  |
| 8           | <b>Counter Top Clip</b><br>Powder coated metal  | pc             | 3        |  |
| 9           | <b>Drywall Partition (laminated w/ AT &amp; painted finish)</b><br>1/4inch Fiber cement board on metal studs and tracks with 1/4 Marine   | m <sup>2</sup> | 69       |  |

|    |  |                |     |  |
|----|--|----------------|-----|--|
|    | plywood backboard, double wall (6 inches thickness) - wall laminate finish with horizontal Aluminum Trim (Groove) on one side and painted finish on the other side   |                |     |  |
| 10 | <b>Drywall Partition (lamine w/ AT &amp; wallpaper finish)</b><br>1/4inch Fiber cement board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6 inches thickness) - wall laminate finish with horizontal Aluminum Trim (Groove) on one side and wallpaper finish (with 1st coat painting) on the other side | m <sup>2</sup> | 36  | <b>Within Ninety (90) Calendar Days upon issuance of Notice to Proceed</b> |
| 11 | <b>Drywall Partition (painted finish both sides)</b><br>1/4inch Fiber cement board - double wall (6 inches thickness) on metal studs and tracks, with painted finish on both sides   | m <sup>2</sup> | 133 |  |
| 12 | <b>Wallpaper</b><br>plain or with design   | m <sup>2</sup> | 8   |  |
| 13 | <b>Drywall Partition (plain laminate and painted finish)</b><br>1/4inch Fiber cement board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6 inches thickness) - wall laminate finish on one side and painted finish on the other side   | m <sup>2</sup> | 64  |  |
| 14 | <b>Painting works</b><br>application of 1 coat primer and 2 coats latex or enamel finish   | m <sup>2</sup> | 49  |  |
| 15 | <b>Magnetic Glass Board</b><br>6 mm thick Low Iron Tempered Glass White, 1219mmH x 2438mmW including magnets, PB-GI sheet backing and other materials/accessories  | set            | 2   |  |
| 16 | <b>Fixed Glass Panel</b><br>0.60 mm thick glass, with 2 inches x 4 inches wood jamb, 1inch x 2inches wood casing and 1/2inch x 1/2inch wood Stiffener, with frosted film. <b>Duco</b> paint finish   | set            | 10  |  |
| 17 | <b>Tubular Chrome legs for modular desks</b><br>10cm diameter x 74cm height  | pc             | 89  |  |
| 18 | <b>Back wall (BW)</b><br>Laminated wall with aluminum grooves and backlights including 3-drawers, painted plywood backing and 2-power outlets, 3.20m width x 2.40m height  | set            | 2   |  |
| 19 | <b>Modular Door, 0.80 x 2.10m (D1)</b><br>60mm thick Laminated Partition-Half Glass Door with Door Jamb, single leaf, 800mm Width x 2100mm Height  | pc             | 1   |  |
| 20 | <b>Panel Type Door, Single leaf (D3)</b><br>0.80m x 2.10m height including 2 inches x 4 inches solid wood door jamb with (1inch x 3inches) door casing, <b>duco</b> paint finish, half glass with frosted glass film with complete hardware and accessories  | set            | 9   |  |
| 21 | <b>Flush Type Door (D4)</b><br>0.70m x 2.10m height including 2inches x 4inches door jamb with (1inch x 3inches) door casing, <b>duco</b> paint finish both sides complete hardware and accessories  | set            | 2   |  |
| 22 | <b>Flush Door with Louver (D7)</b>   | set            | 4   |  |

|    |   |     |     |  |
|----|---|-----|-----|--|
|    | 0.70m x 2.10m height with louver, including 2inches x 4inches door jamb with (1inchx3inches) door casing, <b>duco</b> paint finish both sides complete hardware and accessories   |     |     |  |
| 23 | <b>Flush Type Door - Secret Door (D8)</b><br>wallpaper finish both sides, with hardware and accessories,<br>0.70m x 2.10m height  | set | 1   |  |
| 24 | <b>Gang Chair - 3 Seater (1)</b><br>3 Seater, stainless steel, panel (1.5-1.8mm in thickness) with<br>armrest: backrest & seat are of perforated stainless  | pc  | 7   |  |
| 25 | <b>Staff Chair (4)</b><br>Fabric type, mid-back with armrest, gas lit with 5-pronged star base legs   | pc  | 125 |  |
| 26 | <b>Cabinet Mobile Pedestal, (5)</b><br>3 Drawers, (2 small & 1 File Drawer), Ball Bearing Roller,<br>Dimension; W40xD56xH70cm,<br>Steel, Gauge 22, powder coated color: off white   | pc  | 133 |  |
| 27 | <b>Executive Mobile Pedestal (5a)</b><br>Top board in icebirke or rosewood color, with filing drawers at the bottom and 2 small drawers on upper, 460mmL x 560mmW x 680mmH  | pc  | 4   |  |
| 28 | <b>Sofa-3 Seater (6)</b><br>With armrest leatherette, color; light brown  | pc  | 2   |  |
| 29 | <b>Sofa - 2 Seater (7)</b><br>With armrest, leatherette, color: light brown   | pc  | 2   |  |
| 30 | <b>Sofa -1 Seater (27)</b><br>With armrest, leatherette, color: light brown   | pc  | 6   |  |
| 31 | <b>Center Table Rectangular (8)</b><br>Stainless steel base, glass top<br>1.0m Length x 0.60m Width x 0.47m Height  | pc  | 4   |  |
| 32 | <b>Side Table with Stainless Steel Base (9)</b><br>glass top, 0.45m Length x0.45m Width x 0.60m Height  | pc  | 6   |  |
| 33 | <b>Manager's High back Chair, (11)</b><br>With armrest, gas lift, back tilt and five pronged star base legs, leatherette Finish   | pc  | 11  |  |
| 34 | <b>Executive Visitor's Chair - mesh type (12a)</b><br>Semi High Back mesh type with armrest gas lift with five pronged star base chrome legs, NET series color black  | pc  | 14  |  |
| 35 | <b>Manager's Visitor's Chair (12c)</b><br>without armrest, low back sled type, leatherette Finish   | pc  | 22  |  |
| 36 | <b>Staff Visitors Chair (12d)</b><br>Visitors Chair without armrest, sled type fabric finish  | pc  | 16  |  |
| 37 | <b>Executive Visitor's Chair - sled type (12f)</b><br>Semi High Back mesh type with armrest, sled type chrome legs, NET series color black  | pc  | 4   |  |
| 38 | <b>Filing Cabinet Vertical - 4 drawers (13)</b><br>4 drawers, gauge 22, steel, size:46x62x134cm, heavy duty, roller, metal guide, color: off-white  | pc  | 54  |  |
| 39 | <b>Executive Table with Side Table - 2.0m (14)</b><br>45mm thick Solid wood in high pressured laminate top finish with bull-nose edging in rosewood color, 2.0mL x 1.0mW x 0.75mH and side table, 1.0mL x 0.50mW x 0.75mH, rosewood color | pc  | 2   |  |

**Within Ninety (90) Calendar Days upon issuance of Notice to Proceed**



|    |  |     |    |  |
|----|--|-----|----|--|
| 40 | <b>Executive Table with Side Table - 1.8m (14a)</b><br>45mm thick Solid wood in high pressured laminate top finish w/ bull-nose edging in icebirke color, 1.8mL x 0.9mW x 0.750mH and Side table, 1.0mL x 0.450mW x 0.75mH, icebirke color | pc  | 2  | <b>Within Ninety (90) Calendar Days upon issuance of Notice to Proceed</b> |
| 41 | <b>Lateral Filing Cabinet, wooden, 4-layers (22a)</b><br>2-filing drawers on bottom and 2-index drawers on upper part drawers in MFC finish, 0.90m L x 0.45m W x 1.06m H   | pc  | 4  |  |
| 42 | <b>Low cabinet wood on laminate finish (22b)</b><br>With swing-out door and 2-adjustable shelves, color: light brown (wood grain) or icebirke, 0.90mL x 0.45mW x 1.06mH  | pc  | 12 |  |
| 43 | <b>Cabinet Filing Lateral-3 drawers (24)</b><br>Gauge 22,; Size: 90cm W x 45cm D x 106cm H   | pc  | 21 |  |
| 44 | <b>Table Free Standing - with side table (30)</b><br>Free Standing Table, 1.50mL x 0.70mW x 0.75mH with Free Standing Side Table, 1.0mL x 0.50mW x 0.75mH, color: light brown (wood grain) powder coated metal legs and drawer with lock   | pc  | 14 |  |
| 45 | <b>Conference Chair (35)</b><br>Mid-back chair with arm rest gas lift and back tilt<br>2 tone fabric with five pronged star base legs  | pc  | 18 |  |
| 46 | <b>Working Table 2.0mL x 1.0mW x 0.750mH (42a)</b><br>High pressured laminated top, color: light brown (wood grain), with 4-stainless legs   | pc  | 2  |  |
| 47 | <b>Executive High Back Chair with chrome legs (43)</b><br>Executive High Back Chair with armrest, gas lift and back tilt mesh type with five pronged star base chrome legs NET series color black  | pc  | 2  |  |
| 48 | <b>Round Table - Glass Top, (71a)</b><br>4 seater, glass top and stainless legs<br>0.90m diameter x 0.70m height   | pc  | 2  |  |
| 49 | <b>0-Shape Conference Table, 18-seater (86)</b><br>High Pressured Laminate top finish and metal legs (black)<br>which consists of 4pcs 1.0m x 0.60m table, 4 pcs 1.20m x 0.60m table and 4 pcs 0.60m quarter circle table                  | set | 1  |  |
| 50 | <b>OFFICE SIGNAGE</b><br>QC Logo   | set | 2  |  |
| 51 | <b>OFFICE SIGNAGE</b><br>Stainless Steel Letter (150mm) PAISD and EAU  | Pc  | 8  |  |
| 52 | <b>OFFICE SIGNAGE</b><br>Stainless Steel Letter (125mm) PAISD and EAU  | Pc  | 57 |  |
| 53 | <b>ELECTRICAL WORKS</b><br>7-pc Emergency Light<br>7-pc Simplex Convenience Outlet<br>163-pc Duplex Convenience Outlet<br>123-pc Simplex Data Outlet<br>18-pc Duplex Data Outlet   | lot | 1  |  |

|    |  |     |   |  |
|----|--|-----|---|--|
|    |  |     |   |  |
| 54 | <p><b>PRESS BRIEFING ROOM @PAISD</b><br/> 13-m<sup>2</sup> 8mm thick. Frameless Tempered Glass with Frosted Film (Fixed) including accessories<br/> 14-m<sup>2</sup> 8mm thick Frameless Tempered Glass (Fixed) including accessories<br/> 2-m<sup>2</sup> 6mm thick. Tempered Glass on Powder Coated Aluminum Frame (Fixed) including accessories<br/> 4-m<sup>2</sup> Double Action, Double Leaf Door, 8mm thick. (1.50 mm x 2.10mm) Frameless Tempered Glass with Frosted Film including accessories<br/> 60-m<sup>2</sup> Painting works at the ceiling: application of 2 coats of latex. Black<br/> 60-m<sup>2</sup> Demolition works and hauling of ceiling tiles and frames</p>   | lot | 1 | <b>Within Ninety (90) Calendar Days upon issuance of Notice to Proceed</b> |
| 55 | <p><b>PANTRY FOR DEPARTMENT HEAD @PAISD</b><br/> 2-pc 3/4inch thick. Marine Plywood<br/> 1-pc 3/4inch thick Ply board<br/> 8-m<sup>2</sup> Duco Paint (Wood)<br/> 1-m<sup>2</sup> 3/4inch thick. Granite Countertop with backsplash (CDS)<br/> 2-pc wall laminate<br/> 1-lot Plumbing Works including sanitary pipes and fittings and replacement of fixtures and kitchen sink.</p>  | lot | 1 |  |
| 56 | <p><b>PANTRY FOR ASSISTANT DEPARTMENT HEAD @PAISD</b><br/> 2-pc 3/4inch thick. Marine Plywood<br/> 1-pc 3/4inch thick. Ply board<br/> 7-m<sup>2</sup> Duco Paint (Wood)<br/> 1-m<sup>2</sup> 3/4inch thick. Granite Countertop with backsplash (CDS)<br/> 2-pc wall laminate<br/> 1-lot Plumbing Works including sanitary pipes and fittings and replacement of fixtures and kitchen sink.</p>   | lot | 1 |  |
| 57 | <p><b>TOILET FOR DEPARTMENT HEAD @PAISD</b><br/> Including Demolition Works, Hauling and Disposal<br/> 9-m<sup>2</sup> 12mm thick. MR Gypsum Board on Light Aluminum Frame<br/> 9-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/> 27-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thick facial mirror on 6mm thick marine plywood backing including all incidentals to complete<br/> 1-set Shower<br/> 1-set Water closet Tank Type with Bidet<br/> 1-pc Lavatory Wall hung and Faucet including pipes and fittings<br/> 12- pc Floor Drain, 50Ø</p> <p>Architectural Works<br/> 1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 12-pc Metal Screw</li> <li>○ 13-pc Blind Rivets</li> <li>○ 2-kg Concrete Nails</li> <li>○ 2-kg Grout</li> <li>○ 1-pc Sealant</li> <li>○ 3-pc Paint Brush</li> <li>○ 3-pc Roller Brush</li> </ul> <p>Plumbing Works<br/> 1-lot Miscellaneous &amp; Consumables</p> | lot | 1 |  |

|    |  |     |   |   |
|----|--|-----|---|---|
|    | <ul style="list-style-type: none"> <li>○ 1-can Solvent Cement, 400ml</li> <li>○ 4-kg Waste Cloth</li> <li>○ 2-pc Hacksaw Blade</li> <li>○ 1-pc Metal Drill Bit, ½”Ø</li> <li>○ 1-pc Concrete Drill Nit, ½”Ø</li> <li>○ 1-liter Paint Thinner</li> <li>○ 2-pc Paint Brush 1”</li> </ul> <p>8-roll Teflon Tape</p>   |     |   |   |
| 58 | <p><b>TOILET FOR ASSISTANT DEPARTMENT HEAD @PAISD</b><br/>Including Demolition Works, Hauling and Disposal<br/>7-m² 12mm thick. MR Gypsum Board on Light Aluminum Frame<br/>7-m² 60cm x 60cm Non-Skid Porcelain Tiles<br/>23-m² 30cm x 60cm Porcelain Wall Tiles<br/>1-m² 6mm thick facial mirror on 6mm thick marine plywood backing<br/>including all incidentals to complete<br/>1-set Shower<br/>1-set Water closet Tank Type with Bidet<br/>1-set Lavatory Wall hung and Faucet including pipes and fittings<br/>1-pc Floor Drain, 50Ø</p> <p>Architectural Works<br/>1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 10-pc Metal Screw</li> <li>○ 11-pc Blind Rivets</li> <li>○ 1-kg Concrete Nails</li> <li>○ 2-kg Grout</li> <li>○ 1-pc Sealant</li> <li>○ 3-pc Paint Brush</li> <li>○ 3-pc Roller Brush</li> </ul> <p>Plumbing Works<br/>1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 1-can Solvent Cement, 400ml</li> <li>○ 2-kg Waste Cloth</li> <li>○ 2-pc Hacksaw Blade</li> <li>○ 1-pc Metal Drill Bit, ½”Ø</li> <li>○ 1-pc Concrete Drill Nit, ½”Ø</li> <li>○ 1-liter Paint Thinner</li> <li>○ 2-pc Paint Brush 1”</li> </ul> <p>15-roll Teflon Tape</p> | Lot | 1 | <p><b>Within Ninety (90) Calendar Days upon issuance of Notice to Proceed</b></p> |
| 59 | <p><b>TOILET for EDITORIAL DIVISION @ PAISD</b><br/>Including Demolition Works, Hauling and Disposal<br/>8-m² 12mm thick. MR Gypsum Board on Light Aluminum Frame<br/>8-m² 60cm x 60cm Non-Skid Porcelain Tiles<br/>26-m² 30cm x 60cm Porcelain Wall Tiles<br/>1-m² 6mm thick facial mirror on 6mm thick marine plywood backing<br/>including all incidentals to complete<br/>1-set Shower<br/>1-set Water closet Tank Type with Bidet<br/>1-set Lavatory Wall hung and Faucet including pipes and fittings<br/>1-pc Floor Drain, 50Ø</p> <p>Architectural Works<br/>1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 16-pc Metal Screw</li> <li>○ 17-pc Blind Rivets</li> <li>○ 2-kg Concrete Nails</li> <li>○ 2-kg Grout</li> <li>○ 1-pc Sealant</li> <li>○ 4-pc Paint Brush</li> <li>○ 4-pc Roller Brush</li> </ul>   | lot | 1 |   |

|    |  |     |   |  |
|----|--|-----|---|--|
|    | Plumbing Works<br>1-lot Miscellaneous & Consumables <ul style="list-style-type: none"> <li>○ 1-can Solvent Cement, 400ml</li> <li>○ 2-kg Waste Cloth</li> <li>○ 1-pc Hacksaw Blade</li> <li>○ 2-pc Metal Drill Bit, ½”Ø</li> <li>○ 2-pc Concrete Drill Nit, ½”Ø</li> <li>○ 1-liter Paint Thinner</li> <li>○ 1-pc Paint Brush 1”</li> </ul> 17-roll Teflon Tape   |     |   |  |
| 60 | <b>TOILET for EAU HEAD</b><br>Including Demolition Works, Hauling and Disposal<br>4-m² 12mm thick. MR Gypsum Board on Light Aluminum Frame<br>4-m² 60cm x 60cm Non-Skid Porcelain Tiles<br>18-m² 30cm x 60cm Porcelain Wall Tiles<br>1-m² 6mm thick facial mirror on 6mm thick marine plywood backing<br>including all incidentals to complete<br>1-set Shower<br>1-set Water closet Tank Type with Bidet<br>1-set Lavatory Wall hung and Faucet including pipes and fittings<br>1-pc Floor Drain, 50Ø<br><br>Architectural Works<br>1-lot Miscellaneous & Consumables <ul style="list-style-type: none"> <li>○ 9-pc Metal Screw</li> <li>○ 10-pc Blind Rivets</li> <li>○ 1-kg Concrete Nails</li> <li>○ 2-kg Grout</li> <li>○ 1-pc Sealant</li> <li>○ 3-pc Paint Brush</li> <li>○ 3-pc Roller Brush</li> </ul> Plumbing Works<br>1-lot Miscellaneous & Consumables <ul style="list-style-type: none"> <li>○ 1-can Solvent Cement, 400ml</li> <li>○ 3-kg Waste Cloth</li> <li>○ 4-pc Hacksaw Blade</li> <li>○ 1-pc Metal Drill Bit, ½”Ø</li> <li>○ 1-pc Concrete Drill Nit, ½”Ø</li> <li>○ 2-liter Paint Thinner</li> <li>○ 1-pc Paint Brush 1”</li> </ul> 10-roll Teflon Tape | lot | 1 | <b>Within Ninety (90) Calendar Days upon issuance of Notice to Proceed</b> |

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## *Section VI. Schedule of Requirements*

**Project Name: Supply and Installation of Modular Partitions Including Furniture and Fixtures**

**LINE 3: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 7TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  
Project No. CMO-21-FF-199**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description  | Unit of Issue  | Quantity | Delivered, Weeks/Months  |
|-------------|--|----------------|----------|--|
|             | <b>SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR CITY LEGAL DEPARTMENT- QC HALL MAIN BUILDING</b>   |                |          |  |
| 1           | Modular Laminated Partition, with or without glass 60mm thick with aluminum end trim (color - off white) and cable wire ready baseboard  | m <sup>2</sup> | 260      | <b>Within Ninety (90) Calendar Days upon issuance of Notice to Proceed</b> |
| 2           | Fabric with Glass Low Partition 60mm thick 2-tone Modular Fabric Partition (1.20m Ht.) with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric: top color - (0.15m) & bottom color- (1.05m) | m <sup>2</sup> | 235      |  |
| 3           | Modular Desks, 600mm width 30mm Thick Modular Desktop high pressure laminated top (600mm width) with drawer and powder coated bracket, color: light brown (wood grain)   | m <sup>2</sup> | 137      |  |
| 4           | Roller Shade Blinds Indoor Sunscreen Fabric, Color: Khaki all roller shades with Aluminum Framing  | m <sup>2</sup> | 60       |  |
| 5           | Roller Shade Blinds Indoor Combi Fabric, Color: Khaki all roller shades with Aluminum Framing  | m <sup>2</sup> | 14       |  |
| 6           | Drywall Partition (wallpaper and painted finish) 1/4inch Fiber Cement board on metal studs with 1/4 plywood  | m <sup>2</sup> | 60       |  |

|    |  |                |     |  |
|----|--|----------------|-----|--|
|    | backboard, double wall (6inches thickness) (wallpaper one side and painted finish on the other side)   |                |     |  |
| 7  | Drywall Partition (lamine and painted finish) 1/4inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6inches thickness) laminate with horizontal aluminum trim (lamine finish on one side and painted finish on the other side)      | m <sup>2</sup> | 43  | <b>Within Ninety (90) Calendar Days upon issuance of Notice to Proceed</b> |
| 8  | Drywall Partition (lamine and wall paper finish) 1/4inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6inches thickness) laminate with horizontal aluminum trim (lamine finish on one side and wallpaper finish on the other side) | m <sup>2</sup> | 55  |  |
| 9  | Drywall Partition (painted finish both sides) 1/4inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6inches thickness) (painted finish both sides)  | m <sup>2</sup> | 114 |  |
| 10 | Drywall Partition (lamine finish both sides) 1/4inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6inches thickness) (lamine finish both sides)  | m <sup>2</sup> | 9   |  |
| 11 | Fixed Glass Panel 0.60 mm thick glass and 2inches x 4inches wood casing, with frosted film, Duco paint finish  | Set            | 3   |  |
| 12 | Counter Top 30mm thick high pressure laminate inish with powder coated bracket, 1000mm Lx 300mmW color SP SF1176   | Lm             | 2   |  |
| 13 | Counter Top Clip, powder coated metal  | Piece          | 3   |  |
| 14 | Tubular Chrome legs for modular desks, 10cm diameter x 74cm height   | Piece          | 85  |  |

|    |  |       |     |  |
|----|--|-------|-----|--|
| 15 | Modular Door, 0.80 x 2.10m (D1)<br>60mm thick Laminated Partition-<br>Half Glass Door with Door<br>Jambs single leaf, 800mm Width x<br>2100mm Height   | Piece | 16  | <b>Within Ninety<br/>(90) Calendar<br/>Days Upon<br/>Issuance Of<br/>Notice To<br/>Proceed</b> |
| 16 | Panel Type Door, Single leaf (03)<br>0.80m x 2.10m height including<br>2inches x 4inches solid wood door<br>jamb with (1inch x 3inches) door<br>casing, duco paint finish, half<br>glass with frosted glass film with<br>complete hardwares and<br>accessories | set   | 8   |  |
| 17 | Flush Door(D4)<br>0.70m x 2.10m height including<br>2inches x 4inches door jamb with<br>(1inch x 3inches) door casing,<br>duco paint finish both sides<br>complete hardwares<br>and accessories  | set   | 1   |  |
| 18 | Flush Door with Louver (D7)<br>0.70m x 2.10m height with louver,<br>including 2inches x 4inches door<br>jamb with (1inch x 3inches) door<br>casing, duco paint finish both<br>sides complete hardwares and<br>accessories                                      | set   | 3   |  |
| 19 | Flush Door - Secret Door (D8)<br>wallpaper finish both sides, with<br>hardwares and accessories,<br>0.70m x 2.10m height   | Set   | 2   |  |
| 20 | Chair Gang-3 Seater (1)<br>3 Seater, stainless steel, panel<br>(1.5-1.8mm in thickness) with<br>armrest; backrest & seat are of<br>perforated stainless  | piece | 8   |  |
| 21 | Staff Chair (4)<br>Fabric type, mid-back with<br>armrest, gas lit with 5-pronged;<br>star base legs  | piece | 109 |  |
| 22 | Cabinet Mobile Pedestal, (5)<br>3 Drawers, (2 small & 1 File<br>Drawer), Ball Bearing Roller,<br>Dimension: W40xD56xH70cm,<br>Steel, Gauge 22, powder<br>coated color: off white   | piece | 109 |  |
| 23 | Executive Mobile Pedestal, (5a)<br>Top board in icebirke or<br>rosewood color, with filing<br>drawers at the bottom and 2<br>small drawers on upper,   | piece | 3   |  |

|    |   |       |    |  |
|----|---|-------|----|--|
|    | 460mmL x 560mmW x 680mmH  |       |    |  |
| 24 | Sofa-3 Seater (6)<br>With armrest, leatherette, color:<br>light brown   | piece | 1  | <b>Within Ninety<br/>(90) Calendar<br/>Days Upon<br/>Issuance Of<br/>Notice To<br/>Proceed</b> |
| 25 | Sofa-2 Seater (7)<br>With armrest, leatherette, color:<br>light brown   | piece | 2  |  |
| 26 | Sofa-1 Seater (27)<br>With armrest, leatherette, color:<br>light brown  | piece | 4  |  |
| 27 | Center Table - Rectangular (8)<br>Stainless steel base, glass top<br>1.0m Length x 0.60m Width x<br>0.47m Height  | piece | 3  |  |
| 28 | Side Table with Stainless Steel<br>Base (9)<br>glass top, 0.45m Length x 0.45m<br>Width x 0.60m Height  | piece | 4  |  |
| 29 | Executive High Back Chair with<br>chrome legs (43)<br>Executive High Back Chair with<br>armrest, gaslift and backtilt<br>mesh type with five pronged star<br>base chrome legs NET<br>Series color black | piece | 1  |  |
| 30 | Manager's Highback Chair, (11)<br>With armrest, gaslift, backtilt and<br>five pronged star base legs,<br>leatherette Finish   | piece | 15 |  |
| 31 | Executive Visitor's Chair (12a)<br>Semi High Back mesh type with<br>armrest gaslift with five<br>pronged star base chrome legs,<br>NET series color black   | piece | 8  |  |
| 32 | Manager's Visitor Chair (12c)<br>Without armrest, lowback sled<br>type, leatherette finish  | piece | 14 |  |
| 33 | Staff Visitor Chair (12d)<br>Visitors Chair without armrest, sled<br>type fabric finish   | piece | 4  |  |
| 34 | Executive Visitor's Chair (12f)<br>Semi High Back mesh type with<br>armrest, sled type chrome<br>legs, NET series color black   | piece | 4  |  |
| 35 | Cabinet Filing Vertical-4 drawers<br>(13)<br>4 drawers. Gauge 22, steel,<br>size:46x62x134cm, heavy duty,   | piece | 52 |  |



|    |   |       |    |  |
|----|---|-------|----|--|
|    | roller, metal guide, color: off-white   |       |    |  |
| 36 | Table Executive with Side Table (14)<br>45mm thick Solid wood in high pressured laminate top finish w/ bull-nose edging in rosewood color, 2.0mL x 1.0mW x 0.75mH and side table, 1.0mL x 0.50mW x 0.75mH, rosewood color         | piece | 1  | <b>Within Ninety (90) Calendar Days Upon Issuance Of Notice To Proceed</b> |
| 37 | Executive Table with Side Table (14a)<br>45mm thick Solid wood in high pressured laminate top finish w/ bull-nose edging in icebirke color, 1.8mL x 0.9mWx 0.750mH and Side table, 1.0mL x 0.450mW x 0.75mH, icebirke color :     | piece | 2  |  |
| 38 | Console Table (15a)<br>MDF Veneer Top with Stainless Steel Fame 120 cm L x 39 cm D x 75 cm H  | piece | 1  |  |
| 39 | Table Free Standing (19e)<br>Free Standing Table, 1.50mL x 0.60mW x 0.75mH with High pressure laminated top, Color: Light Brown (wood grain) powder coated metal legs with drawer color: off white                                | piece | 13 |  |
| 40 | Low cabinet, wood on laminate finish (22b)<br>With swing-out door and 2-adjustable shelves, color light brown (wood grain) or icebirke, 0.90mL x 0.45mW x 1.06mH  | piece | 14 |  |
| 41 | Cabinet Filing Lateral-3 drawers (24)<br>Gauge 22; Size: 90cm W x 45cm D x 106cm H  | Piece | 14 |  |
| 42 | Table Free Standing - with side table (30)<br>Free Standing Table, 1.50mL x 0.70mW x 0.75mH with Free Standing Side Table, 1.0mL x 0.50mW x 0.75mH, color: light brown (wood grain) powder coated metal legs and drawer with lock | piece | 7  |  |
| 43 | Conference Chair (35)<br>Midback chair with arm rest gaslift and backtilt   | piece | 48 |  |

|    |   |       |   |  |
|----|---|-------|---|--|
|    | 2 tone fabric with five pronged star base legs  |       |   |  |
| 44 | Table Conference-6 seater, wooden legs (40)<br>Rectangular shape, High Pressure Laminated top with wooden legs, color - rosewood<br>1.80mLx 1.0mW x 0.75mH  | piece | 1 | <b>Within Ninety (90) Calendar Days Upon Issuance Of Notice To Proceed</b> |
| 45 | Table Working, 2.4mL x 1.2mW x 0.750mH (42)<br>High pressured laminated top, color: light brown (wood grain), with 4-stainless legs   | piece | 1 |  |
| 46 | Table Conference-8 seater, wooden legs (46)<br>Rectangular shape, High Pressure Laminated top with wooden legs, color - rosewood 2.0mL x 1.0mW x 0.75m  | piece | 2 |  |
| 47 | Table Round, (71a)<br>4 seater glass top & stainless legs, 0.90m diameter x 0.740mH   | piece | 1 |  |
| 48 | Book Shelves (72)<br>1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves   | piece | 9 |  |
| 49 | 0-Shape Conference Table, 18-seater (86)<br>High Pressured Laminate top finish and metal legs (black) which consists of 4pcs 1.0m x 0.60m table, 4 pcs 1.20m x 0.60m table and 4 pcs 0.60m quarter circle table | Set   | 1 |  |
| 50 | Court Staff Chair (C1)<br>midback chair with adjustable armrest, adjustable height, gas lift, nylon mesh/net backrest, fabric seat rest, nylon star base, twin nylon caster wheels                              | piece | 3 |  |
| 51 | Judge's Chair (C6)<br>nylon mesh midback, adjustable armrest, adjustable height, gaslift, twin nylon caster wheels, chrome finish flat starbase   | piece | 1 |  |
| 52 | Steno Table (TB-03)<br>700mmL x 600mmW x 750mmH, 25mm thick high pressurized laminated board, wood grain finish with flat pvc edging match  | piece | 3 |  |

|    |  |      |   |  |
|----|--|------|---|--|
| 53 | Built-in Back Shelf (Department Head)<br>Open shelves, 3/4 thk Plywood with Formica finish   | Unit | 1 | <b>Within Ninety (90) Calendar Days Upon Issuance Of Notice To Proceed</b> |
| 54 | Built-in Shelves (Records/File Room)<br>Open shelves, 3/4 thk Plywood, painted finish  | Unit | 1 |  |
| 55 | Reception Area<br>1-set QC Logo<br>3-pc Stainless Steel Leter {150mm)<br>16-pc Stainless Steel Letter (125mm)<br>9-m <sup>2</sup> Wood Laminate w/ 20mm Groove<br>1-unit Laminated Shelves<br>6-lm Counter Table   | Lot  | 1 |  |
| 56 | Rostrum<br>3m <sup>2</sup> 20mm thk Marine Plywood<br>Table top on Stained Finish<br>20-bd.ft. 40mm x 40mm Solid Wood Frame<br>2-bd.ft. 12inm x 20mm Solid Wood Edging<br>5-m <sup>2</sup> 6mm thk Marine Plywood on Stained Finish<br>Miscellaneous<br>o 1-kg Finishing Nail<br>o 1-pc Roller brush<br>o 4-lm Sanding Paper<br>o 1-pc 1/L Wood Glue | Lot  | 1 |  |
| 57 | Moot Court Elevated Platform<br>4-m <sup>2</sup> 3/4inch thk Plyboard, Painted finish<br>73-bd-ft 2inches x 8inches Solid Wood Floor Joist<br>5-lm 100mm thk Baseboard<br>Miscellaneous<br>o 1-kg Finishing Nail<br>o 1-pc Roller brush<br>o 5-lm Sanding Paper<br><br>1-pc 1/L Wood Glue  | Lot  | 1 |  |
| 58 | 3 Toilets<br>Removal of Existing Fixtures<br>13-m <sup>2</sup> Existing Floor Tiles<br>13-m <sup>2</sup> Existing Concrete Topping and Waterproofing<br>3-lot Existing Lavatory, Water closet and Urinal<br>1-lot Hauling and Disposal of Demolished Materials<br>Floor Finishes<br>14-m <sup>2</sup> 300mm x 600mm Homogenous Porcelain Tiles       | Lot  | 1 |  |

|    |   |     |   |   |
|----|---|-----|---|---|
|    | 14-m <sup>2</sup> 50mm Concrete Topping<br>(For Tiles)<br>Wall Finishes<br>67-m <sup>2</sup> 300mm x 600mm<br>Homogenous Porcelain Tiles<br>3-lot Plastering Guide<br>Miscellaneous<br>o3-set Bathroom Accessories<br>(toilet paper holder and liquid<br>soap dispenser)<br>o3-pc Water Closet<br>o3-pc Lavatory<br><br>29-m <sup>2</sup> Waterproofing – Capillary<br>Type 9(For CR) |     |   |   |
| 59 | Pantry<br>4-m <sup>2</sup> Countertop & Backsplash,<br>20mm thk, Granite Slab Finish<br>(CDS)<br>6-lm Wall cabinet including<br>accessories, Painted finish<br>6-lm Under countertop Cabinet<br>including accessories, Painted<br>Finish<br>2-set Kitchen Sink  | Lot | 1 | <b>Within Ninety<br/> (90) Calendar<br/> Days Upon<br/> Issuance Of<br/> Notice To<br/> Proceed</b> |
| 60 | Electrical<br>9-pc Emergency Light<br>9-pc Simplex Convenience<br>Outlet<br>154-pc Duplex Convenience<br>Outlet<br>29-pc Simplex Voice (TEL) Outlet<br>122-pc Simplex Data Outlet<br>13-pc Duplex Data Outlet   | Lot | 1 |   |

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## *Section VI. Schedule of Requirements*

**Project Name: Supply and Installation of Modular Partitions Including Furniture and Fixtures**

**LINE 4: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR QUEZON CITY ANIMAL POUND**

**Project No. CMO-21-FF-199**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description   | Unit of Issue  | Quantity | Delivered, Weeks/Months  |
|-------------|---|----------------|----------|--|
|             | <b>SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE FOR QUEZON CITY ANIMAL POUND</b>   |                |          |  |
| 1           | Fabric with Glass Low Partition 60mm thick 2-tone Modular Fabric Partition (1.20m Ht.) with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric: top color-(0.15m) & bottom color-(1.05m) | m <sup>2</sup> | 9        | <b>Within Ninety (90) Calendar Days upon issuance of Notice of Proceed</b> |
| 2           | Modular Desks, 600mm width 30mm Thick Modular Desktop high pressure laminated top (600mm width) with drawer and powder coated bracket, color: light brown (wood grain)  | m <sup>2</sup> | 16       |  |
| 3           | Tubular Chrome legs for modular desks 10cm diameter x 74cm height   | piece          | 12       |  |
| 4           | Gang Chair - 4 Seater (2) 4 Seater, stainless steel, panel (1.5-1.8mm in thickness) with armrest; backrest & seat are of perforated stainless   | piece          | 4        |  |
| 5           | Staff Chair (4) Fabric type, mid-back with armrest, gas lift with 5-pronged star base legs  | piece          | 17       |  |
| 6           | Cabinet Mobile Pedestal, (5) 3 Drawers, (2 small & 1 File Drawer), Ball Bearing Roller, Dimension: W40xD56xH70cm, Steel, Gauge 22, powder coated color: off white   | piece          | 15       |  |
| 7           | Executive Mobile Pedestal, (5a) Top board in icebirke or rosewood color, with filing  | piece          | 1        |  |

|    |  |       |   |  |
|----|--|-------|---|--|
|    | drawers at the bottom and 2 small drawers on upper, 460mmL x 560mmW x 680mmH   |       |   |  |
| 8  | Sofa-2 Seater (7)<br>With armrest, leatherette, color light brown  |       | 1 | <b>Within Ninety (90) Calendar Days upon issuance of Notice of Proceed</b> |
| 9  | Sofa-1 Seater (27)<br>With armrest, leatherette, color light brown   | piece | 1 |  |
| 10 | Center Table Rectangular (8)<br>Stainless steel base, glass top<br>1.0m Length x 0.60m Width x 0.47m Height  | piece | 1 |  |
| 11 | Executive Visitor's Chair - mesh type (12a)<br>Semi High Back mesh type with armrest gaslift with five pronged star base chrome legs, NET series color black   | piece | 2 |  |
| 12 | Staff Visitors Chair (12d)<br>Visitors Chair without armrest, sled type fabric finish  | piece | 4 |  |
| 13 | Filing Cabinet Vertical-4 drawers (13)<br>4 drawers, gauge 22, steel, size:46x62x134cm, heavy duty, roller, metal guide, color: off-white  | piece | 7 |  |
| 14 | Executive Table with Side Table - 1.8m (14a)<br>45mm thick Solid wood in high pressured laminate top finish w/ bull-nose edging in icebirke 1.8mL x 0.9mW x 0.750mH and Side table, 1.0mL x 0.450mW x 0.75mH, icebirke color | piece | 1 |  |
| 15 | Free Standing Table - 1.5m (19c)<br>High Pressure Laminated top. color: light brown (wood grain) powder coated metal legs with drawer (powder coated with lock) color code - Offwhite, 1.5mL x 0.60mW x 0.75mH               | piece | 2 |  |
| 16 | Free Standing Table - 1.2m (19e)<br>High Pressure Laminated top, color: light brown (wood grain) powder coated metal legs with drawer (powder coated with lock) color code - Offwhite, 1.2mL x 0.60mW x 0.75mH               | piece | 9 |  |
| 17 | Lateral Filing Cabinet, wooden, 4-layers (22a)<br>2-filing drawers on bottom and 2-index drawers on upper part drawers in MFC finish, 0.90m L x 0.45m W x 1.06m H  | piece | 2 |  |
| 18 | Steel Locker 9 - Doors(29)   | piece | 3 |  |

|    |   |       |    |  |
|----|---|-------|----|--|
|    | 9-openings, hard metal, gauge 22, powder coated with individual lock, offwhite finish. 0.72mD x Q.36mW x 1.8mH  |       |    |  |
| 19 | Conference Chair (35)<br>Midback chair with arm rest<br>gaslift and backtilt<br>2 tone fabric with five pronged star base legs  | piece | 8  | <b>Within Ninety (90) Calendar Days upon issuance of Notice of Proceed</b> |
| 20 | Executive High Back Chair with chrome legs (43)<br>Executive High Back Chair with armrest, gaslift and backtilt mesh type with five pronged star base chrome legs NET<br>Series color black   | piece | 1  |  |
| 21 | Working Table 1.50mL x 0.80mW x 0.75mH (44)<br>High pressured laminated top, color: light brown (wood grain), with 4-stainless legs   | piece | 1  |  |
| 22 | Conference Table - 8 seater, wooden legs (46)<br>Rectangular shape, High Pressure Laminated top with wooden legs, color - rosewood<br>2.0mL x 1.0mW x 075mH   | piece | 1  |  |
| 23 | Folding Table (3C)<br>Rectangular plastic fold in half table, Color: white<br>76.2 cm W x 163.8 cm Lx 73.6cm H  | piece | 1  |  |
| 24 | Animal Cage (Dog) –'(C)<br>2 Layer pure stainless steel grills cage -1.0mLx1.0mWx1.0mH<br>Heavy Duty, Double frame, Fully weld, Mirror finish including stainless poop tray, barrel bolt with lockset with stainless steel matting            | piece | 27 |  |
| 25 | Animal Cage (Cat) –'(Ca)<br>2 Layer pure stainless steel grills cage - 0.60 m L x 1.0 m W x 0.60 m H Heavy Duty, Double frame. Fully weld. Mirror finish including stainless poop tray, barrel bolt with lockset with stainless steel matting | piece | 3  |  |
| 26 | Storage Built-in Cabinet<br>19m Thick Plywood 2 ft x 4 inches wood base painting works duco finish, Including hinges, handle and other miscellaneous  | lot   | 1  |  |
| 27 | Supply Room Built - In Cabinet<br>19 m Thick Plywood 2ft x 4inches wood base painting works duco finish including hinges, handle and other miscellaneous  | lot   | 1  |  |

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

*Schedule of Requirements Page 4 of 4*



## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

### **Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# Technical Specifications

**Project Name: Supply and Installation of Modular Partitions Including Furniture and Fixtures**

**LINE 1: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 6TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  
Project No. CMO-21-FF-199**

| Item | Specification  | Statement of Compliance   |
|------|--|---|
|      |  | <p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p> |
| A 1  | <p><b>Modular Laminated Partition, with or without glass</b><br/>60mm thick with aluminum end trim (color - oft white) and cable wire ready baseboard, (floor to ceiling)</p>  |   |
| 2    | <p><b>Fabric with Glass Low Partition</b><br/>60mm thick 2-tone Modular Fabric Partition (1.20m Ht.) with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric : top color - (0.15m) &amp; bottom color-(1.05m)</p> |   |
| 3    | <p><b>Modular Desks, 600mm width</b><br/>30mm Thick Modular Desktop high pressure laminated top (600mm width) with drawer and powdercoated bracket, color: light brown (wood grain)</p>  |   |
| 4    | <p><b>Folding Door System</b><br/>Single/Double opening, 153mm wide and 12.55mm thick MDF panel core, wood veneer or solid color laminate with heavy duty ball-bearing and tracks</p>  |   |
| 5    | <p><b>Roller Shade Blinds (with aluminum framing)</b><br/>Indoor Sunscreen Fabric, Color: Khaki</p>  |   |
| 6    | <p><b>Roller Shade Blinds (with aluminum framing)</b><br/>Indoor Combi Fabric, Color: Khaki</p>  |   |
| 7    | <p><b>Roller Shade Blinds (with aluminum framing)</b><br/>Indoor Blackout Fabric, Color: Khaki</p>   |   |
| 8    | <p><b>Drywall Partition (laminated w/ AT finish on both sides)</b><br/>1/4inch Marine Plywood - double wall (6inches thickness) on metal studs and tracks, wall laminate finish (formica) with horizontal Aluminum Trim (Groove) on both sides</p>                                 |   |
| 9    | <p><b>Drywall Partition (laminated w/ AT &amp; wallpaper finish)</b><br/>1/4inch Fiber Cement Board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6inches thickness) - wall laminate finish (Formica) with horizontal</p>                              |   |

|    |  |  |
|----|--|--|
|    | Aluminum Trim (Groove) on one side & wallpaper finish (with 1st coat painting) on the other side   |  |
| 10 | <b>Drywall Partition (wallpaper finish both sides)</b><br>1/4inch Fiber Cement Board - double wall (6inches thickness) on metal studs and tracks, wallpaper with 1st coat painting on both sides   |  |
| 11 | <b>Drywall Partition (lamine w/ AT &amp; painted finish)</b><br>1/4inch Fiber Cement Board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6inches thickness) - wall laminate finish (formica) with horizontal Aluminum Trim (Groove) on one side and painted finish on the other side |  |
| 12 | <b>Drywall Partition (wallpaper and painted finish)</b><br>1/4inch Fiber Cement Board - double wall (6inches thickness) on metal studs and tracks, wallpaper one side (with 1st coat painting) and painted finish on the other side  |  |
| 13 | <b>Wallpaper</b><br>plain or with design, with adhesive  |  |
| 14 | <b>Fixed Glass Panel</b><br>0.60 mm thick glass, with 2inches x 4inches wood jamb, 1inch x 2inches wood casing and 1/2inch x 1/2inch wood Stiffener. with frosted film. Duco paint finish  |  |
| 15 | <b>Tubular Chrome legs for modular desks</b><br>10cm diameter x 74cm height  |  |
| 16 | <b>Backwall (BW)</b><br>Laminated wall with aluminum grooves and backlights including 3-drawers. painted plywood backing and 2 -power outlets. 3.20m width x 2.40m height  |  |
| 17 | <b>Magnetic Glass Board, 1.219mH x 2.438mW</b><br>5mm thick. Low Iron Tempered Glass, white, including magnets, PB-GI Sheet backing and other materials/ accessories   |  |
| 18 | <b>Modular Door, 0.80 x 2.10m (D1)</b><br>60mm thick Laminated Partition-Half Glass Door with Door Jambs, single leaf, 800mm Width x 2100mm Height   |  |
| 19 | <b>Panel Type Door, Single leaf (D3)</b><br>0.80m x 2.10m height including 2inches x 4inches solid wood door jamb with (1inchx3inches) door casing, duco paint finish, half glass with frosted glass film with complete hardwares and accessories  |  |
| 20 | <b>Panel Type Door, Double Leaf (D5)</b><br>1.60m x 2.10m height including 2inches x 4inches solid wood door jamb with (1 inchx3inches) door casing, duco paint finish, half glass with frosted glass film with complete hardwares and accessories   |  |
| 21 | <b>Flush Door with Louver (D7)</b><br>0.70m x 2.10m height with louver, including 2inchesx4inches door jamb with (1inchx3inches) door casing, duco paint finish both sides complete hardwares and accessories  |  |
| 22 | <b>Double Action Double Leaf Frameless Glass Door (D10)</b><br>8mm thick. Frameless glass door (1.50m x 2.10mH) on patch fittings with 1.0m high stainless steel door handle, with 8mm thick. fixed frameless tempered glass (0.60m x 2.10H) - glass door and fixed glass with frosted film                      |  |

|    |  |  |
|----|--|--|
| 23 | <b>Chair Gang-4 Seater (2)</b><br>4 Seater, stainless steel, panel (1.5-1.8mm in thickness) with armrest; backrest & seat are of perforated stainless                                  |  |
| 24 | <b>Staff Chair (4)</b><br>Fabric type, mid-back with armrest, gas lift with 5-pronged star base legs   |  |
| 25 | <b>Cabinet Mobile Pedestal, (5)</b><br>3 Drawers, (2 small & 1 File Drawer), Ball Bearing Roller, Dimension; W40xD56xH70cm, Steel, Gauge 22, powder coated color: off white            |  |
| 26 | <b>Executive Mobile Pedestal (5a)</b><br>Top board in icebirke or rosewood color, with filing drawers at the bottom and 2 small drawers on upper, 460mmL x 560mmW x 680mmH             |  |
| 27 | <b>Sofa-3 Seater (6)</b><br>With armrest leatherette, color; light brown   |  |
| 28 | <b>Sofa A - 2 Seater (7a)</b><br>2-seater sofa, fabric type with tufting, 1400mmL x 600mmD x 1100mmH, with armrest and 4 tapered wooden legs (Scandinavian type)                       |  |
| 29 | <b>Sofa -1 Seater (27)</b><br>With armrest, leatherette, color: light brown  |  |
| 30 | <b>Sofa A -1 Seater (27a)</b><br>1-seater sofa, fabric type with tufting, 750mmL x 750mmD x 1000mmH, with armrest and 4 tapered wooden legs (Scandinavian type)                        |  |
| 31 | <b>Center Table Rectangular (8)</b><br>Stainless steel base, glass top 1.0m Length x 0.60m Width x 0.47m Height  |  |
| 32 | <b>Center Table Rectangular - Glass w/ wooden legs (8b)</b><br>10mm thick tempered glass top with wooden base, 600mmL x 400mmD x 450mmH, legs in 18mm HPL laminated finish with glider |  |
| 33 | <b>Center Table Round - Glass w/ wooden legs (8c)</b><br>10mm thick tempered glass top with wooden base, 600mmD x 450mm H, legs in 18mm HPL laminated finish with glider               |  |
| 34 | <b>Side Table with Stainless Steel Base (9)</b><br>glass top, 0.45m Length x0.45m Width x 0.60m Height   |  |
| 35 | <b>Manager's Highback Chair, (11)</b><br>With armrest, gaslift, backtilt and five pronged star base legs, leatherette Finish   |  |
| 36 | <b>Executive Visitor's Chair - mesh type (12a)</b><br>Semi High Back mesh type with armrest gas lift with five pronged star base chrome legs, NET series color black                   |  |
| 37 | <b>Manager's Visitor's Chair (12c)</b><br>without armrest, low back sled type, leatherette Finish  |  |
| 38 | <b>Executive Visitor's Chair - sled type (12f)</b><br>Semi High Back mesh type with armrest, sled type chrome legs, NET series color black   |  |
| 39 | <b>Filing Cabinet Vertical - 4 drawers (13)</b><br>4 drawers, gauge 22, steel, size:46x62x134cm, heavy duty, roller, metal guide, color: off-white                                     |  |

|    |  |  |
|----|--|--|
| 40 | <b>Executive Table with Side Table - 2.0m (14)</b><br>45mm thick Solid wood in high pressured laminate top finish with bull-nose edging in rosewood color, 2.0mL x 1.0mW x 0.75mH and side table, 1.0mL x 0.50mW x 0.75mH, rosewood color  |  |
| 41 | <b>Executive Table with Side Table - 1.8m (14a)</b><br>45mm thick Solid wood in high pressured laminate top finish w/ bull-nose edging in icebirke color, 1.8mL x 0.9mW x 0.75mH and Side table, 1.0mL x 0.450mW x 0.75mH, icebirke color  |  |
| 42 | <b>Accent Chair - Midback (20)</b><br>1 seater modern midback accent chair fabric type with low armrest and 4 tapered wooden legs (Scandinavian type)  |  |
| 43 | <b>Accent Chair - Highback (20a)</b><br>tall wingback chair with tufted fabric, low armrest and 4 tapered wooden legs (Scandinavian type)  |  |
| 44 | <b>Bar Counter Chair (21)</b><br>Designer bar chair, upholstered seater, wooden fixed frame, 4 tapered wooden legs (Scandinavian type)   |  |
| 45 | <b>Lateral Filing Cabinet, wooden, 4-layers (22a)</b><br>2-filing drawers on bottom and 2-index drawers on upper part drawers in MFC finish, 0.90m L x 0.45m W x 1.06m H   |  |
| 46 | <b>Low cabinet wood on laminate finish (22b)</b><br>With swing-out door and 2-adjustable shelves, color: light brown (wood grain) or icebirke, 0.90mL x 0.45mW x 1.06mH  |  |
| 47 | <b>Cabinet Filing Lateral-3 drawers (24)</b><br>Gauge 22 ; Size: 90cm W x 45cm D x 106cm H   |  |
| 48 | <b>Table Free Standing - with side table (30)</b><br>Free Standing Table, 1.50mL x 0.70mW x 0.75mH with Free Standing Side Table, 1.0mL x 0.50mW x 0.75mH, color: light brown (wood grain) powder coated metal legs and drawer with lock   |  |
| 49 | <b>Conference Chair (35)</b><br>Midback chair with arm rest gas lift and back tilt 2 tone fabric with five pronged star base legs  |  |
| 50 | <b>Table Working, 2.4mL x 1.2mW x 0.750mH (42)</b><br>High pressured laminated top, color: light brown (wood grain), with 4-stainless legs   |  |
| 51 | <b>Executive High Back Chair with chrome legs (43)</b><br>Executive High Back Chair with armrest, gas lift and back tilt mesh type with five pronged star base chrome legs NET series black  |  |
| 52 | <b>Rectangular Carpet (60)</b><br>Modern design Cut pile carpet in 100% PP-BCF yarn, size: 160cm x 230cm   |  |
| 53 | <b>Round Table - Glass Top, (71a)</b><br>4 seater, glass top and stainless legs 0.90m diameter x 0.70m height  |  |
| 54 | <b>Table Secretary with High Acrylic Partition (76a)</b><br>L 2.40m x W 0.70m x H 0.75, high- pressured laminated top, color light brown (wood grain), embossed front panel, powder coated metal legs (black) including 2 drawers with lock with 1.2 meters high acrylic partition |  |

|    |   |  |
|----|---|--|
| 55 | <b>Table Conference-10 seater (83)</b><br>Rectangular shape, High Pressure Laminated top with wooden legs, color - rosewood 2 m L x 1.2m W x 0.75m H  |  |
| 56 | <b>0-Shape Conference Table, 20-seater (88)</b><br>High Pressured Laminate top finish and metal legs (black) which consists of 6pcs 1.4m x 0.60m table, 2 pcs 1.60m x 0.60m table and 4 pcs 0.60m quarter circle table  |  |
| 57 | <b>Curtain - Floor to Ceiling</b><br>50 x 95 inches (floor to ceiling) panel curtain, opaque fabric with grommets on top  |  |
|    | <b>BUSINESS LOUNGE AREA</b>   |  |
| 58 | <p><b>Elevation A Layout</b></p> <p><b>1.Civil / Architectural Works</b><br/>including Demolition Works,<br/>Hauling and Disposal<br/>2-m<sup>2</sup> PVC Door<br/>8-m<sup>2</sup> Panel Door (Sliding)<br/>4-pc 3/4inch thick. Marine Plywood<br/>6-pc 3/4inch thick. Plyboard<br/>6-bd.ft 1 1/6inches x 1 1/6inches Solid Wood<br/>64-m<sup>2</sup> Duco Paint (Wood)<br/>25-m<sup>2</sup> Latex Paint Finish (Masonry)<br/>1-m<sup>2</sup> 3/4inch thick. Granite Countertop with backsplash (CDS)<br/>1-m<sup>2</sup> 3/4inch thick. Granite Countertop (CDS)<br/>2-pc wall laminate (formica)<br/>3-lm Stainless Steel Curtain Rod including accessories<br/>4-m<sup>2</sup> 12mm thick. MR Gypsum Board on Light Aluminum Frame<br/>4-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/>20-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/>1-m<sup>2</sup> 6mm thick facial mirror on 6mm thick marine plywood backing<br/>including all incidentals to complete</p> <p>Miscellaneous</p> <ul style="list-style-type: none"> <li>○ 3-pc Paint brush</li> <li>○ 3-pc Roller brush</li> <li>○ 4-kg Finishing nail</li> <li>○ 1-pc 1/2 L Wood Glue</li> <li>○ 3-lm Sanding Paper</li> <li>○ 1-pc Aging, 1/2 x 1 x 8inches</li> <li>○ 10-pc Cabinet Handle</li> <li>○ 30-pc Door &amp; Cabinet Hinges</li> <li>○ 1-pc Door Knob</li> </ul> <p><b>2.Electrical Works</b><br/>Roughing-ins<br/>3-pc 1/2inch dia. x 3m PVC Pipe<br/>10-pc 1/2 inch dia. PVC Adaptor<br/>10-pc 1/2 inch dia. PVC Locknut<br/>2-pc 2inches x 4inches Utility Box<br/>6-pc 1/2inch x 1/2inch PVC Moulding<br/>3-pc 4inches x 4inches Junction Box with cover<br/>6-pc 1/2 inch dia. Flexible Metallic Conduit<br/>8-pc 1/2 inch dia. Straight Connector with locknut</p> <p>Wires</p> <ul style="list-style-type: none"> <li>20-lm 2.0mm<sup>2</sup> THW Copper Wire</li> <li>40-lm 3.5mm<sup>2</sup> THHN Copper Wire</li> </ul> <p>Wiring Devices &amp; Lighting Fixtures</p> <ul style="list-style-type: none"> <li>2-pc LED T5 Cove Light</li> <li>2-pc LED Drop Light</li> <li>2-pc Single Pole Switch w/ Plate &amp; Cover</li> </ul> <p>Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>2-roll Electrical tape</li> </ul> <p><b>3. Plumbing Works</b></p> |  |

|    |   |  |
|----|---|--|
|    | Plumbing Works including sanitary pipes and fittings and replacement of kitchen sink  |  |
| 59 | <b>Elevation B Layout</b><br>7-m <sup>2</sup> Drywall Partition (Painted Both Sides)<br>2-pc 3/4inch thk. Plyboard (Curtain Cove)<br>10-m <sup>2</sup> Duco Paint (Curtain Cove)<br>12-m <sup>2</sup> 8mm thk. Frameless Tempered Glass with Frosted Film (Fixed)<br>9-lm Stainless Steel Curtain Rod including accessories<br>Miscellaneous <ul style="list-style-type: none"> <li>o 3-pc Paint Brush</li> <li>o 2-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> </ul> 2-lm Sanding Paper   |  |
| 60 | <b>Elevation C Layout</b><br>1-unit QC Logo<br>2-pc 3/4inch thk. Plyboard<br>119-bd.ft. 3inchesx 6inches Solid Wood<br>13-m <sup>2</sup> Duco Paint<br>14-m <sup>2</sup> Latex Paint Finish (Masonry)<br>Miscellaneous <ul style="list-style-type: none"> <li>o 4-pc Paint Brush</li> <li>o 5-pc Roller Brush</li> <li>o 6-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> </ul> 7-lm Sanding Paper  |  |
| 61 | <b>Elevation D Layout</b><br>6-m <sup>2</sup> 8mm thk. Frameless Tempered Glass with Frosted Film (Fixed)<br>6-m <sup>2</sup> Double Action, Double Leaf Door, 8mm thk. Frameless tempered glass (1.20m x 2.10mH) with Frosted Film and 1.0m stainless steel door handle (Code: GD)<br>6-m <sup>2</sup> Latex Paint Finish (Masonry)<br>Miscellaneous <ul style="list-style-type: none"> <li>o 2-set Stainless Steel Door Handle (1.0m)</li> <li>o 2-pc Paint Brush</li> <li>o 1-pc Roller Brush</li> <li>o 3-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> </ul> 3-lm Sanding Paper   |  |
| 62 | DEPARTMENT HEAD – IAO TOILET AND PANTRY including Demolition Works, Hauling and Disposal<br>2-pc 3/4inch thk. Marine Plywood<br>1-pc 3/4inch thk. Plyboard<br>2-bd.ft. 1 1/6inches x 1 1/6inches Solid Wood<br>12-m <sup>2</sup> Duco Paint (Wood)<br>2-m <sup>2</sup> 3/4inch thk. Granite Countertop with backsplash (CDS)<br>6-m <sup>2</sup> 12mm thk. MR Gypsum Board on Light Aluminum Frame<br>6-m <sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br>25-m <sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br>1-m <sup>2</sup> 6mm thk facial mirror on 6mm thk marine plywood backing<br>including all incidentals to complete<br>Miscellaneous <ul style="list-style-type: none"> <li>o 5-pc Paint Brush</li> <li>o 4-pc Roller Brush</li> <li>o 6-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> <li>o 9-lm Sanding Paper</li> </ul> 1-lot Plumbing Works including sanitary pipes and fittings and replacement of kitchen sink |  |

|    |  |  |
|----|--|--|
| 63 | <p><b>DEPARTMENT HEAD - LEIPO TOILET AND PANTRY</b><br/> including Demolition Works, Hauling and Disposal<br/> 2-m<sup>2</sup> PVC Door<br/> 2-pc 3/4inch thk. Marine Plywood<br/> 1-pc 3/4inch thk. Plyboard<br/> 1-bd.ft. 1 1/6inches x 1 1/6inches Solid Wood<br/> 9-m<sup>2</sup> Duco Paint (Wood)<br/> 2-m<sup>2</sup> 3/4inch thk. Granite Countertop with backsplash (CDS)<br/> 7-m<sup>2</sup> 12mm thk. MR Gypsum Board on Light Aluminum Frame<br/> 7-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/> 24-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thk facial mirror on 6mm thk marine plywood backing<br/> including all Incidentals to complete<br/> Miscellaneous<br/> <ul style="list-style-type: none"> <li>○ 5-pc Paint Brush</li> <li>○ 4-pc Roller Brush</li> <li>○ 6-kgs Finishing Nail</li> <li>○ 1-pc 1L Wood Glue</li> <li>○ 9-lm Sanding Paper</li> </ul> 1-lot Plumbing Works including sanitary pipes and fittings and replacement of kitchen sink</p> |  |
| 64 | <p><b>LEIPO STAFF PANTRY</b><br/> 4-pc 3/4inch thk. Marine Plywood<br/> 1-pc 3/4inch thk. Plyboard<br/> 4-bd.ft. 1 1/6inches x 1 1/6inches Solid Wood<br/> 25-m<sup>2</sup> Duco Paint (Wood)<br/> 3-m<sup>2</sup> 3/4inch thk. Granite Countertop with backsplash (CDS)<br/> Miscellaneous<br/> <ul style="list-style-type: none"> <li>○ 5-pc Paint Brush</li> <li>○ 4-pc Roller Brush</li> <li>○ 6-kgs Finishing Nail</li> <li>○ 1-pc 1L Wood Glue</li> <li>○ 9-lm Sanding Paper</li> </ul> 1-lot Plumbing Works including sanitary pipes and fittings and replacement of kitchen sink</p>   |  |
| 65 | <p><b>DEPARTMENT HEAD - SBCDPO TOILET AND PANTRY</b><br/> including Demolition Works, Hauling and Disposal<br/> 3-pc 3/4inch thk. Marine Plywood<br/> 1-pc 3/4inch thk. Plyboard<br/> 3-bf.ft 1 1/6inches x 1 1/6inches Solid Wood<br/> 17-m<sup>2</sup> Duco Paint (Wood)<br/> 3-m<sup>2</sup> 3/4inch thk. Granite Countertop with backsplash (CDS)<br/> 6-m<sup>2</sup> 12mm thk. MR Gypsum Board on Light Aluminum Frame<br/> 6-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/> 22-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thk facial mirror on 6mm thk marine plywood backing<br/> including all incidentals to complete<br/> Miscellaneous<br/> <ul style="list-style-type: none"> <li>○ 5-pc Paint Brush</li> <li>○ 4-pc Roller Brush</li> <li>○ 6-kgs Finishing Nail</li> <li>○ 1-pc 1L Wood Glue</li> <li>○ 9-lm Sanding Paper</li> </ul> 1-lot Plumbing Works including sanitary pipes and fittings and replacement of kitchen sink</p>                              |  |
| 66 | <p><b>MEETING ROOM - SBCDPO TOILET AND PANTRY</b><br/> including Demolition Works, Hauling and Disposal<br/> 3-pc 3/4inch thk. Marine Plywood</p>  |  |



|           |  |  |
|-----------|--|--|
|           | 1-pc 3/4inch thk. Plyboard<br>3-bd.ft. 1 1/6inches x1 1/6inches Solid Wood<br>19-m <sup>2</sup> Duco Paint (Wood)<br>3-m <sup>2</sup> 3/4inch thk. Granite Countertop with backsplash (CDS)<br>5-m <sup>2</sup> 12mm thk. MR Gypsum Board on Light Aluminum Frame<br>5-m <sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br>30cm x 60cm Porcelain Wall Tiles<br>Miscellaneous <ul style="list-style-type: none"> <li>o 5-pc Paint Brush</li> <li>o 4-pc Roller Brush</li> <li>o 6-kgs Finishing Nail</li> <li>o 1-pc 1L Wood Glue</li> <li>o 9-1m Sanding Paper</li> </ul> 1-lotPlumbing Works including sanitary pipes and fittings and replacement of kitchen sink |  |
| 67        | <b>OFFICE SIGNAGES FOR IAO, LEIPO &amp; SBCDPO</b><br>2-set QC Logo<br>8-pc Stainless Steel Letter (150mm) LEIPO and IAO<br>8-pc Stainless Steel Letter (150mm) SBCDPO<br>54-pc Stainless Steel Letter (125mm) LEIPO and IAO<br>50-pc Stainless Steel Letter (125mm) SBCDPO  |  |
| 68        | <b>OTHER ELECTRICAL MATERIALS</b><br>6-pc Emergency Light<br>6-pc Simplex Convenience Outlet<br>126-pc Duplex Convenience Outlet<br>27-pc Simplex Voice (TEL) Outlet<br>90-pc Simplex Data Outlet<br>13-pc Duplex Data Outlet  |  |
| <b>B.</b> | <b>Compliance to the Schedule of Requirements (Section VI)</b>   |  |

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# Technical Specifications

**Project Name: Supply and Installation of Modular Partitions Including Furniture and Fixtures**

**LINE 2: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 12TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  
Project No. CMO-21-FF-199**

| Item | Specification   | Statement of Compliance  |
|------|---|--|
|      |   | <i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i> |
| A 1  | <b>Modular Laminated Partition, with or without glass</b><br>60mm thick with aluminum end trim (color - oft white) and cable wire ready baseboard, (floor to ceiling)   |  |
| 2    | <b>Fabric with Glass Low Partition</b><br>60mm thick 2-tone Modular Fabric Partition (1.20m Ht.) with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric : top color - (0.15m) & bottom color-(1.05m)                                |  |
| 3    | <b>Modular Desks, 600mm width</b><br>30mm Thick Modular Desktop high pressure laminated lop (600mm width) with drawer and powder coated bracket, color: light brown (wood grain)  |  |
| 4    | <b>Roller Shade Blinds</b><br>Indoor Sunscreen Fabric, Color: Khaki   |  |
| 5    | <b>Roller Shade Blinds</b><br>Indoor Combi Fabric, Color: Khaki   |  |
| 6    | <b>Roller Shade Blinds</b><br>Indoor Block out Fabric, Color: Khaki   |  |
| 7    | <b>Counter Top</b><br>30mm thick high pressure laminate finish with powder coated bracket, 1000mm Lx 300mmW color SP SF1176   |  |
| 8    | <b>Counter Top Clip</b><br>Powder coated metal  |  |
| 9    | <b>Drywall Partition (laminated w/ AT &amp; painted finish)</b><br>1/4inch Fiber cement board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6 inches thickness) - wall laminate finish with horizontal Aluminum Trim ( ) on one side and painted finish on the other side |  |

|    |  |  |
|----|--|--|
| 10 | <b>Drywall Partition (lamine w/ AT &amp; wallpaper finish)</b><br>1/4inch Fiber cement board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6 inches thickness) - wall laminate finish with horizontal Aluminum Trim (Groove) on one side and wallpaper finish (with 1st coat painting) on the other side |  |
| 11 | <b>Drywall Partition (painted finish both sides)</b><br>1/4inch Fiber cement board - double wall (6 inches thickness) on metal studs and tracks, with painted finish on both sides   |  |
| 12 | <b>Wallpaper</b><br>plain or with design   |  |
| 13 | <b>Drywall Partition (plain laminate and painted finish)</b><br>1/4inch Fiber cement board on metal studs and tracks with 1/4 Marine plywood backboard, double wall (6 inches thickness) - wall laminate finish on one side and painted finish on the other side   |  |
| 14 | <b>Painting works</b><br>application of 1 coat primer and 2 coats latex or enamel finish   |  |
| 15 | <b>Magnetic Glass Board</b><br>6 mm thick Low Iron Tempered Glass White, 1219mmH x 2438mmW including magnets, PB-GI sheet backing and other materials/accessories  |  |
| 16 | <b>Fixed Glass Panel</b><br>0.60 mm thick glass, with 2 inches x 4 inches wood jamb, 1inch x 2inches wood casing and 1/2inch x 1/2inch wood Stiffener, with frosted film. <b>Duco</b> paint finish   |  |
| 17 | <b>Tubular Chrome legs for modular desks</b><br>10cm diameter x 74cm height  |  |
| 18 | <b>Back wall (BW)</b><br>Laminated wall with aluminum grooves and backlights including 3-drawers, painted plywood backing and 2-power outlets, 3.20m width x 2.40m height  |  |
| 19 | <b>Modular Door, 0.80 x 2.10m (D1)</b><br>60mm thick Laminated Partition-Half Glass Door with Door Jamb, single leaf, 800mm Width x 2100mm Height  |  |
| 20 | <b>Panel Type Door, Single leaf (D3)</b><br>0.80m x 2.10m height including 2 inches x 4 inches solid wood door jamb with (1inch x 3inches) door casing, <b>duco</b> paint finish, half glass with frosted glass film with complete hardware and accessories  |  |
| 21 | <b>Flush Type Door (D4)</b><br>0.70m x 2.10m height including 2inches x 4inches door jamb with (1inch x 3inches) door casing, <b>duco</b> paint finish both sides complete hardware and accessories  |  |
| 22 | <b>Flush Door with Louver (D7)</b><br>0.70m x 2.10m height with louver, including 2inches x 4inches door jamb with (1inchx3inches) door casing, <b>duco</b> paint finish both sides complete hardware and accessories  |  |

|    |  |  |
|----|--|--|
|    |  |  |
| 23 | <b>Flush Type Door - Secret Door (D8)</b><br>wallpaper finish both sides, with hardware and accessories,<br>0.70m x 2.10m height   |  |
| 24 | <b>Gang Chair - 3 Seater (1)</b><br>3 Seater, stainless steel, panel (1.5-1.8mm in thickness) with<br>armrest: backrest & seat are of perforated stainless   |  |
| 25 | <b>Staff Chair (4)</b><br>Fabric type, mid-back with armrest, gas lit with 5-pronged<br>star base legs   |  |
| 26 | <b>Cabinet Mobile Pedestal, (5)</b><br>3 Drawers, (2 small & 1 File Drawer), Ball Bearing Roller,<br>Dimension; W40xD56xH70cm,<br>Steel, Gauge 22, powder<br>coated color: off white   |  |
| 27 | <b>Executive Mobile Pedestal (5a)</b><br>Top board in icebirke or rosewood color, with filing<br>drawers at the bottom and 2 small drawers on upper, 460mmL<br>x 560mmW x 680mmH   |  |
| 28 | <b>Sofa-3 Seater (6)</b><br>With armrest leatherette, color; light brown   |  |
| 29 | <b>Sofa - 2 Seater (7)</b><br>With armrest, leatherette, color: light brown  |  |
| 30 | <b>Sofa -1 Seater (27)</b><br>With armrest, leatherette, color: light brown  |  |
| 31 | <b>Center Table Rectangular (8)</b><br>Stainless steel base, glass top<br>1.0m Length x 0.60m Width x 0.47m Height   |  |
| 32 | <b>Side Table with Stainless Steel Base (9)</b><br>glass top, 0.45m Length x0.45m Width x 0.60m Height   |  |
| 33 | <b>Manager's High back Chair, (11)</b><br>With armrest, gas lift, back tilt and five pronged star base<br>legs, leatherette Finish   |  |
| 34 | <b>Executive Visitor's Chair - mesh type (12a)</b><br>Semi High Back mesh type with armrest gas lift with five<br>pronged star base chrome legs, NET series color black  |  |
| 35 | <b>Manager's Visitor's Chair (12c)</b><br>without armrest, low back sled type, leatherette Finish  |  |
| 36 | <b>Staff Visitors Chair (12d)</b><br>Visitors Chair without armrest, sled type fabric finish   |  |
| 37 | <b>Executive Visitor's Chair - sled type (12f)</b><br>Semi High Back mesh type with armrest, sled type chrome<br>legs, NET series color black  |  |
| 38 | <b>Filing Cabinet Vertical - 4 drawers (13)</b><br>4 drawers, gauge 22, steel, size:46x62x134cm, heavy duty,<br>roller, metal guide, color: off-white  |  |
| 39 | <b>Executive Table with Side Table - 2.0m (14)</b><br>45mm thick Solid wood in high pressured laminate top finish<br>with bull-nose edging in rosewood color, 2.0mL x 1.0mW x<br>0.75mH and side table, 1.0mL x 0.50mW x 0.75mH,<br>rosewood color |  |

|    |  |  |
|----|--|--|
| 40 | <b>Executive Table with Side Table - 1.8m (14a)</b><br>45mm thick Solid wood in high pressured laminate top finish w/ bull-nose edging in icebirke color, 1.8mL x 0.9mW x 0.750mH and Side table, 1.0mL x 0.450mW x 0.75mH, icebirke color           |  |
| 41 | <b>Lateral Filing Cabinet, wooden, 4-layers (22a)</b><br>2-filing drawers on bottom and 2-index drawers on upper part drawers in MFC finish, 0.90m L x 0.45m W x 1.06m H   |  |
| 42 | <b>Low cabinet wood on laminate finish (22b)</b><br>With swing-out door and 2-adjustable shelves, color: light brown (wood grain) or icebirke, 0.90mL x 0.45mW x 1.06mH  |  |
| 43 | <b>Cabinet Filing Lateral-3 drawers (24)</b><br>Gauge 22,; Size: 90cm W x 45cm D x 106cm H   |  |
| 44 | <b>Table Free Standing - with side table (30)</b><br>Free Standing Table,<br>1.50mL x 0.70mW x 0.75mH with<br>Free Standing Side Table,<br>1.0mL x 0.50mW x 0.75mH,<br>color: light brown (wood grain) powder coated metal legs and drawer with lock |  |
| 45 | <b>Conference Chair (35)</b><br>Mid-back chair with arm rest gas lift and back tilt<br>2 tone fabric with five pronged star base legs  |  |
| 46 | <b>Working Table 2.0mL x 1.0mW x 0.750mH (42a)</b><br>High pressured laminated top, color: light brown (wood grain),<br>with 4-stainless legs  |  |
| 47 | <b>Executive High Back Chair with chrome legs (43)</b><br>Executive High Back Chair with armrest, gas lift and back tilt mesh<br>type with five pronged star base chrome legs NET series<br>color black  |  |
| 48 | <b>Round Table - Glass Top, (71a)</b><br>4 seater, glass top and stainless legs<br>0.90m diameter x 0.70m height   |  |
| 49 | <b>0-Shape Conference Table, 18-seater (86)</b><br>High Pressured Laminate top finish and metal legs (black) which consists of 4pcs 1.0m x 0.60m table, 4 pcs 1.20m x 0.60m table and 4 pcs 0.60m quarter circle table                               |  |
| 50 | <b>OFFICE SIGNAGE</b><br>QC Logo   |  |
| 51 | <b>OFFICE SIGNAGE</b><br>Stainless Steel Letter (150mm) PAISD and EAU  |  |
| 52 | <b>OFFICE SIGNAGE</b><br>Stainless Steel Letter (125mm) PAISD and EAU  |  |
| 53 | <b>ELECTRICAL WORKS</b><br>7-pc Emergency Light<br>7-pc Simplex Convenience Outlet<br>163-pc Duplex Convenience Outlet<br>123-pc Simplex Data Outlet<br>18-pc Duplex Data Outlet   |  |
| 54 | <b>PRESS BRIEFING ROOM @PAISD</b><br>13-m <sup>2</sup> 8mm thick. Frameless Tempered Glass with Frosted Film (Fixed)   |  |

|    |   |  |
|----|---|--|
|    | <p>including accessories<br/> 14-m<sup>2</sup> 8mm thick Frameless Tempered Glass (Fixed)<br/> including accessories<br/> 2-m<sup>2</sup> 6mm thick. Tempered Glass on Powder Coated Aluminum Frame<br/> (Fixed) including accessories<br/> 4-m<sup>2</sup> Double Action, Double Leaf Door, 8mm thick. (1.50 mm x 2.10mm) Frameless Tempered Glass with Frosted Film including accessories<br/> 60-m<sup>2</sup> Painting works at the ceiling: application of 2 coats of latex.<br/> Black<br/> 60-m<sup>2</sup> Demolition works and hauling of ceiling tiles and frames</p>   |  |
| 55 | <p><b>PANTRY FOR DEPARTMENT HEAD @PAISD</b><br/> 2-pc 3/4inch thick. Marine Plywood<br/> 1-pc 3/4inch thick Ply board<br/> 8-m<sup>2</sup> Duco Paint (Wood)<br/> 1-m<sup>2</sup> 3/4inch thick. Granite Countertop with backsplash (CDS)<br/> 2-pc wall laminate<br/> 1-lot Plumbing Works including sanitary pipes and fittings and replacement of fixtures and kitchen sink.</p>   |  |
| 56 | <p><b>PANTRY FOR ASSISTANT DEPARTMENT HEAD @PAISD</b><br/> 2-pc 3/4inch thick. Marine Plywood<br/> 1-pc 3/4inch thick. Ply board<br/> 7-m<sup>2</sup> Duco Paint (Wood)<br/> 1-m<sup>2</sup> 3/4inch thick. Granite Countertop with backsplash (CDS)<br/> 2-pc wall laminate<br/> 1-lot Plumbing Works including sanitary pipes and fittings and replacement of fixtures and kitchen sink.</p>  |  |
| 57 | <p><b>TOILET FOR DEPARTMENT HEAD @PAISD</b><br/> Including Demolition Works, Hauling and Disposal<br/> 9-m<sup>2</sup> 12mm thick. MR Gypsum Board on Light Aluminum Frame<br/> 9-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/> 27-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thick facial mirror on 6mm thick marine plywood backing<br/> including all incidentals to complete<br/> 1-set Shower<br/> 1-set Water closet Tank Type with Bidet<br/> 1-pc Lavatory Wall hung and Faucet including pipes and fittings<br/> 12- pc Floor Drain, 50Ø</p> <p>Architectural Works<br/> 1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 12-pc Metal Screw</li> <li>○ 13-pc Blind Rivets</li> <li>○ 2-kg Concrete Nails</li> <li>○ 2-kg Grout</li> <li>○ 1-pc Sealant</li> <li>○ 3-pc Paint Brush</li> <li>○ 3-pc Roller Brush</li> </ul> <p>Plumbing Works<br/> 1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 1-can Solvent Cement, 400ml</li> <li>○ 4-kg Waste Cloth</li> <li>○ 2-pc Hacksaw Blade</li> <li>○ 1-pc Metal Drill Bit, ½”Ø</li> <li>○ 1-pc Concrete Drill Nit, ½”Ø</li> <li>○ 1-liter Paint Thinner</li> </ul> |  |

|    |  |  |
|----|--|--|
|    | <ul style="list-style-type: none"> <li>○ 2-pc Paint Brush 1”</li> </ul> <p>8-roll Teflon Tape</p>  |  |
| 58 | <p><b>TOILET FOR ASSISTANT DEPARTMENT HEAD @PAISD</b><br/> Including Demolition Works, Hauling and Disposal<br/> 7-m<sup>2</sup> 12mm thick. MR Gypsum Board on Light Aluminum Frame<br/> 7-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/> 23-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thick facial mirror on 6mm thick marine plywood backing<br/> including all incidentals to complete<br/> 1-set Shower<br/> 1-set Water closet Tank Type with Bidet<br/> 1-set Lavatory Wall hung and Faucet including pipes and fittings<br/> 1-pc Floor Drain, 50Ø</p> <p>Architectural Works<br/> 1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 10-pc Metal Screw</li> <li>○ 11-pc Blind Rivets</li> <li>○ 1-kg Concrete Nails</li> <li>○ 2-kg Grout</li> <li>○ 1-pc Sealant</li> <li>○ 3-pc Paint Brush</li> <li>○ 3-pc Roller Brush</li> </ul> <p>Plumbing Works<br/> 1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 1-can Solvent Cement, 400ml</li> <li>○ 2-kg Waste Cloth</li> <li>○ 2-pc Hacksaw Blade</li> <li>○ 1-pc Metal Drill Bit, ½”Ø</li> <li>○ 1-pc Concrete Drill Nit, ½”Ø</li> <li>○ 1-liter Paint Thinner</li> <li>○ 2-pc Paint Brush 1”</li> </ul> <p>15-roll Teflon Tape</p> |  |
| 59 | <p><b>TOILET for EDITORIAL DIVISION @ PAISD</b><br/> Including Demolition Works,<br/> Hauling and Disposal<br/> 8-m<sup>2</sup> 12mm thick. MR Gypsum Board on Light Aluminum Frame<br/> 8-m<sup>2</sup> 60cm x 60cm Non-Skid Porcelain Tiles<br/> 26-m<sup>2</sup> 30cm x 60cm Porcelain Wall Tiles<br/> 1-m<sup>2</sup> 6mm thick facial mirror on 6mm thick marine plywood backing<br/> including all incidentals to complete<br/> 1-set Shower<br/> 1-set Water closet Tank Type with Bidet<br/> 1-set Lavatory Wall hung and Faucet including pipes and fittings<br/> 1-pc Floor Drain, 50Ø</p> <p>Architectural Works<br/> 1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 16-pc Metal Screw</li> <li>○ 17-pc Blind Rivets</li> <li>○ 2-kg Concrete Nails</li> <li>○ 2-kg Grout</li> <li>○ 1-pc Sealant</li> <li>○ 4-pc Paint Brush</li> <li>○ 4-pc Roller Brush</li> </ul> <p>Plumbing Works<br/> 1-lot Miscellaneous &amp; Consumables</p> <ul style="list-style-type: none"> <li>○ 1-can Solvent Cement, 400ml</li> <li>○ 2-kg Waste Cloth</li> <li>○ 1-pc Hacksaw Blade</li> <li>○ 2-pc Metal Drill Bit, ½”Ø</li> </ul>   |  |

|           |  |  |
|-----------|--|--|
|           | <ul style="list-style-type: none"> <li>○ 2-pc Concrete Drill Nit, ½”ø</li> <li>○ 1-liter Paint Thinner</li> <li>○ 1-pc Paint Brush 1”</li> </ul> 17-roll Teflon Tape   |  |
| 60        | <b>TOILET for EAU HEAD</b><br>Including Demolition Works, Hauling and Disposal<br>4-m² 12mm thick. MR Gypsum Board on Light Aluminum Frame<br>4-m² 60cm x 60cm Non-Skid Porcelain Tiles<br>18-m² 30cm x 60cm Porcelain Wall Tiles<br>1-m² 6mm thick facial mirror on 6mm thick marine plywood backing<br>including all incidentals to complete<br>1-set Shower<br>1-set Water closet Tank Type with Bidet<br>1-set Lavatory Wall hung and Faucet including pipes and fittings<br>1-pc Floor Drain, 50Ø<br><br>Architectural Works<br>1-lot Miscellaneous & Consumables <ul style="list-style-type: none"> <li>○ 9-pc Metal Screw</li> <li>○ 10-pc Blind Rivets</li> <li>○ 1-kg Concrete Nails</li> <li>○ 2-kg Grout</li> <li>○ 1-pc Sealant</li> <li>○ 3-pc Paint Brush</li> <li>○ 3-pc Roller Brush</li> </ul> Plumbing Works<br>1-lot Miscellaneous & Consumables <ul style="list-style-type: none"> <li>○ 1-can Solvent Cement, 400ml</li> <li>○ 3-kg Waste Cloth</li> <li>○ 4-pc Hacksaw Blade</li> <li>○ 1-pc Metal Drill Bit, ½”ø</li> <li>○ 1-pc Concrete Drill Nit, ½”ø</li> <li>○ 2-liter Paint Thinner</li> <li>○ 1-pc Paint Brush 1”</li> </ul> 10-roll Teflon Tape |  |
| <b>B.</b> | <b>Compliance to the Schedule of Requirements (Section VI)</b>   |  |

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_



# Technical Specifications

**Project Name: Supply and Installation of Modular Partitions Including Furniture and Fixtures**

**LINE 3: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 7TH FLOOR AT QUEZON CITY HALL MAIN BUILDING  
Project No. CMO-21-FF-199**

| Item | Specification   | Statement of Compliance  |
|------|---|--|
|      |   | <i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i> |
| A 1  | Modular Laminated Partition, with or without glass 60mm thick with aluminum end trim (color - off white) and cable wire ready baseboard   |  |
| 2    | Fabric with Glass Low Partition<br>60mm thick 2-tone Modular Fabric Partition (1.20m Ht.)<br>with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric: top color - (0.15m) & bottom color-(1.05m) |  |
| 3    | Modular Desks, 600mm width<br>30mm Thick Modular Desktop high pressure laminated<br>top (600mm width) with drawer and powder coated bracket,<br>color: light brown (wood grain)   |  |
| 4    | Roller Shade Blinds<br>Indoor Sunscreen Fabric, Color: Khaki<br>all roller shades with Aluminum Framing   |  |
| 5    | Roller Shade Blinds<br>Indoor Combi Fabric, Color: Khaki<br>all roller shades with Aluminum Framing   |  |
| 6    | Drywall Partition (wallpaper and painted finish) 1/4inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6inches thickness) (wallpaper one side)   |  |

|    |   |  |
|----|---|--|
|    | and painted finish on the other side)   |  |
| 7  | Drywall Partition (laminated and painted finish) 1/4 inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6 inches thickness) laminated with horizontal aluminum trim (laminated finish on one side and painted finish on the other side)      |  |
| 8  | Drywall Partition (laminated and wall paper finish) 1/4 inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6 inches thickness) laminated with horizontal aluminum trim (laminated finish on one side and wallpaper finish on the other side) |  |
| 9  | Drywall Partition (painted finish both sides) 1/4 inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6 inches thickness) (painted finish both sides)   |  |
| 10 | Drywall Partition (laminated finish both sides) 1/4 inch Fiber Cement board on metal studs with 1/4 plywood backboard, double wall (6 inches thickness) (laminated finish both sides)   |  |
| 11 | Fixed Glass Panel<br>0.60 mm thick glass and 2 inches x 4 inches wood casing, with frosted film, Duco paint finish  |  |
| 12 | Counter Top<br>30mm thick high pressure laminated finish with powder coated bracket, 1000mm L x 300mm W color SP SF1176   |  |
| 13 | Counter Top Clip, powder coated metal   |  |
| 14 | Tubular Chrome legs for modular desks, 10cm diameter x 74cm height  |  |
| 15 | Modular Door, 0.80 x 2.10m (D1)<br>60mm thick Laminated Partition-Half Glass Door with Door<br>Jambs single leaf, 800mm Width x 2100mm Height   |  |
| 16 | Panel Type Door, Single leaf (03)<br>0.80m x 2.10m height including 2 inches x 4 inches solid wood door jamb with (1 inch x 3 inches) door casing, duco paint finish, half glass with frosted glass film with complete hardwares and accessories                          |  |
| 17 | Flush Door (D4)   |  |

|    |  |  |
|----|--|--|
|    | 0.70m x 2.10m height including 2inches x 4inches door jamb with (1inch x 3inches) door casing, duco paint finish both sides complete hardwares and accessories   |  |
| 18 | Flush Door with Louver (D7)<br>0.70m x 2.10m height with louver, including 2inches x 4inches door jamb with (1inch x 3inches) door casing, duco paint finish both sides complete hardwares and accessories |  |
| 19 | Flush Door - Secret Door (D8) wallpaper finish both sides, with hardwares and accessories, 0.70m x 2.10m height  |  |
| 20 | Chair Gang-3 Seater (1)<br>3 Seater, stainless steel, panel (1.5-1.8mm in thickness) with armrest; backrest & seat are of perforated stainless   |  |
| 21 | Staff Chair (4)<br>Fabric type, mid-back with armrest, gas lit with 5-pronged; star base legs  |  |
| 22 | Cabinet Mobile Pedestal, (5)<br>3 Drawers, (2 small & 1 File Drawer), Ball Bearing Roller,<br>Dimension: W40xD56xH70cm, Steel, Gauge 22, powder coated color: off white                                    |  |
| 23 | Executive Mobile Pedestal, (5a)<br>Top board in icebirke or rosewood color, with filing drawers at the bottom and 2 small drawers on upper,<br>460mmL x 560mmW x 680mmH                                    |  |
| 24 | Sofa-3 Seater (6)<br>With armrest, leatherette, color: light brown   |  |
| 25 | Sofa-2 Seater (7)<br>With armrest, leatherette, color: light brown   |  |
| 26 | Sofa-1 Seater (27)<br>With armrest, leatherette, color: light brown  |  |
| 27 | Center Table - Rectangular (8)<br>Stainless steel base, glass top<br>1.0m Length x 0.60m Width x 0.47m Height  |  |
| 28 | Side Table with Stainless Steel Base (9)<br>glass top, 0.45m Length x 0.45m Width x 0.60m Height   |  |
| 29 | Executive High Back Chair with chrome legs (43)<br>Executive High Back Chair with armrest, gaslift and backtilt  |  |

|    |  |  |
|----|--|--|
|    | mesh type with five pronged star base chrome legs NET<br>Series color black  |  |
| 30 | Manager's Highback Chair, (11)<br>With armrest, gaslift, backtilt and five pronged star base legs,<br>leatherette Finish   |  |
| 31 | Executive Visitor's Chair (12a)<br>Semi High Back mesh type with armrest gaslift with five pronged star base chrome legs, NET series color black   |  |
| 32 | Manager's Visitor Chair (12c)<br>Without armrest, lowback sled type,<br>leatherette finish   |  |
| 33 | Staff Visitor Chair (12d)<br>Visitors Chair without armrest, sled type fabric finish   |  |
| 34 | Executive Visitor's Chair (12f)<br>Semi High Back mesh type with armrest, sled type chrome legs, NET series color black  |  |
| 35 | Cabinet Filing Vertical-4 drawers (13)<br>4 drawers. Gauge 22, steel, size:46x62x134cm, heavy duty, roller, metal guide, color: off-white  |  |
| 36 | Table Executive with Side Table (14)<br>45mm thick Solid wood in high pressured laminate top finish<br>w/ bull-nose edging in rosewood color, 2.0mL x 1.0mW x 0.75mH<br>and side table, 1.0mL x 0.50mW x 0.75mH, rosewood color      |  |
| 37 | Executive Table with Side Table (14a)<br>45mm thick Solid wood in high pressured laminate top finish<br>w/ bull-nose edging in icebirke color, 1.8mL x 0.9mW x 0.750mH<br>and Side table, 1.0mL x 0.450mW x 0.75mH, icebirke color : |  |
| 38 | Console Table (15a)<br>MDF Veneer Top with Stainless Steel Fame 120 cm L x 39 cm D x 75 cm H   |  |
| 39 | Table Free Standing (19e)<br>Free Standing Table, 1.50mL x 0.60mW x 0-75mH with<br>High pressure laminated top, Color: Light Brown (wood grain) powder coated metal legs with drawer color: off white                                |  |

|    |  |  |
|----|--|--|
| 40 | Low cabinet, wood on laminate finish (22b)<br>With swing-out door and 2-adjustable shelves,<br>color light brown (wood grain) or icebirke,<br>0.90mL x 0.45mW x 1.06mH   |  |
| 41 | Cabinet Filing Lateral-3 drawers (24)<br>Gauge 22; Size: 90cm W x 45cm D x 106cm H   |  |
| 42 | Table Free Standing - with side table (30)<br>Free Standing Table, 1.50mL x 0.70mW x<br>0.75mH with Free Standing Side Table, 1.0mL x<br>0.50mW x 0.75mH,<br>color: light brown (wood grain) powder<br>coated metal legs<br>and drawer with lock |  |
| 43 | Conference Chair (35)<br>Midback chair with arm rest gaslift and backtilt<br>2 tone fabric with five pronged star base legs  |  |
| 44 | Table Conference-6 seater, wooden legs (40)<br>Rectangular shape, High Pressure Laminated<br>top with<br>wooden legs, color - rosewood 1.80mLx 1.0mW<br>x 0.75mH   |  |
| 45 | Table Working, 2.4mL x 1.2mW x 0.750mH (42)<br>High pressured laminated top, color: light<br>brown (wood<br>grain), with 4-stainless legs  |  |
| 46 | Table Conference-8 seater, wooden legs (46)<br>Rectangular shape, High Pressure Laminated<br>top with wooden legs, color - rosewood 2.0mL<br>x 1.0mW x 0.75m   |  |
| 47 | Table Round, (71a)<br>4 seater glass top & stainless legs,<br>0.90m diameter x 0.740mH   |  |
| 48 | Book Shelves (72)<br>1.0m Length x 0.45m Width x 2.40m Height,<br>MFC laminate<br>finish with 5 shelves  |  |
| 49 | O-Shape Conference Table,<br>18-seater (86)<br>High Pressured Laminate top finish and metal<br>legs (black)<br>which consists of 4pcs 1.0m x 0.60m table, 4<br>pcs 1.20m<br>x 0.60m table and 4 pcs 0.60m quarter circle<br>table                |  |
| 50 | Court Staff Chair (C1)<br>midback chair with adjustable armrest,<br>adjustable height,<br>gas lift, nylon mesh/net backrest, fabric seat<br>rest, nylon<br>star base, twin nylon caster wheels   |  |

|    |   |  |
|----|---|--|
| 51 | Judge's Chair (C6)<br>nylon mesh midback, adjustable armrest,<br>adjustable height, gaslift, twin nylon caster<br>wheels, chrome finish flat starbase   |  |
| 52 | Steno Table (TB-03)<br>700mmL x 600mmW x 750mmH, 25mm thick<br>high pressurized laminated board, wood grain<br>finish with flat pvc edging match  |  |
| 53 | Built-in Back Shelf (Department Head)<br>Open shelves, 3/4 thk Plywood with Formica<br>finish   |  |
| 54 | Built-in Shelves (Records/File Room)<br>Open shelves, 3/4 thk Plywood, painted finish   |  |
| 55 | Reception Area<br>1-set QC Logo<br>3-pc Stainless Steel Leter {150mm)<br>16-pc Stainless Steel Letter (125mm)<br>9-m <sup>2</sup> Wood Laminate w/ 20mm Groove<br>1-unit Laminated Shelves<br>6-lm Counter Table  |  |
| 56 | Rostrum<br>3m <sup>2</sup> 20mm thk Marine Plywood Table top on<br>Stained Finish<br>20-bd.ft. 40mm x 40mm Solid Wood Frame<br>2-bd.ft. 12inm x 20mm Solid Wood Edging<br>5-m <sup>2</sup> 6mm thk Marine Plywood on Stained<br>Finish<br>Miscellaneous<br>o 1-kg Finishing Nail<br>o 1-pc Roller brush<br>o 4-lm Sanding Paper<br><br>1-pc 1/L Wood Glue |  |
| 57 | Moot Court Elevated Platform<br>4-m <sup>2</sup> 3/4inch thk Plyboard, Painted finish<br>73-bd-ft 2inches x 8inches Solid Wood Floor<br>Joist<br>5-lm 100mm thk Baseboard<br>Miscellaneous<br>o 1-kg Finishing Nail<br>o 1-pc Roller brush<br>o 5-lm Sanding Paper<br><br>1-pc 1/L Wood Glue  |  |
| 58 | 3 Toilets<br>Removal of Existing Fixtures<br>13-m <sup>2</sup> Existing Floor Tiles<br>13-m <sup>2</sup> Existing Concrete Topping and<br>Waterproofing<br>3-lot Existing Lavatory, Water closet and Urinal<br>1-lot Hauling and Disposal of Demolished<br>Materials<br>Floor Finishes  |  |

|           |  |  |
|-----------|--|--|
|           | 14-m <sup>2</sup> 300mm x 600mm Homogenous Porcelain Tiles<br>14-m <sup>2</sup> 50mm Concrete Topping (For Tiles)<br>Wall Finishes<br>67-m <sup>2</sup> 300mm x 600mm Homogenous Porcelain Tiles<br>3-lot Plastering Guide<br>Miscellaneous<br>○3-set Bathroom Accessories (toilet paper holder and liquid soap dispenser)<br>○3-pc Water Closet<br>○3-pc Lavatory<br><br>29-m <sup>2</sup> Waterproofing – Capillary Type 9(For CR) |  |
| 59        | Pantry<br>4-m <sup>2</sup> Countertop & Backsplash, 20mm thk, Granite Slab Finish (CDS)<br>6-lm Wall cabinet including accessories, Painted finish<br>6-lm Under countertop Cabinet including accessories, Painted Finish<br>2-set Kitchen Sink  |  |
| 60        | Electrical<br>9-pc Emergency Light<br>9-pc Simplex Convenience Outlet<br>154-pc Duplex Convenience Outlet<br>29-pc Simplex Voice (TEL) Outlet<br>122-pc Simplex Data Outlet<br>13-pc Duplex Data Outlet  |  |
| <b>B.</b> | <b>Compliance to the Schedule of Requirements (Section VI)</b>   |  |

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# Technical Specifications

**Project Name: Supply and Installation of Modular Partitions Including Furniture and Fixtures**

**LINE 4: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR QUEZON CITY ANIMAL POUND**

**Project No. CMO-21-FF-199**

| Item | Specification   | Statement of Compliance  |
|------|---|--|
|      |   | <i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i> |
| A 1  | Fabric with Glass Low Partition<br>60mm thick 2-tone Modular Fabric Partition (1.20m Ht.)<br>with clear glass, (0.30m Ht.) complete with aluminum<br>end trim (color: off-white) and cable, wire ready baseboard,<br>fabric: top color-(0.15m) & bottom color-(1.05m) |  |
| 2    | Modular Desks, 600mm width<br>30mm Thick Modular Desktop high pressure laminated<br>top (600mm width) with drawer and powder coated bracket,<br>color: light brown (wood grain)   |  |
| 3    | Tubular Chrome legs for modular desks 10cm diameter x 74cm height   |  |
| 4    | Gang Chair - 4 Seater (2)<br>4 Seater, stainless steel, panel (1.5-1.8mm in thickness) with<br>armrest; backrest & seat are of perforated stainless   |  |
| 5    | Staff Chair (4)<br>Fabric type, mid-back with armrest, gas lift with 5-pronged<br>star base legs  |  |



|    |  |  |
|----|--|--|
| 6  | Cabinet Mobile Pedestal, (5)<br>3 Drawers, (2 small & 1 File Drawer), Ball Bearing Roller,<br>Dimension: W40xD56xH70cm, Steel, Gauge 22, powder coated color: off white  |  |
| 7  | Executive Mobile Pedestal, (5a)<br>Top board in icebirke or rosewood color, with filing drawers at the bottom and 2 small drawers on upper,<br>460mmL x 560mmW x 680mmH  |  |
| 8  | Sofa-2 Seater (7)<br>With armrest, leatherette, color light brown  |  |
| 9  | Sofa-1 Seater (27)<br>With armrest, leatherette, color light brown   |  |
| 10 | Center Table Rectangular (8)<br>Stainless steel base, glass top<br>1.0m Length x 0.60m Width x 0.47m Height  |  |
| 11 | Executive Visitor's Chair - mesh type (12a)<br>Semi High Back mesh type with armrest gaslift with five pronged star base chrome legs, NET series color black   |  |
| 12 | Staff Visitors Chair (12d)<br>Visitors Chair without armrest, sled type fabric finish  |  |
| 13 | Filing Cabinet Vertical-4 drawers (13)<br>4 drawers, gauge 22, steel, size:46x62x134cm, heavy duty, roller, metal guide, color: off-white  |  |
| 14 | Executive Table with Side Table - 1.8m (14a)<br>45mm thick Solid wood in high pressured laminate top finish w/ bull-nose edging in icebirke 1.8mL x 0.9mW x 0.750mH and Side table, 1.0mL x 0.450mW x 0.75mH, icebirke color |  |
| 15 | Free Standing Table - 1.5m (19c)<br>High Pressure Laminated top. color: light brown (wood grain)<br>powder coated metal legs with drawer (powder coated with lock) color code - Offwhite, 1.5mL x 0.60mW x 0.75mH            |  |
| 16 | Free Standing Table - 1.2m (19e)<br>High Pressure Laminated top, color: light brown (wood grain)<br>powder coated metal legs with drawer (powder coated with lock) color code - Offwhite,                                    |  |

|    |  |  |
|----|--|--|
|    | 1.2mL x 0.60mW x 0.75mH  |  |
| 17 | Lateral Filing Cabinet, wooden, 4-layers (22a)<br>2-filing drawers on bottom and 2-index drawers on upper<br>pat drawers in MFC finish, 0.90m L x 0.45m Wx 1.06m H   |  |
| 18 | Steel Locker 9 - Doors(29)<br>9-openings, hard metal, gauge 22, powder coated with<br>individual lock, offwhite finish. 0.72niD x Q.36mW x 1.8mH   |  |
| 19 | Conference Chair (35)<br>Midback chair with arm rest gaslift and backtilt<br>2 tone fabric with five pronged star base legs  |  |
| 20 | Executive High Back Chair with chrome legs (43)<br>Executive High Back Chair with armrest, gaslift and backtilt<br>mesh type with five pronged star base chrome legs NET<br>Series color black   |  |
| 21 | Working Table 1.50mL x 0.80mW x 0.75mH (44)<br>High pressured laminated top, color: light brown (wood grain), with 4-stainless legs  |  |
| 22 | Conference Table - 8 seater, wooden legs (46)<br>Rectangular shape, High Pressure Laminated top with<br>wooden legs, color - rosewood 2.0mL x 1.0mW x 0.75mH   |  |
| 23 | Folding Table (3C)<br>Rectangular plastic fold in half table, Color: white<br>76.2 cm W x 163.8 cm Lx 73.6cm H   |  |
| 24 | Animal Cage (Dog) –'(C)<br>2 Layer pure stainless steel grills cage - 1.0mLx1.0mWx1.0mH<br>Heavy Duty, Double frame, Fully weld, Mirror finish including<br>stainless poop tray, barrel bolt with lockset with stainless steel matting           |  |
| 25 | Animal Cage (Cat) –'(Ca)<br>2 Layer pure stainless steel grills cage - 0.60 m L x 1.0 m W x 0.60 m H Heavy Duty, Double frame. Fully weld. Mirror finish including<br>stainless poop tray, barrel bolt with lockset with stainless steel matting |  |
| 26 | Storage Built-in Cabinet<br>19m Thick Plywood 2 ft x 4 inches  |  |

|           |  |  |
|-----------|--|--|
|           | wood base painting works duco finish, Including hinges, handle and other miscellaneous   |  |
| 27        | Supply Room Built - In Cabinet<br>19 m Thick Plywood 2ft x 4inches wood base painting works duco finish including hinges, handle and other miscellaneous |  |
| <b>B.</b> | <b>Compliance to the Schedule of Requirements (Section VI)</b>   |  |

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class “A” Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);  
**or**
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,  
**and**
- (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;  
**and**
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

#### Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**); **and**
- (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**); **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  
**or**  
Original copy of Notarized Bid Securing Declaration; **and**
- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS);  
**and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (k) The Supplier’s audited financial statements, showing, among others, the Supplier’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (l) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC) (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**);  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### *Class “B” Documents*

- (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;  
**or**  
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

*Other documentary requirements under RA No. 9184 (as applicable)*

- (n) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

**II. FINANCIAL COMPONENT ENVELOPE**

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

**III. REQUIRED DOCUMENTS IN BDS SECTION 20.2 AND 21.2**

- (A) Statement of Warranty – minimum of one (1) year

Note:

1. Please refer to [\[https://drive.google.com/file/d/1uiYurh5WrpBL5B\\_pqpzAb62yucAbIR1p/view?usp=sharing\]](https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAbIR1p/view?usp=sharing) for the following requirements:
  - a. Computation of NFCC;
  - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
  - c. Statement of Single Largest Completed Contract
2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
  - a. Bid Form;
  - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
  - c. Bid Securing Declaration; and
  - d. Omnibus Sworn Statement

