

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF VARIOUS OFFICE EQUIPMENT

PROJECT NO. CONSO-21-OE-224

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid	7
Section II. Instructions to Bidders	8
1. Scope of Bid	
2. Funding Information	12
3. Bidding Requirements	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5. Eligible Bidders	12
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	14
10. Documents comprising the Bid: Eligibility and Technical Components	144
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	15
16. Deadline for Submission of Bids	16
17. Opening and Preliminary Examination of Bids	16
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	21
1. Scope of Contract	22
2. Advance Payment and Terms of Payment	22
3. Performance Security	22
4. Inspection and Tests	22
5. Warranty	22
6. Liability of the Supplier	23
Section V. Special Conditions of Contract	24
Section VI. Schedule of Requirements	28
Section VII. Technical Specifications	
Section VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



July 29, 2021

Invitation to Bid

ITEM NO.	P.R./PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	CMO-21-HCS-203	OFFICE OF THE CITY MAYOR	TENT	P 1,979,550.00	GF 2021	30 CD
2	VMO-21-SG-213	OFFICE OF THE VICE MAYOR	BICYCLE WITH HELMET	P 11,896,500.00	GF 2021	15 CD
3	PLANNING-21-PS-221	CITY PLANNING AND DEVELOPMENT DEPARTMENT	COMPREHENSIVE DEVELOPMENT PLAN AND OTHERS	P 1,400,000.00	GF 2021	30 CD
4	SDO-21-BOOKS-208	SCHOOLS DIVISION OFFICE	BOOK FOR KINDER (BIP-BIP – BILIS SA PAGBASA NG BATANG ISIP PINOY)	P 9,570,000.00	SEF 2021	30 CD
5	CONSO-21-DM-222	VARIOUS OFFICES (SCHOOLS DIVISION OFFICE/CITY ACCOUNTING DEPARTMENT)	DRUGS AND MEDICINES	P 1,065,053.00	SEF/GF 2021	30 CD
6	CLD-21-IT-216	CITY LEGAL DEPARTMENT	ONLINE LEGAL SERVICE, FORMS AND KNOWLEDGE TECHNOLOGY PLATFORM FOR QUEZON CITY CONSTITUENTS	P 39,999,999.88	GF 2021	30 CD
7	CLD-21-IT-217	CITY LEGAL DEPARTMENT	SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF DOCUMENT MANAGEMENT SYSTEM FOR CITY LEGAL DEPARTMENT	P 15,000,000.00	GF 2021	98 CD
8	CONSO-21-OE-224	VARIOUS OFFICE (OFFICE OF THE CITY PROSECUTOR/ CITY ACCOUNTING DEPARTMENT/ QUEZON CITY YOUTH DEVELOPMENT OFFICE/ CITY LEGAL DEPARTMENT/ QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE/ CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE)/ PARKS DEVELOPMENT AND ADMINISTRATION DEPARTMENT)	VARIOUS OFFICE EQUIPMENT	P 1,367,269.30	GF 2021	30 CD
9	PARKS-21-VRM-220	PARKS DEVELOPMENT& ADMINISTRATION DEPARTMENT	RM - MOTOR VEHICLE (PARTS AND LABOR)	P 569,482.50	GF 2021	30 CD
10	VETERINARY-21-VPS- 148	QUEZON CITY VETERINARY DEPARTMENT	ANTI-RABIES VACCINE FOR ANIMALS AND OTHERS	P 6,270,055.00	GF 2021	30 CD
11	CONSO-21-PLASTIC-99	VARIOUS OFFICES (HUMAN RESOURCE MANAGEMENT DEPARTMENT/ BARANGAY AND COMMUNITY RELATIONS DEPARTMENT)	MONOBLOC CHAIRS & TABLE AND OTHERS	P 4,450,075.00	GF 2021	15 CD
12	CONSO-21-MS-130	BARANGAY AND COMMUNITY RELATIONS DEPARTMENT	FACE MASK	P 4,999,800.00	GF 2021	15 CD
13	CDS-21-PCP-219	OFFICE OF COUN. DIORELLA MARIA SOTTO-ANTONIO	HYGIENE KIT	P 1,600,000.00	GF 2021	15 CD
14	CONSO-21-OS-211	VARIOUS OFFICES (DEPARTMENT OF ENGINEERING/ OFFICE OF THE SECRETARY TO THE SANGGUNIANG PANLUNGSOD)	VARIOUS OFFICE SUPPLIES	P 788,144.45	GF 2021	30 CD

	CMO-21-FF-199	OFFICE OF THE CITY MAYOR	LINE 1: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 6TH FLOOR AT QUEZON CITY HALL MAIN BUILDING	P 19,289,710.00	GF 2021	90 CD
15	CMO-21-FF-199	OFFICE OF THE CITY MAYOR	LINE 2: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 12TH FLOOR AT QUEZON CITY HALL MAIN BUILDING	P 16,176,848.75	GF 2021	90 CD
	CMO-21-FF-199	OFFICE OF THE CITY MAYOR	LINE 3: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR 7TH FLOOR AT QUEZON CITY HALL MAIN BUILDING	P 17,918,461.60	GF 2021	90 CD
	CMO-21-FF-199	OFFICE OF THE CITY MAYOR	LINE 4: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND FIXTURES FOR QUEZON CITY ANIMAL POUND	P 2,710,641.00	GF 2021	90 CD

1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for *Various Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three* (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m. 5:00 p.m.*
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday, August 13, 2021* from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The *Quezon City Local Government* will hold a Pre-Bid Conference on 10:00 A.M. of **Friday, August 20, 2021** at 2nd **Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound**, and/or through video conferencing *via Zoom* which shall be open to prospective bidders

Topic: BAC-GOODS Pre Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Thursday, September 02, 2021**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 1:00 P.M. of **Thursday, September 02, 2021** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z31yU29iZGV1WmdKRjZCdz09

Meeting ID: 858 5085 5933

Passcode: 118682

- 10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department

2nd Floor, Procurement Department,

Finance Building, Quezon City Hall Compound

Elliptical Road, Barangay Central Diliman, Quezon City.

Email Add: bacgoods.procurement@quezoncity.gov.ph

Tel. No. (02)8988-4242 loc. 8506/8710

Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: $\underline{www.quezoncity.gov.ph}$

By:

(SGD.) ROWENA T. MACATAO Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF VARIOUS OFFICE EQUIPMENT** with identification number **CONSO-21-OE-224**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **Twenty (20)** *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of ONE MILLION THREE HUNDRED SIXTY SEVEN THOUSAND TWO HUNDRED SIXTY NINE PESOS AND 30/100 (Php1,367,269.30).
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
 - One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the

NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to the item/s to be bid and must be at least FIFTY PERCENT (50%) of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>Php 27,345.39</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Php 68,363.47</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	OFFICE OF THE CITY PROSECUTOR:
	The Approved Budget for the Contract for OFFICE OF THE CITY PROSECUTOR is Philippines Peso: ONE HUNDRED SIXTEEN THOUSAND PESOS AND 00/100 ONLY (P116,000.00)
	CITY ACCOUNTING DEPARTMENT:
	The Approved Budget for the Contract for CITY ACCOUNTING DEPARTMENT is Philippines Peso: THREE HUNDRED THIRTY-TWO THOUSAND PESOS AND 00/100 ONLY (PHP332,000.00)
	QUEZON CITY YOUTH DEVELOPMENT OFFICE:
	The Approved Budget for the Contract for QUEZON CITY YOUTH DEVELOPMENT OFFICE is Philippines Peso: THREE HUNDRED NINETY-TWO THOUSAND NINE HUNDRED PESOS AND 00/100 ONLY (PHP392,900.00)
	CITY LEGAL DEPARTMENT:
	The Approved Budget for the Contract for CITY LEGAL DEPARTMENT is Philippines Peso: SIXTEEN THOUSAND ONE HUNDRED NINETY-SEVEN PESOS AND 30/100 ONLY (PHP16,197.30)
	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE:

	The Approved Budget for the Contract for QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE is Philippines Peso: ONE
	HUNDRED EIGHTY THOUSAND PESOS AND 00/100 ONLY (PHP180,000.00)
	CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE):
	The Approved Budget for the Contract for CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) is Philippines Peso: THREE HUNDRED THOUSAND PESOS AND 00/100 ONLY (PHP300,000.00)
	PARKS DEVELOPMENT AND ADMINISTRATION DEPARTMENT:
	The Approved Budget for the Contract for PARKS DEVELOPMENT AND ADMINISTRATION DEPARTMENT is Philippines Peso: THIRTY THOUSAND ONE HUNDRED SEVENTY TWO PESOS AND 00/100 ONLY (PHP 30,172.00)
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	No additional requirement
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	 Statement of Warranty – minimum of one (1) year Authority to sell from manufacturer or authorized / exclusive distributor of the machines being offered which includes full guarantee on the availability of parts after sales warranty for Item nos. 1,6,12,18,19

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

	Special Conditions of Contract
GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

	Contract Description
	Final Destination
	Gross weight
	Any special lifting instructions
	Any relevant HAZCHEM elegations
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:"
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF VARIOUS OFFICE EQUIPMENT PROJECT NO. CONSO-21-OE-224

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
	OFFICE OF THE CITY PROSECUTOR			
2	Digital Multifunction Copier Minimum Specifications: Memory capacity 512 MB (Max. 512 MB) Scan Resolution 600 x 600 dpi Printing Resolution 600 x 600 dpi Warm-up Time 19 seconds or less. (At room temperature 20°C) Original Size Maximum of 297 x 432 mm (A311 x 17 inches) for both Sheet and Book Paper Size Max. 297 x 432 mm, A3,11 x 17" (Bypass Tray: 297 x 432 mm, A3,11 x 17") Min. A5 (Bypass Tray: 127 x 98 mm) Image loss width Lead Edge: 5.5 mm. Trail Edge: 6.0 mm. Right & Left Edges: 5.5 mm Paper Weight Note 1 Tray 1 60 to 90 gsm Tray 2, 3, 4 (Optional) 60 to 216 gsm Bypass Tray 60 to 216 gsm First Copy Output Time 6.5 seconds or less. (A4 LEF) Continuous Copy Speed Note2 A4 LEF/B5 LEF 23 ppm In Duplex: 17 ppm A4 15 ppm In Duplex: 9 ppm B4 12 ppm in Duplex: 8 ppm A3 12 ppm In Duplex: 8 ppm A3 12 ppm In Duplex: 8 ppm : Paper Tray Capacity Note 3 Standard 1- tray: 250 sheets. Bypass Tray: 100 sheets Optional One Tray Module (Tray 2): 500 sheets Two Tray Module (Tray 3 + Tray 4): 1000 sheets Max. 1850 sheets (1-tray + One Tray Module + Two Tray Module + Bypass Tray) Output Tray Capacity Note 3 250 sheets (A4 LEF) Power Supply AC220 - 240 V +/-10 %, 6 A, 50 / 60 Hz common Maximum Power Consumption AC220 V: 1.3 kW or less Low Power Mode: 14 W or less Sleep Mode: 2 W or less Dimensions W 595 x D 584 x H 569 mm Weight Note 4 33 kg Megaphone Sound System - High End - Portable Sound System /PA System, Loud Speaker - Megaphone Rechargeable with built in battery 220v AC input or 12 v DC	unit	1	Within Thirty (30) Calendar Days Upon Issuance of Notice to Proceed

	Car input HSP/SD card ma2 playback Hands		
	Car input USB/SD card mp3 playback Handy with shoulder sling		
3	UHF Professional Wireless Microphone	unit	1
5	System – 2 channel	um	1
	-Wireless UHF microphone frequency		
	hopping introduced 2 Handheld wireless		
	microphone		
	Frequency can be changed Mic 1: 710-719		
	MHz, Mic 2: 730-739MHz With 4 x AA		
	batteries, 2 antenna High grade low noise		
	microphone cable With Black Case		
	CITY ACCOUNTING DEPARTMENT		
4	Uninterruptible Power Supply (UPS)	unit	11
	- Battery Backup: 4 Battery Backup with		
	surge protection outlets for multi-device		
	power protection, Automatic Voltage		
	Regulation (AVR) 325 Watts/650VA		
5	Network Attached Storage (NAS) –	unit	1
	computer data storage		
	- Features: M.2 SSD support – Dual M.2 2280		
	SSD supporting NVMe SSDs, 10Gbe support		
	– built-in 10GBASE-T for bandwidth intensive		
	environments		
6	Digital Multifunction Copier;	unit	1
	Minimum Specifications:		
	Copy/Print/Scan: Latest Model		
	- Copy/Print Speed: 24 CPM, Continuous Copy: Max. 999 copies, Paper Size: Max A3		
	(11 inches x17 inches) Min. A5, First Copy		
	Time: 6.4 sec. Print resolution: 600 x 600 dpi,		
	Scan Resolution: up to 9,600 via user		
	settings, Paper Capacity: 350 sheets + 100		
	sheets bypass, print speed: 24 ppm,		
	Reversing Single Pass Feeder, Built- In		
	Duplex Module for efficient two sided		
	copying/printing, Rotation sort, Margin Shift,		
	Edge Erase Center Erase, 2 in ¼ in 1,		
	Automatic paper selection, scan to USB		
	Function, 2021 Model, Package with 1-piece		
	toner cartridge. Warranty: 1 year		
7	Calculator	unit	2
	- Desktop ,heavy duty printing, 16 digits, 2-		
	color print, with computation of time and		
	compensation		
	QUEZON CITY YOUTH DEVELOPMENT		
	OFFICE		
8	Network Switch- 24 ports	unit	1
	- 24 Ports 10/100/1000 Mbps with 2 SFP		
	Slots, (for fiber optic Transceivers) stackable		
	manage, 24 RJ-45 plus 2 SFP slots		
9	Portable Computer Speaker	unit	10
	- Compact USB powered speakers: Simply		
	plug them into your laptop or netbook for		
	great sound no wall outlet required 3.5mm		
	input: Connect your portable music player or		
	any audio source that uses a standard		
	3.5mm plug Easy connections: Works with		
10	PC, Mac and iPod/MP3 players	•,	00
10	Uninterruptible Power Supply (UPS)	unit	23
	- Power Supply unit, 600W	unit	1
1.1	Danar Chraddar		
11	Paper Shredder Cross cut 9 gallon capacity, shreds 17	uiiit	1
11	- Cross cut 9-gallon capacity, shreds 17	um	1
11		unit	1

	Jam Proof system, ultra-quiet, energy saving		
	system, 9 gallon pull out bin		
12	Photocopier Machine	unit	1
	Minimum Specifications:		
	- Color White		
	- Copy Print speed Black and White: 20 ppm - Magnification Zoom:25-400%, Media Sizes		
	A4 (8 ½ inches x 14 inches), min. a6 (5 ½		
	inches x 8 ½ inches)		
13	Audio Recorder	unit	4
	- 4GB Built-In Memory, Input & Output		_
	Terminals: (PC I/F) Hi-Speed USB (Input)		
	Stereo Mic in Jack (Output) Stereo Earphone		
1.4	Jack Weight: 74g (2.7 oz.)		
14	DSLR Camera - Operating Environment: 0 -	unit	2
	40 °C, 85% or less humidity Dimensions (W x H x D):140.7 x 104.8 x		
	76.8mm		
	Weight: (body only) Approx. 701 g Image		
	Sensor		
	Type: 22.3mm x 14.8mm CMOS		
	Effective Pixels: Approx. 32.5 MP		
	Total Pixels: Approx. 34.4 MP		
	Aspect Ratio: 3:2		
	Low-Pass Filter: Built-in/Fixed		
	Sensor Cleaning: EOS integrated cleaning system		
	Colour Filter Type: Primary Colour		
	Image Processor		
	Lens		
	Lens Mount: EF/EF-S		
	Focal Length: Equivalent to 1.6x the focal		
	length of the lens		
	Image Stabilization: Optical Image Stabilizer		
	on compatible lenses. Movie: Movie Digital IS Shutter		
	Type: Electronically-controlled focal-plane		
	shutter		
	Speed: 30-1/8000 sec (1/2 or 1/3 stop		
	increments), Bulb (Total		
	shutter speed range. Available range varies		
	by shooting mode).		
1.5	Electronic shutter up to 1/16000	•.	_
15	DSLR Light - Adjustable from 3200K to 5600K color temperature	unit	2
	312 LEDs deliver up to 1400 lux brightness at		
	3 ft		
	Flicker-free brightness dimming from 100-		
	10%		
	Steeples, smooth-tuning color/brightness		
	dials on the rear		
	Magnetic, snap-on diffuser included		
	Dual battery mount		
	Hot-swappable		
	Two NP-F550 batteries, AC adapter, charger, and car charger		
	included		
	360° swivel / 180° tilt ball head and carry		
	case included		
16	Tripod Widescreen – 70 inches x 70 inches	unit	1
	Widescreen with Carrying Bag		
	CITY LEGAL DEPARTMENT		
17	Digital Voice Recorder	unit	2

- 4GB built in memory, PC connectivity, built in mic stereo, recording format linear PCM/MP3 playback format
PCM/MP3 playback format
L L D C N A / N A D D / A A C / N A / N A A E ! E O O O E !
LPCM/MP3/AAC/WMA Max Files:5,000 files
including no. of folder QUEZON CITY DISASTER RISK REDUCTION
AND MANAGEMENT OFFICE
18 Photocopying Machine unit 3
Minimum Specifications:
- Heavy Duty, up to legal size, up to 40 pages
per minute, dual sided print, scan copy, fax,
built in document processor, Wi-Fi &
network ready, 4.3-inch touch screen panel,
Low power consumption Basic Specs
FUNCTIONS
Print, Scan, Copy, Fax
PRINTER TYPE
Colour Laser
PRODUCT DIMENSIONS (WIDTH X DEPTH X
HEIGHT)
495 mm x 526 mm x 549 mm
PRINT SPEED
31/33ppm (A4/Letter)
Print
RESOLUTION
600 x 600 dpi. 2,400 dpi class (2400 x 600)
quality
2-SIDED - PAPER TYPE
Plain Paper, Letterhead, Colored Paper, Thin
Paper, Recycled Paper, Glossy Paper 2-SIDED - PAPER SIZE
2-SIDED - PAPER SIZE A4
Print Media
PAPER INPUT - PAPER TRAY #1 - PAPER
TYPE
A4, Letter, A5, A5(Long Edge), A6, Executive,
Legal, Folio, Mexico Legal
PAPER INPUT - PAPER TRAY #1 - MAXIMUM
PAPER CAPACITY
Up to 250 sheets of 80 g/m2 Plain Paper
PAPER INPUT - MULTI-PURPOSE TRAY -
MAXIMUM PAPER CAPACITY
50 sheets Envelope; 10 envelopes up to
10mm thick
PAPER OUTPUT
150 Sheets Face Down (80g/m2) 1 sheet
face-up (straight paper path) Document Sizes
ADF (PAPER HANDLING) 1 Up to 70 sheets
Copy
COLOUR
Yes
MONOCHROME
Yes
COPY WIDTH
A4 (ADF/FB): 204 mm LTR (ADF/FB): 210 mm
MULTIPLE COPIES
Sots/Stacks (up to 999 pages)
ENLARGE/REDUCE
25% to 400% (in increments of 1%)
RESOLUTION
Prints up to 1.200 x 600dpi

USB USB 2.0 interface LAN 10Base=T/100Base=TX/1000Base=T WIRELSS LAN IEEE 802.11 lt/g/n (Infrastructure/Ad-hoc Model) IEEE 802.11 g/n (Wi-Fi Direct) NFC Yes Scan COLOUR SCANNING Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dp/n RESOLUTION - SCANNER GLASS Up to 1,200 x 2,00 dp/n (optical) RESOLUTION - ADF Up to 1,200 x 20,00 dp/n (optical) Fax MODEM SPEED 33,800 bps GROUPS Up to 20 groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT of PAPER RECEPTION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1.GB WEIGHT 28.9 kg Operation POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - PREADY Approx. 70 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTION - SLEEP Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTION - SLEEP Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTION - SLEEP Approx. 70.0 W POWER CONSUMPTION - SLEEP Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTION - SLEEP Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTION - SLEEP Approx. 70.0 W POWER CONSUMPTION - SLEEP Approx. 70.0 W POWER CONSUMPTION - SLEEP Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 70.0 W POWER CONSUMPTIO					
USB 2.0 interface LAN 10Base=T/00Base=TX/1000Base=T WIRELESS LAN IEEE 802.111 g/n (Infrastructure/Ad-hoc Mode) IEEE 802.111 g/n (WI-FI Direct) NFC Yes Scan COLOUR SCANNING Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19.200 x 19.200 dpi RESOLUTION - SCANNER GLASS Up to 19.200 x 29.200 dpi RESOLUTION - SCANNER GLASS Up to 19.200 x 29.400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 29.400 dpi (optical) FAX MODEM SPEED 33,5000 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1.GB WEIGHT 2.8 9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - SLEEP Approx. 0.0 S CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/full automatic printing: Original types: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches x 12 / 723 inches x 12 / 723 inches x 5 ½ inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 5 ½ inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 5 ½ inches x 12 / 723 inches x 12 / 724 inches		Connectivity			
LAN 10Base-T/100Base-T/1000Base-T WIRELESS LAN IEEE 802.11 lg/n (Infrastructure/Ad-hoc Mode) IEEE 802.11 lg/n (Wi-Fi Direct) NFC Yes Scan COLOUR SCANNING Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - PRINTING Approx. 500 W POWER CONSUMPTION - PRINTING Approx. 70 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/full automatic printing: Original types: Sheet; criginal Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches x 12 /7/32 inches x 5 ½ inches x 17 /12		USB			
University of the second secon		USB 2.0 interface			
IEEE 802.11b/g/n (Infrastructure/Ad-hoc Mode) IEEE 802.11b/g/n (Infrastructure/Ad-hoc Mode) IEEE 802.11 g/n (Wi-Fi Direct) NFC		LAN			
IEEE 802.11b/g/n (Infrastructure/Ad-hoc Mode) IEEE 802.11b/g/n (Infrastructure/Ad-hoc Mode) IEEE 802.11 g/n (Wi-Fi Direct) NFC		10Base-T/l00Base-TX/1000Base-T			
REE 802.11b/g/n (Infrastructure/Ad-hoc Mode) IEEE 802.11 g/n (Wi-Fi Direct) NFC Yes Scan COLOUR SCANNING Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-TTest Chart, Standard Resolution, 1860) OUT OF PAPER RECEPTION Up to 500 pages (ITU-TTest Chat, Standard Resolution, 1860) Display & Memory DiSPLAY S.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 v 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/full automatic printing: Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 17					
Mode) IEEE 802.11 g/n (Wi-Fi Direct) NFC Yes Scan COLOUR SCANNING Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 2,400 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBiG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBiG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - POWER OFF Approx. 10.0 W POWE					
NFC Yes Scan COLOUR SCANNING Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 6,000 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY S.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.3 kg Operation POWER SOURCE AC 220 to 240 v 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - POWER OFF Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing: Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 57 inches x 17					
Yes Scan COLOUR SCANNING Yes MONOCHROME Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (potical) RESOLUTION - ADF Up to 1,200 x 00 dpi (optical) RESOLUTION - ADF Up to 1,200 x 00 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBiG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBiG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 10.		,			
Scan COLOUR SCANNING Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,900 dpi (potical) RESOLUTION - SCANNER GLASS Up to 1,200 x 2,900 dpi (potical) RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 v 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.0 3W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing: Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 17		NFC			
COLOUR SCANNING Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (potical) RESOLUTION - ADF Up to 1,200 x 600 dpi (potical) RESOLUTION - ADF Up to 1,200 x 600 dpi (potical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, 1960) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, 1961) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 2.8.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 750 W POWER CONSUMPTION - READY Approx. 750 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet, Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 57 inches x 17 7		Yes			
Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADP Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 50 W POWER CONSUMPTION - PRINTING Approx. 50 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Master Making/Printing Methods: High- speed digital meter-making/full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 x inches to 12 7/322 inches x 17		Scan			
Yes MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADP Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 50 W POWER CONSUMPTION - PRINTING Approx. 50 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Master Making/Printing Methods: High- speed digital meter-making/full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 x inches to 12 7/322 inches x 17					
MONOCHROME Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 2,400 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 M POWER CONSUMPTION - PRINTING Approx. 500 W POWER CONSUMPTION - PRINTING Approx. 500 W POWER CONSUMPTION - PRINTING Approx. 500 W POWER CONSUMPTION - PRINTING Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches x 17					
Yes RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 750 W POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - PRINTING Approx. 70.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Master Making/Printing Methods: High- speed digital meter-making/full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 x inches to 12 7/322 inches x 17					
RESOLUTION - INTERPOLATED Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 oroups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 750 W POWER CONSUMPTION - SLEEP Approx. 0.03 W CMO POWER OFF Approx. 0.03 W CMO POWER OFF Display Massing Matchine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inchex S 5 inches to 12 7/322 inchex x 17					
Up to 19,200 x 19,200 dpi RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Unit 1 Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 x inches to 12 7/32 inches x 17		Yes			
RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 v 50/60 H2 POWER CONSUMPTION - READY Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.0.3 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Mimimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 x inches to 12 7/32 inches x 17		RESOLUTION - INTERPOLATED			
RESOLUTION - SCANNER GLASS Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 v 50/60 H2 POWER CONSUMPTION - READY Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.0.3 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Mimimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 x inches to 12 7/32 inches x 17		Up to 19.200 x 19.200 dpi			
Up to 1,200 x 2,400 dpi (optical) RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT of PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - POWER OFF Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing: Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 x inches to 12 7/32 inches x 17					
RESOLUTION - ADF Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/50 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 x inches to 12 7/32 inches x 17					
Up to 1,200 x 600 dpi (optical) Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - PRINTING Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 30 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Fax MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-I Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-I Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 75 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - POWER OFF Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
MODEM SPEED 33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory Display & Memory Display & Memory Display 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 10.3 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		Up to 1,200 x 600 dpi (optical)			
33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 10.0 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		Fax			
33,600 bps GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 10.0 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		MODEM SPEED			
GROUPS Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.0 3 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Up to 20 Groups BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - PRINTING Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		•			
BROADCASTING 350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
350 locations AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches x 17					
AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		BROADCASTING			
AUTOMATIC REDIAL Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		350 locations			
Yes MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 v 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 750 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 % inches to 12 7/32 inches x 17					
MEMORY TRANSMISSION Up to 500 pages (ITU-T Test Chart, Standard Resolution, IBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 % inches to 12 7/32 inches x 17					
Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 % inches to 12 7/32 inches x 17					
Resolution, JBIG) OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		MEMORY TRANSMISSION			
OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		Up to 500 pages (ITU-T Test Chart, Standard			
OUT OF PAPER RECEPTION Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		Resolution, JBIG)			
Up to 500 pages (ITU-T Test Chat, Standard Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		-			
Resolution, JBIG) Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Display & Memory DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
DISPLAY 5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
5.0 inches TFT Colour LCD MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		Display & Memory			
MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		DISPLAY			
MEMORY CAPACITY 1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		5.0 inches TET Colour LCD			
1 GB WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
WEIGHT 28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
28.9 kg Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: Highspeed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Operation POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: Highspeed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		28.9 kg			
POWER SOURCE AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: Highspeed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		=			
AC 220 to 240 V 50/60 Hz POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
POWER CONSUMPTION - PRINTING Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: Highspeed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Approx. 550 W POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
POWER CONSUMPTION - READY Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		Approx. 550 W			
Approx. 70 W POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
POWER CONSUMPTION - SLEEP Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High-speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Approx. 10.0 W POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		1			
POWER CONSUMPTION - POWER OFF Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Approx. 0.03 W CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: Highspeed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		1			
CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		POWER CONSUMPTION - POWER OFF			
CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE) 19 Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		Approx. 0.03 W			
OFFICE) 19 Duplicating Machine unit 1 Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					1
Duplicating Machine Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
Minimum Specifications: Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17	10	•	٠,	4	-
Master Making/Printing Methods: High- speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17	19		unıt	1	
speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		-			
speed digital meter-making/Full automatic printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17		Master Making/Printing Methods: High-			
printing; Original type: Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
90mm x 140m to 310mm x 435mm (3 17/32 inches x 5 ½ inches to 12 7/32 inches x 17					
inches x 5 ½ inches to 12 7/32 inches x 17					
		-			
1/8 inches) Paper Weight: 50 gsm to 107		1/8 inches) Paper Weight: 50 gsm to 107			

	gsm (13-lb bond to 29-lb bond); Capacity: 1 sheet; Scanning Area: 297mm x 435mm (11 11/16 inches x 5 13/16 inches to 11 11/16 inches x 16 17/32 inches) Paper Size: 100mm x 148mm to 297mm x 420mm; Supply Capacity: Approx. 1000 sheets; Paper Receiving: Approx. 800 sheets; Resolution:			
	300 dpi x 300 dpi; Print Speed: 3 level: 60, 80 and 100ppm; Ink Supply: Full automatic (800ml/cartridge); Computer Connection: USB PC Interface; Functions: Scanning, Enlargement/Reproduction, 2 UP Speed, Print Position, Meter Display, Proof, Direct Printing, Auto Sleep Setting, Auto Power, RISO Quality System			
	PARKS DEVELOPMENT AND ADMINISTRATION DEPARTMENT			-
20	Projector with White screen – 4,000 ANSI Lumens, 4500 Lamp Hours (standard), 10,000 Lamp Hours (ECO), WUXGA (1,920 x 1,200), with speaker, HDMI	unit	1	
	***			·

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of: _	

Schedule of Requirements Page 6 of 6

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF VARIOUS OFFICE EQUIPMENT PROJECT NO. CONSO-21-OE-224

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A.	OFFICE OF THE CITY PROSECUTOR	
1	Digital Multifunction Copier Minimum Specifications: Memory capacity 512 MB (Max. 512 MB) Scan Resolution 600 x 600 dpi Printing Resolution 600 x 600 dpi Warm-up Time 19 seconds or less. (At room temperature 20°C) Original Size Maximum of 297 x 432 mm (A311 x 17 inches) for both Sheet and Book Paper Size Max. 297 x 432 mm, A3,11 x 17" (Bypass Tray: 297 x 432 mm, A3,11 x 17") Min. A5 (Bypass Tray: 127 x 98 mm) Image loss width Lead Edge: 5.5 mm. Trail Edge: 6.0 mm. Right & Left Edges: 5.5 mm Paper Weight Note 1 Tray 1 60 to 90 gsm Tray 2, 3, 4 (Optional) 60 to 216 gsm Bypass Tray 60 to 216 gsm First Copy Output Time 6.5 seconds or less. (A4 LEF) Continuous Copy Speed Note2 A4 LEF/B5 LEF 23 ppm In Duplex: 17 ppm A4 15 ppm In Duplex: 9 ppm B4 12 ppm in Duplex: 8 ppm A3 12 ppm In Duplex: 8 ppm A3 12 ppm In Duplex: 8 ppm : Paper Tray Capacity Note 3 Standard 1-tray: 250 sheets. Bypass Tray: 100 sheets Optional One Tray Module (Tray 2): 500 sheets Two Tray Module (Tray 3 + Tray 4): 1000 sheets Max. 1850 sheets (1-tray + One Tray Module + Two Tray Module + Bypass Tray)	

	Power Supply AC220 - 240 V +/-10 %, 6 A, 50 / 60 Hz	
	common	
	Maximum Power Consumption AC220 V: 1.3 kW or less	
	AC240 V: 1.4 kW or less	
	Low Power Mode: 14 W or less	
	Sleep Mode: 2 W or less	
	Dimensions W 595 x D 584 x H 569 mm	
	Weight Note 4 33 kg	
2	Megaphone Sound System – High End	
	- Portable Sound System /PA System, Loud Speaker –	
	Megaphone Rechargeable with built in battery 220v AC	
	input or 12 v DC Car input USB/SD card mp3 playback	
_	Handy with shoulder sling	
3	UHF Professional Wireless Microphone System – 2	
	channel	
	-Wireless UHF microphone frequency hopping introduced	
	2 Handheld wireless microphone	
	Frequency can be changed Mic 1: 710-719 MHz, Mic 2:	
	730-739MHz With 4 x AA batteries, 2 antenna High grade	
	low noise microphone cable With Black Case	
	CITY ACCOUNTING DEPARTMENT	
1	Uninterruntible Dower Supply (LIDS)	
4	Uninterruptible Power Supply (UPS)	
	- Battery Backup: 4 Battery Backup with surge protection	
	outlets for multi-device power protection, Automatic	
	Voltage Regulation (AVR) 325 Watts/650VA	
5	Network Attached Storage (NAS) – computer data	
)		
	storage	
	- Features: M.2 SSD support – Dual M.2 2280 SSD	
	supporting NVMe SSDs, 10Gbe support – built-in	
	10GBASE-T for bandwidth intensive environments	
6	Digital Multifunction Copier; Copy/Print/Scan: Latest	
0	Model	
	Minimum Specifications:	
	- Copy/Print Speed: 24 CPM, Continuous Copy: Max. 999	
	copies, Paper Size: Max A3 (11 inches x17 inches) Min. A5,	
	First Copy Time: 6.4 sec. Print resolution: 600 x 600 dpi,	
	Scan Resolution: up to 9,600 via user settings, Paper	
	Capacity: 350 sheets + 100 sheets bypass, print speed: 24	
	T Cabacity: 350 Sneets + 100 Sneets bybass, brint speed: 24	
	ppm, Reversing Single Pass Feeder, Built- In Duplex	
	ppm, Reversing Single Pass Feeder, Built- In Duplex	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1,	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year	
7	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator	
7	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year	
7	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print,	
7	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation	
7	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print,	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE	
7	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots	
	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker - Compact USB powered speakers: Simply plug them into	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker - Compact USB powered speakers: Simply plug them into	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker - Compact USB powered speakers: Simply plug them into your laptop or netbook for great sound no wall outlet required 3.5mm input: Connect your portable music	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker - Compact USB powered speakers: Simply plug them into your laptop or netbook for great sound no wall outlet required 3.5mm input: Connect your portable music player or any audio source that uses a standard 3.5mm	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker - Compact USB powered speakers: Simply plug them into your laptop or netbook for great sound no wall outlet required 3.5mm input: Connect your portable music player or any audio source that uses a standard 3.5mm plug Easy connections: Works with PC, Mac and iPod/MP3	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker - Compact USB powered speakers: Simply plug them into your laptop or netbook for great sound no wall outlet required 3.5mm input: Connect your portable music player or any audio source that uses a standard 3.5mm plug Easy connections: Works with PC, Mac and iPod/MP3 players	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker - Compact USB powered speakers: Simply plug them into your laptop or netbook for great sound no wall outlet required 3.5mm input: Connect your portable music player or any audio source that uses a standard 3.5mm plug Easy connections: Works with PC, Mac and iPod/MP3	
8	ppm, Reversing Single Pass Feeder, Built- In Duplex Module for efficient two sided copying/printing, Rotation sort, Margin Shift, Edge Erase Center Erase, 2 in ¼ in 1, Automatic paper selection, scan to USB Function, 2021 Model, Package with 1-piece toner cartridge. Warranty: 1 year Calculator - Desktop ,heavy duty printing, 16 digits, 2-color print, with computation of time and compensation QUEZON CITY YOUTH DEVELOPMENT OFFICE Network Switch- 24 ports - 24 Ports 10/100/1000 Mbps with 2 SFP Slots, (for fiber optic Transceivers) stackable manage, 24 RJ-45 plus 2 SFP slots Portable Computer Speaker - Compact USB powered speakers: Simply plug them into your laptop or netbook for great sound no wall outlet required 3.5mm input: Connect your portable music player or any audio source that uses a standard 3.5mm plug Easy connections: Works with PC, Mac and iPod/MP3 players	

11		1
11	Paper Shredder	
	- Cross cut 9-gallon capacity, shreds 17 sheets per pass	
	into 5/32 inches x 1 ½ inches cross cut particles, security	
	level: 4, 100% Jam Proof system, ultra-quiet, energy saving	
	system, 9 gallon pull out bin	
12	Photocopier Machine	
	Minimum Specifications:	
	- Color White	
	- Copy Print speed Black and White: 20 ppm	
	- Magnification Zoom:25-400%, Media Sizes A4 (8 ½ inches	
	x 14 inches), min. a6 (5 ½ inches x 8 ½ inches)	
13	Audio Recorder	
	- 4GB Built-In Memory, Input & Output Terminals: (PC I/F)	
	Hi-Speed USB (Input) Stereo Mic in Jack (Output) Stereo	
	Earphone Jack Weight: 74g (2.7 oz.)	
14	DSLR Camera - Operating Environment: 0 -40 °C, 85% or	
17	less humidity	
	Dimensions (W x H x D):140.7 x 104.8 x 76.8mm	
	Weight: (body only) Approx. 701 g Image	
	Sensor	
	Type: 22.3mm x 14.8mm CMOS	
	Effective Pixels: Approx. 32.5 MP	
	Total Pixels: Approx. 34.4 MP	
	· ·	
	Aspect Ratio: 3:2	
	Low-Pass Filter: Built-in/Fixed	
	Sensor Cleaning: EOS integrated cleaning system	
	Colour Filter Type: Primary Colour	
	Image Processor	
	Lens	
	Lens Mount: EF/EF-S	
	Focal Length: Equivalent to 1.6x the focal length of the	
	lens	
	Image Stabilization: Optical Image Stabilizer on compatible	
	lenses.	
	Movie: Movie Digital IS Shutter	
	Type: Electronically-controlled focal-plane shutter	
	Speed: 30-1/8000 sec (1/2 or 1/3 stop increments), Bulb	
	(Total	
	shutter speed range. Available range varies by shooting	
	mode).	
	Electronic shutter up to 1/16000	
15	DSLR Light - Adjustable from 3200K to 5600K color	
	temperature	
	312 LEDs deliver up to 1400 lux brightness at 3 ft	
	Flicker-free brightness dimming from 100-10%	
	Steeples, smooth-tuning color/brightness dials on the rear	
	Magnetic, snap-on diffuser included	
	Dual battery mount	
	Hot-swap p able	
	Two NP-F550 batteries, AC adapter, charger, and car	
	charger	
	included	
	360° swivel / 180° tilt ball head and carry case included	
16	Tripod Widescreen – 70 inches x 70 inches Widescreen	
	with Carrying Bag	
	CITY LEGAL DEPARTMENT	
17	Digital Voice Recorder	
1,	- 4GB built in memory, PC connectivity, built in mic stereo,	
	recording format linear PCM/MP3 playback format	
	LPCM/MP3/AAC/WMA Max Files:5,000 files including no.	
	of folder	
	QUEZON CITY DISASTER RISK REDUCTION AND	
	MANAGEMENT OFFICE	
	THE STATE OF THE S	1

18 Photocopying Machine

Minimum Specifications:

- Heavy Duty, up to legal size, up to 40 pages per minute, dual sided print, scan copy, fax, built in document processor, Wi-Fi & network ready, 4.3-inch touch screen panel, Low power consumption

Basic Specs

FUNCTIONS

Print, Scan, Copy, Fax

PRINTER TYPE

Colour Laser

PRODUCT DIMENSIONS (WIDTH X DEPTH X HEIGHT)

495 mm x 526 mm x 549 mm

PRINT SPEED

31/33ppm (A4/Letter)

Print

RESOLUTION

600 x 600 dpi. 2,400 dpi class (2400 x 600) quality

2-SIDED - PAPER TYPE

Plain Paper, Letterhead, Colored Paper, Thin Paper, Recycled Paper, Glossy Paper

2-SIDED - PAPER SIZE

Α4

Print Media

PAPER INPUT - PAPER TRAY #1 - PAPER TYPE

A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal

PAPER INPUT - PAPER TRAY #1 - MAXIMUM PAPER

CAPACITY

Up to 250 sheets of 80 g/m2 Plain Paper

PAPER INPUT - MULTI-PURPOSE TRAY - MAXIMUM

PAPER CAPACITY

50 sheets Envelope; 10 envelopes up to 10mm thick

PAPER OUTPUT

150 Sheets Face Down (80g/m2) 1 sheet face-up (straight paper path)

Document Sizes

ADF (PAPER HANDLING) 1

Up to 70 sheets

Copy

COLOUR

Yes

MONOCHROME

Yes

COPY WIDTH

A4 (ADF/FB): 204 mm LTR (ADF/FB): 210 mm

MULTIPLE COPIES

Sots/Stacks (up to 999 pages)

ENLARGE/REDUCE

25% to 400% (in increments of 1%)

RESOLUTION

Prints up to 1.200 x 600dpi

Connectivity

USB

USB 2.0 interface

LAN

10Base-T/I00Base-TX/1000Base-T

WIRELESS LAN

IEEE 802.11b/g/n (Infrastructure/Ad-hoc Mode) IEEE

802.11 g/n (Wi-Fi Direct)

NFC

Yes

Scan

COLOUR SCANNING

	Vac	
	Yes	
	MONOCHROME	
	Yes	
	RESOLUTION - INTERPOLATED	
	Up to 19,200 x 19,200 dpi	
	RESOLUTION - SCANNER GLASS	
	Up to 1,200 x 2,400 dpi (optical)	
	RESOLUTION - ADF	
	Up to 1,200 x 600 dpi (optical)	
	Fax	
	MODEM SPEED	
	33,600 bps	
	GROUPS	
	Up to 20 Groups	
	BROADCASTING	
	350 locations	
	AUTOMATIC REDIAL	
	Yes	
	MEMORY TRANSMISSION	
	Up to 500 pages (ITU-T Test Chart, Standard Resolution,	
	JBIG)	
	OUT OF PAPER RECEPTION	
	Up to 500 pages (ITU-T Test Chat, Standard Resolution,	
	JBIG)	
	Display & Memory	
	DISPLAY	
	5.0 inches TFT Colour LCD	
	MEMORY CAPACITY	
	1 GB	
	WEIGHT	
	28.9 kg	
	Operation	
	POWER SOURCE	
	AC 220 to 240 V 50/60 Hz	
	POWER CONSUMPTION - PRINTING	
	Approx. 550 W	
	POWER CONSUMPTION - READY	
	Approx. 70 W	
	POWER CONSUMPTION - SLEEP	
	Approx. 10.0 W	
	POWER CONSUMPTION - POWER OFF	
	Approx. 0.03 W	
	CMO (PERSONS WITH DISABILITY AFFAIRS OFFICE)	
19	Duplicating Machine	
17	Minimum Specifications:	
	Master Making/Printing Methods: High-speed digital	
	meter-making/Full automatic printing; Original type:	
	Sheet; Original Size: 90mm x 140m to 310mm x 435mm (3	
	17/32 inches x 5 ½ inches to 12 7/32 inches x 17 1/8	
	inches) Paper Weight: 50 gsm to 107 gsm (13-lb bond to	
	29-lb bond); Capacity: 1 sheet; Scanning Area: 297mm x	
	435mm (11 11/16 inches x 5 13/16 inches to 11 11/16	
	inches x 16 17/32 inches) Paper Size: 100mm x 148mm to	
	297mm x 420mm; Supply Capacity: Approx. 1000 sheets;	
	Paper Receiving: Approx. 800 sheets; Resolution: 300 dpi x	
	300 dpi; Print Speed: 3 level: 60, 80 and 100ppm; Ink	
	Supply: Full automatic (800ml/cartridge); Computer	
	Connection: USB PC Interface; Functions: Scanning,	
	Enlargement/Reproduction, 2 UP Speed, Print Position,	
	Meter Display, Proof, Direct Printing, Auto Sleep Setting,	
	Auto Power, RISO Quality System	
	PARKS DEVELOPMENT AND ADMINISTRATION	
	DEPARTMENT	

20	Projector with White screen – 4,000 ANSI Lumens, 4500	
	Lamp Hours (standard), 10,000 Lamp Hours (ECO),	
	WUXGA (1,920 x 1,200), with speaker, HDMI	
B.	Compliance to the Schedule of Requirements	
	(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	_
Legal Capacity:	_
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal	Documents Documents
	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
	and Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	and Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
<u>Techr</u>	ical Documents
(e)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a
□ (f	to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM
□ (g	certification issued by the Insurance Commission; or
□ (h	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with the Section VI (Schedule of Requirements) Section VII (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>
□ (i	· · · · · · · · · · · · · · · · · · ·
<u>Finan</u>	cial Documents
□ (j	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES) ; or A committed Line of Credit from a Universal or Commercial Bank in lieu of

its NFCC computation.

			Class "B" Documents
		(l)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
			or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
	<u>Oti</u>	her do	cumentary requirements under RA No. 9184 (as applicable)
		(m)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government
		(n)	office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
II.	FIN	ANC	IAL COMPONENT ENVELOPE
		(a) (b)	Original of duly signed and accomplished Financial Bid Form; and Original of duly signed and accomplished Price Schedule(s).

III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

- Statement of Warranty minimum of one (1) year
- Authority to sell from manufacturer or authorized / exclusive distributor of the machines being offered which includes full guarantee on the availability of parts after sales warranty for Item nos. 1,6,12,18,19

Note:

1. Please refer to [

 $\frac{https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sha_ring]}{ring} \ for the following requirements:$

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

