

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of Various Hardware Supplies

PROJECT NO. RMBGH-21-HCS-298

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Section II. Instructions to Bid. Section II. Instructions to Bidders. Scope of Bid. Funding Information. Bidding Requirements. Corrupt, Fraudulent, Collusive, and Coercive Practices. Eligible Bidders. Origin of Goods. Subcontracts. Pre-Bid Conference. Clarification and Amendment of Bidding Documents. Documents comprising the Bid: Eligibility and Technical Components 154. Documents comprising the Bid: Financial Component. Bid Prices. Bid and Payment Currencies. Bid Security. Sealing and Marking of Bids. Deadline for Submission of Bids. Opening and Preliminary Examination of Bids. Domestic Preference.	8 13 13 13 13 14 14
 Scope of Bid Funding Information Bidding Requirements Corrupt, Fraudulent, Collusive, and Coercive Practices Eligible Bidders Origin of Goods Subcontracts Pre-Bid Conference Clarification and Amendment of Bidding Documents Documents comprising the Bid: Eligibility and Technical Components 154 Documents comprising the Bid: Financial Component Bid Prices Bid and Payment Currencies Bid Security Sealing and Marking of Bids Deadline for Submission of Bids Opening and Preliminary Examination of Bids Domestic Preference 	13 13 13 13 14 14
 Funding Information. Bidding Requirements Corrupt, Fraudulent, Collusive, and Coercive Practices Eligible Bidders. Origin of Goods. Subcontracts. Pre-Bid Conference. Clarification and Amendment of Bidding Documents Documents comprising the Bid: Eligibility and Technical Components 154 Documents comprising the Bid: Financial Component Bid Prices. Bid and Payment Currencies Bid Security. Sealing and Marking of Bids. Deadline for Submission of Bids Opening and Preliminary Examination of Bids Domestic Preference 	13 13 13 14 14 14
 Funding Information. Bidding Requirements Corrupt, Fraudulent, Collusive, and Coercive Practices Eligible Bidders. Origin of Goods. Subcontracts. Pre-Bid Conference. Clarification and Amendment of Bidding Documents Documents comprising the Bid: Eligibility and Technical Components 154 Documents comprising the Bid: Financial Component Bid Prices. Bid and Payment Currencies Bid Security. Sealing and Marking of Bids. Deadline for Submission of Bids Opening and Preliminary Examination of Bids Domestic Preference 	13 13 13 14 14 14
3. Bidding Requirements 4. Corrupt, Fraudulent, Collusive, and Coercive Practices 5. Eligible Bidders 6. Origin of Goods 7. Subcontracts 8. Pre-Bid Conference 9. Clarification and Amendment of Bidding Documents 10. Documents comprising the Bid: Eligibility and Technical Components 154 11. Documents comprising the Bid: Financial Component 12. Bid Prices 13. Bid and Payment Currencies 14. Bid Security 15. Sealing and Marking of Bids 16. Deadline for Submission of Bids 17. Opening and Preliminary Examination of Bids 18. Domestic Preference	13 13 13 14 14
 Corrupt, Fraudulent, Collusive, and Coercive Practices Eligible Bidders Origin of Goods Subcontracts Pre-Bid Conference Clarification and Amendment of Bidding Documents Documents comprising the Bid: Eligibility and Technical Components 154 Documents comprising the Bid: Financial Component Bid Prices Bid and Payment Currencies Bid Security Sealing and Marking of Bids Deadline for Submission of Bids Opening and Preliminary Examination of Bids Domestic Preference 	13 13 14 14
 Origin of Goods Subcontracts Pre-Bid Conference Clarification and Amendment of Bidding Documents Documents comprising the Bid: Eligibility and Technical Components 154 Documents comprising the Bid: Financial Component Bid Prices Bid and Payment Currencies Bid Security Sealing and Marking of Bids Deadline for Submission of Bids Opening and Preliminary Examination of Bids Domestic Preference 	14 14 14
7. Subcontracts 8. Pre-Bid Conference 9. Clarification and Amendment of Bidding Documents 10. Documents comprising the Bid: Eligibility and Technical Components 154 11. Documents comprising the Bid: Financial Component 12. Bid Prices 13. Bid and Payment Currencies 14. Bid Security 15. Sealing and Marking of Bids 16. Deadline for Submission of Bids 17. Opening and Preliminary Examination of Bids 18. Domestic Preference	14 14
 Pre-Bid Conference Clarification and Amendment of Bidding Documents Documents comprising the Bid: Eligibility and Technical Components 154 Documents comprising the Bid: Financial Component Bid Prices Bid and Payment Currencies Bid Security Sealing and Marking of Bids Deadline for Submission of Bids Opening and Preliminary Examination of Bids Domestic Preference 	14
9. Clarification and Amendment of Bidding Documents 10. Documents comprising the Bid: Eligibility and Technical Components 154 11. Documents comprising the Bid: Financial Component 12. Bid Prices 13. Bid and Payment Currencies 14. Bid Security 15. Sealing and Marking of Bids 16. Deadline for Submission of Bids 17. Opening and Preliminary Examination of Bids 18. Domestic Preference	
 10. Documents comprising the Bid: Eligibility and Technical Components	14
154 11. Documents comprising the Bid: Financial Component 12. Bid Prices 13. Bid and Payment Currencies 14. Bid Security 15. Sealing and Marking of Bids 16. Deadline for Submission of Bids 17. Opening and Preliminary Examination of Bids 18. Domestic Preference	
12. Bid Prices 13. Bid and Payment Currencies 14. Bid Security 15. Sealing and Marking of Bids 16. Deadline for Submission of Bids 17. Opening and Preliminary Examination of Bids 18. Domestic Preference	•••••
 13. Bid and Payment Currencies 14. Bid Security 15. Sealing and Marking of Bids 16. Deadline for Submission of Bids 17. Opening and Preliminary Examination of Bids 18. Domestic Preference 	15
 Bid Security Sealing and Marking of Bids Deadline for Submission of Bids Opening and Preliminary Examination of Bids Domestic Preference 	15
 15. Sealing and Marking of Bids 16. Deadline for Submission of Bids 17. Opening and Preliminary Examination of Bids 18. Domestic Preference 	16
 Deadline for Submission of Bids Opening and Preliminary Examination of Bids Domestic Preference 	16
17. Opening and Preliminary Examination of Bids18. Domestic Preference	16
18. Domestic Preference	17
19. Detailed Evaluation and Comparison of Bids	
20. Post-Qualification	18
21. Signing of the Contract	18
Section III. Bid Data Sheet	19
Section IV. General Conditions of Contract	21
1. Scope of Contract	22
2. Advance Payment and Terms of Payment	22
3. Performance Security	22
4. Inspection and Tests	22
5. Warranty	22
6. Liability of the Supplier	23
Section V. Special Conditions of Contract	24
Section VI. Schedule of Requirements	
Section VII. Technical Specifications	
Section VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



September 16, 2021

Invitation to Bid

ITEM NO.	P.R. / PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	CONSO-21-CS-369	VARIOUS OFFICES (OFFICE OF THE MAJORITY FLOOR LEADER / COMMITTEE ON LAWS, RULES AND INTERNAL GOVERNMENT)	VARIOUS FOOD PACKS	P 1,618,260.00	GENERAL FUND	2 MONTHS
2	CMO(QCDRRMO)- 21-MSLI-377	CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE)	VARIOUS MEDICAL SUPPLIES	P 7,115,792.25	GENERAL FUND	30 CD
3	CONSO-21- FURNITURE-388	VARIOUS OFFICES (HOUSING, COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT/ CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE)/QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES)	VARIOUS FURNITURE	P 1,810,900.35	GENERAL FUND	30 CD
4	CONSO-21-ITPAP-370	VARIOUS OFFICES (QUEZON CITY UNIVERSITY, CITY LEGAL DEPARTMENT, CITY ACCOUNTING DEPARTMENT, QUEZON CITY TOURISM DEPARTMENT)	VARIOUS INFORMATION TECHNOLOGY PARTS AND PERIPHERALS	P 1,173,149.30	GENERAL FUND	30 CD
5	QCU-21-OE CONSUMABLES-389	QUEZON CITY UNIVERSITY	VARIOUS CONSUMABLES	P1,374,047.44	GENERAL FUND	30 CD
6	CONSO-21-OE CONSUMABLES-165B	VARIOUS OFFICES (CITY TREASURER'S OFFICE/ OFFICE OF THE CITY MAYOR (GAD COUNCIL OFFICE/HCDRD/ QUEZON CITY PROTECTION CENTER/HRMD/MARKET DEVT. & ADMIN. DEPT./ CITY CIVIL REGISTRY DEPT.)	VARIOUS CONSUMABLES (TONER CARTRIDGE AND OTHERS)	P5,173,486.61	GENERAL FUND	30 CD
7	CMO-21-SOP-239B	OFFICE OF THE CITY MAYOR	ANTI-RIOT TRANSPARENT SHIELD AND OTHERS	P 3,000,000.00	GENERAL FUND	90 CD
8	CMO-21-MS-383	OFFICE OF THE CITY MAYOR	SYRINGE AND OTHERS	P 7,087,370.00	GENERAL FUND	15 CD
9	CMO-21-PCP-385	OFFICE OF THE CITY MAYOR	RAINCOT AND SHOE COVER	P 4,150,000.00	GENERAL FUND	15 CD
10	CMO-21-OE-295	OFFICE OF THE CITY MAYOR	DESKTOP COMPUTER AND OTHERS	P 4,282,718.20	GENERAL FUND	30 CD
11	CMO-21- GARMENTS-387	OFFICE OF THE CITY MAYOR	APRON	P 4,620,000.00	GENERAL FUND	15 CD
12	DPOS-21-RM- VEHICLE-263B	DEPARTMENT OF PUBLIC ORDER AND SAFETY	REPAIR AND MAINTENANCE – ELECTRIC TRICYCLE (PARTS AND LABOR)	P 1,280,700.00	GENERAL FUND	30 CD
13	CA-21-RM-VEHICLE- 212B	CITY ADMINISTRATOR'S OFFICE (TF-STREETLIGHTS)	REPAIR AND MAINTENANCE – MOTOR VEHICLE (PARTS AND LABOR)	P 1,993,172.00	GENERAL FUND	30 CD
14	CAO-21-IT-373	CITY ADMINISTRATOR'S OFFICE (CITY CIVIL REGISTRY DEPARTMENT)	SUPPLY, INSTALLATION, COMMISSIONING AND TESTING OF CIVIL REGISTRY ONLINE WEB APPLICATION (CCRD-OWA)	P 30,000,000.00	GENERAL FUND	90 CD

15	CAO-21-IT-374	CITY ADMINISTRATOR'S OFFICE (DEPARTMENT OF PUBLIC ORDER AND SAFETY)	SUPPLY, INSTALLATION, COMMISSIONING AND TESTING OF UNIFIED ORDINANCE VIOLATION REPORT ONLINE ENCODING SYSTEM	P 5,000,000.00	GENERAL FUND	30 CD
16	CAO-21-IT-375	CITY ADMINISTRATOR'S OFFICE (SMALL BUSINESS AND COOPERATIVES DEVELOPMENT AND PROMOTIONS OFFICE)	I SUPPLY DELIVERY AND I		GENERAL FUND	30 CD
17	CAO-21-IT-376	CITY ADMINISTRATOR'S OFFICE (SOCIAL SERVICES DEVELOPMENT DEPARTMENT)	SUPPLY, DELIVERY, AND INSTALLATION OF THE QUEZON CITY SOCIAL SERVICES BENEFIT MANAGEMENT SYSTEM	P 23,500,000.00	GENERAL FUND	60 CD
18	SSDD-21-KS-381	SOCIAL SERVICES DEVELOPMENT DEPARTMENT	VARIOUS KITCHEN SUPPLIES	P 7,815,209.00	GENERAL FUND	30 CD
19	CONSO-21-JS-189	VARIOUS OFFICES (OFFICE OF THE VICE MAYOR/ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL/CITY PLANNING DEVELOPMENT DEPARTMENT/SOCIAL SERVICES DEVELOPMENT DEPARTMENT/CITY ASSESSOR'S OFFICE/OFFICE OF THE SECRETARY TO THE SANGGUNIANG PANLUNGSOD)	VARIOUS JANITORIAL SUPPLIES	P 2,418,329.65	GENERAL FUND	30 CD
20	RMBGH-21-HCS-298	ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL	VARIOUS HARDWARE SUPPLIES	P 1,528,430.75	GENERAL FUND	30 CD
21	LIGA-21-BOOKS-372	LIGA NG MGA BARANGAY	BOOKLET / PRIMER (KAALAMAN SA KALIGTASAN)	P 2,606,640.00	GENERAL FUND	30 CD
22	QCHD-21-MS-380	QUEZON CITY HEALTH DEPARTMENT	VARIOUS MEDICAL SUPPLIES AND LABORATORY INSTRUMENT	P 10,885,520.00	GENERAL FUND	30 CD
23	QCHD-21-MS-371	QUEZON CITY HEALTH DEPARTMENT	VIRUS COLLECTION SET FOR COVID- 19 RT-PCR	P 60,000,000.00	GENERAL FUND	30 CD
24	QCHD-21-DM-386	QUEZON CITY HEALTH DEPARTMENT	VARIOUS DRUGS MEDICNES AND OTHERS	P 2,490,750.00	GENERAL FUND	30 CD
25	ITDD-21-OE-168	QUEZON CITY INFORMATION TECHNOLOGY DEVELOPMENT DEPARTMENT	RACKMOUNT SERVER AND OTHERS	P 12,898,964.94	GENERAL FUND	60 CD

1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for *Various Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three* (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the

Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m. 5:00 p.m.*
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday*, *September 17*, 2021 from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The *Quezon City Local Government* will hold a Pre-Bid Conference on 10:00 A.M. of **Friday**, **September 24, 2021** at **2**nd **Floor**, **Procurement Department-Bidding Room**, **Finance Building**, **Quezon City Hall Compound**, and/or through video conferencing *via Zoom* which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Thursday, October 07, 2021**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 1:00 P.M. of **Thursday, October 07, 2021** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

 $\underline{https://us02web.zoom.us/j/85850855933?pwd} = \underline{R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz09}$

Meeting ID: 858 5085 5933 Passcode: 118682

- 10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: bacgoods.procurement@quezoncity.gov.ph Tel. No. (02)8988-4242 loc. 8506/8710

Tel. No. (02)8988-4242 loc. 8506/8/10 Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

(**Sgd**) **ROWENA T. MACATAO** Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF VARIOUS HARDWARE SUPPLIES** with identification number **PROJECT NO. RMBGH-21-HCS-298**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of One Hundred Thirty (130) *item/s*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of ONE MILLION FIVE HUNDRED TWENTY EIGHT THOUSAND FOUR HUNDRED THIRTY PESOS AND 75/100 ONLY (PHP 1,528,430.75).
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least TWENTY-FIVE percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and

- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to the items to be bid and must be at least TWENTY-FIVE percent (25%) of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than <i>Php 30,568.62</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Php 76,421.54</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.] [In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it. N/A
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity. N/A

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

	Special Conditions of Contract				
GCC Clause					
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]				
	Delivery and Documents –				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."				
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).				
	For purposes of this Clause the Procuring Entity's Representative at the Projective is <i>[indicate name(s)]</i> .				
	Incidental Services –				
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.				
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each 				
	appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and				
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] 				
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. [If partial payment is allowed, state] "The terms of payment shall be as follows: 2.2 will 4 inspections and tests that be conducted are: **Product** Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements PROCUREMENT OF VARIOUS HARDWARE SUPPLIES

PROJECT NO. RMBGH-21-HCS-298

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit Of Issue	Quantity	Delivered, Weeks / Months
1	12 V Recessed Floor Light Water Proof	Piece	5	
2	14 Watts Led Bulb Daylight	Piece	150	
3	14 Watts Led Downlight	Piece	330	
4	18 Watts 1200mm Led Tube Light T5 Warm White	Piece	30	
5	18 Watts 1200mm Led Tube Light T8 Daylight	Piece	200	
6	18 Watts Led Bulb Daylight	Piece	100	
7	2x18 Watts 600 X 1200mm Troffer Type Lighting Fixture	Piece	5	
8	2x9 Watts 600 X 600mm Troffer Type Lighting Fixture	Piece	4	
9	72 Watts Led Panel Light 600mm X 1200mm Day Light	Piece	24	
10	9w 600mm Led Tube Light T8 Day Light	Piece	30	
11	Acoustic Board 2feetx2feet	Piece	10	
12	Adaptor Universal, 1x Universal Travel Power Converter To Uk 3-Pin Plug.	Piece	10	Within
13	Ambulance Tires, 195mm - Tire Width, 195r15c - Tire Size, 15 Inches - Rim Size	Piece	12	Thirty (30) Calendar Days Upon
14	Bareta Kabra Nail Remover Claw Bar, 600mm	Piece	1	Issuance of Notice to
15	Bidet (Branded) - Stainless Bidet And Hose Set , Compatible With Existing Unit	Piece	10	Proceed
16	Blade Grinder (Cutting Disc) Steel-4inches	Piece	4	
17	Blade Grinder (Cutting Disc) Tile-4inches	Piece	4	
18	Blade Grinder Desk Steel	Piece	2	
19	Blade Grinder Desk Stone	Piece	2	
20	Bolt Barrel With Padlock, Chrome Steel For Protect Against Corrosion & Rust.	Piece	5	
21	Bolt Cutter-16mm	Piece	1	
22	Cable Tie Wrap-12inches	Piece	100	
23	Car Battery - Compatible With Existing Unit, Hi Ace And Hi Lux	Piece	4	
24	Cement Portland - Blended Cement Type 1p, 40kg	Sack	2	-
25	Cement-Adhesive - 25 Kg/Bag	Sack	2	

26	Cement-Grout-5 Kg/Bag, white or grey color	Bag	2	
27	Circuit Breaker 100amp 3 Pole	Piece	1	_
28	Circuit Breaker 125amp 3 Pole	Piece	1	-
29	Circuit Breaker 20amp	Piece	3	-
30	Circuit Breaker 30amp	Piece	3	-
31	Crowbar/Wrecking Bar, Heavy Duty - 500mm, Nail Lifter, Nail Puller, Carpenter, Nail Remover, Nail Opener, Tool, Steel	Piece	1	
32	Cutter Electrical Wire - Cable Electrical Wire Cutter Cutting Pliers Scissors Side Snips Flush Pliers Tool	Piece	1	-
33	Door Knob Ordinary, Stainless Steel, Fits Doors 1 3/8inches -1 3/4inches Thick - 2 3/8inches Or 2 3/4inches	Piece	30	-
34	Door Lock/ Closer & Hinges - For Max Door Weight Of 85 Kg	Set	15	-
35	Door Pvc With Louver, Door Pad, Door Jamb And Free Door Knob For Comfort Room At Least 60 X 210 Cm,	Piece	20	-
36	Drill Bit Concrete Set - At Least 11pcs Concrete And Hammer Drill Bits Set, Industrial	Set	2	-
37	Drill Bit Steel Set (Titanium) Shank Type: Straight Shank, Measurement: System Metric	Set	2	Within Thirty (30) Calendar
38	Emergency Light - Automatic Operation (Turns On Instantly When Power Is Cut-Off) Illuminates Areas More Than 1 Lux, Light Source: 2x1watts High Power Smt Led Battery: 4v 4.Oah Sealed Lead Acid, Performance Time (At	Piece	10	Days Upon Issuance of Notice to Proceed
39	Full Charge) Epoxy A & B - All-Purpose Structural Adhesive, 1 Liter	Liter	2	-
40	Epoxy Primer - 1 Liter, Sealing Up Bare Metal And Prevents Moisture Or Corrosion	Liter	2	
41	Exhaust Fan, 300 Cfm 12-Inches	Piece	30	-
42	Exhaust Fan-Ceiling Mounted - 12inches Ceiling Mounted Voltage: 230v; Frequency: 60hz	Piece	10	
43	Exit Light - Turns On Instantly When Power Is Cut-Off, Equipped With Overcharging Protection	Piece	5	
44	Extension Cord - 10meters , With 4 Universal Outlet, With Indicator Light, 2500watts	Piece	5	
45	Extension Cord - 6 Universal Outlets & Individual Switches 2500watts, 20 Meters	Piece	5	
46	Faucet - Stainless Materials, Long Type	Piece	20	1
47	Flashlight - Battery Operated AAA, Brightness: At Least 135 Lumens	Piece	5	
48	Flashlight - Rechargeable , 20watts + 10watts Led, Working Life: 50,000 Hours	Piece	5	
49	Floor Drain - Style: Strainer Or Its Equivalent, 4x4	Piece	10	-

50	Floor Drain Strainer - 150cm x 510cm sus304 Stainless Steel with Smell Trap Strainer	Piece	10	
51	Gloves-Leather	Piece	24	
52	Gloves-Rubberized	Piece	24	
53	Grab Bar - Material: Stainless Steel. Length: 30cm, Diameter:2.5cm.	Piece	1	
54	Gypsum Board Moisture Resistant Board 9mm	Piece	10	
55	Hacksaw 24 – 300mm	Piece	2	
56	Hacksaw Blade-12inches	Piece	10	
57	Hammer Claw-12inches	Piece	2	
58	Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain	Piece	2	
59	Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight	Piece	10	
60	Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet	Piece	10	
61	Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch	Set	5	
62	Hinges - 304 Stainless Steel, 2 Inches X 3 Inches	Set	20	Within
63	Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round	Set	1	Thirty (30) Calendar
64	Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg	Piece	2	Days Upon Issuance of Notice to
65	Lavatory Complete Fittings Lavatory Faucet Fittings Complete Set With P-Trap Angle	Set	10	Proceed
66	Lavatory P-Trap Pvc Pipe Fitting, 40mm	Piece	20	
67	Lavatory Faucet Single Handle Chrome, Stainless	Set	10	
68	Lavatory Supply Pipe 1/2inches X 1/2inches X 16inches, Flexible Hose Lavatory	Set	20	
69	Lavatory With Faucet Wall Hang Basin hole Size: 2.3-3.0cm, Size:420mm X 345mm X170 Mm, Pure White hang Type	Set	5	
70	Led Strip Light Specifications (Light Beads / M): 50, Voltage: 220v, 10m White With Accessories	Set	1	
71	Meter Tape Made Of High-Strength Abs Plastic, 5m	Piece	4	
72	Nail Concrete Number 2	Kilogram	2	
73	Outlet Convenience 2 Gang Convenience Outlet, 10a, 250v	Set	10	
74	Outlet Convenience (Aircon) 1-Gang Outlet, 1 Aircon Tandem Outlet And Plate	Set	20	
75	Brass Padlock 30mm	Piece	5	
76	Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches	Piece	15	•

77	Paint Brush 50mm #2	Piece	5	
78	Plastic Paint Tray	Piece	5	
79	Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon	Gallon	4	
80	Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon	Gallon	30	
81	Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall	Kilogram	10	
82	Plier Set Pump Plier 10inches, Combination Plier 8inches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches	Set	2	
83	Marine Plywood Size: 1/2inch X 4feet X 8feet	Piece	5	
84	Pvc Adaptor 1/2inch Diameter	Piece	10	
85	Pvc Blue Pipe 1/2inch Diameter	Piece	10	
86	Pvc Clamp 1/2inch Diameter, with nail	Piece	30	
87	Orange Pvc Coupling-1/2inch Diameter (20mm)	Piece	10	
88	Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter	Piece	20	
89	Pvc Fitting Female Adaptor-1/2inch Diameter	Piece	20	Within Thirty (30)
90	Pvc Male Adaptor-1/2inch Diameter, blue	Piece	10	Calendar Days Upon
91	Pvc Solvent Cement-400cc	Can	3	Issuance of Notice to
92	Pvc Fittings Tee-1/2inch Diameter	Piece	20	Proceed
93	Riveter 2-Jaw Design, Jaw And Jaw Case Are Made Of Chrome Steel And Heat Treated	Set	2	
94	Rivets Aluminum Blind Rivets 1/8inch X 1/2inch	Box	6	
95	Rugby Cement Contact Cement 1 Gallon	Gallon	3	
96	Sanding Paper Good Quality Waterproof Sandpapers, At Least #200 And Up	Piece	5	
97	Screw Black Pointed Black Screw For Wood (100pcs) , 1/8inch X 1-1/2inches	Box	5	
98	Screw Driver Flat Magnetic Screwdriver Soft Grip, 6x100mm6x125mm6x150mm	Set	2	
99	Screw Driver Philip Magnetic Screwdriver Soft Grip, 6x100mm6x125mm6x150mm	Set	2	
100	Silicone Sealant Construction Grade 300ml - Clear	Tube	3	
101	Shower Head And Valve	Set	5	
102	Sink Standard Size, 1 X Single Square Bowl , Stainless Steel	Set	2	
103	Soldering Iron 30 Watts, Plug Type - Working Voltage: Eu Plug 220v(Eu)	Set	2	

104	Spade Shovel W/ Wooden Body, Standard Size	Piece	3	
105	Spatula With Handle Rubber Handle Spatula, Medium 4-(100mm)	Piece	2	
106	Steel Brush Head Brush : Steel Wire, Size 6	Piece	3	-
107	Steel Epoxy Steel 25grams Short Steel Epoxy Steel Adhesive	Gallon	3	
108	Switch Single Pole Toggle Switch Single Pole Double Throw, Power :Ac 125v 6a, Ac 250v 3a	Piece	15	
109	Safety Caution Tape , 500 Meter	Roll	2	-
110	Electrical Tape 16m (0.16 Mm X 19 Mm X 16 M), Branded	Roll	30	-
111	Electrical Tape Rubber Size: 0.8mm X 19mm X 8 Meters, Self-Fusing Rubber Tape	Roll	10	
112	Teflon Tape 1/2inch Per Pack 10's	Pack	30	-
113	Tek Screw Size Variation: 2-1/2inches, Tek Screw Flat For Metal, Per Box(280pcs)	Box	4	
114	Tek Screw, 2 Inches (280pcs)	Box	4	-
115	Tile-Adhesive Specifications Of ABC Adhesive 25kls	Bag	2	Within Thirty (30)
116	Tox Size 10; Per Pack, Material: Plastic 100pcs/box	Pack	4	Calendar Days Upon
117	Tox Size 5; Per Pack, Material: Plastic 100pcs/box	Pack	3	Issuance of Notice to
118	Tox Size 6; Per Pack, Material: Plastic 100pcs/box	Pack	4	Proceed
119	Tox Size 8; Per Pack, Material: Plastic 100pcs/box	Pack	4	-
120	Push Button Type Urinal Flush, 304 Stainless Steel, Set	Set	2	-
121	Vice Grip Material: Heavy Duty Vise Grip Pliers, Size 8	Set	4	-
122	Two-Piece Water closet, Flush Type: Push Button	Set	3	-
123	Two-Piece Water closet, Flush Type: Lever Type	Set	4	-
124	Wheel Barrow Easy Rolling Resistance, Light Weight, Solid Rubber Tire	Set	4	
125	Wire Electrical Gauge #12 (3.5 Mm²), Wire Type: Stranded, Colors: Black, Blue, Green, Yellow, Red White	Meters	2	
126	GI Tie Wire No. 14 (2.1mm) Per Roll	Roll	2	-
127	Adjustable Wrench Size 14	Set	5	1
128	Wrench Allen 1.5 To 10mm., Made In Chrome Vanadium Steel , Set	Set	5	
129	Wrench Open Combination Sizes: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm, Precision Machined 15-Degree Angled Open Ends	Set	2	
130	Wrench Socket, size: 4mm, 4.5mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, set, stainless steel heavy duty	Set	100	

Schedule of Requirements Page 5 of 6

I hereby certify to comply and deliver all the above requirements.

Signature:

Duly authorized to sign the Bid for and behalf of:

 $Schedule\ of\ Requirements\ Page\ 6\ of\ 6$

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications PROCUREMENT OF VARIOUS HARDWARE SUPPLIES PROJECT NO. RMBGH-21-HCS-298

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A. 1	12 V Recessed Floor Light Water Proof	
2	14 Watts Led Bulb Daylight	
3	14 Watts Led Downlight	
4	18 Watts 1200mm Led Tube Light T5 Warm White	
5	18 Watts 1200mm Led Tube Light T8 Daylight	
6	18 Watts Led Bulb Daylight	
7	2x18 Watts 600 X 1200mm Troffer Type Lighting Fixture	
8	2x9 Watts 600 X 600mm Troffer Type Lighting Fixture	
9	72 Watts Led Panel Light 600mm X 1200mm Day Light	
10	9w 600mm Led Tube Light T8 Day Light	
11	Acoustic Board 2feetx2feet	
12	Adaptor Universal, 1x Universal Travel Power Converter To Uk 3-Pin Plug.	
13	Ambulance Tires, 195mm - Tire Width, 195r15c - Tire Size, 15 Inches - Rim Size	
14	Bareta Kabra Nail Remover Claw Bar, 600mm	
15	Bidet (Branded) - Stainless Bidet And Hose Set , Compatible With Existing Unit	
16	Blade Grinder (Cutting Disc) Steel-4inches	

17	Blade Grinder (Cutting Disc) Tile-4inches	
18	Blade Grinder Desk Steel	
19	Blade Grinder Desk Stone	
20	Bolt Barrel With Padlock, Chrome Steel For Protect Against Corrosion & Rust.	
21	Bolt Cutter-16mm	
22	Cable Tie Wrap-12inches	
23	Car Battery - Compatible With Existing Unit, Hi Ace And Hi Lux	
24	Cement Portland - Blended Cement Type 1p, 40kg	
25	Cement-Adhesive - 25 Kg/Bag	
26	Cement-Grout-5 Kg/Bag, white or grey color	
27	Circuit Breaker 100amp 3 Pole	
28	Circuit Breaker 125amp 3 Pole	
29	Circuit Breaker 20amp	
30	Circuit Breaker 30amp	
31	Crowbar/Wrecking Bar, Heavy Duty - 500mm, Nail Lifter, Nail Puller, Carpenter, Nail Remover, Nail Opener, Tool, Steel	
32	Cutter Electrical Wire - Cable Electrical Wire Cutter Cutting Pliers Scissors Side Snips Flush Pliers Tool	
33	Door Knob Ordinary, Stainless Steel, Fits Doors 1 3/8inches -1 3/4inches Thick - 2 3/8inches Or 2 3/4inches	
34	Door Lock/ Closer & Hinges - For Max Door Weight Of 85 Kg	
35	Door Pvc With Louver, Door Pad, Door Jamb And Free Door Knob For Comfort Room At Least 60 X 210 Cm,	
36	Drill Bit Concrete Set - At Least 11pcs Concrete And Hammer Drill Bits Set, Industrial	
37	Drill Bit Steel Set (Titanium) Shank Type: Straight Shank, Measurement: System Metric	
38	Emergency Light - Automatic Operation (Turns On Instantly When Power Is Cut-Off) Illuminates Areas More Than 1 Lux, Light Source: 2x1watts High Power Smt Led Battery: 4v 4.Oah Sealed Lead Acid, Performance Time (At Full Charge)	
39	Epoxy A & B - All-Purpose Structural Adhesive, 1 Liter	

Eshaust Fan, 300 Cfm 12-Inches Eshaust Fan-Ceiling Mounted - 12inches Ceiling Mounted Voltage: 230v; Frequency; 60hb Esit Light - Turns On Instantly When Power Is Cut-Off, Equipped With Overcharging Protection Estension Cord - 10 Investors, With 4 Universal Outlet, With Indicator Light, 2300warts Estension Cord - 10 Investal Outlets & Individual Switches 2500warts, 20 Melex. 45 Espacision Cord - 6 Universal Outlets & Individual Switches 2500warts, 20 Melex. 46 Faucet - Stainless Materials, Long Type Flashlight - Bartery Operated AAA, Brightness: At Least 135 Lumens 47 Flashlight - Rechargeable , 20warts + 10warts Led, Working Life: 50,000 Hours 48 Life: 50,000 Hours 49 Floor Drain - Style: Strainer Or Its Equivalent, 4x4 Floor Drain - Style: Strainer of Its Equivalent, 4x4 Floor Drain - Style: Strainer Or Its Equivalent, 4x4 Floor Drain - Style: Strainer Or Its Equivalent, 4x4 50 Gloves-Rubberized Gloves-Rubberized Gloves-Rubberized Gloves-Rubberized Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter-2,5cm. 51 Glowes-Length: 20 Inches Steel Hand Saw - Length: 20 Inches Bard Man Bard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight, Lightweigh	40	Epoxy Primer - 1 Liter, Sealing Up Bare Metal And Prevents Moisture Or Corrosion	
Voltage: 230v. Frequency: 60tz Exit Light - Turns On Instantly When Power Is Cut-Off. Equipped With Overcharging Protection Extension Cord - I Universal Outlets & Individual Switches 2500warts, 20 Meters Extension Cord - G. Universal Outlets & Individual Switches 2500warts, 20 Meters Extension Cord - G. Universal Outlets & Individual Switches 2500warts, 20 Meters Fashlight - Battery Operated AAA, Brightness: At Least 135 Lumens Flashlight - Battery Operated AAA, Brightness: At Least 135 Lumens Flashlight - Rechargeable, 20warts + 10warts Led, Working Life: 50,000 Hours Floor Drain - Style: Strainer Or Its Equivalent, 4xd Floor Drain - Style: Strainer Or Its Equivalent, 4xd Floor Drain Strainer - 150cm x 510cm sus304 Stainless Steel with Smell Trap Strainer Gloves-Leather Gloves-Rubberized Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter: 2.5cm, Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter: 2.5cm Gypsum Board Moisture Resistant Board 9mm Hacksaw 24 - 300mm Hacksaw 24 - 300mm Hacksaw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Fasier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Lack Croecodile Hydraulic Floor Jack - 2.5 Tons Croecodile Jack Croecodile Hydraulic Floor Jack - 2.5 Tons Croecodile Jack Croecodile Hydraulic Floor Jack - 2.5 Tons	41	Exhaust Fan, 300 Cfm 12-Inches	
Extension Cord - 10meters , With 4 Universal Outlet, With Indicator Light, 2500watts Extension Cord - 6 Universal Outlets & Individual Switches 2500watts, 20 Meters Extension Cord - 6 Universal Outlets & Individual Switches 2500watts, 20 Meters Fashlight - Battery Operated AAA, Brightness: At Least 135 Lumens Flashlight - Battery Operated AAA, Brightness: At Least 135 Lumens Flashlight - Rechargeable , 20watts + 10watts Led, Working Life: 50,000 Hours Floor Drain - Style: Strainer Or Its Equivalent, 4x4 Floor Drain Strainer - 150cm x 510cm xax304 Stainless Steel with Smell Trap Strainer Gloves-Leather Gloves-Rubberized Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter, 2.5cm. Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter, 2.5cm. Agypsum Board Moisture Resistant Board 9mm Hacksaw 24 - 300mm Hacksaw Blade-12inches Hammer Claw-12inches Hammer Claw-12inches Hammer Glaw-12inches Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight	42		
44 Indicator Light, 2500watts 45 Estension Cord - 6 Universal Outlets & Individual Switches 46 Faucet - Stainless Materials, Long Type 47 Hashlight - Battery Operated AAA, Brightness: At Least 48 Life: 50,000 Hours 49 Floor Drain - Style: Strainer Or Its Equivalent, 4x4 40 Floor Drain - Style: Strainer Or Its Equivalent, 4x4 41 Floor Drain Strainer - 150cm x 510cm sus304 Stainless 42 Steel with Smell Trap Strainer 43 Gloves-Leather 44 Gloves-Leather 45 Gloves-Rubberized 46 Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter: 2.5cm. 47 Diameter: 2.5cm. 48 Gypsum Board Moisture Resistant Board 9mm 49 Hacksaw 24 – 300mm 40 Hacksaw 24 – 300mm 40 Hacksaw Blade: 12inches 40 Hammer Claw-12inches 41 Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain 41 Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight 42 Hasp - 304 Stainless Steel, 2 Inches X 3 Inches 43 Hole Saw Spc Hole Saw Set Drill Bit Cutting Cutter Round 44 Linch / 5 Inch 45 Light- Saw Spc Hole Saw Set Drill Bit Cutting Cutter Round 46 Jack-7.5kg 41 Lavatory Complete Fittings Lavatory Faucet Fittings	43		
46 Faucet - Stainless Materials, Long Type Flashlight - Battery Operated AAA, Brightness: At Least 135 Lumens Flashlight - Battery Operated AAA, Brightness: At Least 135 Lumens Flashlight - Rechargeable , 20watts + 10watts Led, Working Life: 50,000 Hours Floor Drain - Style: Strainer Or Its Equivalent, 4x-4 Floor Drain - Style: Strainer or Its Equivalent, 4x-4 Floor Drain Style: Strainer - 150cm x 510cm sus304 Stainless Steel with Smell Trap Strainer Gloves-Leather Gloves-Rubberized Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter: 2.5cm, Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter: 2.5cm, Hacksaw 24 - 300mm 54 Gypsum Board Moisture Resistant Board 9mm 55 Hacksaw Blade-12inches 66 Hacksaw Blade-12inches Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Fasier Cutting Aeross Wood Grain Flard Hat - With Adjustable Strap / Yellow Or Red In Color Durable, Lightweight 60 Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Hnch/ 5 Inch 61 Hinges - 304 Stainless Steel, 2 Inches X 3 Inches 63 Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulie Floor Jack* 2.5 Tons Crocodile Jack*7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	44		
Flashlight - Battery Operated AAA, Brightness: At Least 135 Lumens Flashlight - Rechargeable , 20watts + 10watts Led, Working Life: 50,000 Hours Floor Drain - Style: Strainer Or Its Equivalent, 4x4 Floor Drain Strainer - 150cm x 510cm sus304 Stainless Steel with Smell Trap Strainer Gloves-Leather Gloves-Leather Gloves-Leather Gloves-Rubberized Grab Bar - Material: Stainless Steel. Length: 30cm, Diameter: 2.5cm. Hacksaw 24 - 300mm Hacksaw Blade-12inches Hammer Claw-12inches Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hand Fav - 304 Stainless Steel, 2 Inches x 3 Inches Hings - 304 Stainless Steel, 2 Screws Are Included, 3 Inch/ Inch / 5 Inch Hings - 304 Stainless Steel, 2 Inches x 3 Inches Hings - 304 Stainless Steel, 2 Inches x 3 Inches Hings - 304 Stainless Steel, 2 Inches x 3 Inches Hings - 304 Stainless Steel, 2 Inches x 3 Inches Jack Crocodile Hydraulic Floor Jack + 2.5 Tons Crocodile Jack - 7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	45		
Flashlight - Rechargeable , 20watts + 10watts Led, Working Life: 50,000 Hours Floor Drain - Style: Strainer Or Its Equivalent, 4x4 Floor Drain Strainer - 150cm x 510cm sus304 Stainless Steel with Smell Trap Strainer Gloves-Leather Gloves-Leather Gloves-Rubberized Grab Bar - Material: Stainless Steel, Length: 30cm, Diameter: 2.5cm. Gypsum Board Moisture Resistant Board 9mm Hacksaw 24 – 300mm Hacksaw Blade-12inches Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch Hinges - 304 Stainless Steel , 2 Inches X 3 Inches Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack* 2.5 Tons Crocodile Jack*7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	46	Faucet - Stainless Materials, Long Type	
48 Life: 50,000 Hours 49 Floor Drain - Style: Strainer Or Its Equivalent, 4x4 Floor Drain Strainer - 150cm x 510cm sus304 Stainless Steel with Smell Trap Strainer 51 Gloves-Leather 52 Gloves-Rubberized 53 Grab Bar - Material: Stainless Steel. Length: 30cm, Diameter: 2.5cm. 54 Gypsum Board Moisture Resistant Board 9mm 55 Hacksaw 24 – 300mm 56 Hacksaw Blade-12inches 57 Hammer Claw-12inches 48 Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain 49 Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight 60 Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet 61 Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch 62 Hinges - 304 Stainless Steel, 2 Inches X 3 Inches 63 Hole Saw 5pe Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack* 2.5 Tons Crocodile Jack*7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	47		
Floor Drain Strainer - 150cm x 510cm sus304 Stainless Steel with Smell Trap Strainer 51 Gloves-Leather 52 Gloves-Rubberized 53 Grab Bar - Material: Stainless Steel. Length: 30cm, Diameter: 2.5cm. 54 Gypsum Board Moisture Resistant Board 9mm 55 Hacksaw 24 – 300mm 56 Hacksaw Blade-12inches 57 Hammer Claw-12inches 58 Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain 59 / Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight 60 Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet 61 Hasp - 304 Stainless Steel, Screws Are Included, 3 Inch/ 4 Inch / 5 Inch 62 Hinges - 304 Stainless Steel, 2 Inches X 3 Inches 63 Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round 64 Jack * 7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	48		
50 Steel with Smell Trap Strainer 51 Gloves-Leather 52 Gloves-Rubberized 53 Grab Bar - Material: Stainless Steel. Length: 30cm, Diameter: 2.5cm. 54 Gypsum Board Moisture Resistant Board 9mm 55 Hacksaw 24 – 300mm 56 Hacksaw Blade-12inches 57 Hammer Claw-12inches 58 Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight 60 Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet 61 Hasp - 304 Stainless Steel, 2 Inches X 3 Inches 62 Hinges - 304 Stainless Steel, 2 Inches X 3 Inches 63 Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack* 2.5 Tons Crocodile Jack*7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	49	Floor Drain - Style: Strainer Or Its Equivalent, 4x4	
Gloves-Rubberized Grab Bar - Material: Stainless Steel. Length: 30cm, Diameter:2.5cm. Gypsum Board Moisture Resistant Board 9mm Hacksaw 24 – 300mm Hacksaw Blade-12inches Hammer Claw-12inches Hammer Claw-12inches Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch Hinges - 304 Stainless Steel, 2 Inches X 3 Inches Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack* 2.5 Tons Crocodile Jack* 7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	50		
Grab Bar - Material: Stainless Steel. Length: 30cm, Diameter: 2.5 cm. 54 Gypsum Board Moisture Resistant Board 9mm 55 Hacksaw 24 – 300mm 56 Hacksaw Blade-12inches 57 Hammer Claw-12inches Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight 60 Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch 61 Hinges - 304 Stainless Steel, 2 Inches X 3 Inches 63 Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack • 2.5 Tons Crocodile Jack • 7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	51	Gloves-Leather	
53 Diameter: 2.5 cm. 54 Gypsum Board Moisture Resistant Board 9mm 55 Hacksaw 24 – 300mm 56 Hacksaw Blade-12inches 57 Hammer Claw-12inches 58 Designed For Faster And Easier Cutting Across Wood Grain 59 Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight 60 Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet 61 Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/4 Inch/5 Inch 62 Hinges - 304 Stainless Steel, 2 Inches X 3 Inches 63 Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round 64 Jack Crocodile Hydraulic Floor Jack • 2.5 Tons Crocodile Jack • 7.5 kg Lavatory Complete Fittings Lavatory Faucet Fittings	52	Gloves-Rubberized	
55 Hacksaw 24 – 300mm 56 Hacksaw Blade-12inches 57 Hammer Claw-12inches 58 Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain 59 Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight 60 Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch 61 Hinges - 304 Stainless Steel, 2 Inches X 3 Inches 63 Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round 64 Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	53	I =	
56 Hacksaw Blade-12inches 57 Hammer Claw-12inches 58 Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain 59 Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight 60 Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet 61 Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch 62 Hinges - 304 Stainless Steel, 2 Inches X 3 Inches 63 Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round 64 Jack Crocodile Hydraulic Floor Jack* 2.5 Tons Crocodile Jack*7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	54	Gypsum Board Moisture Resistant Board 9mm	
Hammer Claw-12inches Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch Hinges - 304 Stainless Steel, 2 Inches X 3 Inches Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	55	Hacksaw 24 – 300mm	
Hand Saw - Length: 20 Inches, Tooth Shape Has Been Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch Hinges - 304 Stainless Steel, 2 Inches X 3 Inches Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	56	Hacksaw Blade-12inches	
Designed For Faster And Easier Cutting Across Wood Grain Hard Hat - With Adjustable Strap / Yellow Or Red In Color / Durable, Lightweight Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch Hinges - 304 Stainless Steel, 2 Inches X 3 Inches Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack 2.5 Tons Crocodile Jack 7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	57	Hammer Claw-12inches	
 / Durable, Lightweight Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch Hinges - 304 Stainless Steel, 2 Inches X 3 Inches Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings 	58		
Hasp - 304 Stainless Steel , Screws Are Included , 3 Inch/ 4 Inch / 5 Inch Hinges - 304 Stainless Steel, 2 Inches X 3 Inches Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	59		
 4 Inch / 5 Inch Hinges - 304 Stainless Steel, 2 Inches X 3 Inches Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings 	60	Hardiflex Fiber Cement Board 1/4inch x 4feet x 8feet	
Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	61		
Jack Crocodile Hydraulic Floor Jack• 2.5 Tons Crocodile Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	62	Hinges - 304 Stainless Steel, 2 Inches X 3 Inches	
Jack•7.5kg Lavatory Complete Fittings Lavatory Faucet Fittings	63	Hole Saw 5pc Hole Saw Set Drill Bit Cutting Cutter Round	
	64		
<u> </u>	65		

Lavatory Faucet Single Handle Chrome, Stainless Lavatory Supply Pipe 1/2inches X 1/2inches X 16inches, Plexible Hoose Lavatory Lavatory With Faucet Wall Hang Basin hole Size; 2.3- 3.0cm, Size; 420mm X 345mm X170 Mm, Pure White hang Type Led Strip Light Specifications (Light Beads / M): 50, Voltage; 220v, 10m White With Accessories 70 Voltage; 220v, 10m White With Accessories 71 Meter Tape Made Of High-Strength Abs Plastic, 5m 72 Nail Concrete Number; 2 73 Outlet Convenience 2 Gang Convenience Outlet, 10a, 250v 74 Outlet Convenience (Aircon) 1-Gang Outlet, 1 Aircon 75 Brass Padlock 30mm 76 Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches 77 Paint Brush 50mm #2 78 Plastic Paint Tray Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon 80 4liter / Gallon 80 4liter / Gallon Parching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall Piler Set Pump Piler Uniches, Combination Piler Binches, Diagonal Cutting Piler 7inches, Long Nose Piler 6inches 81 Martine Plywood Size: 1/2inch X 4feet X 8feet 82 Pic Subent Pipe 1/2inch Diameter 83 Martine Plywood Size: 1/2inch Diameter 84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter 87 Pvc Ellow - Conduit Elbow Short Or Long 1/2inch Diameter 88 Pvc Blue Fee Coupling-1/2inch Diameter (20mm) 89 Pvc Ellow - Conduit Elbow Short Or Long 1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue 91 Pvc Solvent Cement-400ce	66	Lavatory P-Trap Pvc Pipe Fitting, 40mm	
Flexible Hose Lavatory Lavatory With Faucet Wall Hang Basin hole Size: 2.3- 3.0cm, Size: 20mm X 345mm X170 Mm, Pure White hang Type 10 Voltage: 220v, 10m White With Accessories 11 Meter Tape Made Of High-Strength Abs Plastic, 5m 12 Nail Concrete Number 2 13 Outlet Convenience 2 Gang Convenience Outlet, 10a, 250v 14 Outlet Convenience 2 Gang Convenience Outlet, 1 Aircon Tape Made Of High-Strength Abs Plastic, 5m 15 Brass Padlock 30mm 16 Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches 17 Paint Brush 50mm #2 18 Plastic Paint Tray Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon 18 Plastic Paint 100% Acrylic Water Proofing Otlorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall To Correct Minor Surface Imperfections Of Concrete Wall Piter Set Pump Piter Toinches, Combination Piter Sinches, Diagonal Cutting Piter Tinches, Long Nose Piter 6inches 18 Marine Plywood Size: 1/2inch Diameter 18 Pvc Adaptor 1/2inch Diameter 18 Pvc Blae Pipe 1/2inch Diameter 18 Pvc Ellow - Conduit Elbow Short Or Long 1/2inch Diameter 19 Pvc Fitting Female Adaptor-1/2inch Diameter	67	Lavatory Faucet Single Handle Chrome, Stainless	
3.0cm, Size-420mm X 345mm X170 Mm, Pure White hang Type Led Strip Light Specifications (Light Beads / M): 50, Voltage: 220v. 10m White With Accessories 71 Meter Tape Made Of High-Strength Abs Plastic, 5m 72 Nail Concrete Number 2 73 Outlet Convenience 2 Gang Convenience Outlet, 10a, 250v 74 Outlet Convenience (Aircon) 1-Gang Outlet, 1 Aircon Tandem Outlet And Plate 75 Brass Padlock 30mm 76 Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches 77 Paint Brush 50mm #2 78 Plastic Paint Tray Waterproofing Multi-Seal Flastomeric Sealant Paint Per Gallon 80 Hiter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo 81 To Correct Minor Surface Imperfections Of Concrete Wall 82 Diagonal Cutting Plier 7 inches, Long Nose Plier 6 inches 83 Marine Plywood Size: 1/2inch X 4feet X 8feet 84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter 87 Orange Pvc Coupling-1/2inch Diameter (20mm) 88 Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter	68		
70 Voltage: 220v. 10m White With Accessories 71 Meter Tape Made Of High-Strength Abs Plastic, 5m 72 Nail Concrete Number 2 73 Outlet Convenience 2 Gang Convenience Outlet, 10a, 250v 74 Tandem Outlet And Plate 75 Brass Padlock 30mm 76 Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches 77 Paint Brush 50mm #2 78 Plastic Paint Tray Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon 80 Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo 81 To Correct Minor Surface Imperfections Of Concrete Wall 82 Piers Ev Pump Pier 10inches, Combination Pier Sinches, Diagonal Cutting Pier 7inches, Long Nose Pier 6inches 83 Marine Plywood Size: 1/2inch X 4feet X 8feet 84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter (20mm) 87 Orange Pvc Coupling-1/2inch Diameter (20mm) 88 Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	69	3.0cm, Size:420mm X 345mm X170 Mm, Pure White hang	
72 Nail Concrete Number 2 73 Outlet Convenience 2 Gang Convenience Outlet, 10a, 250v 74 Outlet Convenience (Aircon) 1-Gang Outlet, 1 Aircon 75 Brass Padlock 30mm 76 Paint Roller Cotton Or Foum Mini Paint Roller 4/6 inches 77 Paint Brush 50mm #2 78 Plastic Paint Tray 79 Waterproofing Multi-Seal Elastomeric Sealant Paint Per 79 Gallon Elastomeric Paint 100% Aerylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo 1 To Correct Minor Surface Imperfections Of Concrete Wall Plier Set Pump Piler 10inches, Combination Piler 8inches, Diagonal Cutting Piler 7inches, Long Nose Piler 6inches 83 Marine Plywood Size: 1/2inch X 4feet X 8feet 84 Pvc Adaptor 1/2inch Diameter 85 Pve Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter 87 Orange Pvc Coupling-1/2inch Diameter (20mm) 88 Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter, blue	70		
Outlet Convenience 2 Gang Convenience Outlet, 10a, 250v Outlet Convenience (Aircon) 1-Gang Outlet, 1 Aircon Tandem Outlet And Plate 75 Brass Padlock 30mm 76 Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches 77 Paint Brush 50mm #2 78 Plastic Paint Tray Waterproofing Multi-Seal Elastomeric Scalant Paint Per Gallon Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall Plier Set Pump Plier 10inches, Combination Plier Sinches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches 83 Marine Plywood Size: 1/2inch X 4fect X 8feet 84 Pve Adaptor 1/2inch Diameter 85 Pve Blue Pipe 1/2inch Diameter 86 Pve Clamp 1/2inch Diameter (20mm) Pus Elhow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pve Fitting Female Adaptor-1/2inch Diameter	71	Meter Tape Made Of High-Strength Abs Plastic, 5m	
Outlet Convenience (Aircon) 1-Gang Outlet, 1 Aircon Tandem Outlet And Plate 75 Brass Padlock 30mm 76 Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches 77 Paint Brush 50mm #2 78 Plastic Paint Tray Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon 80 Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall 81 To Correct Minor Surface Imperfections Of Plore Rinches, Diagonal Cutting Plier 7inches, Combination Plier Rinches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches 83 Marine Plywood Size: 1/2inch X 4feet X 8feet 84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter, with nail 87 Orange Pvc Coupling-1/2inch Diameter (20mm) Pve Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	72	Nail Concrete Number 2	
Tandem Outlet And Plate 75 Brass Padlock 30mm 76 Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches 77 Paint Brush 50mm #2 78 Plastic Paint Tray Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon 80 Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall Plier Set Pump Plier 10inches, Combination Plier 8inches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches 83 Marine Plywood Size: 1/2inch X 4feet X 8feet 84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter, with nail 87 Orange Pvc Coupling-1/2inch Diameter (20mm) Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	73	Outlet Convenience 2 Gang Convenience Outlet, 10a, 250v	
76 Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches 77 Paint Brush 50mm #2 78 Plastic Paint Tray 79 Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon 80 Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo 81 To Correct Minor Surface Imperfections Of Concrete Wall 82 Plier Set Pump Plier 10inches, Combination Plier Sinches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches 83 Marine Plywood Size: 1/2inch X 4feet X 8feet 84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter, with nail 87 Orange Pvc Coupling-1/2inch Diameter (20mm) Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	74		
77 Paint Brush 50mm #2 78 Plastic Paint Tray Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon 80 Elastomeric Paint 100% Aerylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo 81 To Correct Minor Surface Imperfections Of Concrete Wall 82 Plier Set Pump Plier 10inches, Combination Plier Sinches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches 83 Marine Plywood Size: 1/2inch X 4feet X 8feet 84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter, with nail 87 Orange Pvc Coupling-1/2inch Diameter (20mm) Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	75	Brass Padlock 30mm	
78 Plastic Paint Tray Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall Plier Set Pump Plier 10inches, Combination Plier 8inches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches 33 Marine Plywood Size: 1/2inch X 4feet X 8feet 34 Pvc Adaptor 1/2inch Diameter 35 Pvc Blue Pipe 1/2inch Diameter 36 Pvc Clamp 1/2inch Diameter, with nail 37 Orange Pvc Coupling-1/2inch Diameter (20mm) Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 39 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	76	Paint Roller Cotton Or Foam Mini Paint Roller 4/6 inches	
Waterproofing Multi-Seal Elastomeric Sealant Paint Per Gallon Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall Plier Set Pump Plier 10inches, Combination Plier Binches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches Marine Plywood Size: 1/2inch X 4feet X 8feet Pvc Adaptor 1/2inch Diameter Pvc Blue Pipe 1/2inch Diameter Pvc Clamp 1/2inch Diameter, with nail Orange Pvc Coupling-1/2inch Diameter (20mm) Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter Pvc Fitting Female Adaptor-1/2inch Diameter Pvc Male Adaptor-1/2inch Diameter, blue	77	Paint Brush 50mm #2	
80 Elastomeric Paint 100% Acrylic Water Proofing Odorless 4liter / Gallon Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall Plier Set Pump Plier 10inches, Combination Plier 8inches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches Marine Plywood Size: 1/2inch X 4feet X 8feet Pvc Adaptor 1/2inch Diameter Pvc Blue Pipe 1/2inch Diameter Pvc Clamp 1/2inch Diameter, with nail Pvc Clamp 1/2inch Diameter, with nail Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter Pvc Fitting Female Adaptor-1/2inch Diameter Pvc Male Adaptor-1/2inch Diameter, blue	78	Plastic Paint Tray	
Patching Compound Powder Type Material Mixed To Latex Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall Plier Set Pump Plier 10inches, Combination Plier 8inches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches Marine Plywood Size: 1/2inch X 4feet X 8feet Pvc Adaptor 1/2inch Diameter Pvc Blue Pipe 1/2inch Diameter Pvc Clamp 1/2inch Diameter, with nail Orange Pvc Coupling-1/2inch Diameter (20mm) Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter Pvc Fitting Female Adaptor-1/2inch Diameter Pvc Male Adaptor-1/2inch Diameter, blue	79		
Paint, Per Kilo To Correct Minor Surface Imperfections Of Concrete Wall Plier Set Pump Plier 10inches, Combination Plier 8inches, Diagonal Cutting Plier 7inches, Long Nose Plier 6inches Marine Plywood Size: 1/2inch X 4feet X 8feet Pvc Adaptor 1/2inch Diameter Pvc Blue Pipe 1/2inch Diameter Pvc Clamp 1/2inch Diameter, with nail roange Pvc Coupling-1/2inch Diameter (20mm) Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter Pvc Fitting Female Adaptor-1/2inch Diameter Pvc Male Adaptor-1/2inch Diameter, blue	80	1	
82 Diagonal Cutting Plier 7inches, Long Nose Plier 6inches 83 Marine Plywood Size: 1/2inch X 4feet X 8feet 84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter, with nail 87 Orange Pvc Coupling-1/2inch Diameter (20mm) 88 Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	81	Paint, Per Kilo	
84 Pvc Adaptor 1/2inch Diameter 85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter, with nail 87 Orange Pvc Coupling-1/2inch Diameter (20mm) 88 Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	82		
85 Pvc Blue Pipe 1/2inch Diameter 86 Pvc Clamp 1/2inch Diameter, with nail 87 Orange Pvc Coupling-1/2inch Diameter (20mm) 88 Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	83	Marine Plywood Size: 1/2inch X 4feet X 8feet	
86 Pvc Clamp 1/2inch Diameter, with nail 87 Orange Pvc Coupling-1/2inch Diameter (20mm) 88 Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	84	Pvc Adaptor 1/2inch Diameter	
87 Orange Pvc Coupling-1/2inch Diameter (20mm) Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	85	Pvc Blue Pipe 1/2inch Diameter	
Pvc Elbow - Conduit Elbow Short Or Long 1/2inch Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	86	Pvc Clamp 1/2inch Diameter, with nail	
88 Diameter 89 Pvc Fitting Female Adaptor-1/2inch Diameter 90 Pvc Male Adaptor-1/2inch Diameter, blue	87	Orange Pvc Coupling-1/2inch Diameter (20mm)	
90 Pvc Male Adaptor-1/2inch Diameter, blue	88		
	89	Pvc Fitting Female Adaptor-1/2inch Diameter	
91 Pvc Solvent Cement-400cc	90	Pvc Male Adaptor-1/2inch Diameter, blue	
	91	Pvc Solvent Cement-400cc	

92	Pvc Fittings Tee-1/2inch Diameter	
93	Riveter 2-Jaw Design, Jaw And Jaw Case Are Made Of Chrome Steel And Heat Treated	
94	Rivets Aluminum Blind Rivets 1/8inch X 1/2inch	
95	Rugby Cement Contact Cement 1 Gallon	
96	Sanding Paper Good Quality Waterproof Sandpapers, At Least #200 And Up	
97	Screw Black Pointed Black Screw For Wood (100pcs), 1/8inch X 1-1/2inches	
98	Screw Driver Flat Magnetic Screwdriver Soft Grip, 6x100mm6x125mm6x150mm	
99	Screw Driver Philip Magnetic Screwdriver Soft Grip, 6x100mm6x125mm6x150mm	
100	Silicone Sealant Construction Grade 300ml - Clear	
101	Shower Head And Valve	
102	Sink Standard Size, 1 X Single Square Bowl , Stainless Steel	
103	Soldering Iron 30 Watts, Plug Type - Working Voltage: Eu Plug 220v(Eu)	
104	Spade Shovel W/ Wooden Body, Standard Size	
105	Spatula With Handle Rubber Handle Spatula, Medium 4-(100mm)	
106	Steel Brush Head Brush : Steel Wire, Size 6	
107	Steel Epoxy Steel 25grams Short Steel Epoxy Steel Adhesive	
108	Switch Single Pole Toggle Switch Single Pole Double Throw, Power :Ac 125v 6a, Ac 250v 3a	
109	Safety Caution Tape , 500 Meter	
110	Electrical Tape 16m (0.16 Mm X 19 Mm X 16 M), Branded	
111	Electrical Tape Rubber Size: 0.8mm X 19mm X 8 Meters, Self-Fusing Rubber Tape	
112	Teflon Tape 1/2inch Per Pack 10's	
113	Tek Screw Size Variation: 2-1/2inches, Tek Screw Flat For Metal, Per Box(280pcs)	
114	Tek Screw, 2 Inches (280pcs)	
115	Tile-Adhesive Specifications Of ABC Adhesive 25kls	
116	Tox Size 10; Per Pack, Material: Plastic 100pcs/box	
117	Tox Size 5; Per Pack, Material: Plastic 100pcs/box	
_		

118	Tox Size 6; Per Pack, Material: Plastic 100pcs/box	
119	Tox Size 8; Per Pack, Material: Plastic 100pcs/box	
120	Push Button Type Urinal Flush, 304 Stainless Steel, Set	
121	Vice Grip Material: Heavy Duty Vise Grip Pliers, Size 8	
122	Two-Piece Water closet, Flush Type: Push Button	
123	Two-Piece Water closet, Flush Type: Lever Type	
124	Wheel Barrow Easy Rolling Resistance, Light Weight, Solid Rubber Tire	
125	Wire Electrical Gauge #12 (3.5 Mm²), Wire Type: Stranded, Colors: Black, Blue, Green, Yellow, Red White	
126	GI Tie Wire No. 14 (2.1mm) Per Roll	
127	Adjustable Wrench Size 14	
128	Wrench Allen 1.5 To 10mm., Made In Chrome Vanadium Steel , Set	
129	Wrench Open Combination Sizes: 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm, Precision Machined 15-Degree Angled Open Ends	
130	Wrench Socket, size: 4mm, 4.5mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, set, stainless steel heavy duty	
В.	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Technical Specifications Page 6 of 6

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Leg	gal Do	<u>ocuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
	(c)	and Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	(d)	and Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
<u>Te</u>	chnica	al Documents
	(f)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a
	(g)	FORM prescribed by the QC-BAC-GOODS AND SERVICES); and Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM)
	(h)	prescribed by the QC-BAC-GOODS AND SERVICES); <u>and</u> Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
		or Original copy of Notarized Bid Securing Declaration; and
	(i)	Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and
	(j)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Fin	ancia	l Documents
	(k)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
	(1)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); or
		A committed Line of Credit from a Universal or Commercial Bank in lieu of

Class "B" Documents

its NFCC computation.

Ш	(III)	venture is already in existence;
		or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
<u>Oth</u>	ier do	cumentary requirements under RA No. 9184 (as applicable)
	(n)	[For foreign bidders claiming by reason of their country's extension of
		reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(o)	Certification from the DTI if the Bidder claims preference as a Domestic
		Bidder or Domestic Entity.
		II. FINANCIAL COMPONENT ENVELOPE
	(a)	Original of duly signed and accomplished Financial Bid Form; and
	(b)	Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS IN BDS SECTION 20.2 AND 21.2

No additional requirements

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

