

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF MOBILE PATROL CAR AND QCPD BACK TO BACK VEHICLE

PROJECT NO. CMO-21-VEHICLES-236B

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	8
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	
6.	Origin of Goods	14
7.	Subcontracts	
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components	15
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	15
13.	Bid and Payment Currencies	
14.	Bid Security	
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	n III. Bid Data Sheet	19
Sectio	n IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	22
5.	Warranty	22
6.	Liability of the Supplier	
Sectio	n V. Special Conditions of Contract	24
Sectio	n VI. Schedule of Requirements	28
Sectio	n VII. Technical Specifications	28
Sectio	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



October 14, 2021

INVITATION TO BID

ITEM NO.	P.R. / PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	CMO(QCDRRM O)-21-MSLI-377B	CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE)	VARIOUS MEDICAL SUPPLIES	P 7,115,792.25	GENERAL FUND	30 CD
2	SDO-21-DM-293B	SCHOOLS DIVISION OFFICE	VARIOUS DRUGS AND MEDICINES	P 499,853.00	SEF	30 CD
3	CONSO-21- FURNITURE-617	VARIOUS OFFICES (QUEZON CITY TOURISM DEPARTMENT/QUEZO N CITY YOUTH DEVELOPMENT OFFICE/CITY BUDGET DEPARTMENT/OFFICE OF COUNCILOR MATIAS JOHN DEFENSOR)	VARIOUS FURNITURE	P 1,075,398.20	GENERAL FUND	30 CD
4	CONSO-21-GM- 635	VARIOUS OFFICES (CITY BUDGET DEPARTMENT/ QUEZON CITY TOURISM DEPARTMENT/ QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES/ QUEZON CITY PROTECTION CENTER)	PUSH CART AND OTHERS	P 557,416.10	GENERAL FUND	30 CD
5	CGSD-21- VEHICLES-588	CITY GENERAL SERVICES DEPARTMENT	DELIVERY TRUCK	P 1,977,750.00	GENERAL FUND	30 CD
6	PD-21-OE-586	PROCUREMENT DEPARTMENT	DESKTOP COMPUTER	P 1,917,260.00	TRUST FUND	30 CD
7	QCFD-21-VRM- 626	QUEZON CITY FIRE DISTRICT	REPAIR AND MAINTENANCE OF FIRE TANKER AND OTHERS (PARTS AND LABOR)	P 1,830,224.00	GENERAL FUND	30 CD
8	MDAD-21-CG- 637	MARKET DEVELOPMENT AND ADMINISTRATION DEPARTMENT	VENDOR'S UMBRELLA	P 1,999,996.02	GENERAL FUND	30 CD
9	CMO-QMC-21- GRMS-305B	OFFICE OF THE CITY MAYOR (QUEZON MEMORIAL CIRCLE)	PREVENTIVE MAINTENANCE SERVICE OF QUEZON CITY MUSICAL DANCING FOUNTAIN	P 2,400,000.00	GENERAL FUND	1 YEAR

10	QCGH-21-MS-563	QUEZON CITY GENERAL HOSPITAL	VARIOUS MEDICAL SUPPLIES (IV CATHETER AND OTHERS)	P 9,437,890.35	GENERAL FUND	30 CD
11	QCGH-21-HCS- 494	QUEZON CITY GENERAL HOSPITAL	VARIOUS HARDWARE SUPPLIES (PVC PIPE AND OTEHRS)	P 3,738,101.47	GENERAL FUND	30 CD
12	ARCHITECT-21- OE CONSUMABLES- 611	CITY ARCHITECT DEPARTMENT	VARIOUS CONSUMABLES (TONER CARTRIDGES OTHERS)	P 1,152,146.00	GENERAL FUND	30 CD
13	CTO-21-GM-548	CITY TREASURER'S OFFICE	VARIOUS SUPPLIES (BRASS TAG AND OTHERS)	P 760,900.00	GENERAL FUND	30 CD
14	ASSESSORS-21- IT-632	CITY ASSESSOR'S OFFICE	VARIOUS COMPUTER SOFTWARE	P 756,276.00	GENERAL FUND	30 CD
15	ASSESSORS-21- APPLIANCES- 633	CITY ASSESSOR'S OFFICE	VARIOUS APPLIANCES AND OTHERS	P 777,328.00	GENERAL FUND	30 CD
16	CMO-21- VEHICLES-236B	OFFICE OF THE CITY MAYOR	MOBILE PATROL CAR AND QCPD BACK TO BACK VEHICLE	P 19,400,000.00	GENERAL FUND	90 CD
17	VMO-21-OE-433B	OFFICE OF THE CITY MAYOR	ALL IN ONE DESKTOP COMPUTER AND OTHERS	P 2,538,000.00	GENERAL FUND	30 CD
18	CMO-21-CS-444B	OFFICE OF THE CITY MAYOR	FOOD AND DRINKS	P 83,607,300.00	GENERAL FUND	1 MONTH
19	CMO-21- APPLIANCES- 575	OFFICE OF THE CITY MAYOR	PROCUREMENT OF VARIOUS APPLIANCES	P11,164,880.30	GENERAL FUND	15CD
20	CMO-21-OE-568	OFFICE OF THE CITY MAYOR	PROCUREMENT OF VARIOUS OFFICE EQUIPMENT	P4,454,964.10	GENERAL FUND	15CD

1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Trust Fund and Special Education Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The **QUEZON CITY LOCAL GOVERNMENT**, through the General Fund, Trust Fund and Special Education Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects/Purchase Request numbers of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for *Various Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three (3) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m. 5:00 p.m.*
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday, October 15, 2021* from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB.* The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person.*

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

STANDARD RATES:

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The Quezon City Local Government will hold a Pre-Bid Conference on 10:00 A.M. of Friday, October 22, 2021 at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting Join Zoom Meeting https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246 Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Thursday, November 04, 2021.** Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- Bid opening shall be on 1:00 P.M. of Thursday, November 04, 2021 at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
 Topic: BAC-GOODS & SERVICES BIDDING Join Zoom Meeting

https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz09

Meeting ID: 858 5085 5933

Passcode: 118682

- 10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u> Tel. No. (02)8988-4242 loc. 8506/8710 Website: <u>www.quezoncity.gov.ph</u>

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

(Sgd) ROWENA T. MACATAO Chairperson, QC-BAC-Goods and Services

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF MOBILE PATROL CAR AND QCPD BACK TO BACK VEHICLE** with identification number **CMO-21-VEHICLES-236B**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **Two (2)** *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of NINETEEN MILLION FOUR HUNDRED THOUSAND PESOS AND 00/100 (Php19,400,000.00).
- 2.2. The source of funding is:
 - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the

NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

-

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to the item/s to be bid and must be at least FIFTY PERCENT (50%) of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	 a. The amount of not less than <i>Php 388,000.00</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	 b. The amount of not less than <i>Php 970,000.00</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	No additional requirement
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	 Copy of Authority to Sell from the Manufacturer/Distributor/ Dealer of the Vehicle being offered which includes guarantee on after-sales services and availability of parts Statement of Warranty – Three (3) Years List of after-sales/maintenance services facilities located within Metro Manila

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is *[indicate name(s)]*. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare Parts –				
The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:				
Select appropriate requirements and delete the rest.				
a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and				
b. in the event of termination of production of the spare parts:				
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and				
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.				
The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.				
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [<i>indicate here the time period specified. If not used indicate a time period of three times the warranty period</i>].				
Spare parts or components shall be supplied as promptly as possible, but in any case, within [<i>insert appropriate time period</i>] months of placing the order.				
Packaging –				
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.				
The packaging, marking, and documentation within and outside the package shall comply strictly with such special requirements as shall be express provided for in the Contract, including additional requirements, if any, specifie below, and in any subsequent instructions ordered by the Procuring Entity.				
The outer packaging must be clearly marked on at least four (4) sides as follows:				
Name of the Procuring Entity Name of the Supplier				

	Contract Description Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF MOBILE PATROL CAR AND QCPD BACK TO BACK VEHICLE PROJECT NO. CMO-21-VEHICLES-236B

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
Number	QCPD BACK TO BACK VEHICLE TWIN/DOUBLE CAB Minimum specifications: 1.Engine a) Fuel: Diesel b) Piston displacement: 2800cc c) Horsepower: 85 or higher d) Torque: 18kg - m or higher 2.Body and Frame: Hard Top, Crew/Double Tap Overall Length: 4700mm (minimum) - 5100 mm (maximum) Overall Width: 1600mm (minimum) - 1700mm (maximum) Overall Height: 1700mm (minimum) - 1810mm (maximum) Overall Height: 1700mm (minimum) - 1810mm (maximum) Wheelbase: 2800mm (minimum) - 3100mm (maximum) Track, Front: 1340mm (minimum) - 1500mm (maximum) Rear: 1400mm (minimum) - 1500mm (maximum) Rear: 1400mm (minimum) - 1500mm (maximum) Rear: 1400mm (minimum) - 1500mm (maximum) Steering: 4.Suspension, Front: Independent Rear: Leaf spring 5.Transmission: Manual, 5-speed forward 1 reverse, neutral, floor-shift 2 speed transfer case 6.Rim size/	<u>Issue</u> Unit	4	Weeks/Months

10. Body Color & Markings; White with	
appropriate markings specified in	
NAPOLCOM Resolution No. 99-002	
dated January 5, 1999 (Approving the	
Standard Color and Markings	
for PNP Motor Vehicles, Sea craft and	
Aircraft)	
- merally	
a. Unit logo/seal on the left and right	
doors, centered using reflectorized plastic	
sticker with a dimension of 3 inches in	
height and width.	
b. The "Unit Name" placed above the logo,	
in an arc from the edge of the	
lower blue stripe using red reflectorized	
plastic sticker with a height of 3inches.	
The width and thickness of the letters	TA7:11-: NI: (00)
	Within Ninety (90)
should be proportional to the height of	Calendar Days
the letter. The unit name maybe written in	Upon Issuance of
abbreviated form if necessary.	-
c. Name of "Main Mother Unit" name	Notice to Proceed
placed below the immediate supervising	
unit name using red reflectorized plastic	
sticker with a height of 4inches. The	
width and thickness of the letters should	
be proportional to the height of the	
letter. The unit name maybe written in	
abbreviated if necessary.	
d. "Immediate Supervising Unit" name	
placed below the immediate supervising	
unit name using red reflectorized plastic	
sticker with a height of 4inches. The width	
and thickness of the letters should be	
proportional to the height of the letter.	
The unit name maybe written in	
abbreviated if necessary.	
e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc	
,	
using red reflectorized plastic sticker with	
a height of 4inches. The width and	
thickness of the letters should be	
proportional to the height of the letter.	
The unit name maybe written in	
abbreviated form if necessary.	
f. "Vehicle Number" placed at the rear	
doors using red reflectorized plastic	
sticker with the following dimensions:	
7inches height, 5inches width and 1 inch	
thick.	
g. Name of "Immediate Supervising Unit"	
placed at the left portion of the	
bumper using red reflectorized plastic	
sticker with a height of 4inches.	
The width and thickness of the letters	
should be proportional to the height of	
the letter.	
h. Blue stripes on both sides of the cab in	
line with the logo/seal using	
reflectorized plastic sticker, 2 each, 1	
1/2inches width spaced 1/2inch apart.	
i. "Vehicle Number" placed at the right	
potion of the bumper using red	

Schedule of Requirements Page 2 of 7

 reflectorized plastic sticker with a height of the number: should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14 inches. The width and thickness of the letters should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of 2 inches and 3 inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Inmediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3 inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the Ind-user's "Unit Name" and 'Tammediate Supervising Unit" a height of 3 vinches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed the roadidle of the rear canvas cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4 inches width and 1 linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA", centered using red reflectorized plastic sticker with the following dimensions: Tinches height, 5 inches width and 1 1/2 inches thickness. p. "Vehicle Number" on the front hood and should be Ulusches from the upper edge of the hood, centered and the letters spaced 2 inches beight, 5 inches width and 1 1/2 inches thickness. p. "Vehicle Number" on the front hood finches beiw "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5 inches width and 1 1/2 inches thickness. p. Nuches form the upper edge of the contexes space and the induces and the rear route reflectorized plastic sticker with a dimension of 7 inche	 	
numbers should be proportional to the beight of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of Hainches. The width and thickness of the letters should be proportional to the height of the letter. k. Find-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a beight of 2 inches and 3 inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a beight of 2" and width of 3 inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the Find-user's "Unit Name" and "Immediate Supervising Unit" placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the electroniced plastic sticker with the indicate of the rear canvass cover, using red reflectorized plastic sticker, using red reflectorized plastic sticker with the indicate of the rear canvass.cover, using red reflectorized plastic sticker with the oflowing dimensions: 5inches height, dinches width and Linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULJSYA" on the front hood and should be 10 lonches from the upper edge of the hood, centered and the letters spaced 2 inches balow 'PUL SYA', centered using red reflectorized plastic sticker with the following dimensions: 7inches height, Sinches with and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches balow 'PUL SYA', centered using red reflectorized plastic sticker with a dimension of 7 inches height, Sinches width and 1 1/2inches thickness. q. Markings for the donor (f vehicle is donated) should be located on both sides of the body between the unit name and rear time using red reflectorized plastic sticker. r. Body Color is white with blue stripe	- 0	
 height of the number. j. Acronym of the 'Main Mother Unit and 'Vehicle Number'' placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be proportional to the height of the letter. k. Find-user's 'Unit Name' placed vertically at the left post of the rear body using red reflectorized plastic ticker with a height of 2inches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of 'Immediate Supervising Unit' placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2' and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. 'Vehicle Number' placed horizontally below the End-user's 'Unit Name' and 'Immediate Supervising Unit'' using red reflectorized plastic sticker with a height of 3 'Ainches. The width and thickness of the numbers: n. End-user's 'Unit Name' and 'Vehicle Number' is placed at the middle of the rear canvase cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. TULISYA'' cantered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11 /2inches thickness. p. 'Vehicke Number'' on the front hood sinches below "PULISYA', cantered using red reflectorized plastic sticker with a dimension of 1 inches height, 5inches width and 11 /2inches thickness. q. Markings for the donor (fi vehicle is donatce) should be located on bhis hids of the body between the unit name and rear using red reflectorized plastic sticker. g. Body Color is while with blue stripes. 		
 j. Ārcnoym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of Hainches. The width and thickness of the letters should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of 2inches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 vinches. The width and thickness of the numbers, n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with he following dimensions: Sinches height, dinches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "ULISYA" on the front hood and should be tolinches from the upper edge of the hood, centered and the letters spaced 2 inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches below "PULISVA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with bue stripes. 		
 "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the near body using red reflectorized plastic sticker with a height of Zinches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 'ninches. The width and thickness of the numbers. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvas cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4 inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the. hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 11/2inches thickness. p. Markings for the donor (fi vehicle is donated) should be located no both sides of the body between the unit name and rear tires using red reflectorized plastic donated) should be located no both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	0	
 top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of Zinches and Jinches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2' and written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 binches. The with name maybe written in abbrevising Unit using red reflectorized plastic sticker with a height of 3 binches width and thickness of the numbers should be proportional to the height of the number. n. End-users" Unit Name" and "Weitele Number" is placed at the middle of the rear canvas cover, using red reflectorized plastic sticker with the following dimensions: 5inches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following red reflectorized plastic sticker with a dimension of 7 inches height, 5inches with a dintensi	j. Acronym of the "Main Mother Unit and	
 reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of Zinches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, dinches width and Inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the houd, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: Tinches height, Sinches width and 11/2inches thickness. p. "Vehicle Number" on the front hood 3inches below "PULISYA", centered using red reflectorized plastic sticker with a height of 2 sinches width and 11/2inches thickness. g. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is while with blue stripes. 	"Vehicle Number" placed on the roof	
 of Hinches. The width and thickness of the letters should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of 2inches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2' and plastic sticker with a height of 2' and "Vintice the near body using red reflectorized plastic sticker with a height of 2' and "Ummediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 Vinches. The width and thickness of the number's placed here are carvase cover, using red reflectorized plastic sticker with a difference with the following dimensions: Sinches height, funches witten in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 linches theight, 5inches with and 11/2inches thickness. p. "Vehicle Number" on the front hood finches height, 5inches with a dimension of 7 inches height, 5inches with a din	top of the rear body, using red	
The width and thickness of the letters should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of 2 inches and 3 inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3 inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a thickness of the numbers. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear carvasas cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, dinches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches spart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA', centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches thickness. q. Markings for the donor (if vehicle is donated should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	reflectorized plastic sticker with a height	
 should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of 2inches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehide Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 '4inches. The width and thickness of the numbers. And the height of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. m. "PULISYA" on the front hood and should be following dimensions: Tinches height, 5inches width and 1/2inches thickness. p. "Vehicle Number" on the theres regard plastic sticker with the following dimensions: Tinches height, 5inches width and 1/2inches thickness. p. "Wehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1.7/2inches y. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. y. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. y. Body Color is white with blue stripes. 	1	
 should be proportional to the height of the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of 2inches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehide Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 '4inches. The width and thickness of the numbers. And the height of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. m. "PULISYA" on the front hood and should be following dimensions: Tinches height, 5inches width and 1/2inches thickness. p. "Vehicle Number" on the theres regard plastic sticker with the following dimensions: Tinches height, 5inches width and 1/2inches thickness. p. "Wehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1.7/2inches y. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. y. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. y. Body Color is white with blue stripes. 	The width and thickness of the letters	
 the letter. k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a bright of Zinches and Zinches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2' and written in abbreviated form if necessary. m. "Uchicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 'kinches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is Sinches height, furthers with and thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be lonches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with a dimensions: Zinches height, Sinches with and 1 1/Zinches thickness. p. "Vehicle Number" on the front hood and should be lonches from the upper edge of the hood, centered and the letters spaced 2 inches height, Sinches with and 1 1/Zinches thickness. p. "Vehicle Number" on the front hood and should be lonches for the top the space at the spin. p. "Vehicle Number" on the front hood and should be lonches for the hood spin. p. "Vehicle Number" on the front hood and should be lonches theight, Sinches with and 1 1/Zinches thickness. p. Markings for the donor (if vehicle is donated) should be lonches for both sides of the body between the unit name and rear tires using red reflectorized plastic sticker with a dimension of 7 inches height, Sinches with a dimension of 7 inches height, Sinches with a dimension of 7 inches height, Sinches with a dinension of 7 inches height, Sinches with a dinension of 7 inches		
 k. End-user's "Unit Name" placed vertically at the left post of the rear body using red reflectorized plastic sticker with a height of 2 inches and 3 inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 Jainches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with a following dimensions: Zinches height, Sinches width and 1 1/Zinches thickness. p. "Wehicle Number" on the front hood and should be 100 inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with a dimension of 7 inches height, Sinches width and 1 1/Zinches thickness. g. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	•	
 vertically at the left post of the rear body using red reflectorized plastic sticker with a height of 2inches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Uchicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 'uinches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4 inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches a part using red reflectorized plastic sticker with the following dimensions: Tinches height, 5 inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5 inches width and 11/2 inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	k. End-user's "Unit Name" placed	
 using red reflectorized plastic sticker with a height of 2inches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 'kinches. The width and thickness of the number: n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches aptic, Sinches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	-	
 a height of 2inches and 3inches width. The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2' and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 Vinches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: Zinches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		
The unit name maybe written in abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 ½inches. The width and thickness of the numbers. The width and thickness of the numbers. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4 inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be lonches from the upper edge of the hood, centered and the letters spaced 2 inches height, 5 inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5 inches width and 11/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	•	
 abbreviated form if necessary. i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 'zinches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches height, 5inches width and 1 1/2inches thickness. p. "Vehice Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches thickness. G. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		
 i. Name of "Immediate Supervising Unit" placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vchicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 'winches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vchicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4 inches width and Iinch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7 inches height, 5 inches width and 1 1/2inches thickness. p. "Vchicle Number" on the front hood 5 inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5 inches width and 11/2inches thickness. q. Markings for the donor (if vchicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	5	
 placed vertically at the right post of the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 ¼inches. The width and thickness of the numbers. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: 5inches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		
 the rear body using red reflectorized plastic sticker with a height of 2" and width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 Vianches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4 inches width and 1 linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10 inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with a following dimensions: 7/inches height, 5/inches with and 1 1/2/inches thickness. p. "Vehicle Number" on the front hood 5/inches below "PULISYA", contered using red reflectorized plastic stickers. g. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	1 0	
plastic sticker with a height of 2" and Calendar Days width of Sinches. The unit name maybe Witten in abbreviated form if necessary. Notice to Proceed m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and Notice to Proceed "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 '/ainches. Notice to Proceed Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. . o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches height, 5inches width and 1 1//2inches thickness. p. "Vehicle Number" on the front hood sinches below 'PULISYA', centered using red reflectorized plastic sticker with a dimensions: 7inches height, 5inches width and 1 1//2inches thickness. p. "Vehicle Number" on the front hood sinches below 'PULISYA', centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches tickness. g. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name	1 5 0 1	Within Ninety (90)
 width of 3inches. The unit name maybe written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 ½inches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic stickers. p. "Vehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic stickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		5
 written in abbreviated form if necessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 ¼inches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		
 written in aboreviated form in Recessary. m. "Vehicle Number" placed horizontally below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 ½inches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: Zinches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticknes. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic stickre. r. Body Color is white with blue stripes. 		Upon Issuance of
 below the End-user's "Unit Name" and "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 ¼inches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: Zinches height, Sinches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, Sinches with a d		-
 "Immediate Supervising Unit" using red reflectorized plastic sticker with a height of 3 ½inches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and linch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: Zinches height, Sinches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood Sinches below "PULISYA", centered using red reflectorized plastic stickers. q. Markings for the donor (if vehicle is donated) should be loated on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		Notice to Floceed
reflectorized plastic sticker with a height of 3 ½inches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: 5inches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.		
height of 3 ½inches. The width and thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4 inches width and 1 inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10 inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7 inches height, 5 inches width and 1 1/2 inches shickness. p. "Vehicle Number" on the front hood 5 inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5 inches width and 1 1/2 inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.		
 thickness of the numbers should be proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: 5inches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches with a dinches height		
 proportional to the height of the number. n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: 5inches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thicknees. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thicknees. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		
 n. End-user's "Unit Name" and "Vehicle Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: 5inches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	thickness of the numbers should be	
Number" is placed at the middle of the rear canvass cover, using red reflectorized plastic sticker with the following dimensions: 5 inches height, 4 inches width and 1 inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10 inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7 inches height, 5 inches width and 1 1/2 inches thickness. p. "Vehicle Number" on the front hood 5 inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5 inches width and 11/2 inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	proportional to the height of the number.	
rear canvass cover, using red reflectorized plastic sticker with the following dimensions: Sinches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 11/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	n. End-user's "Unit Name" and "Vehicle	
plastic sticker with the following dimensions: 5inches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULJSYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULJSYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	Number" is placed at the middle of the	
plastic sticker with the following dimensions: 5inches height, 4inches width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULJSYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULJSYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	rear canvass cover, using red reflectorized	
 width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	0	
 width and 1inch thick. The unit name maybe written in abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	dimensions: 5inches height, 4inches	
abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.		
abbreviated form if necessary. o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	maybe written in	
 o. "PULISYA" on the front hood and should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	5	
 should be 10inches from the upper edge of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	2	
of the hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.		
 hood, centered and the letters spaced 2 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		
 inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic. r. Body Color is white with blue stripes. 		
 plastic sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	-	
 sticker with the following dimensions: 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	- 0	
 7inches height, 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	-	
 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	^o	
 p. "Vehicle Number" on the front hood 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	•	
 5inches below "PULISYA", centered using red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 		
red reflectorized plastic sticker with a dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.		
dimension of 7 inches height, 5inches width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	Ű	
 width and 1 1/2inches thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	-	
thickness. q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.	•	
 q. Markings for the donor (if vehicle is donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes. 	-	
donated) should be located on both sides of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.		
of the body between the unit name and rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.		
rear tires using red reflectorized plastic sticker. r. Body Color is white with blue stripes.		
plastic sticker. r. Body Color is white with blue stripes.	-	
r. Body Color is white with blue stripes.	•	
11. Accessories:	r. Body Color is white with blue stripes.	
11. Accessories:		
	11. Accessories:	
-OVM tools	 -OVM tools	

system, 75W ampl -AM/FM radio wi 12. Specifications r component parts a itself must be bran used parts or asser referred to as "surp under the definitio With Three (3) Yea Three (3) years LTO TPL Insurance	t (red and blue), rodynamic design 4-programs with PA ifier and 100W speaker th cassette player equire that all nd the whole vehicle d new. Used or lightly nblies or those blus "are not qualified on of brand new. urs Warranty and O, With One (1) Year			
markings, police kMinimum Specific1.Enginea) Type: Manufactb) Fuel: Gasolinec) Engine displacedd) Horsepower: 11e) Torque: 14 kg-mf) Number of cyling) Fuel delivery systandard2.Transmission: Mar4.Wheels: Steel of arim diameter5.Tires: 165 or high6.Brake system: Mar7.Steering system:power assisted8.Electrical systemstandard9.Body and frame:sedana) Over-all length:b) Over-all width:c) Over-ail height:10.Wheelbase: Mar11.Track: Manufac12.Ground clearanstandard13.Anti-corrosion/Manufacturer's stat14.Performance	hicle with appropriate blinker and PA System ations: urer's Standard ment: 1590cc 0hp der: 4 stem: Manufacturer's anual hufacturer's standard alloy with 14 inches her/65 R14 anufacturer's standard Left hand drive, : Manufacturer's Hard top, 4 door 4480mm 1695mm 1435mm hufacturer's standard turer's standard ce: Manufacturer's 'rust proofing: ndard ufacturer's standard eability: ndard ng radius: undard turer's standard	unit	5	Within Ninety (90) Calendar Days Upon Issuance of Notice to Proceed

16.Safety lightings: Manufacturer's		
standard		
Accessories:		
-One (1) set roof mounted blinker as		
specified in the latest NAPOLCOM		
Resolution for Police Blinkers		
-One (1) piece siren with public address		
system, 80watts, 4 programs		
-Tire wrench, hydraulic jack, OVM tools,		
built-in factory air-		
conditioning system, built-in AM/FM		
radio with audio system		
Color and Markings:		
-White with appropriate markings as		
specified in the latest approved		Within Ninety (90)
NAPOLCOM resolution for color and		Calendar Days
markings		Upon Issuance of
a. Unit logo on the upper portion of the		-
left and right front doors, centered using		Notice to Proceed
reflectorized plastic sticker with a		
dimension of 7 inches in height and		
width.		
b. The "Unit Name" placed above the logo,		
in an arc from the lower edge of the		
blue stipe Using red reflectorized plastic		
sticker with a height of 3 inches. The		
width and thickness of the letters should		
be proportional to the height of the		
letter. The unit name maybe written in		
abbreviated form if necessary.		
c. "Immediate Supervising Unit" placed		
below the logo using red reflectorized		
plastic sticker with a height of 3 inches.		
The width and thickness of the letters		
should be proportional to the height of		
the letter. The unit name maybe		
written in abbreviated form if necessary.		
d. Name of "Main Mother Unit" placed		
below the immediate supervising unit		
using red reflectorized plastic sticker with		
a height of 3 inches. The width and		
thickness of the letters should be		
proportional to the height of the letter.		
The unit name maybe written in		
abbreviated form if necessary.		
e. End-user's "Unit Name" placed above		
"PULISYA" on the front hood, in an arc		
using red reflectorized plastic sticker with		
a height of 3 ½ inches. The width and		
thickness of the letters should be		
proportional to the height of the letter.		
The unit name maybe written in		
abbreviated form if necessary.		
f. Name of "Immediate Supervising Unit"		
placed at the right side of the bumper		
using red reflectorized plastic sticker with		
a height of 4inches. The width and		
thickness of the letters should be		
proportional to the height of the letter.		
g. Blue stripes on both sides of the body in		
line with the unit logo/seal using		
	I	

reflectorized plastic sticker, 2 each, 1		
$1/2$ inches width spaced $\frac{1}{2}$ inch apart.		
h. "Vehicle Number" on the left and right		
rear doors in line with the blue stipe,		
centered using red reflectorized plastic		
sticker with the following dimensions:		
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
inches thickness.		
i. "Vehicle Number" placed at the left side		
of the bumper using red reflectorized		
plastic sticker with a height of 4inches.		
The width and thickness of the numbers		
should be proportional to the height of		
the number.		
j. Acronym of "Main Mother Unit" placed		
, , ,		
on the roof top (front of blinker) using		
red reflectorized plastic sticker with a		
height of 14inches. The width and thickness		
		Within Ninety (90)
of the letters should be proportional to the		Calendar Days
height of the letter. k "Vehicle Number" is placed on the rear		5
k. "Vehicle Number" is placed on the rear portion of the roof top (behind the		Upon Issuance of
blinker) using red reflectorized plastic		Notice to Proceed
sticker with a height of 14 inches. The width and thickness of the letters should		
be proportional to the height of the letter.		
I. Name of "Immediate Supervising Unit"		
is placed at the left portion of the		
bumper using red reflectorized plastic		
sticker with a height of 5 inches. The width		
and thickness of the letters should be		
proportional to the height of the letter.		
m. End-user's "Unit Name" placed at the		
center of the bumper using red		
reflectorized plastic sticker with a height		
of 5inches The width and thickness of the		
letters should be proportional to the		
height of the letter.		
n. "Vehicle Number" placed at the right		
portion of the rear bumper using red		
reflectorized plastic sticker with a height		
of 5inches. The width and thickness of the		
numbers should be proportional to the		
height of the number.		
o. "PULISYA" on the front hood and		
should be 10 inches rom the upper edge of		
the		
hood, centered and the letters spaced		
2inches apart using red reflectorized		
plastic		
sticker with the following dimensions:		
7inches height, 5inches width and 1		
1/2inches thickness.		
p. "Vehicle Number" on the front hood		
5inches below "PULISYA" using red		
reflectorized plastic sticker with the		
following dimensions: 7inches height,		
5inches width		
and 1 ¹ /2inches thickness.		
q. "PULISYA" on the rear hood, centered		
and the letters spaced 2inches apart using		

Schedule of Requirements Page 6 of 7

red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 ½inches thickness. The "Vehicle Number" on the rear hood should be placed if there is enough space for it and the word "PULISYA" should be adjusted proportionally upward. r. "Telephone Number" of the unit/end- user should be located at the left and right rear fender below the blue stripes. s. Markings for the donor (if vehicle is donated) should be located at the lower portion of the left and right rear doors using red reflectorized plastic sticker. t. Body Color is white with blue stripes With Three (3) Years Warranty and Three (3) years LTO, With OR/CR, With TPL Insurance	Within Ninety (90) Calendar Days Upon Issuance of Notice to Proceed
--	--

I hereby certify to comply and deliver all the above requirements.

Name:

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Schedule of Requirements Page 7 of 7

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF MOBILE PATROL CAR AND QCPD BACK TO BACK VEHICLE PROJECT NO. CMO-21-VEHICLES-236B

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances l
A.1	QCPD BACK TO BACK VEHICLE	issuances.]
	 TWIN/DOUBLE CAB Minimum specifications: Engine Fuel: Diesel Piston displacement: 2800cc Horsepower: 85 or higher Torque: 18kg - m or higher 2.Body and Frame: Hard Top, Crew/Double Tap Overall Length: 4700mm (minimum) - 5100 mm (maximum) Overall Width: 1600mm (minimum) - 1700mm (maximum) Overall Height: 1700mm (minimum) - 1810mm (maximum) Wheelbase: 2800mm (minimum) - 1810mm (maximum) Rear: 1400mm (minimum) - 1500mm (maximum) Rear: 1400mm (minimum) - 1500mm (maximum) 3.Steering: Left-hand drive, Power steering Suspension, Front: Independent Rear: Leaf spring Transmission: Manual, 5-speed forward reverse, neutral, floor-shift speed transfer case Rim size/Wheels: 15 or 16 inches. Aluminum alloy Tires: Front: 8 PR. custom/high profile radial Rear:-do- Spare:-do- 8. Brake System: Front: disc Rear: drum 	

Park: emergency hard brake mechanical type operating on rear wheels 9. Bulk-in Aircon System: 10. Body Color & Markings; White with appropriate markings specifical in NATOLCOM Resolution No. 99-02 dated january 3, 1999 (Approving the Standard Color and Markings for NPM Motor Vehicles, Sea craft and Aircraft) a. Unit logo/seal on the left and right doors, centered using reflectivel plastic tables with the stripe using reflection of the bulk of the stripe stripe end of the logo of the left and right doors, centered using reflectivel plastic tables with and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary, c. Name of "Mark Mother Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of linches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary, c. Name of "Mark Mother Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of linches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of linches. The width and thickness of the letters should be proportional to the height of linches. The width and thickness of the letters should be proportional to the height of linches. The width and thickness of the letters should be proportional to the height of linches. The width and thickness of the letters should be proportional to the height of linches. The width and thickness of the letter should be proportional to the height of the letter. The unit name maybe written in abbreviated from firecossary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a hei		
 10. Body Color & Markings; White with appropriate markings specified in NAPOLCOM Resolution No. 99-002 dated january 5, 1999 (Approving the Standard Color and Markings for PNP Motor Vehicles, Sea craft and Aircraft) a. Unit logo/seal on the left and right doors, centered using reflectorized plastic stricker with a dimension of 3inches in height and width. b. The "Unit Name" placed above the logo, in an arc from the edge of the lower blue stripe using red reflectorized plastic stricker with a bieght of 3inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if accessary. c. Name of "Main Mother Unit" name placed below the timmediate supervising unit name using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if mecsary. d. "Immediate Supervising Unit" name placed below the timmediate supervising Unit" name placed below the immediate supervising Unit" name placed below the immediate supervising Unit" name placed below the firm though, in any the plastic sticker with a height of the letters from 10 more sticker with a height of the letters within and thickness of the letters should be proportional to the height of the the letter. The unit name maybe written in abbreviated if necessary. e. End-aws? Unit Name placed above "PULENA" on the front hough, in an arc using red reflectorized plastic sticker with a height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Wyhide Number" placed at the rear doors using red reflectorized plastic sticker with a height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Wyhide Number" placed at the rear boors using red reflectorized plastic sticker with a height of the class. g. Name of "Immediate Sup		
markings specified in NATOLCOM Resolution No. 9-002 dated jamary 5, 1999 (Approving the Standard Color and Markings for PNP Motor Vehicles, Sea craft and Aircraft) a. Unit logy seal on the left and right doors, centered using reflectorized plastic sticker with a dimension of Sinches in height and width. b. The "Unit Name" placed above the logo, in an arc from the edge of the lower blue stripe using red reflectorized plastic sticker with a height of Sinches. The width and thickness of the letters should be propertional to the height of the letter. The unit name maybe written in abbreviated form if necessary. c. Name of "Main Mother Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of dinches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if returnary. d. "Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of linches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of linches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7inches height Sinches width and thickness of the letters should be proportional to the height of finches Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7inches height Sinches width and thickness of the letters should be proportional to the height of the letter. h. Blue steps on both sides of the cab in line with the logo/seal using reflectorized plastic	9. Built-in Aircon System:	
 dated January 5, 1999 (Approving the Standard Color and Markings for PNP Motor Vehicles, Sea craft and Aircraft) a. Unit logo/seal on the left and right doors, centered using erelectorized plastic sticker with a dimension of 3inches in height and width. b. The 'Unit Name' placed above the logo, in an arc from the edge of the lower blue stripe using red reflectorized plastic sticker with a height of 3inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form If necessary. c. Name of 'Main Mother Unit' name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letters should be proportional to the height of inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. 'Immediate Supervising Unit' name placed below the timmediate supervising Unit' name placed below the immediate supervising Unit' name placed below the immediate supervising Unit' name placed below the immediate supervising Unit' name placed below the height of the letter. The unit name maybe written in abbreviated if necessary. e. Find-uses'' Unit Name'' placed at the rear doors using red reflectorized plastic sticker with a height of finches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated from fincessary. f. 'Vehicle Number' placed at the rear doors using red reflectorized plastic sticker with a height of finches. The width and thickness of the letters should be proportional to the height of finches. The width and thickness of the letters should be proportional to the leight of finches. The width and thickness of the letters		
for PNF Motor Vehicles, Sea craft and Aircraft) a. Unit logo/seal on the left and right doors, centered using reflectorized plastic sticker with a dimension of Sinches in height and width. b. The "Unit Name" placed above the logo, in an arc from the edge of the lower blue stripe using rol reflectorized plastic sticker with a height of Sinches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form If necessary. c. Name of "Main Mother Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4inches. d. "Immediate Supervising Unit" name placed below the immediate supervising Viai Name placed below the letter. The unit name maybe written in abbreviated if necessary. c. E. End-user's 'Unit Name' placed above "PULESA" on the front bood, in an arc using red reflectorized plastic sticker with a height of inches. The unit name maybe written in abbreviated if reseasery. i. "Vehick Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: Tinches height, funches, with and thicknes of the letter. The unit name supportional to the height of the letter. The unit supportional to the height of inches. The width and thickness of the letters should be pr	dated January 5, 1999 (Approving the Standard Color and	
 reflectorized plastic sticker with a dimension of 3inches in height and with. b. The "Unit Name" placed above the logo, in an arc from the edge of the lower blue stripe using red reflectorized plastic sticker with a height of 3inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. c. Name of 'Main Mother Unit' name placed below the timmediate supervising unit name maybe written in abbreviated form if necessary. d. 'Innee using red reflectorized plastic sticker with a height of 4 inches. The writt name maybe written in abbreviated if necessary. d. 'Inneediate Supervising Unit' name placed below the timmediate supervising Unit' name placed below the theight of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's 'Unit Name' placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of the ketter. Should be proportional to the height of the letter. Should be proportional to the height of the ketter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of the cletter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height of the letter. b. Bue stripes on both sides of the cab in line with the log/of soil abord height of the letter. b. Bue stripes on both sides of the cab in line with the log/of soil abord height of t		
 sticker with a dimension of 3inches in height and width. b. The "Unit Name" placed above the logo, in an arc from the edge of the lower blow stripe using rel reflectorized plastic sticker with a height of 3inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. c. Name of "Main Mother Unit" name placed below the immediate supervising unit name using rel reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate supervising fourit name placed below the immediate supervising Unit" name placed below the immediate supervising unit name using rel reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULEYA" on the front hood in an arc using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed above "PULEYA" on the front hood in an arc using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line w	0 · 0	
 edge of the lower bulk stripe using red reflectorized plastic sticker with a height of 3inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. c. Name of "Main Mother Unit" name placed below the immediate supervising guint name using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate supervising Unit" name placed below the height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-users "Unit Name" placed above "PULISYA" on the front hood, in an are using red reflectorized plastic sticker with a height of dinches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height of functes. The width and thick g. Name of "Immediate Supervising Unit" placed at the left portion of the Dumper using red reflectorized plastic sticker with a height of functes. The width and thick so if the letters should be proportional to the height function. g. Name of "Immediate Supervising Unit" placed at the left portion of the Dumper using red reflectorized plastic sticker with a height of functes. The width and thickness of the letters should be proportional to the height of the relets. The width and thickness of the letters s	sticker with a dimension of 3inches in height and width.	
 a height of 3inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. c. Name of "Main Mother Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. d. "Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hoed, in an arc using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height of 4inches. me width and thickless of the letters should be proportional to the height of 4inches. The with and thickness of the letters should be proportional to the height of 4inches. The width and thickness of the letter. h. Buce stripes on both sides of the clast in line with the logo/seal using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters. me width and thickness of the letter. h. Buce stripes on both sides of the clash in line w	edge of the	
proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. c. Name of "Main Mother Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of dinches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate Supervising Unit" name placed below the immediate Supervising Unit" name placed below the immediate Supervising Unit" name placed below the height of 4 inches. The width and thickness of the letters should be proportional to the height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7 inches height, 5 inches width and 1 inch thick. g. Name of Tunmediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2 inches width spaced 1/2 inch spart. t. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number", blaced on the roof top of the trave body, using		
 if necessary. c. Name of "Main Mother Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of the letter. The unit name maybe written in abbreviated if necessary. e. End-users "Unit Name" placed above "PULISYA" on the front hood, in an arc users "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of the letter. The unit name maybe written in abbreviated form if necessary. e. End-users "Unit Name" placed at the height of thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height of the letter. Should be proportional to the height of the letter. The unit name maybe written in abbreviated form of the bourser with the following dimensions: Tinches height, Sinches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using red reflectorized plastic sticker with a height of the ches. The width and thickness of the letters. The unit and the height of the letter. j. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of the letter. j. "Wehiche Number" placed at the right potion of the bumper using red reflectorized plastic sticker the theight of the letter. j. "Wehiche		
 c. Name of "Main Mother Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of tinches. The width and thickness of the letters should be proportional to the height of the letters should be proportional to the height of the letters should be proportional to the height of the supervising Unit" name placed below the immediate supervising Unit" name placed below the immediate supervising Unit" name placed below the himmediate supervising unit name using red reflectorized plastic sticker with a height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of dinches. The width and thickness of the letters should be proportional to the height of the letter. Should be proportional to the height of the letter. The unit name maybe written in abbreviated from if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height of sticker with the following dimensions: 7inches height, Sinches width and 1inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of afinches. The width and thickness of the letters should be proportional to the height of afinches. The width and thickness of the letters should be proportional to the left portion of the bumper using red reflectorized plastic sticker with a height of afinches. The width and thickness of the letters should be proportional to the left portion of the bumper using red reflectorized plastic sticker with a height of afinches. the width and thickness of the cab in line with the logo/seal using red reflectorized plastic sticker with a height of thences. The width and thickness of the numbers. j. Acronym of the "Main Mother Unit and "Ve		
 unit name using red⁷ reflectorized plastic sticker with a height of 4inches. The witht and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height of the letter. The unit name maybe written in abbreviated form if necessary. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letter. h. Blue stripes on both sides of the cab in line with the logo/sel using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/Zinch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed the rol to inter should be proportional to the height of the number. 	c. Name of "Main Mother Unit" name placed below the	
 width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. f. "Wehicle Number" placed at the rear doors using red reflectorized plastic sticker with a nabreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height of the letter. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4 inches. g. Name of "Immediate Supervising Unit" placed at the left portion of the height of the letter. h. Blue stripes on both sides of the letters should be proportional to the height of 4 inches. The width and thickness of the letters with a height of 4 inches. the width and thickness of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letter. h. Bus stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker with a height of 4 inches. The width and thickness of the number. j. Activel Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed at the r	unit name using red reflectorized plastic sticker with a	
 letter. The unit name maybe written in abbreviated if necessary. d. "Immediate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with a height, 5inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of functes. The width and thickness of the letters should be proportional to the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker with a height of 4inches. The width and thickness of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed at the reight of 4inches. The width and thickness of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed not her oof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. 	width and thickness of the letters should be proportional to	
 d. "Immodiate Supervising Unit" name placed below the immediate supervising unit name using red reflectorized plastic sticker with a height of tinches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7 inches height, 5 inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of dinches. The width and thickness of the letters should be proportional to the height of the height of the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2 inches width spaced 1/2 inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker, 2 each, 1 1/2 inches width spaced 1/2 inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker, 2 each, 1 1/2 inches. The width and thickness of the another unit and "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker, 2 each, 1 1/2 inches width spaced 1/2 inch apart. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of the number. j. Acronym of the Wain Mother Unit and "Vehicle Number" placed on the roof top of the reare body, using red refle	letter. The unit name maybe written in abbreviated if	
 unit name using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7 inches height, 5 inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of inches. The width and thickness of the letters should be proportional to the height of inches. The width and thickness of the letters should be proportional to the height of lanches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using red reflectorized plastic sticker, 2 each, 1 1/2 inches width spaced 1/2 inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of the number. j. Acronym of the roof top of the rear body, using red reflectorized plastic sticker with a height of 14 inches. The width and thickness of the letters should be 	d. "Immediate Supervising Unit" name placed below the	
 and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7 inches height, 5 inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2 inches width spaced 1/2 inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letter bumper using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with and height of 4 inches. 	unit name using red reflectorized plastic sticker with a	
The unit name maybe written in abbreviated if necessary. e. End-user's "Unit Name" placed above "PULISYA" on the front hood, in an arc using red reflectorized plastic sticker with a height of 4 inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the height of 4inches. The width and thickness of the numbers should be proportional to the height of 4inches. The width and thickness of the numbers should be proportional to the height of the numbers with and thickness of the numbers with and thickness of the numbers placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be	and thickness of the letters should be proportional to the	
front hood, in an arc using red reflectorized plastic sticker with a height of dinches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the numbers should be proportional to the height of the numbers should be proportional to the height of the numbers with and thickness of the function. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be	The unit name maybe written in abbreviated if necessary.	
 4inches. The width and thickness of the letters should be proportional to the height of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the numbers. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be 	front hood, in an arc	
 of the letter. The unit name maybe written in abbreviated form if necessary. f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a meight of the rear body, using red reflectorized plastic sticker with a meight of the rear with a height of 4 inches. 	4inches. The width and	
 f. "Vehicle Number" placed at the rear doors using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of the rumber. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of the rumber. j. Acronym of the soft plastic sticker with a height of the number. j. Acronym of the soft plastic sticker with a height of the number. j. Acronym of the soft plastic sticker with a height of the number. j. Acronym of the soft plastic sticker with a height of the number. j. Acronym of the soft plastic sticker with and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be 	of the letter. The unit name maybe written in abbreviated	
 sticker with the following dimensions: 7inches height, 5inches width and 1 inch thick. g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of 4inches. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker, mith a height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of the number". 	f. "Vehicle Number" placed at the rear doors using red	
 g. Name of "Immediate Supervising Unit" placed at the left portion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker. The width and thickness of the letters as the letters with a height of 14inches. 	sticker with the following dimensions: 7inches height,	
 bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be 	g. Name of "Immediate Supervising Unit" placed at the left	
 The width and thickness of the letters should be proportional to the height of the letter. h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be 	bumper using red reflectorized plastic sticker with a height	
 h. Blue stripes on both sides of the cab in line with the logo/seal using reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be 	The width and thickness of the letters should be	
 reflectorized plastic sticker, 2 each, 1 1/2inches width spaced 1/2inch apart. i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be 	h. Blue stripes on both sides of the cab in line with the	
 i. "Vehicle Number" placed at the right potion of the bumper using red reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be 	reflectorized plastic sticker, 2 each, 1 1/2inches width	
reflectorized plastic sticker with a height of 4inches. The width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be		
 width and thickness of the numbers should be proportional to the height of the number. j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be 		
 j. Acronym of the "Main Mother Unit and "Vehicle Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14 inches. The width and thickness of the letters should be 		
Number" placed on the roof top of the rear body, using red reflectorized plastic sticker with a height of 14inches. The width and thickness of the letters should be	number.	
with a height of 14inches. The width and thickness of the letters should be	Number" placed on the roof	
	with a height of 14inches.	

	d 1. u	
	the letter.	
	k. End-user's "Unit Name" placed vertically at the left post	
	of the rear body	
	using red reflectorized plastic sticker with a height of	
	2 inches and 3 inches width. The unit name maybe written in	
	abbreviated form if necessary.	
	i. Name of "Immediate Supervising Unit" placed vertically	
	at the right post of	
	the rear body using red reflectorized plastic sticker with a	
	height of 2" and	
	width of 3inches. The unit name maybe written in	
	abbreviated form if necessary.	
	m. "Vehicle Number" placed horizontally below the End-	
	user's "Unit Name" and	
	"Immediate Supervising Unit" using red reflectorized plastic	
	sticker with a	
	height of 3 ¹ / ₂ inches. The width and thickness of the	
	numbers should be	
	proportional to the height of the number.	
	n. End-user's "Unit Name" and "Vehicle Number" is placed	
	at the middle of the	
	rear canvass cover, using red reflectorized plastic sticker	
	Ŭ 1	
	with the following	
	dimensions: 5inches height, 4inches width and 1inch thick.	
	The unit name maybe written in	
	abbreviated form if necessary.	
	o. "PULISYA" on the front hood and should be 10inches	
	from the upper edge of the	
	hood, centered and the letters spaced 2 inches apart using	
	red reflectorized plastic	
	sticker with the following dimensions: 7inches height,	
	5inches width and 1 1/2inches thickness.	
	p. "Vehicle Number" on the front hood 5inches below	
	"PULISYA", centered using red reflectorized plastic sticker	
	with a dimension of 7 inches height, 5 inches width and 1	
	1/2inches	
	thickness.	
	q. Markings for the donor (if vehicle is donated) should be	
	located on both sides	
	of the body between the unit name and rear tires using red	
	reflectorized	
	plastic sticker.	
	r. Body Color is white with blue stripes.	
	11. Accessories:	
	-OVM tools	
	-Jack, hydraulic	
	-Tire wrench	
	-Spare tire with rim	
	-Police Rotary light (red and blue), horizontal type	
	aerodynamic design	
	-Emergency siren, 4-programs with PA system, 75W	
	amplifier and 100W speaker	
	-AM/FM radio with cassette player	
	12. Specifications require that all component parts and the	
	whole vehicle itself must be brand new. Used or lightly	
	used parts or assemblies or those referred to as "surplus	
	"are not qualified under the definition of brand new.	
	With Three (3) Years Warranty and Three (3) years LTO,	
_	With One (1) Year TPL Insurance	
2	MOBILE PATROL CAR	
	Four-wheeled vehicle with appropriate markings, police	
	blinker and PA System	
	Minimum Specifications:	
	1.Engine	
	a) Type: Manufacturer's Standard	
	b) Fuel: Gasoline	
	of the Cuboline	

	c) Engine displacement: 1590cc	
	d) Horsepower: 110hp	
	e) Torque: 14 kg-m	
) Number of cylinder: 4	
Ę	g) Fuel delivery system: Manufacturer's standard	
2	2.Transmission: Manual	
3	3.Suspension: Manufacturer's standard	
4	4.Wheels: Steel of alloy with 14 inches rim diameter	
	5.Tires: 165 or higher/65 R14	
	6.Brake system: Manufacturer's standard	
	7.Steering system: Left hand drive, power assisted	
	B.Electrical system: Manufacturer's standard	
	9.Body and frame: Hard top, 4 door sedan	
	a) Over-all length: 4480mm	
	b) Over-all width: 1695mm	
	c) Over-ail height: 1435mm	
	10.Wheelbase: Manufacturer's standard	
1	11.Track: Manufacturer's standard	
1	12.Ground clearance: Manufacturer's standard	
1	13.Anti-corrosion/rust proofing: Manufacturer's standard	
	14.Performance	
2	a) Top speed: Manufacturer's standard	
	b) Minimum grade ability: Manufacturer's standard	
	c) Minimum turning radius: Manufacturer's standard	
	d) Drive: Manufacturer's standard	
	15.Instrumentation: Manufacturer's standard	
	16.Safety lightings: Manufacturer's standard	
	Accessories:	
	One (1) set roof mounted blinker as specified in the latest	
	NAPOLCOM Resolution for Police Blinkers	
-	One (1) piece siren with public address system, 80watts, 4	
F	orograms	
_	Tire wrench, hydraulic jack, OVM tools, built-in factory	
	air-	
c	conditioning system, built-in AM/FM radio with audio	
	system	
0	y seem	
6	Color and Markings:	
	White with appropriate markings as specified in the latest	
	approved NAPOLCOM resolution for color and markings	
	a. Unit logo on the upper portion of the left and right front	
	doors, centered using	
	reflectorized plastic sticker with a dimension of 7 inches in	
ł	neight and width.	
ł	o. The "Unit Name" placed above the logo, in an arc from the	
	ower edge of the	
	blue stipe Using red reflectorized plastic sticker with a	
	neight of 3 inches. The	
	width and thickness of the letters should be proportional to	
	the height of the	
	0	
	etter. The unit name maybe written in abbreviated form if	
	necessary.	
	c. "Immediate Supervising Unit" placed below the logo	
	using red reflectorized	
	plastic sticker with a height of 3 inches. The width and	
	hickness of the letters	
S	should be proportional to the height of the letter. The unit	
	name maybe	
	written in abbreviated form if necessary.	
	d. Name of "Main Mother Unit" placed below the immediate	
	supervising unit	
	using red reflectorized plastic sticker with a height of 3	
1	nches. The width and	
	hickness of the letters should be proportional to the height	
t	of the letter.	
ť		
t	The unit name maybe written in abbreviated form if	
t c	The unit name maybe written in abbreviated form if necessary.	
t c r		

using red reflectorized plastic sticker with a height	of 3 ½
inches. The width and	
thickness of the letters should be proportional to the	height
of the letter. The unit name maybe written in abbre	
	viaced
form if necessary.	. 1.
f. Name of "Immediate Supervising Unit" placed at th	e right
side of the bumper	
using red reflectorized plastic sticker with a hei	ght of
4inches. The width and	-
thickness of the letters should be proportional to the	height
of the letter.	
	a unit
g. Blue stripes on both sides of the body in line with t	
logo/seal using	
reflectorized plastic sticker, 2 each, 1 1/2inches	width
spaced ½inch apart.	
h. "Vehicle Number" on the left and right rear doors	in line
with the blue stipe,	
centered using red reflectorized plastic sticker with	th the
following dimensions:	
7inches height, 5inches width and 1 ½ inches thickne	
i. "Vehicle Number" placed at the left side of the b	umper
using red reflectorized	
plastic sticker with a height of 4inches. The wide	h and
thickness of the numbers should be proportional	
height of the number.	
j. Acronym of "Main Mother Unit" placed on the ro	of top
(front of blinker) using	n ala an
red reflectorized plastic sticker with a height of 14	ncnes.
The width and thickness	
of the letters should be proportional to the height	of the
letter.	
k. "Vehicle Number" is placed on the rear portion of t	ne roof
top (behind the	
blinker) using red reflectorized plastic sticker with a	height
of 14 inches. The width and thickness of the letters sho	
proportional to the height of the letter.	
I. Name of "Immediate Supervising Unit" is placed at	he left
portion of the	
bumper using red reflectorized plastic sticker with a	height
of 5inches. The width	
and thickness of the letters should be proportional	to the
height of the letter.	
	of the
m. End-user's "Unit Name" placed at the center	or the
bumper using red	
reflectorized plastic sticker with a height of 5inch	es The
width and thickness of the	
letters should be proportional to the height of the lett	er.
n. "Vehicle Number" placed at the right portion of the	
bumper using red	
reflectorized plastic sticker with a height of 5inche	s The
width and thickness of the	
E WIGHT AND THICKNESS OF THE	
numbers should be proportional to the height	of the
numbers should be proportional to the height number.	
numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch	
numbers should be proportional to the height number.	
numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the	es rom
numbers should be proportional to the height number.o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart	es rom
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic 	es rom using
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 2 	es rom using
numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 1 5inches width and 1 1/2inches thickness.	es rom using neight,
numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches	es rom using neight,
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red 	es rom using neight, below
numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches	es rom using neight, below
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red 	es rom using neight, below
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 15inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red reflectorized plastic sticker with the following dimensions: 7inches "PULISYA" using red 	es rom using neight, below
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 15inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red reflectorized plastic sticker with the following dimensions dimensions: 7inches height, 5inches width and 1 ½inches thickness. 	es rom using height, below hsions:
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 15inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red reflectorized plastic sticker with the following dimensions dimensions: 7inches "PULISYA" using red reflectorized plastic sticker with the following dimensions dimensions: 7inches height, 5inches width and 1 ½inches thickness. q. "PULISYA" on the rear hood, centered and the 	es rom using height, below hsions:
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 1 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red reflectorized plastic sticker with the following dimensions dimensions: 7inches "PULISYA" using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 ½inches thickness. q. "PULISYA" on the rear hood, centered and the spaced 2inches apart using 	es rom using height, below hsions: letters
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 1 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red reflectorized plastic sticker with the following dimensions dimensions: 7inches 4 7inches height, 5inches width and 1 ½inches thickness. q. "PULISYA" on the rear hood, centered and the spaced 2inches apart using red reflectorized plastic sticker with the following dimension for the spaced 2inches apart using red reflectorized plastic sticker with the following dimension for the spaced 2inches apart using red reflectorized plastic sticker with the following for the spaced 2inches apart using red reflectorized plastic sticker with the following for the spaced 2inches apart using red reflectorized plastic sticker with the following for the spaced 2inches apart using red reflectorized plastic sticker with the following for the spaced 2inches apart using red reflectorized plastic sticker with the following for the space for the space plastic sticker with the following for the space plasti	es rom using height, below hsions: letters
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 15inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red reflectorized plastic sticker with the following dimensiong dimensions: 7inches 4. reflectorized plastic sticker with the following dimension dimension for the following dimension dimension for the following dimension dimension dimension dimension dimension dimension dimension dimension for the following dimension dimens	es rom using neight, below nsions: letters owing
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red reflectorized plastic sticker with the following dimensiong dimensiong dimensiong dimensiong dimensiong dimensiong dimensions: 7inches "PULISYA" using red reflectorized plastic sticker with the following dimensiong dimensions: 7inches height, 5inches width and 1 ½inches thickness. q. "PULISYA" on the rear hood, centered and the spaced 2inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches width and 1 ½inches thickness. 	es rom using neight, below nsions: letters owing
 numbers should be proportional to the height number. o. "PULISYA" on the front hood and should be 10inch the upper edge of the hood, centered and the letters spaced 2inches apart red reflectorized plastic sticker with the following dimensions: 7inches 1 5inches width and 1 1/2inches thickness. p. "Vehicle Number" on the front hood 5inches "PULISYA" using red reflectorized plastic sticker with the following dimensiong dimensiong dimensiong dimensiong dimensiong dimensiong dimensiong dimensions: 7inches height, 5inches width and 1 ½inches thickness. q. "PULISYA" on the rear hood, centered and the spaced 2inches apart using red reflectorized plastic sticker with the following dimensions: 7inches height, 5inches 	es rom using neight, below nsions: letters owing

	placed if there is enough space for it and the word	
	"PULISYA" should be	
	adjusted proportionally upward.	
	r. "Telephone Number" of the unit/end-user should be	
	located at the left and right rear fender below the blue	
	stripes.	
	s. Markings for the donor (if vehicle is donated) should be	
	located at the lower	
	portion of the left and right rear doors using red	
	reflectorized plastic sticker.	
	t. Body Color is white with blue stripes	
	With Three (3) Years Warranty and Three (3) years LTO,	
	With OR/CR, With TPL Insurance	
В.	Compliance to the Schedule of Requirements	
	(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: ____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of:

Technical Specifications Page 6 of 6

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- □ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

<u>and</u>

- □ (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
 and
- ☐ (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- □ (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- □ (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

<u>or</u>

Original copy of Notarized Bid Securing Declaration; and

- □ (h) Conformity with the Section VI (Schedule of Requirements) Section VII (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (i) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- □ (j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

□ (l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- □ (m) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- □ (n) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- \Box (a) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- \Box (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

- Copy of Authority to Sell from the Manufacturer/Distributor/ Dealer of the Vehicle being offered which includes guarantee on after-sales services and availability of parts
- Statement of Warranty Three (3) Years
- List of after-sales/maintenance services facilities located within Metro Manila

Note:

- 1. Please refer to [https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh aring] for the following requirements:
 - a. Computation of NFCC;
 - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
 - c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

