

#### REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# PROCUREMENT OF VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES

PROJECT NO. CONSO-21-HCS-437B

Government of the Republic of the Philippines

Sixth Edition July 2020

### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **Table of Contents**

Glossaı	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	8
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	14
6.	Origin of Goods	14
7.	Subcontracts	14
8.	Pre-Bid Conference	15
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components	15
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	16
13.	Bid and Payment Currencies	16
14.	Bid Security	16
15.	Sealing and Marking of Bids	17
16.	Deadline for Submission of Bids	17
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	18
21.	Signing of the Contract	18
Section	III. Bid Data Sheet	19
Section	IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	22
5.	Warranty	22
6.	Liability of the Supplier	23
Section	V. Special Conditions of Contract	24
Section	VI. Schedule of Requirements	28
Section	VII. Technical Specifications	39
Section	VIII. Checklist of Technical and Financial Documents	51

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## Section I. Invitation to Bid

#### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



### QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



### Invitation to Bid

ITEM NO.	P.R. / PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	CMO-21-GM-639	OFFICE OF THE CITY MAYOR	PROCUREMENT OF ROLL UP BLINDS AND OTHERS	P 1,031,817.70	GENERAL FUND	15 CD
2	CMO-21-FIXTURES-	OFFICE OF THE CITY MAYOR	LINE 1: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR DISTRICT 3 MINI CITY HALL AND YWCA FURNISHING	P 8,044,181.99	GENERAL FUND	60 CD
2	638	OFFICE OF THE CITY MAYOR	LINE 2: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR RADIO COMMUNICATION SERVICE	P 4,070,691.12	GENERAL FUND	1D PERIOD 1L 15 CD 1L 60 CD 1L 30 CD 1L 15 CD 1L 15 CD
3	CMO-21-IT-618	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF QUEZON CITY UNEMPLOYMENT INSURANCE PROGRAM (KALINGANG QC PARA SA MANGGAGAWA)	P 20,000,000.00	GENERAL FUND	30CD
4	CMO-21-IT-619	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF ONLINE MARKET MANAGEMENT SYSTEM FOR THE MARKET DEVELOPMENT AND ADMINISTRATION DEPARTMENT (MDAD)	P 30,000,000.00	GENERAL FUND	45CD
5	CMO-21-IT-620	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF ON-PREMISES BRIDGE AND ONLINE TAX ASSESSMENT SYSTEMS	P 11,000,000.00	GENERAL FUND	30CD
6	CMO-21-IT-621	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF A FINANCIAL ASSISTANCE BENEFICIARY LISTING SYSTEM FOR QUEZON CITY CASH DISBURSEMENT PROGRAMS	P 10,000,000.00	GENERAL FUND	30CD
7	CMO-21-IT-622	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF APPOINTMENT MANAGEMENT SYSTEM FOR QUEZON CITY GOVERNMENT PHASE II	P10,000,000.00	GENERAL FUND	60CD
8	CMO-21-IT-623	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF QUEZON CITY SCHOLAR REGISTRATION SYSTEM	P18,000,000.00	GENERAL FUND	30CD
9	CMO(QCDRRMO)-21- HCS-644	CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE)	VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES (POLE TRIMMER AND OTHERS)	P 4,397,534.71	GENERAL FUND	30 CD
10	QCU-21-FURNITURE- 646	QUEZON CITY UNIVERSITY	VARIOUS FURNITURE (VISITOR CHAIR AND OTHERS)	P 6,097,770.22	GENERAL FUND	30 CD
11	CIB-21-SOP-636	OFFICE OF COUN. IRENE R. BELMONTE	REUSABLE FACE MASK AND ALCOHOL	P 3,978,141.00	GENERAL FUND	15 CD
12	PD-21-OE-656	PROCUREMENT DEPARTMENT	PRINTER AND SCANNER	P 989,800.00	TRUST FUND	15 CD
13	SDO-21-PS-547	SCHOOLS DIVISION OFFICE	PRINTING OF ALS WORKSHEET AND OTHERS	P 2,263,917.00	SEF	30 CD

14	SDO-21-OE-507B	SCHOOLS DIVISION OFFICE	INTERACTIVE SMART LEARNING BOARD	P 2,644,488.00	SEF	30 CD
15	CONSO-21- APPLIANCES-518B	VARIOUS OFFICES (CITY GENERAL SERVICES DEPARTMENT/ CITY BUDGET DEPARTMENT/ QUEZON CITY UNIVERSITY/ QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES/ HOUSING COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT)	VARIOUS APPLIANCES	P1,160,849.11	GENERAL FUND	30 CD
16	CONSO-21-HCS- 437B	VARIOUS OFFICES (CITY GENERAL SERVICES DEPARTMENT/ QUEZON CITY PROTECTION CENTER/ QUEZON CITY UNIVERSITY)	VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES	P3,626,767.61	GENERAL FUND	30 CD
17	EPWMD-21-EHSE-615	ENVIRONMENTAL PROTECTION AND WASTE MANAGEMENT DEPARTMENT	CONTINUOUS AMBIENT AIR QUALITY MONITORING STATION FOR QUEZON CITY	P 15,960,000.00	GENERAL FUND	1 YEAR
18	EPWMD-21-AP-616	ENVIRONMENTAL PROTECTION AND WASTE MANAGEMENT DEPARTMENT	SUPPLY AND INSTALLATION OF AEROPONICS SYSTEM AND HYDROPONICS SYSTEM	P 1,474,200.00	GENERAL FUND	60 CD
19	ENGINEERING-21-OE- 533	DEPARTMENT OF ENGINEERING	DESKTOP COMPUTER AND OTHERS	P 6,348,852.00	GENERAL FUND	30 CD
20	ENGINEERING-21- RM-VEHICLE-486B	DEPARTMENT OF ENGINEERING	RM-MACHINERY AND EQUIPMENT (PARTS AND LABOR)	P 5,338,028.73	GENERAL FUND	30 CD
21	DPOS-21-SOP-634	DEPARTMENT OF PUBLIC ORDER AND SAFETY	OXFORD FUNCTION RAINWEAR AND OTHERS	P 2,506,733.00	GENERAL FUND	30 CD
22	HEALTH-21-JS-498B	QUEZON CITY HEALTH DEPARTMENT	VARIOUS JANITORIAL SUPPLIES	P 6,966,930.44	GENERAL FUND	30 CD
23	HEALTH-21-OS-501B	QUEZON CITY HEALTH DEPARTMENT	VARIOUS OFFICE SUPPLIES	P 1,823,741.82	GENERAL FUND	30 CD
24	QCGH-21-MS-562	QUEZON CITY GENERAL HOSPITAL	PROCUREMENT OF VARIOUS MEDICAL SUPPLIES AND LABORATORY INSTRUMENT (BP APPARATUS AND OTHERS)	P 73,872,932.61	GENERAL FUND	30 CD

1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Trust Fund and Special Education Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Trust Fund and Special Education Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for *Various Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three* (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the

Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m.* 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday, October 22, 2021* from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB.* The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

#### STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
  - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
  - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The *Quezon City Local Government* will hold a Pre-Bid Conference on 10:00 A.M. of **Friday**, **October 29, 2021** at **2**<sup>nd</sup> **Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound**, and/or through video conferencing *via Zoom* which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting

Join Zoom Meeting

 $\underline{https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09}$ 

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Thursday, November 11, 2021**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 1:00 P.M. of **Thursday, November 11, 2021** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

 $\underline{https://us02web.zoom.us/j/85850855933?pwd} = \underline{R2dZUUp4Z31yU29iZGV1WmdKRjZCdz09}$ 

Meeting ID: 858 5085 5933

Passcode: 118682

10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6

and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

#### 11. For further information, please refer to:

#### ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: bacgoods.procurement@quezoncity.gov.ph

Tel. No. (02)8988-4242 loc. 8506/8710 Website: **www.quezoncity.gov.ph** 

#### 12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

(SGD.) ROWENA T. MACATAO Chairperson, QC-BAC-Goods and Services

# Section II. Instructions to Bidders

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the PROCUREMENT OF VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES with identification number CONSO-21-HCS-437B.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **Three Hundred Ninety-One** (391) *items*, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of THREE MILLION SIX HUNDRED TWENTY SIX THOUSAND SEVEN HUNDRED SIXTY SEVEN PESOS 61/100 ONLY (Php 3,626,767.61).
- 2.2. The source of funding is:
  - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

<sup>&</sup>lt;sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the

2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## Section III. Bid Data Sheet

#### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to <b>the item/s to be bid</b> and must be at least <b>TWENTY-FIVE PERCENT (25%)</b> of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>Php 72,535.35</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Ph 181,338.38</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	The ABC per Office are:
	CITY GENERAL SERVICES DEPARTMENT
	The Approved Budget for the Contract for CITY GENERAL SERVICES DEPARTMENT is Philippines Peso: TWO MILLION SEVEN HUNDRED THIRTY-EIGHT THOUSAND THREE HUNDRED THIRTY-FIVE PESOS 02/100 ONLY (Php2,738,335.02)
	QUEZON CITY PROTECTION CENTER
	The Approved Budget for the Contract for QUEZON CITY PROTECTION CENTER is Philippines Peso: ONE HUNDRED SIX THOUSAND SIXTY-FIVE PESOS ONLY (Php106,065.00)
	QUEZON CITY UNIVERSITY
	The Approved Budget for the Contract for QUEZON CITY PROTECTION CENTER is Philippines Peso: SEVEN HUNDRED EIGHTY TWO THOUSAND THREE HUNDRED SIXTY-SEVEN PESOS AND 59/100 ONLY (Php782,367.59)
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.  • No additional requirement
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	No additional requirement

# Section IV. General Conditions of Contract

#### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

**Special Conditions of Contract** 

	Special Conditions of Contract
GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	<ul> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each</li> </ul>
	appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ul> <li>e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. [Specify additional incidental service requirements, as needed.]</li> </ul>
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

	Contract Description
	Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:"
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>

# Section VI. Schedule of Requirements

# PROJECT NAME: PROCUREMENT OF VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES PROJECT NO. CONSO-21-HCS-437B

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
	CITY GENERAL SERVICES DEPARTMENT			
1	Acoustic Board - 2ft x 4ft., 10s/box	box	10	
2	Acry Color-Per Liter - any color	liter	10	
3	Aluminum door lock set - standard size, for Aluminum Glass Door	set	5	
4	Auger Bit – Auger bit for toilet bowl	piece	2	
5	Barrel Bolt - 4"	piece	30	
6	Bar Flat - 1/4" x 1" x 20'	piece	20	
7	Bar Flat - 1/8" x 1" x 20'	piece	20	
8	Bar Round - 10mm diameter x 6m	piece	20	
9	Battery Charger - any size, AAA battery, 1 hr. charging time	piece	2	
10	Battery Charger - any size, AA battery, 1 hr. charging time	piece	2	
11	Battery Rechargeable 9V - rechargeable	piece	2	
12	Battery - 12 Volts H.D., 200 AMPS/HOUR, SM-200 LEAD ACID, DIMENSION: 524mm(L) x 278mm(W) x 240mm(H)"	piece	5	
13	Battery Distilled - 1 Liter	bottle	100	
14	Bidet - Bidet (branded)	piece	15	
15	Blade Grinder (Cutting Disc) Steel - 4" diameter, for steel	piece	10	Within Thirty (30) Calendar
16	Blade Grinder (Cutting Disc) Stone - 4" diameter, for stone	piece	5	Days upon issuance of Notice
17	Blade Grinder (Cutting Disc) Tile - 4" diameter, for Tile	piece	2	to Proceed
18	Blade Grinder (Cutting Disc) Wood - 4" diameter, for Wood	piece	1	
19	Brass Faucet - plain bibb 12"diameter	piece	60	
20	Brass Faucet - 1/2" diameter	piece	30	
21	Butane Blow Torch	piece	2	
22	Cable Tie - 12" 4mm x 300mm , 100 pcs per pack	pack	5	
23	Cable Tie - 8" 4mm x 200mm , 100 pcs per pack	pack	10	
24	Cable Tie - 6" 3mm x 150mm , 100 pcs per pack	pack	15	
25	Capacitor Dual 70 - Microfarad	piece	3	
26	Capacitor Dual 65 - Microfarad	piece	3	
27	Capacitor Dual 60 - Microfarad	piece	3	
28	Capacitor Dual 40 - Microfarad	piece	3	
29	Cement Adhesive - 25kg./Bag	bag	10	
30	Circuit Breaker bolt-on - 30 amp. 2 pole w/ enclosure	sets	2	
31	Circuit Breaker bolt-on - 60 amp. 2 phase w/ enclosure	sets	2	
32	Circuit Breaker - C 3125, 2 pole, 125AT, 3 phase	sets	1	
33	Circuit Breaker - C3100, 100AT	sets	1	

34	Circuit Breaker - EA 203B1 50 amp 3 phase Industrial	sets	1
35	Circuit Breaker - EZ-403C Industrial type 400A, 3 phase	set	1
36	Circuit Breaker - 400At(Bolt-On-Type)400AT, 3 phase	set	1
37	CFL - 18 watts	piece	250
38	Clamp Ammeter Digital - 4digits display, measuring ac/dc voltage; ac current resistance, capacitance and frequency ampere range 20 to 400 amp. voltage range 10 to 600 volts ac/dc resistance range 0 to 400 ohms; battery type aaa; frequency a 20 to 4k/10mhz.	piece	1
39	Clamp Metal - 1" , heavy duty, stainless	piece	30
40	Clamp Metal - 2" , heavy duty, stainless	piece	30
41	Clamp Metal - 3" , heavy duty, stainless	piece	30
42	Connector - RJ 11	рс	15
43	Connector - RJ 9	рс	15
44	Contact Cleaner - Pressurized, fast-drying, net wt. 469mL	can	6
45	Coolant Solution - 1 Liter	liter	15
46	Crimping Tool - RJ45 Crimping tool	рс	1
47	Door Knob - ordinary stainless steel	piece	50
48	Drill Bit Concrete Set - concrete, 3/16" to 1"	piece	5
49	Drill Bit Concrete/Masonry Set - 1/8" to 1"	set	2
50	Drill Bit Masonry/Concrete - 1/16" diameter	piece	5
51	Drill Bit Masonry/Concrete - 1/2" diameter	piece	5
52	Drill Bit Masonry/Concrete - 1/4" diameter	piece	5
53	Drill Bit Masonry/Concrete - 1/8" diameter	piece	5
54	Drill Bit Masonry/Concrete - 3/8" diameter	piece	5
55	Drill Bit Stainless - 1/16" diameter	piece	5
56	Drill Bit Stainless - 1/4" diameter	piece	5
57	G.I. Nipple - 3/8"X4"	piece	10
58	G.I. Pipe - 3/4" Dia. Schedule 40	piece	2
59	G.I. Pipe - 1 1/2" diameter, 6m	piece	5
60	G.I. Pipe - 1" diameter, 6m	piece	3
61	G.I. Pipe - 1/2" diameter, 6m	piece	2
62	G.I. Pipe - 11/4" diameter, 6m	piece	2
63	G.I. Pipe- 2" diameter, 6m	piece	2
64	G.I. Reducer - 1"X1/2"	piece	6
65	G.I. Reducer - 1"X3/4"	piece	6
66	G.I. Reducer - 3/4"X1/2"	piece	6
67	Glazing Putty – 2 litter/can	can	4
68	Grinding Disc, 4 inches	piece ·	12
69	Hacksaw Blade - 12"	piece	20
70 71	Halogen Lamp - 50W/220V/38° Dichroic  Hand gloves – heavy duty (rubberized), slim fit,	piece pair	15 60
72	extra sensitive grip, with foam lining Hinges - 1 1/2"X3" with screw	piece	20
73	Hinges - 1 1/2 x3 with screw  Hinges - 2"X3" with screw	piece	30
73	Hinges - 2 x3 with screw	piece	30
74 75	Hard Hat - electrical grade with electrical insulation	piece	30
75 76	Lacquer Thinner - 4 litter/gal.	gallon	3
76	Latex paint - tile red	gallon	5
78	Lavatory Angle Valve - ½" x ½" HD	piece	
79	Lavatory P-trap - 1 1/4 inch diameter, stainless, complete with basket, strainer and tail piece	piece	10
80	Lavatory Single Faucet - ½ inch. Diameter, stainless, branded	piece	50
81	Lavatory Single Faucet - Gooseneck type – ½ inch. Diameter, stainless, branded	piece	100

82	Lavatory Supply Pipe - 1/2"X1/2"X18"	piece	150
83	LED Fluorescent Lamp - 9W (T8 2ft.) 220V 60Hz/Day	piece	350
	light	-	
84	LED lights bulb with screw - screw type, 7 watts	piece	150
85	LED DRIVER - model: 48W, input: 180260, 50/60Hz	piece	20
	output: DC 90130V, 240mA ±5%		
86	Light Bulb - LED, 7 watts, 1 pc in individual box	piece	500
87	Luxmeter - Handheld Digital Luminometer	piece	1
88	Male Plug - Heavy Duty 2-wire, Rubber plug	piece	150
89	Metal hallide lamps - 400 watts E-40	pcs	3
90	Metal hallide - with casing 400 watts with lamps	sets	3
91	Microphone cable - 3 wired including ground, 100 mtr./roll	roll	1
92	Microphone PL Jack – Mono, metal type, 6.3mm	piece	12
93	Microphone Stand – Metal / Iron stand H.D	piece	12
94	Mini-phone Jack - (stereo, metal type), 3.5mm	piece	12
95	Nail - CWN linch	kilo	10
96	Nail - CWN 21/2 inches	kilo	10
97	Nail - CWN, 2inch	kilo	10
98	Nail - CWN, 3inch	kilo	10
99	Oil Tinting Color - Assorted color	quart	24
100	Outlet Convenience - 2 gang with plate and cover	piece	50
101	Outlet Convenience - 3 gang, surface type, with	piece	100
101	plate and cover	2,000	100
102	Oxy-Acetylene Cutting Nozzle - Full purple copper, Oxygen working pressure: 0.3 Mpa, Acetylene gas	piece	1
	working pressure: 0.001-0.1 Mpa		
103	Padlock Solid Brass - 70mm. Solid brass, branded	piece	12
104	good quality Padlock - 10mm, heavy duty	piece	20
104	Padlock - 30mm, heavy duty	piece	20
105	Padlock - 40mm, heavy duty, 4 pcs set masterlock	piece	30
106	Paint Acrylic - any color, 4 gallon/can	· ·	5
	Paint Baby Roller - Cloth 4"	can	5
108	Paint Baby Roller - Clott 4  Paint Baby Roller - Foam 4"	piece	6
109	Paint Brush - Paint brush, 1"	piece	10
110		piece	
111	Paint Brush - Paint brush 2"	piece	10
112	Paint Brush - Paint brush 3"	piece	10
113	Paint Flat Wall Enamel - assorted colors, 4 gallon/can	can	5
114			
	Paint Silver - Metal silver, for metal 4 liters/gallon	gallon	5
115		gallon bottle	5 10
115 116	Paint Silver - Metal silver, for metal 4 liters/gallon		10 5
	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle	bottle	10
116	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon	bottle gallon	10 5
116 117	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon	bottle gallon gallon	10 5 5
116 117 118	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon	bottle gallon gallon gallon	10 5 5 3
116 117 118 119	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon	bottle gallon gallon gallon gallon	10 5 5 3 3
116 117 118 119 120	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon Paint-Flat Wall Enamel - 4 liters/gallon	bottle gallon gallon gallon gallon	10 5 5 3 3 5
116 117 118 119 120 121	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon Paint-Flat Wall Enamel - 4 liters/gallon Paint-Latex Flat Per Gallon - 4 liters/gallon	bottle gallon gallon gallon gallon gallon gallon	10 5 5 3 3 5 3
116 117 118 119 120 121 122	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon Paint-Flat Wall Enamel - 4 liters/gallon Paint-Latex Flat Per Gallon - 4 liters/gallon Paint-Latex Semi Gloss Per Gallon - 4 liters/gallon	bottle gallon gallon gallon gallon gallon gallon gallon	10 5 5 3 3 5 3 10
116 117 118 119 120 121 122 123	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon Paint-Flat Wall Enamel - 4 liters/gallon Paint-Latex Flat Per Gallon - 4 liters/gallon Paint-Latex Semi Gloss Per Gallon - 4 liters/gallon Paint-Quick Dry Enamel Per Gallon - 4 liters/gallon	bottle gallon gallon gallon gallon gallon gallon gallon gallon	10 5 5 3 3 5 3 10
116 117 118 119 120 121 122 123 124	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon Paint-Flat Wall Enamel - 4 liters/gallon Paint-Latex Flat Per Gallon - 4 liters/gallon Paint-Latex Semi Gloss Per Gallon - 4 liters/gallon Paint-Quick Dry Enamel Per Gallon - 4 liters/gallon Pallet Steel - Steel	bottle gallon gallon gallon gallon gallon gallon gallon gallon gallon	10 5 5 3 3 5 3 10 10
116 117 118 119 120 121 122 123 124 125	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon Paint-Flat Wall Enamel - 4 liters/gallon Paint-Latex Flat Per Gallon - 4 liters/gallon Paint-Latex Semi Gloss Per Gallon - 4 liters/gallon Paint-Quick Dry Enamel Per Gallon - 4 liters/gallon Pallet Steel - Steel Pinlight Tube Led - (9W-11W) PL Jack with cable wire - Stereo Type, 6.3mm Plastic Chain, PVC - (White or Yellow) for	bottle gallon pair piece	10 5 5 3 3 5 3 10 10 6 100
116 117 118 119 120 121 122 123 124 125 126 127	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon Paint-Flat Wall Enamel - 4 liters/gallon Paint-Latex Flat Per Gallon - 4 liters/gallon Paint-Latex Semi Gloss Per Gallon - 4 liters/gallon Paint-Quick Dry Enamel Per Gallon - 4 liters/gallon Pallet Steel - Steel Pinlight Tube Led - (9W-11W) PL Jack with cable wire - Stereo Type, 6.3mm Plastic Chain, PVC - (White or Yellow) for cordoning, 25 m / roll	bottle gallon to gallon gallon gallon rece set roll	10 5 5 3 3 5 3 10 10 10 6 100 10
116 117 118 119 120 121 122 123 124 125 126	Paint Silver - Metal silver, for metal 4 liters/gallon Paint Thinner - per 350ml/bottle Paint Thinner - Acrylic 4 liters/gallon Paint Waterproofing - 4 liters/gallon Paint Wood-Semi-Gloss Enamel - 4 liters/gallon Paint-Elastomeric - 4 liters/gallon Paint-Flat Wall Enamel - 4 liters/gallon Paint-Latex Flat Per Gallon - 4 liters/gallon Paint-Latex Semi Gloss Per Gallon - 4 liters/gallon Paint-Quick Dry Enamel Per Gallon - 4 liters/gallon Pallet Steel - Steel Pinlight Tube Led - (9W-11W) PL Jack with cable wire - Stereo Type, 6.3mm Plastic Chain, PVC - (White or Yellow) for	bottle gallon spair piece set	10 5 5 3 3 5 3 10 10 6 100

131	Plyboard - 3/4" x 4' x 8', good quality	piece	6	
132	Plywood Marine - 1/2" x 4' X 8'	piece	6	
133	Plywood Marine - 1/4" x 4' x 8'	piece	6	
134	Plywood Marine - 3/4" x 4' x 8'	piece	6	
135	Plywood Ordinary - 1/4" x 4' x 8'	piece	6	
136	Plywood Ordinary - 3/8" x 4' x 8'	piece	6	
137	Polishing Cloth - 18" x 26" Large Polishing Cloth	piece	60	
138	Polytuff - With Hardener	can	6	
139	Pressure washer hose - Compatible with portable	piece	2	
	pressure washer, zhekoki			
140	Pressure washer nozzle - Compatible with portable	piece	2	
	pressure washer, universal		,	
141	Primer Red Lead - Red lead primer	can	6	
142	Ppr Pipe - 1/2"Ø x 4m	set	10	
143	Ppr Pipe - 3/4"Ø x 4m	set	10	
144	Ppr Elbow - 1/2"Ø	piece	30	
145	Ppr Elbow - 3/4"Ø	piece	30	
146	Ppr Elbow - female adaptor 1/2"Ø	piece	10	
147	Ppr Elbow - male adaptor 1/2"Ø	piece	5	
148	Ppr Elbow - female adaptor 3/4"Ø	piece	10	
149	Ppr Elbow - male adaptor 3/4"Ø	piece	5	
150	Ppr Coupling - 1/2"Ø	piece	20	
151	Ppr Coupling - 3/4"Ø	piece	10	
152	Ppr Coupling - 1"Ø	piece	10	
153	Ppr Plug - 1/2"Ø	piece	5	
154	Ppr Plug - 3/4"Ø	piece	5	
155	Ppr Reducer - 3/4 x 1/2"	piece	10	
156	Ppr Reducer - 1 x 3/4"	piece	10	
157	Ppr Female Adaptor 1/2"Ø	piece	10	
158	Ppr Male Adaptor 1/2"Ø	piece	10	
159	Ppr Female Adaptor 3/4"Ø	piece	10	
160	Ppr Male Adaptor 3/4"Ø	piece	10	
161	Ppr Gate Valve - 1/2"Ø	piece	3	
162	Ppr Gate Valve - 3/4"Ø	piece	3	
163	Ppr Gate Valve - 1"Ø	piece	5	
164	Polythylene tape - 2 inches durable tape	roll	10	
165	Potting Bags - 8 x 8 x 12", 100 pcs./plastic pack	packs	12	
166	PVC elbow - 1/2 in	piece	10	
167	PVC elbow - 3/4 in	piece	10	
168	PVC elbow - 1 in	piece	10	
169	Potting Bags - 4 x 4 x 8", 1000 pcs./plastic pack	packs	12	
170	Pvc Female Adaptor -1" diameter	piece	10	
171	Pvc Female Adaptor -1/2" diameter	piece	10	
172	Pvc Female Adaptor - 3/4" diameter	piece	10	
173	Pvc Male Adaptor -1" diameter	piece	10	
174	Pvc Male Adaptor -1/2" diameter	piece	10	
175	Pvc Male Adaptor - 3/4" diameter	piece	10	
176	PVC Moulding - 3/4 diameter X 8'	piece	6	
177	PVC Pipe -1/2 in x 10'	piece	10	
178	PVC Pipe - 3/4 in x 10'	piece	10	
179	PVC Pipe - 1 in x 10'	piece	10	
180	Pvc Pipe For Electrical #1/2 -1/2inch diameter x 10ft	piece	10	
100	for electrical			
181	Pvc Pipe For Electrical #3/4 - 3/4inch diameter x 10ft for electrical	piece	10	
182	PVC pipe solvent cement - 400 ml	can	6	
183	PVC Plant pots - 2 ft. Height, Plastic	piece	20	
100	The strain policing the floright, flooring	L P.000		

184	PVC TEE - 1/2 in	piece	15
185	PVC TEE - 3/4 in	piece	10
186	PVC TEE -1 in	piece	9
187	Quick Dry Enamel - assorted colors, odorless	gal	5
188	RCA Jack - RCA w/cable, 3.5mm	piece	6
189	Rechargeable battery - Size AA 1.5 volts	piece	20
190	Rechargeable battery - 9 volts	piece	4
191	Red Oxide Paint - primer paint,4 lit./can, red	can	6
192	Reflectorized Paint - ordinary 4L per gallon, yellow	gallon	6
193	Rivets - assorted size, 100s/box	box	5
194	Roller Brush - 4", cloth	piece	6
195	Rubber Force Pump - Wooden Handle	piece	30
196	Rubber Plug - Rubber, Heavy duty, branded	piece	30
197	Rubber Tape Big - Rubber Tape size 19mm x 9m	piece	10
198	Safety Goggles - Features: Ergonomic design, light weight, impact resistant, can block strong wind, snow particles, welding small particles, etc.	piece	10
199	Spatula - 3 inches	piece	3
200	Speak on jack - female	piece	10
201	Speak on jack - male 4 pole	piece	10
202	Safety Harness - Full body harness, heavy duty belt w/ pole strap, Belt:50mm wide, Landyard: 14mm dia./1.5m polyester nylon rope, H3101 Big snap hook capacity: 5,000 lbs. Cest adjustable belt, removable waist strap, 4 points adjustable mating buckles	piece	5
203	Safety Hasp - 3" 1 x 3"	piece	12
204	Safety Hasp - 4" 1 x 4"	piece	12
205	Sanding Paper no. 120	piece	30
206	Sealant Elastomeric - waterproof	quart	6
207	Sealant Rubber - Plumber and marine waterproof sealant, 1-quart	quart	3
208	Sealant Silicon - Clear silicon sealant 10.0 ounce	tube	4
209	Silver Rod -18"	piece	50
210	Spatula With Handle - Stainless metal with wooden handle, good quality	piece	5
211	Stanchion post - non-marking rubberized base, protects floor and add stability,built-in 4-way adaptor stainless steel, traditional round design automatic BELT LOCK	piece	2
212	Staple Wire T - 50	box	5
213	Steel Brush - 6"	piece	8
214	Surface type Utility Box - 4" x 3" x 2", PVC	piece	30
215	Switch - (1 way), single pole	piece	20
216	Tape Electrical - Big	piece	155
217	Tape Electrical Rubber - Rubber, black	piece	10
218	Telephone modular box - surface type, 2 gang	piece	20
219	Telephone wire - jacketed 22/4, 150 mtr. Per roll,	roll	2
220	Terra Cota plant pots - 1 ft. Height, ceramic local	piece	12
221	Terra Cota plant pots - 2 ft. Height, ceramic local	piece	12
222	Toilet Bowl Brush - plastic, durable with handle	piece	10
223	Tox #6 - with screw, 100s/box	box	2
224	Tox #8 - with screw, 100s/box	box	2
225	Union Patente - 1" stainless	piece	2
226	Union Patente -1/2", stainless	piece	2
227	Union Patente - 3/4", stainless	piece	2
228	Urinal Flusher - Push Button, 1/2 inch diameter (1 set	piece	20
228	with accessories)	piece	20

229	Urinal Flusher – Repair Kit for Push Button, ½ inch	set	55
220	diameter (1 set with accessories)		4
230	Urinal Sloan Valve – ¾" h.d	set	4
231	Valve Gate - 1 1/2" diameter, brass	piece ·	2
232	Valve Gate - 1" diameter, brass	piece	2
233	Valve Gate - 1/2" diameter, brass	piece	2
234	Valve Gate - 3/4" diameter, brass	piece	5
235	Voltage Tester - Non contact/Pen type	piece	2
236	Water Closet Angle Valve - 3 way, universal, 1/2" x 1/2" x 1/2"Ø, brass	piece	33
237	Water Closet Sloan Valve - 1" diameter	piece	10
238	Water Closet Tank Fittings - Water closet , lever type	set	10
239	Water closet tank fittings for 1 piece - push type, 2"Ø	set	20
240	Water closet tank fittings for 2 piece - push type, 2"Ø	set	10
241	Water Displacement Pressurized - 469ml/can	cans	3
242	Welding Rod Ordinary - branded, per kilo	kilo	21
243	Welding Rod Stainless - branded	kilo	20
244	Toilet Auger - with bulb head, with heavy duty	piece	4
	cable 6 ft		•
245	Glass Suction Cups - 3 moving lifter vacuum glasses, level suction: 100kg, suction cup diameter: approx. 11.8cm/4.65in, weight: approx. 1149g	piece	2
246	Glass Suction Cups - 2 lifter vacuum glasses, 220 lbs lifting load capacity in level, 187lbs in vertical, 5 inches diameter suction cups	piece	2
247	Downlight - 7W Ceiling concealed spotlight	рс	30
248	T5 LED tube - 1 foot warm white color cove lighting	рс	12
249	T5 LED tube - 2 feet warm white color cove lighting	рс	12
250	T5 LED tube - 3 feet warm white color cove lighting	рс	12
251	T5 LED tube - 4 feet warm white color cove lighting	рс	12
252	Round ceiling light - 11 inches LED ceiling light, 12W, 980 luminous flux, 230V input power	рс	4
253	Tracklights - Landlite 5W ceiling suspended spotlight	рс	10
254	Auto wire - #12, 100 mtrs	meter	1
255	Auto wire - # 14, 100 mtrs	meter	<u>'</u> 1
256	Battery - distilled water		12
	Battery solution – liquid solution	pc	
257		bottle	12
258	Borax - borax	kilo	10
259	Clamp - 1"	рс	12
260	Clamp - 2"	рс	12
261	Clamp - 3"	рс	12
262	Cutting Pliers - 7", Diagonal, Dynagrip, A (mm):57, B (mm):11.3, L (mm): 180	рс	4
	(mm):11.3, L (mm): 180 Drive Impact Socket - Hex Bit Set, 3/8"	рс	1
262	(mm):11.3, L (mm): 180  Drive Impact Socket - Hex Bit Set, 3/8"  Eye terminal - # 8	·	
262 263	(mm):11.3, L (mm): 180 Drive Impact Socket - Hex Bit Set, 3/8"	рс	1
262 263 264	(mm):11.3, L (mm): 180  Drive Impact Socket - Hex Bit Set, 3/8"  Eye terminal - # 8	pc pc	1 30
262 263 264 265	(mm):11.3, L (mm): 180  Drive Impact Socket - Hex Bit Set, 3/8"  Eye terminal - # 8  Eye terminal - # 10	pc pc	1 30 30
262 263 264 265 266	(mm):11.3, L (mm): 180  Drive Impact Socket - Hex Bit Set, 3/8"  Eye terminal - # 8  Eye terminal - # 10  Eye terminal - # 12	pc pc pc	1 30 30 30
262 263 264 265 266 267	(mm):11.3, L (mm): 180  Drive Impact Socket - Hex Bit Set, 3/8"  Eye terminal - # 8  Eye terminal - # 10  Eye terminal - # 12  Flasher Relay - 12 volts	pc pc pc pc	1 30 30 30 30
262 263 264 265 266 267 268 269	(mm):11.3, L (mm): 180  Drive Impact Socket - Hex Bit Set, 3/8"  Eye terminal - # 8  Eye terminal - # 10  Eye terminal - # 12  Flasher Relay - 12 volts  Gloves - Leather  Grinding Disc - Grinding, 4"diameter (steel)	pc pc pc pc pc pc	1 30 30 30 30 10 5
262 263 264 265 266 267 268	(mm):11.3, L (mm): 180  Drive Impact Socket - Hex Bit Set, 3/8"  Eye terminal - # 8  Eye terminal - # 10  Eye terminal - # 12  Flasher Relay - 12 volts  Gloves - Leather  Grinding Disc - Grinding, 4"diameter (steel)  Grinding Stone - big 180x6x22,23mm  High Pressure Power Sprayer Hose - with fittings	pc pc pc pc pc	1 30 30 30 30 10 5 3
262 263 264 265 266 267 268 269 270	(mm):11.3, L (mm): 180  Drive Impact Socket - Hex Bit Set, 3/8"  Eye terminal - # 8  Eye terminal - # 10  Eye terminal - # 12  Flasher Relay - 12 volts  Gloves - Leather  Grinding Disc - Grinding, 4"diameter (steel)  Grinding Stone - big 180x6x22,23mm	pc pc pc pc pc pc pc	1 30 30 30 10 5 3

274	Oxy-Acetylene - refill	set	2	
275	Oxyacetylene Welding Cutting Kit - Heavy Duty 6300o F / 3482o C	set	1	
276	Pliers, 8", Dynagrip - Short Nose plier electrical plier steel heavy duty size 6	рс	4	
277	Relay - 12 volts	рс	6	
278	Screwdriver (Flat) - durable	рс	4	
279	Screwdriver (Philip) - durable	рс	4	
280	Silicon - sealant	рс	6	
281	Socket terminal - Male, Metal	рс	6	
282	Socket terminal - Female, Metal	рс	6	
283	"Socket Wrench 1/2"" Drive, Flower Type, (25pcs) 7 pcs 1/2"" drive 6 pt sockets: 10,11,12,13,14,15,17,18,19,20,21,22,23,24,27,30,32mm 6 pcs 1/2"" dr Accessories: 1 spark plug socket, 1 sidling T-bar: 10"" 1 Universal Joint, 1 Flex handle: 17"" 2 Extension bar: 5"" & 10"" 1 pc ""Fully polished" quickly release " 1 blowmold case	set	1	
284	Stainless Steel Tool Box -18.5", 47 cm main compartment, Removable tray, Stainless Steel Body, Reinforces corner for durability, Steel latches to secure lid, rubberized grip handles	рс	4	
285	Teflon - big	roll	6	
286	Terminal lug - # 12	рс	5	
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1			
	Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and function control with LED, Rated voltage 120/230V/277V 50/60Hz, Dimension (LxWxH) 310mm x 80mmx140mm			
289	Water Hose - 25 meter length roll	roll	1	
290	Welding Rod - Standard	рс	6	
291	Welding Rod - Bronze metal	рс	6	
292	Wheel Brush Steel - 1"	рс	2	
293	Wrench Adjustable - 12" 12cm, branded	рс	4	
294	Wrench Set Combination Slimline (14pcs) - Made of Chrome Vanadium Steel Both the open ended head and the ring are angled at 15" for optinum accessibility Nickel chrome plating protects againts corrosion slim pattern anti-slip feature	рс	4	
295	SACKS - nylon	рс	30	
296	ROPE - core rope fibers provide the tensile strength of the rope, Length: 220 m, Rope Diameter: 16 mm	set	4	
297	LONA - 20ft x 40ft	рс	5	
298	Drill Bit Stainless - 1/8" diameter	piece	5	
299	Drill Bit Stainless - 3/16" diameter	piece	5	
300	Drill Bit Stainless - 3/8" diameter	piece	5	
301	Drill Bit Wood Set - 1/8" to 1"	set	5	

302	Dust Mask Respiratory Protective Mask, Material: Rubber, Color: Silver, Usage Years: 5 years, Package Weight: 200g/7.1oz.	box	30	
303	Elastomeric Paint - Assorted Color, 4 lit./gal.	gal	5	
304	Electrical Tape - 0.16mmx19mmx16m, big roll	piece	100	
305	Epoxy A & B - 1.5 kg./can, Pipe jointing epoxy	can	10	
306	Flaring Tools -	set	1	
300	<ul> <li>Case size: about 270mm x 187mm, 1/4 to 7/8</li> <li>Set: 5 pcs./set</li> <li>System Specification: 34, 5/8, 1/2, 3/8, 5/16, 1/4</li> <li>Cutting range: 6-19mm</li> <li>Cutting Thickness 1mm less</li> <li>High quality steel forging. Super Hardness. Simple to operate</li> </ul>	301	'	
307	Flatcord - #16, stranded, 150 meters/roll, branded	roll	3	
308	Float Switch - cable type float SW water level 1.9 meter cable, heavy duty	set	5	
309	Fluorescent Lamp - Circular, 22watts	piece	6	
310	Fluorescent Starter - 4-80 watts	piece	100	
311	G.I. Coupling -1/2"	piece	30	
312	G.I. Elbow - 1/2" diameter	piece	10	
313	G.I. Elbow - 3/4" diameter	piece	10	
314	G.I. Straight Elbow - 1/2" x 1/ 2" Ø	piece	10	
315	G.I. Nipple -1/2" x 2"	piece	10	
316	G.I. Nipple -1/2" x 3"	piece	10	
317	G.I. Nipple -1/2" x 4"	piece	10	
317	QUEZON CITY PROTECTION CENTER	picco	10	
318	Circuit breaker - 200A-250A	piece	4	
319	Stranded Wire - 3.5mm THHN/THWN 150 meters	piece	2	
320	PVP pipe Plastic Tube - #3/4	piece	30	
321	PVC elbow - #3/4	piece	30	
322	Nema Box - 5R	piece	2	
323	Iron barb wire for fencing -150meters/roll	piece	2	
324	LED Linear Tube -18 watts big	piece	70	
325	LED Linear Tube -18 watts small	piece	70	
326	LED Linear bulb - 15 watts	piece	50	
320	QUEZON CITY UNIVERSITY	piece		
327	#16 Flat Cord Wire - # 16 100% brand new, authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper	2	roll/bulk	
328	20 Watts LED Fluorescent Tube - 60% energy savings, High lumen output 120lm/w, 300° beam angle, comes with free mounting clips and accessories for independent installation, Mercury free, SMD LED Technology, less heat, CE & ROHs Compliant, 20000 hours of operations.	150	pcs	
329	40 Watts Fluorescent Tube - Flourescent Watts 40 Higher watts = more light. The 40w T12 fluorescent tube in daylight white will light up a space requiring a lot of light for working purposes. Daylight white is often found in rec rooms, doctors' offices, furniture stores, fast food restaurants, etc. The ALTO technology this bulb offers provides less mercury than traditional bulbs, making it more environmentally friendly. Installation should only take seconds, just remove the existing lamp and twist this one in, anyone can do it.	150	pcs	
330	40 Watts Open Type Fixture with Ballast and Starter - Open Type Fixture – Rotary Type Wattage 40W Voltage 220V	200	pcs	

331	8 Watts LED Bulb - Bulb dimensions Height 11 cm Width 6 cm; Power consumption Power factor 0.5; Voltage 220-240 V; Wattage 8 W, Wattage equivalent 68 W, Energy Efficiency Label (EEL) 3 Tick, Technical specifications, Frequency 50-60 Hz	150	pcs	
332	Battery Charger - For charging 9v, 3A, 2A NiMH batteries	2	pcs	
333	Battery rechargeable 2A - 2-A heavy duty,4 pcs per set, 2700MAhNi-MH	10	sets	
334	Battery rechargeable 3A - 3-A heavy duty, 4 pcs per set, 2700MAhNi-MH	10	sets	
335	9V rechargeable – 9v Rechargeable	10	pcs	
336	Black Screw – Bugle Head Black Finish, Needle Point, For Wood Self-Tapping Also called Black Screw or Drywall Screw or Grabber Screw or Gypsum Screw Diameter of Screw is #6 = Approximately 3mm / #8 = Approximately 4mm	4	box	
337	Bolt Cutter - 14 inches, Forge handle	1	рс	
338	Branch Trimmer - 13-inch Razor tooth curved pruning saw with cushion grip handle	3	рс	
339	Bulb LED 15 watts - LED, 15 watts, 230 volts	50	pcs	
340	Bulb Receptacle(Bokilya) - 2"x2", plastic, branded	20	pcs	
341	Convenience Outlet Floor type - 16A, 250V, 2 Gang Pop-up Floor Outlet, Round Type (Brass) with Utility Box	14	pcs	
342	Convenience Outlet Outdoor -16A, 250V, Weatherproof, 2-gang	10	sets	
343	Door knob - ordinary door knob, stainless steel	26	pcs	
344	Door Lock/ Closer & Hinges - Cylindrical door lock (branded)	5	pcs	
345	Drill bits - Metal Drill Bit Set, 15pcs/set,Black Oxide - Resists Corrosion; 135° Split Point - Eliminates "Walking, Good for drilling wood, metal and plastic; (1/16" (2), 5/64", 2"(2"),7/64",1/8"(2"), 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" 3/8" & 1/2)	2	set	
346	Electrical Tape Big - 100% Authentic Vinyl Electrical Tape	50	pcs	
347	Size: Big  Extension Cord - Wid 350, Extension Wire, 5-Gang w/ Individual Switches, 6FT. Cord, 2,500W 10A 250V, With built-in IC for over-voltage protection	1	рс	
348	Faucet - 1/2 in. diameter, metal, heavy duty, branded	20	pcs	
349	Floodlight Metal Hallide Tubular - 400 watts bulb, with casing	6	pcs	
350	Grinding Disc - Grinding, 4"diameter (steel)	10	pcs	
351	Gun Tacker staple - 5/16-inch staples	10	boxes	
352	Hacksaw Blade - 12", 32-Tpi, hacksaw blade, 10- pack	25	pcs	
353	Lavatory Complete Fittings - Lavatory complete , single faucet, p-trap w/ lavatory strainer, angle valve 3/8" x 1/4", supply hose 1/2" x 1/4" stainless, bracket with screw	5	set	
354	Metal Screw - Galvanized Metal Screw Pan Head. Self tapping screw/metal screw. Pan head.	4	box	
	Point. Galvanized iron.			

	Polighla & Accurate Pagdings: 0 10H high	1	Γ
	Reliable & Accurate Readings: 0.1pH high accuracy, 0-14pH full measurement range, -50°C ~		
	70°C temperature range.		
	Automatic temperature compensation (ATC), easy		
	calibration of pH and TDS with just a mini-		
	screwdriver, ensuring precise results		
356	Multi-tester - AC/DC, Auto/manual, Digital multi	3	pcs
	tester, branded		
357	OUTLET - 3 gang universal outlet 16A with plate;	40	Sets
	water proof, flame-retardant, heat-resistant,		
	durable and non corrosive	10	
358	Padlock Solid Brass - 70mm. Solid brass, branded	10	Pcs
	good quality Safety Gloves - All Purpose Synthetic Leather Palm	9	Pair
	Spandex Back Velcro Wrist Work Glove, Medium	/	i dii
	Scew - 1/8"dia x 3/4", Wood	100	Pcs
	Screw metal - Metal screw 1/8"dia x 3/4	100	Pcs
	Sealant Elastomeric - waterproof	100	Quart
363	Sealant Silicon - Clear silicon sealant 10.0 ounce	15	Tube
		3	
	Sealer Gun - branded SWITCH - 3 pcs 1-way switch with plate 16A, water-	40	pcs
365	proof, flame-retardant, heat-resistant	40	sets
366	WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can	4	Can
367	Welding Gloves - Heavy duty	4	Pair
368	Welding Rod - ordinary good quality, branded/kilo	10	Kilos
369	Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame	1	Вох
	retardent, abrasion resistant		
	Wood glue - Carpenter's wood glue, 236ml	10	Pcs
371	Wrench Pipe - #18, Heavy Duty	2	pcs
372	150mm 6 inch Caliper electronic vernier stainless	6	pcs
	caliper stainless steel - SAE / Metric conversion	0	pcs
	switch		
	Zero calibration switch		
	Automatic On / Off		
	Easy-to-read LCD display		
	Durable stainless steel construction		
373	Cage Nut - M5 Screw & Cage Nut, Cut-out	2400	pcs
	Dimensions 9.53x9.53mm, Galvanized finish		
374	Chrome Plated Easy Use High Precision Measure	6	pcs
	Tools Outer Diameter Outside Spiral Digital		
	Micrometer 4.0 –		
	Material: steel+engineering plastic		
	Product process: Surface chrome plating		
	Color: black		
	Size: 155*63 mm(approx)		
	Measuring range: 0-25 mm		
	Resolution: 0.001 mm		
	Function: automatic power off, unit conversion, ABS		
	absolute measurement		
	Power by: button battery(included)		
	Package:		
	1 pc x Digital micrometer		
	1 pc x Small wrench		
077	1 pc x Button battery	1	<u></u>
375	Drill - electric drill	100	pcs
376	Electric Plug - FireHeavy Duty Rubber Plug FEDPL202	100	pcs
377	Electric Wire - Wire & Cables 2.0MMStranded Wire	20	Bundle
378	Electrical outlet - 4 convenience outlet surface	300	Pcs
379	Extension roll - OMNI Extension Wheel 15 meter cord length 2500W 10A 25V ModelWEW 15M/U	12	Unit
J		1	

380	Extension wire - OMNI Extension Cord with	31	Unit
	4Universal Outlets and Individual Switches2500W		
381	Flastlights - Hunting/tactical Flashlight	3	pcs
382	Hand Spike – 3 fingers of spike	10	pcs
383	Masses - Learning Resources Brass Mass Set	4	sets
384	Metal fence - agriculture and farm fencing	70	meter
385	Meter Stick - ard wood Meter stick wit graduation scales end left to right on one ie to left	4	pcs
386	Protractor - General Tools 823 Digital Angle Finder Rule, 10 inch	4	pcs
387	Sprinkler - Large Size	3	pcs
388	Solar Powered Auto Darkening Welding Helmet Mask 4.5 - Material: Premium PP Size: 28.5x23x20cm Screen Size: 11x5cm Brightness level: DIN4 Darkness level: din9-13 Reaction Time: 1/10000s Dark to Light: 0.1-0.8 Seconds Operating Temperature: -10°C - 65°C	4	pcs
389	Terminal post - Yard gard 72in.H16 gauge metal chain link Fence	15	pcs
390	Toggle Switch - SPST 2P 3A SY	10	pcs
391	#14 Flat Cord Wire - #14 100% brand new, authentic, high quality Flat Cord/ Duplex Stranded Electrical Wire Pure Conner	2	roll/bulk

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

## Section VII. Technical Specifications

#### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

## **Technical Specifications**

# PROJECT NAME: PROCUREMENT OF VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES PROJECT NO. CONSO-21-HCS-437B

Item	Specification	Statement of Compliance
	~	[Bidders must state here either "Comply" or
		"Not Comply" against each of the individual
		parameters of each Specification stating the
		corresponding performance parameter of the
		equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence
		in a Bidders Bid and cross-referenced to that
		evidence. Evidence shall be in the form of
		manufacturer's un-amended sales literature,
		unconditional statements of specification and
		compliance issued by the manufacturer, samples, independent test data etc., as
		appropriate. A statement that is not supported
		by evidence or is subsequently found to be
		contradicted by the evidence presented will
		render the Bid under evaluation liable for
		rejection. A statement either in the Bidder's statement of compliance or the supporting
		evidence that is found to be false either during
		Bid evaluation, post-qualification or the
		execution of the Contract may be regarded as
		fraudulent and render the Bidder or supplier
		liable for prosecution subject to the applicable laws and issuances.]
A.	CITY GENERAL SERVICES DEPARTMENT	turis tract assucreces.
1	Acoustic Board - 2ft x 4ft., 10s/box	
2	Acry Color-Per Liter - any color	
3	Aluminum door lock set - standard size, for Aluminum	
4	Glass Door  Auger Bit – Auger bit for toilet bowl	
5	Barrel Bolt - 4"	
6	Bar Flat - 1/4" x 1" x 20'	
7	Bar Flat - 1/8" x 1" x 20'	
8	Bar Round - 10mm diameter x 6m	
9	Battery Charger - any size, AAA battery, 1 hr. charging time	
10	Battery Charger - any size, AA battery, 1 hr. charging time	
11	Battery Rechargeable 9V - rechargeable	
	Battery - 12 Volts H.D., 200 AMPS/HOUR, SM-200 LEAD	
12	ACID, DIMENSION: 524mm(L) x 278mm(W) x	
10	240mm(H)"	
13	Battery Distilled - 1 Liter	
14	Bidet - Bidet (branded)	
15	Blade Grinder (Cutting Disc) Steel - 4" diameter, for steel	
16	Blade Grinder (Cutting Disc) Stone - 4" diameter, for stone	
177		
17	Blade Grinder (Cutting Disc) Tile - 4" diameter, for Tile	
18		

20	Brass Faucet - 1/2" diameter
21	Butane Blow Torch
22	Cable Tie - 12" 4mm x 300mm , 100 pcs per pack
23	Cable Tie - 8" 4mm x 200mm , 100 pcs per pack
24	Cable Tie - 6" 3mm x 150mm , 100 pcs per pack
25	Capacitor Dual 70 - Microfarad
26	Capacitor Dual 65 - Microfarad
27	Capacitor Dual 60 - Microfarad
28	Capacitor Dual 40 - Microfarad
29	Cement Adhesive - 25kg./Bag
30	Circuit Breaker bolt-on - 30 amp. 2 pole w/ enclosure
31	Circuit Breaker bolt-on - 60 amp. 2 phase w/
	enclosure
32	Circuit Breaker - C 3125, 2 pole, 125AT, 3 phase
33	Circuit Breaker - C3100, 100AT
34	Circuit Breaker - EA 203B1 50 amp 3 phase Industrial
35	Circuit Breaker - EZ-403C Industrial type 400A, 3 phase
36	Circuit Breaker - 400At(Bolt-On-Type)400AT, 3 phase
37	CFL - 18 watts
	Clamp Ammeter Digital - 4digits display, measuring
	ac/dc voltage; ac current resistance, capacitance and frequency ampere range 20 to 400 amp.
38	voltage range 10 to 600 volts ac/dc resistance range
	0 to 400 ohms; battery type aaa; frequency a 20 to
	4k/10mhz.
39	Clamp Metal - 1" , heavy duty, stainless
40	Clamp Metal - 2" , heavy duty, stainless
41	Clamp Metal - 3" , heavy duty, stainless
42	Connector - RJ 11
43	Connector - RJ 9
44	Contact Cleaner - Pressurized, fast-drying, net wt. 469mL
45	Coolant Solution - 1 Liter
46	Crimping Tool - RJ45 Crimping tool
47	Door Knob - ordinary stainless steel
48	Drill Bit Concrete Set - concrete, 3/16" to 1"
49	Drill Bit Concrete/Masonry Set - 1/8" to 1"
50	Drill Bit Masonry/Concrete - 1/16" diameter
51	Drill Bit Masonry/Concrete - 1/2" diameter
52	Drill Bit Masonry/Concrete - 1/4" diameter
53	Drill Bit Masonry/Concrete - 1/8" diameter
54	Drill Bit Masonry/Concrete - 3/8" diameter
55	Drill Bit Stainless - 1/16" diameter
56	Drill Bit Stainless - 1/4" diameter
57	G.I. Nipple - 3/8"X4"
58	G.I. Pipe - 3/4" Dia. Schedule 40
59	G.I. Pipe - 1 1/2" diameter, 6m
60	G.I. Pipe - 1" diameter, 6m
61	G.I. Pipe - 1/2" diameter, 6m
62	G.I. Pipe - 11/4" diameter, 6m
63	G.I. Pipe- 2" diameter, 6m
64	G.I. Reducer - 1"X1/2"
65	G.I. Reducer - 1"X3/4"
66	G.I. Reducer - 3/4"X1/2"
67	Glazing Putty – 2 litter/can
68	Grinding Disc, 4 inches
	1 5

60	Hacksaw Blade - 12"
69 70	Halogen Lamp - 50W/220V/38° Dichroic
70	Hand gloves – heavy duty (rubberized), slim fit,
/ 1	extra sensitive grip, with foam lining
72	Hinges - 1 1/2"X3" with screw
73	Hinges - 2"X3" with screw
74	Hinges - 4" with screw
75	Hard Hat - electrical grade with electrical insulation
76	Lacquer Thinner - 4 litter/gal.
77	Latex paint - tile red
78	Lavatory Angle Valve - ½" x ½" HD
79	Lavatory P-trap - 1 ¼ inch diameter, stainless,
	complete with basket, strainer and tail piece
80	Lavatory Single Faucet - ½ inch. Diameter, stainless, branded
81	Lavatory Single Faucet - Gooseneck type – ½ inch.
	Diameter, stainless, branded
82	Lavatory Supply Pipe - 1/2"X1/2"X18"
83	LED Fluorescent Lamp - 9W (T8 2ft.) 220V 60Hz/Day
84	light  LED lights bulb with screw - screw type, 7 watts
85	LED DRIVER - model: 48W, input: 180260, 50/60Hz
03	output: DC 90130V, 240mA ±5%
86	Light Bulb - LED, 7 watts, 1 pc in individual box
87	Luxmeter - Handheld Digital Luminometer
88	Male Plug - Heavy Duty 2-wire, Rubber plug
89	Metal hallide lamps - 400 watts E-40
90	Metal hallide - with casing 400 watts with lamps
91	Microphone cable - 3 wired including ground, 100
	mtr./roll
92	Microphone PL Jack – Mono, metal type, 6.3mm
93	Microphone Stand – Metal / Iron stand H.D
94	Mini-phone Jack - (stereo, metal type), 3.5mm
95	Nail - CWN 1inch
96	Nail - CWN 2 1/2 inches
97	Nail - CWN, 2inch
98	Nail - CWN, 3inch
99	Oil Tinting Color - Assorted color
100	Outlet Convenience - 2 gang with plate and cover
101	Outlet Convenience - 3 gang, surface type, with plate and cover
102	Oxy-Acetylene Cutting Nozzle - Full purple copper,
	Oxygen working pressure: 0.3 Mpa, Acetylene gas
102	working pressure: 0.001-0.1 Mpa
103	Padlock Solid Brass - 70mm. Solid brass, branded good quality
104	Padlock - 10mm, heavy duty
105	Padlock - 30mm, heavy duty
106	Padlock - 40mm, heavy duty, 4 pcs set masterlock
107	Paint Acrylic - any color, 4 gallon/can
107	Paint Baby Roller - Cloth 4"
109	Paint Baby Roller - Clott 4  Paint Baby Roller - Foam 4"
110	Paint Brush - Paint brush, 1"
111	Paint Brush - Paint brush 2"
111	Paint Brush - Paint brush 3"
112	LI GILLI DIOJIL I GILLI DIOJILO
112	
112 113	Paint Flat Wall Enamel - assorted colors, 4 gallon/can

44-	Detail This are a 2000 1/1 111
115	Paint Thinner - per 350ml/bottle
116	Paint Thinner - Acrylic 4 liters/gallon
117	Paint Waterproofing - 4 liters/gallon
118	Paint Wood-Semi-Gloss Enamel - 4 liters/gallon
119	Paint-Elastomeric - 4 liters/gallon
120	Paint-Flat Wall Enamel - 4 liters/gallon
121	Paint-Latex Flat Per Gallon - 4 liters/gallon
122	Paint-Latex Semi Gloss Per Gallon - 4 liters/gallon
123	Paint-Quick Dry Enamel Per Gallon - 4 liters/gallon
124	Pallet Steel - Steel
125	Pinlight Tube Led - (9W-11W)
126	PL Jack with cable wire - Stereo Type, 6.3mm
127	Plastic Chain, PVC - (White or Yellow) for
	cordoning, 25 m / roll
128	Plastic Moulding - 5/8 inch, PVC
129	Plate Cover - (1 gang/1 window)
130	Plate Cover - (2 gang/2 window)
131	Plyboard - 3/4" x 4' x 8', good quality
132	Plywood Marine - 1/2" x 4' X 8'
133	Plywood Marine - 1/4" x 4' x 8'
134	Plywood Marine - 3/4" x 4' x 8'
135	Plywood Ordinary - 1/4" x 4' x 8'
136	Plywood Ordinary - 3/8" x 4' x 8'
137	Polishing Cloth - 18" x 26" Large Polishing Cloth
138	Polytuff - With Hardener
139	Pressure washer hose - Compatible with portable
	pressure washer, zhekoki
140	Pressure washer nozzle - Compatible with portable
1.4.1	pressure washer, universal
141	Primer Red Lead - Red lead primer
142	Ppr Pipe - 1/2"Ø x 4m
143	Ppr Pipe - 3/4"Ø x 4m
144	Ppr Elbow - 1/2"Ø
145	Ppr Elbow - 3/4"Ø
146	Ppr Elbow - female adaptor 1/2"Ø
147	Ppr Elbow - male adaptor 1/2"Ø
148	Ppr Elbow - female adaptor 3/4"Ø
149	Ppr Elbow - male adaptor 3/4"Ø
150	Ppr Coupling - 1/2"Ø
151	Ppr Coupling - 3/4"Ø
152	Ppr Coupling - 1"Ø
153	Ppr Plug - 1/2"Ø
154	Ppr Plug - 3/4"Ø
155	Ppr Reducer - 3/4 x 1/2"
156	Ppr Reducer - 1 x 3/4"
157	Ppr Female Adaptor 1/2"Ø
158	Ppr Male Adaptor 1/2"Ø
159	Ppr Female Adaptor 3/4"Ø
160	Ppr Male Adaptor 3/4"Ø
161	Ppr Gate Valve - 1/2"Ø
162	Ppr Gate Valve - 3/4"Ø
163	Ppr Gate Valve - 1"Ø
164	Polythylene tape - 2 inches durable tape
165	Potting Bags - 8 x 8 x 12", 100 pcs./plastic pack
166	PVC elbow - 1/2 in
167	PVC elbow - 3/4 in

4	D. (O. II.
168	PVC elbow - 1 in
169	Potting Bags - 4 x 4 x 8", 1000 pcs./plastic pack
170	Pvc Female Adaptor -1" diameter
171	Pvc Female Adaptor -1/2" diameter
172	Pvc Female Adaptor - 3/4" diameter
173	Pvc Male Adaptor -1" diameter
174	Pvc Male Adaptor -1/2" diameter
175	Pvc Male Adaptor - 3/4" diameter
176	PVC Moulding - 3/4 diameter X 8'
177	PVC Pipe -1/2 in x 10'
178	PVC Pipe - 3/4 in x 10'
179	PVC Pipe - 1 in x 10'
180	Pvc Pipe For Electrical #1/2 -1/2inch diameter x 10ft for electrical
181	Pvc Pipe For Electrical #3/4 - 3/4inch diameter x 10ft for electrical
182	PVC pipe solvent cement - 400 ml
183	PVC Plant pots - 2 ft. Height, Plastic
184	PVC TEE - 1/2 in
185	PVC TEE - 3/4 in
186	PVC TEE -1 in
187	Quick Dry Enamel - assorted colors, odorless
188	RCA Jack - RCA w/cable, 3.5mm
189	Rechargeable battery - Size AA 1.5 volts
190	Rechargeable battery - 9 volts
191	Red Oxide Paint - primer paint,4 lit./can, red
192	Reflectorized Paint - ordinary 4L per gallon, yellow
193	Rivets - assorted size, 100s/box
194	Roller Brush - 4", cloth
195	Rubber Force Pump - Wooden Handle
195	Rubber Plug - Rubber, Heavy duty, branded
190	Rubber Tape Big - Rubber Tape size 19mm x 9m
-	Safety Goggles - Features: Ergonomic design, light
198	weight, impact resistant, can block strong wind,
100	snow particles, welding small particles, etc.  Spatula - 3 inches
199	
200	Speak on jack - female
201	Speak on jack - male 4 pole
202	Safety Harness - Full body harness, heavy duty belt w/ pole strap, Belt:50mm wide, Landyard: 14mm dia./1.5m polyester nylon rope, H3101 Big snap hook capacity: 5,000 lbs. Cest adjustable belt, removable waist strap, 4 points adjustable mating
203	buckles Safety Hasp - 3" 1 x 3"
	Safety Hasp - 4" 1 x 4"
204	
205	Sanding Paper no. 120
206	Sealant Elastomeric - waterproof
207	Sealant Rubber - Plumber and marine waterproof sealant, 1-quart
208	Sealant Silicon - Clear silicon sealant 10.0 ounce
209	Silver Rod -18"
210	Spatula With Handle - Stainless metal with wooden
211	handle, good quality Stanchion post - non-marking rubberized base,
	protects floor and add stability,built-in 4-way adaptor stainless steel, traditional round design automatic BELT LOCK

	Ta	T
212	Staple Wire T - 50	
213	Steel Brush - 6"	
214	Surface type Utility Box - 4" x 3" x 2", PVC	
215	Switch - (1 way), single pole	
216	Tape Electrical - Big	
217	Tape Electrical Rubber - Rubber, black	
218	Telephone modular box - surface type, 2 gang	
219	Telephone wire - jacketed 22/4, 150 mtr. Per roll,	
220	Terra Cota plant pots - 1 ft. Height, ceramic local	
221	Terra Cota plant pots - 2 ft. Height, ceramic local	
222	Toilet Bowl Brush - plastic, durable with handle	
223	Tox #6 - with screw, 100s/box	
224	Tox #8 - with screw, 100s/box	
225	Union Patente - 1" stainless	
226	Union Patente -1/2", stainless	
227	Union Patente - 3/4", stainless	
228	Urinal Flusher - Push Button, 1/2 inch diameter (1 set with accessories)	
229	Urinal Flusher – Repair Kit for Push Button, ½ inch	
220	diameter (1 set with accessories)	
230	Urinal Sloan Valve – ¾" h.d	
231	Valve Gate - 1 1/2" diameter, brass	
232	Valve Gate - 1" diameter, brass	
233	Valve Gate - 1/2" diameter, brass	
234	Valve Gate - 3/4" diameter, brass	
235	Voltage Tester - Non contact/Pen type	
236	Water Closet Angle Valve - 3 way, universal, 1/2" x 1/2" x 1/2"Ø, brass	
237	Water Closet Sloan Valve - 1" diameter	
238	Water Closet Tank Fittings - Water closet , lever type	
239	Water closet tank fittings for 1 piece - push type, 2"Ø	
240	Water closet tank fittings for 2 piece - push type, 2"Ø	
241	Water Displacement Pressurized - 469ml/can	
242	Welding Rod Ordinary - branded, per kilo	
243	Welding Rod Stainless - branded	
244	Toilet Auger - with bulb head, with heavy duty cable 6 ft	
245	Glass Suction Cups - 3 moving lifter vacuum glasses, level suction: 100kg, suction cup diameter: approx. 11.8cm/4.65in, weight: approx. 1149g	
246	Glass Suction Cups - 2 lifter vacuum glasses, 220 lbs lifting load capacity in level, 187lbs in vertical, 5 inches diameter suction cups	
247	Downlight - 7W Ceiling concealed spotlight	1
248	T5 LED tube - 1 foot warm white color cove lighting	1
249	T5 LED tube - 2 feet warm white color cove lighting	1
250	T5 LED tube - 3 feet warm white color cove lighting	]
251	T5 LED tube - 4 feet warm white color cove lighting	1
252	Round ceiling light - 11 inches LED ceiling light, 12W, 980 luminous flux, 230V input power	
253	Tracklights - Landlite 5W ceiling suspended spotlight	1
254	Auto wire - #12, 100 mtrs	1
255	Auto wire - # 14, 100 mtrs	1
256	Battery - distilled water	1
257	Battery solution – liquid solution	1

258	Borax - borax
259	Clamp - 1"
260	Clamp - 1"
261	Clamp - 3"
262	Cutting Pliers - 7", Diagonal, Dynagrip, A (mm):57, B
202	(mm):11.3, L (mm): 180
263	Drive Impact Socket - Hex Bit Set, 3/8"
264	Eye terminal - # 8
265	Eye terminal - # 10
266	Eye terminal - # 12
267	Flasher Relay - 12 volts
268	Gloves - Leather
269	Grinding Disc - Grinding, 4"diameter (steel)
270	Grinding Stone - big 180x6x22,23mm
271	High Pressure Power Sprayer Hose - with fittings Creston, 8.5mm X 20m (200 kgf/cm)
272	Long Nose Pliers - 8", Dynagrip Chrome Vanadium, PVC insulated Long Nose Pliers w.side Cutter
273	Necolyte lead -1"
274	Oxy-Acetylene - refill
275	Oxyacetylene Welding Cutting Kit - Heavy Duty 6300o F / 3482o C
276	Pliers, 8", Dynagrip - Short Nose plier electrical plier steel heavy duty size 6
277	Relay - 12 volts
278	Screwdriver (Flat) - durable
279	Screwdriver (Philip) - durable
280	Silicon - sealant
200	
281	Socket terminal - Male, Metal
282	Socket terminal - Female, Metal
283	"Socket Wrench 1/2"" Drive, Flower Type, (25pcs) 7
	pcs 1/2"" drive 6 pt sockets:
	10,11,12,13,14,15,17,18,19,20,21,22,23,24,27,30,32mm
	6 pcs 1/2" dr Accessories:
	1 spark plug socket, 1 sidling T-bar: 10""
	1 Universal Joint, 1 Flex handle: 17'" 2 Extension bar: 5"" & 10'"
	1 pc ""Fully polished"" quickly release " 1 blowmold case
284	Stainless Steel Tool Box -18.5", 47 cm main
	compartment, Removable tray, Stainless Steel
	Body, Reinforces corner for durability, Steel latches
	to secure lid, rubberized grip handles
285	Teflon - big
	Townsia allian # 10
286	Terminal lug - # 12
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1
-	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT -
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and function control with LED, Rated voltage
287 288	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and function control with LED, Rated voltage 120/230V/277V 50/60Hz, Dimension (LxWxH) 310mm
287	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and function control with LED, Rated voltage 120/230V/277V 50/60Hz, Dimension (LxWxH) 310mm
287 288	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and function control with LED, Rated voltage 120/230V/277V 50/60Hz, Dimension (LxWxH) 310mm x 80mmx140mm
287 288 289	Vise Grip Pliers, Straight Jaw - 10" 254mm 84-371-1 LIGHTNING UNIT EMERGENCY LIGHT LED DAYLIGHT - Specification: Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid baterry pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and function control with LED, Rated voltage 120/230V/277V 50/60Hz, Dimension (LxWxH) 310mm x 80mmx140mm  Water Hose - 25 meter length roll

• • •	[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]
292	Wheel Brush Steel - 1"
293	Wrench Adjustable - 12" 12cm, branded
294	Wrench Set Combination Slimline (14pcs) - Made
	of Chrome Vanadium Steel  Both the open ended head and the ring are
	angled at 15" for optinum accessibility
	Nickel chrome plating protects againts corrosion
	slim pattern
20.5	anti-slip feature
295	SACKS - nylon
296	ROPE - core rope fibers provide the tensile strength
270	of the rope, Length: 220 m, Rope Diameter: 16 mm
297	LONA - 20ft x 40ft
298	Drill Bit Stainless - 1/8" diameter
299	Drill Bit Stainless - 3/16" diameter
300	Drill Bit Stainless - 3/8" diameter
301	Drill Bit Wood Set - 1/8" to 1"
302	Dust Mask Respiratory Protective Mask, Material:
	Rubber, Color: Silver, Usage Years: 5 years, Package
202	Weight: 200g/7.1oz.
303 304	Elastomeric Paint - Assorted Color, 4 lit./gal.  Electrical Tape - 0.16mmx19mmx16m, big roll
304	Epoxy A & B - 1.5 kg./can, Pipe jointing epoxy
305	Flaring Tools -
300	•Case size: about 270mm x 187mm, 1/4 to 7/8
	•Set: 5 pcs./set
	•System Specification: 34, 5/8, 1/2, 3/8, 5/16, 1/4
	Cutting range: 6-19mm
	Cutting Thickness 1mm less     High quality steel forging, Super Hardness, Simple
	•High quality steel forging. Super Hardness. Simple to operate
307	Flatcord - #16, stranded, 150 meters/roll, branded
308	Float Switch - cable type float SW water level 1.9
	meter cable, heavy duty
309	Fluorescent Lamp - Circular, 22watts
310	Fluorescent Starter - 4-80 watts
311	G.I. Coupling -1/2"
312	G.I. Elbow - 1/2" diameter
313	G.I. Elbow - 3/4" diameter
314	G.I. Straight Elbow - 1/2" x 1/2" Ø
315	G.I. Nipple -1/2" x 2"
316	G.I. Nipple -1/2" x 3"
317	G.I. Nipple -1/2" x 4"
	QUEZON CITY PROTECTION CENTER
318	Circuit breaker - 200A-250A
319	Stranded Wire - 3.5mm THHN/THWN 150 meters
320	PVP pipe Plastic Tube - #3/4
321	PVC elbow - #3/4
322	Nema Box - 5R
323	Iron barb wire for fencing -150meters/roll
324	LED Linear Tube -18 watts big
325	LED Linear Tube -18 watts small
326	LED Linear bulb - 15 watts
	QUEZON CITY UNIVERSITY
327	#16 Flat Cord Wire - #16 100% brand new,
	authentic, high quality Flat Cord / Duplex Stranded
	Electrical Wire Pure Copper

328	20 Watts LED Fluorescent Tube - 60% energy savings, High lumen output 120lm/w, 300° beam angle, comes with free mounting clips and accessories for independent installation, Mercury free, SMD LED Technology, less heat, CE & ROHs Compliant, 20000 hours of operations.	
329	40 Watts Fluorescent Tube - Flourescent Watts 40 Higher watts = more light. The 40w T12 fluorescent tube in daylight white will light up a space requiring a lot of light for working purposes. Daylight white is often found in rec rooms, doctors' offices, furniture stores, fast food restaurants, etc. The ALTO technology this bulb offers provides less mercury than traditional bulbs, making it more environmentally friendly. Installation should only take seconds, just remove the existing lamp and twist this one in, anyone can do it.	
330	40 Watts Open Type Fixture with Ballast and Starter - Open Type Fixture – Rotary Type Wattage 40W Voltage 220V	
331	8 Watts LED Bulb - Bulb dimensions Height 11 cm Width 6 cm; Power consumption Power factor 0.5; Voltage 220-240 V; Wattage 8 W, Wattage equivalent 68 W, Energy Efficiency Label (EEL) 3 Tick, Technical specifications, Frequency 50-60 Hz	
332	Battery Charger - For charging 9v, 3A, 2A NiMH batteries	
333	Battery rechargeable 2A - 2-A heavy duty,4 pcs per set, 2700MAhNi-MH	
334	Battery rechargeable 3A - 3-A heavy duty, 4 pcs per set, 2700MAhNi-MH	
335	9V rechargeable – 9v Rechargeable	
336	Black Screw – Bugle Head Black Finish Needle Point For Wood Self-Tapping Also called Black Screw or Drywall Screw or Grabber Screw or Gypsum Screw Diameter of Screw is #6 = Approximately 3mm / #8 = Approximately 4mm	
337	Bolt Cutter - 14 inches, Forge handle	
338	Branch Trimmer - 13-inch Razor tooth curved pruning saw with cushion grip handle	
339	Bulb LED 15 watts - LED, 15 watts, 230 volts	
340	Bulb Receptacle(Bokilya) - 2"x2", plastic, branded	
341	Convenience Outlet Floor type - 16A, 250V, 2 Gang Pop-up Floor Outlet, Round Type (Brass) with Utility Box	
342	Convenience Outlet Outdoor -16A, 250V, Weatherproof, 2-gang	
343	Door knob - ordinary door knob, stainless steel	
344	Door Lock/ Closer & Hinges - Cylindrical door lock (branded)	
345	Drill bits - Metal Drill Bit Set, 15pcs/set, Black Oxide - Resists Corrosion; 135° Split Point - Eliminates "Walking, Good for drilling wood, metal and plastic; (1/16" (2), 5/64", 2"(2"),7/64",1/8"(2"),9/64",5/32",3/16",7/32", 1/4", 5/16"3/8" & 1/2)	

346	
	Electrical Tape Big - 100% Authentic Vinyl Electrical
0.47	Size: Big
347	Extension Cord - Wid 350, Extension Wire, 5-Gang w/
	Individual Switches, 6FT. Cord, 2,500W 10A 250V,
	With built-in IC for over-voltage protection
348	Faucet - 1/2 in. dia., metal, heavy duty, branded
349	Floodlight Metal Hallide Tubular - 400 watts bulb,
	with casing
350	Grinding Disc - Grinding, 4"dia (steel)
351	Gun Tacker staple - 5/16-inch staples
352	Hacksaw Blade - 12", 32-Tpi, hacksaw blade, 10- pack
353	Lavatory Complete Fittings - Lavatory complete ,
000	single faucet, p-trap w/ lavatory strainer, angle
	valve 3/8" x 1/4", supply hose 1/2" x 1/4" stainless,
	bracket with screw
354	Metal Screw - Galvanized Metal Screw Pan Head.
JJ4	
	Self tapping screw/metal screw.
	Pan head.
	Point.
<b>a</b> =	Galvanized iron.
355	Multi functional digital tester -
	Reliable & Accurate Readings: 0.1pH high accuracy, 0-
	14pH full measurement range, -50°C ~ 70°C temperature
	range. Automatic temperature compensation (ATC), easy
	calibration of pH and TDS with just a mini- screwdriver,ensuring precise results
256	Multi-tester - AC/DC, Auto/manual, Digital multi
356	tester, branded
257	OUTLET 3 gang universal outlet 1/4 with plate:
357	OUTLET - 3 gang universal outlet 16A with plate;
357	water proof, flame-retardant, heat-resistant,
	water proof, flame-retardant, heat-resistant, durable and non corrosive
357 358	water proof, flame-retardant, heat-resistant, durable and non corrosive Padlock Solid Brass - 70mm. Solid brass, branded
358	water proof, flame-retardant, heat-resistant, durable and non corrosive Padlock Solid Brass - 70mm. Solid brass, branded good quality
	water proof, flame-retardant, heat-resistant, durable and non corrosive Padlock Solid Brass - 70mm. Solid brass, branded good quality Safety Gloves - All Purpose Synthetic Leather Palm
358 359	water proof, flame-retardant, heat-resistant, durable and non corrosive Padlock Solid Brass - 70mm. Solid brass, branded good quality Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium
358 359 360	water proof, flame-retardant, heat-resistant, durable and non corrosive Padlock Solid Brass - 70mm. Solid brass, branded good quality Safety Gloves - All Purpose Synthetic Leather Palm
358 359	water proof, flame-retardant, heat-resistant, durable and non corrosive Padlock Solid Brass - 70mm. Solid brass, branded good quality Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium
358 359 360 361	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4
358 359 360 361 362	water proof, flame-retardant, heat-resistant, durable and non corrosive Padlock Solid Brass - 70mm. Solid brass, branded good quality Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood Screw metal - Metal screw 1/8"dia x 3/4 Sealant Elastomeric - waterproof
358 359 360 361 362 363	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce
358 359 360 361 362 363 364	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded
358 359 360 361 362 363	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, water-
358 359 360 361 362 363 364 365	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, water-proof, flame-retardant, heat-resistant
358 359 360 361 362 363 364 365 366	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can
358 359 360 361 362 363 364 365 366 367	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, water-proof, flame-retardant, heat-resistant
358 359 360 361 362 363 364 365 366	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can
358 359 360 361 362 363 364 365 366 367	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty
358 359 360 361 362 363 364 365 366 367 368	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire,
358 359 360 361 362 363 364 365 366 367 368	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame
358 359 360 361 362 363 364 365 366 367 368 369	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant
358 359 360 361 362 363 364 365 366 367 368 369	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml
358 359 360 361 362 363 364 365 366 367 368 369 370 371	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty
358 359 360 361 362 363 364 365 366 367 368 369	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty  150mm 6 inch Caliper electronic vernier stainless
358 359 360 361 362 363 364 365 366 367 368 369 370 371	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty  150mm 6 inch Caliper electronic vernier stainless caliper stainless steel - SAE / Metric conversion
358 359 360 361 362 363 364 365 366 367 368 369 370 371	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty  150mm 6 inch Caliper electronic vernier stainless caliper stainless steel - SAE / Metric conversion switch, Zero calibration switch
358 359 360 361 362 363 364 365 366 367 368 369 370 371	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty  150mm 6 inch Caliper electronic vernier stainless caliper stainless steel - SAE / Metric conversion
358 359 360 361 362 363 364 365 366 367 368 369 370 371	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty  150mm 6 inch Caliper electronic vernier stainless caliper stainless steel - SAE / Metric conversion switch, Zero calibration switch
358 359 360 361 362 363 364 365 366 367 368 369 370 371	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty  150mm 6 inch Caliper electronic vernier stainless caliper stainless steel - SAE / Metric conversion switch, Zero calibration switch  Automatic On / Off, Easy-to-read LCD display
358 359 360 361 362 363 364 365 366 367 368 369 370 371 372	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium  Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty  150mm 6 inch Caliper electronic vernier stainless caliper stainless steel - SAE / Metric conversion switch, Zero calibration switch  Automatic On / Off, Easy-to-read LCD display Durable stainless steel construction  Cage Nut - M5 Screw & Cage Nut, Cut-out
358 359 360 361 362 363 364 365 366 367 368 369 370 371 372	water proof, flame-retardant, heat-resistant, durable and non corrosive  Padlock Solid Brass - 70mm. Solid brass, branded good quality  Safety Gloves - All Purpose Synthetic Leather Palm Spandex Back Velcro Wrist Work Glove, Medium Scew - 1/8"dia x 3/4", Wood  Screw metal - Metal screw 1/8"dia x 3/4  Sealant Elastomeric - waterproof  Sealant Silicon - Clear silicon sealant 10.0 ounce  Sealer Gun - branded  SWITCH - 3 pcs 1-way switch with plate 16A, waterproof, flame-retardant, heat-resistant  WD 40 Pressurized - 469ml/382g/15.9 fl. Oz gms/can  Welding Gloves - Heavy duty  Welding Rod - ordinary good quality, branded/kilo  Wire - #12 - 3.5mm2 x 150m, stranded wire, THHN/THWN, heat and moisture resistant, flame retardent, abrasion resistant  Wood glue - Carpenter's wood glue, 236ml  Wrench Pipe - #18, Heavy Duty  150mm 6 inch Caliper electronic vernier stainless caliper stainless steel - SAE / Metric conversion switch, Zero calibration switch  Automatic On / Off, Easy-to-read LCD display Durable stainless steel construction

	Micrometer						
	4.0 –						
	Material: steel+engineering plastic						
	Product process: Surface chrome plating						
	Color: black						
	Size: 155*63 mm(approx)						
	Measuring range: 0-25 mm						
	Resolution: 0.001 mm						
	Function: automatic power off, unit conversion, ABS						
	absolute measurement						
	Power by: button battery(included)						
	Package: 1 pc x Digital micrometer						
	1 pc x Small wrench						
	1 pc x Small Wienen						
375	Drill - electric drill						
376	Electric Plug - FireHeavy Duty Rubber Plug FEDPL202						
377	Electric Wire - Wire & Cables 2.0MMStranded Wire						
378	Electrical outlet - 4 convenience outlet surface						
379	Extension roll - OMNI Extension Wheel 15 meter cord						
517	length 2500W 10A 25V ModelWEW 15M/U						
380	Extension wire - OMNI Extension Cord with						
	4Universal Outlets and Individual Switches2500W						
381	Flashlights - Hunting/tactical Flashlight						
382	Hand Spike – 3 fingers of spike						
383	· · · · · · · · · · · · · · · · · · ·						
384	<u> </u>						
385	Meter Stick - hard wood Meter stick wit graduation						
	scales end left to right on one ie to left						
386	Protractor - General Tools 823 Digital Angle Finder						
20-	Rule, 10 inch						
387	Sprinkler - Large Size						
388	Solar Powered Auto Darkening Welding Helmet						
	Mask 4.5 - Material: Premium PP						
	Size: 28.5x23x20cm						
	Screen Size: 11x5cm						
	Brightness level: DIN4						
	Darkness level: din9-13						
	Reaction Time: 1/10000s						
	Dark to Light: 0.1-0.8 Seconds						
	Operating Temperature: -10°C - 65°C						
389	Terminal post - Yard gard 72in.H16 gauge metal						
	chain link Fence						
390	Toggle Switch - SPST 2P 3A SY						
391	#14 Flat Cord Wire - #14 100% brand new,						
	authentic, high quality Flat Cord/ Duplex Stranded						
D	Electrical Wire Pure Conner						
B.	Compliance to the Schedule of Requirements						
	(Section VI)						

I hereby certify to comply and deliver all the above requirements.

Name:
Legal Capacity:
Signature:
Ouly authorized to sign the Bid for and behalf of

# Section VIII. Checklist of Technical and Financial Documents

## Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

## **Checklist of Technical and Financial Documents**

### I. TECHNICAL COMPONENT ENVELOPE

### Class "A" Documents

ges);				
EC), o, or alent				
e the				
oved				
ivate ether (in a				
milar tions n the <b>DRM</b>				
lso a				
VII. dule,				
of a er of ority				
Financial Documents  ☐ (j) The Supplier's audited financial statements, showing, among others, the				
y the eding ate of				
acity <b>AND</b>				
o, a er c ii e ( mt n) il				

	] (	(1)	Class "B" Documents  If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
			or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
<u>0</u>	]		[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
II. FINA	N(	CIAI	L COMPONENT ENVELOPE
	(a) (b)		riginal of duly signed and accomplished Financial Bid Form; <b>and</b> riginal of duly signed and accomplished Price Schedule(s).
Note:			
1 Dla	2000	rofo	or to

A committed Line of Credit from a Universal or Commercial Bank in lieu of

its NFCC computation.

1. Please refer to

 $[\underline{https://drive.google.com/file/d/1uiYurh5WrpBL5B\_pqpzAb62yucAblR1p/view?usp=sh] \\$ aring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
  - a. Bid Form;
  - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
  - c. Bid Securing Declaration; and
  - d. Omnibus Sworn Statement

