

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF VARIOUS APPLIANCES

PROJECT NO. CMO-21-APPLIANCES-575

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	sary of Acronyms, Terms, and Abbreviations	4
Section	on I. Invitation to Bid	7
Section	on II. Instructions to Bidders	8
1.	Scope of Bid	
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	13
6.	Origin of Goods	
7.	Subcontracts	14
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components . 154	
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	15
13.	Bid and Payment Currencies	16
14.	Bid Security	16
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	17
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	18
21.	Signing of the Contract	18
Sectio	on III. Bid Data Sheet	19
Section	on IV. General Conditions of Contract	22
1.	Scope of Contract	23
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	23
5.	Warranty	
6.	Liability of the Supplier	24
Section	on V. Special Conditions of Contract	
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	
_		_

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



October 14, 2021

INVITATION TO BID

ITEM NO.	P.R. / PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	CMO(QCDRRM O)-21-MSLI-377B	CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE)	VARIOUS MEDICAL SUPPLIES	P 7,115,792.25	GENERAL FUND	30 CD
2	SDO-21-DM-293B	SCHOOLS DIVISION OFFICE	VARIOUS DRUGS AND MEDICINES	P 499,853.00	SEF	30 CD
3	CONSO-21- FURNITURE-617	VARIOUS OFFICES (QUEZON CITY TOURISM DEPARTMENT/QUEZO N CITY YOUTH DEVELOPMENT OFFICE/CITY BUDGET DEPARTMENT/OFFICE OF COUNCILOR MATIAS JOHN DEFENSOR)	VARIOUS FURNITURE	P 1,075,398.20	GENERAL FUND	30 CD
4	CONSO-21-GM- 635	VARIOUS OFFICES (CITY BUDGET DEPARTMENT/ QUEZON CITY TOURISM DEPARTMENT/ QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES/ QUEZON CITY PROTECTION CENTER)	PUSH CART AND OTHERS	P 557,416.10	GENERAL FUND	30 CD
5	CGSD-21- VEHICLES-588	CITY GENERAL SERVICES DEPARTMENT	DELIVERY TRUCK	P 1,977,750.00	GENERAL FUND	30 CD
6	PD-21-OE-586	PROCUREMENT DEPARTMENT	DESKTOP COMPUTER	P 1,917,260.00	TRUST FUND	30 CD
7	QCFD-21-VRM- 626	QUEZON CITY FIRE DISTRICT	REPAIR AND MAINTENANCE OF FIRE TANKER AND OTHERS (PARTS AND LABOR)	P 1,830,224.00	GENERAL FUND	30 CD
8	MDAD-21-CG- 637	MARKET DEVELOPMENT AND ADMINISTRATION DEPARTMENT	VENDOR'S UMBRELLA	P 1,999,996.02	GENERAL FUND	30 CD
9	CMO-QMC-21- GRMS-305B	OFFICE OF THE CITY MAYOR (QUEZON MEMORIAL CIRCLE)	PREVENTIVE MAINTENANCE SERVICE OF QUEZON CITY MUSICAL DANCING FOUNTAIN	P 2,400,000.00	GENERAL FUND	1 YEAR

10	QCGH-21-MS-563	QUEZON CITY GENERAL HOSPITAL	VARIOUS MEDICAL SUPPLIES (IV CATHETER AND OTHERS)	P 9,437,890.35	GENERAL FUND	30 CD
11	QCGH-21-HCS- 494	QUEZON CITY GENERAL HOSPITAL	VARIOUS HARDWARE SUPPLIES (PVC PIPE AND OTEHRS)	P 3,738,101.47	GENERAL FUND	30 CD
12	ARCHITECT-21- OE CONSUMABLES- 611	CITY ARCHITECT DEPARTMENT	VARIOUS CONSUMABLES (TONER CARTRIDGES OTHERS)	P 1,152,146.00	GENERAL FUND	30 CD
13	CTO-21-GM-548	CITY TREASURER'S OFFICE	VARIOUS SUPPLIES (BRASS TAG AND OTHERS)	P 760,900.00	GENERAL FUND	30 CD
14	ASSESSORS-21- IT-632	CITY ASSESSOR'S OFFICE	VARIOUS COMPUTER SOFTWARE	P 756,276.00	GENERAL FUND	30 CD
15	ASSESSORS-21- APPLIANCES- 633	CITY ASSESSOR'S OFFICE	VARIOUS APPLIANCES AND OTHERS	P 777,328.00	GENERAL FUND	30 CD
16	CMO-21- VEHICLES-236B	OFFICE OF THE CITY MAYOR	MOBILE PATROL CAR AND QCPD BACK TO BACK VEHICLE	P 19,400,000.00	GENERAL FUND	90 CD
17	VMO-21-OE-433B	OFFICE OF THE CITY MAYOR	ALL IN ONE DESKTOP COMPUTER AND OTHERS	P 2,538,000.00	GENERAL FUND	30 CD
18	CMO-21-CS-444B	OFFICE OF THE CITY MAYOR	FOOD AND DRINKS	P 83,607,300.00	GENERAL FUND	1 MONTH
19	CMO-21- APPLIANCES- 575	OFFICE OF THE CITY MAYOR	PROCUREMENT OF VARIOUS APPLIANCES	P11,164,880.30	GENERAL FUND	15CD
20	CMO-21-OE-568	OFFICE OF THE CITY MAYOR	PROCUREMENT OF VARIOUS OFFICE EQUIPMENT	P4,454,964.10	GENERAL FUND	15CD

1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Trust Fund and Special Education Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Trust Fund and Special Education Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for *Various Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three* (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m. 5:00 p.m.*
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday, October 15, 2021* from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The *Quezon City Local Government* will hold a Pre-Bid Conference on 10:00 A.M. of **Friday**, October 22, 2021 at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing *via Zoom* which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Thursday, November 04, 2021**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 1:00 P.M. of **Thursday, November 04, 2021** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

 $\underline{https://us02web.zoom.us/j/85850855933?pwd} = \underline{R2dZUUp4Z31yU29iZGV1WmdKRjZCdz09}$

Meeting ID: 858 5085 5933

Passcode: 118682

- 10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: bacgoods.procurement@quezoncity.gov.ph

Tel. No. (02)8988-4242 loc. 8506/8710 Website: **www.quezoncity.gov.ph**

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

(**Sgd**) **ROWENA T. MACATAO** Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF VARIOUS APPLIANCES** with identification number **PROJECT NO. CMO-21-APPLIANCES-575.**

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **Forty Seven (47)** *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of ELEVEN MILLION ONE HUNDRED SIXTY FOUR THOUSAND EIGHT HUNDRED EIGHTY PESOS AND 00/100 ONLY (Php11,164,880.30).
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least Fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
 - One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the

NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause							
5.3	For this purpose, contracts sim	purpose, contracts similar to the Project shall be:					
	- Contract of the contract of	ngle contract similar to the item/s to be bid and must be at least TY percent (50%) of the ABC.					
	submission and receipt of QC-BAC-GOODS AN of Certificate of Accep	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.					
7.1	Subcontracting is not allowed.						
12		e quoted DDP within Quezon City or thems (INCOTERMS) for this Project.	e applicable				
14.1	The bid security shall be in the following forms and amounts:	form of a Bid Securing Declaration, o	or any of the				
	(2%) of ABC if bid see draft/guarantee or irrev	a. The amount of not less than <i>Php 223,297.61</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or					
		than <i>Php 558,244.02</i> or equivalent to curity is in Surety Bond.	five percent				
19.3	APPROVED BUDGET FOR THE CONTRACT						
	Item Nos. 1 – 7	P132,162.30					
	Item No. 8	P25,650.00					
	Item No. 9	P27,300.00					
	Item No. 10	P39,015.00					
	Item Nos. 11 - 12	P68,960.00					
	Item Nos. 13 – 19	P9,847,745.00					
	Item Nos. 20 – 21	P9,090.00					
	Item Nos. 22 – 26	6 P15,460.00					
	Item Nos. 27 – 35	Item Nos. 27 – 35 P340,330.00					
	Item Nos. 36 – 37	Item Nos. 36 – 37 P397,500.00					
	Item No. 38	P13,200.00					
	Item Nos. 39 – 45	5 P127,048.00					
	Item No. 46	P121,000.00					
	Item No. 47	P420.00					

20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it. No additional requirement
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity. • Statement of Warranty – minimum of One (1) Year

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;

b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. Spare Parts -The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Select appropriate requirements and delete the rest. a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts: advance notification to the Procuring Entity of the pending i. termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and

ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims
	of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows: Monthly Payment Subject to the actual number of packs delivered."
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection</i> , if applicable.

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF VARIOUS APPLIANCES PROJECT NO. CMO-21-APPLIANCES-575

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit Of Issue	Quantity	Delivered, Weeks / Months
1	REFRIGERATOR	Unit	1	
	height: 171.5cm; Width: 67.5cm; Length:			
	66.8cm; Refrigerator type: two-door; Inverter technology			
	frost system: no frost; capacity: 12.89 cu.ft. gross			
2	CEILING FAN	Unit	1	
	Blade size: 18 inches; 3 wing aluminum blade material; 360			
	degrees oscillating fan; 3-speed control system; oscillation			
2	control; thermal fuse protected motor 43 INCHES TELEVISION	T India	1	
3	Diagonal class: 43 inches;	Unit	1	
	Diagonal size: 42.5 inches;			
	Picture quality: Resolution (4k ultra HD 3840 x 2160);			
	Refresh rate: 120 (Refresh rate 60Hz) IPS Technology;			
	4K Active HDR; True color accuracy; 4K Upscaler;			
	SMART TV-Operating system: webOS;			
	Universal control capability: Ready			
	(magic remote required, sold separately);			TATE -
	Magic remote control: ready (sold separately); speaker			Within
	system: 2 channel;			Fifteen
	DTS Decoder: DTS-HD;			(15)
	Blue-tooth audio playback;			Calendar
	output power: 20 watts;			Days
	simulated surround sound: Ultra surround;			
	Wi-Fi Built-in; Wi-Fi Direct;			upon
	Simplink (HDMI CEC); Bluetooth; IP Control;			issuance
	Tuner: ATSC, clear QAM: Inputs & Outputs- HDMI (HDCP			of the
	2.2): 3 (1 rear, 2 side); USB V 2.0, 2 ((1 rear, 2 side);			Notice to
	composite in: 1 (rear, shared with component); Audio			Proceed
	Return channel support (via HDMI): (HDMI 2)			Trocccu
4	55 inches SMART TELEVISION	Unit	1	
	Height: 71.4cm; Width: 123cm; Length: 7.9cm;			
	Screen size: 55-inches LED; TV Resolution: 4K ultra HD			
	(3840 x 2160) pixels;			
	Connectivity: Wi-Fi, LAN, Bluetooth, USB, HDMI;			
	HDMI ports: 3 HDM1 Ports (2.0);			
	USB ports: 2; Voltage: 100-240 V 50/60Hz AC; Wattage:			
	120 watts			
5	WALL FAN	Unit	15	
	Windmill 16 WF: 16 inches wall fan; durable			
	AS blade; 3-speed control system; oscillation control;			
	thermal fuse protected motor; adjustable fan head;			
	16 inches' blade; rated voltage 230V; rated frequency			
	60Hz; packing size 500 x 190 x 445mm	_		
6	EXHAUST FAN	Unit	1	
	12 inches (305mm) blade; ABS plastic; motor 55 watts; fan			
	speed: 1,240RPM; with thermal fuse; bushing type;			
	installation dimension: 345mm x 345mm; 4 units/master			
	carton			

7	WATER DISPENSER	Unit	2	
	free standing; hot and cold;			
	compressor type cooling;			
	with mini storage cabinet;			
	rated voltage: 230V;			
	rated frequency: 60Hz;			
	Packing Size: 322 x 340 x 880mm;			
	Unit dimension: 300 x 316 x 857mm			
8	SPEAKER	Unit	1	
	Active battery Bluetooth speaker with mixer:			
	Portable battery powered Bluetooth loudspeaker;			
	up to 20h of continuous operation;			
	built-in 3-channel			
	mixer and media player with IT remote;			
	2 band EQ and Reverb; Combo XLR/6.3mm jack, RCA and			
	mini jack inputs; supports Bluetooth wireless streaming, SD			
	card and USB storage devices; 100 watts of class D peak			
	power; 65kHz – 18kHz frequency response; integrated			
	wheels and extension handle for convenient carting			
9	TRASH	Piece	6	
	Heavy duty, plastic waste bin with wheels 120L			
	capacity			
10	CCTV CAMERA	Piece	16	1
	HD 2.0 megapixels CCTV kit: 16 channel			
	HD DVR 1080P; 2.0 megapixels HD camera;			
	1TB HDD recording and playback;			
	16 pcs indoor/outdoor HD			
11	PORTABLE MEGAPHONE	Unit	10	
	Talk, siren, USB, SD BS recording function;			
	Diameter: 230mm, Length 350mm;			
	Broadcast range: >800 meters;			Within
	Power: 25 watts RMS, 50 watts max;			Fifteen
	USB/SD slots; 3.5mm stereo plug input;			
	120 seconds recording function replay;			(15)
	three tone alarm: siren,			Calendar
	whistle and car horn; Volume control;			Days
	file forward and back; on/off switch			upon
12	SMARTPHONE	Unit	4	issuance
	Display type: IPS LCD;			of the
	display size: 6.5 inches,103.7 c;			
	display resolution: 720 x 1560 pixels, 19.5.9. ratio:			Notice to
	Memory card slot: microSDXC (dedicated slot);			Proceed
	Memory Internal: 32GB 2GB RAM,			
	Battery type: Li-Po 5000 maH, non-removable;			
	Battery charging: 10Watts; WLAN: Wi-Fi 802, 11 b/a/n, hotspot;			
	Bluetooth: 5.0. A2DP, LE, aptX;			
	GPS: Yes, with A-GPS, GLONASS, BDS;			
	NFC: No; Radio: FM radio; USB: micro			
	USB 2.0, USB ON THE GO;			
	Features: Accelerometer,			
	proximity, compass;			
	Body Dimension: 164.4 x 75.9 x 9.1mm;			
	Body weight: 196a; SIM: Dual SIM			
13	STAND FAN	Unit	6	1
	blade size: 16 inches;		Ü	
	Stainless blade material;			
	oscillating motion;			
	powerful motor protected with thermal fuse; 65 watts			
14	WATER DISPENSER	Unit	10	

fast boiling time: 12 minutes; with storage calanie; detachable funnel for easy cleaning; Capacity; detachable funnel for easy cleaning; Capacity; Ilot water - Stierr Hr.; protected with fase 15 INDUSTRIAL STAND FAN 30 inches -3-speed control with oscillation; 330 cubie meters/minute; air volume; built in thermal fuse; solid stand base; 280 wates; heavy day 16 WATER DISPENSER Compact & modern design; 2 fancets for fost and cold water; LED display indicator; with safety lock for bot water button; removable drip tray for easy cleaning; 88 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2 0 hiters per hour conting capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches 'elegant stand fan: 60 watts 'power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER hand a diver cooling pach; caster wheels with lock features; direct waterline connection or manual fill; Power 200 watts; 54-54g m; 4000 m?h max airflow; 3-4 liters/hour water capacity; Uimension: 68 072cmL x 42.4 l8cmW x 104.902cmH 19 SMART TV 50 inches sanart TV: UID 3840/2169; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TY: 100 watts; Dimension: 68 072cmL x 42.4 l8cmW x 104.902cmH 20 BASIC PHONE POR LANDLINE Server: 1.77; Rear Camera: VGA, Network: 2G QUAD-BAND; Bluetooth: Vest Flash-light: Yes; Battery: 800maH; Charger; Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKEE TALKE UIF (436-174MLIQ; UIF (400-71mc Out timer (TOT); low voltage alert; squelch level; scan. English volve prompt; High low power; CTCSS-DCS 22 UV BOX Ulra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 6304, x 435W x 385H Piece 4 Ulras Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 6504, x 435W x 385H		hot & cold- power input: 550 watts (hot) 80watts (cold);			
with storage cabinet: detachable finnet for easy cleaning: Capacity: Hot water - \$f.iter/Hr.; protected with fuse 15 INDUSTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubic meters/minute; air volume: built-in thermal fixe; solid stand base; 280 watts; heavy duty 16 WATER DISPENSER Compact & modern design; 2 funcets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for casy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 420 liters per hour heating capacity; Dimension: 27 Lz 28W x Hem 17 STAND FAN 18 inches' clegant stand fan; 60 watts' power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster whecles with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45squi, 4000 mVh max airflow; 3-4 liters' hour water capacity; axial fan type; Dimension: 68.07zemLx 42.418cmW x 104.90zemH 19 SMART TV 50 inches smart TV; UtD 3840*2100; perfect viewing angle; IDMI ternimal; USB multimedia function (photos, music and video); ISDB-T; VIDAA USMART TV; UDO watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Correct Viewing angle; IDMI ternimal; USB multimedia function (photos, music and video); ISDB-T; VIDAA USMART TV; USO watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 21 TWO-WAY WALKET TALKIE. VIGH (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squicle level; scan, English vioce prompt; High low power; CTCSS/DCS 22 UW ROX Utra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 2209, Digital timer Dimension 630L x 435W x 385H Piece 4 Ustra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 2209, Digital time					
detachable funnel for casy cleaning: Capacity:					
Hot water - SLieer/Hr.; protected with fuse 15 INDUSTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubic meters/minute; air volume; built-in thermal fuse; solid stand base; 280 watts; heavy duty 16 WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water hutton; removable drip tray for easy cleaning; S watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 27L × 28W × Hem 17 STAND FAN Is inches' elegant stand fan; 60 watts' power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type: reliable quality; large airflow and wider cooling area; automatic swing: 3 sides cooling pads; caster wheels with look features; direct waterline connection or manual fill; Power: 200 watts; 25-45sq. m.; 4000 m³/h max airflow; 3-4 liters' hour water capacity; axial fan type; 20 masRir TV UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia incition (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5 cmLx 124.8 cmW x 192.0mH 20 masRic PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA, Network: 26 (UAD-BAND; Bluetooth: Yes; Flash-light; Yes; Batter; 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKET TALKIE- VHF (136-174MHs); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UW BOX Utta Vlote Box, Capacity 70 liters, UV Lamp 33 watts, 2207, Digital timer Dimension 6301, x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		_			
15 INDUSTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubic meters/minute; air volume; built in thermal fuse; solid stand base; 280 warts; heavy duty					
30 inches 3-speed control with ossillation; 330 cubic meters/minute; air volume; built-in thermal fuse; solid stand base; 280 watts, beavy duty 16 WATER DISPENSER Compact & modern design: 2 fincets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning: 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour leating capacity; 5.0 liters per hour heating capacity; 5.0 liters per hour heating capacity; burnession: 21.4 x28w x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish: 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 55.45sq.m; 4000 m³/m max airflow; 3-4 liters' shour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 26 QUAD-BAND; Bluetooth; Yes; Flash-light; Yes; Battery; 800maH; Churger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CICSS/DCS 22 UV ROX Ulra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V. Digital timer Dimension 630L x 435W x 385H Piece 4 BLiters color brown without cover	15		Unit	500	-
330 cubic meters/minute; air volume;	13		Cilit	300	
built-in thermal fuse; solid stand base; 280 watts: heavy duty 16 WATER DISPENSER Compact & modern design; 2 fancets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour leating capacity; Dimension: 271. 289 x Hem 17 STAND FAN 18 inches' elegant stand fan: 60 watts' power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation during the power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation with look features; direct waterline connection or manual fill; Power; 200 watts; 35-45sq, m; 4000 m³h max airflow; 3-4 liters' shour water capacity; said fan type; Dimension: 68.072cm1, x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE 20 BASIC PHONE FOR LANDLINE Serven: 1.77; Rear Cameria: VGA: Network: 2G QUAD-BAND; Bluctooth; Yes; Flash-light; Yes; Battery; Momali; Charger: Wired charger; Special features: Multimodia keys; with landline Prepala SIM 21 TWO-WAY WALKIE TALKIE. VIF (136-174Mitz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power, CTCSS/DCS 22 UV BOX UITA Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V. Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		•			
280 watts: heavy duty 16 WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; 1.ED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 8 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 ARCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power; 200 watts; 35-45sq, m.; 4000 m³/h max airflow; 3-4 liters' hour water capacity; uxial fan type; Dimension: 68.072cml. x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV: 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1-77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetoohr; Yes; Flash-light; Yes; Battery; 800maH; Charger; Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H Piece 4 BLEET COLOR TOWN without cover					
16					
Compact & modern design; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; 5.0 liters per hour heating capacity; Dimension; 271. x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & hase look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with look features; direct waterline connection or manual fill; Power: 200 watts; 35-45sqm; 4000 m³/h max airflow; 3.4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA: Network: 2G QUAD-BAND; Bluetooft: Yes; Flash-light: Yes; Battery: 800malf: Charger Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN Piece 4 8 Liters color brown without cover	1.6		TT 1	200	
2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER	16		Unit	300	
LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour cooling capacity; Dimension: 27L x 28W x Hcm 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER Unit AIRCOOLER Unit 50 18 AIRCOOLER Unit 64 AIRCOOLER Unit 50 18 AIRCOOLER Unit 65 AIRCOOLER Unit 50 18 AIRCOOLER Unit 65 AIRCOOLER Unit 65 AIRCOOLER Unit 65 AIRCOOLER AIRCOOLER Unit 65 AIRCOOLER Unit 66 AIRCOOLER Unit 67 A		_			
with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour cooling apacity; 18 inches 'clegant stand fan; 60 watts' power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large uirflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with look features; direct waterline connection or manual fill; Power; 200 watts; 35-45sqm,; 4000 m³h max airflow; 3.4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA: Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Bartery: 800mal*; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 6301. x 435W x 385H 23 TRASH BIN Picce 4 8 Liters color brown without cover					
for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hcm 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy dury type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1,77; Rear Camera: VGA: Network: 2G QUAD-BAND; Bluetooth; Ves; Flash-light; Ves; Battery; 800maH; Charger: Wired charger; Special features: Multimedia keys: with landline Prepaid SIM 21 TWO-WAY WALKET TALKIE. VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan. English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Bigital timer Dimension 630L x 435W x 385H 23 TRASH BIN Piece 4 BLiters color brown without cover		= -			
85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour beating capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 33-458,cm; 4000 m³/h max airflow; 3-4 liters 'hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77. Rear Camera: VGA; Network 26 QUAD-BAND; Bluetooh; Yes; Flash-light; Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 6301. x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover					
420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hcm 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high: 5 blades for wider area coverage airflow and quite operation quite					
2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 ARCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with look features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters /hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA USMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooh; Yes; Flash-light; Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 6301. x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover					
5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' clegant stand fan; 60 watts' power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER 18 heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cml. x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cml.x 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800malt; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX UITA Viole Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		• • •			
Dimension: 27L x 28W x Hcm		2.0 liters per hour cooling capacity;			
17 STAND FAN 18 inches' clegant stand fan; 60 watts' power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER		5.0 liters per hour heating capacity;			
18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER Unit 50		Dimension: 27L x 28W x Hcm			
18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18	17	STAND FAN	Unit	50	
high; 5 blades for wider area coverage airflow and quite operation 18		18 inches' elegant stand fan; 60 watts' power;			
high; 5 blades for wider area coverage airflow and quite operation 18		elegant grille & base look/finish; 3 speeds-low, mid &			
quite operation 18					
18					
heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800malt; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover	18		Unit	50	1
large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters /hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19	10				
automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-4/sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19					
caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters /hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19					
direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover					
Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover					Within
3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		·			Fifteen
axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19		-			
Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19					
Days upon issuance of the Notice to Proceed SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE-VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN Piece 4 Lunit 18 Days upon issuance of the Notice to Proceed Notice to Proceed Unit 6 Voltice to Proceed Vunit 6 Voltice to Proceed Proceed		* *			Calendar
19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover	10		T I:4	10	Days
perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover	19		Unit	18	
USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H Piece 4 Bitters color brown without cover					_
ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover					
Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		*			of the
20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover					Notice to
Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover					Proceed
VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H Piece 4 8 Liters color brown without cover	20		Unit	6	110000
Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN Piece 4 8 Liters color brown without cover					
Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN Piece 4 8 Liters color brown without cover					
Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN Piece 4 8 Liters color brown without cover					
with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		, ,			
TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H Piece 4 TRASH BIN 8 Liters color brown without cover		*			
VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H Piece 4 8 Liters color brown without cover		with landline Prepaid SIM			
low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover	21	TWO-WAY WALKIE TALKIE-	Unit	6	
scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		VHF (136-174MHz); UHF (400-Time Out timer (TOT);			
High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		low voltage alert; squelch level;			
22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		scan, English voice prompt;			
Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		High low power; CTCSS/DCS			
Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover	22	UV BOX	Piece	4	1
220V, Digital timer Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts,			
Dimension 630L x 435W x 385H 23 TRASH BIN 8 Liters color brown without cover		* *			
23 TRASH BIN 8 Liters color brown without cover		•			
8 Liters color brown without cover	23		Piece	4	1
				-	
21 2222222	24		Piece	2	1
			11000		1

	11 Liters color white with swing cover			
25	TRASH BIN	Piece	2	
	16 Liters color gray with swing cover			
26	TRASH BIN	Piece	2	1
	50 Liters color white with swing cover			
27	VORTEX FAN	Piece	1	1
	Turbo Circulation			
28	REFRIGERATOR	Piece	2	1
	7.7 CU. FT 2 door. Direct Cooling (inverter). New door			
	material - inox color door finish has elegant finish. Slim-			
	design- sleek and slim. Durable wire shelves - capable of			
	handling heavy loads up to 50kg			
29	WATER DISPENSER	Piece	4	1
	Triple faucet with warm, unique bottom loader hot, warm			
	and cold, with safety lock for hot water, with LED indicator			
	and empty water bottle indicator to use, 500 watts heating			
	power up to 90 Celsius, 2.0L per hour cooling capacity, 5.0L			
	per hour heating capacity			
30	TELEVISION	Piece	2	1
30	55 inches 4k QUAD UHD 3840 x 2160 resolution.			
	Weight 30 kg, wide viewing angle, IPS Panel, 4k Upscaler,			
	picture mode: dynamic, standard, movie, user, speaker			
	(sound output): 20 watts, Web browser, Netflix/YouTube,			
	Wi-Fi TV ON, Digital			
	TV reception, power supply: AC 100-240V 50-60Hz, with			
	sturdy wall bracket, tilty, with installation			
31	MICROWAVE	Piece	2	-
31	7 one touch express cooking, 6 auto cook menus w/ multi-			
	stages, LED display, 25 liter capacity, child lock function,			
	900 watts glass turn table			
32	COFFEE MAKER	Piece	2	TA7: (1- :
	Makes 10 cups, stainless steel carafe, Anti-slip footing,			Within
	removable filter, 230 voltage, 1000 wattage. Weight: 1.42kg.			Fifteen
	Dimensions: 17.5 x 27.5 x 32.3 cm			(15)
33	AIR PURIFIER	Piece	1	Calendar
	59sqm Air Purifier with Humidifier, 7000 High Density			Days
	Plasma cluster ions and Fan, Air Purification, Humidifying			
	System, Inverter Operation, Built-in Dust and Odor Sensors,			upon
	Ion Shower, Light Control Light (bright/dim off). Side			issuance
	Moving Caster, Child Lock, Clean			of the
34	AIR PURIFIER	Piece	1	Notice to
	38sqm Air Purifier with Humidifier			Proceed
	7000 High Density Plasma cluster ions and Fan, Air			Trocccu
	Purification, Humidifying System, Inverter			
	Operation, Built-in Dust and Odor Sensors, Ion Shower,			
	Light Control Light (Bright/Dim Off), Side			
	Moving Caster, Child Lock, Clean Sign Indicator			
	(Dust/Odor)			
	Color White Humidifying - Tank Capacity 3 Liters			
	Humidifying - Humidifying Capacity 450 (Max)			
	300 (Med)/ 170 (Low) Recommended area-Air Purifying			
	38sqm Recommended area for high-density Plasma cluster			
	ions 20 sqm. Operation Modes Auto / Pollen/ Max/ Med/			
	Low Voltage/frequency (V, Hz) 220-240V/50-60Hz Power			
	input (W) (Max/Med/Low) – Without Humidifying 21 (Max)			
	8 (Med) /4.1 (Low) Power input (W) (Max/Med/Low) - With			
	Humidifying			
	19 (Max) / 8.3 (Med) / 4.5 (Low) Standby Power (W) 0.9			
	Airflow (Max/Med/Low) (m³hour) - Without Humidifying			

	420 (Max) / 260 (Med) / 85 (Low) Airflow (Max/Med/Low) (m³hour) - With Humidifying 201 (Max) / 155 (Med) / 60 (Low) Noise Level			
	(Max/Med/Low) (dB)-Without Humidifying 192 (Max) / 115			
	(Med) / 60 (Low) Noise Level (Max/Med/Low) (dB) –			
	with Humidifying 42 (Max) / 30 (Med) / 18 (Low) Child			
	Lock Yes Eilter Time Dust Collection Yes Eilter			
	Filter Type - Dust Collection Yes Filter Type - Deodorization Yes			
	Filter Type -Pre-Filter Yes			
	filter Type - Humidifying Yes (Washable)			
	Filter Life – Deodorization Up to 2 years Sensor-			
	OdorYesSensor-Dust Yes			
	Sensor- Temperature & Humidity Yes			
	Clean sign indicator Yes			
	(Dust/Odor) Light Control Button Yes			
	Dimension (WxHxD)			
	mm375 x 239 x 570mm			
	Net Weight 9 kg.			
	Replacement filter-HEPA filter FZ-WS50SFE Replacement filter - Deodorizing Filter FZ-WS50SFE			
	Replacement Filter-Humidifying Filter			Within
	FZ-WS50SFE			Fifteen
35	AIR PURIFIER	Piece	2	
	50sqm Air Purifier with Humidifier			(15)
	7000 High Density Plasma cluster ions and Fan,			Calendar
	Air Purification, Humidifying System, Inverter Operation,			Days
	Built-in Dust and Odor Sensors, Ion Shower, Light Control			upon
	Light (Bright/Dim Off), Side			issuance
	Moving Caster, Child Lock, Clean Sign Indicator (Dust/Odor)			of the
	Color White Humidifying –			Notice to
	Tank Capacity 4 Liters Humidifying –			Proceed
	Capacity 470 (Max)			110000
	320 (Med) / 140 (Low) Recommended area-Air Purifying			
	50sqm Recommended area for high-density Plasma cluster			
	ions 20 sqm Operation Modes Auto / Pollen/ Max/ Med/			
	Low Voltage/frequency (V, Hz) 220-240V/50-60Hz			
	Power input (W) (Max/Med/Low) - Without			
	Humidifying 30 (Max) 11 (Med) / 4 (Low) Power input (W)			
	(Max/Med/Low) - With Humidifying 29 (Max) / 13 (Med) / 6 (Low) Standby Power (W) 0.9			
	Airflow (Max/Med/Low) (m³hour) -			
	Without Humidifying 260 (Max) / 155 (Med) /55 (Low)			
	Airflow (Max/Med/Low) (m³hour) - With			
	Humidifying 250 (Max) / 155 (Med) / 55 (Low) Noise Level			
	(Max/Med/Low) (dB)-Without Humidifying 44 (Max) / 34			
	(Med) / 18 (Low) Noise Level (Max/Med/Low) (dB) –			
	with Humidifying 44 (Max) / 34 (Med) / 19 (Low) Child			
	Lock Yes Eiter Time Dust Collection Yes			
	Filter Type - Dust Collection Yes Filter Type - Deodorization Yes			
	Filter Type - Pre-Filter Yes			
	Filter Type - Humidifying Yes			
	(Washable) 93 x 325 Mirror finish.			
	Non corrosive type 304 stainless			
	Thick: 1.2mm face (GA 0.9mm siding GA22,			
	Build up width 12mm, cutting of letters via laser cut,			
	1 QC Logo. 1 QC OCM logo			
	Wordings:			
	OFFICE OF THE ACTION OFFICER FOR DISTRICT 3			

	GOLIND GLIGOTIA	т.	1 1	
36	SOUND SYSTEM	Lot	1	
	Automatic White Screen 120 inches			
	Key Features:			
	XGA 1024 X 768 resolution, 4200 ANSI lumens / colour			
	output, 20,000: 1 contrast ratio			
	Images up to 300 inches diagonal. Built-in lens. Filter life			
	10,000 hours.			
	KS-655MK 12 inches 3-way Bass Reflex Speaker – 650			
	watts Max. (Dome Tweeter)			
	AR-802A 1000 watts x 2 Karaoke receiver with USB/SD &			
	FM Radio, 100m cord SB-72 Universal Speaker Wall			
	Bracket - swivel (L&R), WM-55U Wireless Microphone			
	•			
	with Rechargeable battery - UHF - 2 Mic, PMP-P+ 6ch			
	Portable Mixer Input- Mic+Line Input, EQ & Effect,			
	MP3/Rec, USB, BT PC Sound Card - XLR/PL, Combo-			
	16DSP			
	Installation of Electrical Outlet, FULL installation, Table			
	43x32cm			
37	SOUND SYSTEM	Lot	1	Within
	500 watts' x 2 Karaoke Amplifier with AB speaker &			_
	Surround center KS-225V 8 inches 2-way Bass			Fifteen
	Reflex Speaker – 250 watts Max., PMP-6ch Portable Mixer -			(15)
	Mic+Line Input, EQ & Effect, MP#/Rec,			Calendar
	USB, BT, PC Sound Card, XLR/PL Combo - 16DSP. SB-72			
	Universal Speaker Wall Bracket-Swivel			Days
	_			upon
	(L&R), Installation of Electrical outlet, FULL installation.			issuance
20	Table 100x45cm	g .	2	
38	AUTOMATIC ALCOHOL DISPENSER WITH	Set	3	of the
	THERMOMETER			Notice to
	Set Includes - Automatic Alcohol Dispenser with Aluminum			Proceed
	Stand, Non-Contact Infrared Thermometer, AUTOMATIC			Trocccu
	ALCOHOL DISPENSER WITH STAND -Capacity: 1000ml			
	- Sensor Type -Touch-less hand sanitizer that enables a quick			
	and easy hand disinfection			
	- Suitable for offices, hotels, companies, restaurants,			
	hospitals, schools, etcBattery Operated			
	- Set includes 4 batteries, nozzle for alcohol, aluminum stand			
	- Chargeable battery and cable included - Non-contact, no			
	need to handheld, avoid cross infectionHigh temperature			
	measurement accuracy, accuracy tolerance: +/- 0.2 (34-45-			
	degree C) -With warning of light failure detection and			
	warning of abnormal temperature lightCan be connected to			
	USB			
	power source, power bank, built-in lithium battery -High-			
	definition display with 5m viewing distance Intelligent			
	infrared forehead thermometer, no need to hold, can be			
	hung/double-sided adhesive tape / bracket fixed			
39	40 INCHES SMART TV	Piece	1	
	LED. Slim HD Smart TV Android			
40	WATER DISPENSER (HOT & COLD)	Piece	4	
	Power Input: 550 watts (hot) 80 watts (cold).			
	Fast Boiling time: 12 minutes			
	With storage and glass cabinet.			
	Detachable funnel for easy cleaning			
	Capacity: Hot Water - 5L/Hr.			
	Cold Water - 2L/Hr. Protected with fuse			
A 1	GAS RANGE	Piece	1	
41		riece	1	
	Double burner for everyday cooking: Stainless. 719 x 394 x			
	103			
42	GAS RANGE	Piece	1	
	High pressure gas range			
L				

43	Heavy duty cast iron Single burner gas stove Powerful flame Automatic ignition Ideal for household or commercial use Safe and easy to clean 50 INCHES SMART TV LED, Slim HD Smart TV, Android AIR HUMIDIFIER Air Humidifier and air purifier with 2 bottles of lavender scent	Piece Piece	1	Within Fifteen (15)
45	BREAKFAST SET Coffee maker 1.2L and 2 slice pop up toaster 730-870 watts	Piece	1	Calendar Days
46	SOUND SYSTEM AND AUDIO VISUALS Sound system and Audio Visual: KS-655MK2 12 inches 3- way, Bass Reflex Speaker – 650 watts Max. (Dome Tweeter. AR-802A 1000 watts' x 2 Karaoke Receiver with USB/SD & FM Radio, 100 m chord, SB- 72 Universal Speaker Wall Bracket - Swivel (Left & Right) Base Plate WM-55U Wireless Microphone with Rechargeable Battery - UHF - 2 Mic PMP-6+ 6ch Portable Mixer-Mic +Line Input, EQ & Effect, MP3/Rec, USB, BT, PC Sound Card - XLR/PL Combo -16DSP, Mixer table with lock and wheel, Motorized white screen 60 inches' x 84 inches with wired switch. Projector wxga 3600 lumens: with set up and installation	Lot	1	upon issuance of the Notice to Proceed
47	KETTLE 24cm stainless	Piece	1	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Ouly authorized to sign the Bid for and behalf of:	

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications PROJECT NAME: PROCUREMENT OF VARIOUS APPLIANCES PROJECT NO. CMO-21-APPLIANCES-575

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A. 1	REFRIGERATOR height: 171.5cm; Width: 67.5cm; Length: 66.8cm; Refrigerator type: two-door; Inverter technology frost system: no frost; capacity: 12.89 cu.ft. gross	
2	CEILING FAN Blade size: 18 inches; 3 wing aluminum blade material; 360 degrees oscillating fan; 3-speed control system; oscillation control; thermal fuse protected motor	
3	43 INCHES TELEVISION Diagonal class: 43 inches; Diagonal size: 42.5 inches; Picture quality: Resolution (4k ultra HD 3840 x 2160); Refresh rate: 120 (Refresh rate 60Hz) IPS Technology; 4K Active HDR; True color accuracy; 4K Upscaler; SMART TV-Operating system: webOS; Universal control capability: Ready (magic remote required, sold separately); Magic remote control: ready (sold separately); speaker system: 2 channel; DTS Decoder: DTS-HD; Blue-tooth audio playback; output power: 20 watts; simulated surround sound: Ultra surround; Wi-Fi Built-in; Wi-Fi Direct; Simplink (HDMI CEC); Bluetooth; IP Control; Tuner: ATSC, clear QAM: Inputs & Outputs- HDMI (HDCP 2.2): 3 (1 rear, 2 side); USB V 2.0, 2 ((1 rear, 2 side); composite in: 1 (rear, shared with component); Audio Return channel support (via HDMI): (HDMI 2)	
4	Stinches SMART TELEVISION Height: 71.4cm; Width: 123cm; Length: 7.9cm; Screen size: 55-inches LED; TV Resolution: 4K ultra HD (3840 x 2160) pixels; Connectivity: Wi-Fi, LAN, Bluetooth, USB, HDMI;	

	HDMI ports: 3 HDM1 Ports (2.0);	
	USB ports: 2; Voltage: 100-240 V 50/60Hz AC;	
	Wattage: 120 watts	
5	WALL FAN	
	Windmill 16 WF: 16 inches wall fan; durable	
	AS blade; 3-speed control system; oscillation control;	
	thermal fuse protected motor; adjustable fan head;	
	16 inches' blade; rated voltage 230V; rated frequency	
	60Hz; packing size 500 x 190 x 445mm	
6	EXHAUST FAN	
	12 inches (305mm) blade; ABS plastic; motor 55	
	watts; fan speed: 1,240RPM; with thermal fuse;	
	bushing type; installation dimension: 345mm x	
	345mm; 4 units/master carton	
7	WATER DISPENSER	
	free standing; hot and cold;	
	compressor type cooling;	
	with mini storage cabinet;	
	rated voltage: 230V;	
	rated frequency: 60Hz;	
	Packing Size: 322 x 340 x 880mm;	
	Unit dimension: 300 x 316 x 857mm	
8	SPEAKER	
	Active battery Bluetooth speaker with mixer:	
	Portable battery powered Bluetooth loudspeaker;	
	up to 20h of continuous operation;	
	built-in 3-channel	
	mixer and media player with IT remote;	
	2 band EQ and Reverb; Combo XLR/6.3mm jack,	
	RCA and mini jack inputs; supports Bluetooth	
	wireless streaming, SD card and USB storage	
	devices; 100 watts of class D peak power; 65kHz –	
	18kHz frequency response; integrated wheels and	
	extension handle for convenient carting	
9	TRASH	
	Heavy duty, plastic waste bin with wheels	
	120L capacity	
10	CCTV CAMERA	
10	HD 2.0 megapixels CCTV kit: 16 channel	
	HD DVR 1080P; 2.0 megapixels HD camera;	
	1TB HDD recording and playback;	
	16 pcs indoor/outdoor HD	
11	PORTABLE MEGAPHONE	
	Talk, siren, USB, SD BS recording function;	
	Diameter: 230mm, Length 350mm;	
	Broadcast range: >800 meters;	
	Power: 25 watts RMS, 50 watts max;	
	USB/SD slots; 3.5mm stereo plug input;	
	120 seconds recording function replay;	
	three tone alarm: siren,	
	whistle and car horn; Volume control;	
	file forward and back; on/off switch	
12	SMARTPHONE	
	Display type: IPS LCD;	
	display size: 6.5 inches,103.7 c;	
	display resolution: 720 x 1560 pixels, 19.5.9. ratio:	
	Memory card slot: microSDXC (dedicated slot);	
	Memory Internal: 32GB 2GB RAM,	
	Battery type: Li-Po 5000 maH, non-removable;	
	Battery charging: 10Watts;	
	WLAN: Wi-Fi 802, 11 b/a/n, hotspot;	
	Bluetooth: 5.0. A2DP, LE, aptX;	
	GPS: Yes, with A-GPS, GLONASS, BDS;	
	NFC: No; Radio: FM radio; USB: micro	
	USB 2.0, USB ON THE GO;	
	Features: Accelerometer,	
	proximity, compass;	
	Body Dimension: 164.4 x 75.9 x 9.1mm;	
	Body weight: 196a; SIM: Dual SIM	

Studie Sate: 16 inches Studie Sate: 17 inches Studie Sate: 18 inches	12	STAND FAN	
Saimless blade material; oscillating motion; powerful motor protected with thermal fuse; 65 watts both coole-power input: 550 watts (hot) 80 watts (cold); fast boiling time: 12 minutes; with storage cabine: detachable funnel for easy cleaning; Capacity; detachable funnel for easy cleaning; Capacity; Hot water - 5 litter/Fir. protected with fuse: INDUSTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubic meters/minute; air volume; built-in thermal fuse; sold stand base; 280 watts; heavy duty WATER INSPENSER Compact & modern design; 2 fancets for hot and cold water; LED display indicator; with sattley lock for hot water button; removable drip tray for easy cleaning; 88 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 20 liters per hour leating capacity; 5.0 liters per hour leating capacity; 5.0 liters per hour leating capacity; 5.0 liters per hour leating capacity; 5.1 liters per hour leating capacity; 10 incension; 271; 28W v Hem 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation and quite operation and path of the profession of the	13		
oscillating motion; powerful motor protected with thermal fixes; 65 watts (not doel power input; 550 watts (hot) 80watts (cold); fast hotiling time: 12 minutes; with storage cabinute; detachable fumel for easy cleaning; Capacity; Hot water - Stierethr; protected with tixe 15 NDUSTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubes meter-minute; air volume; built-in thermal tixes; solid stand base; 280 warts; beary duty; 2 fancets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip ray Gray cleaning; Swatts cooling power down to 10° Celsius; 420 waters bearing water, 20 liters per hour bearing capacity; 50 liters per hour bearing capacity; 50 liters per hour bearing capacity; 50 mension: 271, x 38W x Hem 17 STAND FAN 18 inches' elegant stand fun: 60 wates' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOLER heavy duty type: reliable quality; large airflow and wider cooling area; automatic awing; 3 sides cooling macs; automatic awing; 3 s			
powerful motor protected with thermal fuse; 65 watts WATER DISPENSER		Stainless blade material;	
powerful motor protected with thermal fuse; 65 watts WATER DISPENSER		oscillating motion;	
14 WATER DISPENSER hot & cold-power input: 550 watts (hot) 80watts (cold); fast boiling time: 12 minutes; with storage cabinet; detachable funnel for casy cleaning; Capacity; Hot water - Sliter/Hr; protected with fuse 15 INDUSTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubis meter-similar; air volume; huilt-in thermal fuse; solid stand base; 280 watts; heavy duty 16 WATER DISPENSER Compact & modern dissign; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 wats cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour coling capacity; 5.0 liters per hour coling capacity; Dimension: 721 x 28w x lefm 17 STAND FAN 18 inches' elegant stand fan; 60 wats' power; elegant grille & base look/finish: 3 speeds-low, mid & high: 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; largs airflow and wider cooling area; automatic swing; 3 sides cooling pods; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 wats; 35-45 sq.m.; 4000 m³h max airflow; 3-4 liters' hour water capacity; axial fan type; Dimension: 68.072cm.L x 42.418cmW x 104.90cmH 19 SMART IV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; IDMI terminal; USB multimetia function (photos, music and video); ISDB-T, VIDAA U SMART TV; 100 watts; Dimension: 15.5cm.Lx 124.8cmW x 79.2cmH BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth; Yes: Flash-light Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM VICTORY			
hot & cold-power input: 550 watts (hot) 80watts (cold); fast boiling time: 12 minutes; with stronge cabinet: detachable funnel for easy cleaning; Capacity; Hot water - SlaterHt.; protected with fuse 15	1.4		
(call); fast boiling time: 12 minutes; with storage calimet; detachable funnel for easy cleaning; Capacity; Hot water - SLiter/Hr; protected with fuse 15 INDUSTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubes determinate fuse; solid stand base; 280 watts; heavy duty 16 WATER DISTENSER Compact & modern design; 2 fancets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; Dimension: 72 tx 28 w x lefm 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base lock/finish; 3 speeds-low, mid &	14		
fast boiling time: 12 minutes; with storage cabinet; detachable funnel for casy cleaning; Capacity; Hot water - S.Lier-Pit.; protected with fuse 15 INDUSTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubic meters/minute; air volume; built in thernal fuse; soild stand base; 280 watts; heavy duty 16 WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour beating capacity; 5.0 liters per hour beating capacity; 5.0 liters per hour beating capacity; Dimension: 271. x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan: 60 watts' power; elegant grille & base look/finish' 3 speeds low, mid & fight, 5 bludes for wider area coverage airflow and quite operation 18 AIRCOOLER heavy (ype; reliable quality; large airflow and wider ecoding area; automatic swing: 3 sless cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m?h max airflow; 3-4 tliens/hour water capacity; avai fan tyse; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART IV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB millimetical function (photos, music and video); ISBH-T; VIDA AU SMART IV; 100 watts; Dimension: 1.55cmLx 1/24.8cmW x, now; Smart IV; UHD 3840°2160; perfect viewing angle; HDMI terminal; VGA; Netwoke 26 QUAD BAND; Bluetooth Yes; Flash-flight Yes; Battery: 800mBH; Charger; Wired charger; Special features; Multimedia keys; with landline Prepaid SIM UFI VIOLATION OF Time Out timer (TOT); IOW voltage alert; squelch level; sean. English voice prompt; High low youer, CTCSS/DCS			
with stonge cabinet; detachable famed for easy cleaning; Capacity: Hot water - Situer/Hr; protected with fuse 15		(cold);	
with stonge cabinet; detachable famed for easy cleaning; Capacity: Hot water - Situer/Hr; protected with fuse 15		fast boiling time: 12 minutes;	
detachable fumel for casy cleaning: Capacity: Hot water - Salter-Pit, protected with fuse 15			
Hot water - Siter/Hr.; protected with fuse 15 NPDENTRIAL STAND FAN 30 inches 3-speed control with oscillation; 330 cubic meters/minute; air volume; built-in thermal fuse; solid stand base; 280 waters; heavy duty 16 WATER DISPENSER Compact & modern design: 2 faucets for hot and cold water; 1.ED display indicator; with safety lock for hot water button; removable drip ray for easy cleaning: 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 20 liters per hour cooling capacity; 50 liters per hour cooling capacity; 50 liters per hour feating capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grile & base look/finish; 3 speeds-low, mid &			
15 INDUSTRIAL STAND FAN 30 inches -S-speed control with oscillation; 330 cubic meters/minute; air volume; built-in thermal fuse; solid stand base; 280 watrs; heavy duty WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for casy cleaning; 85 watts cooling power down to 10° Celsius; 420 watrs heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour cooling capacity; 8 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid &			
30 inches 3-speed control with oscillation; 33 outsie meters/minute; air volume; built-in thermal fuse; solid stand base; 280 wates; heavy daty 16 WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 wasts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour leading capacity; 5.0 liters per hour leading capacity; Dimension: 271. x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan, 60 watrs' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 ARCOOLER heavy duty type; celiable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with look features; direct waterline connection or manual fill; Power: 200 watrs; 35-45sq.m; 4000 m½h max airflow; 3.4 liters/hour water capacity; axia fan type; Dimension: 68,072cml, x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect vewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watrs; Dimension: 15,5 cml.x 124.8cmW x 79.2cmH BASC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA: Network: 20 QUAD-BAND; Bluetooth: Yes; Rash-light: Yes; Battery; 800mH; Charger: Wired charger; Special leatures: Multimedia levey; with landline Pepaals SIM 17 IVOA-WAY WALKE TALKE. VHF (136-174MHz); UHF (400-Time Out timer (1707); low voltage alert; squelch level; scan. English voice prompt; High low power: CTCSS/DCS 20 UV BOX UIta Violet Box. Capacity 10 liters, UV Lamp 33 watts, 220V, Digital timer			
330 cubic meters/minute: air volume; built-in thermal fuse; solid stand base; 280 watts; heavy duly WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; LEF0 display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2 0.0 liters per hour cooling capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' elegan stand fan; 60 watts' power; elegan grile & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOLER heavy duly type; reliable quality; large airflow and wider cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³h max airflow; 3-4 liters //hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 20 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Reur Camera: VGA: Networts: 20 QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 21 WO-WAY WALKE TALKIE- VHF (136-134MHz); UHF (400-Time Out timer (TOT); low Voltage alert; squelch level; scan. English voice prompt; ligh low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	15		
built-in thermal fuse; solid stand base; 280 watts; heavy duty 16 WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 wats heating power up to 90° Celsius; 2.0 liters per hour eating capacity; 5.0 liters per hour eating capacity; Dimension: 271. x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterfine connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m²/h max airflow; 3-4 liters' hour water capacity; axial fan type; Dimension: 68,072cml. x 42,418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle, HDMI terminal; USB multimedia function (photos, music and video); ISDE-T; VIDAA US MART TV; 100 watts; Dimension: 15.5cml. x 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA, Network: 26 QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800malt: Lenger: Wird charger; Special Cautres: Moltimedia keys; with landline Prepaid SIM 11 TWO-WAY WALKER TALKIE. VIII (136-174MHz); UHF (400-Time Out timer (TOT); low Owlage alert; squelch level; scan. English voice prompt; High low power; CTCSS/DCS 20 UWOX UItra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 2004, Digital timer		30 inches 3-speed control with oscillation;	
built-in thermal fuse; solid stand base; 280 watts; heavy duty 16 WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 wats heating power up to 90° Celsius; 2.0 liters per hour eating capacity; 5.0 liters per hour eating capacity; Dimension: 271. x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterfine connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m²/h max airflow; 3-4 liters' hour water capacity; axial fan type; Dimension: 68,072cml. x 42,418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle, HDMI terminal; USB multimedia function (photos, music and video); ISDE-T; VIDAA US MART TV; 100 watts; Dimension: 15.5cml. x 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA, Network: 26 QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800malt: Lenger: Wird charger; Special Cautres: Moltimedia keys; with landline Prepaid SIM 11 TWO-WAY WALKER TALKIE. VIII (136-174MHz); UHF (400-Time Out timer (TOT); low Owlage alert; squelch level; scan. English voice prompt; High low power; CTCSS/DCS 20 UWOX UItra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 2004, Digital timer		330 cubic meters/minute; air volume;	
280 warts; heavy duty 16			
16 WATER DISPENSER Compact & modern design; 2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour leating capacity; Dimension: 27L x. 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling pads; caster wheels with look features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m²/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cml. x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cml. 214.8cmW x; 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1,77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800malf; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 11 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert: squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX UItra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 200V, Digital timer			
Compact & modern design; 2 faucets for hor and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power up to 90° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour cooling capacity; Dimension: 271. v 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & & ligh; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling pads: caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m3/h max airflow; 3-4 liters'/hour water capacity; uxial fan type; Dimension: 68.072cm1. x 42.418cmW x 104.902cmH 19 SMART TV So inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cm1. x 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA, Network: 26 QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery; 800maH; Charger: Wird charger; Special features: Multimedia keys; with landline Prepaid SIM 17 TWO-WAY WALKEE TALKIE- High low power; CTCSS/DCS 18 UW BOX Ultra Vilot BOX. Capacity 70 liters, UV Lamp 33 wants, 2004, Digital timer	4.5		
2 faucets for hot and cold water; LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour teating capacity; 5.0 liters per hour heating capacity; Dimension: 271. x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type: reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 354-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68,072cml. x 42,418cmW x 104,902cmH 19 SMART TV 30 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimed in function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15,5cmk. 124.8cmW x 799.2cmH 20 BASIC PHONE FOR LANDLINE Sereen: 1-77; Rea camera: VGA: Network: 2G QUAD-BAND; Bluctooth: Yes; Flash-light: Yes; Battery: 800maH, Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 U WBOX UItra Violet BOX.	16		
LED display indicator; with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; Dimension; 271. x 28W x Hcm 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AICOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power; 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal: USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15,5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Sereen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light; Yes; Battery; 800maH; Charger; Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MILS); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet BOX.		Compact & modern design;	
with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 271. x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with look features; direct waterline connection or manual fill: Power: 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISBB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 26 QUAD-BAND; Bluetooth; Yes; Flash-light; Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 17 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		2 faucets for hot and cold water;	
with safety lock for hot water button; removable drip tray for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 271. x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with look features; direct waterline connection or manual fill: Power: 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISBB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 26 QUAD-BAND; Bluetooth; Yes; Flash-light; Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 17 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
tray for easy cleaning: 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; 18 inches* elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & ligh; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power; 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Sereen: 1.77; Rear Camera: VGA; Network: 26 QUAD-BAND; Bluetooth; Yes; Flash-light; Yes; Battery: 800maH; Charger; Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE. VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet BOX. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
for easy cleaning; 85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with look features; direct waterline connection or manual fill; Power; 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA: Network: 2G QUAD-BAND; Bluctooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		_	
85 watts cooling power down to 10° Celsius; 420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 271. x28w x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high. 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type: reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 26 QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		· ·	
420 watts heating power up to 90° Celsius; 2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & k high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3.4 liters /hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV: 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hcm 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters /hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluctooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
2.0 liters per hour cooling capacity; 5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hcm 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters /hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluctooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		420 watts heating power up to 90° Celsius;	
5.0 liters per hour heating capacity; Dimension: 27L x 28W x Hcm 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; clegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/n max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMARTTY: 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 80marh; Charger: wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V. Digital timer			
Dimension: 27L x 28W x Hem 17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 ARCOOLER heavy duty type; reliable quality; large airflow and wider cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watst; 35-45sq.m; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840°2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDA AU SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800malt, Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V. Digital timer			
17 STAND FAN 18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters/hour water capacity; axia fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15-5cmLx 124-8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA: Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT): low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V. Digital timer			
18 inches' elegant stand fan; 60 watts' power; elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE-VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
elegant grille & base look/finish; 3 speeds-low, mid & high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth; Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE-VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	17		
k high; 5 blades for wider area coverage airflow and quite operation AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV: 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-ligh: Yes; Battery: 800mAH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM TWO-WAY WALKIE TALKIE-VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
k high; 5 blades for wider area coverage airflow and quite operation AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV: 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-ligh: Yes; Battery: 800mAH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM TWO-WAY WALKIE TALKIE-VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		elegant grille & base look/finish; 3 speeds-low, mid	
high; 5 blades for wider area coverage airflow and quite operation 18 AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 waters; 35-45sq.m.; 4000 m³/n max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
quite operation AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters /hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
AIRCOOLER heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V. Digital timer			
heavy duty type; reliable quality; large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterfine connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V. Digital timer	- 10		
large airflow and wider cooling area; automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	18		
automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		heavy duty type; reliable quality;	
automatic swing; 3 sides cooling pads; caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		large airflow and wider cooling area;	
caster wheels with lock features; direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
direct waterline connection or manual fill; Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
Power: 200 watts; 35-45sq.m.; 4000 m³/h max airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		· · · · · · · · · · · · · · · · · · ·	
airflow; 3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
3-4 liters'/hour water capacity; axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		=	
axial fan type; Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		,	
Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		3-4 liters'/hour water capacity;	
Dimension: 68.072cmL x 42.418cmW x 104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		axial fan type;	
104.902cmH 19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
19 SMART TV 50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
50 inches smart TV; UHD 3840*2160; perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	10		
perfect viewing angle; HDMI terminal; USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	19		
USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
USB multimedia function (photos, music and video); ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
ISDB-T; VIDAA U SMART TV; 100 watts; Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		USB multimedia function (photos, music and video);	
Dimension: 15.5cmLx 124.8cmW x 79.2cmH 20 BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
BASIC PHONE FOR LANDLINE Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
Screen: 1.77; Rear Camera: VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	20		
VGA; Network: 2G QUAD-BAND; Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	20		
Bluetooth: Yes; Flash-light: Yes; Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
Battery: 800maH; Charger: Wired charger; Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		Bluetooth: Yes; Flash-light: Yes;	
Special features: Multimedia keys; with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
with landline Prepaid SIM 21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
21 TWO-WAY WALKIE TALKIE- VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		*	
VHF (136-174MHz); UHF (400-Time Out timer (TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	2.1		
(TOT); low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer	21		
low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
low voltage alert; squelch level; scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
scan, English voice prompt; High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
High low power; CTCSS/DCS 22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
22 UV BOX Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer			
Ultra Violet Box. Capacity 70 liters, UV Lamp 33 watts, 220V, Digital timer		- i	
watts, 220V, Digital timer	22		
		watts, 220V, Digital timer	
	I		

23	TRASH BIN	
24	8 Liters color brown without cover TRASH BIN	
24	11 Liters color white with swing cover	
25	TRASH BIN	
	16 Liters color gray with swing cover	
26	TRASH BIN	
	50 Liters color white with swing cover	
27	VORTEX FAN Turbo Circulation	
28	REFRIGERATOR	
	7.7 CU. FT 2 door. Direct Cooling (inverter). New	
	door material - inox color door finish has elegant	
	finish. Slim-design- sleek and slim. Durable wire shelves - capable of handling heavy loads up to 50kg	
29	WATER DISPENSER	
	Triple faucet with warm, unique bottom loader hot,	
	warm and cold, with safety lock for hot water, with	
	LED indicator and empty water bottle indicator to use, 500 watts heating power up to 90 Celsius, 2.0L	
	per hour cooling capacity, 5.0L per hour heating	
	capacity	
30	TELEVISION	
30	55 inches 4k QUAD UHD 3840 x 2160 resolution.	
	Weight 30 kg, wide viewing angle, IPS Panel, 4k	
	Upscaler, picture mode: dynamic, standard, movie,	
	user, speaker (sound output): 20 watts, Web browser, Netflix/YouTube, Wi-Fi TV ON, Digital	
	TV reception, power supply: AC 100-240V 50-60Hz,	
	with sturdy wall bracket, tilty, with installation	
31	MICROWAVE 7 one touch express cooking, 6 auto cook menus w/	
	multi-stages, LED display, 25 liter capacity, child	
	lock function, 900 watts glass turn table	
32	COFFEE MAKER Makes 10 cups, stainless steel carafe, Anti-slip	
	footing, removable filter, 230 voltage, 1000 wattage.	
	Weight: 1.42kg. Dimensions: 17.5 x 27.5 x 32.3 cm	
33	AIR PURIFIER 59sqm Air Purifier with Humidifier, 7000 High	
	Density Plasma cluster ions and Fan, Air	
	Purification, Humidifying System, Inverter	
	Operation, Built-in Dust and Odor Sensors, Ion	
	Shower, Light Control Light (bright/dim off). Side Moving Caster, Child Lock, Clean	
34	AIR PURIFIER	
	38sqm Air Purifier with Humidifier	
	7000 High Density Plasma cluster ions and Fan, Air Purification, Humidifying System, Inverter	
	Operation, Built-in Dust and Odor Sensors, Ion	
	Shower, Light Control Light (Bright/Dim Off), Side	
	Moving Caster, Child Lock, Clean Sign Indicator	
	(Dust/Odor) Color White Humidifying - Tank Capacity 3 Liters	
	Humidifying - Humidifying Capacity 450 (Max)	
	300 (Med)/ 170 (Low) Recommended area-Air	
	Purifying 38sqm Recommended area for high-density Plasma cluster ions 20 sqm. Operation Modes Auto /	
	Pollen/ Max/ Med/ Low Voltage/frequency (V, Hz)	
	220-240V/50-60Hz Power input (W)	
	(Max/Med/Low) – Without Humidifying 21 (Max) 8	
	(Med) /4.1 (Low) Power input (W) (Max/Med/Low) - With Humidifying	
	19 (Max) / 8.3 (Med) / 4.5 (Low) Standby Power (W)	
	0.9 Airflow (Max/Med/Low) (m³hour) - Without	
	Humidifying 420 (Max) / 260 (Med) / 85 (Low) Airflow (Max/Med/Low) (m³hour) - With	
	AITHOW (MAN/MOU/LOW) (III-HOUL) - WILLI	

	Humidifying 201 (Max) / 155 (Med) / 60 (Low)	
	Noise Level (Max/Med/Low) (dB)-Without	
	Humidifying 192 (Max) / 115 (Med) / 60 (Low)	
	Noise Level (Max/Med/Low) (dB) –	
	with Humidifying 42 (Max) / 30 (Med) / 18 (Low)	
	Child Lock Yes	
	Filter Type - Dust Collection Yes Filter	
	Type - Deodorization Yes	
	Filter Type -Pre-Filter Yes	
	filter Type - Humidifying Yes (Washable)	
	Filter Life – Deodorization Up to 2 years Sensor-	
	OdorYesSensor-Dust Yes	
	Sensor- Temperature & Humidity Yes	
	Clean sign indicator Yes	
	(Dust/Odor) Light Control Button Yes	
	Dimension (WxHxD)	
	mm375 x 239 x 570mm	
	Net Weight 9 kg.	
	Replacement filter-HEPA filter FZ-WS50SFE	
	Replacement filter - Deodorizing Filter FZ-	
	WS50SFE Replacement Filter-Humidifying Filter	
	FZ-WS50SFE	
2.5		
35	AIR PURIFIER	
	50sqm Air Purifier with Humidifier	
	7000 High Density Plasma cluster ions and Fan,	
	Air Purification, Humidifying System, Inverter	
	Operation, Built-in Dust and Odor Sensors, Ion	
	Shower, Light Control Light (Bright/Dim Off), Side	
	Moving Caster, Child Lock, Clean Sign Indicator	
	(Dust/Odor)	
	Color White Humidifying - Tank Capacity 4 Liters	
	Humidifying - Capacity 470 (Max)	
	320 (Med) / 140 (Low) Recommended area-Air	
	Purifying 50sqm Recommended area for high-density	
	Plasma cluster ions 20 sqm Operation Modes Auto /	
	Pollen/ Max/ Med/	
	Low Voltage/frequency (V, Hz) 220-240V/50-60Hz	
	Power input (W) (Max/Med/Low) - Without	
	Humidifying 30 (Max) 11 (Med) / 4 (Low) Power	
	input (W) (Max/Med/Low) - With Humidifying	
	29 (Max) / 13 (Med) / 6 (Low) Standby Power (W)	
	0.9 Airflow (Max/Med/Low) (m³hour) -	
	Without Humidifying 260 (Max) / 155 (Med) /55	
	(Low) Airflow (Max/Med/Low) (m³hour) - With	
	Humidifying 250 (Max) / 155 (Med) / 55 (Low)	
	Noise Level (Max/Med/Low) (dB)-Without	
	Humidifying 44 (Max) / 34 (Med) / 18 (Low) Noise	
	Level (Max/Med/Low) (dB) –	
	with Humidifying 44 (Max) / 34 (Med) / 19 (Low)	
	Child Lock Yes	
	Filter Type - Dust Collection Yes	
	Filter Type - Deodorization Yes	
	Filter Type -Pre-Filter Yes	
	Filter Type - Humidifying Yes	
	(Washable) 93 x 325 Mirror finish.	
	Non corrosive type 304 stainless	
	Thick: 1.2mm face (GA 0.9mm siding GA22,	
	Build up width 12mm, cutting of letters via laser cut,	
	1 QC Logo. 1 QC OCM logo	
	Wordings: OFFICE OF THE ACTION OFFICER	
	FOR DISTRICT 3	
26		
36	SOUND SYSTEM	
	Automatic White Screen 120 inches	
	Key Features:	
	XGA 1024 X 768 resolution, 4200 ANSI lumens /	
	colour output, 20,000: 1 contrast ratio	
	Images up to 300 inches diagonal. Built-in lens.	
	Filter life 10,000 hours.	
	KS-655MK 12 inches 3-way Bass Reflex Speaker –	
	650 watts Max. (Dome Tweeter)	
	oso watts Man. (Dollie I weeter)	

	AR-802A 1000 watts x 2 Karaoke receiver with	
	USB/SD & FM Radio, 100m cord SB-72 Universal	
	Speaker Wall Bracket - swivel (L&R), WM-55U	
	Wireless Microphone with Rechargeable battery -	
	UHF - 2 Mic, PMP-P+ 6ch Portable Mixer Input-	
	l · · · · · · · · · · · · · · · · · · ·	
	Mic+Line Input, EQ & Effect, MP3/Rec, USB, BT	
	PC Sound Card - XLR/PL, Combo-16DSP	
	Installation of Electrical Outlet, FULL installation,	
	Table 43x32cm	
37	SOUND SYSTEM	
	500 watts' x 2 Karaoke Amplifier with AB speaker &	
	Surround center KS-225V 8 inches 2-way Bass	
	Reflex Speaker – 250 watts Max., PMP-6ch Portable	
	Mixer - Mic+Line Input, EQ & Effect, MP#/Rec,	
	USB, BT, PC Sound Card, XLR/PL Combo - 16DSP.	
	SB-72 Universal Speaker Wall Bracket-Swivel	
	(L&R), Installation of Electrical outlet, FULL	
	installation. Table 100x45cm	
38	AUTOMATIC ALCOHOL DISPENSER WITH	
	THERMOMETER	
	Set Includes - Automatic Alcohol Dispenser with	
	Aluminum Stand, Non-Contact Infrared	
	Thermometer, AUTOMATIC ALCOHOL	
	DISPENSER WITH STAND -Capacity: 1000ml	
	- Sensor Type -Touch-less hand sanitizer that enables	
	a quick and easy hand disinfection	
	- Suitable for offices, hotels, companies, restaurants,	
	hospitals, schools, etcBattery Operated	
	- Set includes 4 batteries, nozzle for alcohol,	
	aluminum stand - Chargeable battery and cable	
	included - Non-contact, no need to handheld, avoid	
	cross infectionHigh temperature measurement	
	accuracy, accuracy tolerance: +/- 0.2 (34-45-degree	
	C) -With warning of light failure detection and	
	warning of abnormal temperature lightCan be	
	connected to USB	
	power source, power bank, built-in lithium battery -	
	High-definition display with 5m viewing distance.	
	Intelligent infrared forehead thermometer, no need to	
	hold, can be hung/double-sided adhesive tape /	
20	bracket fixed	
39	40 INCHES SMART TV	
	LED. Slim HD Smart TV Android	
40	WATER DISPENSER (HOT & COLD)	
	Power Input: 550 watts (hot) 80 watts (cold).	
	Fast Boiling time: 12 minutes	
	With storage and glass cabinet.	
	Detachable funnel for easy cleaning	
	Capacity: Hot Water - 5L/Hr.	
	Cold Water - 2L/Hr. Protected with fuse	
41	GAS RANGE	
	Double burner for everyday cooking: Stainless. 719 x	
	394 x 103	
42	GAS RANGE	
	High pressure gas range	
	Heavy duty cast iron	
	Single burner gas stove	
	Powerful flame	
	Automatic ignition	
	Ideal for household or commercial use	
	Safe and easy to clean	
43	50 INCHES SMART TV	
	LED, Slim HD Smart TV, Android	
44	AIR HUMIDIFIER	
T-#	Air Humidifier and air purifier	
	with 2 bottles of lavender scent	
45	BREAKFAST SET	
43	Coffee maker 1.2L and	
	2 slice pop up toaster 730-870 watts	
<u> </u>	2 since pop up tousier 750-070 watts	

46	SOUND SYSTEM AND AUDIO VISUALS
	Sound system and Audio Visual: KS-655MK2 12
	inches 3-way, Bass Reflex Speaker – 650 watts Max.
	(Dome Tweeter. AR-802A 1000 watts' x 2 Karaoke
	Receiver with USB/SD & FM Radio, 100 m chord,
	SB- 72 Universal Speaker Wall Bracket - Swivel
	(Left & Right)
	Base Plate WM-55U Wireless Microphone with
	Rechargeable Battery - UHF - 2 Mic PMP-6+ 6ch
	Portable Mixer-Mic +Line Input, EQ & Effect,
	MP3/Rec,
	USB, BT, PC
	Sound Card - XLR/PL Combo -16DSP, Mixer table
	with lock and wheel, Motorized white screen 60
	inches' x 84 inches
	with wired switch. Projector wxga 3600 lumens: with
	set up and installation
47	KETTLE
	24cm stainless
B.	Compliance to the Schedule of
	Requirements (Section VI)

I hereby certify to comply and deliver all the above requirements.

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Leg	gal Do	<u>cuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	or Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
	(c)	and Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	(d)	and Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
<u>Teo</u>	chnica	<u>l Documents</u>
	(e)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a
	(f)	FORM prescribed by the QC-BAC-GOODS AND SERVICES); <u>and</u> Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM
	(g)	prescribed by the QC-BAC-GOODS AND SERVICES); and Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
		original copy of Notarized Bid Securing Declaration; and
	(h)	Conformity with the Section VI (Schedule of Requirements) Section VII (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
	(i)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Fin	ancial	Documents
	(j)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
	(k)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); or
		A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

Class B Documents		
	(1)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
		<u>or</u>
		duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
<u>Oth</u>	er do	cumentary requirements under RA No. 9184 (as applicable)
	(m)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(n)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
II. FINANCIAL COMPONENT ENVELOPE		

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).

III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• Statement of Warranty – minimum of One (1) Year

Note:

1. Please refer to [

https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

