

#### REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



## PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURES

**CMO-21-FIXTURES-638** 

Government of the Republic of the Philippines

Sixth Edition July 2020

#### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Section	on I. Invitation to Bid	7
Section	on II. Instructions to Bidders	8
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	13
6.	Origin of Goods	14
7.	Subcontracts	14
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components 154	
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	15
13.	Bid and Payment Currencies	16
14.	Bid Security	16
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	17
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	18
21.	Signing of the Contract	18
Sectio	on III. Bid Data Sheet	19
Section	on IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	22
5.	Warranty	
6.	Liability of the Supplier	23
Sectio	on V. Special Conditions of Contract	24
Sectio	on VI. Schedule of Requirements	28
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

## Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC - Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

### Section I. Invitation to Bid

#### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



#### QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



October 21, 2021

#### Invitation to Bid

ITEM NO.	P.R. / PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	CMO-21-GM-639	OFFICE OF THE CITY MAYOR	PROCUREMENT OF ROLL UP BLINDS AND OTHERS	P 1,031,817.70	GENERAL FUND	15 CD
2	CMO-21-FIXTURES-	OFFICE OF THE CITY MAYOR	LINE 1: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR DISTRICT 3 MINI CITY HALL AND YWCA FURNISHING	P 8,044,181.99	GENERAL FUND	60 CD
2	638	OFFICE OF THE CITY MIAYOR	LINE 2: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR RADIO COMMUNICATION SERVICE	P 4,070,691.12	GENERAL FUND	60 CD
3	CMO-21-IT-618	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF QUEZON CITY UNEMPLOYMENT INSURANCE PROGRAM (KALINGANG QC PARA SA MANGGAGAWA)	P 20,000,000.00	GENERAL FUND	30CD
4	CMO-21-IT-619	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF ONLINE MARKET MANAGEMENT SYSTEM FOR THE MARKET DEVELOPMENT AND ADMINISTRATION DEPARTMENT (MDAD)	P 30,000,000.00	GENERAL FUND	45CD
5	CMO-21-IT-620	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF ON-PREMISES BRIDGE AND ONLINE TAX ASSESSMENT SYSTEMS	P 11,000,000.00	GENERAL FUND	30CD
6	CMO-21-IT-621	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF A FINANCIAL ASSISTANCE BENEFICIARY LISTING SYSTEM FOR QUEZON CITY CASH DISBURSEMENT PROGRAMS	P 10,000,000.00	GENERAL FUND	30CD
7	CMO-21-IT-622	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF APPOINTMENT MANAGEMENT SYSTEM FOR QUEZON CITY GOVERNMENT PHASE II	P10,000,000.00	GENERAL FUND	60CD
8	CMO-21-IT-623	OFFICE OF THE CITY MAYOR	SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF QUEZON CITY SCHOLAR REGISTRATION SYSTEM	P18,000,000.00	GENERAL FUND	30CD
9	CMO(QCDRRMO)-21- HCS-644	CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE)	VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES (POLE TRIMMER AND OTHERS)	P 4,397,534.71	GENERAL FUND	30 CD
10	QCU-21-FURNITURE- 646	QUEZON CITY UNIVERSITY	VARIOUS FURNITURE (VISITOR CHAIR AND OTHERS)	P 6,097,770.22	GENERAL FUND	30 CD
11	CIB-21-SOP-636	OFFICE OF COUN. IRENE R. BELMONTE	REUSABLE FACE MASK AND ALCOHOL	P 3,978,141.00	GENERAL FUND	15 CD
12	PD-21-OE-656	PROCUREMENT DEPARTMENT	PRINTER AND SCANNER	P 989,800.00	TRUST FUND	15 CD
13	SDO-21-PS-547	SCHOOLS DIVISION OFFICE	PRINTING OF ALS WORKSHEET AND OTHERS	P 2,263,917.00	SEF	30 CD
14	SDO-21-OE-507B	SCHOOLS DIVISION OFFICE	INTERACTIVE SMART LEARNING BOARD	P 2,644,488.00	SEF	30 CD

						1
15	CONSO-21- APPLIANCES-518B	VARIOUS OFFICES (CITY GENERAL SERVICES DEPARTMENT/ CITY BUDGET DEPARTMENT/ QUEZON CITY UNIVERSITY/ QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES/ HOUSING COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT)	VARIOUS APPLIANCES	P 1,160,849.11	GENERAL FUND	30 CD
16	CONSO-21-HCS- 437B	VARIOUS OFFICES (CITY GENERAL SERVICES DEPARTMENT/ QUEZON CITY PROTECTION CENTER/ QUEZON CITY UNIVERSITY)	VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES	P 3,626,767.61	GENERAL FUND	30 CD
17	EPWMD-21-EHSE-615	ENVIRONMENTAL PROTECTION AND WASTE MANAGEMENT DEPARTMENT	CONTINUOUS AMBIENT AIR QUALITY MONITORING STATION FOR QUEZON CITY	P 15,960,000.00	GENERAL FUND	1 YEAR
18	EPWMD-21-AP-616	ENVIRONMENTAL PROTECTION AND WASTE MANAGEMENT DEPARTMENT	SUPPLY AND INSTALLATION OF AEROPONICS SYSTEM AND HYDROPONICS SYSTEM	P 1,474,200.00	GENERAL FUND	60 CD
19	ENGINEERING-21-OE- 533	DEPARTMENT OF ENGINEERING	DESKTOP COMPUTER AND OTHERS	P 6,348,852.00	GENERAL FUND	30 CD
20	ENGINEERING-21- RM-VEHICLE-486B	DEPARTMENT OF ENGINEERING	RM-MACHINERY AND EQUIPMENT (PARTS AND LABOR)	P 5,338,028.73	GENERAL FUND	30 CD
21	DPOS-21-SOP-634	DEPARTMENT OF PUBLIC ORDER AND SAFETY	OXFORD FUNCTION RAINWEAR AND OTHERS	P 2,506,733.00	GENERAL FUND	30 CD
22	HEALTH-21-JS-498B	QUEZON CITY HEALTH DEPARTMENT	VARIOUS JANITORIAL SUPPLIES	P 6,966,930.44	GENERAL FUND	30 CD
23	HEALTH-21-OS-501B	QUEZON CITY HEALTH DEPARTMENT	VARIOUS OFFICE SUPPLIES	P 1,823,741.82	GENERAL FUND	30 CD
24	QCGH-21-MS-562	QUEZON CITY GENERAL HOSPITAL	PROCUREMENT OF VARIOUS MEDICAL SUPPLIES AND LABORATORY INSTRUMENT (BP APPARATUS AND OTHERS)	P 73,872,932.61	GENERAL FUND	30 CD

1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Trust Fund and Special Education Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Trust Fund and Special Education Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for *Various Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three* (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m.* 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday, October 22, 2021* from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

#### STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
  - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
  - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The *Quezon City Local Government* will hold a Pre-Bid Conference on 10:00 A.M. of **Friday**, October 29, 2021 at 2<sup>nd</sup> Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing *via Zoom* which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Thursday, November 11, 2021**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 1:00 P.M. of **Thursday, November 11, 2021** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

 $\underline{https://us02web.zoom.us/j/85850855933?pwd} = \underline{R2dZUUp4Z31yU29iZGV1WmdKRjZCdz09}$ 

Meeting ID: 858 5085 5933

Passcode: 118682

- 10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

#### ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <a href="mailto:bacgoods.procurement@quezoncity.gov.ph">bacgoods.procurement@quezoncity.gov.ph</a>

Tel. No. (02)8988-4242 loc. 8506/8710 Website: **www.quezoncity.gov.ph** 

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

(**Sgd**) **ROWENA T. MACATAO** Chairperson, QC-BAC-Goods and Services

## Section II. Instructions to Bidders

#### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the *SUPPLY*, *INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURES* with identification number *CMO-21-FIXTURES-638*.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **Two (2)** *Line item/s*, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of TWELVE MILLION ONE HUNDRED FOURTEEN THOUSAND EIGHT HUNDRED SEVENTY THREE PESOS AND 11/100 ONLY (Php 12,114,873.11).
- 2.2. The source of funding is:
  - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and

- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

<sup>&</sup>lt;sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

#### Section III. Bid Data Sheet

#### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

## **Bid Data Sheet**

ITB Clause						
5.3	For this purpose, contracts similar to the Project shall be:					
	a. A single contract similar to the items to percent (50%) of the ABC.	o be bid a	and must b	e at least <b>FIFTY</b>		
	b. Completed within the last three (3) y submission and receipt of bids substant:  QC-BAC-GOODS AND SERVICES,  Certificate of Acceptance by the end Sales Invoice (S.I.) issued for the Cont	ially in a must be -user or	FORM paccompan	rescribed by the lied by a copy of		
7.1	Subcontracting is not allowed.					
12	The price of the Goods shall be quoted DDP <i>v</i> International Commercial Terms (INCOTERM	~	•	1.1		
14.1	The bid security shall be in the form of a Bid following forms and amounts:	Securing	g Declarati	on, or any of the		
	LINE 1: SUPPLY, INSTALLATION OF MODE FURNITURE FOR DISTRICT 3 MINI CITY HAI a. The amount of not less than <i>Php160</i> ,883.6 ABC if bid security is in cash, cashier's/mairrevocable letter of credit; or b. The amount of not less than <i>Php402</i> ,209.1 ABC if bid security is in Surety Bond.	LL AND <b>64</b> or equi anager's o	YWCA FU valent to tw check, bank	RNISHING vo percent (2%) of draft/guarantee or		
	LINE 2: SUPPLY, INSTALLATION OF MODE FURNITURE FOR RADIO COMMUNICATION  a) The amount of not less than <i>Php81,413.8</i> .  ABC if bid security is in cash, cashier's/mairrevocable letter of credit; or  b) The amount of not less than <i>Php203,534.5</i> .  ABC if bid security is in Surety Bond.	SERVIC  2 or equitanager's of	E valent to tw check, bank	o percent (2%) of draft/guarantee or		
19.3	DESCRIPTION	QTY	UOM	ABC		
	LINE 1: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR DISTRICT 3 MINI CITY HALL AND YWCA FURNISHING LINE 2: SUPPLY INSTALLATION OF	1	lot	P 8,044,181.99		
	LINE 2: SUPPLY, INSTALLATION OF 1 lot P 4,070,691.12 MODULAR PARTITION AND VARIOUS FURNITURE FOR RADIO COMMUNICATION SERVICE					
20.2	List of required licenses and permits relevant to law requiring it.	to the Pro	oject and tl	ne corresponding		
	N/A					
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.					
	✓ Cost Breakdown for Line 2: Supply, In Various Furniture for Radio communic		•	lar Partition and		

## Section IV. General Conditions of Contract

#### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## Section V. Special Conditions of Contract

#### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

**Special Conditions of Contract** 

	Special Conditions of Contract
GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	<ul> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each</li> </ul>
	appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ul> <li>e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. [Specify additional incidental service requirements, as needed.]</li> </ul>
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. 2.2 [If partial payment is allowed, state] "The terms of payment shall be as follows: 4 inspections and tests that will be conducted are: **Product** Presentation/Demonstration/Site Inspection, if applicable.

## Section VI. Schedule of Requirements

# PROJECT NAME: LINE 1: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR DISTRICT 3 MINI CITY HALL AND YWCA FURNISHING

#### PROJECT NO. CMO-21-FIXTURES-638

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item	e of delivery to the project site.	Unit		Delivered,
Number	Description	of	Quantity	Weeks / Months
1	STEEL STORAGE RACK	<b>Issue</b> Unit	1	Months
1	123cm x 48cm x 183cm		1	
	(48.6 po x 18.9 po x 72 po);			
	4 layers; fully finished melamine			
2	GANG CHAIR - FOUR (4) SEATER	Piece	4	
_	perforated seat;			
	chrome plated armrest and legs;			
	with 3 legs; powder			
	coated steel			
	size: 2320mmW, 630mmD, 770mmH			
	Color: Flash silver			
3	COMPUTER TABLE	Piece	7	
	laminated top; with keyboard, tray and CPU holder;			
	size: 900mmL 450mmD 750mmH			
	Color: Gray top			
4	COMPUTER CHAIR	Piece	7	
	without armrest, fabric seat rest and			
	backrest; nylon base with caster, gas lift;			
	Color: P. Blue			Within
5	OFFICE TABLE	Piece	11	<b>Sixty (60)</b>
	laminated wood top and legs; medium			Calendar
	density fiberboard (MDF);			Days
	size: 1000mmL 730mmD 745mmH;			Upon
	Color: Gray			-
6	OFFICE TABLE	Unit	1	Issuance
	laminated and steel legs;			of the
	Size: 2000W x 1600D x 750mmH;			Notice to
	Color: Cherry			Proceed
7	EXECUTIVE CHAIR	Unit	1	
	Grande high back with armrest,			
	leatherette upholstered adjustable gas lift,			
	tilting mechanism chrome base with casters;			
	Color: Black	7.		
8	GANG CHAIR-FOUR (4) SEATER	Piece	2	
	perforated seat;			
	chrome plated armrest and legs;			
	with 3 legs; powder			
	coated steel;			
	Size: 2320mmW 630mmD 770mmH:			
9	Color: Flash silver  LATERAL FILING CABINET	Piece	7	
7		riece	'	
	four (4) layer powder coated steel; gauge 22;			
	heavy duty full extension ball bearing			
	runner; centralized lock with duplicate keys;			
	runner, centralized lock with duplicate keys,			

	Dimension: 900mmW 450mmD 1315mmH;			
	Color: white body with green handle			
10	OFFICE CHAIR WITH ARMREST	Piece	8	
	Midback, mesh backrest and fabric seatrest;			
	tilt lock mechanism;			
	pneumatic height			
	adjustment; gaslift;			
	chrome plated base with casters;			
	color: Black			
11	OFFICE CHAIR LOWBACK WITH ARMREST	Unit	23	
	fabric seatrest and backrest;			
	pneumatic height adjustment;			
	gaslift; 5 prong			
	nylon base with casters;			
	Color: Black			
12	MOBILE PEDESTAL	Piece	4	
	polypropylene top, powder coated			
	steel base; gauge 20; 3 drawers;			
	with 1 pen tray and 1			
	divider; centralize lock with 5 pieces Caster;			
	Size: 400mmW 565mmD 660mmH;			
	Color: Gary			
13	CLERICAL CHAIR	Piece	18	
	Fabric type; midback with armrest,			Within
	gas-lift with 5-pronged: starbase legs			
14	CLERICAL TABLE WITH STEEL MOBILE	Piece	4	Sixty
1	DRAWER - Woodgrain	11000	•	(60)
	table top; 25mm thick, oven baked powder coated			Calendar
	finish base and front panel with movable steel mobile			Days
	drawer; Dimension: 120w x 60d x 75h(cm)			Upon
15	6FT RECTANGULAR FOLDING TABLE	Piece	506	Issuance
	high density polyethylene table top;			
	powder coated steel frame; UV protected;			of the
	lightweight; rust resistant; stain resistant;			Notice to
	easy to clean			Proceed
16	EXECUTIVE TABLE (MAYOR'S TABLE)	Piece	1	
10	Main Table: W180 x D80 x H75cm	11000	1	
	Side: W120 x D40 x H55cm			
17	EXECUTIVE TABLE (MANAGER'S TABLE)	Piece	2	
1.7	2.5mm Thickness Flat Edge With Mobile Pedestal &	11000	_	
	Side Drawer Steel Legs Oak/White Color			
	Dimensions; W160 X D70 X H75CM			
18	EXECUTIVE TABLE (DISTRICT	Piece	1	
10	COORDINATOR)	1 1000	1	
	CUSTOMIZED MFC - 2.5mm thickness Flat edge			
	with mobile pedestal & side drawer Steel legs			
	Oak / White color			
	Dimensions: W140 X D70 X H75cm			
19	EXECUTIVE TABLE (ACTION OFFICER)	Piece	1	
19		1 1000	1	
	HPL laminated finish L-shape table Dimension: Main Table: W200 x 80 x H80cm			
20	Side Cabinet: W150 x D45 x H75cm	Piece	1	
20	CUSTOMIZED CABINET  Custom Cabinet Customiza Marina Plumand	riece	1	
	Custom Cabinet Customize Marine Plywood			
	with shelves with swing door			
	Custom Color			
	Dimension: W150 x D45 x H200cm			

21	CUSTOMIZED SIDE CABINET Custom Cabinet Customize Marine Plywood with	Piece	1	
	shelves with swing door Custom Color Dimension, W250 v. D45 v. H00cm			
22	Dimension: W250 x D45 x H90cm	Piece	1	
22	WARDROBE CABINET  Wardrobe Cabinet Customize Marine Plywood with Shelves with swing door Custom Color Dimension: W90 x D40 x H180cm	Fiece	I	
23	CONFERENCE TABLE Conference Table customized with 2 wire management MFC Finish/Laminates Metal Legs Custom Color Dimension: W400 x D120 x H75cm	Piece	2	
24	CONFERENCE CHAIR Highback chair Leatherette with armrest & gaslift	Piece	18	
25	Chrome Base (Black 10 Pcs; Brown 8pcs)  OFFICE CHAIR  Mesh Midback Chair with armrest & gaslift	Piece	13	
	W60.3 x D54 x H90.5-100cm Chrome base			
26	MODULAR WORK STATION (6TH FLOOR)	Set	1	
	6-Seater Workstation			TAT**1
	4.5cm Series Fabric With Glass,			Within
	Aluminum Profile Frame,			Sixty
	Beige End trims, Custom Color,			(60)
	Dimension:			Calendar
	FP: H120 x W120cm - 3pcs			Days
	SP: H120 x W60cm - 8pcs			Upon
	WT: W120 x D60cm - 6 pcs			Issuance
	Mobile Pedestal			
	Flush Handle			of the
	Dimension: W40 x D56 x H65cm			Notice to
	3 drawer steel cabinet with pencil tray & file divider			Proceed
	Central locking system Gauge 20 BEIGE color			
	Table Accessories Steel Powder coated with lock			
	W55 x D41 x H90 BEIGE color			
27	FREE INSTALLATION	Set	1	
27	MODULAR WORK STATION (5TH FLOOR)	Set	1	
	Front Panel 4.5cm Series Fabric With Glass			
	Aluminum Profile Frame, Beige End trims Dimension: H120 x W120 x 4.5cm			
	SIDE PANEL 4.5CM SERIES			
	Fabric With Glass Aluminum Profile Frame			
	BEIGE End trims			
	Dimension: H120 x W60 x 4.5cm			
	TABLE TOP-WORKTOP MDF board			
	2.5mm Thickness			
	Plastic edge band with bracket			
	Dimension: W120 x D60			
	Mobile Pedestal FLUSH handle			
	Dimension: W40 x D56 x H56cm			
	3 drawer steel cabinet with pencil tray & file divider			
	Central locking system Gauge 20			
	Table Accessories Steel Powder coated with lock			
	W55 x D41 x H90			
	FREE INSTALLATION			

28	VISITOR'S CHAIR	Piece	4	
	Midback Leatherette with armrest			
	Chrome sled base			
	(White 2, Black 2)			
29	MANAGER'S CHAIR	Piece	4	
	Highback Chair with armrest & gaslift Leatherette			
	Chrome base (white 2, Black 2)			
30	GLASS ENCLOSURE	Lot	1	
	Frameless Door, Sliding door with fixed, 10mm			
	tempered clear glass, heavy duty patch fixtures,			
	SS304, SGS114, 5.525 x 2.755			
31	SECRETARY'S TABLE	Piece	1	
	BEECHWOOD top, BLACK legs & modesty, MFC-			
	2.5mm thickness, Bullnose edge with mobile pedestal			
	and hanging drawer. Powder coated steel legs 120 x			
	70 x 75cm			
32	DINING TABLE	Set	1	
	Dining set 1+4 (1 table 4 chairs),			
	table 120 x 80 x 70cm, chair 41.5 x 47.5 x 82cm			
	dark brown color 1.8cm/1.5 cm MDF Board			
	with PVC			
	Brown Steel tube with powder			
33	DINING TABLE	Set	1	Within
	Dining set 1-6 (1 table 6 chairs),			Sixty
	table 140 x 80 x 70cm, chair 41.5 x 47.5 x 82cm			(60)
	dark brown color 1.8cm/l .5cm MDF Board with PVC			
	Brown Steel tube with powder			Calendar
34	CABINET	Piece	1	Days
	Kitchen Cabinet color brown,			Upon
	40 x 120 x 180.5cm with installation of electrical			Issuance
25	outlet	D:	1	of the
35	TABLE State of the Control of the Co	Piece	1	Notice to
	Office table for printer can fit 55 x 60cm			Proceed
36	with all melamine top 25mm NST  COFFEE TABLE SET	Set	1	- Trocceu
30		Set	1	
	Coffee table set, 2 chair + 1 table,			
	chair: 47 x 45 x 41 x 69cm butterfly table: 60 x 60cm Scandi			
37	SIDE TABLE	Piece	2	
31	Black metal tubing sandy powder coating, MDF (E2)	riece	2	
	with melamine 50 x 50 x 50cm			
38	COFFEE TABLE	Piece	1	
30	Black metal tubing sandy powder coating, MDF (E2)	1 1000	1	
	with melamine 100 x 50 x 45cm			
39	SOFA (AO'S OFFICE)	Piece	1	
37	2 seater, Solid wood framing.	1 1000	•	
	Metal legs, brown leather 1780 x 920 x 880mm			
	Seat H: 430mm. Arm H 558mm			
40	SOFA (RECEIVING AREA)	Piece	1	_
	3 seater, Black upholstery,			
	fixed cushion and fixed back cushion			
	Tapered wood legs 800 x 780 x 850mm			
41	SOFA (RECEIVING AREA)	Piece	2	1
	1 seater, Black upholstery,		-	
	fixed cushion and fixed back cushion			
	Tapered wood legs 800 x 780 x 850mm			
L	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1

42	PARTITION (CONFERENCE ROOM) White powdered aluminum Profile, Sliding door with fixed 6mm frosted glass, sliding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area)  Reception Are: A) W -7.0 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area: C) W - 2.7 m H - 1.85 m D) W - 2.2 m H - 1.85m Counseling Area: E) W - 2.2 m H - 1.85m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m	Lot	1	
43	SOFA SET Sofa 1840 x 610 x 850	Piece	1	
44	(cappuccino in color, three seater with throw pillows) <b>BENCH</b> 1346 x 470 x 483 (cappuccino in color, three seater)	Piece	1	Within
45	COFFEE/CENTER TABLE  117.5 x 71.5 x 47  (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top	Piece	1	Sixty (60) Calendar Days
46	TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm	Piece	1	Upon Issuance of the
47	CONFERENCE TABLE  1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas	Piece	1	Notice to Proceed
48	CONFERENCE CHAIR  600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters	Piece	10	
49	COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs	Piece	2	
50	SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired	Piece	1	
51	OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP- WORKTOP * MDF board * 2.5mm Thickness *Plastic edge band * with bracket Dimension: H120 x W60x4.5cm 4.5CM SERIES * Fabric With Glass	Piece	1	

	* Aluminum Profile Frame			
	* BEIGE End trims			
	* Dimension: H120 x W100 x 4.5cm			
	* Custom Color (purple)			
52	OFFICE CHAIRS	Piece	4	
	deluxe, mesh back, tension adjustment. fixed armrest,			
	chrome base, color purple. Fabric seat. Mesh back.			
	Tension adjustment. Fixed lumbar support.			
	Seat height & backrest angle adjustment, Tilt Lock			
	Mechanism			
	Fixed armrest. Chrome Base. Weight: 15kg Weight			
	Capacity: 100kg			
53	EXECUTIVE TABLE	Set	1	
	120 x 70 x 75 cm: white powdered metal legs and			
	25mm melamine chipboard for heat and scratch			
	resistant, adjustable floor levelers. 3 layers drawer			
	mobile			
	pedestal with elegant metal handles, same color with			
	the table			
54	EXECUTIVE CHAIR	Piece	1	
	Deluxe high back mesh chair black. 5+1 cm foam seat			
	+ mesh back			
	Enhance backrest & armrest 2.5mm thickness			Within
	butterfly mechanism.			
	Tilt Mechanism, BIFMA certification gas lift,			Sixty
	300mm Chrome base and PU castor, Weight capacity:			(60)
	100KG			Calendar
55	STEEL FILING CABINET, 4 LAYERS	Piece	1	Days
	Steel Filing Cabinet. 4 layers. Ga24 Metal Sheet,			Upon
	Heavy Duty Ball Bearing Rollers. Powder coated			Issuance
	Painting Finish. Dimension (WxDxH): 462 x 620 x			
	1404			of the
56	CONFERENCE CHAIR	Piece	50	Notice to
	Chair black leatherette: w41 x d43.5 x h77cm.			Proceed
	without armrest Chrome sled base			
57	TOY SHELVES	Piece	1	
	Toy shelves: Size 124 x 30 x 100cm: laminated MDF			
	wood + PP plastic trays: all white with multi-colored			
	trays			
58	CHILDREN'S TABLE	Set	1	
	preschool rectangle table with medium sized (2 red			
	28cm 2 green 28cm)			
	chairs: 120cm x 60cm			
59	PARTITION WITH DOOR	Lot	1	
	(DORM 1 AND DINING AREA)			
	Partition under the stairs to be used as storage area			
	With secret door or seamless door			
	Dorm 1 and Dining			
	A) W-14.770 x H-2.460 m with door			
	Wooden plywood, Color white, Doorknob, Door with			
	door frame, transfer of light switch, transfer of			
	fluorescent light,			
	Partition under the stairs			
	Installation of secret door and padlocks on the secret			
	door			
	4001	<u> </u>		1

60	DINING TABLE	Piece	5	
	W 2.5 L 6 H 2.5 feet			
	wood with varnish finish			
	Wood with light varnish finish with 4 sturdy legs			
61	Chair	Piece	30	
01		1 iccc	30	
	sturdy and elegant, Seat Width: 430mm, Seat Depth: 420mm			
	Front Legs Distance: 425mm, Side Legs Distance Left: 435mm			
	Side Legs Distance Right: 435mm, Back Legs			
	Distance: 400mm			
	Back Rest Height: 840mm, Seat Back Height:			
(2)	475mm, Seat Height: 415mm	Di	1	
62	STAINLESS SHELVES	Piece	1	
	6 layers Stainless steel, heavy duty			
	Open shelves, H80 x W35 x D18inches	D:		
63	MULTIPURPOSE LAYERING SHELVES	Piece	1	
	Vertical, 6 layers, white with 4 wheels:			
	Organizer Dimension -15.5inches W X 15.4inches D			
	x 38.2inches H:			
	inner drawer dimensions: 12.25inches W x			
	13.63inches D x 4inches H			
64	PARTITION (CONFERENCE ROOM)	Lot	1	
	Aluminum white profile,			Within
	sliding with fixed 6mm frosted,			Sixty
	sliding door lock kit with rubber gaskets.			(60)
	A) 1.240 m 1.800 m 2.060 m			Calendar
	B) H 2.715m, W 3.500m. H 2.670m, w 0.260m			
65	(by the stairs, and admin office)  SOFA SET	Set	1	Days
0.5		Set	1	Upon
	blue in color (3 seater, 2 seater and ottoman with 4 throw pillows) Fixed Seat			Issuance
	Cushion and Fixed Back Cushion			of the
	3 SEATER: 1810mm W X 760mm D X 810mm H			Notice to
	2 SEATER: 1300mmW X 760mm D X 810mm H			Proceed
	OTTOMAN: 640mmW 680mmD X 410 mm H			
66	SHELVES FOR BOOKS	Piece	1	
00	MDF Laminated Wood, 4 Rows and 3 columns	11000	•	
	H70 x W47.5 x D11.5 inches			
67	CENTER TABLE	Piece	1	
	L47 x W24 x H14 inches		_	
	2 Layer Glass top with 2 drawers			
68	TV STAND FOR 50 inches SMART TV	Piece	1	
	40-74 inches TV. 3 wooden shelf with metal foot			
	W-100cm x H-33.4cm x D-45cm			
69	PARTITION UNDER THE STAIRS	Lot	1	
	Partition under the stairs with hidden or secret door.			
	Side 1: W60 x H57 inches with door opening (door			
	size: W25 x 51inches)			
	Size 2: W58 x H57inches			
	Side 3: W40inches average butterfly wings			
	All in white			
70	OFFICE TABLE	Piece	4	
	(3 house parents and 1 guard)			
	940cm x 730cm			
	Laminated MDF Board			
71	A-TYPE BLACK AND WHITE BOARD	Piece	1	
	I-43cm W-62cm H-118cm			

## 

I hereby certify to comply and deliver all the above requirements.

Schedule of Requirements Page 8 of 8

# Section VI. Schedule of Requirements PROJECT NAME: LINE 2: SUPPLY, INSTALLATION OF MODULAR PARTITION

PROJECT NAME: LINE 2: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR RADIO COMMUNICATION SERVICE PROJECT NO. CMO-21-FIXTURES-638

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number		Description	Unit of Issue	Quantity	Delivered, Weeks / Months
1	1)	12m <sup>2</sup> Modular Laminated (With Or Without Glass) 60 Mm Thick With Aluminum End Trim (Color-Off White) And Cable Wire Ready Baseboard	Lot	1	
	2)	42m² Fabric With Glass Low Partition 60mm Thick 2-Tone Modular Fabric Partition (1.20m Ht.) With Clear Glass, (0.30m Ht.) Complete With Aluminum End Trim (Color: Off-White) And Cable, Wire Ready Baseboard, Fabric: Top-Color – (0.15m) & Bottom Color- (1.05m)			
	3)	24m² Modular Desks, 600mm With 30mm Thick Modular Desktop High Pressure Laminated Top (60mm Width) With Drawer And Powder Coated Bracket, Color: Light Brown (Wood Grain)			Within Sixty (60) Calendar Days Upon
	4)	1 Set Modular Door-Swing Type, 0.80 X 2.1m (D1a) 60mm Thick Laminated Partition-Half Glass Door With Door Jambs, Single Leaf, 800mm Width Bx 2100mm Height			Issuance of the Notice to Proceed
	5)	109m² Roller Shade Blinds (3.2 + B16:B23 Height) Roller Shades with Aluminum Framing And Indoor Blackout Fabric, Color: Khaki			
	6)	12m² Roller Shade Blinds (2.10 Height) Roller Shades with Aluminum Framing And Indoor Blackout Fabric, Color: Khaki			
	7)	8m² Drywall Partition (Painted Finish Both Sides) ¹¼Inch Fiber Cement Board On Metal Studs with ¹¼ Plywood Backboard, Double Wall (6inches Thickness) (Painted Finish Both Sides)			
	8)	25m² Drywall Partition (Painted And Wallpaper Finish) ¹/4Inch Fiber Cement Board On Metal Studs With ¹/4 Plywood Backboard,			

Double Wall (6inches Thickness) (Painted Finish Both Sides) 9) 21m<sup>2</sup> Drywall Partition (Laminated And Wall Paper Finish) <sup>1</sup>/<sub>4</sub>Inch Fiber Cement Board On Metal Studs With 1/4 Plywood Backboard, Double Wall (6inches Thickness) Laminated With Horizontal Aluminum Trim (Laminated Finish On One Side And Wallpaper Finish On The Other Side) 10) 21m<sup>2</sup> Wall Paper, Plain Or With Design 11) 1 Set Fixed Glass Panel 0.60 Mm Thick Glass And 2inches X 4inches Wood Casing, With Frosted Film, Duco Paint Finish 12) 7 Pieces Acrylic Glass Partition 1/4 Thick Stainless Letter Signage 13) 30 Pieces With 3/4 Stainless Rod (For Ceiling Mounting) With Bolts And Ring 14) 1 Piece Qc Logo 3m Sticker On 4mm Thick Within Stainless Steel Backing **Sixty (60)** Calendar 15) 1 Piece Rcso Logo 3m Sticker On 4mm Thick **Days** Stainless Steel Backing Upon 16) 3 Sets Panel Type Door, Single Leaf (D3) Issuance 0.80m X 2.10m Height Including 2inches x 4inches of the Solid Wood Door Doorjamb With (1inch x 3inches) Door Casing, Duco Paint Finish Half Glass Notice to With Frosted Glass Film With Complete Hardware Proceed And Accessories 17) 1 Set Flush Door- Secret Door Wallpaper Finish Both Sides, With Hardware And Accessories 0.70m X 2.10m Height. 18) 2 Pieces Chair Gang – 4 Seater 4 Seater, Stainless Steel, Panel (1.5-1.8 Mm In Thickness) With Armrest: Backrest & Seat Are Of Perforated Stainless 19) 26 Pieces Staff Chair (4) Fabric Type, Mid-Back With Armrest, Gas Lift With 5-Pronged Star Base Legs 20) 20 Pieces Cabinet Mobile Pedestal, (5) 3 Drawers, (2 Small & 1 File Drawer), Ball Bearing Roller, Dimension: W40 x d56 x h70cm, Steel,

Gauge 22, Powder Coated Color, Off White

Top Board In Icebirke Or Rosewood Color, With Filing Drawers At The Bottom And 2 Small

21) 1 Piece Executive Mobile Pedestal

Drawers On Upper,

460mmI V 560mmW 690mmII			
460mmL X 560mmW, 680mmH			
22) 1 Piece Manager's High back Chairs, (11)			
With Armrest, Gas lift, Back tilt,			
And Five Pronged Star Base Legs,			
Leatherette Finish			
23) 3 Pieces Chair Executive Visitor (12c)			
With Armrest, Gas lift, Back tilt,			
And Five Pronged Star Base Legs,			
Leatherette Finish			
24) 2 Pieces Console Table (15a)			
MDF Veneer Top With Stainless Steel Frame 120 Cm L X 39 Cm D X 75 Cm H			
120 CHI L A 35 CHI D A 73 CHI H			
25) 5 Pieces Low Cabinet, Wood On Laminate Finish			
(22b)			
With Swing-Out Door And 2 Adjustable Shelves,			
Color: Light Brown (Wood Grain) Or Icebirke,			
0.90m L X 0.45m W X 1.06m H			
26) 4 Pieces Table Free Standing			
With Side Table (30) Free Standing Table,			
1.50m L X 0.70m W X 0.75 H With Free Standing			
Side Table,			
1.0m L X 0.05m W X 0.75 H, Color: Light Brown			
(Wood Grain)			TAT**1 *
Powder coated Metal Legs And Drawer With Lock			Within
27) 8 Pieces Conference Chair (35)			<b>Sixty (60)</b>
Midback Chair With Arm Rest Gas lift			Calendar
And Back lift 2 Tone Fabric			Days
With Five Pronged Star Base Legs			Upon
28) 1 Piece Table Conference - 8 Seater (46)			Issuance
Rectangular Shape, High Pressure Laminated Top			of the
With Wooden Legs,			Notice to
Color – Rosewood			Proceed
2.0m L X 1.0m W X 0.75m H			Tioceeu
20) 1 Pi			
29) 1 Piece Table Secretary			
L 2.40m X W 0.70mm X H 0.75 High Pressured Laminated Top,			
Color Light Brown (Wood Grain),			
With Embossed Front Panel,			
Powder Coated Metal Legs (Black)			
20) A D'			
30) 4 Pieces Cabinet Locker – 9 Doors			
9 Openings, Hard Metal, Gauge 22m, Powder Coated With Individual Lock And Key,			
0.880m L X 0.51m W X 14.780m H			
31) Electrical Works: Roughing-Ins			
87 Pieces ½Inch Ø X 3m Pvc Pipe			
86 Pieces 1/4 Inch Ø Pvc Adaptor			
86 Pieces ½Inch Ø Pvc Locknut 4 Pieces ¾Inch Ø Imc Pipe			
2 Pieces 34Inch Ø Imc Flbow			
2 Pieces 3/4Inch 3/4 Inch Æ Imc Coupling			
2 Pieces ½Inch Ø Imc Locknut & Bushing			
29 Pieces 2x4inches Ø Utility Box			
12 Pieces 4x4inches Ø Junction Box With Cover	Schodulo	of Reauireme	its Page 3 of 5
18 Pieces ½Inch Ø Flexible Metallic Conduit	Concentit	, Luquiremer	1

24 Pieces ½Inch Pvc Straight Connector With		
Locknut 18 Pieces ½Inch X ½Inch B' Metal Moulding Wires		
32) 200 Lm 2.0mm <sup>2</sup> Thw Copper Wire		
12 Lm 3.5mm <sup>2</sup> Tw Wire Copper Wire		
12 Lm 5.5mm <sup>2</sup> Tw Wire Copper Wire		
400 Lm 3.5mm <sup>2</sup> Thn Copper Wire		
24 Lm 5.5mm <sup>2</sup> Thhn Wire Copper Wire		
36 Lm 8.0mm <sup>2</sup> Thhn Wire Copper Wire		
33) Wiring Devices & Lighting Fixtures		
8 Pieces 2 X 18 Watts Fluorescent Fixture Troffer		
Type		
4 Pieces Square Pin Light		
4 Pieces Single Pole Switch W/Plate & Cover		
2 Pieces Two Pole Switch W/Plate & Cover		
2 Pieces Three Pole Switch W/Plate & Cover		
29 Pieces Duplex C.O. With Ground		
34) 1 Lot Miscellaneous & Consumables		
25) 1 Accy Danal Roard Do		
35) 1 Assy Panel Board Pp		
Main: 40 At 3p 18 Kaic @ 240v		
Branches: 3 -30at 2p Bolt-On		Within
5-20at 2p Bolt-On		
Enclosure Nema 1		<b>Sixty (60)</b>
26) 2 Assy England Circuit Proglar		Calendar
36) 2 Assy Enclosed Circuit Breaker		Days
30at, 2p, Nema, 3r		Upon
37) Cctv System Roughing-Ins		Issuance
24 Pieces <sup>3</sup> / <sub>4</sub> Inch Ø X 3m Pvc Pipe		of the
16 Pieces <sup>3</sup> / <sub>4</sub> Inch Ø Pvc Adaptor		Notice to
16 Pieces ¾Inch Ø Pvp Locknut		
4 Pieces 4inches X 4inches Junction Box With Cover		Proceed
1 Piece 4 11/16inches Pvc Square Box		
38) Wires Cables		
130lm Rg 6u Coaxial Cable		
130lm 1.25mm <sup>2</sup> Tf Wire		
130HH 1.23HHH 11 WHC		
39) Devices & Equipment		
8 Units Hd Cctv Camera Dome Type		
1 Unit 32inches Led Display		
1 Unit Smart Ups 850va		
40) 1 Lot Miscellaneous & Consumables		
41) 1 Unit Testing And Commissioning		
42) Data Network & Telephone System; Roughing-Ins		
5 Pieces ¾Inch Ø X 3m PVC Pipe		
75 Pieces ¾Inch Ø X 3m PVC Adaptor		
75 Pieces ¾Inch Ø 3m Locknut		
20 Pieces 1inch Ø X 3m IMC Pipe		
15 Pieces 1inch Ø X 3m IMC Coupling		
4 Pieces 1 inch Ø X 3m IMC Elbow		
4 Pieces 1 inch Ø X 3m IMC Locknut And Bushing		
120lm <sup>3</sup> / <sub>4</sub> Inch Mica Tube		
29 Pieces 2inches X 4inches Utility Box		
5 Pieces 4inches X 4inches Junction Box With Cover		
4 Pieces 4 11/16inches PVC Square Box		

20 Pieces 2inches X 4inches X 8feet Ga. 16 Cable Tray With Cover And Coupling Powder Coated In Black Cover 15 Pieces 1inch X 1inch X 8feet Metal Moulding  43) Wires Cables 6 Rolls Utp Cat 6 4-Pairs Copper Cable 36 Pieces Cat6 Patch Cord 60lm 2-C Fiber Optic Cable  44) Devices & Equipment 22 Sets Simplex Lan Outlet 7 Sets Duplex Lan Outlet 1 Assy Intermediate Distribution Frame • 12u Rack Enclosure • 1 X 48 Port Utp Patch Panel • 1 X 44 Port Utp + 4 Port Ftp Switch • 1-20 Port Utp + 4 Port Ftp Network Switch • 1x Smart Ups • 1-Backboard  45) 1 Lot Miscellaneous & Consumables  46) 1 Unit Testing And Commissioning		Within Sixty (60) Calendar Days Upon Issuance of the Notice to Proceed
46) 1 Unit Testing And Commissioning		

I hereby certify to comply and deliver all the above requirements.

Name:	_
Legal Capacity:	_
ignature:	_
Ouly authorized to sign the Bid for and behalf of:	

# Section VII. Technical Specifications

#### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# Technical Specifications PROJECT NAME: LINE 1: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR DISTRICT 3 MINI CITY HALL AND YWCA **FURNISHING**

## PROJECT NO. CMO-21-FIXTURES-638

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A	STEEL STORAGE RACK	
1	123cm x 48cm x 183cm (48.6 po x 18.9 po x 72 po); 4 layers; fully finished melamine	
2	GANG CHAIR - FOUR (4) SEATER perforated seat; chrome plated armrest and legs; with 3 legs; powder coated steel size: 2320mmW, 630mmD, 770mmH	
3	Color: Flash silver  COMPUTER TABLE laminated top; with keyboard, tray and CPU holder; size: 900mmL 450mmD 750mmH Color: Gray top	
4	COMPUTER CHAIR without armrest, fabric seat rest and backrest; nylon base with caster, gas lift; Color: P. Blue	
5	OFFICE TABLE laminated wood top and legs; medium density fiberboard (MDF); size: 1000mmL 730mmD 745mmH; Color: Gray	
6	OFFICE TABLE laminated and steel legs; Size: 2000W x 1600D x 750mmH; Color: Cherry	
7	EXECUTIVE CHAIR Grande high back with armrest, leatherette upholstered adjustable gas lift, tilting mechanism chrome base with casters; Color: Black	

8 GANG CHAIR-FOUR (4) SEATER perforated seat; chrome plated armrest and legs; with 3 legs; powder coated steel; Size: 2320mmW 630mmD 770mmH: Color: Flash silver  9 LATERAL FILING CABINET four (4) layer powder coated steel; gauge 22; heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH; Color: white body with green handle	
chrome plated armrest and legs; with 3 legs; powder coated steel; Size: 2320mmW 630mmD 770mmH: Color: Flash silver  9     LATERAL FILING CABINET four (4) layer powder coated steel; gauge 22; heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
with 3 legs; powder coated steel; Size: 2320mmW 630mmD 770mmH: Color: Flash silver  9     LATERAL FILING CABINET four (4) layer powder coated steel; gauge 22; heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
coated steel; Size: 2320mmW 630mmD 770mmH: Color: Flash silver  9     LATERAL FILING CABINET four (4) layer powder coated steel; gauge 22; heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
Size: 2320mmW 630mmD 770mmH: Color: Flash silver  9     LATERAL FILING CABINET four (4) layer powder coated steel; gauge 22; heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
Color: Flash silver  9	
Color: Flash silver  9	
9 LATERAL FILING CABINET four (4) layer powder coated steel; gauge 22; heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
four (4) layer powder coated steel; gauge 22; heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
steel; gauge 22; heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
heavy duty full extension ball bearing runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
runner; centralized lock with duplicate keys; Dimension: 900mmW 450mmD 1315mmH;	
Dimension: 900mmW 450mmD 1315mmH;	
Dimension: 900mmW 450mmD 1315mmH;	
, ,	
10 OFFICE CHAIR WITH ARMREST	
Midback, mesh backrest and fabric seatrest;	
tilt lock mechanism;	
pneumatic height	
adjustment; gaslift;	
chrome plated base with casters;	
color: Black	
11 OFFICE CHAIR LOWBACK WITH	
ARMREST fabric seatrest and backrest;	
pneumatic height adjustment;	
gaslift; 5 prong	
nylon base with casters;	
Color: Black	
12 MOBILE PEDESTAL	
polypropylene top, powder coated	
steel base; gauge 20; 3 drawers;	
with 1 pen tray and 1	
divider; centralize lock with 5 pieces Caster;	
Size: 400mmW 565mmD 660mmH;	
Color: Gary	
13 CLERICAL CHAIR	
Fabric type; midback with armrest,	
gas-lift with 5-pronged: starbase legs	
14 CLERICAL TABLE WITH STEEL MOBILE	
DRAWER - Woodgrain	
table top; 25mm thick, oven baked powder	
coated	
finish base and front panel with movable steel	
mobile	
drawer; Dimension: 120w x 60d x 75h(cm)	
15 6FT RECTANGULAR FOLDING TABLE	
high density polyethylene table top;	
powder coated steel frame; UV protected;	
lightweight; rust resistant; stain resistant;	
easy to clean	
16 EXECUTIVE TABLE (MAYOR'S TABLE)	
Main Table: W180 x D80 x H75cm	
Side: W120 x D40 x H55cm	
17 EXECUTIVE TABLE (MANAGER'S	
TABLE)	
2.5mm Thickness Flat Edge With Mobile	
Pedestal & Side Drawer Steel Legs Oak/White	
Color	
Dimensions; W160 X D70 X H75CM	
18 EXECUTIVE TABLE (DISTRICT	
` \	
COORDINATOR)	

	CUSTOMIZED MFC - 2.5mm thickness Flat	
	edge with mobile pedestal & side drawer Steel	
	legs	
	Oak / White color	
	Dimensions: W140 X D70 X H75cm	
19	EXECUTIVE TABLE (ACTION OFFICER)	
	HPL laminated finish L-shape table	
	Dimension: Main Table: W200 x 80 x H80cm	
	Side Cabinet: W150 x D45 x H75cm	
20	CUSTOMIZED CABINET	
	Custom Cabinet Customize Marine Plywood	
	with shelves with swing door	
	Custom Color	
	Dimension: W150 x D45 x H200cm	
21	CUSTOMIZED SIDE CABINET	
	Custom Cabinet Customize Marine Plywood	
	with shelves with swing door	
	Custom Color	
22	Dimension: W250 x D45 x H90cm  WARDROBE CABINET	
22	Wardrobe Cabinet Customize Marine Plywood	
	with Shelves with swing door	
	Custom Color	
	Dimension: W90 x D40 x H180cm	
23	CONFERENCE TABLE	
23	Conference Table customized with 2 wire	
	management MFC Finish/Laminates Metal Legs	
	Custom Color	
	Dimension: W400 x D120 x H75cm	
24	CONFERENCE CHAIR	
	Highback chair Leatherette with armrest &	
	gaslift	
	Chrome Base (Black 10 Pcs; Brown 8pcs)	
25	OFFICE CHAIR	
	Mesh Midback Chair with armrest & gaslift	
	W60.3 x D54 x H90.5-100cm Chrome base	
26	MODULAR WORK STATION (6TH	
	FLOOR)	
	6-Seater Workstation	
	4.5cm Series Fabric With Glass, Aluminum Profile Frame,	
	Beige End trims, Custom Color,	
	Dimension:	
	FP: H120 x W120cm - 3pcs	
	SP: H120 x W60cm - 8pcs	
	WT: W120 x D60cm - 6 pcs	
	Mobile Pedestal	
	Flush Handle	
	Dimension: W40 x D56 x H65cm	
	3 drawer steel cabinet with pencil tray & file	
	divider Central locking system Gauge 20 BEIGE	
	color	
	Table Accessories Steel Powder coated with lock	
	W55 x D41 x H90 BEIGE color	
	FREE INSTALLATION	
27	MODULAR WORK STATION (5TH	
	FLOOR)	
	Front Panel 4.5cm Series Fabric With Glass	
	Aluminum Profile Frame, Beige End trims	
	Dimension: H120 x W120 x 4.5cm SIDE PANEL 4.5CM SERIES	
	Fabric With Glass Aluminum Profile Frame	
	BEIGE End trims	
	DEIGH HIII	

	T	
	Dimension: H120 x W60 x 4.5cm	
	TABLE TOP-WORKTOP MDF board	
	2.5mm Thickness	
	Plastic edge band with bracket	
	Dimension: W120 x D60	
	Mobile Pedestal FLUSH handle	
	Dimension: W40 x D56 x H56cm	
	3 drawer steel cabinet with pencil tray & file	
	divider Central locking system Gauge 20	
	Table Accessories Steel Powder coated with lock	
	W55 x D41 x H90	
	FREE INSTALLATION	
28	VISITOR'S CHAIR	
	Midback Leatherette with armrest	
	Chrome sled base	
	(White 2, Black 2)	
20	MANAGER'S CHAIR	
29		
	Highback Chair with armrest & gaslift	
	Leatherette	
	Chrome base (white 2, Black 2)	
30	GLASS ENCLOSURE	
	Frameless Door, Sliding door with fixed, 10mm	
	tempered clear glass, heavy duty patch fixtures,	
	SS304, SGS114, 5.525 x 2.755	
31	SECRETARY'S TABLE	
31	BEECHWOOD top, BLACK legs & modesty,	
	MFC-2.5mm thickness, Bullnose edge with	
	mobile pedestal and hanging drawer. Powder	
	coated steel legs 120 x 70 x 75cm	
32	DINING TABLE	
	Dining set 1+4 (1 table 4 chairs),	
	table 120 x 80 x 70cm, chair 41.5 x 47.5 x 82cm	
	dark brown color 1.8cm/1.5 cm MDF Board	
	with PVC	
	Brown Steel tube with powder	
33	DINING TABLE	
	Dining set 1-6 (1 table 6 chairs),	
	table 140 x 80 x 70cm, chair 41.5 x 47.5 x 82cm	
	dark brown color 1.8cm/l .5cm MDF Board with	
	PVC	
2.4	Brown Steel tube with powder	
34	CABINET	
	Kitchen Cabinet color brown,	
	40 x 120 x 180.5cm with installation of electrical	
	outlet	
35	TABLE	
	Office table for printer can fit 55 x 60cm	
	with all melamine top 25mm NST	
36	COFFEE TABLE SET	
	Coffee table set, 2 chair + 1 table,	
	chair: 47 x 45 x 41 x 69cm butterfly	
	table: 60 x 60cm Scandi	
37	SIDE TABLE	
31		
	Black metal tubing sandy powder coating, MDF	
20	(E2) with melamine 50 x 50 x 50cm	
38	COFFEE TABLE	
	Black metal tubing sandy powder coating, MDF	
	(E2) with melamine 100 x 50 x 45cm	
39	SOFA (AO'S OFFICE)	
	2 seater, Solid wood framing.	
	Metal legs, brown leather 1780 x 920 x 880mm	
	Seat H: 430mm. Arm H 558mm	
<u> </u>		1

3 seater. Black upholstery, fixed cushion Tapered wood legs 800 x 780 x 850mm  41 SOPA (RECEIVING AREA) 1 seater, Black upholstery, fixed cushion and Tapered wood legs 800 x 780 x 850mm  42 PARTITION (COMPERENCE BOOM) White powdered aluminum Profile, Sliding door with fixed 6mm frosted glass, sliding lock kit and rubber gaskets (Reception Arec. Conference Area. Counseling Area, and Admin Office-Division for briefing and counseling area)  Reception Are: A) W -7.0 m H - 2.46 m B) W -4.50 m H -1.85 m Conference Area. C) W -2.7 m H -1.85 m Conference Area. C) W -2.2 m H -1.85 m Counseling Area: E) W -2.2 m H -1.85 m Counseling Area: E) W -2.2 m H -1.85 m Counseling Area: E) W -2.2 m H -1.85 m Counseling Area: E) W -2.2 m H -1.85 m Counseling Area: E) W -2.2 m H -1.85 m Admin Office F) W -1.24 m, 1.8m, 2.06m H -2.03 m  43 SOFA SET  43 SOFA SET  44 SOFA SET  55 (a) 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater with throw pillows)  45 COFFECCENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND  67 d-0-74 inches TV. 3 wooden frame & leas with metal foot W-100m x 1+33.4cm x D-45cm  47 CONFEENCE TABLE 1000 x 1200d x 750h 25mm thick HPL woodgrain top pre-gladed parters, butterfly mechanism, with five star rylon base & casters  48 CONFEENCE CHAIR 600 w x 500d x 930-1030h fabric seat & mesh backress, dijusable padded armers, butterfly mechanism, with five star rylon base & casters  50 SIDE TABLE 55 x 55 x 55m, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-WOODETOP.	40	SOFA (RECEIVING AREA)	
Tapered wood legs 800 x 780 x 850mm  1 seater, Black upholstery, Iscel cushion and fixed back cushion Tapered wood legs 800 x 780 x 850mm  2 PARTITION (CONFERENCE ROOM) White powdered aluminum Profile. Sliding door with fixed 6mm frosted glass, sliding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Olfice-Division for briefing and counseling area)  Reception Are: A) W -7.0 m H - 2.46 m B) W -4.50 m H - 1.85 m Conference Area: C) W -2.7 m H - 1.85 m D) W -2.2 m H - 1.85 m Counseling Area: E) W -2.2 m H - 1.85 m Admin Olfice F) W -1.24 m, 1.8m, 2.06m H - 2.03 m  3 SOFA SET Sofa 1840 x 610 x 850 (cappucction in color, three seater with throw pillows)  43 SOFA SET Sofa 1840 x 610 x 850 (cappucction in color, three seater)  45 COFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600 x 1200d x 750b 25mm thick HP1. woodgrain top pre-glued pre, edge band, with power coated steel leas  48 CONFERENCE TABLE 1600 w x 1200d x 750b 25mm thick HP1. woodgrain top pre-glued pre, edge band, with power coated steel leas  48 CONFERENCE TABLE 1600 x 1200d x 750b 25mm thick HP1. woodgrain top pre-glued pre, edge band, with power coated steel leas  49 COCUC/HARS 3 seater sofa 2000w x 890d x 600h solid wood trane. high density foam, leatherette, stainless steel legs  50 SIDE TABLE 55 x 55 x 55 cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLE 55 x 55 x 55 cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLE 57 x 57 x 50 x 100 x 750b 25mm x 50c		3 seater, Black upholstery,	
41 SOFA (RECEIVING AREA)  1 seater, Black uplostery, fixed cushion and fixed back cushion Tapcord wood legs 800 x 780 x 850mm  42 PARTITION (CONFERENCE ROOM) White powdered adminish Profile. Sliding door with fixed form frosted glass, sliding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area  Reception Are: A) W -7.0 m H - 2.46 m B) W -4.50 m H - 1.85 m Conference Area: C) W -2.7 m H - 1.85 m D) W -2.2 m H - 1.85 m Counseling Area: E) W -2.2 m H - 1.85 m Counseling Area: E) W -2.2 m H - 1.85 m Admin Office F) W -1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  55 COFFEE/CENTER TABLE 117.5 x 71.5 x 4.7 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV SYAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D -45cm  47 CONFERNICE TABLE 1600 w x 1200d x 7500 25mm thick HPL woodgrain top pre-glued pve, edge band, with power coated steel leas  48 CONFERENCE THABLE 1600 w x 200d x 930-1030h fixhric seat & mesh backras, adjustable padded armnesh, butterfly mechanism, with five star myton base & casters  49 COUNFERNICE CHAIR 55 x 35 x 35 x 55cm, tubber wood, MDF, retro scandi inspired  51 OFFICE TABLE 55 x 35 x 35 x 10DF ANEL: TABLETOP-		fixed cushion and fixed back cushion	
41 SOFA (RECEIVING AREA)  1 seater, Black uplostery, fixed cushion and fixed back cushion Tapcord wood legs 800 x 780 x 850mm  42 PARTITION (CONFERENCE ROOM) White powdered adminish Profile. Sliding door with fixed form frosted glass, sliding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area  Reception Are: A) W -7.0 m H - 2.46 m B) W -4.50 m H - 1.85 m Conference Area: C) W -2.7 m H - 1.85 m D) W -2.2 m H - 1.85 m Counseling Area: E) W -2.2 m H - 1.85 m Counseling Area: E) W -2.2 m H - 1.85 m Admin Office F) W -1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  55 COFFEE/CENTER TABLE 117.5 x 71.5 x 4.7 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV SYAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D -45cm  47 CONFERNICE TABLE 1600 w x 1200d x 7500 25mm thick HPL woodgrain top pre-glued pve, edge band, with power coated steel leas  48 CONFERENCE THABLE 1600 w x 200d x 930-1030h fixhric seat & mesh backras, adjustable padded armnesh, butterfly mechanism, with five star myton base & casters  49 COUNFERNICE CHAIR 55 x 35 x 35 x 55cm, tubber wood, MDF, retro scandi inspired  51 OFFICE TABLE 55 x 35 x 35 x 10DF ANEL: TABLETOP-		Tapered wood legs 800 x 780 x 850mm	
1 seater, Black upbolstery, fixed cushion and fixed back cushion Tunered wood legs 800 x 780 x 850mm  42 PARTITION (CONFERENCE ROM) White powdered aluminum Profile, Silding door with fixed 6mm frosted glass, silding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Olfice-Division for briefing and counseling area)  Reception Are: A) W -7.0 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area; C) W - 2.7 m H - 1.85 m Conseling Area; D) W - 2.2 m H - 1.85 m Counseling Area; E) W - 2.2 m H - 1.85 m Admin Olfice F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (capuccion in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 IV STAND 10 r 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-35dcm x D-45cm  47 CONFERNICE TABLE 1600 w x 1200d x 750b 25mm thick HPL woodgrain top pre-glued pre, edge band, with power coated steel leas  48 CONFERNICE TABLE 1600 w x 150d x 930 - 1030ft fabric seat & mesh backrest, adjustable padded armerse, butterfly mechanism, with five star nylon base & casters  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF, retro scandi inspired 51 OFFICE TABLES with partition with 3 hyer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	41		
fixed cushion and fixed back cushion Tapered wood legs 800 x 780 x 850mm  42  PARTITION (CONFERENCE ROOM) White powdered aluminum Profile, Sliding lock kit and rubber gaskets (Reception Area, Confreence Area, Counseling Area, and Admin Office-Division for briefing and counseling area  Reception Area. Confreence Area, Counseling Area, and Admin Office-Division for briefing and counseling area  Reception Are: A) W -7.0 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area: C) W -2.7 m H - 1.85 m D) W - 2.2 m H - 1.85 m Counseling Area: E) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43  SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44  BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45  COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top 46  TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4 xm x D-45cm  47  CONEERNCE TABLE 1600 x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48  CONFERNCE TABLE 1600 w x 1500d x 750h 25mm thick HPL woodgrain for pre-glued pvc, edge band, with power coated steel leas  49  CONEERNCE TABLE 3 seater sofa 2000 w x 800d x 600h solid wood frame, high density foam, leatherette, stainless steel legs  SIDE TABLE 55 x 55 x 55 x 5. m, robber wood, MDF, retro scandi inspired  51  OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		, ,	
42 PARTITION (CONFERENCE ROOM) White powdered aluminum Profile, Sliding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area.  Reception Are: A) W -7.0 m H - 2.46 m B) W -4.50 m H - 1.85 m Conference Area: C) W -2.7 m H - 1.85 m D) W -2.2 m H - 1.85 m D) W -2.2 m H - 1.85 m Counseling Area: E) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEC/ENTER TABLE 117.5 x 71,5 x 47 (35 x 32mm poplar wood frame & leas with 5mm thick tempered glass top  46 IV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100m x H-33.4 cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coarded steel leas  48 CONFERENCE CHAIR 600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coarded steel leas  48 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coarded steel leas  49 COUTE/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLE:TOP-			
42 PARTITION (CONFERENCE ROOM) White powdered aluminum Profile, Sliding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area.  Reception Are: A) W -7.0 m H - 2.46 m B) W -4.50 m H - 1.85 m Conference Area: C) W -2.7 m H - 1.85 m D) W -2.2 m H - 1.85 m D) W -2.2 m H - 1.85 m Counseling Area: E) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEC/ENTER TABLE 117.5 x 71,5 x 47 (35 x 32mm poplar wood frame & leas with 5mm thick tempered glass top  46 IV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100m x H-33.4 cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coarded steel leas  48 CONFERENCE CHAIR 600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coarded steel leas  48 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coarded steel leas  49 COUTE/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLE:TOP-		Tapered wood legs 800 x 780 x 850mm	
White powdered aluminum Profile, Sliding door with fixed famn frosted glass, sliding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area)  Reception Are: A) W -7.0 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area: C) W - 2.7 m H - 1.85 m D) W - 2.2 m H - 1.85 m Counseling Area: B) W - 2.2 m H - 1.85 m Counseling Area: B) W - 2.2 m H - 1.85 m Counseling Area: C) W - 2.7 m H - 1.85 m Osa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFECENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100m x H -33.4cm x D -45cm  47 CONFERENCE TABLE 1600 x 12004 x 34cm x D -45cm  48 CONFERENCE TABLE 600 w x 5004 x 930-1030h fabric seat & mesh backrast, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  48 CONFERENCE CHAIR 600 w x 5004 x 930-1030h fabric seat & mesh backrast, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000 w x 8904 x 600h solid wood frame, high density foam, leatherette, stainless steel legs S SDE TABLE 55 x 55 x 55cm, rubber wood, MDF, retro scandi inspired 51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SDE PANEL: TABLETOP-	42		
Sliding dock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area  Reception Are: (A) W -7.0 m H - 2.46 m (B) W -4.50 m H - 1.85 m (Conference Area: (C) W -2.7 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -2.2 m H - 1.85 m (Counseling Area: (E) W -1.24 m, 1.8m, 2.06 m H - 2.03 m  43  SOFA SET  Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44  BENCH  1346 x 470 x 483 (cappuccino in color, three seater)  45  COFFEE/CENTER TABLE  117.5 x 71.5 x 47 (35 x 32.1m poplar wood frame & leas with 5 mm thick tempered glass top  46  TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47  CONFERENCE TABLE  1600w x 12004 x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48  CONFERENCE CHAIR 600w x 500d x 900 n 1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49  COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs  50  SIDE TABLE  57 x 55		· · · · · · · · · · · · · · · · · · ·	
sliding lock kit and rubber gaskets (Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area)  Reception Are:  A) W -7.0 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area:  C) W - 2.7 m H - 1.85 m D) W - 2.2 m H - 1.85 m D) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43  SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44  BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45  COPFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 5mm thick tempered glass top  46  TV STAND for 40.74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47  CONFERNCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48  CONFERNCE CHAIR 600w x 500d x 930 1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49  COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs with partition with 3 layer pedestal FRONT PANEL: TABLE: TTABLE TTABLE TTOP-			
(Reception Area, Conference Area, Counseling Area, and Admin Office-Division for briefing and counseling area)  Reception Are: A) W -7.0 m H - 2.46 m B) W -4.50 m H - 1.85 m Conference Area: C) W -2.7 m H - 1.85 m D) W -2.2 m H - 1.85 m Counseling Area: E) W -2.2 m H - 1.85 m Admin Office F) W -1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA NET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600 w x 12004 x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 5004 x 930 n 1030h fabric seat & mesh backnest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 CONFERENCE CHAIR 5 x 55 x			
Area, and Admin Office-Division for briefing and counseling area:  Reception Are: A) W -7.0 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area: C) W - 2.7 m H - 1.85 m D) W - 2.2 m H - 1.85 m Counseling Area: E) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFEENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFEENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 CONFEENCE CHAIR 55 x 55 x 55 x 55 cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLE 57 S x 55 x 55 x 55 cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
and counseling area)  Reception Are: A) W -7.0 m H - 2.46 m B) W -4.50 m H - 1.85 m Conference Area: C) W -2.7 m H - 1.85 m D) W -2.2 m H - 1.85 m Counseling Area: E) W -2.2 m H - 1.85 m Counseling Area: E) W -2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06 m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33 dcm x D-45cm  47 CONFRENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 sater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs 50 SIDE TABLE 55 x 55 x 55 x 55cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: TABLE: TOP-			
Reception Are: A) W -7.0 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area: C) W - 2.7 m H - 1.85 m D) W - 2.2 m H - 1.85 m Counseling Area: E) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappaceino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappaceino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFEENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFEENCE CHAIR 600w x 500d x 390-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs 50 SIDE TABLE 55 x 55 x 55 x 55cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANIEL: SIDE PANIEL: TABLETOP-			
A) W - 4.50 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area: C) W - 2.7 m H - 1.85 m D) W - 2.2 m H - 1.85 m Counseling Area: E) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06 m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows) 44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater) 45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40.74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600 x 12004 x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-11030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs  50 SIDE TABLE 55 x 55 x 55 cm, rubber wood, MDF, retro scandiinspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL; SIDE PANEL: TABLETOP-		8,	
A) W - 4.50 m H - 2.46 m B) W - 4.50 m H - 1.85 m Conference Area: C) W - 2.7 m H - 1.85 m D) W - 2.2 m H - 1.85 m Counseling Area: E) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06 m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40.74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600 x 12004 x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-11030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs  50 SIDE TABLE 55 x 55 x 55 cm, rubber wood, MDF, retro scandiinspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL; SIDE PANEL: TABLETOP-		Reception Are:	
B) W. 4.50 m H - 1.85 m Conference Area: C) W. 2.7 m H - 1.85 m D) W. 2.2 m H - 1.85 m D) W. 2.2 m H - 1.85 m D) W. 2.2 m H - 1.85 m Counseling Area: E) W 2.2 m H - 1.85 m Admin Office F) W 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFECENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40.74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERNCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERNCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs  50 SIDE TABLE 55 x 55 x 55 x 55cm, rubber wood, MDF, retro scandiinspired  51 OFFICE TABLES with partition with 31 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		*	
Conference Area: C) W - 2.7 m H - 1.85 m D) W - 2.2 m H - 1.85 m Counseling Area: E) W - 2.2 m H - 1.85 m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows) (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater) 45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40.74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600 w x 12004 x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette, stainless steel legs 50 SIDE TABLE 55 x 55 x 55 cm, rubber wood, MDF, retro scandiinspired 51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
D) W - 2.2 m H - 1.85m Counseling Area: E) W - 2.2 m H - 1.85m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater) 45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERNCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pve, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 5004 y 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		Conference Area:	
D) W - 2.2 m H - 1.85m Counseling Area: E) W - 2.2 m H - 1.85m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater) 45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERNCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pve, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 5004 y 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		C) W - 2.7 m H - 1.85 m	
Counseling Area:  E) W - 2.2 m H - 1.85m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		· ·	
F) W - 2.2 m H - 1.85m Admin Office F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		Counseling Area:	
F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m  43 SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pwc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
SOFA SET Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		Admin Office	
Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44  BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45  COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46  TV STAND for 40.74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47  CONFEENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48  CONFEENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49  COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50  SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF, retro scandiinspired  51  OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		F) W - 1.24 m, 1.8m, 2.06m H - 2.03 m	
Sofa 1840 x 610 x 850 (cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFEE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40.74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE TABLE 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
(cappuccino in color, three seater with throw pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55 x 55cm, rubber wood, MDF, retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	43	SOFA SET	
pillows)  44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFECENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		Sofa 1840 x 610 x 850	
44 BENCH 1346 x 470 x 483 (cappuccino in color, three seater)  45 COFFE/CENTER TABLE 117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
1346 x 470 x 483 (cappuccino in color, three seater)  45			
seater)  45 COFFEC/CENTER TABLE  117.5 x 71.5 x 47  (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND  for 40-74 inches TV,   3 wooden frame & leas with metal foot   W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE   1600w x 1200d x 750h 25mm thick HPL   woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR   600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS   3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE   55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	44		
45 COFFEE/CENTER TABLE  117.5 x 71.5 x 47  (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND  for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFEENCE TABLE  1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFEENCE CHAIR  600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS  3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE  55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES  with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
117.5 x 71.5 x 47 (35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		,	
(35 x 32mm poplar wood frame & leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	45		
& leas with 3mm thick tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
tempered glass top  46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
46 TV STAND for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
for 40-74 inches TV, 3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
3 wooden frame & leas with metal foot W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE 1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	46		
W-100cm x H-33.4cm x D-45cm  47 CONFERENCE TABLE  1600w x 1200d x 750h 25mm thick HPL  woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR  600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS  3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE  55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-		· ·	
47 CONFERENCE TABLE  1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
1600w x 1200d x 750h 25mm thick HPL woodgrain top pre-glued pvc, edge band, with power coated steel leas  48			
woodgrain top pre-glued pvc, edge band, with power coated steel leas  48	47		
power coated steel leas  48			
48 CONFERENCE CHAIR 600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
600w x 560d x 930-1030h fabric seat & mesh backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	40	1	
backrest, adjustable padded armrest, butterfly mechanism, with five star nylon base & casters  49	48		
mechanism, with five star nylon base & casters  49			
49 COUCH/CHAIRS 3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
3 seater sofa 2000w x 890d x 600h solid wood frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	40		
frame, high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	49		
high density foam, leatherette. stainless steel legs  50 SIDE TABLE 55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
50 SIDE TABLE 55 x 55 x 55 cm, rubber wood, MDF. retro scandi inspired 51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
55 x 55 x 55cm, rubber wood, MDF. retro scandi inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	50		
inspired  51 OFFICE TABLES with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	30	1-	
51 <b>OFFICE TABLES</b> with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-			
with partition with 3 layer pedestal FRONT PANEL: SIDE PANEL: TABLETOP-	51		
FRONT PANEL: SIDE PANEL: TABLETOP-	) 1		
		WORKTOP	
* MDF board			
TIDI COMU		11121 0000	

	* 0 5 This lands	
	* 2.5mm Thickness	
	*Plastic edge band	
	*with bracket	
	Dimension: H120 x W60x4.5cm	
	4.5CM SERIES	
	* Fabric With Glass	
	* Aluminum Profile Frame	
	* BEIGE End trims	
	* Dimension: H120 x W100 x 4.5cm	
	* Custom Color (purple)	
52	OFFICE CHAIRS	
32	deluxe, mesh back, tension adjustment. fixed	
	armrest, chrome base, color purple. Fabric seat.	
	Mesh back. Tension adjustment. Fixed lumbar	
	~	
	support.	
	Seat height & backrest angle adjustment, Tilt	
	Lock Mechanism	
	Fixed armrest. Chrome Base. Weight: 15kg	
	Weight Capacity: 100kg	
53	EXECUTIVE TABLE	
	120 x 70 x 75 cm: white powdered metal legs	
	and 25mm melamine chipboard for heat and	
	scratch resistant, adjustable floor levelers. 3	
	layers drawer mobile	
	pedestal with elegant metal handles, same color	
	with the table	
54	EXECUTIVE CHAIR	
	Deluxe high back mesh chair black. 5+1 cm	
	foam seat + mesh back	
	Enhance backrest & armrest 2.5mm thickness	
	butterfly mechanism.	
	Tilt Mechanism, BIFMA certification gas lift,	
	300mm Chrome base and PU castor, Weight	
	capacity: 100KG	
55	STEEL FILING CABINET. 4 LAYERS	
33	Steel Filing Cabinet. 4 layers. Ga24 Metal Sheet,	
	Heavy Duty Ball Bearing Rollers. Powder coated	
	Painting Finish. Dimension (WxDxH): 462 x 620	
	x 1404	
<i>5.</i> (	CONFERENCE CHAIR	
56		
	Chair black leatherette: w41 x d43.5 x h77cm.	
	without armrest Chrome sled base	
57	TOY SHELVES	
	Toy shelves: Size 124 x 30 x 100cm: laminated	
	MDF wood + PP plastic trays: all white with	
	multi-colored trays	
58	CHILDREN'S TABLE	
	preschool rectangle table with medium sized (2	
	red 28cm 2 green 28cm)	
	chairs: 120cm x 60cm	
59	PARTITION WITH DOOR	
	(DORM 1 AND DINING AREA)	
	Partition under the stairs to be used as storage	
	area	
	With secret door or seamless door	
	Dorm 1 and Dining	
	A) W-14.770 x H-2.460 m with door	
	Wooden plywood, Color white, Doorknob, Door	
	with door frame, transfer of light switch, transfer	
	of fluorescent light,	
	Partition under the stairs	

	Installation of secret door and padlocks on the	
	secret door	
60	DINING TABLE	
	W 2.5 L 6 H 2.5 feet	
	wood with varnish finish	
	Wood with light varnish finish with 4 sturdy legs	
61	Chair	
	sturdy and elegant, Seat Width: 430mm, Seat	
	Depth: 420mm	
	Front Legs Distance: 425mm, Side Legs	
	Distance Left: 435mm	
	Side Legs Distance Right: 435mm, Back Legs	
	Distance: 400mm	
	Back Rest Height: 840mm, Seat Back Height:	
	475mm, Seat Height: 415mm	
62	STAINLESS SHELVES	
	6 layers Stainless steel, heavy duty	
63	Open shelves, H80 x W35 x D18inches  MULTIPURPOSE LAYERING SHELVES	
0.5		
	Vertical, 6 layers, white with 4 wheels: Organizer Dimension -15.5inches W X	
	15.4inches D x 38.2inches H:	
	inner drawer dimensions: 12.25inches W x	
	13.63inches D x 4inches H	
64	PARTITION (CONFERENCE ROOM)	
0-1	Aluminum white profile,	
	sliding with fixed 6mm frosted,	
	sliding door lock kit with rubber gaskets.	
	A) 1.240 m 1.800 m 2.060 m	
	B) H 2.715m, W 3.500m. H 2.670m, w 0.260m	
	(by the stairs, and admin office)	
65	SOFA SET	
	blue in color (3 seater, 2 seater and ottoman with	
	4 throw pillows) Fixed Seat	
	Cushion and Fixed Back Cushion	
	3 SEATER: 1810mm W X 760mm D X 810mm	
	H	
	2 SEATER: 1300mmW X 760mm D X 810mm	
	H OTTOMAN (40 W 600 D V 410 H	
	OTTOMAN: 640mmW 680mmD X 410 mm H	
66	SHELVES FOR BOOKS	
	MDF Laminated Wood, 4 Rows and 3 columns H70 x W47.5 x D11.5 inches	
67	CENTER TABLE	
07	L47 x W24 x H14 inches	
	2 Layer Glass top with 2 drawers	
68	TV STAND FOR 50 inches SMART TV	
	40-74 inches TV. 3 wooden shelf with metal	
	foot	
	W-100cm x H-33.4cm x D-45cm	
69	PARTITION UNDER THE STAIRS	
	Partition under the stairs with hidden or secret	
	door.	
	Side 1: W60 x H57 inches with door opening	
	(door size: W25 x 51inches)	
	Size 2: W58 x H57inches	
	Side 3: W40inches average butterfly wings	
	All in white	
70	OFFICE TABLE	
	(3 house parents and 1 guard)	
	940cm x 730cm	
	Laminated MDF Board	

71	A-TYPE BLACK AND WHITE BOARD	
	I-43cm W-62cm H-118cm	
В	Compliance to the Schedule of Requirements	
	(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of	

# **Technical Specifications**

# PROJECT NAME: LINE 2: SUPPLY, INSTALLATION OF MODULAR PARTITION AND VARIOUS FURNITURE FOR RADIO COMMUNICATION SERVICE PROJECT NO. CMO-21-FIXTURES

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A.	1.12m <sup>2</sup> Modular Laminated (With Or Without Glass)	applicable laws and issuances. J
1.	60 Mm Thick With Aluminum End Trim (Color-Off White) And Cable Wire Ready Baseboard	
	2.42m² Fabric With Glass Low Partition 60mm Thick 2-Tone Modular Fabric Partition (1.20m Ht.) With Clear Glass, (0.30m Ht.) Complete With Aluminum End Trim (Color: Off-White) And Cable, Wire Ready Baseboard, Fabric: Top-Color – (0.15m) & Bottom Color- (1.05m)	
	3.24m² Modular Desks, 600mm With 30mm Thick Modular Desktop High Pressure Laminated Top (60mm Width) With Drawer And Powder Coated Bracket, Color: Light Brown (Wood Grain)	
	4.1 Set Modular Door-Swing Type, 0.80 X 2.1m (D1a) 60mm Thick Laminated Partition-Half Glass Door With Door Jambs, Single Leaf, 800mm Width Bx 2100mm Height	
	5.109m² Roller Shade Blinds (3.2 + B16:B23 Height) Roller Shades W/ Aluminum Framing And Indoor Blackout Fabric, Color: Khaki	
	6.12m² Roller Shade Blinds (2.10 Height) Roller Shades W/ Aluminum Framing And Indoor Blackout Fabric, Color: Khaki	

#### 7.8m<sup>2</sup> Drywall Partition (Painted Finish Both Sides) <sup>1</sup>/4Inches Fiber Cement Board On Metal Studs With <sup>1</sup>/4 Plywood Backboard,

Double Wall (6inches Thickness) (Painted Finish Both Sides)

8.25m<sup>2</sup> Drywall Partition

(Painted And Wallpaper Finish)

1/4Inches Fiber Cement Board On Metal Studs
With 1/4 Plywood Backboard,

Double Wall (6inches Thickness)

(Painted Finish Both Sides)

#### 9.21m<sup>2</sup> Drywall Partition

(Laminated And Wall Paper Finish)

<sup>1</sup>/<sub>4</sub>Inches Fiber Cement Board On Metal Studs With <sup>1</sup>/<sub>4</sub> Plywood Backboard, Double Wall (6inches Thickness)

Laminated With Horizontal Aluminum Trim (Laminated Finish On One Side And Wallpaper Finish On The Other Side)

#### 10.21m<sup>2</sup> Wall Paper, Plain Or With Design

#### 11.1 Set Fixed Glass Panel

0.60 Mm Thick Glass

And 2inches X 4inches Wood Casing,

With Frosted Film, Duco Paint Finish

# 12.7 Piece Acrylic Glass Partition

1/4 Thick Stainless Letter Signage

#### 13.30 Piece With 3/4 Stainless Rod

(For Ceiling Mounting)

With Bolts And Ring

# 14.1 Piece Qc Logo 3m Sticker On 4mm Thick Stainless Steel Backing

# 15.1 Piece Rcso Logo 3m Sticker On 4mm Thick Stainless Steel Backing

#### 16.3 Set Panel Type Door, Single Leaf (D3)

0.80m X 2.10m Height Including 2inchesx4inches

Solid Wood Door Doorjamb With (1inchx3inches)

Door Casing, Duco Paint Finish Half Glass

With Frosted Glass Film With Complete Hardware And Accessories

#### 17.1 Set Flush Door- Secret Door

Wallpaper Finish Both Sides,

With Hardware And Accessories

0.70m X 2.10m Height.

### 18.2 Piece Chair Gang – 4 Seater

4 Seater, Stainless Steel, Panel (1.5-1.8 Mm In

Thickness)

With Armrest: Backrest & Seat Are Of Perforated

Stainless

19.26 Piece Staff Chair (4) Fabric Type, Mid-Back

With Armrest, Gas Lift With 5-Pronged Star Base Legs

20.20 Piece Cabinet Mobile Pedestal, (5) 3 Drawers, (2 Small & 1 File Drawer), Ball Bearing Roller, Dimension: W40xd56xh70cm, Steel, Gauge 22, Powder Coated Color, Off White

21.1 Piece Executive Mobile Pedestal Top Board In Icebirke Or Rosewood Color, With Filing Drawers At The Bottom And 2 Small Drawers On Upper, 460mmL X 560mmW, 680mmH

- 22.1 Piece Manager's Highback Chairs, (11)With Armrest, Gaslift, Backtilt,And Five Pronged Star Base Legs,Leatherette Finish
- 23.3 Piece Chair Executive Visitor (12c) With Armrest, Gas lift, Back tilt, And Five Pronged Star Base Legs, Leatherette Finish
- 24.2 Piece Console Table (15a) MDF Veneer Top With Stainless Steel Frame 120 Cm L X 39 Cm D X 75 Cm H
- 25.5 Piece Low Cabinet, Wood On Laminate Finish (22b) With Swing-Out Door And 2 Adjustable Shelves, Color: Light Brown (Wood Grain) Or Icebirke, 0.90m L X 0.45m W X 1.06m H
- 26.4 Piece Table Free Standing
  With Side Table (30) Free Standing Table,
  1.50m L X 0.70m W X 0.75 H With Free Standing Side Table,
  1.0m L X 0.05m W X 0.75 H, Color: Light Brown (Wood Grain)
  Powder coated Metal Legs And Drawer With Lock
- 27.8 Piece Conference Chair (35)Midback Chair With Arm Rest Gas liftAnd Back lift 2 Tone FabricWith Five Pronged Star Base Legs
- 28.1 Piece Table Conference 8 Seater (46)
  Rectangular Shape, High Pressure Laminated Top
  With Wooden Legs,
  Color Rosewood
  2.0m L X 1.0m W X 0.75m H
- 29.1 Piece Table Secretary
  L 2.40m X W 0.70mm X H 0.75 High
  Pressured Laminated Top,
  Color Light Brown (Wood Grain),
  With Embossed Front Panel,
  Powder Coated Metal Legs (Black)
- 30.4 Piece Cabinet Locker 9 Doors 9 Openings, Hard Metal, Gauge 22m, Powder Coated With Individual Lock And Key, 0.880m L X 0.51m W X 14.780m H
- 31. Electrical Works: Roughing-Ins

- 87 Piece ½Inches Ø X 3m Pvc Pipe
- 86 Piece ½Inches Ø Pvc Adaptor
- 86 Piece ½Inches Ø Pvc Locknut
- 4 Piece ¾Inches Ø Imc Pipe
- 2 Piece ¾Inches Ø Imc Elbow
- 2 Piece 3/4Inches 3/4 Inches Æ Imc Coupling
- 2 Piece ½Inches Ø Imc Locknut & Bushing
- 29 Piece 2x4inches Ø Utility Box
- 12 Piece 4x4inches Ø Junction Box With Cover
- 18 Piece 1/2 Inch Ø Flexible Metallic Conduit
- 24 Piece 1/2Inch Pvc Straight Connector With Locknut
- 18 Piece ½Inches X ½Inch B' Metal Moulding Wires

#### 32.200 Lm 2.0mm<sup>2</sup> Thw Copper Wire

- 12 Lm 3.5mm<sup>2</sup> Tw Wire Copper Wire
- 12 Lm 5.5mm<sup>2</sup> Tw Wire Copper Wire
- 400 Lm 3.5mm<sup>2</sup> Thn Copper Wire
- 24 Lm 5.5mm<sup>2</sup> Thhn Wire Copper Wire
- 36 Lm 8.0mm<sup>2</sup> Thhn Wire Copper Wire

#### 33. Wiring Devices & Lighting Fixtures

- 8 Piece 2 X 18 Watts Fluorescent Fixture Troffer Type
- 4 Piece Square Pin Light
- 4 Piece Single Pole Switch W/Plate & Cover
- 2 Piece Two Pole Switch W/Plate & Cover
- 2 Piece Three Pole Switch W/Plate & Cover
- 29 Piece Duplex C.O. With Ground

#### 34.1 Lot Miscellaneous & Consumables

#### 35.1 Assy Panel Board Pp

Main: 40 At 3p 18 Kaic @ 240v

Branches: 3 -30at 2p Bolt-On

5-20at 2p Bolt-On

Enclosure Nema 1

# 36.2 Assy Enclosed Circuit Breaker

30at, 2p, Nema, 3r

## 37. Cctv System Roughing-Ins

- 24 Piece ¾Inch Ø X 3m Pvc Pipe
- 16 Piece ¾Inch Ø Pvc Adaptor
- 16 Piece ¾Inches Ø Pvp Locknut
- 4 Piece 4inches X 4inches Junction Box With Cover
- 1 Piece 4 11/16inches Pvc Square Box

### 38. Wires Cables

130lm Rg 6u Coaxial Cable

130lm 1.25mm<sup>2</sup> Tf Wire

#### 39. Devices & Equipment

8 Unit Hd Cctv Camera Dome Type

- 1 Unit 32inches Led Display
- 1 Unit Smart Ups 850va

#### 40.1 Lot Miscellaneous & Consumables

#### 41.1 Unit Testing And Commissioning

## 42. Data Network & Telephone System; Roughing-Ins

- 5 Piece ¾Inch Ø X 3m PVC Pipe
- 75 Piece ¾Inch Ø X 3m PVC Âdaptor
- 75 Piece ¾Inch Ø 3m Locknut
- 20 Piece 1inch Ø X 3m IMC Pipe

	15 Piece 1inch Ø X 3m IMC Coupling 4 Piece 1inch Ø X 3m IMC Elbow 4 Piece 1inch Ø X 3m IMC Locknut And Bushing 120lm ¾Inche Mica Tube 29 Piece 2inches X 4inches Utility Box 5 Piece 4inches X 4inches Junction Box With Cover 4 Piece 4 11/16inches PVC Square Box 20 Piece 2inches X 4inches X 8feet Ga. 16 Cable Tray With Cover And Coupling Powder Coated In Black Cover 15 Piece 1inch X 1inches X 8feet Metal Moulding  43. Wires Cables 6 Rolls Utp Cat 6 4-Pairs Copper Cable	
	36 Piece Cat6 Patch Cord 60lm 2-C Fiber Optic Cable  44. Devices & Equipment 22 Sets Simplex Lan Outlet 7 Sets Duplex Lan Outlet 1 Assy Intermediate Distribution Frame 12u Rack Enclosure 1 X 48 Port Utp Patch Panel 1 X 44 Port Utp + 4 Port Ftp Switch 1-20 Port Utp + 4 Port Ftp Network Switch 1x Smart Ups 1-Backboard	
	45.1 Lot Miscellaneous & Consumables  46.1 Unit Testing And Commissioning	
	<ul> <li>46.1 Unit Testing And Commissioning</li> <li>47.1 Lot Air conditioning System Relocation Relocation Of 3 Units Ceiling Cassette Fan Coil Units 15.88/9.53 Mm Copper Tubing And Fittings 1inch Insulation &amp; PE Tape Threaded Halogens, Brackets, &amp; Anchor Bolts. 32 Mm Dia PVC Condensate Line. R410a Refrigerant Recharging</li> </ul>	
В	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and hehalf of:	

 $Technical\ Specifications\ Page\ 5\ of\ 5$ 

# Section VIII. Checklist of Technical and Financial Documents

# **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# **Checklist of Technical and Financial Documents**

## I. TECHNICAL COMPONENT ENVELOPE

## Class "A" Documents

Leg	al Do	cuments
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	or Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,
	(c)	<u>and</u> Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	(d)	and Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
<u>Tea</u>	chnica	<u>l Documents</u>
	(f)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a
	(g)	FORM prescribed by the QC-BAC-GOODS AND SERVICES); and Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM
	(h)	prescribed by the QC-BAC-GOODS AND SERVICES); and Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or
	(i)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; <u>and</u>
	(j)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
<u>Fin</u>	ancia	! Documents
	(k)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; <b>and</b>
	(1)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); or
		A committed Line of Credit from a Universal or Commercial Bank in lieu of

its NFCC computation.

### Class "B" Documents

		(m)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
			or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
	Oth	her do	cumentary requirements under RA No. 9184 (as applicable)
		(n)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government
		(0)	office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
			II. FINANCIAL COMPONENT ENVELOPE
		(a)	Original of duly signed and accomplished Financial Bid Form; and
		(b)	Original of duly signed and accomplished Price Schedule(s).
			III. REQUIRED DOCUMENTS IN BDS SECTION 20.2 AND 21.2 Cost Breakdown for Line 2: Supply, Installation of Modular Partition and Various Furniture for Radio communication Service
Note	e:		
1.	Plea	se ref	er to

1.

[https://drive.google.com/file/d/1uiYurh5WrpBL5B\_pqpzAb62yucAblR1p/view?usp= sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
  - a. Bid Form;
  - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
  - c. Bid Securing Declaration; and
  - d. Omnibus Sworn Statement

