

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF VARIOUS OFFICE EQUIPMENT

PROJECT NO. RMBGH-21-OE-538

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

| Gloss | ary of Acronyms, Terms, and Abbreviations | 4 |
|---------|--|----|
| Section | on I. Invitation to Bid | 7 |
| | on II. Instructions to Bidders | |
| 1. | Scope of Bid | |
| 2. | Funding Information | 13 |
| 3. | Bidding Requirements | 13 |
| 4. | Corrupt, Fraudulent, Collusive, and Coercive Practices | 13 |
| 5. | Eligible Bidders | 13 |
| 6. | Origin of Goods | 14 |
| 7. | Subcontracts | 14 |
| 8. | Pre-Bid Conference | 14 |
| 9. | Clarification and Amendment of Bidding Documents | 14 |
| 10. | Documents comprising the Bid: Eligibility and Technical Components . 154 | |
| 11. | Documents comprising the Bid: Financial Component | 15 |
| 12. | Bid Prices | 15 |
| 13. | Bid and Payment Currencies | |
| 14. | Bid Security | 16 |
| 15. | Sealing and Marking of Bids | 16 |
| 16. | Deadline for Submission of Bids | 16 |
| 17. | Opening and Preliminary Examination of Bids | 17 |
| 18. | Domestic Preference | |
| 19. | Detailed Evaluation and Comparison of Bids | |
| 20. | Post-Qualification | |
| 21. | Signing of the Contract | |
| Section | on III. Bid Data Sheet | 19 |
| Section | on IV. General Conditions of Contract | 21 |
| 1. | Scope of Contract | 22 |
| 2. | Advance Payment and Terms of Payment | 22 |
| 3. | Performance Security | 22 |
| 4. | Inspection and Tests | |
| 5. | Warranty | |
| 6. | Liability of the Supplier | 23 |
| Section | on V. Special Conditions of Contract | 24 |
| Section | on VI. Schedule of Requirements | 28 |
| Sectio | on VII. Technical Specifications | 31 |
| | on VIII. Checklist of Technical and Financial Documents | |

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



October 07, 2021

Invitation to Bid

| ITEM NO. | P.R. / PROJECT NO. | OFFICE | PROJECT NAME | AMOUNT | SOURCE OF FUND | DELIVERY PERIOD |
|-------------|----------------------------------|--|--|-----------------|-------------------|---------------------|
| 1 | CMO (QCDRRMO)- 21-GM-570 | CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE) | VARIOUS GENERAL MERCHANDISE (FOLDABLE DOG CAGE AND OTHERS) | P 8,625,476.20 | GENERAL FUND | 30 CALENDAR DAYS |
| 2 | CMO (QCDRRMO)- 21-PCP-574 | CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE) | VARIOUS PERSONAL CARE PRODUCTS (BATH SOAP AND OTHERS) | P 5,528,020.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 3 | CONSO-21-SG-544 | VARIOUS OFFICES (QUEZON CITY UNIVERSITY/ QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES) | VARIOUS SPORTING GOODS | P 555,630.67 | GENERAL FUND | 30 CALENDAR DAYS |
| 4 | CGSD-21-ESLC-564 | CITY GENERAL SERVICES DEPARTMENT | CURTAIN LED LIGHTS AND CONTINUOUS LED LIGHTS | P 999,700.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 5 | CGSD-21-VRM-582 | CITY GENERAL SERVICES DEPARTMENT | REPAIR AND MAINTENANCE – MOTOR VEHICLE (PARTS AND LABOR) | P 1,062,639.08 | GENERAL FUND | 30 CALENDAR DAYS |
| 6 | CONSO-21-JS-580 | VARIOUS OFFICES (QUEZON CITY UNIVERSITY/ HOUSING, COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT) | VARIOUS JANITORIAL SUPPLIES | P 524,693.56 | GENERAL FUND | 30 CALENDAR DAYS |
| 7 | CONSO-21-OE-585 | VARIOUS OFFICES (CITY ACCOUNTING DEPARTMENT /QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES) | COPIER AND OTHERS | P 1,661,291.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 8 | BPLD-21- GARMENTS-567 | BUSINESS PERMITS & LICENSING DEPARTMENT | POLO SHIRT WITH PRINT AND OTHERS | P 2,674,000.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 9 | BPLD-21-PS-526 | BUSINESS PERMITS & LICENSING DEPARTMENT | PRINTING OF MAGAZINE | P 5,379,950.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 10 | BPLD-21- PS-579 | BUSINESS PERMITS & LICENSING DEPARTMENT | CUSTOMIZED THERMAL STICKER PAPER AND OTHERS | P 1,646,256.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 11 | CAO-21-IT-373B | CITY ADMINISTRATOR'S OFFICE (CITY CIVIL REGISTRY DEPARTMENT) | SUPPLY, INSTALLATION, COMMISSIONING AND TESTING OF CIVIL REGISTRY ONLINE WEB APPLICATION (CCRD-OWA) | P 30,000,000.00 | GENERAL FUND | 90 CALENDAR DAYS |
| 12 | HEALTH-21-ME-499 | QUEZON CITY HEALTH DEPARTMENT | VARIOUS MEDICAL EQUIPMENT (BIOSAFETY CABINET AND OTHERS) | P 9,135,940.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 13 | HEALTH-21-MS-440 | QUEZON CITY HEALTH DEPARTMENT | VARIOUS MEDICAL SUPPLIES (SURGICAL GLOVES AND OTHERS) | P 79,699,007.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 14 | HEALTH-21-OE- CONSUMABLES-493 | QUEZON CITY HEALTH DEPARTMENT | VARIOUS CONSUMABLES (TONER AND OTHERS) | P 6,310,866.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 15 | QCGH-21-MS-496 | QUEZON CITY GENERAL HOSPITAL | VARIOUS MEDICAL SUPPLIES (REAGENTS AND OTHERS) | P 13,790,743.60 | GENERAL FUND | 30 CALENDAR DAYS |
| 16 | QCGH-21-TEXTILE- 491 | QUEZON CITY GENERAL HOSPITAL | LINEN SUPPLIES AND OTHERS | P 1,722,584.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 17 | VETERINARY-21- VPS-301B | QUEZON CITY VETERINARY DEPARTMENT | PET IDENTITY MICROCHIP | P 999,900.00 | GENERAL FUND | 30 CALENDAR DAYS |

| 18 | ENGINEERING-21- IT-487 | DEPARTMENT OF ENGINEERING | SUPPLY, INSTALLATION, COMMISSIONING AND TESTING OF QUEZON CITY ENGINEERING DEPARTMENT MAINTENANCE OPERATIONS MANAGEMENT SYSTEM (ED-MOMS) | P 9,143,446.00 | GENERAL FUND | 240 CALENDAR DAYS |
|----|--------------------------------|--|--|-----------------|-----------------|----------------------|
| 19 | ENGINEERING-21- IT-488 | DEPARTMENT OF ENGINEERING | SUPPLY, INSTALLATION, COMMISSIONING AND TESTING OF QUEZON CITY ENGINEERING DEPARTMENT PROJECT MONITORING SYSTEM (CEPM SYSTEM) | P 9,146,246.00 | GENERAL FUND | 60 CALENDAR DAYS |
| 20 | ENGINEERING-21- MV-576 | DEPARTMENT OF ENGINEERING | MOTOR VEHICLE (MULTI-PURPOSE) | P 6,220,500.00 | GENERAL FUND | 45 CALENDAR DAYS |
| 21 | ENGINEERING-21- MV-577 | DEPARTMENT OF ENGINEERING | MOTOR VEHICLE (PASSENGER VAN) | P 7,670,000.00 | GENERAL FUND | 45 CALENDAR DAYS |
| 22 | CONSO-21-VPA-469 | VARIOUS OFFICES (DEPARTMENT OF PUBLIC ORDER AND SAFETY / QUEZON CITY YOUTH DEVELOPMENT OFFICE) | TIRES AND BATTERIES | P 1,199,860.02 | GENERAL FUND | 30 CALENDAR DAYS |
| 23 | ITDD-21-OE-168B | QUEZON CITY INFORMATION TECHNOLOGY DEVELOPMENT DEPARTMENT | RACKMOUNT SERVER AND OTHERS | P 12,898,964.94 | GENERAL FUND | 60 CALENDAR DAYS |
| 24 | CMO-21-VEHICLES- 571 | OFFICE OF THE CITY MAYOR | 6X6 TRUCK | P 7,500,000.00 | GENERAL FUND | 90 CALENDAR DAYS |
| 25 | CMO-21-AAS-516 | OFFICE OF THE CITY MAYOR | SUPPLY AND INSTALLATION OF AIR-CONDITIONING UNITS | P 1,209,530.00 | GENERAL FUND | 15 CALENDAR DAYS |
| 26 | CMO-21-IME-573 | OFFICE OF THE CITY MAYOR | SUPPLY AND INSTALLATION OF CREMATORY MACHINE | P 7,000,000.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 27 | CMO-21-OE-295B | OFFICE OF THE CITY MAYOR | DESKTOP COMPUTER AND OTHERS | P 4,282,718.20 | GENERAL FUND | 30 CD |
| | CMO-21-FF-423 | OFFICE OF THE CITY MAYOR | LINE 1: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS AND ACRYLIC BARRIERS INCLUDING FURNITURE AND OTHER WORKS FOR DISTRICT I OFFICE-MINI CITY HALL BARANGAY BAHAY TORO | P 3,591,094.00 | GENERAL FUND | 45 CALENDAR DAYS |
| 28 | CMO-21-FF-423 | OFFICE OF THE CITY MAYOR | LINE 2: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS AND ACRYLIC BARRIERS INCLUDING FURNITURE AND OTHER WORKS FOR DISTRICT I OFFICE-MINI CITY HALL BARANGAY KATIPUNAN | P 3,578,469.00 | GENERAL FUND | 45 CALENDAR DAYS |
| | CMO-21-FF-423 | OFFICE OF THE CITY MAYOR | LINE 3: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS AND ACRYLIC BARRIERS INCLUDING FURNITURE AND OTHER WORKS FOR DISTRICT IV OFFICE-MINI CITY HALL BARANGAY PALIGSAHAN | P 2,620,663.00 | GENERAL FUND | 45 CALENDAR DAYS |
| 29 | CONSO-21-OE CONSUMABLES-165 | VARIOUS OFFICES (CTO/OCM(GAD COUNCIL)/CCRD/MDAD/HC DRD/HRMD/ QC PROTECTION CENTER) | VARIOUS CONSUMABLES (TONER CARTRIDGE AND OTHERS) | P 5,162,381.25 | GENERAL FUND | 30 CALENDAR DAYS |
| 30 | RMBGH-21-ME-530 | ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL | FETAL DOPPLER AND OTHERS | P 2,545,600.00 | GENERAL FUND | 30 CALENDAR DAYS |

| 31 | RMBGH-21-OE-538 | ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL | VARIOUS OFFICE EQUIPMENT | P 1,427,000.00 | GENERAL FUND | 30 CALENDAR DAYS |
|----|-------------------------------|---|---|----------------|-----------------|---------------------|
| 32 | RMBGH-21- APPLIANCES-535 | ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL | VARIOUS APPLIANCES | P 1,051,793.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 33 | RMBGH-21-GM-581 | ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL | TENT AND OTHERS | P 1,095,470.00 | GENERAL FUND | 30 CALENDAR DAYS |
| 34 | SSDD-21-OE CONSUMABLES-434 | SOCIAL SERVICES DEVELOPMENT DEPARTMENT | VARIOUS CONSUMABLES (INK CARTRIDGE AND OTHERS) | P 1,149,846.45 | GENERAL FUND | 15 CALENDAR DAYS |

1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects/Purchase Request numbers of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for *Various Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three* (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat* and inspect the Bidding Documents at the address given below during *weekdays from 8:00 a.m. 5:00 p.m.*
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *Friday, October 08, 2021* from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB.* The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

STANDARD RATES:

| Approved Budget for the Contract | Maximum Cost of Bidding Documents (in Philippine Peso) |
|--|---|
| More than 500,000 up to 1 Million | 1,000.00 |
| More than 1 Million up to 5 Million | 5,000.00 |
| More than 5 Million up to 10 Million | 10,000.00 |
| More than 10 Million up to 50 Million | 25,000.00 |
| More than 50 Million up to 500 Million | 50,000.00 |
| More than 500 Million | 75,000.00 |

The following are the requirements for purchase of Bidding Documents:

- PhilGEPS Registration Certificate (Platinum 3 pages)
 Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- The Quezon City Local Government will hold a Pre-Bid Conference on 10:00 A.M. of Friday. 6. October 15, 2021 at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of Thursday, October 28, 2021. Late bids shall not be accepted.
- All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated 8. in ITB Clause 14.
- Bid opening shall be on 1:00 P.M. of Thursday, October 28, 2021 at the given address below and/or via 9. Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz09

Meeting ID: 858 5085 5933

Passcode: 118682

- 10. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department

2nd Floor, Procurement Department,

Finance Building, Quezon City Hall Compound

Elliptical Road, Barangay Central Diliman, Quezon City.

Email Add: bacgoods.procurement@quezoncity.gov.ph

Tel. No. (02)8988-4242 loc. 8506/8710 Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

(Sgd) ROWENA T. MACATAO Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF VARIOUS OFFICE EQUIPMENT** with identification number **PROJECT NO. RMBGH-21-0E-538**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of Fifteen (15) *item/s*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2021** in the amount of **ONE MILLION FOUR HUNDRED TWENTY SEVEN THOUSAND PESOS AND 00/100 ONLY (Php 1,427,000.00).**
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least Fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

| ITB | |
|------------|---|
| Clause 5.3 | For this purpose, contracts similar to the Project shall be: |
| 3.3 | a. A single contract similar to the items to be bid and must be at least Fifty Percent (50%) of the ABC. |
| | b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract. |
| 7.1 | Subcontracting is not allowed. |
| 12 | The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project. |
| 14.1 | The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than <i>Php28,540.00</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Php71,350.00</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond. |
| 19.3 | [In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.] [In case the project will be awarded by item, list each item indicating its quantity and ABC.] |
| 20.2 | List of required licenses and permits relevant to the Project and the corresponding law requiring it. ✓ N/A |
| 21.2 | Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity. ✓ Statement of Warranty— Minimum of One (1) Year ✓ Statement of Warranty (Parts and Service) — Minimum of One (1) Year for Item Nos. 10, 11 & 12 |

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

| | Special Conditions of Contract | | | | |
|---|--|--|--|--|--|
| GCC Clause | | | | | |
| 1 | [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] | | | | |
| | Delivery and Documents – | | | | |
| For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "C and other trade terms used to describe the obligations of the partie the meanings assigned to them by the current edition of IN published by the International Chamber of Commerce, Paris. T terms of this Contract shall be as follows: | | | | | |
| | [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS." | | | | |
| | [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." | | | | |
| | Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). | | | | |
| | For purposes of this Clause the Procuring Entity's Representative at the Projective is [indicate name(s)]. | | | | |
| | Incidental Services – | | | | |
| | The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. | | | | |
| | a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each | | | | |
| | appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and | | | | |
| | e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] | | | | |
| | The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. | | | | |

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. [If partial payment is allowed, state] "The terms of payment shall be as follows: 2.2 will 4 inspections and tests that be conducted are: **Product** Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements

PROCUREMENT OF VARIOUS OFFICE EQUIPMENT PROJECT NO. RMBGH-21-OE-538

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description | Unit of Issue | Quantity | Delivered, Weeks / Months |
|----------------|--|------------------|----------|---------------------------------|
| 1 | PAPER SHREDDER | Unit | 4 | |
| | Shred Capacity: at least 16 sheets: | | | |
| | Shred size: 2x12mm | | | |
| | Fragile Type: CD/DVD, Card, Paper Clip, Staple | | | |
| | Continuous run time: at least 40min; | | | |
| | Bin capacity: 30L | | | |
| 2 | PAPER TRIMMER | unit | 2 | |
| | Sheet Capacity20; Cutting Length: 12 inches; | | | |
| | height: 3 1/2 inches | | | |
| | Length: 19 inches; Width: 13 3/4 inches; | | | |
| | Cutter Base Material: wood or its equivalent | | | |
| | Blade Material: Steel | | | |
| 3 | ADDING MACHINE | Unit | 4 | |
| | Heavy Duty, 14 digits, 4.4 line-per-second | | | |
| | printing, at least 2-color printing | | | |
| | 1.6 line-per-second printing, with Tax calculation | | | |
| | Automatic calculation of price plus tax, price less | | | |
| | tax, discount, selling, price | | | |
| | tax amount, discount amount, and margin amount. | | | |
| 4 | LABELLING MACHINE | Unit | 2 | |
| | Handheld. Lines: 2, | | | |
| | Keyboard: Yes, | | | Within |
| | Keyboard Layout: Yes, | | | Thirty |
| | Resolution: at least 160dpi | | | (30) |
| _ | includes initial consumables paper roll type and ink | | _ | Calendar |
| 5 | LAMINATING MACHINE | Unit | 2 | Days |
| | Heavy Duty A4 Laminator 9inches 4 rollers | | | upon igguence |
| | Pre heating time 4-5 minutes | | | issuance of Notice |
| | Max. Laminating width 9inches up to A4 size | | | to |
| | Max. width 260mm max thickness 1 mm | | | Proceed |
| 6 | MONEY DETECTOR | Unit | 1 | 110000 |
| | UV, Watermark Detection, compact and portable | | | |
| | energy saving auto on/off switch, | | | |
| | Powerful UV light detector (15watts lamp) | | | |
| | Fluorescent light for watermark verification | | | |
| | Power Supply: *220v 50~60Hz *110v 50-60Hz | ** *. | | |
| 7 | CALCULATOR HEAVY DUTY | Unit | 2 | |
| | Size: 18.80x12.30x0.40 cm. Large display, | | | |
| | Tax and exchange. Heavy duty durable keys | | | |
| | Silent touch keys. Key rollover, solar power or | | | |
| | battery power | | | |
| | Tax and Currency conversion. | | | |
| 0 | Function and Command Signs | ¥¥ •. | 2 | |
| 8 | BIOMETRIC MACHINE | Unit | 3 | |
| | Can recognize both fingerprint and Face, High | | | |
| | Resolution, infrared and colored camera functions. | | | |
| | Colored touch screen, easy use | | | |

| | Fingerprint recognition combines with face | | | |
|----|--|-------|---|-----------------------|
| | recognition | | | |
| | at least 400 face capacity and 2000 fingerprint | | | |
| | capacity. | | | |
| 9 | DUPLICATING MACHINE | Unit | 6 | |
| | High-speed digital master-making / Fully | | | |
| | automatic printing | | | |
| | Quick Master Making Mode: Approx. 17 seconds | | | |
| | (Letter, short-edge feed) | | | |
| | Normal Master Making Mode: Approx. 19 seconds | | | |
| | (Letter, short-edge feed) | | | |
| | Scanning at least 600 dpi x 600 dpi | | | |
| | Printing at least 300 dpi x 600 dpi. Quick Master | | | |
| | Making mode: 300 dpi x 400 dpi | | | |
| | Maximum Scanning Area at least 297 mm x 432 | | | |
| | mm | | | |
| | Print Paper Size at least 100 mm x 148 mm to 310 | | | |
| | mm x 432 mm | | | |
| | Print Speed at least 5 levels: 60, 80,100,120 and | | | |
| | 130 ppm | | | |
| | Ink Supply Full automatic (1000 ml/cartridge) | | | |
| | Master Supply/Disposal Full automatic (Legal: | | | |
| | approx. 250 sheets per roll)/Disposal capacity: | | | |
| | approx. 100 sheets | | | |
| | Power Source AC 100-120 V 3.4 A, AC 220-240 | | | |
| | V 1.6 A, 50-60 Hz | | | |
| | Dimensions (WxDxH) | | | |
| | In use - 1415 mm x 670 mm*5 x 1065 mm*6 | | | |
| | In storage - 780 mm x 670 mm*5 x 1065 mm*6 | | | |
| | Image Processing Mode : Line, Photo, Duo, Pencil | | | |
| 10 | EXTERNAL HARD DRIVE 2TB | Unit | 4 | |
| 10 | USB 3.0 Interface Support Up to 5 Gbit/s Data | | | |
| | Transfer Speed; 2TB | | | Within |
| | Plug and Play Feature | | | Thirty |
| | Default Formatting for PC or Mac | | | (30) |
| | Windows 10/8.1/7 | | | Calendar |
| | CPU with 750Mhz or Faster, 10MB System Hard | | | Days |
| | Disk Space | | | upon |
| | 256MB System Memory. One Free Port of USB | | | issuance of Notice |
| | 3.0 or USB 2.0 | | | to |
| | 1 Year Warranty Parts And Service | | | Proceed |
| 11 | PROJECTOR MULTIMEDIA | Unit | 1 | Trocccu |
| 11 | Display: DLP Technology | Cilit | 1 | |
| | Brightness: 4,500 Lumens | | | |
| | Resolution: WXGA (800X600) | | | |
| | Contrast Ratio: 20,000:1 | | | |
| | Brightness: 4,500 Lumens | | | |
| | Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| | Supply: 100-240V AC, 50/60Hz | | | |
| | LAMP: 4,000 Hrs (Normal), 10,000 Hrs (Eco. | | | |
| | Mode), 15,000 Hrs (Extreme Eco) | | | |
| | DLP 3D Ready, Multimedia Playback, Brilliant | | | |
| | Color Technology | | | |
| | One Year parts and service | | | |
| 12 | DESKTOP COMPUTER SET | Unit | 5 | |
| 14 | Minimum Specifications: | OIIIt | 3 | |
| | At least 23 inches touchscreen display; | | | |
| | Full HD Resolution (1920x1080); | | | |
| | At least Windows 10 Office or Home (64 bit); | | | |
| | if 10 th generation or its equivalent benchmark | | | |
| | processor; | | | |
| L | processor, | | | |

| 13 | 2GB Graphics; 6GB DDR4 RAM; at least 1TB HDD Storage; Connectivity: WIFI, Bluetooth at least 4.0, 2x USB 3.0(side), HDMI, VGA with Mouse and Keyboard and AVR (at least 1000 watts) Ms Office 2019 One Year parts and service | Piece | 33 | |
|----|---|-------|----|----------------------------------|
| | One time Purchase for 1 pc. Classic 2019 versions of Word, Excel, power point and outlook, plus Publisher and Access Microsoft support included for 60 days at no extra cost licensed for home and commercial use | | | Within Thirty (30) Calendar Days |
| 14 | MS PROFESSIONAL Windows Professional 64-Bit Eng International Pk Dvd 9fqc-089290 Sku: Os-Windows 10 Pro 64bit Oem Categories: All Products, Software, Operating Systems Tags: 64BIT, OEM, Operating System, Professional, Software | Piece | 38 | issuance of Notice to Proceed |
| 15 | ANTI-VIRUS 2021 Block viruses & malware in real-time Stops hackers taking over your PC remotely Helps keep your machine running fast & smooth 5 Devices 2 years Protection | Piece | 6 | |

I hereby certify to comply and deliver all the above requirements.

| Name: |
|--|
| Legal Capacity: |
| Signature: |
| Duly authorized to sign the Bid for and behalf of: |

 $Schedule\ of\ Requirements\ Page\ 3\ of\ 3$

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROCUREMENT OF VARIOUS OFFICE EQUIPMENT PROJECT NO. RMBGH-21-OE-538

| Item | Specification | Statement of Compliance |
|------|---|--|
| | | [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] |
| A. 1 | PAPER SHREDDER Shred Capacity: at least 16 sheets: | |
| | Shred size: 2x12mm | |
| | Fragile Type: CD/DVD, Card, Paper Clip, Staple | |
| | Continuous run time: at least 40min; | |
| | Bin capacity: 30L | |
| 2 | PAPER TRIMMER Sheet Capacity20; Cutting Length: 12 inches; height: | |
| | 3 1/2 inches | |
| | Length: 19 inches; Width: 13 3/4 inches; | |
| | Cutter Base Material: wood or its equivalent | |
| | Blade Material: Steel | |
| 3 | ADDING MACHINE | |
| | Heavy Duty, 14 digits, 4.4 line-per-second printing, at least 2-color printing | |
| | 1.6 line-per-second printing, with Tax calculation | |
| | Automatic calculation of price plus tax, price less tax, | |
| | discount, selling, price | |
| | tax amount, discount amount, and margin amount. | |
| 4 | LABELLING MACHINE | |
| | Handheld. Lines: 2, | |
| | Keyboard: Yes, Keyboard Layout: Yes, | |
| | Resolution: at least 160dpi | |
| | includes initial consumables paper roll type and ink | |
| 5 | LAMINATING MACHINE | |
| | Heavy Duty A4 Laminator 9inches 4 rollers | |
| | Pre heating time 4-5 minutes | |
| | Max. Laminating width 9inches up to A4 size Max. width 260mm max thickness 1 mm | |
| 6 | MONEY DETECTOR | |
| | UV, Watermark Detection, compact and portable | |
| | energy saving auto on/off switch, | |
| | Powerful UV light detector (15watts lamp) | |
| | Fluorescent light for watermark verification | |

| Tokacionys 2007-2007-2007-2007-2007-2007-2007-2007 | | Power Supply: *220v 50~60Hz *110v 50-60Hz | |
|--|----|--|--|
| Size: 18.80x12.30x0.40 cm. Large display. Tax and exchange. Heuvy duty durable keys Silient touch keys. Key rollover, solar power or battery power Tax and Currency conversion. Function and Command Signs 8 BIOMETRIC MACHINE Can recognize both fingerprint and Face, High Resolution, infrared and colored camera functions. Colored touch screen, easy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Seaming at least 600 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 400 dpi Maximum Scaming Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm link Supply Full automatic (1000 mlccarridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 56-60 Hz Dimensions (WXDZH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm k 670 mm*5 x 1065 mm*6 In mage Processing Mode: Line. Photo. Duo. Pencil DEXTERNAL HARD DRIVE 2TB USB 3.0 laterface. Support Up to 5 Gbit/s Data Transfer Speed: 2TB Plug and Play Feature Default Formating for PC or Mac Windows 10/8.1-7 CPU with 750Mbz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warramy Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Biglituess: 4,500 Lumens Resolution: WXGA (800X600) Cortrast Ratio: 20,000:1 | 7 | 11 7 | |
| Tax and exchange. Heavy duty durable keys Silent touch keys. Key rollover, solar power or battery power Tax and Currency conversion. Function and Command Signs 8 BIOMETRIC MACHINE Can recognize bath fingerprint and Face, High Resolution, infrared and colored camera functions. Colored touch screen, easy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Maximum Scanning Area at least 297 mm x 432 mm Prin Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Int. Surphy Full automatic (1000 ml/cantridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per rolly/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WiNDH) In use - 1415 mm x 670 mm²5 x 1065 mm²6 In storage - 780 mm x 670 mm²5 x 1065 mm²6 Inage Processing Mode: Line, Photo, Duo, Pencil 10 EXTERNAL HARID DRIVE 27B USB 3.0 Interface Support Up to 5 Gbir's Data Transfer Speed; 27B Plug and Play Feature Default Formatting for PC or Mac Windows 108.1.17 CPU with 750Mbr or Faster, 10MB System Hard Disk. Space 250MB System Memory. One Free Port of USB 3.0 or USB 2.0 PROJECTOR MULTIMEDIA Display; DLP Technology Brighness: 4,500 Lumens Resolution: WXGA (400X600) Contrast Ratio: 20,000.1 Brightness: 4,500 Lumens Input(S): HDMI, VGA, RCA, USB, I.AN | / | | |
| Silent touch keys. Key rollover, solar power or battery power Tax and Currency conversion. Function and Command Signs 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | | | |
| power Tax and Currency conversion. Function and Command Signs BIOMETRIC MACHINE Can recognize both fingerprint and Face, High Resolution, infrared and colored camera functions. Colored touch screen, casy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scamming at least 500 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100, 100 and 130 ppm las Supply Full automatic (Logal: approx. 250 sheets per rolly/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-66 Hz Dimensions (WADH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In mage Processing Mode : Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 108.1.77 CPU with 750Mhz or Fuster, 10MB System Hard Disk Spuce: 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 17 wet Warranty Parts And Service PROJECTOR MULTIMEDIA Display: JD J P. Echnology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(15): HDMI, VGA, RCA, USB, I.AN | | | |
| Tax and Currency conversion. Function and Command Signs B IGOMETRIC MACHINE Can recognize both fingerprint and Face, High Resolution, infrared and colored camera functions. Colored touch screen, easy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx, 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx, 19 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx, 19 seconds (Letter, short-edge feed) Scananing at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi, Quick Master Making mode: 300 dpi x 600 dpi, Quick Master Making mode: 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at least 50 mm x 148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at least 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm (148 mm to 310 mm x 432 mm Print Paper Size at 100 mm x 432 mm Print Paper Size at 100 mm x 432 mm Print Paper Size at 100 mm x 432 mm Print Paper Size at 100 mm x 432 mm Print Paper Size at 100 mm x 432 mm Print | | Silent touch keys. Key rollover, solar power or battery | |
| Function and Command Signs | | power | |
| 8 BIOMETRIC MACHINE Can recognize both fingerprint and Face, High Resolution, infrared and colored camera functions. Colored touch screen, easy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi. Quick Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi. Printing at least 300 dpi x 600 dpi. Quick Master Making mode: 420 dpi. Quick Master Making mode: 430 dpi. Quick Master Mak | | Tax and Currency conversion. | |
| Can recognize both fingerprint and Face, High Resolution, infarred and colored camera functions. Colored touch screen, easy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpix 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per rolly/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WADAH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In | | Function and Command Signs | |
| Resolution, infurued and colored camera functions. Colored touch screen, easy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi. Making mode: 420 dpi. Making mode: 300 dpi. 800 dpi. Quick Master Making mode: 300 dpi. 800 dpi. Quick Master Making mode: 300 dpi. 800 dpi. 800 dpi. 800 dpi. 800 dpi. 800 dpi. 800 | 8 | BIOMETRIC MACHINE | |
| Resolution, infurued and colored camera functions. Colored touch screen, easy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi. Making mode: 420 dpi. Making mode: 300 dpi. 800 dpi. Quick Master Making mode: 300 dpi. 800 dpi. Quick Master Making mode: 300 dpi. 800 dpi. 800 dpi. 800 dpi. 800 dpi. 800 dpi. 800 | | Can recognize both fingerprint and Face, High | |
| Colored touch screen, easy use Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (I citer, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Seaming at least 600 dpix 600 dpi Printing at least 600 dpix 600 dpi Printing at least 500 dpix 600 dpi Maximum Seaming Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/catridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WXDXH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Ut to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formarting for PC or Mac Windows 108.17 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: H.DML VGA, RCA, USB, LAN Ingulars, H.DML VGA, RCA, USB, LAN | | | |
| Fingerprint recognition combines with face recognition at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In speed for the storage of the storage o | | , and the second | |
| recognition at least 400 face capacity and 2000 fingerprint capacity. DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx, 19 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx, 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (1egal: approx, 250 sheets per roll)/Disposal capacity; approx, 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE ZTB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; ZTB Plug and Play Feature Default Formatting for PC or Mac Windows 103.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warramy Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| at least 400 face capacity and 2000 fingerprint capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 180 mm x 670 mm*5 x 1065 mm*6 In get Processing Mode: Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE ZTB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed: 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/81.77 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| capacity. 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per rolly/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WADAH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXAG (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| 9 DUPLICATING MACHINE High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80, 100, 120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Siposal Full automatic (1egal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Ghit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brighness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| High-speed digital master-making / Fully automatic printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Making mode: 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per rolly/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | 1 * | |
| printing Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 600 dpi. Quick Master Making mode: 210 dpi. Quick Master Making mode: 210 dpi. Quick Master Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Plotto, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10×8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | 9 | | |
| Quick Master Making Mode: Approx. 17 seconds (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 400 dpi Printing at least 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Apper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per rolly/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| (Letter, short-edge feed) Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | 1 - | |
| Normal Master Making Mode: Approx. 19 seconds (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi Printing at least 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed: 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | Quick Master Making Mode: Approx. 17 seconds | |
| (Letter, short-edge feed) Scanning at least 600 dpi x 600 dpi Priming at least 300 dpi x 600 dpi. Priming at least 300 dpi x 600 dpi. Priming at least 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | (Letter, short-edge feed) | |
| Scanning at least 600 dpi x 600 dpi Printing at least 300 dpi x 600 dpi. Quick Master Making mode: 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Resolution: WXGA (800X600) | | Normal Master Making Mode: Approx. 19 seconds | |
| Printing at least 300 dpi x 400 dpi. Quick Master Making mode: 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WADxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | (Letter, short-edge feed) | |
| Printing at least 300 dpi x 400 dpi. Quick Master Making mode: 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WADxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Making mode: 300 dpi x 400 dpi Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per rolly/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA, (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Maximum Scanning Area at least 297 mm x 432 mm Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brighness: 4,500 Lumens Resolution: WXGA, (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Print Paper Size at least 100 mm x 148 mm to 310 mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| mm x 432 mm Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DL.P Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | _ | |
| Print Speed at least 5 levels: 60, 80,100,120 and 130 ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mbz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| ppm Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Ink Supply Full automatic (1000 ml/cartridge) Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | _ | |
| Master Supply/Disposal Full automatic (Legal: approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| approx. 250 sheets per roll)/Disposal capacity: approx. 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| 100 sheets Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Power Source AC 100-120 V 3.4 A, AC 220-240 V 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| 1.6 A, 50-60 Hz Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Dimensions (WxDxH) In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode: Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | Power Source AC 100-120 V 3.4 A, AC 220-240 V | |
| In use - 1415 mm x 670 mm*5 x 1065 mm*6 In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | 1.6 A, 50-60 Hz | |
| In storage - 780 mm x 670 mm*5 x 1065 mm*6 Image Processing Mode : Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | Dimensions (WxDxH) | |
| Image Processing Mode: Line, Photo, Duo, Pencil 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | In use - 1415 mm x 670 mm*5 x 1065 mm*6 | |
| 10 EXTERNAL HARD DRIVE 2TB USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | In storage - 780 mm x 670 mm*5 x 1065 mm*6 | |
| USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | Image Processing Mode: Line, Photo, Duo, Pencil | |
| USB 3.0 Interface Support Up to 5 Gbit/s Data Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | 10 | EXTERNAL HARD DRIVE 2TB | |
| Transfer Speed; 2TB Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Plug and Play Feature Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Default Formatting for PC or Mac Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Windows 10/8.1/7 CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| CPU with 750Mhz or Faster, 10MB System Hard Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | _ | |
| Disk Space 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| 256MB System Memory. One Free Port of USB 3.0 or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | - | |
| or USB 2.0 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | <u>-</u> | |
| 1 Year Warranty Parts And Service 11 PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| PROJECTOR MULTIMEDIA Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Display: DLP Technology Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Brightness: 4,500 Lumens Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | 11 | | |
| Resolution: WXGA (800X600) Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | 1 2 7 | |
| Contrast Ratio: 20,000:1 Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | | |
| Brightness: 4,500 Lumens Input(s): HDMI, VGA, RCA, USB, LAN | | Resolution: WXGA (800X600) | |
| Input(s): HDMI, VGA, RCA, USB, LAN | | Contrast Ratio: 20,000:1 | |
| Input(s): HDMI, VGA, RCA, USB, LAN | | Brightness: 4,500 Lumens | |
| | | Input(s): HDMI, VGA, RCA, USB, LAN | |
| | | • ' ' | |
| | | | |

| | LAMP: 4,000 Hrs (Normal), 10,000 Hrs (Eco. Model) | | | |
|--|--|--|--|--|
| | 15,000 Hrs (Extreme Eco) | | | |
| | DLP 3D Ready, Multimedia Playback, Brilliant Color | | | |
| | Technology | | | |
| | One Year parts and service | | | |
| 12 | DESKTOP COMPUTER SET | | | |
| | Minimum Specifications: | | | |
| | | | | |
| | At least 23 inches touchscreen display; | | | |
| | Full HD Resolution (1920x1080); | | | |
| | At least Windows 10 Office or Home (64 bit); | | | |
| | i7 10 th generation or its equivalent benchmark | | | |
| | processor; | | | |
| | 2GB Graphics; 6GB DDR4 RAM; | | | |
| | at least 1TB HDD Storage; | | | |
| | Connectivity: WIFI, Bluetooth at least 4.0, | | | |
| | 2x USB 3.0(side), HDMI, VGA with Mouse and | | | |
| | Keyboard and AVR (at least 1000 watts) | | | |
| | Ms Office 2019 | | | |
| 10 | One Year parts and service | | | |
| 13 | MS OFFICE | | | |
| | One time Purchase for 1 pc. | | | |
| | Classic 2019 versions of Word, Excel, power point and outlook, plus Publisher and Access | | | |
| | Microsoft support included for 60 days at no extra | | | |
| | cost licensed for home and commercial use | | | |
| 14 | MS PROFESSIONAL | | | |
| 14 | Windows Professional 64-Bit Eng | | | |
| | International Pk Dvd | | | |
| | 9fqc-089290 | | | |
| | Sku: Os-Windows 10 Pro 64bit Oem | | | |
| | Categories: All Products, Software, Operating | | | |
| | Systems | | | |
| | Tags: 64BIT, OEM, Operating System, Professional, | | | |
| | Software | | | |
| 15 | ANTI-VIRUS 2021 | | | |
| | Block viruses & malware in real-time | | | |
| | Stops hackers taking over your PC remotely | | | |
| | Helps keep your machine running fast & smooth | | | |
| | 5 Devices 2 years Protection | | | |
| В. | Compliance to the Schedule of | | | |
| | Requirements (Section VI) | | | |
| I hereby certify to comply and deliver all the above requirements. | | | | |
| Name: | | | | |
| | | | | |

| Name: | |
|--|--|
| Legal Capacity: | |
| Signature: | |
| Duly authorized to sign the Bid for and behalf of: | |

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

| Lea | al Do | ocuments |
|------------|---------------|---|
| | (a) | Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); |
| | | <u>or</u> |
| | (b) | Registration certificate from Securities and Exchange Commission (SEC), |
| | | Department of Trade and Industry (DTI) for sole proprietorship, or |
| | | Cooperative Development Authority (CDA) for cooperatives or its equivalent |
| | | document, |
| | | <u>and</u> |
| | (c) | Mayor's or Business permit issued by the city or municipality where the |
| | | principal place of business of the prospective bidder is located, or the |
| | | equivalent document for Exclusive Economic Zones or Areas; |
| | | <u>and</u> |
| | (d) | Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved |
| | | by the Bureau of Internal Revenue (BIR). |
| | | |
| <u>Tea</u> | <u>chnica</u> | <u>ll Documents</u> |
| | (f) | Statement of the masses ative hidden of all its angeling assumment and minute |
| | (f) | Statement of the prospective bidder of all its ongoing government and private |
| | | contracts, including contracts awarded but not yet started, if any, whether |
| | | similar or not similar in nature and complexity to the contract to be bid (in a |
| | (a) | FORM prescribed by the QC-BAC-GOODS AND SERVICES); and Statement of the bidder's Single Largest Completed Contract (SLCC) similar |
| Ш | (g) | to the contract to be bid, except under conditions provided for in Sections |
| | | 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the |
| | | relevant period as provided in the Bidding Documents (in a FORM |
| | | prescribed by the QC-BAC-GOODS AND SERVICES); and |
| | (h) | Original copy of Bid Security. If in the form of a Surety Bond, submit also a |
| Ш | (11) | certification issued by the Insurance Commission; |
| | | • |
| | | or Original copy of Notarized Bid Securing Declaration; and |
| П | (i) | Conformity with the Technical Specifications, which may include |
| Ш | (1) | production/delivery schedule, manpower requirements, and/or after- |
| | | sales/parts, if applicable; and |
| П | (j) | Original duly signed Omnibus Sworn Statement (OSS); |
| Ш | (J) | and if applicable, Original Notarized Secretary's Certificate in case of a |
| | | corporation, partnership, or cooperative; or Original Special Power of |
| | | Attorney of all members of the joint venture giving full power and authority |
| | | to its officer to sign the OSS and do acts to represent the Bidder. |
| | | to his officer to sign the OSS and do do to represent the Bidder. |
| Fin | ancia | l Documents |
| П | (k) | The Supplier's audited financial statements, showing, among others, the |
| | , , | Supplier's total and current assets and liabilities, stamped "received" by the |
| | | BIR or its duly accredited and authorized institutions, for the preceding |
| | | calendar year which should not be earlier than two (2) years from the date of |
| | | bid submission; and |
| | (1) | The prospective bidder's computation of Net Financial Contracting Capacity |
| _ | | (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND |
| | | SERVICES); |
| | | <u>or</u> |
| | | A committed Line of Credit from a Universal or Commercial Bank in lieu of |

its NFCC computation.

| | | Class "B" Documents |
|------------|--------|---|
| | (m) | If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; |
| | | or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. |
| <u>Oth</u> | ier do | cumentary requirements under RA No. 9184 (as applicable) |
| | (n) | [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. |
| | (o) | Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. |
| | | II. FINANCIAL COMPONENT ENVELOPE |
| | (a) | Original of duly signed and accomplished Financial Bid Form; and |

III. REQUIRED DOCUMENTS IN BDS SECTION 20.2 AND 21.2

(A) Statement of Warranty – Minimum of One (1) Year

☐ (b) Original of duly signed and accomplished Price Schedule(s).

(B) Statement of Warranty (Parts and Service) – Minimum of One (1) Year for Item Nos. 10, 11 & 12

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started:
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

