

Republic of the Philippines QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE



2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound

REQUEST FOR QUOTATION SMALL VALUE PROCUREMENT (SECTION 53.9)

Date:

DECEMBER 14. 2021

PR No: QCCAC-21-AAS-

		<u>860B</u>	
Name of Company	:		
Address			2 () () () ()
Contact No.	•		
Project Title	:	SUPPLY AND INSTALLATION OF AIRCONDITIONING UNITS	
Approved Budget for the Contract		Php 954,200.00	
9.			
End-User / Implementing Office		QC COMPETENCY ASSESSMENT CENTER	

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **DECEMBER 17, 2021, 10:00 A.M.** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI / SEC);
- 3 Mayor's/Business Permit (2021);
- 4 Tax Clearance;
- 5 Income/Business Tax Return (for FY 2020) (For ABCs above P500,000.00);
- Omnibus Sworn Statement prescribed by the Government Procurement Policy Board (GPPB).
- If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** shall:

- Contain the Project Name and PR Number of the contract to be bid in capital letters;
- Bear the name and address of the Bidder in capital letters;
- 3 Be addressed to the Procuring Entity's BAC.

Project Title: SUPPLY AND INSTALLATION OF AIRCONDITIONING UNITS

Quezon City Local Government BIDS AND AWARDS COMMITTEE 2/F Procurement Department, Finance Building Quezon City Hall Compound

For any clarification you may contact us at 89884242 loc. 8505/8709.

ATTY. DOMINIC B. GARCIA
Officer-In-Charge/Head, BAC Secretariat

TERMS AND CONDITIONS

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
- 4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
- 5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 7. The City General Services Department (CGSD) shall have the right to inspect the goods.
- 8. Non-submission of eligibility documents shall mean disqualification of Quotation.
- 9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

1 SPLIT TYPE AIRCON (INVERTER), Inverter Technology, Split Hi-Wall, 2.5 HP Cooling Capacity, Indoor Unit Width(cm): 99, Outdoor Unit Width(cm): 84.5, EER Rating: 11.77, Length (cm): Indoor Unit: 28.1/Outdoor Unit: 30, Height (cm): Indoor Unit: 29.5/Outdoor Unit: 59.5 2 FLOOR STANDING INVERTER TYPE AIRCON 4.0 HP Cooling Capacity, Capacity (Cooling, kJ/h)36,100 kJ/hW, Noise Level: Noise Level (Indoor, High/Low, dBA)45 dBA, Noise Level (Outdoor, High/Low, dBA)51 dBA Electrical Data, Power Source(Ф/V/Hz)1,220-240,50/60, Power Consumption(Cooling, W)3500 W, Operating Current(Cooling, A)16.8 A, Physical specification, Net Dimension (Indoor, WxHxD, mm)610 x 1850 x 400 mm, Net Dimension (Outdoor, WxHxD, mm)880 x 798 x 310 mm, Gross Weight (Indoor, kg)50 kg, Gross Weight (Outdoor, kg)55 kg, Net Weight (Indoor, kg)43 kg, Net Weight (Outdoor, kg)51 kg, Technical Information: Piping Length (Max, m)50 m, Piping Height (Max, m)30 m, SVC Valve (Liquid (ODxL))9.52 (3/8"), SVC Valve (Gas (ODxL))15.88 (5/8"), Refrigerant (Extra, g/m)20 g/m, Low Ambient (Cooling, °C)-15~46 °C, Outdoor Unit (Compressor Type)Twin BLDC Rotary, Outdoor Unit (Anti-Corrosion Fin)Yes, Refrigerant (Type)R410-A, Refrigerant Control (Up/Down)Auto, Air Flow: Air Direction Control (Up/Down)Auto, Air Plow: Air Direction Control (Up/Down)Auto,	ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL	
AIRCON 4.0 HP Cooling Capacity, Capacity (Cooling, kJ/h)36,100 kJ/hW, Noise Level: Noise Level (Indoor, High/Low, dBA)45 dBA, Noise Level (Outdoor, High/Low, dBA)45 dBA Electrical Data, Power Source(Φ/V/Hz)1,220-240,50/60, Power Consumption(Cooling, W)3900 W, Operating Current(Cooling, A)16.8 A, Physical specification, Net Dimension (Indoor, WxHxD, mm)610 x 1850 x 400 mm, Net Dimension (Outdoor, WxHxD, mm)880 x 798 x 310 mm, Gross Weight (Indoor, kg)50 kg, Gross Weight (Outdoor, kg)55 kg, Net Weight (Indoor, kg)43 kg, Net Weight (Outdoor, kg)51 kg, Technical Information: Piping Length (Max, m)50 m, Piping Height (Max, m)30 m, SVC Valve (Liquid (ODxL))9.52 (3/8"), SVC Valve (Cas (ODxL))15.88 (5/8"), Refrigerant (Extra, g/m)20 g/m, Low Ambient (Cooling, °C)-15~46 °C, Outdoor Unit (Compressor Type)Twin BLDC Rotary, Outdoor Unit (Anti-Corrosion Fin)Yes, Refrigerant (Type)R410-A, Refrigerant (Charging, g)1500 g, Air Flow: Air Direction Control (Up/Down)Auto,		(INVERTER), Inverter Technology, Split Hi-Wall, 2.5 HP Cooling Capacity, Indoor Unit Width(cm): 99, Outdoor Unit Width(cm): 84.5, EER Rating: 11.77, Length (cm): Indoor Unit: 28.1/Outdoor Unit: 30, Height (cm): Indoor Unit: 29.5/Outdoor Unit: 59.5					
Control Step (Cool/Fan)4, Air Purification Pre filterYes, Full HD FilterYes, Convenience: Indoor Temp. DisplayYes, Display On/OffYes, Beep On/OffYes, 24-Hour TimerYes, Auto RestartYes, Operating Mode: Turbo ModeYes, Good SleepNo, DehumidificationYes, Fan ModeYes, QuietNo ***	2	AIRCON 4.0 HP Cooling Capacity, Capacity (Cooling, kJ/h)36,100 kJ/hW, Noise Level: Noise Level (Indoor, High/Low, dBA)45 dBA, Noise Level (Outdoor, High/Low, dBA)51 dBA Electrical Data, Power Source(Φ/V/Hz)1,220-240,50/60, Power Consumption(Cooling, W)3900 W, Operating Current(Cooling, A)16.8 A, Physical specification, Net Dimension (Indoor, WxHxD, mm)610 x 1850 x 400 mm, Net Dimension (Outdoor, WxHxD, mm)880 x 798 x 310 mm, Gross Weight (Indoor, kg)50 kg, Gross Weight (Outdoor, kg)55 kg, Net Weight (Indoor, kg)43 kg, Net Weight (Outdoor, kg)51 kg, Technical Information: Piping Length (Max, m)50 m, Piping Height (Max, m)30 m, SVC Valve (Liquid (ODxL))9.52 (3/8"), SVC Valve (Gas (ODxL))15.88 (5/8"), Refrigerant (Extra, g/m)20 g/m, Low Ambient (Cooling, °C)-15~46 °C, Outdoor Unit (Compressor Type)Twin BLDC Rotary, Outdoor Unit (Anti-Corrosion Fin)Yes, Refrigerant (Type)R410-A, Refrigerant (Charging, g)1500 g, Air Flow: Air Direction Control (Up/Down)Auto, Air Direction Control (Left/Right)Auto, Air Flow Control Step (Cool/Fan)4, Air Purification Pre filterYes, Full HD FilterYes, Convenience: Indoor Temp. DisplayYes, Display On/OffYes, Beep On/OffYes, 24-Hour TimerYes, Auto RestartYes, Operating Mode: Turbo ModeYes, Good SleepNo, DehumidificationYes, Fan ModeYes, QuietNo	Unit	2			
Total Quoted Amount			T	otal Quot	ed Amount		\neg

THER INSTRUCTIONS/SPECIFICATIONS	ONS:		
1. Statement of Warranty – (minimun	n of One (1) year)		
	Delivery Period	:	Thirty (30) Calendar Days
	Warranty	:	
			Signature over printed name
			Office Telephone No./Fax/Mobile No.
			Date

Email Address