



REQUEST FOR QUOTATION
NEGOTIATED PROCUREMENT
(SECTION 53.1)

Date : **FEBRUARY 02, 2022**
Project No. : **CMO (QCDRRMO)-21-HCS-644**

Name of Company : _____
Address : _____
Contact No. : _____
Project Title : **PROCUREMENT OF VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES (POLE TRIMMER AND OTHERS)**
Approved budget of the Contract : **Php 4,397,534.71**
End-User / Implementing Office : **CMO (QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE)**

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than 11:00 A.M. **FEBRUARY 07, 2022** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)
- 3 Mayor's/Business Permit (2022);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by **QC BAC – Goods and Services**
- 6 Income/Business Tax Return (for FY 2020) (For ABCs above P500,000.00)
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** shall:

- 1 Contain the Project Name and PR Number of the contract to be bid in capital letters;
- 2 Bear the name and address of the Bidder in capital letters;
- 3 Be addressed to the Procuring Entity's BAC.

Project Title : **PROCUREMENT OF VARIOUS HARDWARE AND CONSTRUCTION SUPPLIES (POLE TRIMMER AND OTHERS)**

**Quezon City Local Government
BIDS AND AWARDS COMMITTEE
2/F Procurement Department, Finance Building
Quezon City Hall Compound**

For any clarification you may contact us at 89884242 loc. 8506/8709.

(Sgd.) MA. MARGARITA T. SANTOS
Chairperson, BAC- Goods and Services

TERMS AND CONDITIONS

1. Bidders shall **provide correct and accurate** information required in this form.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation **exceeding** the Approved Budget for the Contract (ABC) shall be **rejected**.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1	Wood Chipper – Max Chipping Capacity: 6 inches L x W x H : 143 inches x 59 inches x 98 inches Weight: 2,130 lb. Rotor Size/Weight: Cantilevered 26 inches x 1 inches /165 lb. Chute Throat: 6.5 inches x 13 inches Displacement: 1.1 L Drive Type: Triple-Banded Belt Starter Type: Electric	Unit	1		
2	Chainsaw 070 (MS 070 36 inches) – Engine: Gasoline Engine, 2-Stroke, One Cylinder, Air-cooled Displacement: 105.7cc Power Output: 4.8kw/6000rpm Carburetor Type: Diaphragm Fuel Mixed Ratio: Gasoline Two Cycle Oil Fuel Capacity: 1200 mL Oil Capacity: 530 mL Net Weight/Gross Weight: 15kg/13kg Guide Bar: 36 inches	Unit	4		
3	Chainsaw 462 (MS 462 25 inches) – Displacement: 72.2 cc Power Output: 4.4 kW Weight: 6.0 kg Fuel Mixed Ratio: Gasoline Two Cycle Oil Carburetor Type: Diaphragm Fuel Capacity: 720 cc Oil Capacity: 340 cc Guide Bar: 25 inches	Unit	6		
4	Chainsaw Blade 36 inches – Number in Pack: 1 Color: Gray Material: Metal Type: Chain	Pc	144		
5	Chainsaw Blade 25 inches – Number in Pack: 1 Color: Gray Material: Metal Type: Chain	Pc	288		
6	Chainsaw Guide bar 36 inches – Gauge: .050 Pitch: .375 Bar Chain Length: 36 inches Material: Manganese Steel	Pc	12		

7	Chainsaw Guide bar 25 inches – Gauge: .050 Pitch: .375 Bar Chain Length: 25 inches Material: Manganese Steel	Pc	12		
8	Pole Trimmer – Blade Length: 4-1/2 inches Blade Type: Straight Edge Blade material: Steel Handle Material: Aluminum Sub Brand: Long-Handle Swivel	Unit	4		
9	Pole Pruner – Big Mac Saw + Pole Size 6.5 feet (5m) Blade is Made of SK5 Steel, Durable, Efficient And Sharp The Largest Cutting Size Is 40mm/1.58 inches The Saw Blade is Made of 65Mn Steel, and The Maximum Pruning Diameter is 20cm/7.8 inches The Pruner is Designed With 4 Sets Of Pulleys, Which is Very Labor-Saving To Use, And is Equipped With A 7m/23t Nylon Drawstring. Need To Match A Long Pole or Telescopic Pole With An Outer Diameter of 25mm, It Will Be A Great Cutting Too	Unit	1		
10	Portable Generator – 100% Copper Winding Rated 2800w Max 3000w Size: 60.5x45x45 cm 15 Liters 4-Stroke Single Phase Recoil Start Perfect Portable Generator With An Ultra Lightweight Design Design With Clean, Stable Power Built In Portable Power With No-Fuss Simplicity In Power Generation Inverter Technology, Clean, Stable Power	Unit	2		
11	Jack Hammer – Oil Capacity: 12L Displacement: 49.3cc Single Impact Force: 25-55 J Impact Rate: 770-1500s/min Speed: 3,000-6,500 rpm Dry Weight: 17.5 kg High Durability. Soft Grip Provides More Control And Less Hand Fatigue, Adjustable Large Side Handle Improves Operator, Comfort And Control. 30mm Hexagonal Shank With Durable Carrying Case	Unit	2		
12	Portable submersible pump 1HP – Voltage: 220v-240-60hz Input Power: 750w(1.0hp) Max. Head: 8m Max. Flow: 130001-H Max. Depth: 7m Pipe Diameter: 1 -With 9m Cable	Unit	2		
13	Portable pressure washer – With Induction Motor To Ensure That Each Motor Outputs Powerful Power Self-Priming Dual-Use, Easier To Wash, Can Be Supplied By Bucket Range, Rejection Of Virtual Standard Parameters, Range Of About 8-10 Meters Switch To Rush To Stop, Energy Saving And Consumption, More Humanized, Shot = Start, Stop To Grab = Stop Small Model Design, Easy To Carry And Store, Easy To Move 1800W High Power, Multiple Clean Water Shapes Overheat Protection System Water Pipe Length: 7 Meters Voltage: 220V Weight: 8KG	Unit	2		

14	Chainsaw Cordless – Guide Bar Length: 14 inches Pitch: 3/8 inches Lp. Gauge: .043 inches Chain Speed: 3,940 Fpm . Net Weight (Without Battery): 8.2 Lbs. Net Weight (With Battery): 11 Lbs. Battery: 2x 1 8v Lxt Lithium-Ion	Unit	2		
15	Portable submersible pump 2HP – Q: 22 M3/H Size: 2 inches Height: 8 M 3400 /Mm 1 - Mot Voltage: 220 V/60 Hz Kilowatt: 1.5 In: 8.4 A 860 Wmax C: 25 µf; VI: 450 V; Icl : B Ip: 68 Thermally Protected, Continuous Duty Input power: 2HP	Unit	1		
16	Rice Cooker – LPG Rice Cooker 55 cups, standard capacity, commercial , heavy duty, uses LPG/LP Gas with complete accessories	Unit	10		
17	Tents – Material : 210T polyester,PU4500mm Floor Material: PE 6000mm Size: 210 inches *360 inches * 460cm Tent Weight: 15kg Capacity: 10-12 persons	Pc	34		
18	Extended Ladder – Fiberglass adjustable to 24ft Color: red Max loading: 150kgs Step distance: 30cm Step: 12 steps	Pc	3		
19	Round File – 200x5.5mm(7in x 32in) 6pcs/box Chain Pitch: Used for 0.404 inches chains Made by bearing steel Professional chain sharpening with precise results Specially designed tools to keep saw chains in exceptional condition.	Box	20		
20	Portable Electric Snake Drain Plumbing Cleaner Auger Unclog Wire Drainer – Product Name: Automatic Electric Drill Dredger Rated Voltage: 220V Applicable Pipe Diameter: 10mm Spring Length: 1.5m-6m (Stackable) Flex Drain Cleaner Flexible Metal 1/4- X 25 FT For De-Clogging of Household Drain Made of Metal Material Features: 1. Successfully solve the problem of pipe blockage in many families and easily deal with pipe blockage 2. It can be operated by a single person and can be dredged quickly with the automatic feeder 3. Successful turning is the key to dredge the pipeline, and automatic turning reduces the difficulty of dredging 4. Two-stage catheter extending the length of the catheter 5. Easy to remove drainage corks 6. Present a glove and extension spring	Unit	2		
			Total Quoted Amount		

Amount in Words: _____

Other Requirements:

1. Statement of Warranty for all items: Minimum of One (1) year

Delivery Period : Thirty (30) Calendar Days
Warranty : _____

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

E-mail Address