



REQUEST FOR QUOTATION NEGOTIATED PROCUREMENT

(SECTION 53.1)

Date : PR No. :

February 02. 2022 NDH-21-OE-610B

Name of Company Address Contact No.	:
Project Title	PROCUREMENT OF NETWORK INFRASTRUCTURE EQUIPMENT AND OTHERS
Approved budget of the Contract	Php 6,963,391.54
End-User /	

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than

February 07, 2022, 11:00 AM Philippine Standard Time, together with the following documents of your company:

- PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)

Implementing Office : NOVALICHES DISTRICT HOSPITAL

- Mayor's/Business Permit (2022); 3
- 4 Tax Clearance; and

1

3

- 5 Omnibus Sworn Statement prescribed by QC BAC - Goods and Services
- 6 7 Income/Business Tax Return (for FY 2020) (For ABCs above P500,000.00)
- If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a SEALED LONG BROWN ENVELOPE shall:

- Contain the Project Name and PR Number of the contract to be bid in capital letters; 1 2
 - Bear the name and address of the Bidder in capital letters; Be addressed to the Procuring Entity's BAC.

<u>Project Title :</u>	PROCUREMENT OF NETWORK INFRASTRUCTURE EQUIPMENT AND OTHERS
	Quezon City Local Government BIDS AND AWARDS COMMITTEE 2/F Procurement Department, Finance Building Quezon City Hall Compound
For any clarificatio	n you may contact us at 89884242 loc. 8506/8709.

(Sgd.) MA. MARGARITA T. SANTOS

Chairperson, BAC- Goods and Services

TERMS AND CONDITIONS

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
- 4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
- 5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.
- 7. The City General Services Department (CGSD) shall have the right to inspect the goods.
- 8. Non-submission of eligibility documents shall mean disqualification of Quotation.
- 9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered
- within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1	Microsoft Server 2019 for IHOMIS Electronic Medical Records	Unit	3		
	Microsoft Server 2019 Standard Edition				
	WinSvrSTDCore 2019 SNGLOLP 2LicNL Corelic (Good for 1 Server				
	with up to 2 processor (16 total physical core) and can create 2VMs)				
2	Windows Server UsrCAL 2019	Unit	30		
3	Anti-Virus Software workstation with anti-ransom ware (3	Unit	50		
	Years Subscription)				
4	Anti-Virus Software for Server with anti-ransom ware (3	Unit	3		
	Years Subscription)				
5	Microsoft office 365 business standard	Unit	30		
	Local Based desktop software inclusions:				
	MS Word, MS Excel, MS Access, MS PowerPoint, MS				
	Publisher				
	Cloud Based Software Inclusions:				
	MS Teams, MS Drive, MS Exchange, MS OneDrive, MS				
	SharePoint				
6	Server Hardware for IHOMIS System	Unit	3		
	(3 Years warranty on Hardware)				
	Main and Back-up server (Branded)				
	(minimum specifications)				
	Processor: Intel Xeon Server 4210 or Higher				
	Memory: 128 GB RAM				
	Server Chassis: Rack mount with at least 8 SAS HD Bay and rack				
	mount kit				
	RAID controller (RAID 0,1,5,6,20)				
	Dual Hot Plug Power Supply				
	Storage: (OS – RAID 1) 2pcs x 600 GB 10K SAS Hot-Plug Hard				
	Drive (data- RAID 5) 4 x 1TB SAS Drive at least 7.2k Hot-plug Hard Disk				
	Network: Dual 1GB Ethernet port or more				
	Peripheral: DVD/ RW ODD				
	USB Keyboard and Optical Mouse				
	20 inches to 23 inches Monitor, Non Rack mounted				
	LED-backlit LCD monitor 1600x900 at 60hz with HDMI and VGA				
	port				
7	UPS for Server (branded)	Unit	3		
	Smart UPS 1500VA 900 watts 230V LCD				
	With AVR, hot-swap replaceable battery LED status indicator				

				I	
8	IHOMIS EMR Workstation	Unit	30		
	Desktop Computer (branded)				
	Minimum Specification of:				
	-				
	Desktop chassis: small form factor or mini form factor				
	Processor:				
	Intel Core i5 10th Gen or later or Equivalent benchmark Processor				
	Memory: 8 GB RAM or higher				
	Storage: 500GB SSD or Higher				
	Graphics Card: Intel integrated graphics				
	Network: RJ 45 port 10/100/1000				
	Power Supply: 200w up to 85% efficient				
	OS: Windows 10 PRO				
	Peripherals: DVD +/- RW				
	Keyboard and Optical mouse, Same brand of the unit				
	Monitor: LED-backlit LCD monitor 1600x900 at 60hz, HDMI and				
	VGA port 20inches or higher				
9		TT ''	25		
9	UPS workstation (branded)	Unit	35		
	UPS with built in AVR and surge protection 325 watts 650VA 230V				
	or higher				
	Maintenance-free sealed lead acid battery		<u> </u>		
10	IHOMIS Network Components	Lot	1		
	I I I I I I I I I I I I I I I I I I I				
	HOMIS Notwork Infractory Faving and with 2 more				
	IHOMIS Network Infrastructure Equipment with 3 years				
	warranty including orientation on configuration and				
	installation of the units				
	1 x centralize WiFi management controller for Centralized				
	management for EAPs, Marvell, 2 Fast Ethernet Port, 1 USB 2.0 Port,				
	1 Micro USB Port, Powered by 802.3af PoE or Micro-USB Power				
	Adapter, Desktop Steel Case, Wireless Network Configuration, RF				
	Monitoring, Multi-Site Management, Auto Backup, APP, Cloud				
	· · ·				
	Support.				
	1 x CORE Switch with 52-Port Gigabit L3 Managed Switch, 48				
	Gigabit RJ45 Ports, 4 Combo Gigabit SFP Slots, 2 integrated 10G				
	SFP+ Slots, 2 Optional 10G SFP+ Slots, RJ45/Micro-USB Console				
	Port, Management Port, USB Slot, Dual Removable Power Unit, 1U				
	19-inch Rack-mountable Steel Case, Static				
	Routing/RIP/OSPF/ECMP/VRRP, True Physical Stacking Up to 8				
	Units, 802.1Q VLAN, QinQ, STP/RSTP/MSTP, PIM-SM/PIM-DM,				
	IGMP, IGMP Snooping, QoS, 802. 1x, Radius/Tacacs+				
	Authentication, ACL, LACP, CLI,SNMP, Dual Image/Configuration,				
	IPv6				
	6 x Manage Access Switch with 24 Gigabit RJ45 Ports, 4 Gigabit SFP				
	Slots, RJ45/Micro- USB Console Port, 1U 19-inch Rack-mountable				
	Steel Case, Static Routing, OAM, DDM, sFlow, 802.1Q VLAN, QinQ,				
	STP,RSTP/MSTP, IGMP Snooping, 802.1p/DSCP QoS, ACL, 802.1x,				
	Radius/Tacacs+ Authentication, LACP, CLI, SNMP, Dual				
	Image/Configuration IPv6				
	1 x POE Switch with 16-Port PoE+				
	PORT: 16x Gigabit PoE+ Ports, 2x Gigabit SFP Slots SPEC: 802.3at/af,				
	192 W PoE Power, 1U 19-inch Rack-mountable Steel Case				
	FEATURE: MTU/Port/Tag-based VLAN, QoS, IGMP Snooping,				
	Web/Utility Management				
	10 x Access Points – Dual Band Ceiling Mount Access Point				
	Qualcomm, 1300Mbps at 5GHz +450Mbps at 2.4GHz, 1 Gigabit				
	LAN, 802.3 at PoE, 6 Internal Antennas, Band Steering, Centralized				
	Management, Captive Portal, Load Balance, Rate Limit, VLAN				
11	Firewall Appliance with 3 years Subscription with basic	Lot	1		
	installation, configuration and end user training				
	HW Appliance with 6 GE Ports, 1 expansion bay for optional Port				
	module, SSD + Base License for unlimited users				
	Network Protection Module Module includes IDC/IDC Web				
	Network Protection Module – Module includes: IPS/IDS, Web				
	Protection Module – Module includes: Dual Anti-Virus, Spyware				
	Protection, URL Filtering, HTTPS Scanning, IM/P2P Control,				
1	Advance Networking, User Portal, Remote authentication, Remote				
1	Logging, Advanced Reporting and HA Capabilities				

12	2 Bay NAS with 2 x 4tb hdd	Unit	2		
- 10	With 64bit 4 core processor, 512MB DDR4, 1 RJ45 Gigabit LAN, 2x				
	USB port, 2 x 4TB 5900RPM HDD RAID 1 Capable				
13	4 Bay NAS with 4 x 4tb hdd	Unit	1		
	With 64bit 4 core processor, 1GB DDR4, 1 RJ45 Gigabit LAN, 2x USB				
	port, 2 x 4TB 5900RPM HDD				
14	12 U wall mount Data Cabinet with 8 port PDU and 2	Unit	4		
	Shelves				
15	Open Slot Cable raceway duct with cover 100mm x 1000mm	Pcs	4		
	x 2m				
16	Open Slot Cable raceway duct with cover 60mm x 60mm x	Pcs	6		
	2m				
17	Open Slot cable raceway duct with cover 50mm x 45mm x	Pcs	10		
	2m				
18	CAT 6 Cable 305m indoor (pure copper)	Roll	4		
19	CAT 6 Cable 305m indoor standard	Roll	8		
20	THHN 5.5MM #10 150m / roll (Black, White and Green)	Roll	3		
20	THHN 3.5MM #10 150m / roll (2 x Black, 2 x White and 2 x	Roll	6		
21	Green)	Roll	0		
22			-		
22	NEMA L6 30A 3 pin twist lock receptacle and plug	Pc	6		
23	Sheet-Fed Document Scanner	Unit	3		
	HIGH PRECISION, HIGH-VOLUME SCANNING Duplex				
	document scanner with ADF with Scan at speeds up to				
	65ppm/130ipm (one-pass duplex), daily duty cycle rating of				
	up to 7,000 pages, legal size.				
24	DOT MATRIX Printer	Unit	13		
	9-Pin Narrow Carriage impact Printer Narrow carriage 9-pin				
	SIDM				
	High 357 CPS print speed at 12CPI				
	10,000 power on hour MTBF				
	USB, Serial and Parallel ports				
25	Mono Ink-Tank Printer	Unit	2		
	Laser like Black and White Printing, print speed up to 34				
	ppm (15 ipm), Up to 100 sheets, A4 Plain Paper (75g/m2),				
	Max Document Size: A4, US Letter, Legal Size				
26	Heavy Duty Document Shredder	Unit	4		
20		Unit	4		
	Intelligent Circuit product Design				
	Dual Throat Capacity				
	Overheat Protection				
	Quad Caster Mobility				
	33L Bin Capacity				
	Built in Safety Door Protection				
	Motor Overload Protection				
	Easy Auto Forward and Reverse Functions				
	Touch key Technology				
	Staple wire / cd / ATM Card Shred capable				
	Total Quoted Amount				

Amount in Words:____

Other Requirements:

• Statement of Warranty – Minimum of one (1) year

Delivery Period Warranty :

Thirty (30) Calendar Days

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

E-mail Address