

Republic of the Philippines OUEZON CITY GOVERNMENT



April 27, 2022

Date:

BAC- Goods and Services 2nd Floor, Procurement Department,

Finance Building, Quezon City Hall Compound

REQUEST FOR QUOTATION

NEGOTIATED PROCUREMENT **(SECTION 53.1)**

	PR No	NDH-21-OE-610
Name of Company	:	
Address	:	
Contact No.	÷	
Project Title	PROCUREMENT OF NETWORK INFRASTRUCTURE EQUIPMENT	IENT AND OTHERS
Approved budget of the Contract	Php 6,963,391.54	
End-User /	NOVALICHES DISTRICT HOSPITAL	

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than

May 02, 2022 , 11:00 AM Philippine Standard Time, together with the following documents of your company:

- PhilGEPS certificate (not expired on the time of opening of quotations); 1
- 2 Business Registration (DTI/SEC)
- 3 4 Mayor's/Business Permit (2022);
- Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by QC BAC - Goods and Services
- Income/Business Tax Return (for FY 2021) (For ABCs above P500,000.00) 6 7
- If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** shall:

- Contain the Project Name and PR Number of the contract to be bid in capital letters;
- Bear the name and address of the Bidder in capital letters;
- Be addressed to the Procuring Entity's BAC. 3

PROCUREMENT OF NETWORK INFRASTRUCTURE EQUIPMENT **Project Title:**

AND OTHERS

Quezon City Local Government BIDS AND AWARDS COMMITTEE

2/F Procurement Department, Finance Building Quezon City Hall Compound

For any clarification you may contact us at 89884242 loc. 8506/8709.

(SGD.)MA. MARGARITA T. SANTOS

Chairperson, BAC- Goods and Services

TERMS AND CONDITIONS

- 1. Bidders shall **provide correct and accurate** information required in this form.
- 2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
- 4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
- 5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.
- 7. The City General Services Department (CGSD) shall have the right to inspect the goods.
- 8. Non-submission of eligibility documents shall mean disqualification of Quotation.
- 9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
1	Microsoft Server 2019 for IHOMIS	Unit	3		
	Electronic Medical Records				
	Microsoft Server 2019 Standard Edition				
	WinSvrSTDCore 2019 SNGLOLP 2LicNL Corelic (Good for 1 Server				
	with up to 2 processor (16 total physical core) and can create 2VMs)				
2	Windows Server UsrCAL 2019	Unit	30		
3	Anti-Virus Software workstation with anti-ransom ware (3 Years Subscription)	Unit	50		
4	Anti-Virus Software for Server with anti-ransom ware (3	Unit	3		
	Years Subscription)				
5	Microsoft office 365 business standard	Unit	30		
	Local Based desktop software inclusions:				
	MS Word, MS Excel, MS Access, MS PowerPoint, MS				
	Publisher				
	Cloud Based Software Inclusions:				
	MS Teams, MS Drive, MS Exchange, MS OneDrive, MS				
	SharePoint				
6	Server Hardware for IHOMIS System	Unit	3		
	(3 Years warranty on Hardware)				
	Main and Back-up server (Branded)				
	(minimum specifications)				
	Processor: Intel Xeon Server 4210 or Higher				
	Memory: 128 GB RAM				
	Server Chassis: Rack mount with at least 8 SAS HD Bay and rack				
	mount kit				
	RAID controller (RAID 0,1,5,6,20)				
	Dual Hot Plug Power Supply				
	Storage: (OS – RAID 1) 2pcs x 600 GB 10K SAS Hot-Plug Hard				
	Drive				
	(data- RAID 5) 4 x 1TB SAS Drive at least 7.2k Hot-plug Hard Disk				
	Network: Dual 1GB Ethernet port or more				
	Peripheral: DVD/ RW ODD				
	USB Keyboard and Optical Mouse 20 inches to 23 inches Monitor, Non Rack mounted				
	LED-backlit LCD monitor 1600x900 at 60hz with HDMI and VGA				
	port				
7	UPS for Server (branded)	Unit	3		
	Smart UPS 1500VA 900 watts 230V LCD				
	With AVR, hot-swap replaceable battery LED status indicator				

0 11101416 1141 1 4 4	1
8 IHOMIS EMR Workstation Unit 30	
Desktop Computer (branded)	
Minimum Specification of:	
Desktop chassis: small form factor or mini form factor	
Processor:	
Intel Core i5 10th Gen or later or Equivalent benchmark Processor	
Memory: 8 GB RAM or higher	
Storage: 500GB SSD or Higher	
Graphics Card: Intel integrated graphics	
Network: RJ 45 port 10/100/1000	
Power Supply: 200w up to 85% efficient	
OS: Windows 10 PRO	
Peripherals: DVD +/- RW	
Keyboard and Optical mouse, Same brand of the unit	
Monitor: LED-backlit LCD monitor 1600x900 at 60hz, HDMI and	
VGA port 20inches or higher	
9 UPS workstation (branded) Unit 35	
UPS with built in AVR and surge protection 325 watts 650VA 230V	
or higher	
Maintenance-free sealed lead acid battery	
10 IHOMIS Network Components Lot 1	
IHOMIS Network Infrastructure Equipment with 3 years	
warranty including orientation on configuration and	
installation of the units	
1 x centralize WiFi management controller for Centralized	
management for EAPs, Marvell, 2 Fast Ethernet Port, 1 USB 2.0 Port,	
1 Micro USB Port, Powered by 802.3af PoE or Micro-USB Power	
Adapter, Desktop Steel Case, Wireless Network Configuration, RF	
Monitoring, Multi-Site Management, Auto Backup, APP, Cloud	
Support.	
1 x CORE Switch with 52-Port Gigabit L3 Managed Switch, 48	
Gigabit RJ45 Ports, 4 Combo Gigabit SFP Slots, 2 integrated 10G	
SFP+ Slots, 2 Optional 10G SFP+ Slots, RJ45/Micro-USB Console	
Port, Management Port, USB Slot, Dual Removable Power Unit, 1U	
19-inch Rack-mountable Steel Case, Static	
Routing/RIP/OSPF/ECMP/VRRP, True Physical Stacking Up to 8	
Units, 802.1Q VLAN, QinQ , STP/RSTP/MSTP , PIM-SM/PIM-DM,	
IGMP, IGMP Snooping, QoS, 802. 1x, Radius/Tacacs+	
Authentication, ACL, LACP, CLI,SNMP, Dual Image/Configuration,	
IPv6	
6 x Manage Access Switch with 24 Gigabit RJ45 Ports, 4 Gigabit SFP	
Slots, RJ45/Micro- USB Console Port, 1U 19-inch Rack-mountable	
Steel Case, Static Routing, OAM, DDM, sFlow, 802.1Q VLAN, QinQ,	
STP,RSTP/MSTP, IGMP Snooping, 802.1p/DSCP QoS, ACL, 802.1x,	
Radius/Tacacs+ Authentication, LACP, CLI, SNMP, Dual	
Image/Configuration IPv6	
1 x POE Switch with 16-Port PoE+	
PORT: 16x Gigabit PoE+ Ports, 2x Gigabit SFP Slots SPEC: 802.3at/af,	
192 W PoE Power, 1U 19-inch Rack-mountable Steel Case	
FEATURE: MTU/Port/Tag-based VLAN, QoS, IGMP Snooping,	
Web/Utility Management	
10 x Access Points – Dual Band Ceiling Mount Access Point	
Qualcomm, 1300Mbps at 5GHz +450Mbps at 2.4GHz, 1 Gigabit	
LAN, 802.3 at PoE, 6 Internal Antennas, Band Steering, Centralized	
Management, Captive Portal, Load Balance, Rate Limit, VLAN	
11 Firewall Appliance with 3 years Subscription with basic Lot 1	
installation, configuration and end user training	
HW Appliance with 6 GE Ports, 1 expansion bay for optional Port	
module, SSD + Base License for unlimited users	
Network Protection Module – Module includes: IPS/IDS, Web	
Protection Module – Module includes: Dual Anti-Virus, Spyware	
Protection Module – Module includes: Dual Anti-Virus, Spyware Protection, URL Filtering, HTTPS Scanning, IM/P2P Control,	

	T	T		T	T
12	2 Bay NAS with 2 x 4tb hdd	Unit	2		
	With 64bit 4 core processor, 512MB DDR4, 1 RJ45 Gigabit LAN, 2x				
	USB port, 2 x 4TB 5900RPM HDD RAID 1 Capable				
13	4 Bay NAS with 4 x 4tb hdd	Unit	1		
	With 64bit 4 core processor, 1GB DDR4, 1 RJ45 Gigabit LAN, 2x USB				
	port, 2 x 4TB 5900RPM HDD				
14	12 U wall mount Data Cabinet with 8 port PDU and 2	Unit	4		
	Shelves				
15	Open Slot Cable raceway duct with cover 100mm x 1000mm	Piece	4		
	x 2m				
16	Open Slot Cable raceway duct with cover 60mm x 60mm x	Piece	6		
	2m				
17	Open Slot cable raceway duct with cover 50mm x 45mm x	Piece	10		
	2m	11000	10		
18	CAT 6 Cable 305m indoor (pure copper)	Roll	4		
19	CAT 6 Cable 305m indoor standard	Roll	8		
20			†		
	THHN 5.5MM #10 150m / roll (Black, White and Green)	Roll	3		
21	THHN 3.5MM #12 150m / roll (2 x Black, 2 x White and 2 x	Roll	6		
	Green)				
22	NEMA L6 30A 3 pin twist lock receptacle and plug	Piece	6		
23	Sheet-Fed Document Scanner	Unit	3		
	HIGH PRECISION, HIGH-VOLUME SCANNING Duplex				
	document scanner with ADF with Scan at speeds up to				
	65ppm/130ipm (one-pass duplex), daily duty cycle rating of				
	up to 7,000 pages, legal size.				
24	DOT MATRIX Printer	Unit	13		
	9-Pin Narrow Carriage Impact Printer Narrow carriage 9-pin				
	SIDM				
	High 357 CPS print speed at 12CPI				
	10,000 power on hour MTBF				
	USB, Serial and Parallel ports				
25	Mono Ink-Tank Printer	Unit	2		
	Laser like Black and White Printing, print speed up to 34				
	ppm (15 ipm), Up to 100 sheets, A4 Plain Paper (75g/m2),				
	Max Document Size: A4, US Letter, Legal Size				
26	Heavy Duty Document Shredder	Unit	4		
	Intelligent Circuit Product Design	3111	•		
	Dual Throat Capacity				
	Overheat Protection				
	Quad Caster Mobility				
	33L Bin Capacity				
	Built in Safety Door Protection				
	,				
	Motor Overload Protection				
	Easy Auto Forward and Reverse Functions				
	Touch key Technology				
	Staple wire / cd / ATM Card Shred capable				
		ı otal (uoted	Amount	

Amount in Words:			
_			

Other Requirements:

(a) Statement of Warranty: minimum of One (1) year for items 7,8,9,12,13,14, 23,24,25 and 26

(b) Statement of Warranty: minimum of 3-year warranty for items 6 and 10

Delivery Period : <u>Forty Five (45) Calendar Days</u>
Warranty :

Signature over printed name
Office Telephone No./Fax/Mobile No.
Date
F-mail Address