**PHILIPPINE BIDDING DOCUMENTS** 

# Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

PROPOSED REHABILITATION OF BARANGAY HALL AT BARANGAY DIOQUINO ZOBEL

Project number: 22-00108

Sixth Edition July 2020

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv)the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# **TABLE OF CONTENTS**

Glossa	ry of Terms, Abbreviations, and Acronyms	5
Section	I. Invitation to Bid	8
Section	II. Instructions to Bidders	9
1.	Scope of Bid	10
2.	Funding Information	10
3.	Bidding Requirements	10
4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	10
5.	Eligible Bidders	11
6.	Origin of Associated Goods	11
7.	Subcontracts	11
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	12
10.	Documents Comprising the Bid: Eligibility and Technical Components	12
11.	Documents Comprising the Bid: Financial Component	13
12.	Alternative Bids	13
13.	Bid Prices	13
14.	Bid and Payment Currencies	13
15.	Bid Security	14
16.	Sealing and Marking of Bids	14
17.	Deadline for Submission of Bids	14
18.	Opening and Preliminary Examination of Bids	14
19.	Detailed Evaluation and Comparison of Bids	14
20.	Post Qualification	15
21.	Signing of the Contract	15
Section	III. Bid Data Sheet	
Section	IV. General Conditions of Contract	19
1.	Scope of Contract	20
2.	Sectional Completion of Works	20
3.	Possession of Site	20
4.	The Contractor's Obligations	20
5.	Performance Security	20
6.	Site Investigation Reports	21

7.	Warranty	.21
8.	Liability of the Contractor	.21
9.	Termination for Other Causes	.21
10.	Dayworks	.21
11.	Program of Work	.22
12.	Instructions, Inspections and Audits	.22
13.	Advance Payment	.22
14.	Progress Payments	.22
15.	Operating and Maintenance Manuals	.22
Section	V. Special Conditions of Contract	24
Section	VI. Specifications	26
Section	VII. Drawings	28
Section	VIII. Bill of Quantities	29
Section	IX. Checklist of Technical and Financial Documents	31

# Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

**CDA** – Cooperative Development Authority.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**Contractor** – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

**CPI** – Consumer Price Index.

**DOLE** – Department of Labor and Employment.

**DTI** – Department of Trade and Industry.

**Foreign-funded Procurement or Foreign-Assisted Project** – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**GFI** – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**UN** – United Nations.

# Section I. Invitation to Bid

## Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



### **REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT**



## **BIDS AND AWARDS COMMITTEE FOR INFRASTRACTURE &**

**CONSULTANCY** 2<sup>nd</sup> floor, Finance Building, Procurement Department, Quezon City Hall Complex, Elliptical Road, Quezon City

October	6.	2022
OCIUDUI	v,	

	Invitation to Bid						
No	Project No.	Project Name	Location	Amount	Durati on Cal. Days	Office	Source Fund
<u>Bu</u>	Buildings – Small B						
1	22- 00092	Proposed Construction of Handwashing Facility at San Antonio Elementary School	Katipunan	1,213,735.58	60	Engineering Department	Special Education Fund
2	22- 00093	Proposed Construction of Handwashing Facility at Judge Juan Luna High School	Bungad	1,215,271.67	30	Engineering Department	Special Education Fund
3	22- 00094	Proposed Construction of Handwashing Facility and Rehabilitation of Comfort Rooms at Batino SPED Center Elementary School	Quirino 3-A	1,253,137.09	60	Engineering Department	Special Education Fund
4	22- 00095	Proposed Rehabilitation of Reception Area at Various Health Center (District 5)	Various Barangay	1,295,703.26	30	Engineering Department	OCM - 20% Community Development Fund
5	22- 00096	Proposed Construction of Handwashing Facility and Rehabilitation of Comfort Rooms at Balingasa High School	Balingasa	1,314,455.59	60	Engineering Department	Special Education Fund
6	22- 00097	Proposed Rehabilitation of Ground Floor and Second Floor Lobby of Legislative Building, Quezon City Hall Compound	Central	1,343,493.92	30	Engineering Department	Engineering Department
7	22- 00098	Proposed Construction of Handwashing Facility and Rehabilitation of Comfort Rooms at Bagumbayan Elementary School	Bagumbayan	1,590,018.38	60	Engineering Department	Special Education Fund
8	22- 00099	Proposed Construction of Handwashing Facility and Rehabilitation of Comfort Room at Manuel Roxas Senior High School	Paligsahan	1,703,245.31	60	Engineering Department	Special Education Fund
9	22- 00100	Proposed Rehabilitation of Barangay Hall Main Building at Barangay Bagumbuhay	Bagumbuhay	1,773,158.00	60	Engineering Department	Engineering Department
10	22- 00101	Proposed Rehabilitation of Perimeter Fence at Lupang Pangako Elementary School	Payatas	1,944,465.36	60	Engineering Department	Special Education Fund
11	22- 00102	Proposed Rehabilitation of Fire Station at Barangay Project 6	Project 6	1,963,027.52	60	Engineering Department	Engineering Department

# Invitation to Rid

12	22- 00103	Proposed Rehabilitation of Ground Floor Lobby at the Department of Building Official B.R.O. Building	Central	2,346,081.05	60	Engineering Department	Engineering Department
13	22- 00104	Proposed Rehabilitation of Balingasa Livelihood Center at Barangay Balingasa	Balingasa	2,737,761.13	60	Engineering Department	Engineering Department
14	22- 00105	Proposed Rehabilitation of Livelihood Training Center at Manresa Park	Manresa	2,948,436.51	60	Engineering Department	Engineering Department
15	22- 00106	Proposed Upgrading of Electrical System at San Francisco Elementary School	Del Monte	3,294,543.88	60	Engineering Department	Special Education Fund
16	22- 00107	Proposed Upgrading of Electrical System at Apolonio Samson Elementary School	Apolonio Samson	5,114,276.17	90	Engineering Department	Special Education Fund
17	22- 00108	Proposed Rehabilitation of Barangay Hall at Barangay Dioquino Zobel	Dioquino Zobel	9,178,188.31	120	Engineering Department	Engineering Department
18	22- 00109	Proposed Rehabilitation of Electrical System at North Fairview Elementary School	North Fairview	9,316,100.06	120	Engineering Department	Special Education Fund
19	22- 00110	Proposed Improvement of Quezon City General Service Department (GSD) Motorpool at Quezon City Hall Compound	Central	15,558,101.67	180	Engineering Department	Engineering Department
<u>Ro</u>	<u>ads – Sr</u>	mall B					
20	22- 00111	Proposed Land Development and Rehabilitation of Water Supply System at Leandro V. Locsin Integrated School	Kaligayahan	2,786,841.25	90	Engineering Department	Special Education Fund
21	22- 00112	Proposed Rehabilitation (Surface Improvement) at J. Aquino Cruz Street in	Balingasa	3,169,095.01	60	Engineering Department	OCM - 20% Community Development

1. The QUEZON CITY LOCAL GOVERNMENT, through funding source of various years intends to apply the sum stated above being the Approved Budget for the Contract (ABC) to payments under the contract for the above stated Projects. Bids received in excess of the ABC shall be automatically rejected at bid opening.

3,344,751.43

Tandang

Sora

22-

00113

22

**Proposed Rehabilitation** 

(Surface Improvement) at

Venus Street in Barangay

**Barangay Balingasa** 

Tandang Sora

2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for the above Procurement Project. Completion of the Works is required as stated above. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

OCM - 20%

Community

Development

Fund

Fund

Engineering

Department

60

- 3. Bidding will be conducted through open competitive bidding procedures using nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. Interested bidders may obtain further information from QUEZON CITY LOCAL GOVERNMENT BAC Secretariat and inspect the Bidding Documents at the address given below *weekdays from 8:00 am. 5:00 p.m.*
- 5. A complete set of Bidding Documents may be acquired by interested bidders on 7 October 2022 (Friday) from given address and website/s below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person.

#### **STANDARD RATES:**

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 Pages)
- 2. Document Request List (DRL)
- Authorization to purchase bidding documents
   3.1 Secretary's Certificate (for corporation)
   3.2 Special Power of Attorney (for sole proprietorship)
- 4. Notarized Joint Venture Agreement (if applicable)
- 5. Letter of Intent

It must be duly received by the BAC Secretariat at 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound.

6. The QC- BAC- INFRASTRUCTURE & CONSULTANCY will hold a Pre-Bid Conference<sup>1</sup> on October 17, 2022 at 10:00 AM at 2<sup>nd</sup> Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound or we encourage the prospective bidders to join through our Virtual Conference (ZOOM APP) which shall be open to prospective bidders.

#### Virtual Conference (ZOOM APP) Meeting ID: 854 9489 0133 Password: 273320

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address as indicated below, on or before **November 3**, 2022 9:00AM. Late bids shall not be accepted.
- 8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.

<sup>&</sup>lt;sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

9. Bid opening shall be on November 3, 2022 - 10:00 AM at 2<sup>nd</sup> Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Virtual Conference (ZOOM APP) Meeting ID: 810 3646 5257 Password: 201522

- 10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Tel. No. (02)8988-4242 loc. 8506/8710 Email Add: bacinfra.procurement@quezoncity.gov.ph Website: <u>www.quezoncity.gov.ph</u>

12. You may visit the following websites:

For downloading of Bidding Documents: <u>https://quezoncity.gov.ph/public-notices/procurement/</u>

Sgd.

ATTY. MARK DALE DIAMOND P. PERRAL

Chairman, BAC-Infra and Consultancy

## Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, Quezon City Government invites Bids for the PROPOSED REHABILITATION OF BARANGAY HALL AT BARANGAY DIOQUINO ZOBEL, with Project Identification Number 22-00108.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2022 in the amount of Nine Million One Hundred Seventy-Eight Thousand One Hundred Eighty-Eight Pesos and 31/100 Ctvs. (P 9,178,188.31).
- 2.2. The source of funding is:
  - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

#### **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

#### a. Subcontracting is not allowed.

- 7.1. *[If Procuring Entity has determined that subcontracting is allowed during the bidding*, *state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterial stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.2. *[If subcontracting is allowed during the contract implementation stage, state:]* The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary

requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.

7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. **Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address on October 17, 2022, 10:00 A.M. at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound and/or we encourage the prospective bidders to join through our Virtual Conference (ZOOM APP) Meeting ID: 854 9489 0133 Password: 273320

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section IX. Checklist of Technical and Financial Documents.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their

complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.

10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

#### 11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### **12.** Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

#### **13. Bid Prices**

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

#### 14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph **5** of the **IB**.

#### **18.** Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **19.** Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC

shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

#### 20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

	Diu Data	811000	
ITB Clause			
5.2	For this purpose, similar contracts shall refer to contracts which have the same major categories of work.		
7.1	Subcontracting is not allowed.		
10.3	No additional contractor license or	permit is require	ed
	In addition, eligible bidders shall q	ualify or comply	with the following:
	1. Bidders with valid Philippine Co	ntractors Accred	itation Board (PCAB)
	Туре		
	<b>Building - Small B</b>		
10.4	The minimum work experience following:	requirements for	or key personnel are the
	Qnty. Key Personnel Gene	ral Experience	Relevant Experience
	1 Project-in-Charge	3 years	3 years
	1 General Foreman	3 years	3 years
	1 Trade Engineer/Leadman for civil works	3 years	3 years
	1 Trade Engineer/Leadman for electrical works	3 years	3 years
	1 Safety Officer	3 years	3 years
	1 DPWH duly accredited Materials Engineer	3 years	3 years
	In addition, the bidder must ex notarized stating that the foregoing for the project until its completion.	g personnel shall	l perform work exclusively
10.5	The minimum major equipment req	uirements are the	e following:
	Equipment	Capacity	Number of Units
	Dump Truck		1
	In addition, the bidder must ex notarized stating that the foregoin the project until its completion. Ple	g equipment she	all be used exclusively for
12	[Insert Value Engineering clause if		v

15.1	The bid security shall be in the form of a Bid Securing Declaration with project number, or any of the following forms and amounts:
	<ul> <li>a) The amount of not less than Php 183,563.77 or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> </ul>
	<ul> <li>b) The amount of not less than Php 458,909.42 or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ul>
19.2	<b>Partial bid is not allowed.</b> The infrastructure project is packaged in a single lot
	and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
20	No additional requirement.
21	Additional Contract Documents relevant to the Project as required:
	1. Construction Schedule and S-curve,
	2. Manpower Schedule,
	3. Construction Methods,
	4. Equipment Utilization Schedule,
	5. PERT/CPM or other acceptable tools of project scheduling, shall be
	included in the submission of Technical Proposal.

## Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

#### 2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

#### **3.** Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
  - 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

#### 4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

#### 5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

#### 6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.

#### 7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

#### 8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

#### 9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

#### 10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

#### 11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

#### 12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

#### 13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

#### **14. Progress Payments**

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

#### **15.** Operating and Maintenance Manuals

15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.

15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

# Section V. Special Conditions of Contract

## Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

# **Special Conditions of Contract**

GCC Clause	
2	Completion of work shall be within 120 calendar days.
4.1	The Procuring Entity shall give possession of all parts of the Site to the
	Contractor upon receipt of the Notice to Proceed.
6	The site investigation reports are: <i>[list here the required site investigation reports.]</i>
7.2	[Select one, delete the other.]
	[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:] Fifteen (15) years.
	[In case of semi-permanent structures, such as buildings of types 1, 2, and 3 as classified under the National Building Code of the Philippines, concrete/asphalt roads, concrete river control, drainage, irrigation lined canals, river landing, deep wells, rock causeway, pedestrian overpass, and other similar semi-permanent structures:] Five (5) years.
	[In case of other structures, such as bailey and wooden bridges, shallow wells, spring developments, and other similar structures:] Two (2) years.
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
13	The amount of the advance payment is no more that fifteen percent (15%) of the Contract Price subject to approval by the HOPE and compliance with the conditions under RA 9184 and its IRR.
14	No further instructions.
15.1	The date by which operating and maintenance manuals are required is <i>thirty (30) days</i> The date by which "as built" drawings are required as part of final payment
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is ten (10%) percent of the contract price.

# Section VI. Specifications

# Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted

subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.



Replublika ng Pilipinas Langsod ng Quezon

CITY ENGINEERING DEPARTMENT 5<sup>TM</sup>, 6<sup>TM</sup>, 7<sup>TM</sup> Floors. QC Civic Center Building 'B' Telephone Not: 8968-4242 Local 8538



PROJECT TITLE -

LOCATION :

PROPOSED REHABILITATION OF BARANGAY HALL AT BARANGAY DIOQUINO ZOBEL / BARANGAY DIOQUINO ZOBEL, DISTRICT 3, QUEZON CITY,

## **TECHNICAL SPECIFICATIONS**

#### GR. GENERAL REQUIREMENTS

- A. Comply with the current and existing laws, ordinances and applicable codes, rules and regulations, and standards. Any works performed contrary to the existing laws, rules and regulations, ordinances and standards without notice shall bear all cost arising therefrom
- B. Drawings, specifications, codes and standards are minimum requirements. Where requirements differ, the more stringent apply.
- C Should there be any change(s) in drawings or specifications, it is required to comply with the governing regulations, notify the implementing agency.
- D. Photographs shall be taken as, when and where directed at intervals of not more than one month. The photographs shall be sufficient in number and location, to record the exact progress of the works. The photographs shall be retained and will become the property of the Government.
- E. Site ventication / inspection shall be conducted to validate the scope of works. No extra companiation and extension of time shall be given due to negligence or inadventence.
- F. The quality of materials shall be of the best grade of their respective kinds for the purpose. The work shall also be performed in the best and most capable manner in strict accordance with requirements of the plans and details. All materials not conforming to the requirements of these specifications shall be considered as defective.
- G. All equipment and installations shall meet or exceed minimum requirements of the standards and codes
- N. Mobilization and Demobilization (if applicable)
  - Mobilization shall include all activities and related costs for transportation of personnel, equipment, and operating supplies to the site; establishment of offices, buildings, and other necessary general facilities for the operations at the site.
  - Demobilization shall include all activities and costs for transportation of personnel, equipment, and supplies not anymore required within the construction site including the disassembly, removal and site clean-up of offices and other facilities assembled on the site specifically for this contract.
- Execute work in strict accordance with the best practices of the trades in a thorough, substantial workmanlike manner by competent workmen. Provide a competent, experienced, full-time supervisor who is authorized to make decisions on behalf of the Contractor.
- J. Temporary Facilities and Utilities
  - All facilities shall be near the job site, where necessary and shall conform to the best stenderd for the required types.
  - Temporary facilities shall be provided and maintained including sanitary facilities and first aid stations

- Temporary utilities shall be sufficiently provided until the completion of the project such as water, power and communication.
- Temporary enclosure shall be provided around the construction site with adequate guard lights, railings and proper signage.
- Temporary roadways shall be constructed and maintained to sustain loads to be carried on them during the entire construction period.
- Upon completion of the work, the temporary facilities shall be demolished, frauled-out and disposed property.
- K. Adequate construction safety and health protection shall be provided at all times during the execution of work to both workers and property.
  - A fully-trained Medical Aide shaft be employed permanently on the site who shall be engaged solely to medical dulies.
  - The medical room shall be provided with waterproofing: it could be a building or room designated and used exclusively for the purpose and have a floor area of at least 15 square meters and a glazed window area of at least 2 square meters.
  - The location of the medical room and any other amangements shall be made known to all employees by posting on prominent locations and suitable notices in the site.
  - Additional safety precautions shall be provided in the event of a pandemic. Protocols set forth by the government shall be strictly followed.
  - Construction safety shall consist of construction canopy and safety net.
- L Necessary protections to the adjecent property shall be provided to avoid untoward incidents / accidents.
- M Final cleaning of the work shall be employed prior to the final inspection for the certification of final acceptance. Final cleaning shall be applied on each surface or unit of work and shall be of condition expected for a building cleaning and maintenance program.

#### SW. SITE WORKS

- A. All grades, lines, levels and dimensions shall be verified as indicated on the plans and details. Any discrepancies or inconsistencies shall be reported before commencing work.
- B. This item shall consist of the removal wholly or in part, and aatisfactory disposal of all buildings, fences, structures, old pavements, abandoned pipe lines, and any other obstructions which are not designated or permitted to remain, except for the obstructions to be removed and disposed of under other items in the Contract.

Removal and/or demolston of existing structures shall be done in eccordance to safety procedures

#### CWS CIVIL / STRUCTURAL WORKS

#### CWSMA MASONRY WORKS

1. Send:

S-1, washed, clean and greenish in color.

Mortan

One part Portland cement and two parts sand and water but not more than three parts sand and water.

3. Plaster bond:

The mixture of cement plaster for concrete hollow block wall finishes indicated in the drawings shall be one part Portland cement and three parts sand.

 Floor Topping Preparation for Tilework. One part Portland cament and two parts sand and water but not more than three parts sand and water.

#### **CWSPRW ROOFING WORKS**

- 1. Consigned galvanized iron (G.L) sheets, including plean aluminum sheets for roofing accessories shall be cold-rolled meeting ASTM A-153 and with epetier coating of zinc of not less than0.381 kg/sq.m (1.26 ounce/sq.ft) conforming to ASTM A-525 or pris 67.1965. Unless otherwise specified or shown on Plans, roofing sheets shall be gauge 26 (0.46mm thick) and provided in long span sizes to minimize end laps. Sheets shall weigh not less than 3.74 kg/sq.m. and shall be marked or stamped showing the gauge, size amount of zinc coating, brand and name of manufacturer. Test specimens shall stand being bent through 160 degrees flat on itself without fracture of the base metal and without flaking of the zinc coating.
- Ridge/hip rolls, valleys, flashing and counter flashings, gutters and downspouts, whenever required, shall be fabricated from plain G.I. sheets. Ridge/hip rolls, flashings and counter flashings shall be gauge 26. Valleys, gutters and downspouts shall be gauge 24 unless otherwise specified on Plans. Wire basket strainers shall be galvanized, gauge 24.

Roof ventilators, whenever required shall be febricated from gauge 26 plain G.I. sheets and constructed to the dimensions and details shown on Plans.

- 3. The roofing shall be secured to the purlins with min. 2 ½" max. 3" long Tex screws. Provide all-purpose seatent under the fasteners. Ridge rolls, hip rolls and valleys to be used shall be those compatible with the Ga. 24 pre-painted G.1. rib-type roofing sheets. They shall lap the roofing sheets at least 250mm. The ridge rolls, hip rolls and valleys shall be riveled to the roofing sheets.
- 4. Polycarbonate roofing and sunbreakers shall be covered with 6mm thick Rib-type polycarbonate sheets as shown on the plans. The roofing shall be secured to the purkne with min. 2 ½ max. 3° long Tek screws. Provide all-purpose sealant under the fasteners. Ridge rolls, hip rolls and valleys to be used shall be those compatible with the 6mm thick solid polycarbonate sheets. They shall tap the roofing eheets at least 250mm. The ridge rolls, hip rolls and valleys shall be riveted to the roofing sheets.
- 5. All toofing sheets adjacent to concrete hollow block and other maschiny walls such as property line firewalls, shall be provided with Gauge 26 pre-painted plain G.I. Ftashing to extend to the top and over to the other side of the wall. All fasteners shall be placed at the top of the corrugations of the rooting sheets to prevent water from standing around the fasteners.
- Provide 6mm thick thermal insulation with single-side aluminum foil prior to fastening of roofing sheets to serve as thermal protection.

#### **CWSMP MOISTURE PROTECTION**

#### CWSMPW WATERPROOFING

- a Cementiticus waterproofing powder mix shall be cement-based, aggregate-type, heavy duty waterproof coating for reinforced concrete surface and masonry exposed to water. Additive binders shall be of special formulation of acrylic polymers and modifiers in liquid form used as additive with cement-based powder mix that improves adhesion and mechanical properties. Water shall be clean, clear and potable.
- b. Concrete surface to be applied with waterproofing shall be structurally sound, clean and free of dirt, loose mortar particles, paint films, oil, protective costs, efflorescence, laitance, etc. All defects shall be properly corrocted and carefully.

formed to provide a smooth surface that is free of marks and properly cured prior to application works.

- Furnish all labor, materials, equipment, plant and other facilities required to complete all waterproofing work as shown on the drawings and herein specified. All applications shall be strictly performed by an approved waterproofing Contractor.
- d. Test waterproofed area by seventy-two (72) hours and check for any seepages.
- Note: Thickness should be as per Manufacturer's Specifications and Installation depending on the areas to be applied with.

#### AW ARCHITECTURAL WORKS

#### AW04 FLOOR FINISHES

 Ceramic Tiles. Unglazed ceramic tiles shall be hard, dense tiles of homogeneous composition its color and characteristics area determined by the materials used in the body. the method of manufacture and the thermal treatment.

Tile work shall not be started until roughing-ins for sanitary/plumbing, electrical and other trades have been completed and tested. The work of all other trades shall be protected from damage.

#### AW03WALL FINISHES AND PARTITIONING

 Ceramic Tiles. Glazed ties and toms shall have an impervious face of ceramic materials fused onto the body of the tiles and trims. The glazed surface may be clear white or colored depending on the color scheme approved by the Engineer. Standard glazes may be bright (glossy), semi-matte (less glossy), matte (dull) or crystalline (mottled and textured; good resistance to abrasion).

File work shall not be started until roughing ins for sanitary/plumbing, electrical and other trades have been completed and tested. The work of all other trades shall be protected from damage.

#### AWCM01 CEILING FINISHES

2. Fiber Cement Board on Metal Frame. The ceiling materials to be used shall conform to the samples approved by the City Engineer. All ceiling works shall be done by men experienced and qualified to do this particular specialty trade. The installation of ceiling materials shall be in accordance with the detailed section and with the manufacturer's manual instructions. Ceiling materials shall be cut as required to fit the perpendicular condition and should be properly secured by anchorage and other accessones to complete the installation. No mechanical work shall be exposed on the linish work. All joints around electrical outlets, pipes and other works extending through materials shall be expected with caulking.

#### AWCM CARPENTRY WORKS

Lumber of different species for the various parts of the sinucture shall be well-seasoned, sawn straight, sundried or kiln-dried and free from defects such as loose unsound knots, pitch pockets, sapwood, cracks and other imperfections impairing its strength, durability and appearance.

Rough lumber for framing and siding boards shall be an-dried or sundried such that its moisture contant shall not exceed 22 percent. Dressed lumber for extenor and intenor finishing, for doors and windows, millwork, cabinet work and flooring boards shall be kindried and shall not have a moisture content in excess of 14 percant at the time of installation in the structure.

Plyboard shall be good grade and made of laminated wood strips of uniform width and thickness bounded together with water resistant resin glue. The laminated core shall be

tinished both faces with select grade Tanguile or red Lauan veneers not less than 2 mm thick similarly bonded to the core. The ptyboard of not less than 19 mm thick shall be free from defects such as split in veneer, buckling or warping.

Plywood shall conform to the requirements of the Philippine Trade Standards 631-02. Thickness of a single layer laminae shall not be tess than 2 mm. The laminae shall be superimposed in layers with grains crossing at right angles in successive layers to produce stiffness. The face veneers shall be rotary cut from select grade timber. The laminae and face veneers shall be bonded with water resistant resin glue, hot pressed and pressure treated. Ordinary Tengule or red Lauan plywood with good quality face veneers, 6 mm thick shall be used for double walling and ceiling not exposed to molsture, waterproof or marine plywood shall be used for ceiling exposed to moisture such as at toilets and eaves, and ceiling to be finished with ecrytex.

Glue shall be from water resistant resins which, upon hardening, shell not dissolve nor lose its bond or holding power even when soaked with water for extended period

Nails, screw, bolts, and straps shall be provided and used where suitable for fixing carpentry and joinery works. All fasteners shall be brand new and adequate size to ensure rigidity of connections.

- Nails of adequate size shall be steel wire, diamond-pointed, ribbed shank and blight finish
- 2. Screws of adequate size shall be aluminum or brass plated steel with slotted head
- Leg screws of adequate size, for anchoring heavy timber framing in concrete or masonry, shall be galvanized steet.
- 4. Bolts and nuts shall be of steel having a yield point of not less than 245 Mpa. Bolts shall have square heads and provided with standard flat steel washers and hexagonal nuts. Threads shall conform to American coarse thread series. Threaded portion shall be long enough so that the nut can be lightened against the bolted members without any need for blocking. The bolt's threaded end shall be finished smooth for ease of engaging and luming the nut.
- Wrought iron straps or angles, when required in conjunction with bolts or lag screws to provide proper enchorage, shall be of the shape and size shown on the Plans.

#### AWP PAINTING WORKS

- Paint Meterials All types of paint material and other related products shall be subject to test as to material composition by the Bureau of Research and Standard, DPWH or the National Institute of Science and Technology.
- Tinting Colors. Tinting colors shell be first grade quality pigment ground in alkyd resin that disperses and mixes easily with paint to produce the color desired. Use the same brand of paint and tinting color to effect good paint body.
- Skim coat. Skim coat shall be fine powder type material like kalsomine that can be mixed into putty consistency, with oil-based primers and paints to fill minor surface dants and imperfections.
- 4. Paint Schedule.
  - Exterior Masonry Wall (plain cement plastered finish to be painted).
    - 1 coat skim coating, 1 coat primer. 2 coats elastomeric paint finish.
  - b. Interior Masonry Wall (plain cement plastered finish to be painted)
    - 1 coat skim coating, 1 coat primer, 2 coats latex paint finish.
  - Interior Dry Wati
    - 1 coat primer. 2 coats latex paint finish.
  - d. Ceiling Boards

- i. 1 cost primer, 2 costs latex paint finish
- e. Melal / Steel Surfaces
  - 1 coat primer, 2 coats epoxy enamel finish
- 5. Surface Preparation. All surfaces shall be in proper condition to receive the finish. Woodworks shall be hand-sanded smooth and dusted clean. All knot-holes pitch pockets or sappy portions shall be sealed with natural wood filler. Nail holes, cracks or defects shall be carefully puttied after the first coat, matching the color of paint.

Interior woodworks shall be sandpapered between coats. Cracks, holes of imperfections in plaster shall be filled with patching compound and smoothed off to match adjoining surfaces.

Concrete and masonry surfaces shall be coated with concrete neutralizer and allowed to dry before any painting primer cost is applied. When surface is dried apply first coating. Harrine cracks and unevenness shall be patched and sealed with approved putty or patching compound. After all defects are corrected apply the finish coats as specified on the Plans (color scheme approved).

Metal shall be clean, dry and free from roll scale and rust. Remove all grease and cill from surfaces. Wash, unprimed galvanized metal with etching solution and allow it to dry. Where required to prime coat surface with Red Lead Primer same shall be approved by the Engineer.

In addition, the Contractor shall undertake the following:

- Voids, cracks, nick etc. will be repaired with proper patching material and finished flushed with surrounding surfaces
- b Marred or demaged shop coats on metal shall be spot primed with appropriate metal primer.
- c. Parting and vamishing works shall not be commenced when it is too hot or cold.
- d. Allow appropriate ventiliation during application and drying period.
- All hardware will be fitted and removed or protected prior to painting and varnishing, works.
- 6 Application. Paints when applied by brush shall become non-fluid, thek enough to lay down as adequate film of wet paint. Brush marks shall have flawed out after application of paint.

Paints made for application by roller must be similar to brushing paint. It must be nonsticky when (hinned to spraying viscosity so that it will break up easily into droplets.

Paint is atomized by high pressure pumping rather than broken up by the large volume of air mixed with it. This procedure changes the required properties of the paint

- Application shall be as per paint Manufacturer's specification and recommendation.
- Provide all drop cloth and other covering requisite for protection of floors, wells, alumnum, glass finishes and other works.
- All applications and methods used shall strictly follow the Manufacturer's Instructional and Specifications.
- All surfaces including mesonry wall shall be thoroughly cleaned, puttled, sandpapered, rubbed and polished; masonry wall shall be treated with Neutralizer.
- All exposed finish hardware, lighting fixtures and accessories, glass and the like shall be adequately protected so that these are not stained with paint and other painting materials prior to painting works.

 All other surfaces endangered by stains and paint marks should be taped and covered with craft paper.

#### S/PW SANITARY / PLUMBING WORKS

- A. Comply with the current applicable codes, ordinances, and regulations of the authority or authorities having junsdiction, the rules, regulations and requirements of the utility companies (as applicable).
- Supply, Installation and fasting of the following:
  - Potable water supply system complete in all respects including but not limited to submittels, shop drawings, piping, water meters, valves, bibbs, insulation, all accessories required for complete and operational of the system.
  - Water service connections including but not limited to water meters, float valves. Any and all other works involve in providing the complete operation of the water eupply system.
  - Soil waste and vent system complete m all respect including but not limited to connection to existing sewer, submittels, shop drawings, pipes, fittings, valves, cleanout, drains, etc. Complete and operational
  - Storm drainage system complete in all respect including but not limited to connection to existing storm drainage, submittats, shop drawings, pipes, fittings, valves, cleanout, drains, etc. Complete and operational.
- C Workmanship and installation methods shall conform to the best modern practice. Employ skilled tradesman to perform work under the direct supervision of fully qualified personnel.
- D. All equipment and installations shall meet or exceed minimum requirements of the Standards and Codes as specified in plans and program of work.
- E. Install equipment in strict accordance with manufacturers written recommendations.
- F. Physical sizes of all plant and equipment are to be suitable for the space allocated for the accommodation of such plant and equipment, taking into account the requirement of access for maintenance purposes.
- G. In selecting makes and types of equipment, the Contractor shall ascertain that facilities for proper maintenance, repair and replacement are provided.
- H Where the Contractor proposes to use an item of equipment other than that specified or detailed in the drawing, which requires any redesign of the system, drawings showing the tayout of the equipment and such redesign as required therefore shall be prepared by the Contractor at his own expenses. Where such approved deviation necessitates a different quantity and arrangement of materials and equipment's from that originally specified or indicated in the drawings, the Contractor shall furnish and install any such edditional materials and equipment's required by the system at no additional cost.
- Equipment catalogue and manufacturer's specifications must be submitted for examination and details shall be submitted for approval before any equipment is to be ordered.
- J. This shall include all information necessary to ascertain the equipment comply with this specification and drawings. Data and sales catalogue of a general nature will not be accepted.
- K All metenals, equipment, components and accessories shall be delivered to the Site in a new condition, properly packed and protected against damage or contamination or distortion, breakage or structural weakening due to handling, adverse weather or other circumstances and, as far as practicable, they shall be kept in the packing cases or under approved protective coverings until required for use.
- Any items suffering from damage during manufacture, or in transit, or on site whilst in storage or during eraction shall be rejected and replaced without extra cost.

- M. All sanitary fittings and pipework shall be cleaned after installation and keep them in a new condition.
- N. All installed pipelines shall be flushed through with water, rodded when necessary to ensure clearance of debris.
- O Cleaning and flushing shall be carried out in sections as the installation becomes completed.
- P. The Contractor shall carry out hydraulic test on the complete plumbing systems and the drainage system to show that it is functioning satisfactorily within the requirements of this Specification and local regulations.
- Q The Contractor shall provide suitable test pumps and arrange for a supply of water required in connection with testing of proework. The test pump shall be fitted with pressure gauges which shall be of suitable range for the pressure being applied.

#### EW ELECTRICAL WORKS

A CONDUITS, BOXES AND FITTINGS

- This item shall consist of the furnishing and installation of the complete conduit work, consisting of electrical conduits, conduit boxes such as junction boxes, pull boxes, utility boxes, octagonal and square boxes; conduit fittings, such as couplinge, locknuts and bushings and other electrical materials needed to complete the conduit roughingin work of this project.
- 2 All materials shall be brand new and shall be of the approved type meeting all the requirements of the Philippine Electrical Code and bearing the Philippine Standard Agency (PSA) mark.
- All works throughout shall be executed in the best practice in a workmanlike manner by qualified and experienced electricians under the immediate supervision of a duly licensed Electrical Engineer.
- 4 The work to be done under this division of specifications consists of the fabrication, furnishing, delivery and installation, complete in all details of the electrical work, at the subject premises and all work materials incidental to the proper completion of the installation, except those portions of the work which are expressly stated to be done by other fields. All works shall be done in accordance with the rules and regulations and with the specifications.
- 5. All lighting factures and lamps are as specified and listed on lighting fixture schedule.
- 6 All grounding system installation shall be executed in accordance with the approved plans. Grounding system shall include building perimeter ground wires, ground rods, clamps, connectors, ground wells and ground wire taps as shown in the approved design.
- All auxiliary systems such as telephone and intercom system, time clock system, fire atarm system and public address/nurse's call/paging system instellations shall be done in accordance with the approved design.
- Upon completion of the electrical construction work, the contractor shall provide all test equipment and personnel and to submit written copies of all test results.
- 9. The contractor shall guarantee the electrical installation are done and in accordance with the approved plans and specifications. The contractor shall guarantee that the electrical systems are free from all grounds and from all defective workmanship and materials and will remain so for a period of one year from date and acceptance of works. Any defect shall be remedied by the Contractor at his own expense.

**B WIRES AND WIRING DEVICES** 

- 1 This Item shall consist of the furnishing and installation of all wires and winng devices consisting of electric wires and cables, wall switches, convenience receptacles, heavy duty receptacles and other devices shown on the approved Plans but not mentioned in these specifications.
- 2 Wires and cables shall be of the approved type meeting all the requirements of the Philippine Electrical Code and bearing the Philippine Standard Agency (PSA) mark. Unless specified or indicated otherwise, all power and lighting conductors shall be insulated for 600 volts. All wires shall be copper, soft drawn and annealed, smooth and of cylindrical form and shall be centrally located inside the insulation.
- 3 Conductors or wires shall not be drawn in conduits until after the cament plaster is dry and the conduits are thoroughly cleaned and free from dist and moisture. In drawing wires into conduits, sufficient stack shall be allowed to permit easy connections for factures, switches, receptacles and other wiring devices without the use of additional splices.
- 4. All conductors of convenience outlets and lighting branch circuit homeruns shall be wired with a minimum of 3.5 mm in size. Circuit homeruns to panelboards shall not be smaller than 3.5 mm but all homeruns to panelboard more than 30 meters shall not be simaller than 5.5 mm. No conductor shall be tess than 2 mm in size.
- All wires of 14mm and larger in size shall be connected to panels and apparatus by means of approved type lugs or connectors of the soldeness type, sufficiently large enough to enclose all strands of the conductors and securely fastened. They shall not toosen under vibration or normal strain.
- 6. All joints, taps and splices on wires larger than 14 mm shall be made of suitable solderless connectors of the approved type and size. They shall be taped with rubber and PVC tapes providing insulation not less than that of the conductors.
- 7. No splices or joints shall be permitted in either feeder or branch conductors except within outlet boxes or accessible junction boxes or pull boxes. All joints in branch circuit winning shall be made mechanically and electrically secured by approved splicing devices and taped with rubber arid PVC tapes in a manner which will make their unsulation as that of the conductor.
- 8. All wall switches and receptacles shall be fitted with standard Bakelite face plate covers. Device plates for flush mounting shall be installed with all four edges in continuous contact with finished wall surfaces without the use of coiled wire or similar devices. Plaster filling shall not be permitted. Plates installed in wet locations shall be gasketed.
- 9 When more than one switch or device is indicated in a single location, gang plate shall be used.
- C. POWER LOAD CENTER, SWITCHGEAR AND PANELBOARDS
  - This item shall consist of the furnishing and installation of the power load center unit substation or low voltage switchgear arid distribution panelboards at the location shown or the approved Plans complete with transformer, circuit breakers, cabinets and all accessories, completely wired and ready for service.
  - 2 All materials shatt be brand new and shall be of the approved type meeting all the requirements of the Philippine Electrical Code and bearing the Philippine Standard Agency (PSA) mark.
    - Grounding System All non-current carrying metallic parts like conduits, cabinets and equipment frames shall be properly grounded in accordance with the Philippine Electrical Code, latest edition.

The size of the ground rode and ground wires shall be as shown on the approved Plans. The ground resistance shall not be more than 5 ohms

b. Panelboards and Cabinets. Panelboards shall conform to the schedule of panelboards as shown on the approved Plans with respect to supply. characteristics, rating of main lugs or main circuit breaker, number and ratings and capacities of branch circuit breakers.

Panelboards shall consist of a factory completed: dead front essembly mounted in an enclosing flush type cabinet consisting of code gauge galvanized sheet steel box with trim and door. Each door shall be provided with catch lock and two (2) keys. Panelboards shall be provided with directories and shall be printed to indicate load served by each circuit.

Panelboard cabinets and trims shall be suitable for the type of mounting shown on the approved Plans. The inside and cutside of panelboard cabinets and trims shall be factory painted with one rust-proofing primer coat and two finish shop coats of pearl gray enamel paint.

Main and branch circuit breakers for panalboards shall have the rating, capacity and number of poles as shown on the approved Plans. Breakers shall be thermal magnetic type. Multiple breaker shall be of the common trip type having a single operating handle. For 50-ampere breaker or tess, it may consist of single-pole breaker permanently assembled at the factory into a multi-pole unit.

- D. Comply with the current applicable codes, ordinances, and regulations of the authority or authorities having jurisdiction, the rules, regulations and requirements of the utility companies (as applicable).
- E. Drawings, specifications, codes and standards are minimum requirements. Where requirements differ, the more stringent apply.
- F All equipment and installations shall meet or exceed minimum requirements of the Standards and Codes.
- G Execute work in strict accordance with the best prectices of the trades in a thorough, substantial, workmanlike manner by competent workmen.
- H. When the tests and inspections have been completed, a label shall be attached to all devices (ested. The label shall provide the name of the testing company, the date the tests were completed, and the initials of the person who performed the tests.
- I PANELBOARDS
  - Fabricate and test panelboards according to IEEE 344 to withstand seismic forces defined in Division 16 Sections 16073 and 16074 "Hangers and Supports for Electrical Systems and Vibration and Seismic controls for Electrical Systems" respectively
  - Enclosures: Flush, Surface, Flush- and surface-mounted cabinets.
    - a. Rated for environmental conditions at instaked location.
      - Indoor Dry and Clean Locations NEMA, Type 1.
      - ii. Outdoor Locations: NEMA, Type 3R.
      - iii. Kilchen and Wash-Down Areas: NEMA, Type 4X, stainless steel.
      - iv. Indeer Locations Subject to Dust. Falling Dirt. and Dripping Noncorros/ve Liquids: NEMA, Type 12.
      - Outdoor Locations Subject to Dust, Falling Dirt, and Dripping Noncorrosive Liquids: NEMA, Type 5R.
    - b Front: Secured to box with concealed trim clamps. For surface-mounted fronts, match box dimensions, for flush-mounted fronts, overtap box.
    - Hinged Front Cover. Entire front from hinged to box and with standard door within hinged inm cover.


- d. Skirl for Surface-Mounted Panelboards: Same gauge and finish as panelboardfront with flenges for attachment to panelboard, wall, and calling or floor.
- Gutter Extension and Barrier: Same gage and finish as panelboard enclosure; integral with enclosure body. Arrange to isolate individual panel sections.
- f. Finishes
  - Panels and Trim. Steel and galvanized steel. (actory finished immediately after cleaning and pretreating with manufacturer's standard two-coat, baked-on finish consisting of prime coat and thermosetting topcoat.
  - ii. Back Boxes: Galvanized steel Same finish as panels and firm.
  - Fungus Proofing: Permanent fungicidal freatment for overcurrent protective devices and other components.
- g Directory Card. Inside panelboard door, mounted in transparent card holder metal frame with transparent protective cover
- Incoming Mains Location Top or Bottom.
- 4 Phase, Neutral, and Ground Buses:
  - Material. Hard-drawn copper, 98 percent conductivity.
  - Equipment Ground Bus: Adequate for feeder and branch-circuit equipment grounding conductors; bonded to box
  - c. Neutral Bus: 100 percent of phase bus 4. Extra-Capacity Neutral Bus Neutral bus rated 200 percent of phase bus and UL fisted as suitable for nonlinear loads.

PETE ANDRE S. INATONG Planning and Programming Division


JOCELYN A NAONG Planning and Programming Division


# Section VII. Drawings


[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]





























	IN DRIVENUS AND SENDED F DISCREPANCY (ED FOUND HOMEN	BY THE CONTRACTOR AND SHALL	1						
	AL DIMENSIONS, ELEVATIONS AND REFERENCES SHALL BE VERY KDW XXXX/7005	ITH THE ACTUAL CONDITION FRICH TO							
1112	HOP DRAMINGS SHALL BE PROVIDED AS NECESSARY PRICE TO THE EX	CTUTION .							
8.4	LL WORKS SHALL BE TESTED AND COMMISSIONED AS INDICATED IN TH AL PARTIES INVOLVE, RESULT SHALL BE DOGUMENTED PROPERLY.			1. FIXTURE	ES AND OTHER LEGEND				
	AL PIPER AND LAR OUT ARE ONLY DRADRAWARDS, AS TURE LARGED OF	PIPER AND FITTINGS, LAKERS OTHERWISE	1	FD	FLOOR DRAIN		UNION PATENT		
	EQUIRED, SHALL BE PROPERLY CONCEALED.			RD	ROOF DRAIN		CHECK WILVE		
-10	NO PIPES SHALL BE ALLOWED TO BE EMBEDDED IN STRUCTURAL ME			SHO	SHOWER	15	BUILDING SEWER		
:11.	ALL FIRES, FITTINGS, DOLWARKT AND FOLLARS SHALL PASS THE MI PEDRICATION WITH THE SEAL OF APPROVAL BY THE DEPARTMENT OF			WC	WATER CLOSET	80	BUILDING DRAIN		
12	ALL PIPES, ATTINGS, EQUIPMENT AND FIXTURES SHALL BE INSTALL			LAV	LAVATORY	PC .	WASTE LINE		
	PEOPERATION AND HISTRUCTION					AD/CD	AREA DRAIN / CATCH BA	SIN	
- 78	BUPPORT AND HANGERE BHALL BE PROVIDED ACCORDINGLY.			URI	URINAL	PD	FLOOR DRAIN		
- 18	ALL SOUPHENT & FORTURES SHALL BE ENVIRONMENTAL PRINCIPLY	SUCH AN WATER REPOSENT FORTUNES		KS	KITCHEN SINK	12	DIAMETER		
	WATERLIKE				DUM DING DD UM		WASTELINE		
	15.1 WATERLINE BHALL BE PRR TYPE OF APPROVED EQUIVALENT.			BD	BUILDING DRAIN		WATER LINE		
	15.3. WATER METER SHALL BE ANY BRAND AND ADDEPTED BY THE WA	THE UTUAL COMPANIES.	1	DD	DECK DRAIN		GATE VALVE		
	15.4. ALL WATER PIPES EXPOSED TO WEATHER CONDITIONS HILL BE N		1			0D	DECK DRAIN		
	STORN DRAIN			CCO	CEILING CLEANOUT	(cb	CLEANOUT		
1.10	B.1. ALL STORMORMINAGE SLOPE SHALL SE WITHIND SE TO 4%						PIPE DOWN		
1 3	IS 2: STORE ORAMAGE LINE 2008/80 AND BLOW SHALL BE PVC. 25/09/	8 & ABOVE SHALL BE REINFORCED		FCO	FLOOR/GROUND CLEANOUT		PIPE UP		
122	CONCRETE MPE					Pidta .	MILLINETER		
	SEWERLINE			DS	DOWNSPOUT	64	GATE VALVE		
	IT 1 ALL SLOPES FOR SAVITARY SHALL CONFORM A 2% SLOPE	and their second second second			and Statement and	- D	AREA DRAIN / CATCH BA	SIN	
	IT 2: SOAL INASTE & VENTIPPE SHALL BE (POLYWYR, CHEDREE) INC IT 3: OLEAN OUTS MUST BE PROVIDED FOR SWITARY VERTICAL PIPES			mm	millineter	WS	WATER CLOSET		
1.1	PROVIDED WITH A CLEAN OUT AT ITS UPPER TERMINAL, EVERY CH	ANDE IN DIRECTION AND EVERY 30M OF A		11120		LAW	LAVATORY		
	STRAIGHT PIPE, CLEANOUTS CAN BE OMITTED IF THE SPEECTIVE			Ø	mm DIAMETER	M6i	MANHOLE		
10.00	74. ALL DRAMAGE FIXTURE SHWLL BE SUPPLIED WITH APPROPRIATE I	ACHTILATION.		SHD	SHOWER DRAIN	HB	HOSE BIBB		
	FIGURES		1	CB	CATCH BASIN	-	STORM DRAIN LINE		
	8.1 WATER CLOSETS WALL BE FREE STANDING TOLET COMBINATION VORTEX OR WARH-GOWN BOWN, WITH EXTERDED REAR DRUP AND VORTEX OR VERY AND VORTEX OR VE			1.11			VENTLINE		
	COMPLETE WITH FITTING AND MOUNTING ACCESSORIES AND WAT			MH	MANHOLE	WIC.	VENT ABOVE CEILING	Charles and a	
1	<ol> <li>LAWATORY SHALL THE VITAEDAS CHINA, WALL HUNG WITH REAR O INTEGRAL CHINA BRACKET, COMPLETE WITH STANLESS STEER IF</li> </ol>	VERFLOW, POCKET HIMNER WITH			DIRECTION OF FLOW	CP (RGP	CONCRETE PIPE / REINF	CONC. PIPE	
	PIPER, P TRAP with MOUNTAGE ACCORDERS	CODE THE RESET MALE TO ANTE T		in the second	전 것이 가지 않는 것이 같이 같이 많이 많이 다.	VIII	VENT THRU ROOF	and the second s	
- 2	8.3. UPINAL BRANCHER VERHERUNG DIENA, WALL HONO WASH-OUT URIN INTEGRA, FLISH APREADER, CONCEALED WALL HINNER POCKET AND MOUNTING ACISELECKIER, INCLUONG URINA, PARTITION			$\bigcirc$	GREASE TRAP	0	DIRECTION OF FLOW / SL	OPE	
- 1	L4. GRAE BARS SHALL BE PROVIDED ON ALL PART THEFT AND BHALL FIRE PROVIDED WITH SAFETY GREE AND MOUNTRIS FUNCE.	BE MADE OF TUBLEAK STANLESS UTSER.							
	6.0. FLOOR ORANG SHALL BE MADE OF STANLESS BEENVE TYPE, WEA WITH DETACHABLE STANLESS STRAMER, EXPANIOD MITAL LATH								
3	SIG. TOLET PAPER HOLDEN SHALL BE WITHEOUS CHINA WALL MOUNTE: ADMOENT RIKTURE AND YACHIG TILES.	D COLOR SHALL RECONCILE WITH THE							
	ISOAP HIS LORE AND FRAME THAT IN A REAL MOUNTED, COLOR INSTANCE AND PACING THAT IS	I SHALL RECONCILE WITH THE ADJACENT							
	ER. FALCET SHALL BE MADE OF STAMERSS STEEL LEVER TYPE HERV	OUTY FOR INTERIOR USE							
i i	6.8. HOLE BOD SHALL BE MADE OF STAINLESS STED, LEVER TYPE HEA	WY DUTY							
- i	8.10, KITCHEN BINK FARICET BHALL BE MADE OF STARADED STEEL LEY	EN TYPE HEAVY DUTY GOOSE NEOK TWPE							
_	WITH COMPLETE ACCESSORIES								
1	GENERAL NOTES	SCALE WIS	2	LEGEND AND	O SYMBOLS				BCALE NTS
	~~~~	Ricular Intel	019900 811.1	AL MANTTED BY	PECCHARINEING APPHOVAL	APPROVED	ov.	DECTORITIN	WHET NO.
13	Resulting on Distances		1.1.1.1.1.1.1		S				-
Jek	Republika ng Pilipinas Linnsod ng Quayon	PROPOSED REHABILITATION OF	0.072 - 07:020		N	1			0
191		BARANGAY HALL AT BARANGAY DIOQUINO 2088L	GROPTIN	× 100			3	SENERAL NOTES	(PL-01)
0	CITY ENGINEERING DEPARTMENT	Looke y	and age to the	Martin Martin		10. 10. 10. 10.	A. JOSEFINA G. BELNONTE	20040-440-04400.5	10 20
5	2322	LOCATON	HEVINGA HEL	ENGR. LED S. DEL HEAD, PLANSING & PRODUCT	ROSARIA ENGR. IRACHE R. VERZO	OF NOR. IN	CITY MARCH		1 all
		BRITY, OLDOLING 200FL, DISFRET 3, QUERINGTY	100000						2.2124


DED2021 0061N B1 (DK\_2021-1181

3: ALL WORKS SHALL BE SUPERVISED BY A REDISTERED PROFESSIONAL SELVED TO THE ACTIVITIES SERVE DEDERTHADA

3. ALL WORKS BHILL BE ODORDINATED WITH THE RESPECTIVE TIMOES BO TO AVED CONFLICTS CURING EXECUTION OF ACTIVITIES

4 ALL RECEISSANY PERMITS SHALL BE BECURED AND TURNED-OVER TO THE CITY.







14208

NI


34

10.0


----

16a


1	SEC	OND FLOOR PLUMBI	NG LAYOUT	20			/// · · · · · · · · · · · · · · · · · ·	2	1	SCALE 1:125M
1	26-20 26-20		WORKET THEE!	ORINGE BY: BO	30041759-091		RECOMMENDING APPROVAL:	APPROACE BY:	DISC DOMINI	WEETWO.
53		Republika og Pilipinus Lungsod na Oursen	PROPOSED REHABILITATION OF BARANGAY HALL AT BARANGAY DIOCUNO	DATE   013639	(	0	0			6.00
1990 o	CITY ENGINEERING DEPARTMENT		CHECKED DIF 18	-	THE .	1		ABCOND/PLOOP	/PL-03	
	CITY ENGINEERING DEPARTMENT		acatrac in	ENGR. L	ED S. DEL ROSARIO	ENGR. ISANAN R. VERZOSA, JR.	HON, MA, JOSEFINA & BELMONTE	RUNNING LANSIN	12 20	
		LOCATIONAL BRACK DISCOURSES AND A DISCOU	REVISION NO.	HERE IS ANY	Strategeneric broke	DC. CPP ENGALISHING DEPARTMENT	ETT/MARK DELECTION		1 com	




					DEDO Bo Del
1. ALL WORKS SAMEL BE EXECUTED IN MICONOMICE (ID THE LATEST EDITION OF		TELL ALL MOUNTING HEIGHTS FOR WALL MOUNTED DEVICES SH	and any contraction to be a second seco		
PHERMINE ELECTRONICS CODE, THE NATIONAL BUILDING CODE OF THE PHILIP WELCROPHYNEES OF THIS CITY.		IKHTING-BWITCH - 1400 MM ABOVE PLOOP PMICH COMMENSATION - 1500 RM ABOVE PLOOP PMICH - 1500 RM ABOVE PLOOP PMICH		AND A REAL PROPERTY AND A	Age was set to the
	1948 AV 48 AV	CONVENENCE OUTLET - 300 HM ABOVE PLOOP FINISH - 150MM ABOVE WORKING COUNTER.	6	INCOME DESIGNED DEST. SALES	RD OUTLET FOR ACE
<ul> <li>ALL WORPS SHALL BE SUPERWORD BY A REDISTERE PROFESSIONAL RELATED UNDERTAKEN.</li> </ul>	8.0	PMIELEO/PD AND CADRETS - 1408 MILABOVE R.COR FINISH		C RESPONDENT AND ANY AN ALA	HIPLD ROVIDHOKE WALT
		EXET USHT - 150 MW TOP OF DOOR, MWR EMERGENCY USHT - 200 ABOVE FLOOR EMERGENCY		and the second sec	
ALL WORKS SHILL BE COOPDINGTED WITH THE RESPECTIVE TRACES SO TO A ERECUTION OF ACTIVITES.	VOID CONFLICTS DURING	THE REPORT OF ALL REPORTS		O TOMME ONLIGHT WITH THE LOL BALE	- ISLING FAN
Electron of Activities		151. PULL BOIES SHALL MEW-ENEWER ABCESSARYTO MICLITA	TE INTEL PULLING EVEN IP THESE ANE ACC	O COMPA SACCIAL NUM TON TAX RY'S	PASS. 50440
ALL MEDSIONARY PERMITTERNALLINE SISCIPPED AND TURNED AVER TO THE OTHER	6	INDICATED ON PLANS.		ative tais taik 6.	PARE RINKS TO BE REPLACED
ALL DRAWINGS AND OPECIFICATIONS SHALL BE CONVECTLY REWEND BY THE MINEDWITELY BE INFORMED IF DISCREPANCY (ES) FOUND HEREIN	CONTINUETOR AND BRALL	15.1. FOR EACH OPARE BRANCH CIRCUIT IN PANEL BCARC, PROVID TERMINATED TO 100MA OCTAGONA, BOX ABOVE OFILING, MINIMU IN 100MA		atala Tel Pol Sol perila	Service reaction and the
ALL DIMENSIONS, BLEWITCHS AND REFERENCES, SHALL BE VERIFED WITH TH EVENINGSA	E ACTUAL CONDITION PRICE TO	153 ALL CREDIT INDAKES SHALL BE DOLT OVER THE INTERNET PLANS PROBADINGS SHALL BE GALVARIED SHIFT POWER CO	INSERTING CARNOTY AS REPORTED IN THE	LEGEND & SYN	BOLS SCALE
SHOP DRAWINGS SINCE BE PROVIDED AS NECESSARY MICACIDITIE EXECUTIO	24.	IS 4. FEEDER AND GRANCH C REALT CONDUCTORS IN CABLE TRU- TABLED TO INDICATE CLEMELY THE RESCTINCIAL CONNACTEMENTS			
ALL WORKS SIMUL, BE TESTED AND COMMISSIONED AS INDICATED IN THE SPEC OF ALL PARTIES INTO VERYESIA, TS SHALL BE DOCUMENTED PROPERTY.	OFICATIONS WITH THE PREDENCE	DESIGNATION		International Designment of the Designment of th	-
AU, PIFER AND LAYOUT ARE OKLY OMORAMIATIC, ACTUAL LOYOUT OF HIPES HESILINES, SHALL BE HIGHERLY CONSISTED.	NID RTTWEELINLESS OTHERWINE	15.3. REPORTO MEDIAWICAL, PLUMING AND THE PROFILETION EQUIPMENT AS INCL. AS THER CONTROL SECURICES AS SPECIFIC RESPECTIVE SECTIONS.			76 00740582
NO REPERTING IN ALLOWED TO BE ENDED DED IN STRUCTURAL MEMORYLE OF		16.9. ALL MATERIALS TO BE USED AND THE EQUIPMENT TO BE IN STRAID NOW AS SPECIFICE. IT MUST BE APPROVED TWICEFOR THE			<i>.</i>
ALL PIPES, RITINGS, DOUPMENT AND FINTURES SHALL BE INSTALLED IN ACC SPECIFICATIONS AND WRITHLOTONS.		INTERDED. INSTRULATION OF AUXUMEY EXISTEN (VOICE/UNIT) EXISTEN, CLOBED	CONTROLOGICAL SYSTEM AND THE		$\Box$
EUMORTS AND HANGERS SHALL BE MICHIDED ACCORDINGLY.		NO MULTION OF ADALEMY STOLEN (VICESION NET THEN DUSED DETECTION NUMM SYSTEM) 19.1. ALL AURUNATI WINNESHUEF REFER TO WHE SCHEDULE A			
ALL EQUIPMENTS AND INSTURES SHALL BE ENVIRONMENTAL PREVIOLY.		15.2 MINIMUM SIZE AND TYPE OF CONDUCT SHALL BE AS FOLLOWS			And the state of the second
NETWILKTYCH OF SERVICE ENTWISEE	A .	VOICE EXTAINISTEM 3000 IL PVC		SPOT DETAL OF CONDUCT RUN AND BOX	RENDRIG HADRUS DETAIL
14.1. THE TYPE OF BERKICE ENTRANCE INVALUES INVALUES INVALUES TOO WERK AS A CHURKES.	and the second set of the second set of the second s	COTV BYTEM - 30MILLE PLC POAR BYSTEM - TEMBLIE ENTLANC			
14.2. THE REPORTS ENTROPICE EXCIPATION SHILL BE PROPERLY CROAMED PHERPHE ELECTRICAL CODE 14.3. THE BAR OVERCOMPERT PROTECTION DEVICE BARLED OF THE REPORTS FOR CODE SEAL CODE.		16.1. ALL EMBEDDED CRIVELISTS ISHALL RE PAC CONCULTS AND FOR SUPPORTED BY CONDUCT CLAMPS SUFFY 700 MUMETEPS AND/OR MUMCTIPS.		1	
NUTULIATION OF LIGHTIGH AND POWER INSTEM 15.1. ALL LENTING AND CONVENENCE OUTLET OPCUTS SMELLER 16 53.0 UNLES OFFENERE HOTEL MINISTER OF WITE GAULT BOOK 50, MM OF OFFESS OFFENERE HOTEL MINISTER UNE 1 - RED LINE 1 - RED	AN THINTHWIN CONTRACTOR & C.	N.Z. ALL MOUNTING HEXPITS FOR WALL MOUNTING DEVICES SHM.           PELEPHONE OFFICET         SOLING ABOVE FLOOR INVERT           ANY DUTLET         SOLING ABOVE FLOOR INVERT           ANY DUTLET         SOLING ABOVE FLOOR INVERT           ANY DUTLET         SIMM RECISE WORKING COLLINER           WIRH AND ABOVE FLOOR FINISH         MOUNT ABOVE FLOOR FINISH	LI BE AS POLIÇANS		
UBE7 -BLACK HEUTRAL - WHITE		18 1 BORRO, WIRE, OUTFIRM, ENCLOSING BUILDE FRANKLATED	FROM BREEL W SH THRONESE AS FOLLOWS:	U   i	WHEN THE PROPERTY OF THE ADDRESS OF THE PROPERTY OF THE PROPER
0ROUND OREEN	HaCk V	NOTH OF THE WIDES! BA		State to an A	
152 ALL EMEEDORE BRANCH CREDITS BAALL BE FVC CONDUCTS AND FORT INC SUPPORTED BY CONDUCT CLAWS EVENTY THE MICHAETERS AND/OR COMP COM ME. MICHAETERS.		PRIMOR DPORY AND	EU WITH HETWAL 1 TOPDOME		ORCED INVOLVANT TERMINATION FOR SHE
		CHER 152 KOMPENTINGT OVER 40'30 6A 14 PAINTED WE PRIMER EPOKY AND			
15.3. CONDUITS IN NO CASE SHALL NOT BE INCREIT-IN THE EQUINAL BAT OF OVERHIM, ALL CONDUIT SENDS SHALL BE FELD MADE BY USING HYDRAUCCS		CHER 407 30 MINH UT NOT CHER THE MIN. GA 12 PAINTED WIT	10110000		NAME OF TAXABLE PARTY
NADUS BUST BE IN ACCORDANCE TO THE CLOSE RESUMEMENTS.	10414-08014-0100-004903	CVERTIE MIL GATE PRIME EPOLIZIAN GATE PRIME GATE PRIME OWE		A les a	The Prime -
TEX. ALL POWER OLIFLIETS AND DWYCHIES SHALL HE GROLADINE THPE WIT	R FARDALLER, BLOTE FOR 228 %	PHILE POINT AND		Internet in the second second	Alter Altered
15.5. FROMOS GROUND FALLY CURRENT INTERRUPTER CIRCUIT BREAKER P		10.1 THE COMMUNICATION GROUND RESISTANCE \$14.1 HOT CALL	10.7046	CONDUCTION IN	R LOHTHO
5.m		16.2 ALL VATERIALS TO BE USED AND THE EQUIPMENT TO BE AN		OFOR EXPORED OR IN SIDE OR	
158. ALL NETALLIC CONDUCTL, INVITCHES, LICHTING (NOTURES, PARELEONN SCINCLINIENT CARRYING METAL PARTS SHALL BE PAREMERLY GROUPED AN	os Edulpalento Ano Discritto.	SRAND HER AS OFECHED, IT MUST BE APPROVED THE FOR THE I INTENDED.	WRITCULAR LOCATION AND MURACIE	And provenue Hard On	one resolution and schedul (1948)
15.1 THE GROUND RESISTANCE GROUP NOT BE MORE THRMS CHINA.					
GENERAL NOTES			SCALE MTS. 3	MISCELLANEOU	S DETAILS SCALE
φa.	(weater mus)	REAL BRANCTION	RECORDERACION PROVAL	Anterest and the	SHEET GONTONE GHEET
Republika ng Pilipinas	PROPOSED REHABILITATION OF	F 8476: 07.0682			
Lingsod ng Queen	BARANGAY HALL AT BARANGAY DIO ZOBEL		-		MOD LANDOW DETAILS /EL
CITY ENGINEERING DEPARTMENT	BARANGAY HALL AT BARANGAY DID ZOBEL	QUINO	BISARIO, ENGR. IBAGAJAR. VERZOBA	. IR. HOR. MA. JOSEFINA G. BELMO	LEADED AND DYMOLS




















# Notes on the Bill of Quantities

# Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

# Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

# **Provisional Sums**

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

## **Signature Box**

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

PROJECT TITLE: PROPOSED REHABILITATION OF BARANGAY HALL AT BARANGAY DIOQUINO ZOBEL

LOCATION : BARANGAY DIOQUINO ZOBEL, DISTRICT 3, QUEZON CITY

PROJECT NO. : 22 - 00108

DURATION : One hundred Twenty (120) Calendar Days

### **BREAKDOWN OF COST**

ITEM CODE	WORK DESCRIPTION	MATERIALS COST	LABOR COST	INDIRECT COST	AGGREGATE COST
GR	GENERAL REQUIREMENTS				
OGR	OTHER GENERAL REQUIREMENTS				
SW	SITE WORKS				
CWS	CIVIL / STRUCTURAL WORKS				
AW	ARCHITECTURAL WORKS				
EW	SANITARY / PLUMBING WORKS				
S/PW	ELECTRICAL WORKS				

TOTAL COST P

LUMP SUM BID IN WORDS : \_\_\_\_\_

Contractor : \_\_\_\_\_

Page 3 of 3 Bid Form

# BILL OF QUANTITIES

#### (Building Construction/Rehabilitation Project)

PROJECT TITL	E :	PROPOSED REHABILITATION OF BARANGAY HALL AT BARANGAY DIOQUINO ZOBEL
LOCATION	:	BARANGAY DIOQUINO ZOBEL, DISTRICT 3, QUEZON CITY
PROJECT NO.	:	22 - 00108
DURATION	:	One Hundred Twenty (120) Calendar Days
SCOPE OF WOR	RKS:	
GR	Gene	eral Requirements include billboard(s).
OGR	Othe	r General Requirements (NON O.C.M.) include, but not limited to:
1	Ter	mporary enclosure around the construction area.
2	Ter	mporary water system including water meter/sub-meter and connections.
3	Ter	mporary electrical system including electric meter/sub-meter and connections.
4	Cle	earing, hauling and disposal of construction materials and debris.
5	Sca	affolding for general use (rental).
SW	Site	Works:
1	De	molition/removal works.
2	Cle	paring and cleaning for painting preparation.
CWS		/ Structural Works:
1		sonry works include Floor topping for preparation of tiles, restoration of concrete, application of concrete bonding
2		ents and plastering works. isture protection include waterproofing works (membrane type).
3		ofing works include installation of roofing and bended materials.
AW		itectural Works (Finishes as indicated in the plans):
1		or finishes include tile works for flooring and other floor finishes.
2		all finishes include tile works for walls and other wall finishes.
3		iling works include installation of ceilings with framings.
4		bricated materials include installation of doors and windows, cabinetry, logos and letterings.
5		inting works include painting for exterior and interior walls, metal surfaces and ceilings.
S/PW		tary/Plumbing Works:
1		tallation of roughing-ins, valves, appurtenances and supports.
2		tallation of water efficient sanitary/plumbing fixtures and accessories.
EW		trical Works:
1		tallation of roughing-ins and wirings.

- 1 Installation of roughing-ins and wirings.
- 2 Installation of system devices, energy efficient lighting fixtures and components, panelboards, switchgears and accessories.
- O Others (Included in O.C.M.)
- 1 Provision of construction health and safety such as safety gears, med kit, etc.
- 2 Preparation of shop drawings, as necessary.
- 3 Preparation of as-built plans (signed and sealed by the respective professional(s)).
- 4 Testing and commissioning works shall be performed as per standard procedures.

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
GR	GENERAL REQUIREMENTS				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
SPL7	Billboard (1.20m x 2.40m in Plywood)	1	piece	₽	₽
			MAT	ERIALS COST GR	₽
				LABOR COST GR	
				DIRECT COST GR	₽

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
OGR	OTHER GENERAL REQUIREMENTS				
OGR02c	Temporary Enclosure Around the Construction Area (h=2.4m)	61	l.m.	₽	₽
OGR0301	Temporary Water Facility	1	unit		
OGR0302	Temporary Electrical Facility	1	unit		
				Subtotal	₽
OGR01	Clearing, Hauling and Disposal of Construction Materials and Debris	6	t.l.	₽	₽
OGR05	Scaffolding (Rental)	414	sq.m.		
				Subtotal	₽
					a
				IRECT COST OGR	₽
SW	SITE WORKS				
DEMV011	Removal of Lavatory	4	set	₽	₽
DEMV013	Removal of Water Closet	10	set		
DEMV015	Removal of Ceiling Board Including Framing	635	sq.m.		
DEMV021	Removal of Existing Floor and Wall Tiles	708	sq.m.		
DEMV025a	Removal of Existing Roof Sheet	231	sq.m.		
SW03	Cleaning / Clearing for Painting Preparation	2,852	sq.m		
				DIRECT COST SW	₽
CWS	CIVIL / STRUCTURAL WORKS				
CWSMA	Masonry Works				
CWSMA05	Plastering, 25mm thk for Ordinary Walls	3	sq.m.	₽	₽
CWSMA11	Concrete / Floor Topping 25mm, for Preparation of Tiles	687	sq.m.		
CWSMP	Moisture Protection				
CWSMPW03	Membrane Type Waterproofing	272	sq.m.		
CWSPRW	Roofing Works				
CWSPRW0701	Pre Painted Rib Type Long Span Metal Roofing Sheet, 0.45mm thk GA 26 with Connection Accessories	242	sq.m.		
CWSPRW0704	Pre Painted G.I. Flashing GA 26 x 0.60m	45	l.m.		
CWSPRW0707	Pre Painted G.I. Ridge Roll, GA 26 x 0.60m	10	l.m.		
CWSPRW0802	12mm x 300mm Fiber Cement Fascia Board	20	l.m.		
CWSPRW0503	6.0mm thk One-Sided Aluminum Foil Thermal Insulation Including Consumables	242	sq.m.		
			<b>P4 V</b> -		a
				ERIAL COST CWS	P
				ABOR COST CWS	æ
			ם ו	RECT COST CWS	₽

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
AW	ARCHITECTURAL WORKS				
AW04	Floor Finishes				
AW0402	400mm x 400mm Non-skid Homogeneous Floor Tiles Including Adhesive and Grout	17	sq.m.	₽	₽
AW0404	600mm x 600mm Non-skid Homogeneous Floor Tiles Including Adhesive and Grout	670	sq.m.		
AW03	Wall Finishes				
AW0306	400 x 400mm Homogeneous Wall Tiles Including Adhesive and Grout	36	sq.m.		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
AW02	Ceiling Finishes				
AW0204	6.00mm thk. Fiber Cement Board Including Metal Framing	667	sq.m.		
				Materials Cost	₽
				Labor Cost	
				Subtotal	₽
AW01	Fabricated Materials				
AWD01	Doors Installation				
AWD010132	D3 - 0.8m x 2.1m Wooden Flush Door with Hardware and Complete Accessories	3	set	₽	₽
AWD010199	D1 - 3.4m x 2.4m Double Leaf Glass Door with Fixed Glass	1	set		
AWD010199	D2 - 0.9m x 2.1m Single Leaf Glass Door	8	set		
AWD01211	D4 - 1.3m x 2.1m Flush Door with Viewing Panel and Fixed Glass	2	set		
AWD01212	D5 - 1.8m x 2.1m Flush Door with Viewing Panel and Fixed Glass	1	set		
AWD010158	D6 - 0.8m x 2.1m PVC Door with Louver, Hardware and Complete Accessories D7 - 0.6m x 2.1m PVC Door with Louver, Hardware	1	set		
AWD010164	and Complete Accessories	9	set		
AW0112	Hanging Cabinet (Wooden)	3	sq.m.		
AW0129	Stand Cabinet with Sliding Glass Door	3	sq.m.		
				Materials Cost	₽
				Labor Cost	
				Subtotal	₽
AWP	Painting Works				
AWP0101	Flat Latex Paint Finish (Interior Wall - 3 Coats)	1,801	sq.m.	₽	₽
AWP0102	Elastomeric Paint Finish (Exterior Wall - 3 Coats)	1,194	sq.m.		
AWP0105	Flat Latex Paint Finish (Ceiling - 3 Coats)	667	sq.m.		
AWP0106	Epoxy Enamel Paint Finish (Steel Member - 3 Coats)	6	sq.m.		
				Materials Cost	₽
				Labor Cost	
				Subtotal	₽
			БА	ATERIAL COST IV	₽
			IVI	LABOR COST IV	
				DIRECT COST IV	₽
				DIRECT COST IV	
S/PW	SANITARY / PLUMBING WORKS				
S/PW01	Sewer Line / Storm Drainage System				
S/PW010102	50mm Ø, PVC Pipe with Hub	21	piece	P	₽

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
S/PW010103	75mm Ø, PVC Pipe with Hub	8	piece		
S/PW010104	100mm Ø, PVC Pipe with Hub	10	piece		
S/PW010130	100mm Ø x 50mm Ø, PVC Wye	14	piece		
S/PW010110	32mm Ø, PVC P-Trap	4	piece		
S/PW010111	50mm Ø, PVC P-Trap	10	piece		
S/PW010114	50mm Ø, PVC 1/4 Bend	48	piece		
S/PW010120	50mm Ø, PVC 1/8 Bend	28	piece		
S/PW010121	75mm Ø, PVC 1/8 Bend	20	piece		
S/PW010122	100mm Ø, PVC 1/8 Bend	12	piece		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
S/PW010131	100mm Ø x 75mm Ø, PVC Wye	10	piece		
S/PW010153	100mm Ø x 75mm Ø, Reducer	2	piece		
S/PW010164	75mm Ø x 50mm Ø, PVC Tee	24	piece		
S/PW010175	50mm Ø, PVC Coupling	7	piece		
S/PW010176	75mm Ø, PVC Coupling	6	piece		
S/PW010177	100mm Ø, PVC Coupling	13	piece		
S/PW02	Waterline System				
S/PW02010201	20mm Ø, PPR Pipe	22	piece		
S/PW02010202	25mm Ø, PPR Pipe	3	piece		
S/PW02010203	32mm Ø, PPR Pipe	3	piece		
S/PW02010211	20mm Ø, Tee Equal	36	piece		
S/PW02010212	25mm Ø, Tee Equal	6	piece		
S/PW02010213	32mm Ø, Tee Equal	6	piece		
S/PW02010239	25mm Ø x 20mm Ø, Reducer	7	piece		
S/PW02010240	32mm Ø x 20mm Ø, Reducer	7	piece		
S/PW02010241	32mm Ø x 25mm Ø, Reducer	7	piece		
S/PW02010257	20mm Ø, 90° Elbow	90	piece		
S/PW02010258	25mm Ø, 90° Elbow	6	piece		
S/PW02010259	32mm Ø, 90° Elbow	6	piece		
S/PW02010268	20mm Ø x 15mm Ø, Female Thread Tee	30	piece		
S/PW02010274	20mm Ø, End Cap	30	piece		
S/PW02010286	20mm Ø, Coupling	15	piece		
S/PW02010287	25mm Ø, Coupling	3	piece		
S/PW02010288	32mm Ø, Coupling	3	piece		
S/PW03	Sanitary Fixtures, Fittings and Accessories	5	piece		
	Bidet with Complete Fittings and Accessories (Water				
S/PW0301	Efficient)	10	set		
S/PW0303	Hose Bibb, Lever Type, Heavy Duty, Stainless Steel (Water Efficient)	6	piece		
S/PW0310	Lavatory Faucet, Countertop Mounted, Lever Type (Water Efficient)	4	piece		
S/PW0314	Lavatory, Wall Mounted, with Complete Fittings and Accessories	4	set		
S/PW0327	Accessories (Water Efficient)	10	set		
S/PW05	Plumbing Fixtures, Fittings and Accessories				
S/PW0501	Angle Valve, Single-Way Stainless	4	piece		
S/PW0502	Angle Valve, Two-Way Stainless	10	piece		
S/PW0503			piece		
S/PW06	Drains				
S/PW0601	Floor Drain, 100mmØ, Stainless	10	piece		
MC	Miscellaneous & Consumables				
MC/G01	All-Around Sealant	3	qrt		
MC/G06	Hacksaw Blade	8	piece		
MC/G14	Solvent Cement, 400cc	3	can		
MC/G15	Teflon Tape	40	roll		
MC/G18	Waste Cloth	7	kg		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT UNIT COST		TOTAL COST
			N	IATERIAL COST V	₽
				LABOR COST V	
				DIRECT COST V	₽

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW	ELECTRICAL WORKS				
EW01	Pipes				
EW0101	20mmØ PVC Pipe	350	piece	₽	₽
EW0103	32mmØ PVC Pipe	67	piece		
EW05	Fittings and Accessories				
EW05010	20mmØ PVC Adaptor	350	piece		
EW05012	32mmØ PVC Adaptor	20	piece		
EW05022	20mmØ PVC Locknut and Bushing	350	pair		
EW05024	32mmØ PVC Locknut and Bushing	20	pair		
EW02	Flexible Tubes				
EW0212	20mmØ Flexible Metallic Tube	100	l.m.		
EW06	Boxes and Fabricated Pullbox				
EW0602	100mm x 100mm Metal Junction Box with Cover	100	piece		
EW0603	50mm x 100mm Metal Utility Box	70	piece		
EW09	Wires and Cables				
EW090102	3.5mm <sup>2</sup> THHN Wire	24	roll		
EW090105	14mm <sup>2</sup> THHN Wire	402	l.m.		
EW090301	2.0mm <sup>2</sup> TW Wire	4	roll		
EW090304	8.0mm <sup>2</sup> TW Wire	201	l.m.		
EW11	Lighting Fixtures				
EW11037	600mm x 600mm, 2 x 10W LED, Troffer Type, with Complete Accessories, Recessed Type	16	set		
EW11039	300mm x 1200mm, 2 x 18W LED, Troffer Type, with Complete Accessories, Recessed Type	28	set		
EW11043	300mm x 1200mm, 2 x 18W LED, Troffer Type, with Complete Accessories, Surface Mounted	9	set		
EW11096	10W LED Bulb	44	piece		
EW11098	18W LED Bulb	9	set		
EW11114	100mmØ Plastic Receptacle	12	piece		
EW11119	100mm Ø Round Recessed Pinlight (case)	29	piece		
EW11120	150mm Ø Round Recessed Pinlight (case)	6	piece		
EW11140	Orbit Fan, Heavy Duty with Selector Switch	7	set		
EW10	Wiring Devices				
EW1002	Outlet with Ground, Two Gang	35	piece		
EW1015	Switch with Plate and Cover, One Gang	14	piece		
EW1016	Switch with Plate and Cover, Two Gang	9	piece		
EW1017	Switch with Plate and Cover, Three Gang	6	piece		
EW14	Panelboard				
ASSY 1	LPPA				
	Main: 70AT, 2P, 230V, MCCB	1	assy		
	Branches: 3 - 30AT, 2P, 230V				
	2 - 20AT, 2P, 230V				
	2 - 30AT, 2P, 230V, Spare				
	Enclosure: NEMA 1 with Ground Terminals				_
ASSY 2	LPPB				
	Main: 70AT, 2P, 230V, MCCB	1	assy		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
	Branches : 4 - 30AT, 2P, 230V				
	1 - 20AT, 2P, 230V				
	2 - 30AT, 2P, 230V, Spare				
	Enclosure: NEMA 1 with Ground Terminals				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
ASSY 3	LPPC				
	Main: 70AT, 2P, 230V, MCCB	1	assy		
	Branches: 4 - 30AT, 2P, 230V				
	1 - 20AT, 2P, 230V				
	2 - 30AT, 2P, 230V, Spare				
	Enclosure: NEMA 1 with Ground Terminals				
EW17	Pipe Hangers & Supports				
EW1701	Horizontal Layout of Pipe	150	l.m.		
EW1702	Vertical Layout of Pipe	10	l.m.		
MC	Miscellaneous & Consumables				
MC/G06	Hacksaw Blade	7	kg		
MC/G14	Solvent Cement, 400cc	5	can		
MC/G38	G.I Tie Wire (for Wire/Cable Pulling)	7	roll		
MC/E01	Electrical Tape	4	can		
MC/E03	Pulling Lubricant	12	piece		
MC/E04	Rubber Tape	25	roll		
			М	ATERIAL COST VI	₽
				LABOR COST VI	
				DIRECT COST VI	₽

#### SUMMARY

ITEM CODE	WORK DESCRIPTION & SCOPE OF WORKS	TOTAL COST
OGR	OTHER GENERAL REQUIREMENTS	P
	TOTAL DIRECT COST A	₽
GR SW CWS AW S/PW EW	GENERAL REQUIREMENTS SITE WORKS CIVIL / STRUCTURAL WORKS ARCHITECTURAL WORKS SANITARY / PLUMBING WORKS ELECTRICAL WORKS	₽
Note: • Strictly enforce H Protocols relative to appicable DPWH M	o the latest and Miscellaneous	

ITEM CODE	WORK DES	WORK DESCRIPTION AND SCOPE OF WORKS		UNIT	UNIT COST	TOTAL COST
			TOTAL ESTIMATED COST B ₱			
			Т		L DIRECT COST A	₽
				TOTAL E	ESTIMATED COST	₽
					VAT	
		TOTAL APPRO	/ED BUD	GET FOF	R THE CONTRACT	₽

# Section IX. Checklist of Technical and Financial Documents

## Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# **Checklist of Technical and Financial Documents**

## I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

Legal Documents

- □ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); and
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;

and

- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
   and
- $\Box$  (e) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- □ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (*please see attached prescribed forms required by the QC BAC for Infrastructure and Consultancy*); and
- □ (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules with an attached Notice of Award, Notice to Proceed, Contract and Certificate of Acceptance (please see attached prescribed form required by the QC BAC for Infrastructure and Consultancy); and
- (h) Philippine Contractors Accreditation Board (PCAB) License;
   <u>or</u> Special PCAB License in case of Joint Ventures;

and registration for the type and cost of the contract to be bid; and

(i) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 or

Original copy of Notarized Bid Securing Declaration; and

- (j) Project Requirements, which shall include the following:

- a. Organizational chart for the contract to be bid;
- b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (*please see attached prescribed form required by the QC BAC for Infrastructure and Consultancy*);
- c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment

lessor/vendor for the duration of the project, as the case may be (*please* see attached prescribed form required by the QC - BAC for Infrastructure and Consultancy); and

 $\Box$  (k) Original duly signed Omnibus Sworn Statement (OSS);

**and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Additional Technical Requirements:

- Certificate of Site Inspection or Affidavit of Site Inspection as part of Omnibus Sworn Statement
- ☐ Affidavit of Undertaking for Key Personnel and Equipment (please see attached prescribed form required by the QC BAC for Infrastructure and Consultancy)
- Equipment Utilization Schedule
- □ Manpower Schedule
- Construction Schedule and S-Curve
- PERT-CMP
- Construction Methods

Financial Documents

- □ (1) The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- (m) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (please see attached prescribed form required by the QC − BAC for Infrastructure and Consultancy).

### Class "B" Documents

□ (n) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

### **II. FINANCIAL COMPONENT ENVELOPE**

 $\Box$  (o) Original of duly signed and accomplished Financial Bid Form; <u>and</u>

### Other documentary requirements under RA No. 9184

- $\Box$  (p) Original of duly signed Bid Prices in the Bill of Quantities; <u>and</u>
- □ (q) Duly accomplished Detailed Estimates Form, including a summary shee indicating the unit prices of construction materials, labor rates, and equipmen rentals used in coming up with the Bid; and
- $\Box$  (r) Cash Flow by Quarter.

## Bid Form for the Procurement of Infrastructure Projects [shall be submitted with the Bid]

#### **BID FORM**

Date : \_\_\_\_\_

Project Identification No. : \_\_\_\_\_

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: [insert name of contract];
- b. We offer to execute the Works for this Contract in accordance with the PBDs:
- The total price of our Bid in words and figures, excluding any discounts offered below is: [insert information];
- d. The discounts offered and the methodology for their application are: [insert information];
- e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates,
- Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines<sup>1</sup> for this purpose;
- We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.

<sup>1</sup> currently based on GPPB Resolution No. 09-2020

- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

## Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_ ) S.S.

#### BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

> [Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

## **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, BAC the head the Project and the Secretariat, of Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project

Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
- 11. We pledge that the project will be completed in accordance and congruency with the approved plans and programs.

**IN WITNESS WHEREOF,** I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_\_\_ 20\_\_ at , Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

## Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

#### CONTRACT AGREEMENT

THIS AGREEMENT, made this [insert date] day of [insert month], [insert year] between [name and address of PROCURING ENTITY] (hereinafter called the "Entity") and [name and address of Contractor] (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute [name and identification number of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [contract price in words and figures in specified currency] by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - Philippine Bidding Documents (PBDs);
    - Drawings/Plans;
    - ii. Specifications;
    - iii. Bill of Quantities;
    - iv. General and Special Conditions of Contract;
    - v. Supplemental or Bid Bulletins, if any;
  - Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder agrees that</u> additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

 The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Procuring Entity] [Insert Name of Supplier]

#### Acknowledgment

[Formal shall be based on the latest Rules on Notarial Practice]

## Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_ ) S.S.

#### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years <u>for the second offense</u>, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

> [Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

#### LIST OF ALL ON-GOING GOVERNMENT AND PRIVATE CONTRACTS

NAME OF CONTRACTOR:

PROJECT TITLE	DATE OF	CONTRACT			CONTRACTOR'S BOLE (SOLE CONTINCTOR, SUBCONTINCTOR,	TOTAL DATE OF			PERC	NTAGE				
[Name of the Centract] B. EXACT PROJECT LOCATION DATE OF CONTRACT DURATION POSTAL ADDRESS	NATURE OF WORK	PARTICIPATION	VALUE AT ESTIMATED		VALUE AT COMPLETION IF APPLICABLE	ACTUAL ACCOMPUSHMENT	PLANNED ACCOMPLISHMENT	VALUE OF OUTSTANDIN WORKS (IN PHP)						
									TOTAL AMOUNT OUTSTANDING V					

#### LIST OF ALL AWARDED BUT NOT YET STARTED GOVERNMENT AND PRIVATE CONTRACTS OF THE BIDDER

NAME OF CONTRACTOR:

PROJECT TITLE: \_\_\_\_\_

PROJECT TITLE & EXACT LOCATION	MAJOR SCOPE OF WORKS & DATE STARTED	NAME AND ADDRESS OF PROJECT OWNER	CONTRACT PRICE (PHP) AS AWARDED	DATE OF SCHEDULED COMPLETION	ROLE OF BIDDER IN THE CONTRACT SOLE CONTRACTOR / SUB- CONTRACTOR/PARTNER IN A
		5			
		TOTAL AMOUNT OF CONTRACT (Php)			

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

#### SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID

NAME OF CONTRACTOR:

PROJECT TITLE:

PROJECT TITLE (Name of the Contract) & EXACT PROJECT LOCATION	DATE OF CONTRACT	CONTRACT DURATION	PROJECT OWNER & POSTAL ADDRESS	NATURE OF WORK	CONTRACTOR'S ROLE SOLE CONTRACTOR, SUBCONTRACTOR, PARTHER IN A JVJ and PERCENTAGE OF PARTICIPATION	TOTAL CONTRACT VALUE AT AWARD	DATE OF COMPLETION or ESTIMATED COMPLETION TIME	TOTAL CONTRACT VALUE AT COMPLETIO IF APPLICABI
								IT APPLICAD

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

## LIST OF MAJOR EQUIPMENT TO BE USED FOR THE PROJECT

NAME OF CONTRACTOR:

## PROJECT TITLE:

TYPE	DESCRIPTION / CAPACITY	SERIAL NO.	YEAR ACQUIRED	PRESENT LOCATION (SPECIFIC ADDRESS)	STATUS OF AVAILABILITY (OWNED/LEASED)

#### A. LIST OF KEY CONSTRUCTION PERSONNEL TO BE ASSIGNED TO THE PROJECT

NAME OF CONTRACTOR:

# PROJECT TITLE: \_\_\_\_\_

POSITION	AGE	EDUCATIONAL	TYPE OF CONSTRUCTION EXPERIENCE	NO.OF YEARS WITH THE CONTRACTOR	PROFESSION	PRC NO.
	POSITION	POSITION AGE	PENITURY ASE	POSITION AGE ATTAINMENT CONSTRUCTION	POSITION AGE EDUCATIONAL CONSTRUCTION WITH THE	POSITION AGE ATTAINMENT CONSTRUCTION WITH THE PROFESSION

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

# COMPUTATION OF NET FINANCIAL CONTRACTING CAPACITY (NFCC)

NAME OF BIDDER:

CURRENT ASSETS*		PHP	
(LESS) CURRENT LIABILITIES*	(LESS)	PHP	
NETWORTH		PHP	
NETWORTH x 15	x 15	РНР	
(LESS) VALUE OF ALL OUTSTANDING ON-GOING CONTRACTS**	(LESS)	- РНР	
(LESS) VALUE OF ALL AWARDED BUT NOT YET STARTED CONTRACTS AS OF DATE**	(LESS)	PHP -	
NET FINANCIAL CONTRACTING CAPACITY		РНР	
		-01 	

NOTES: 
+ CURRENT ASSETS AND LIABILITIES BASED ON AUDITED FINANCIAL STATEMENT FOR THE PRECEDING CALENDAR YEAR SUBMITTED TO B.I.R.

> \*\* BASED ON LIST OF ON-GOING AND AWRDED BUT NOT YEY STARTED CONTRACTS SUBMITTED

## REPUBLIC OF THE PHILIPPINES)

5. B

\_\_\_\_) S. S.

## AFFIDAVIT OF UNDERTAKING

REPRES	l,, of legal age, RESENTATIVE]	Filipino,	OFFICER OR
	office address at		after
naving t	ng been duly sworn to in accordance with law, hereby volu	ntary depose and st	ate:
	That I am duly authorized representative of the <u>INan</u> undertaking as evidenced by Secretary's Certificate and	ne of Bidder I Board Resolution.	to execute this
3	That <u>IName of Bidder</u> bidding for the (Name of	Project)	
	That relative to the aforementioned Project, the <u>[Nan</u> that the equipment to be use and the key personnel to be will only perform to the said project until its completion	e assign shall exclus	reby undertake ively be used and
,	That I am executing this affidavit to attest to the truth of with the submission of the technical requirements for th	the foregoing and i e public bidding of	n compliance the said project.
	IN WITNESS HEREOF, I have hereunto signed m	iy name below th	his day
y	AFFIANT FURTHER SAYETH NAUGHT.		

Affiant

SUBSCRIBED AND SWORN TO BEFORE ME this	_ day of
in	

affiant exhibiting to me his/her \_\_\_\_\_ issued at on

Doc, No. ÷ Page No. ; Book No. ÷ Series of 2020

Notary Public

