**PHILIPPINE BIDDING DOCUMENTS** 

# Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

PROPOSED REHABILITATION OF ELECTRICAL SYSTEM AT BAGBAG ELEMENTARY SCHOOL IN BARANGAY BAGBAG

Project number: 22-00166

Sixth Edition July 2020

## Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv)the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **TABLE OF CONTENTS**

Glossa	ry of Terms, Abbreviations, and Acronyms	5
Section	I. Invitation to Bid	8
Section	II. Instructions to Bidders	9
1.	Scope of Bid	10
2.	Funding Information	10
3.	Bidding Requirements	10
4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	10
5.	Eligible Bidders	11
6.	Origin of Associated Goods	11
7.	Subcontracts	11
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	12
10.	Documents Comprising the Bid: Eligibility and Technical Components	12
11.	Documents Comprising the Bid: Financial Component	13
12.	Alternative Bids	13
13.	Bid Prices	13
14.	Bid and Payment Currencies	13
15.	Bid Security	14
16.	Sealing and Marking of Bids	14
17.	Deadline for Submission of Bids	14
18.	Opening and Preliminary Examination of Bids	14
19.	Detailed Evaluation and Comparison of Bids	14
20.	Post Qualification	15
21.	Signing of the Contract	15
Section	III. Bid Data Sheet	
Section	IV. General Conditions of Contract	19
1.	Scope of Contract	20
2.	Sectional Completion of Works	20
3.	Possession of Site	20
4.	The Contractor's Obligations	20
5.	Performance Security	20
6.	Site Investigation Reports	21

7.	Warranty	.21
8.	Liability of the Contractor	.21
9.	Termination for Other Causes	.21
10.	Dayworks	.21
11.	Program of Work	.22
12.	Instructions, Inspections and Audits	.22
13.	Advance Payment	.22
14.	Progress Payments	.22
15.	Operating and Maintenance Manuals	.22
Section	V. Special Conditions of Contract	24
Section	VI. Specifications	26
Section	VII. Drawings	28
Section	VIII. Bill of Quantities	29
Section	IX. Checklist of Technical and Financial Documents	31

## Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

**CDA** – Cooperative Development Authority.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**Contractor** – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

**CPI** – Consumer Price Index.

**DOLE** – Department of Labor and Employment.

**DTI** – Department of Trade and Industry.

**Foreign-funded Procurement or Foreign-Assisted Project** – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**GFI** – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**UN** – United Nations.

## Section I. Invitation to Bid

## Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



## REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE FOR INFRASTRACTURE &



CONSULTANCY

2nd floor, Finance Building, Procurement Department, Quezon City Hall Complex, Elliptical Road, Quezon City

November 2	5, 2022	
------------	---------	--

		In	vitation	to Bid			
No	Project No.	Project Name	Location	Amount	Durati on Cal. Days	Office	Source Fund
Bu	ildings -	Small B					
1	22- 00160	Electrical System at Villa I		1,283,171.56	30	Engineering Department	SDO + Loca School Board
2	22- 00161	Proposed Renovation of Four Storey SB Science Building at Carlos Albert High School	Santol	2,352,427.79	60	Engineering Department	SDO - Loca School Board
3	22- 00162	Proposed Construction of Additional Handwashing Facility and Rehabilitation of Comfort Rooms at Sinagtala Elementary School	San Antonio	2,523,866.59	60	Engineering Department	SDO - Loca School Board
4	22- 00163	Proposed Rehabilitation of Comfort Rooms at Camarilla Elementary School	San Roque	3,030,957.00	90	Engineering Department	SDO - Loca School Board
5	22- 00164	Proposed Rehabilitation of Comfort rooms at Balumbato Elementary School	Balumbat ¤	4,272,283.81	90	Engineering Department	SDO - Loca School Board
Б	22- 00165	Proposed Rehabilitation of Covered Court at Hobart Village HOA, Inc.	Kaligayah an	6,124,499.75	120	Engineering Department	OCM - 20% CDF
7	22- 00166	Proposed Rehabilitation of Electrical System at Bagbag Elementary School	Bagbag	7,032,679.79	120	Engineering Department	SDO - Loca School Board
8	22- 00167	Proposed Rehabilitation of Barangay Health Center and Vargas Multi-Purpose Hall	San Agustin	7,817,907.96	90	Engineering Department	OCM - 20% CDF
9	22- 00168	Proposed Rehabilitation of HB Building at San Diego Elementary School	Batasan Hills	20,251,081.84	180	Engineering Department	SDO - Loca School Board
10	22- 00169	Proposed Rehabilitation of Bautista Building, Drainage System and Construction of Comfort Room at North Fairview High School	North Fairview	20,847,208.56	180	Engineering Department	SDD - Loca School Board

Page 1 of 4

11	22- 00170	Proposed Construction of Perimeter Fence and Upgrading of Electrical System at San Bartolome Elementary School	San Bartolome	21,320,673.64	180	Engineering Department	SDO - Local School Board
12	22- 00171	Proposed Construction of Electrical Room and Upgrading of Electrical System at Don Alejandro Roces Sr. Science Technology High School	Obrero	24,253,074.13	180	Engineering Department	SDO - Local School Board
13	22- 00099B	Proposed Construction of Handwashing Facility and Rehabilitation of Comfort Room at Manuel Roxas Senior High School	Paligsaha n	1,703,245.31	60	Engineering Department	Special Education Fund
14	22- 001028	Proposed Rehabilitation of Fire Station	Project 6	1,963,027.52	60	Engineering Department	Engineering Department

## Buildings – Medium A

15	22- 00172	Proposed Rehabilitation of Mathay and Quezon Building of Novaliches High School	San Agustin	44,286,369.31	180	Engineering Department	SDO + Local School Board
16	22- 00173	Proposed Rehabilitation of San Bartolome High School	San Bartolome	50,033,897.53	180	Engineering Department	SDO - Local School Board

## Roads - Small B

17	22- 00174	Proposed Rehabilitation of Drainage System at Ismael Mathay Senior High School	Sanganda an	1,455,721.93	90	Engineering Department	SDO - Local School Board
18	22- 00175	Proposed Construction of Drainage System at Maligaya High School	Pasong Putik	7,926,563.46	60	Engineering Department	SDO - Local School Board
19	22- 00176	Proposed Rehabilitation of Road and Drainage at Sto. Niño Street and Sto. Niño Alleys	San Antonio	29,371.118.45	210	Engineering Department	OCM - 20% CDF

## Roads – Medium A

20	22- 00177	Proposed Rehabilitation of Road and Drainage at Fortune and Paxton Streets	Fairview	40,768,478.70	270	Engineering Department	OCM - 20% CDF
----	--------------	---	----------	---------------	-----	---------------------------	------------------

 The QUEZON CITY LOCAL GOVERNMENT, through funding source of various years intends to apply the sum stated above being the Approved Budget for the Contract (ABC) to payments under the contract for the above stated Projects. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- The QUEZON CITY LOCAL GOVERNMENT now invites bids for the above Procurement Project. Completion of the Works is required as stated above. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- Bidding will be conducted through open competitive bidding procedures using nondiscretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- Interested bidders may obtain further information from QUEZON CITY LOCAL GOVERNMENT – BAC Secretariat and inspect the Bidding Documents at the address given below weekdays from 8:00 am. – 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested bidders on 28 November 2022 (Monday) from given address and website/s below and upon payment of a nonrefundable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person.

### STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 Pages)
- 2. Document Request List (DRL)
- 3. Authorization to purchase bidding documents
  - 3.1 Secretary's Certificate (for corporation)
  - 3.2 Special Power of Attorney (for sole proprietorship)
- 4. Notarized Joint Venture Agreement (if applicable)
- 5. Letter of Intent

It must be duly received by the BAC Scoretariat at 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound.

 The QC- BAC- INFRASTRUCTURE & CONSULTANCY will hold a Pre-Bid Conference<sup>1</sup> on December 6, 2022 at 9:00 AM at 2<sup>nd</sup> Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound or we encourage the prospective bidders to join through our Virtual Conference (ZOOM APP) which shall be open to prospective bidders.

Virtual Conference (ZOOM APP) Meeting ID: 854 9489 0133 Password: 273320

 Bids must be duly received by the BAC Secretariat through manual submission at the office address as indicated below, on or before December 19, 2022 – 9:00 AM. Late bids shall not be accepted.

May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

- All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 16.
- Bid opening shall be on December 19, 2022 10:00 AM at 2<sup>nd</sup> Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Virtual Conference (ZOOM APP) Meeting ID: 810 3646 5257 Password: 201522

- 10. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Tel. No. (02)8988-4242 loc. 8506/8710 Email Add: bacinfra.procurement@quezoncity.gov.ph Website: <u>www.quezoncity.gov.ph</u>

12. You may visit the following websites:

For downloading of Bidding Documents: <u>https://quezoneity.gov.ph/public-notices/procurement/</u>

By:



## Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## 1. Scope of Bid

The Procuring Entity, **Quezon City Government** invites Bids for the **PROPOSED REHABILITATION OF ELECTRICAL SYSTEM AT BAGBAG ELEMENTARY SCHOOL IN BARANGAY BAGBAG** with Project Identification Number 22-00166.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

## 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2022 in the amount of Seven Million Thirty-Two Thousand Six Hundred Seventy-Nine Pesos and 79/100 Ctvs. (P 7,032,679.79).
- 2.2. The source of funding is:
  - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

## **3.** Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or

through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

## 6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

## 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

### a. Subcontracting is not allowed.

- 7.1. *[If Procuring Entity has determined that subcontracting is allowed during the bidding*, *state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterial stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.2. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the

implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.

7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

### 8. **Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address on **December 6, 2022, 9:00 A.M. at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound** and/or we encourage the prospective bidders to join through our **Virtual Conference (ZOOM APP) Meeting ID: 854 9489 0133 Password: 273320** 

### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section IX. Checklist of Technical and Financial Documents.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.

- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

## **11.** Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12.** Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

## **13. Bid Prices**

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

## 14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

## 15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

## 16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **17.** Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph **5** of the **IB**.

## **18.** Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **19.** Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

## 20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

## 21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

## **Bid Data Sheet**

ITB Clause	Dia Data		
		111	4
5.2	For this purpose, similar contract major categories of work.	s shall refer to con	tracts which have the same
7.1	Subcontracting is not allowed.		
10.3	No additional contractor license	or permit is require	ed
	In addition, eligible bidders shal	l qualify or comply	with the following:
	1. Bidders with valid Philippine C	Contractors Accred	itation Board (PCAB)
	Туре		
	Building - Small B		
10.4	The minimum work experienc following:	e requirements fo	or key personnel are the
	Qnty. Key Personnel Ge	neral Experience	Relevant Experience
	1 Project-in-Charge (Project Engineer)	3 years	3 years
	1 General Foreman	3 years	3 years
	1 Trade Engineer/Leadman for civil works	3 years	3 years
	1 Trade Engineer/Leadman for electrical works	3 years	3 years
	In addition, the bidder must notarized stating that the foregoi for the project until its completion	ng personnel shal	l perform work exclusively
10.5	The minimum major equipment r	equirements are the	e following:
	Equipment	Capacity	Number of Units
	Dump Truck Chipping Gun		1 1
	In addition, the bidder must notarized stating that the forego the project until its completion. I	ing equipment sho	all be used exclusively for
12	[Insert Value Engineering clause		
15.1	The bid security shall be in the fo number, or any of the following f		

	<ul> <li>a) The amount of not less than Php 140,653.60 or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> </ul>
	b) The amount of not less than Php 351,633.99 or equivalent to five percent
	(5%) of ABC if bid security is in Surety Bond.
19.2	Partial bid is not allowed. The infrastructure project is packaged in a single lot
	and the lot shall not be divided into sub-lots for the purpose of bidding,
	evaluation, and contract award.
20	No additional requirement.
21	Additional Contract Documents relevant to the Project as required:
	1. Construction Schedule and S-curve,
	2. Manpower Schedule,
	3. Construction Methods,
	4. Equipment Utilization Schedule,
	5. PERT/CPM or other acceptable tools of project scheduling, shall be
	included in the submission of Technical Proposal.

## Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

## 2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

### **3.** Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
  - 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

## 4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

## 5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

## 6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.

## 7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

## 8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

### 9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

### 10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

## 11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

## 12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

## 13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

## **14. Progress Payments**

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

## **15.** Operating and Maintenance Manuals

15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.

15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

## Section V. Special Conditions of Contract

## Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## **Special Conditions of Contract**

GCC Clause	
2	Completion of work shall be within 120 calendar days.
4.1	The Procuring Entity shall give possession of all parts of the Site to the
	Contractor upon receipt of the Notice to Proceed.
6	The site investigation reports are: [list here the required site investigation reports.]
7.2	[Select one, delete the other.]
	[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:] Fifteen (15) years.
	[In case of semi-permanent structures, such as buildings of types 1, 2, and 3 as classified under the National Building Code of the Philippines, concrete/asphalt roads, concrete river control, drainage, irrigation lined canals, river landing, deep wells, rock causeway, pedestrian overpass, and other similar semi-permanent structures:] Five (5) years.
	[In case of other structures, such as bailey and wooden bridges, shallow wells, spring developments, and other similar structures:] Two (2) years.
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
13	The amount of the advance payment is no more that fifteen percent (15%) of the Contract Price subject to approval by the HOPE and compliance with the conditions under RA 9184 and its IRR.
14	No further instructions.
15.1	The date by which operating and maintenance manuals are required is <i>thirty (30) days</i> The date by which "as built" drawings are required as part of final payment
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is ten (10%) percent of the contract price.

## Section VI. Specifications

## Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

## Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted


subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.



Replublika ng Pilipinas Lungsod ng Quezon

CITY ENGINEERING DEPARTMENT





#### PROJECT TITLE : PROPOSED REHABILITATION OF ELECTRICAL SYSTEM AT BAGBAG ELEMENTARY SCHOOL IN BARANGAY BAGBAG /

LOCATION : BRGY, BAGBAG, DISTRICT 5, QUEZON CITY /

## TECHNICAL SPECIFICATIONS

#### I. GENERAL REQUIREMENTS

- A. Comply with the current and existing taws, ordinances and applicable codes, rules and regulations, and standards. Any works performed contrary to the existing laws, rules and regulations, ordinances and standards without notice shall bear all cost arising therefrom.
- B. Drawings, specifications, codes and standards are minimum requirements. Where requirements differ, the more stringent apply.
- C. Should there be any change(s) in drewings or specifications, it is required to comply with the governing regulations, notify the implementing agency.
- D. Photographs shall be taken as, when and where directed at intervals of not more than one month. The photographs shall be sufficient in number and location, to record the exact progress of the works. The photographs shall be retained and will become the property of the Government.
- E. Site verification / inspection shall be conducted to validate the scope of works. No extra compensation and extension of time shall be given due to negligence or inadvertence.
- F. The quality of materials shall be of the best grade of their respective kinds for the purpose. The work shall also be performed in the best and most capable manner in strict accordance with requirements of the plans and details. All materials not conforming to the requirements of these specifications shall be considered as defective.
- G All equipment and installations shall meet or exceed minimum requirements of the standards and codes
- H Mobilization and Demobilization (if applicable)
  - Mobilization shall include all activities and related costs for transportation of personnel, equipment, and operating supplies to the site; establishment of offices, buildings, and other necessary general facilities for the operations at the site.
  - Demobilization shall include all activities and costs for transportation of personnel, equipment, and supplies not anymore required within the construction site including the disassembly removal and site clean-up of offices and other facilities assembled on the site specifically for this contract.
- Execute work in stort accordance with the best practices of the trades in a thorough, substantial, workmanike menner by compatent workman. Provide a compatent, experienced, full-time supervisor who is authorized to make decisions on behalf of the Contractor.

- J. Temporary Facilities and Utilities
  - All facilities shall be near the job site, where necessary and shall conform to the best standard for the required types.
  - 2 Temporary facilities shall be provided and maintained including sanitary facilities and first aid stations
  - Temporary utilities shall be sufficiently provided until the completion of the project such as water, power and communication.
  - Temporary enclosure shall be provided around the construction site with adequate guard lights, railings and proper signage.
  - Temporary readways shall be constructed and maintained to sustain loads to be carried on them during the entire construction period.
  - Upon completion of the work, the temporary facilities shall be demolished, hauled-out and disposed property.
- K. Adequate construction safety and health protection shall be provided at all times during the execution of work to both workers and property.
  - A fully-trained Medical Aide shall be employed permanently on the site who shall be engaged solely to medical duties.
  - The medical room shall be provided with waterproofing: it could be a building or room designated and used exclusively for the purpose and have a floor area of at least 15 square meters and a glazed window area of at least 2 square meters.
  - The location of the medical room and any other arrangements shall be made known to all employees by posting on prominent locations and suitable notices in the site.
  - Additional safety pracautions shall be provided in the event of a pandemic. Protocols set forth by the government shall be strictly followed.
  - 5. Construction setsly shall consist of construction canopy and safety net.
- Necessary protections to the adjacent property shall be provided to avoid untoward incidents / accidents.
- M. Final cleaning of the work shall be employed prior to the final inspection for the certification of final acceptance. Final cleaning shall be applied on each surface or unit of work and shall be of condition expected for a building cleaning and maintenance program.

#### II. SITE WORKS

- A Ali grades, lines, levels and dimensions shall be verified as indicated on the plans and details. Any discrepancies or inconsistencies shall be reported before commencing work.
- B. This item shall consist of the removal wholly or an part, and satisfactory disposal of all buildings, fences, structures, old pavements, abandoned pipe lines, and any other obstructions which are not designated or permitted to remain, except for the obstructions to be removed and disposed of under other items in the Contract.

Removal and/or demolition of existing structures shall be done in accordance to safety procedures.

#### III. CIVIL / STRUCTURAL WORKS

#### A. MASONRY WORKS

- 1 Mesonry Units (Concrete Hollow Blocks).
  - 100mm thick for all interior walls and 150mm thick for all extenor walls unless otherwise indicated.
  - Use 400 psi for non-toad bearing blocks and 700 psi for load bearing blocks where required.
  - C Where full height wells are constructed with concrete hollow blocks, these shall extend up to the bottom of beam or slab unless otherwise indicated on plans. Provide stiffener columns and lintel beams as specified in the structural drawings or as specified or as deemed required to assure a stabilized well due to height and other considerations.

### IV. ARCHITECTURAL WORKS

#### A. CEILING FINISHES

Fiber Cement Board on Metal Frame. The ceiling materials to be used shall conform to the samples approved by the City Engineer. All ceiling works shall be done by men experienced and qualified to do this particular specialty trade. The Installation of ceiling materials shall be in accordance with the detailed section and with the manufacturer's manual instructions. Ceiling materials shall be cut as required to fit the perpendicular condition and should be properly secured by anchorage and other accessories to complete the installation. No mechanical work shall be exposed on the finish work. All joints around electrical outlets, pipes and other works extending through materials shall be sealed.

#### B. PAINTING WORKS

- Paint Materials. All types of paint material and other related products shall be subject to test as to material composition by the Bureau of Research and Standard, DPV/H or the National Institute of Science and Technology.
- 2 Tinting Colors. Tinting colors shall be first grade quality pigment ground in alkyd resin that disperses and mixes easily with paint to produce the color desired. Use the same brand of paint and tinting color to effect good paint body.
- 3 Skim coat Skim coat shall be fine powder type material like kalsomine that can be mixed into pully consistency, with oil-based primers and paints to fill minor surface dents and imperfections.
- 4. Paint Schedule.
  - a. Exterior Masonry Walt (plain cement plastered finish to be painted)
    - 1 1 coal skim coaling, 1 coal primer, 2 coals elastomeric paint finish
  - b. Interior Masonry Wall (plain cement plastered finish to be painted)
    - i 1 coat skim coating. 1 coat primer, 2 coats latex paint finish
  - Interior Dry Wall
    - 1 coat primer, 2 coats latex paint finish.
  - d. Ceiting Boards
    - i. 1 coat primer, 2 coats latex paint finish

- e Slab Soffit
  - 1 coat primer, 2 coats talex paint finish.
- f. Metal / Steel Surfaces
  - 1 coat primer, 2 coats epoxy enamel finish.
- 5 Surface Preparation. All surfaces shall be in proper condition to receive the finish. Woodworks shall be hand-sanded smooth and dusted clean. All knot-holes pitch pockets or sappy portions shall be sealed with natural wood filler. Net holes, cracks or defects shall be carefully puttied after the first coat, matching the color of paint.

Interior woodworks shall be sandpapered between coats. Cracke, holes of imperfections in plaster shall be filled with patching compound and smoothed off to match adjoining surfaces.

Concrete and masonry surfaces shall be coated with concrete neutralizer and allowed to dry before any painting primer coat is applied. When surface is dried apply first coating. Mainline creaks and unevenness shall be patched and sealed with approved putty or patching compound. After all detects are corrected apply the finish coate as specified on the Plans (color scheme approved).

Metal shall be clean, dry and free from mill scale and rust. Remove all grease and oil from surfaces. Wash, unprimed galvanized metat with etching solution and allow it to dry. Where required to prime cost surface with Red Lead Primer same shall be approved by the Engineer.

in addition, the Contractor shall undertake the following:

- Voids, cracks, nick etc. will be repaired with proper patching material and finished. Sushed with surrounding surfaces.
- b. Married or demaged shop coats on metal shall be spot primed with appropriate metal primer.
- Panting and varnishing works shall not be commanced when it is too hot or cold.
- d. Allow appropriate ventilation during application and drying period.
- All herdware will be fitted and removed or protected prior to painting and varnishing works
- Application Paints when applied by brush shall become non-fluid, thick enough to tay down as adequate film of wet paint. Brush marks shall have flawed out after application of paint.

Paints made for application by roller must be similar to brushing paint. It must be nonsticky when thinned to spraying viscosity so that it will break up easily into droplets.

Paint is atomized by high pressure pumping rather than broken up by the large volume of air mixed with it. This procedure changes the required properties of the paint.

- 7. Application shall be as per paint Manufacturer's specification and recommendation.
- Provide all drop cloth and other covering requisite for protection of floors walls, aluminum, glass, finishes and other works
- All applications and methods used shall strictly follow the Manufacturer's Instructions and Specifications.

- All surfaces including masonry wall shall be thoroughly cleaned, putiled, sandpapered, rubbed and polished imasonry wall shall be treated with Neutralizer.
- All exposed finish hardware, lighting fixtures and accessories, glass and the like shek be adequately protected so that these are not stained with paint and other painting materials prior to painting works.
- All other surfaces endangered by stains and paint marks should be taped and covered with oraft paper.

#### V. ELECTRICAL WORKS

#### A CONDUITS, BOXES AND FITTINGS

- This item shall consist of the furnishing and installation of the complete conduit work, consisting of electrical conduits, conduit boxes such as junction boxes pull boxes, utility boxes, octagonal and aquare boxes; conduct fittings, such as couplings, locknuts and bushings and other electrical materials needed to complete the conduit roughingin work of this project.
- 2 All materials shall be brand new and shall be of the approved type meeting all the requirements of the Philippine Electrical Code and bearing the Philippine Standard Agency (PSA) mark.
- 3 All works throughout shall be executed in the best practice in a workmanlike manner by qualified and experienced electricians under the immediate supervision of a duly licensed Electrical Engineer.
- 4 The work to be done under this division of specifications consists of the fabrication, furnishing, delivery and installation, complete in all details of the electrical work, at the subject premises and all work materials incidental to the proper completion of the installation, except those portions of the work which are expressly stated to be done by other fields. All works shall be done in accordance with the rules and regulations and with the specifications.
- All lighting fixtures and lamps are as specified and listed on lighting fixture schedule.
- All grounding system installation shall be executed in accordance with the approved plane. Grounding system shall include building perimeter ground wires, ground rods, clemps, connectors, ground wells and ground wire taps as shown in the approved design.
- At auxiliary systems such as telephone and intercom system time clock system fire atom system and public address/nurse's call/paging system installations shall be done in accordance with the approved design
- 8 Upon completion of the electrical construction work, the contractor shall provide all test equipment and personnel and to submit written copies of all test results.
- 9 The contractor shall guarantee the electrical installation are done and in accordance with the approved plans and specifications. The contractor shall guarantee that the electrical systems are free from all grounds and from all defective workmanship and materials and will remain ap for a period of one year from date and acceptance of works. Any defect shall be remedied by the Contractor at his own expense.

8. WIRES AND WIRING DEVICES

- This item shall consist of the furnishing and installation of all wires and wiring devices consisting of electric wires and cables, wall switches, convenience receptedes, heavy duty receptedes and other devices shown on the approved Plans but not mentioned in these specifications.
- 2. Wires and cables shall be of the approved type meeting all the requirements of the Philippine Electrical Code and bearing the Philippine Standard Agency (PSA) mark. Unless specified or indicated otherwise, all power and lighting conductors shall be insulated for 600 volts. All wires shall be copper, soft drawn and annealed, smooth and of cylindrical form and shall be centrally located inside the insulation.
- Conductors or wires shall not be drawn in conduits until after the cement prester is dry and the conduits are thoroughly cleaned and free from dirt and molsture. In drawing wires into conduits, sufficient stack shall be allowed to permit easy connections for fixtures, switches, receptacles and other winng devices without the use of additional splices.
- 4. All conductors of convenience outlets and lighting branch circuit homeruns shall be wired with a minimum of 3.5 mm in size. Circuit homeruns to panelboards shall not be smaller than 3.5 mm but all homeruns to panelboard more than 30 meters shall not be smaller than 5.5 mm. No conductor shall be less than 2 mm m size.
- 5 At wires of 14mm and larger in size shall be connected to panels and apparatus by means of approved type lugs or connectors of the solderless type, sufficiently large enough to enclose all strands of the conductors and securely fastened. They shall not teasen under vibration or normal strain.
- 6. All joints, taps and splices on wires larger than 14 mm shall be made of suitable solderless connectors of the approved type and size. They shall be taped with rubben and PVC tapes providing insulation not fess than that of the conductors.
- 7. No splices or joints shall be permitted in either foeder or branch conductors except within outlet boxes or accessible junction boxes or pull boxes. All joints in branch circuit wiring shall be made mechanically and electrically secured by approved splicing devices and taped with rubber and PVC tapes in a manner which will make their insulation as that of the conductor.
- All well switches and receptacles shall be fitted with standard Bakelite face plate covers. Device plates for flush mounting shall be instaked with all four edges in continuous contact with finished wall surfaces without the use of coiled wire or similar devices. Plater filling shall not be permitted. Plates installed in wet locations shall be gasketed.
- When more than one switch or device is indicated in a single location, gang plate shall be used.

#### C. PANELBOARDS

- 1 Febricate and test panelboards according to IEEE 344 to withstand seismic forces defined in Division 16 Sections 16073 and 16074 "Hangers and Supports for Electrical Systems and Vibration and Seismic controls for Electrical Systems" respectively.
- Enclosures: Flush, Surface, Flush- and surface-mounted cabinets.
  - a. Rated for environmental conditions at installed location.
    - i. Indoor Dry and Clean Locations: NEMA, Type 1.
    - ii Outdoor Locations: NEMA, Type 3R.


- iii. Kitchen and Wesh-Down Areas: NEMA, Type 4X, stalpless steel.
- iv. Indoor Locations Subject to Dust, Falling Dirt, and Dripping Noncorrosive Liquids: NEMA, Type 12.
- Outdoor Locations Subject to Dust, Felling Dirl, and Dripping Noncorrosive Liquids: NEMA, Type SR
- Front: Secured to box with concealed trum clamps For surface-mounted fronts, match box dimensions; for flush-mounted fronts, overlap box.
- Hinged Front Cover. Entire front trim hinged to box and with standard door within hinged trim cover.
- d. Skirt for Surface-Mounted Panelboards: Same gauge and finish as panelboard front with flanges for attachment to panelboard, walk, and ceiling or floor.
- e. Gutter Extension and Berrier: Same gage and finish as panelboard enclosure; integral with enclosure body. Arrange to isolate individual panel sections.
- f. Finishes:
  - Panels and Trim: Steel and galvanized steel, factory finished immediately after cleaning and pretreating with manufacturer's standard two-coet, baked-on finish consisting of prime coat and thermosetting topcost.
  - il. Back Boxes: Galvanized steel Same finish as panels and Inm.
  - Fungus Prooting: Permanent fungicidal treatment for overcurrent, protective devices and other components.
- g. Directory Card: Inside panelboard door, mounted in transparent card holder metel frame with transparent protective cover.
- 3. Incoming Mains Location Top or Bottom.
- Phase, Neutral, and Ground Buses:
  - Material: Hard-drawn copper, 98 percent conductivity.
  - Equipment Ground Bus: Adequate for feeder and branch-circuit equipment grounding conductors, bonded to box.
  - Neutral Bus: 100 percent of phase bus 4. Extra-Capacity Neutral Bus: Neutral bus rated 200 percent of phase bus and UL listed as suitable for nonlinear loads.


JONATHA CRUZ Planning and Programming Division


JOCELYN AMAONG Planning and Programming Division

## Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]







DOM: DOM: 201220

4-12

#### GERHEAL MITTLE FOR THREE PRASE CRETEN

AL EPICTREE IF DESITE A SOLUTION OF MULTICE DESIGN AND ADDRESS OF MULTICE AD

2 AL IOMENALE SPRENCH WOUTSPRENCH RURSTIN EXHIBITI

1.4. KOROWAR, FE HAROWARD WITH MEMORY MERCINE AND CONCUMENTATION OF THE ACCOUNT OF THE ACCOUN

A ALL BOURDERF HEIMTE DIEL IM ARCUNELING TORNESS AND TO DEVEL

A. (KARNER IN) POST-MOVE MALE, CONSTRUCTION TO CONTRACT ADDRESS MILLION TO IN PROVIDE INTERCEMENT ADDRESS MINING.

8 ACCOMPANIES ADDRESS INFORMATION AND ADDRESS IN CONTRACTOR ADDRESS INCOMPANIES IN ADDRESS

I GAN TIMERRO & AL IN WHICH IN A COVER MAY TO MICHIGAN

T. M. SCHOLDER WITTEN AND IMAGINED AN ADDRESS OF A PROMOTION OF THE PRODUCT OF A DRESS OF THE DRESS OF THE

6. An. DRV and Level 31 (III. No.) Complements, JCAR. AND A 17 YOM OF PERSONAL AND IN COMMUNICATION OF DESCRIPTION.

sherway this to a weath the treatment of the time of some memory of these

A 31 MHD ATMAG TO AMM WHAT REPORTED AND AND ADDRESS OF AN ADDRESS OF AN ADDRESS OF ADDRE

CONFIDENCE AND AND AND AN ADDRESS OF THE ADDRESS OF

- THE REPAIRS AND ADDRESS OF THE PARTY ADDRESS.
- CONTRACTORS AND ADDRESS AND ADDRESS ADDRESS

5.1 The latted pathwell kLAAshi was, at Printler minare processing the symptotic print by reserve and reserved and a second print to the latter of pathwese and to work another print to many control of a statement.

URLEY DOLL AT IN ANY INTERPORT OF ANY

Republika ng Pilipinas

Lungsod ng Quezon

CITY ENGINEERING DEPARTMENT

14-62.5 110101 194.50 NUMB. -12.5 oreolean. -Man-

**GENERAL NOTES** 

2

11. La descritación de la construcción de la con

6.1 CONSTRUCTOR CONTRACTOR AND INCOME TO ADDRESS OF ADDRESS OF PARTY ADDRESS WHAT ADDRESS A

11. PENN INCREMENTARY WAR PENN THE REAL PRIME INCOMPOSITION OF

13.1 SEA WERE ENDED FOR THE CARTER FOR EVERY REPORT OF THE ADDRESS OF THE ADDRESS

TTL: THOMAS A REPORT NO. INTRUST NAMES AND

- 11.1. IS REALIST HERE THE ALL MARTE PARTY IN ALL MARTEN I POLICE MANY INVESTIGATION OF THE PARTY OF T
- I hade all the benefities whether Permittion and collipty - can excluded those three
- Latituter part Harrise reprovisional presi 20140341105261041
- YAL BILLE PARAL REPRESENTATION AND NOTIFIED AND TABLE PROVIDED IN THE PROPERTY OF THE REPORT.

III TO CONSTRUCT AND A DESCRIPTION OF A A DESCRIPTION OF A DESCRIPTION ----

(1) All reliance investigations and an and the interpretation of the subsection o

In a Present was involve colour court communities of the order of the order to the present of the second order ord DESIGNATION

1673 IS MO AND R. H. JAMES AN INCIDENTIALING Mill Mr & Summahow NUMBER AT MIC ACCESSION, INCLUSION, INCLUSION, ADDISON, SCI.

THE ALL MOVING THE WOLL NOT ALL COMPANY TO BE REPORTED BY THE REPORT OF A REPORT OF A DESCRIPTION OF A DESCR

IC/SO/IE.

ENGR. LEO, S. DEL ROSARIO"

HOLE . NAMED & POOR AND LED OF

8	a local distance in the local distance in th	12.2	12.2	162.1	14	505 OF					
06.)	LONDINGSSPICE	207.18	. 98	.94	.47	9755	CENTRATE.				
1	+ iperiol rubates 3-altern Felt	1.10	100	100		1-They have solved and the	a prese per sur				
Ζ.,	+ 11-046, COMP1		246	.00	-11	13122 23,0222.00	Ter Stand 147, 148				
1	3-broker topolitik 12-beer 196	10	14	-107	1.00	2-3269" Mill 2010 will 1-3269" W 20220 will	In place the set				
÷	a-concerning (culture) -	- 24	1.19	+11	22	3-33mm then oppose and -5-35mm? In setting and	34 200 ct 10 (100)				
٩.	2-12(2(20) 10(40))	:19	-16	im.	-	2-2 Swell hall COVIN ARE In Street As 200300 and	a.cov.e.e.e.				
6	= contents matt	10	140	141		王治武官部部官制作	30.322234.301.400				
			1.091	15.10			-				
ir -	PUTATION : 	USE	E: POAT,		VINCLE	ED CASE CIRCUIT DROAGS	CATHORN IL				


d het interenden internetien Het interenden internetien	10000	SECOND FLOOR -		EPLAC	EMEN	m			
	92		122			110	9850	\$	
	- 192	LOAD DEBORFTION	93,8	- 14	110	14	VEED	CDHDADS	
	1	4-commonweath 2-commonweath	300	- =0	1.19	-10.	2-12 Second Frink (CHYER and) 1-2 Second The party and all and	9. Thunk 812, 200	
		AGENTAL TRADET	- 14	100	0.04	-	1.1.5.ml 174.00101.pm	8. David Pol. (19)	
	1	4. 1819 882 1010 983 - 2-10480 2003	-19	- 10	1.04	-	Liss Marine	- 10-20-00 (cd, 148)	
	(e)	KANDER DEUTST	28	146	1.00	-	1-2200 Tell (DHO BR) 1-15 In Statistic INC	4 (Sec. 27 (S))	
		1-10-06 (10-10)	1	89	215	187	rithing" the party has	# 36-14 (7)(-30)	
「「「「」		+====(8593_02_02_02)	300	30	10	30	1-15-2 Ann Loritz Mil	11 (deces) (*16, 303)	
	1.1	cites; peptiece.	332	- 84	.18		to the of the parent with	10 (Deep 2% 198)	
-==		3821	:112	-	-		-		
				440)	20.0				
	1	AUTATION: MINA MINA 2016 AMPTHES	USE	: YOAT, PTEDER		VINCES	ED CAME CIRCUIT BREAKER N I' TA GEODOWIE KOSKARAK	(1999) (1)	
DETAILS NTS 3	SCHE	DULE OF LO	ADS	-				,	IOT TO SCALE
SUMMER CHART SUMMITTER BET		RECOMMENCING APPR	CNAL:		1	APPROV	ED BY:	SHEET COMPANY	DIGET NO.
	2.	0						CONTROL NOTES	EL-04

HON, MA, JOSEFINA G, BELMONTE

ITTY INVITE , SUBJON CITY

ENGR, ISAGONI R. VERZOSA, JR.

IELCTY DRAMERAL CONTRACT



NT8

PROJECT TITLE :

2

PROPOSED REHABILITATION OF ELECTRICAL

SYSTEM AT BAGBAG ELEMENTARY SCHOOL /

LOCATION BROY, BAGBAG, DISTRICT & QUEZON CITY

DE	020	22	010	214
_	RN:	Жĉ.	533	91

<u>at</u> -	The second second	11.11				3432.07					
90 -	LONO SESORPTICA	40.075	- 84,	14.00	45	1051	-1000UF5				
١.,	*-Jestrud mit sätt ur-beart (vell	111	141	1000	- 94	Providence and a strength and a stre	th Manual Ard York				
4	4-minutes -minutes	- 28	-	3.86	- 10	1 Harry Radiation	10. Wana city 1993				
1	4-Jüliette ritteten st-Jählet Fam.	100	-	-100		1.552,522,526,54	17-20-04-04-09				
ŧ.,	4-DARKS STRAT	-	1.00		. 61	2 They Fill 2000 GH. Lighter To 2000 Hig	Without P.C. 191				
1	Public Interv	10	-	124.8		1-Show has comp with 1-Show its count and	9120++8150 198				
6	a merater warm	. 218	-	34	-	h Time" Also (GRT WT	1/2004 Ps( PH				
	A comparison surface.	19			+	<ol> <li>Mane' Stree (2005) - pri- t-trace' in utstate and</li> </ol>	A 2010/102 100				
1	2000	-39		-			-				
			100	-							
	PUTATION	LOE	TMT:		(MOLD	ED GROE GROUT BREMER I					

號	LOAD BRIDGEFTUN	10.0		-		92		
-	+1000 7420	1	1	-	-	PRESS 3-100mm <sup>2</sup> Network and	H David M. 145	
-		12	-	10.00		3-6 fear, # 0.000 MB	- 20+F 3C 438	
÷	Netto mana		+==	25.18	. 46	Control was bridge and Control of Children and Control of Children and	0.2mm M 201	
			4,0,1	8.7		5-50mm <sup>2</sup> last constraints 5-80mm <sup>2</sup> with constraints	W Zamet Hd. 191	
	INCOME.	7	ALC: N	18.16	1	- Solar and Diale and - Speed as Desire and	1.100.00	
1	UPUTATION: = 200000 2017 = 1002000000	LIS	E TZIA		ev skou	DED GAME ORGUT (REALE) with the design of a standa	1997 I.	
	MONTE BUILDIN GROUND FLOOR	1000	er ac	cucan	1			
		- Con Ag	- Loc	CHELIN	-	9255		
80	HAUSCHNETCH	\$22.76	48	100	87	unio.	usetini	
1	No. of the contract of the second sec	(8	1.04	6.0	1	Transf Bine CPOR and Transf W House We	to Stand No. 114	
÷.	-1 watting of RC to	198	158	141	*	CONTRACTOR OF	a 2000 (b) 991	
1	A stated Allock	10	1.46	48	$\pi$	(325 X 102 LP)	8. 25-4 VY 741	
÷.,	1-1096-03210	12	24	241	=	1-Show the completion.	4 2000 MI 10	
8	9-1914 63819 (94.211)	444	180	100	н	Constant and international state	8 (Dece 10, 13)	
1	411-1000-1444afi: 444-112	18	140	1.5		A little of this local and	of planet and page	
	the .	- 19	1.1	-	14	R. 1	10 T	
1	196	28		-	31	-		
÷	89	- 10	14	10	υ.	Hoper the damption Colour in color we	8 (mm (m)/4)	
			-	41				
ε.	PUTATION : State of the state state of the state state of the state of	LISE	CO.IRIN 18047	17maria 39,230	V NOUS	ITO CASE CRICLET BREAKER		

g	in the second second	-	12.0		122	. 821	¢≠.
WI.	LUMB DESLOW TOTAL	10.15	44	100	N	VHC2	possible for
٩.	4-6502-01001 3-000-000	(*	-	$\{0\}$	10	2-15m2 mm 12942 mm 1-15m2 m 1992 mm	It from the the
ŧ.	+ sent real	1.00	500	194	2	1:12:2" 0:0:2200.88	O Dame of the
Ξ.	in indefined text-left) In relationship	1.00	- 56	144	10.	1-55 TO 10 TO 10 TO 10	p. Orien yes had
×.	e-server protects a setter sales	1.18	000	100	10	1.22445,128 (1979) 6 (1970) 1.22446,128 (1970) 6 (1970)	* 21-978.791
8	Consider statistics	- 19	./81	+21	=	V-Sidear" rest groups and 1-Sidear" in annue avec	a stand (a) had
4	S-control and specific	-18	-	im:	- 18.	2-22-of two (1995) and (1995) for the	A liber DC HT
μ.	N-INVESTIGATION IN	1.90	-	$+\hat{n}$	÷.	- Theory This college data	18 Mars (10 197
£.,	9961	7.05		1.7			
			$\lambda i\gamma $	100			
COM	PUTATION: - JORA - JORA - JORA	tu Sic sa Ani	140344 2241	29,2384	100.0	ED GASE GROWT BREIKEN I	

PROJECT ITLE : Description Statements of the Statement of	1
	BHEET N
Lingsod ng Quezon CITY ENGINEERING DEPARTMENT	EL-0

100	ET PARA	in the	10.40	1994
м	EDX	844	0.8	1271
	201	- 35.	11%	117


	633	ELMONTE BUILDIN		PLAC	EMEN				1.1.2.55	MONTE BUILDIN		an sa					1	
		A Street of the Street St	i sare na	1.000	1	1	820	COF .	UPP-	FOURTH FLOOR -	FOR REP	LACE	INENT		1			
		10000660899031	803,75	W	100	- 41	MAR	cardina .	157	LOAD DOLLARSHIP TON	VOLT		-	10	SID (9 Mills			
		4-124/mil 91(06)5 4-1987 (Hele)	-70	140	+0	10	1-35pm <sup>2</sup> 1998 (2008) and 1-35pm <sup>2</sup> Th ORDING week	It is not be the		F-DRM 249-BD	-	1.84		16.	indianal stay provide west	CHEATS In Annual Tory Brit.	-	
		ta-pivies to tat.	1.00	1.640	1.0	10	1-120510-0209-04	8 20ml 4/ 201		1-9/90 Def.			92		Comparison (2010) and (	1. Wold Inc. 24	-	
		1-0407MI	24	144	1.44	-	1.1157 01.227-01	8 (Geod 10) 109		12-20404 (1975/2) (2241197)	-	140	843	10.	1-2946, 8-06085 942	1 (max 1) (m		
		a contract of second second	14	-	1.10		1-Contribution and	in Social Pec TVV	1	f-traine rahaci	-281	71	28		T-Creef Willford Hitt.	Cherry III		
		HURSDAN BOUT	24	1		1	A-Main" has moved and	# 36x4 24 20	+1	0.1004000100025		1.64	-110		1-15er 19-0608 - 483			
			-	4.000	4.0	-	1-25mm the okines' and		1.1	0-THEOREM NO. 11111	1.00	100	6.9	10	1-12347 244 COMM INC 1	a most Active		
		1046	147	1		=		1		24	-25							
		(204).	-	- +		-			- 0	time.	- 18			-				
		200	-++	-		=	14			99.00		-		W.:				
		1.40	10	1.80	1.18		1-1-1 mar 1011 (1979) will 1-1 mar 2 million and	to these set off.		(824						-		- 1
		- I i i i i i i i i i i i i i i i i i i	-		142.04	1	a compact for the Table		· · · · ·		- 196	-		=			-	- 1
		DMPUTATION	-					1	1 James			2,080	0.8					
				0123RHS 8: 1004			DED DASE OROLITISKEN S	RIN NEMA 1	DOM	PUTATION :			NI PROVID			alu Y		
		1 _ 10.00.04 + 0.300 (0.35) 2019		NIEDO					1 1	Z.8018				V MOL	IED CARE ORCLIT IREARER N N	9-461		
		I - UNAVERS	1.19	1.1.000	or 1+3	1014.04	of Swahouks which shallowed h	HOPHE		NOV NOV		100.07		16 m	TRADUCINO MINE IN SING PARTY	r		
																	4	
		I MONTE BUILDE							1 mm			_		_			1	
	1.00	LMONTE BUILDIN		an a	esser 1				0.000	VONTE BUILDIN					and the second se			
	-	P- THIRD FLOOR - FD	K REPL	AUEM	ENI	-	102	04		DISTRIBUTION PAN	EL-GRO	XUND	FLOOR	K(PR	(POSED)		-	
	00	LOND DESCRIPTION	(43.75	- VA	100	At.	N463.	sizeabiante	97	LOAD BEDGRIPTION	10,72	W.	100	10	MICE	(1940)TE		
		S-JUSTAL FIRMES -	100	1,000	. 101	in :	to diamy' tank cover get -	to planet lost loss:	1	URBAR HILE	-	120	<u>.</u>	-0	2. Alternal Train (2010), which is a first state of the second sta	# 12mm #1 (19)		
	- 1	- (Los after Talver) 4- electrony	:10	1.000	1.0	- 91	1.3322 17.5100.440	N.28+++ P(0.1991	10	MORE NAME		àe.	and a	100	1-10 mer beer town and 1 damen to come	8, 50m (a) (b)	1	
		and the second sec	28	-	1.04	19-	Ling Present and	# 2010 0 ( 19C		and loop		108	3.74	118		H 12100 AU. 194		
		2-CUTORING 81713	110	1140	2.5	18.	1-20sed to a time and	0.2542.95.96	- 4	TRATE FORM	- 10					TO DECK NO. 175		
		+ General Mark	-14	t.Htt			To have been seen	4 244 8 201		D		ALC: N			Landan, Schoolander, St.			
			-	1.001	1.0	-	+ They' & Hend all											
		1040	-144			7			I 1000000	UTATION:			17401001			2077		
		- press	-111					(±)	11-4	18 ATE VA+ (2180 a NIE) 280 P				MILLO	ED CASE OFICIET INCAKET IN NE	CODA 1		
	- 0	1946		-		-26		-		ISADI WATTYZS.	MAR P			Gathe	TWORKING WIRE IN Street ME HIS	÷		
		1945	(DH			- 86		1 P.	1	54 Ga 2002-5				0.41				
			-	tin.	3.3			1										
	-	ARGINETICA	101			100												
		MPUTATION		R CURREN			DED CAGE OIRCUIT BREWER	TIN MEMA Y										
	1.1	2010		1102041														
	1.0	F +	000	1.0039	e'768	11000	# WORDED WIELS Known	C RECEIVER MORES										
SCHEDULE OF LOADS			-									-	_	-				CALE - M
Sancore or condo	1.00	QUECT TITLE :	_	_	_		anne Att	SUBMITTED, BY:'\		RECOMINE	1899008	+		1	PPROVED IN:	1.	DIEET CONTENT	SCALE : NT
Republika ng P	100									The second second			_	ť	- market and		and senter.	Sector II
	202	PROPOSED REHABIL					4 0	Carl	A		1							EL-0
Lungood ng Q		SYSTEM AT BACBA	1 61 64	<b>新聞的支援</b>	BY P	CHOC	()				. k							
CITY ENGINEERING		SYSTEM AT BAGBA	S ELEN	IENTA	RY S	CHOO	COROCE OF THE	ENGR. LEO S. D		ENGR. ISA	A.	EDTO			HON. MA. JOSEFINA G. BE		etuus pruokos	6 1


	DOC- NO	11MD DOUGHP	101 10	LTE .	36.1.7	101	AF DOMEST	ECF	EAI	STING - MC8 [FOR	N NOPLAL	CMENT	8					
	1	1-1208-008					<ul> <li>WHES</li> <li>(-1/sol/loss_constraint)</li> <li>(-1/sol/lass_constraint)</li> </ul>	00H0L01	125	LOAD DESCRIPTION	VOLTE	-	ANT:	11	9221			
	1			-			a an old the set of second of the	it there is in							WEEK WEEK	CONSIST: In Calue So: Her		
		4-10200 tolev		e i			d. Stimut Tab (SSUE 481)	1. Circl # 2		Active states				Charles and the second second	the second s			
	-	19490 1044		-		-	All 1. Malant" for pressor and providence" from control and	A Terri M A	_		-74				NAME OF TAXABLE	34 2000 BC 941		1
		10001-1425	- 17	7 1	AE 1	94	1 Link a molente			GROOM	100	100	11=	10000	THE PRODUCT AND	41.32194 AF 1979		
	27				-	-		1		(1H20)-0881	179	- 9400		100				
	_				1400							(0.4)	-					
	1	PUTATION: =		USE : 1	ithen	P, 238V	ov ato ded cave circuit ereas Abrei 19 060 abrille in theat		π	APUTATION : _ 528094 +GPUIDER) 2009 + 28 42 AMPLIES	US	NUCESON -	3P. 238V	WOLDED CASE	CROUTEREARS			
	LPP-	ITEEN EXISTING																
	16	LOAD DESCRIPT	at 10	10 0			S/R MPES	or coppure										
	F. 1	*		-	-		5-they test they are 1-they to stroke use	4 (0.44 (0.14)										
	×.	A LOT THE STREET		-			· Inter secondary	10.0014-000.000										
	1	NUMERIC AND D			-		1:125 17.127 1/1	0.20011010										
	1			-			A ADDRESS AND ADDRESS ADDR	4.70mg 5p.10										
		s awward whit	N 9	1. 1			- 1-12arr Ank convertees	5.0000 07.04										
	1.41	A CHARGE LAND				u i		1 See AL 18										
	0	(50)						1 2	_									
		948																
		ince																
		6968			-													
		11		1.0	4 3													
	rt a	SOUTATION : SOUTATION : SOUTATION : HID MATCHES		庭 1) 時間	069.	230V N	n Olioed care chicut infaati Iow/Tworcacontendacon											
1 SCHEDULE OF LOA	IDS																	
. Foundation con	100		PROJECT	ID C:		_		coment that									T	CALE : NTS
090	the state of the state	22.1	(The decision	ince;	_	_		Sasa pri- And	RUEWITTED BY:	8	OCCUMENCO	NG APPRO	WAL:		APPROVED BY:		SHEET CONTENT	SHEET NO.
	ka ng Pilip od ng Ques RING DE	100					TION OF ELECTRICAL	Deceder. The	ENGR. LIND S. D	BOSADIE	ENGR. IS	0	VEDT	094 10		Stua o pri mourre	STREET, 1908	EL-07
0.5474.026		second (	LOCATION	BRSY	BAGBU	A DE	RICT & GUEZON CITY	IEVISOR NO	ENGK, LIN S. US	C HUSARD		Control of the local division of the local d				EFINA G. BELINONTE		7 12

#### COVERED COURT


LPP - EXISTING


# NER OF EXISTING - MCB (FOR REPLACEMENT)






- 11







## Notes on the Bill of Quantities

#### Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

#### **Daywork Schedule**

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

#### **Provisional Sums**

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

#### **Signature Box**

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

PROJECT TITLE : PROPOSED REHABILITATION OF ELECTRICAL SYSTEM AT BAGBAG ELEMENTARY SCHOOL

- LOCATION : BARANGAY BAGBAG, DISTRICT 5, QUEZON CITY
- PROJECT NO. : 22 00166
- DURATION : One Hundred Twenty (120) Calendar Days

#### **BREAKDOWN OF COST**

ITEM CODE	WORK DESCRIPTION	MATERIALS COST	LABOR COST	INDIRECT COST	AGGREGATE COST
GR	GENERAL REQUIREMENTS				
OGR	OTHER GENERAL REQUIREMENTS (NON - O.C.M.)				
I	REHABILITATION OF MAIN SERVICE ENTRANCE				
Ш	REHABILITATION OF CASTELO BUILDING				
	REHABILITATION OF BELMONTE BUILDING				

TOTAL COST P

LUMP SUM BID IN WORDS : \_\_\_\_\_

Contractor : \_\_\_\_\_

Bid Form Page 3 of 3

#### **BILL OF QUANTITIES** (Building Construction/Rehabilitation Project)

PROPOSED REHABILITATION OF ELECTRICAL SYSTEM AT BAGBAG

PROJECT TITLE :

PROJECT IIIL	E : PROPOSED REHABILITATION OF ELECTRICAL SYSTEM AT BAGBAG ELEMENTARY SCHOOL
LOCATION	: BARANGAY BAGBAG, DISTRICT 4, QUEZON CITY
PROJECT NO.	: 22 - 00166
DURATION	: One Hundred Twenty (120) Calendar Days
SCOPE OF WOR	KS:
GR	General Requirements include billboard(s).
OGR	Other General Requirements (non-O.C.M.) Include, but not limited to:
1	Temporary enclosure around the construction area.
2	Temporary water system including water meter/sub-meter and connections.
3	Temporary electrical system including electric meter/sub-meter and connections.
4	Clearing, hauling and disposal of construction materials and debris.
5	Scaffolding for general use (rental).
I	REHABILITATION OF MAIN SERVICE ENTRANCE
I-EW	Electrical Works:
1	Installation of roughing-ins and wirings.
2	Installation of system devices, energy efficient lighting fixtures and components, panelboards, and accessories.
П	REHABILITATION OF CASTELO BUILDING
II-SW	Site Works:
1	Demolition/removal works.
II-CWS	Civil / Structural Works:
1	Masonry works include restoration of concrete.
II-AW	Architectural Works (Finishes as indicated in the plans):
1	Ceiling works include installation of ceilings with framings.
2	Painting works include painting for interior walls and ceilings.
II-EW	Electrical Works:
1	Installation of roughing-ins and wirings.
2	Installation of system devices, energy efficient lighting fixtures and components, panelboards, and accessories.
III	REHABILITATION OF BELMONTE BUILDING
III-SW	Site Works:
1	Demolition/removal works.
III-CWS	Civil / Structural Works:
1	Masonry works include restoration of concrete.
III-AW	Architectural Works (Finishes as indicated in the plans):
1	Ceiling works include installation of ceilings with framings.
2	Painting works include painting for interior walls and ceilings.
III-EW	Electrical Works:
1	Installation of roughing-ins and wirings.
2	Installation of system devices, energy efficient lighting fixtures and components, panelboards, and accessories.
0	Others (Included in O.C.M.)

Page 1 of 12

- 1 Preparation of construction, health and safety such as safety gears, medical kit, etc.
- 2 Preparation of shop drawings, as necessary.
- 3 Preparation of as-built plans (signed and sealed by the respective professional(s)).
- 4 Testing and commissioning works shall be performed as per standard procedures.

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
GR	GENERAL REQUIREMENTS				
SPL7	Billboard (1.20m x 2.40m in Plywood)	1	piece	₽	₽
			MATI	ERIAL COST GR	₽
			L	ABOR COST GR	
			DI	RECT COST GR	₽
OGR	OTHER GENERAL REQUIREMENTS (NON - O.C.M.)				
OGR02c	Temporary Enclosure at the Construction Area (Coveraged Length; H=2.4m)	246	l.m.	₽	₽
OGR0301	Temporary Water Facility	1	unit		
OGR0302	Temporary Electrical Facility	1	unit		
				Subtotal	₽
OGR01	Clearing, Hauling and Disposal of Construction materials and Debris	1	t.l.	₽	₽
OGR05	Scaffolding (Rental)	345	sq.m.		
				Subtotal	₽
			DIR	ECT COST OGR	₽
Ι	REHABILITATION OF MAIN SERVICE ENTRANCE				
I-EW	Electrical Works				
EW01	Pipes				
EW0118	90mmØ IMC Pipe	2	piece	₽	P
EW05	Fittings and Accessories				
EW05049	90mmØ IMC Locknut & Bushing	2	pair		
EW05059	90mmØ IMC Coupling	2	piece		
EW05149	250mm <sup>2</sup> Ø Solderless Connector	2	piece		
EW05161	90mmØ Weatherproof Entrance Cap	2	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090114b	150mm <sup>2</sup> THHN Wire	30	l.m.		
EW090212b	100mm <sup>2</sup> THW Wire	320	l.m.		
EW0902	THW Wires				
EW090207b	30mm <sup>2</sup> THW Wire	10	l.m.		
EW12	Grounding System				
EW1202	20mm Ø x 3000mm Grounding Rod (Copper Clad) with Ground Clamp	1	set		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW1203	16mm Ø x 250mm Oval Eye Bolt with Nut	1	piece		
EW16	Pipe Hangers and Supports				
EW1602	Vertical Layout of Pipe	40	l.m.		
EW13	Panel board				
ASSY	Main Circuit Breaker	1	assy		
	Main: 400AT, 3P, 230V, MCCB				
	Enclosure: NEMA 3R with Metal Deadfront				
	and Terminal Lugs				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
MC	Miscellaneous and Consumables				
MC/G06	Hacksaw Blade	5	piece		
MC/G18	Waste Cloth	5	kg		
MC/G37	GI Tie Wire, Ga. 16	1	kg		
MC/E01	Electrical Tape	5	roll		
MC/E04	Rubber Tape	5	roll		
			11/1	ATERIAL COST I	₽
				LABOR COST I	
				DIRECT COST I	₽
II	REHABILITATION OF CASTELO BUILDING				
II-SW	Site Works				
DEMV001	Chipping of Concrete Wall (Electrical Works)	3	cu.m.	₽	₽
DEMV015	Removal of Ceiling Board Including Framing	556	sq.m.		
				Direct Cost II-SW	₽
II-CWS	Civil / Structural Works				
CWSMA	Masonry Works				
CWSMA05	Restoration of Concrete (Electrical Works)	40	sq.m.	₽	₽
OWOMAGO		40	3q.m.	•	•
			Material Cost II-CWS		₽
			La	abor Cost II-CWS	
			Di	rect Cost II-CWS	₽
II-AW	Architectural Works				
AW02	Ceiling Finishes	504		a	a la
AW0204	6.0mm thk. Fibercement Board including Metal Framing	584	sq.m.	₽	₽
AWP	Painting Works				
AWP0101	Flat Latex Paint Finish (Interior Wall - 3 Coats)	40	sq.m.		
AWP0105	Flat Latex Paint Finish (Ceiling - 3 Coats)	584	sq.m.		
			Ma	aterial Cost II-AW	₽
			Labor Cost II-AW		
			-	Direct Cost II-AW	₽
II-EW	Electrical Works		<u> </u>		
EW01	Pipes				
EW0101	20mmØ PVC Pipe	491	piece	₽	₽
EW0112	25mmØ IMC Pipe	14	piece		
EW0114	40mmØ IMC Pipe	6	piece		
EW05	Fittings and Accessories				
EW05010	20mmØ PVC Adaptor	272	piece		
EW05022	20mmØ PVC Locknut and Bushing	272	pair		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW05033	25mmØ IMC Elbow	12	piece		
EW05035	40mmØ IMC Elbow	2	piece		
EW05043	25mmØ IMC Locknut and Bushing	8	pair		
EW05045	40mmØ IMC Locknut & Bushing	2	pair		
EW05053	25mmØ IMC Coupling	8	piece		
EW05055	40mmØ IMC Coupling	2	piece		
EW05145	125mm <sup>2</sup> Ø Solderless Connector	1	piece		
EW05157	40mmØ Weatherproof Entrance Cap	1	piece		
EW05166	Secondary Rack, Heavy Duty, 2-Spool	2	piece		

ITEM CODE	ITEM CODE WORK DESCRIPTION AND SCOPE OF WORKS		UNIT	UNIT COST	TOTAL COST
EW06	Boxes and Fabricated Pullbox				
EW0603	50mm x 100mm Metal Utility Box	68	piece		
EW0604	100mm x 100mm Metal Junction Box with Cover	68	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090102a	3.5mm <sup>2</sup> THHN Wire	22	roll		
EW090105b	14mm <sup>2</sup> THHN Wire	120	l.m.		
EW090108b	38mm <sup>2</sup> THHN Wire	50	l.m.		
EW0903	TW Wires				
EW090302a	3.5mm <sup>2</sup> TW Wire	11	roll		
EW090304b	8.0mm <sup>2</sup> TW Wire	60	l.m.		
EW090305b	14mm <sup>2</sup> TW Wire	25	l.m.		
EW11	Lighting Fixtures and Other Devices				
EW11040	600mm x 1200mm, 2 x 18w LED, Troffer Type, with Complete Accessories, Surface Mounted Type	80	set		
EW11043	300mm x 1200mm, 1 x 18w LED, Troffer Type, with Complete Accessories, Surface Mounted Type	28	set		
EW11140	Orbit Fan with Selector Switch	40	set		
EW10	Wiring Devices				
EW1002	Outlet with Grounding, Two-Gang	40	set		
EW1015	Switch with Plate and Cover, One-Gang	8	set		
EW1016	Switch with Plate and Cover, Two-Gang	20	set		
EW12	Grounding System				
EW1203	16mm Ø x 250mm Oval Eye Bolt with Nut	1	piece		
EW16	Pipe Hangers and Supports				
EW1601	Horizontal Layout of Pipe	170	l.m.		
EW1602	Vertical Layout of Pipe	10	l.m.		
EW13	Panel Board				
ASSY	Main Distribution Panel Main: 125AT, 2P, 230V, MCCB Branches: 4 - 70 AT, 2P, 230V	1	assy		
400)(	Enclosure: NEMA 1 with Ground Terminals				
ASSY	LPP (GROUND FLOOR) Main: 70AT, 2P, 230V, MCCB Branches: 6 - 20 AT, 2P, 230V Enclosure: NEMA 1 with Ground Terminals	1	assy		
ASSY	LPP (SECOND - FOURTH FLOOR) Main: 70AT, 2P, 230V, MCCB Branches: 7 - 20 AT, 2P, 230V 1 - Space	1	assy		
	Enclosure: NEMA 1 with Ground Terminals				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
MC	Miscellaneous and Consumables				
MC/G01	All around Sealant	5	tube		
MC/G07	Masking Tape	10	roll		
MC/G14	Solvent Cement, 400cc	30	can		
MC/G37	GI Tie Wire, Ga. 16	5	kg		
MC/E01	Electrical Tape	5	roll		
MC/E03	Pulling Lubricant	5	can		
MC/E04	Rubber Tape	5	roll		
				aterial Cost II-EW	₽
				Labor Cost II-EW	
				Direct Cost II-EW	₽
					₽
				LABOR COST II	_
				DIRECT COST II	₽
	REHABILITATION OF BELMONTE BUILDING				
III-SW	Site Works				
DEMV001	Chipping of Concrete Wall (Electrical Works)	3	cu.m.	₽	₽
DEMV015	Removal of Ceiling Board Including Framing	488	sq.m.		
			C	Direct Cost III-SW	₽
III-CWS	Civil / Structural Works				
CWSMA	Masonry Works				
CWSMA05	Restoration of Concrete (Electrical Works)	37	sq.m.	₽	₽
			Mate	rial Cost III-CWS	₽
			La	bor Cost III-CWS	
			Dir	ect Cost III-CWS	₽
III-AW	Architectural Works				
AW02	Ceiling Finishes	<b>E</b> 40			
AW0204	6.0mm thk. Fibercement Board including Metal Framing	512	sq.m.	₽	₽
AWP	Painting Works				
AWP0101	Flat Latex Paint Finish (Interior Wall - 3 Coats)	37	sq.m.		
AWP0105	Flat Latex Paint Finish (Ceiling - 3 Coats)	512	sq.m.		
				terial Cost III-AW	₽
				abor Cost III-AW	₽
III-EW	Electrical Works				
EW01	Pipes				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW0101	20mmØ PVC Pipe	572	piece	₽	ŧ
EW0113	32mmØ IMC Pipe	20	piece		
EW0116	65mmØ IMC Pipe	1	piece		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW05	Fittings and Accessories				
EW05010	20mmØ PVC Adaptor	488	piece		
EW05022	20mmØ PVC Locknut and Bushing	488	piece		
EW05034	32mmØ IMC Elbow		piece		
EW05037	65mmØ IMC Elbow	2	piece		
EW05044	32mmØ IMC Locknut & Bushing	8	pair		
EW05047	65mmØ IMC Locknut & Bushing	2	pair		
EW05054	32mmØ IMC Coupling	8	piece		
EW05057	65mmØ IMC Coupling	2	piece		
EW05145	125mm <sup>2</sup> Ø Solderless Connector	2	piece		
EW05159	65mmØ Weatherproof Entrance Cap	1	piece		
EW05166	Secondary Rack, Heavy Duty, 2-Spool	4	, piece		
EW06	Boxes and Fabricated Pullbox				
EW0603	50mm x 100mm Metal Utility Box	97	piece		
EW0604	100mm x 100mm Metal Junction Box with Cover	147			
		147	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090102a	3.5mm <sup>2</sup> THHN Wire	30	roll		
EW090107b	30mm <sup>2</sup> THHN Wire	60	l.m.		
EW090112b	100mm <sup>2</sup> THHN Wire	70	l.m.		
EW0903	TW Wires				
EW090302a	3.5mm <sup>2</sup> TW Wire	15	roll		
EW090304b	8.0mm <sup>2</sup> TW Wire	30	l.m.		
EW090307b	30mm <sup>2</sup> TW Wire	35	l.m.		
EW11	Lighting Fixtures and Other Devices				
EW11040	600mm x 1200mm, 2 x 18w LED, Troffer Type, with Complete Accessories, Surface Mounted Type	2	set		
EW11043	300mm x 1200mm, 1 x 18w LED, Troffer Type, with Complete Accessories, Surface Mounted Type	106	set		
EW11089	100mm x 100mm Super Flat LED Pinlight	1	set		
EW11140	Orbit Fan with Selector Switch	38	set		
EW10	Wiring Devices				
EW1002	Outlet with Grounding, Two-Gang	78	set		
EW1015	Switch with Plate and Cover, One-Gang	18	set		
EW1016	Switch with Plate and Cover, Two-Gang	1	set		
EW12	Grounding System				
EW1203	16mm Ø x 250mm Oval Eye Bolt with Nut	1	piece		
EW16	Pipe Hangers and Supports				
EW1601	Horizontal Layout of Pipe	200	l.m.		
EW1602	Vertical Layout of Pipe	10	l.m.		
EW13	Panel Board				
ASSY	Main Distribution Panel Main: 225AT, 2P, 230V, MCCB	1	assy		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
	Enclosure: NEMA 1 with Ground Terminals				
ASSY	LPP (GROUND - FOURTH FLOOR) Main: 100AT, 2P, 230V, MCCB	4	assy		
	Branches: 8 - 20 AT, 2P, 230V				
	1 - 30 AT, 2P, 230V				
	Enclosure: NEMA 1 with Ground Terminals				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
MC	Miscellaneous and Consumables				
MC/G01	All around Sealant	5	tube		
MC/G07	Masking Tape	10	roll		
MC/G14	Solvent Cement, 400cc	30	can		
MC/G37	GI Tie Wire, Ga. 16	5	kg		
MC/E01	Electrical Tape	5	roll		
MC/E03	Pulling Lubricant	5	can		
MC/E04	Rubber Tape	5	roll		
			Ma	terial Cost III-EW	₽
			L	abor Cost III-EW	
			D	Direct Cost III-EW	₽
			MATERIAL COST III LABOR COST III		₽
			DIRECT COST III		₽

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
-----------	-------------------------------------	-----	------	-----------	------------

#### SUMMARY

ITEM CODE	v	VORK DESCRIPTION AND SCOPE OF WORKS	TOTAL COST			
OGR	OTHER GENERAL RE	R GENERAL REQUIREMENTS (NON - O.C.M.)				
		TOTAL ESTIMATED COST A	₽			
GR I II III	REHABILITATION OF	REQUIREMENTS TATION OF MAIN SERVICE ENTRANCE TATION OF CASTELO BUILDING TATION OF BELMONTE BUILDING				
NOTE: • Strictly enforce He relative to the latest DPWH Memorandu	applicable	TOTAL DIRECT COST B Overhead, Contingencies and Miscellaneous Expenses (OCM) Profit TOTAL ESTIMATED COST B	₽			
		TOTAL ESTIMATED COST A TOTAL ESTIMATED COST B TOTAL ESTIMATED COST VAT				
		TOTAL APPROVED BUDGET FOR THE CONTRACT	₽			

## Section IX. Checklist of Technical and Financial Documents

### Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

## **Checklist of Technical and Financial Documents**

#### I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

Legal Documents

- □ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); and
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;

and

- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
   and
- $\Box$  (e) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- □ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (*please see attached prescribed forms required by the QC BAC for Infrastructure and Consultancy*); and
- □ (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules with an attached Notice of Award, Notice to Proceed, Contract and Certificate of Acceptance (please see attached prescribed form required by the QC BAC for Infrastructure and Consultancy); and
- (h) Philippine Contractors Accreditation Board (PCAB) License;
   <u>or</u> Special PCAB License in case of Joint Ventures;

and registration for the type and cost of the contract to be bid; and

(i) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 or

Original copy of Notarized Bid Securing Declaration; and

- (j) Project Requirements, which shall include the following:
- a. Organizational chart for the contract to be bid;

- b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (*please see attached prescribed form required by the QC BAC for Infrastructure and Consultancy*);
- c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment

lessor/vendor for the duration of the project, as the case may be (*please* see attached prescribed form required by the QC - BAC for Infrastructure and Consultancy); and

 $\Box$  (k) Original duly signed Omnibus Sworn Statement (OSS);

**and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Additional Technical Requirements:

- Certificate of Site Inspection or Affidavit of Site Inspection as part of Omnibus Sworn Statement
- ☐ Affidavit of Undertaking for Key Personnel and Equipment (please see attached prescribed form required by the QC BAC for Infrastructure and Consultancy)
- Equipment Utilization Schedule
- Manpower Schedule
- Construction Schedule and S-Curve
- PERT-CMP
- Construction Methods

Financial Documents

- □ (1) The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
- (m) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (please see attached prescribed form required by the QC − BAC for Infrastructure and Consultancy).

#### Class "B" Documents

□ (n) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### **II. FINANCIAL COMPONENT ENVELOPE**

 $\Box$  (o) Original of duly signed and accomplished Financial Bid Form; <u>and</u>

#### Other documentary requirements under RA No. 9184

- $\Box$  (p) Original of duly signed Bid Prices in the Bill of Quantities; <u>and</u>
- □ (q) Duly accomplished Detailed Estimates Form, including a summary shee indicating the unit prices of construction materials, labor rates, and equipmen rentals used in coming up with the Bid; and
- $\Box$  (r) Cash Flow by Quarter.

#### Bid Form for the Procurement of Infrastructure Projects [shall be submitted with the Bid]

#### **BID FORM**

Date : \_\_\_\_\_

Project Identification No. : \_\_\_\_\_

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: [insert name of contract];
- b. We offer to execute the Works for this Contract in accordance with the PBDs:
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: [insert information];
- d. The discounts offered and the methodology for their application are: [insert information];
- e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates,
- Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines<sup>1</sup> for this purpose;
- We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.

<sup>1</sup> currently based on GPPB Resolution No. 09-2020

- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

### Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_ ) S.S.

#### BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

> [Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

GPPB Resolution No. 16-2020, dated 16 September 2020

## **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, BAC the head the Project and the Secretariat, of Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project

Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
- 11. We pledge that the project will be completed in accordance and congruency with the approved plans and programs.

**IN WITNESS WHEREOF,** I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_\_\_ 20\_\_ at , Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practice]

## Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

#### CONTRACT AGREEMENT

THIS AGREEMENT, made this [insert date] day of [insert month], [insert year] between [name and address of PROCURING ENTITY] (hereinafter called the "Entity") and [name and address of Contractor] (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute [name and identification number of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [contract price in words and figures in specified currency] by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - Philippine Bidding Documents (PBDs);
    - Drawings/Plans;
    - ii. Specifications;
    - iii. Bill of Quantities;
    - iv. General and Special Conditions of Contract;
    - v. Supplemental or Bid Bulletins, if any;
  - Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder agrees that</u> additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

 The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Procuring Entity] [Insert Name of Supplier]

#### Acknowledgment

[Formal shall be based on the latest Rules on Notarial Practice]

#### LIST OF ALL ON-GOING GOVERNMENT AND PRIVATE CONTRACTS

NAME OF CONTRACTOR:

PROJECT TITLE					TOTAL	DATE OF	CONTRACT	PERC	NTAGE	
(Name of the Contract) & EXACT PROJECT LOCATION	EONTRACT	CT PROJECT OWNER & NATURE OF WORK	INTEREMENTAGE OF INIT PERCENTAGE OF PARTICIPATION	CONTRACT VALUE AT AWARD	COMPLETION or ESTIMATED COMPLETION TIME	VALUE AT COMPLETION IF APPLICABLE	ACTUAL ACCOMPUSHMENT	PLANNED ACCOMPLISHMENT	WALUE OF DUTSTANDING WORKS (IN PHP)	
								TOTAL AMOUNT OUTSTANDING V		

#### LIST OF ALL AWARDED BUT NOT YET STARTED GOVERNMENT AND PRIVATE CONTRACTS OF THE BIDDER

NAME OF CONTRACTOR:

PROJECT TITLE: \_\_\_\_\_

PROJECT TITLE & EXACT LOCATION	MAJOR SCOPE OF WORKS & DATE STARTED	NAME AND ADDRESS OF PROJECT OWNER	CONTRACT PRICE (PHP) AS AWARDED	DATE OF SCHEDULED COMPLETION	ROLE OF BIDDER IN THE CONTRACT SOLE CONTRACTOR / SUB- CONTRACTOR/PARTNER IN A
		5			
		TOTAL AMOUNT OF CONTRACT (Php)			

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

#### SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID

NAME OF CONTRACTOR:

PROJECT TITLE:

PROJECT TITLE (Name of the Contract) & EXACT PROJECT LOCATION	DATE OF CONTRACT	CONTRACT DURATION	PROJECT OWNER & POSTAL ADDRESS	NATURE OF WORK	CONTRACTOR'S ROLE SOLE CONTRACTOR, SUBCONTRACTOR, PARTHER IN A JVJ and PERCENTAGE OF PARTICIPATION	TOTAL CONTRACT VALUE AT AWARD	DATE OF COMPLETION or ESTIMATED COMPLETION TIME	TOTAL CONTRACT VALUE AT COMPLETIO IF APPLICABI
								IT APPLICAD

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

#### LIST OF MAJOR EQUIPMENT TO BE USED FOR THE PROJECT

NAME OF CONTRACTOR:

## PROJECT TITLE:

TYPE	DESCRIPTION / CAPACITY	SERIAL NO.	YEAR ACQUIRED	PRESENT LOCATION (SPECIFIC ADDRESS)	STATUS OF AVAILABILITY (OWNED/LEASED)

#### A. LIST OF KEY CONSTRUCTION PERSONNEL TO BE ASSIGNED TO THE PROJECT

NAME OF CONTRACTOR:

# PROJECT TITLE: \_\_\_\_\_

POSITION	AGE	EDUCATIONAL	TYPE OF CONSTRUCTION EXPERIENCE	NO.OF YEARS WITH THE CONTRACTOR	PROFESSION	PRC NO.
	POSITION	POSITION AGE	PENITURY ASE	POSITION AGE ATTAINMENT CONSTRUCTION	POSITION AGE EDUCATIONAL CONSTRUCTION WITH THE	POSITION AGE ATTAINMENT CONSTRUCTION WITH THE PROFESSION

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

# COMPUTATION OF NET FINANCIAL CONTRACTING CAPACITY (NFCC)

NAME OF BIDDER:

CURRENT ASSETS*		PHP	
(LESS) CURRENT LIABILITIES*	(LESS)	PHP	
NETWORTH		PHP	
NETWORTH x 15	x 15	РНР	
(LESS) VALUE OF ALL OUTSTANDING ON-GOING CONTRACTS**	(LESS)	- РНР	
(LESS) VALUE OF ALL AWARDED BUT NOT YET STARTED CONTRACTS AS OF DATE**	(LESS)	PHP -	
NET FINANCIAL CONTRACTING CAPACITY		РНР	

NOTES: 
+ CURRENT ASSETS AND LIABILITIES BASED ON AUDITED FINANCIAL STATEMENT FOR THE PRECEDING CALENDAR YEAR SUBMITTED TO B.I.R.

> \*\* BASED ON LIST OF ON-GOING AND AWRDED BUT NOT YEY STARTED CONTRACTS SUBMITTED

#### REPUBLIC OF THE PHILIPPINES)

5. B

\_\_\_\_) S. S.

## AFFIDAVIT OF UNDERTAKING

REPR	I,, of legal age, Filipino,[OFFICER_OR ESENTATIVE]
	office address atafter
naving	been duly sworn to in accordance with law, hereby voluntary depose and state:
	That I am duly authorized representative of the <u>IName of Bidder</u> to execute this undertaking as evidenced by Secretary's Certificate and Board Resolution.
	That
	That relative to the aforementioned Project, the <u>[Name of Bidder]</u> hereby undertake that the equipment to be use and the key personnel to be assign shall exclusively be used and will only perform to the said project until its completion.
	That I am executing this affidavit to attest to the truth of the foregoing and in compliance with the submission of the technical requirements for the public bidding of the said project.
of	IN WITNESS HEREOF, I have hereunto signed my name below this day
	AFFIANT FURTHER SAYETH NAUGHT.

Affiant

SUBSCRIBED AND SWORN TO BEFORE ME this	_ day of
in	

affiant exhibiting to me his/her \_\_\_\_\_ issued at on

Doc, No. ÷ Page No. ; Book No. ÷ Series of 2020

Notary Public

