

PHILIPPINE BIDDING DOCUMENTS

Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

**PROPOSED CONSTRUCTION OF PERIMETER FENCE AND
UPGRADING OF ELECTRICAL SYSTEM AT SAN
BARTOLOME ELEMENTARY SCHOOL**

**Project number:
22-00170**

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the “Works”) through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv) the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

Glossary of Terms, Abbreviations, and Acronyms.....	5
Section I. Invitation to Bid	8
Section II. Instructions to Bidders.....	9
1. Scope of Bid	10
2. Funding Information	10
3. Bidding Requirements.....	10
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	10
5. Eligible Bidders.....	11
6. Origin of Associated Goods	11
7. Subcontracts	11
8. Pre-Bid Conference.....	12
9. Clarification and Amendment of Bidding Documents.....	12
10. Documents Comprising the Bid: Eligibility and Technical Components	12
11. Documents Comprising the Bid: Financial Component	13
12. Alternative Bids	13
13. Bid Prices	13
14. Bid and Payment Currencies.....	13
15. Bid Security.....	14
16. Sealing and Marking of Bids.....	14
17. Deadline for Submission of Bids	14
18. Opening and Preliminary Examination of Bids	14
19. Detailed Evaluation and Comparison of Bids	14
20. Post Qualification.....	15
21. Signing of the Contract	15
Section III. Bid Data Sheet.....	16
Section IV. General Conditions of Contract	19
1. Scope of Contract.....	20
2. Sectional Completion of Works	20
3. Possession of Site.....	20
4. The Contractor's Obligations.....	20
5. Performance Security	20
6. Site Investigation Reports	21

7.	Warranty.....	21
8.	Liability of the Contractor.....	21
9.	Termination for Other Causes	21
10.	Dayworks	21
11.	Program of Work.....	22
12.	Instructions, Inspections and Audits	22
13.	Advance Payment.....	22
14.	Progress Payments	22
15.	Operating and Maintenance Manuals.....	22
Section V. Special Conditions of Contract.....		24
Section VI. Specifications		26
Section VII. Drawings.....		28
Section VIII. Bill of Quantities		29
Section IX. Checklist of Technical and Financial Documents.....		31

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



REPUBLIC OF THE PHILIPPINES
QUEZON CITY GOVERNMENT
BIDS AND AWARDS COMMITTEE FOR INFRASTRUCTURE &
CONSULTANCY



2nd floor, Finance Building, Procurement Department, Quezon City Hall Complex, Elliptical Road, Quezon City

November 25, 2022

Invitation to Bid

No.	Project No.	Project Name	Location	Amount	Duration Cal. Days	Office	Source Fund
<u>Buildings – Small B</u>							
1	22-00160	Proposed Upgrading of Electrical System at Villa Verde Elementary School	Sta. Monica	1,283,171.56	30	Engineering Department	SDO - Local School Board
2	22-00161	Proposed Renovation of Four Storey SB Science Building at Carlos Albert High School	Santol	2,352,427.79	60	Engineering Department	SDO - Local School Board
3	22-00162	Proposed Construction of Additional Handwashing Facility and Rehabilitation of Comfort Rooms at Sinagtala Elementary School	San Antonio	2,523,866.59	60	Engineering Department	SDO - Local School Board
4	22-00163	Proposed Rehabilitation of Comfort Rooms at Camarilla Elementary School	San Roque	3,030,957.00	90	Engineering Department	SDO - Local School Board
5	22-00164	Proposed Rehabilitation of Comfort rooms at Balumbato Elementary School	Balumbato	4,272,283.81	90	Engineering Department	SDO - Local School Board
6	22-00165	Proposed Rehabilitation of Covered Court at Hobart Village HOA, Inc.	Kaligayahan	6,124,499.75	120	Engineering Department	OCM - 20% CDF
7	22-00166	Proposed Rehabilitation of Electrical System at Bagbag Elementary School	Bagbag	7,032,679.79	120	Engineering Department	SDO - Local School Board
8	22-00167	Proposed Rehabilitation of Barangay Health Center and Vargas Multi-Purpose Hall	San Agustin	7,817,907.96	90	Engineering Department	OCM - 20% CDF
9	22-00168	Proposed Rehabilitation of HB Building at San Diego Elementary School	Batasan Hills	20,251,081.84	180	Engineering Department	SDO - Local School Board
10	22-00169	Proposed Rehabilitation of Bautista Building, Drainage System and Construction of Comfort Room at North Fairview High School	North Fairview	20,847,208.56	180	Engineering Department	SDO - Local School Board

11	22-00170	Proposed Construction of Perimeter Fence and Upgrading of Electrical System at San Bartolome Elementary School	San Bartolome	21,320,673.64	180	Engineering Department	SDO - Local School Board
12	22-00171	Proposed Construction of Electrical Room and Upgrading of Electrical System at Don Alejandro Roces Sr. Science Technology High School	Obrero	24,253,074.13	180	Engineering Department	SDO - Local School Board
13	22-00099B	Proposed Construction of Handwashing Facility and Rehabilitation of Comfort Room at Manuel Roxas Senior High School	Paligsahan	1,703,245.31	60	Engineering Department	Special Education Fund
14	22-00102B	Proposed Rehabilitation of Fire Station	Project 6	1,963,027.52	60	Engineering Department	Engineering Department

Buildings – Medium A

15	22-00172	Proposed Rehabilitation of Mathay and Quezon Building of Novaliches High School	San Agustin	44,286,369.31	180	Engineering Department	SDO - Local School Board
16	22-00173	Proposed Rehabilitation of San Bartolome High School	San Bartolome	50,033,897.53	180	Engineering Department	SDO - Local School Board

Roads – Small B

17	22-00174	Proposed Rehabilitation of Drainage System at Ismael Mathay Senior High School	Sangandaan	1,455,721.93	90	Engineering Department	SDO - Local School Board
18	22-00175	Proposed Construction of Drainage System at Maligaya High School	Pasong Putik	7,926,563.46	60	Engineering Department	SDO - Local School Board
19	22-00176	Proposed Rehabilitation of Road and Drainage at Sto. Niño Street and Sto. Niño Alleys	San Antonio	29,371,118.45	210	Engineering Department	OCM - 20% CDF

Roads – Medium A

20	22-00177	Proposed Rehabilitation of Road and Drainage at Fortune and Paxton Streets	Fairview	40,768,478.70	270	Engineering Department	OCM - 20% CDF
----	----------	--	----------	---------------	-----	------------------------	---------------

1. The **QUEZON CITY LOCAL GOVERNMENT**, through *funding source of various years* intends to apply the sum stated above being the Approved Budget for the Contract (ABC) to payments under the contract *for the above stated Projects*. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The **QUEZON CITY LOCAL GOVERNMENT** now invites bids for the above Procurement Project. Completion of the Works is required *as stated above*. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
4. Interested bidders may obtain further information from **QUEZON CITY LOCAL GOVERNMENT – BAC Secretariat** and inspect the Bidding Documents at the address given below *weekdays from 8:00 am. – 5:00 p.m.*
5. A complete set of Bidding Documents may be acquired by interested bidders on **28 November 2022 (Monday)** from given address and website/s below *and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *presented in person*.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

1. PhilGEPS Registration Certificate (Platinum – 3 Pages)
2. Document Request List (DRL)
3. Authorization to purchase bidding documents
 - 3.1 Secretary’s Certificate (for corporation)
 - 3.2 Special Power of Attorney (for sole proprietorship)
4. Notarized Joint Venture Agreement (if applicable)
5. Letter of Intent

It must be duly received by the BAC Secretariat at 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound.

6. The **QC- BAC- INFRASTRUCTURE & CONSULTANCY** will hold a Pre-Bid Conference¹ on **December 6, 2022 at 9:00 AM** at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound or we encourage the prospective bidders to join through our **Virtual Conference (ZOOM APP)** which shall be open to prospective bidders.

Virtual Conference (ZOOM APP)

Meeting ID: 854 9489 0133

Password: 273320

7. Bids must be duly received by the BAC Secretariat through manual submission at the office address as indicated below, on or before **December 19, 2022 – 9:00 AM**. Late bids shall not be accepted.

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
9. Bid opening shall be on **December 19, 2022 - 10:00 AM** at **2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound** and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Virtual Conference (ZOOM APP)

Meeting ID: 810 3646 5257

Password: 201522

10. The **Quezon City Local Government** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department

2nd Floor, Procurement Department,

Finance Building, Quezon City Hall Compound

Elliptical Road, Barangay Central Diliman, Quezon City.

Tel. No. (02)8988-4242 loc. 8506/8710

Email Add: bacinfra.procurement@quezoncity.gov.ph

Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: <https://quezoncity.gov.ph/public-notices/procurement/>

By:

ATTY. MARK DALE DIAMOND P. PERRAL

Chairman, BAC-Infra and Consultancy

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Government** invites Bids for the **PROPOSED CONSTRUCTION OF PERIMETER FENCE AND UPGRADING OF ELECTRICAL SYSTEM AT SAN BARTOLOME ELEMENTARY SCHOOL**, with Project Identification Number **22-00170**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2022** in the amount of **Twenty-One Million Three Hundred Twenty Thousand Six Hundred Seventy-Three Pesos and 64/100 Cts. (P 21,320,673.64)**.

2.2. The source of funding is:

a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or

through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA’s CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be “similar” to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

- 7.1. *[If Procuring Entity has determined that subcontracting is allowed during the bidding , state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterial stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.2. *[If subcontracting is allowed during the contract implementation stage, state:]* The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the

implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.

- 7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address on **December 6, 2022, 9:00 A.M. at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound** and/or we encourage the prospective bidders to join through our **Virtual Conference (ZOOM APP) Meeting ID: 854 9489 0133 Password: 273320**

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.

- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. *Payment of the contract price shall be made in:*
 - a. Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security **in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph **5** of the **IB**.

18. Opening and Preliminary Examination of Bids

- 18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause																																									
5.2	For this purpose, similar contracts shall refer to contracts which have the same major categories of work.																																								
7.1	Subcontracting is not allowed.																																								
10.3	<i>No additional contractor license or permit is required</i> <i>In addition, eligible bidders shall qualify or comply with the following:</i> 1. Bidders with valid Philippine Contractors Accreditation Board (PCAB) Type Building - Small B																																								
10.4	<table><tr><td colspan="4">The minimum work experience requirements for key personnel are the following:</td></tr><tr><td>Qty.</td><td>Key Personnel</td><td>General Experience</td><td>Relevant Experience</td></tr><tr><td>1</td><td>Project Manager</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>Project Engineer</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>General Foreman</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>Trade Engineer/Leadman for civil works</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>Trade Engineer/Leadman for electrical works</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>Safety Officer</td><td>3 years</td><td>3 years</td></tr><tr><td>1</td><td>DPWH duly accredited Materials Engineer</td><td>3 years</td><td>3 years</td></tr><tr><td colspan="4"><i>In addition, the bidder must execute an affidavit of undertaking duly notarized stating that the foregoing personnel shall perform work exclusively for the project until its completion. Please see attached bid forms.</i></td></tr></table>	The minimum work experience requirements for key personnel are the following:				Qty.	Key Personnel	General Experience	Relevant Experience	1	Project Manager	3 years	3 years	1	Project Engineer	3 years	3 years	1	General Foreman	3 years	3 years	1	Trade Engineer/Leadman for civil works	3 years	3 years	1	Trade Engineer/Leadman for electrical works	3 years	3 years	1	Safety Officer	3 years	3 years	1	DPWH duly accredited Materials Engineer	3 years	3 years	<i>In addition, the bidder must execute an affidavit of undertaking duly notarized stating that the foregoing personnel shall perform work exclusively for the project until its completion. Please see attached bid forms.</i>			
The minimum work experience requirements for key personnel are the following:																																									
Qty.	Key Personnel	General Experience	Relevant Experience																																						
1	Project Manager	3 years	3 years																																						
1	Project Engineer	3 years	3 years																																						
1	General Foreman	3 years	3 years																																						
1	Trade Engineer/Leadman for civil works	3 years	3 years																																						
1	Trade Engineer/Leadman for electrical works	3 years	3 years																																						
1	Safety Officer	3 years	3 years																																						
1	DPWH duly accredited Materials Engineer	3 years	3 years																																						
<i>In addition, the bidder must execute an affidavit of undertaking duly notarized stating that the foregoing personnel shall perform work exclusively for the project until its completion. Please see attached bid forms.</i>																																									
10.5	<table><tr><td colspan="3">The minimum major equipment requirements are the following:</td></tr><tr><td>Equipment</td><td>Capacity</td><td>Number of Units</td></tr><tr><td>Dump Truck</td><td></td><td>1</td></tr><tr><td>Jackhammer</td><td></td><td>1</td></tr><tr><td>Manlift</td><td></td><td>as needed</td></tr></table>	The minimum major equipment requirements are the following:			Equipment	Capacity	Number of Units	Dump Truck		1	Jackhammer		1	Manlift		as needed																									
The minimum major equipment requirements are the following:																																									
Equipment	Capacity	Number of Units																																							
Dump Truck		1																																							
Jackhammer		1																																							
Manlift		as needed																																							

	<i>In addition, the bidder must execute an affidavit of undertaking duly notarized stating that the foregoing equipment shall be used exclusively for the project until its completion. Please see attached bid forms.</i>
12	<i>[Insert Value Engineering clause if allowed.]</i>
15.1	<p>The bid security shall be in the form of a Bid Securing Declaration with project number, or any of the following forms and amounts:</p> <ul style="list-style-type: none"> a) The amount of not less than Php 426,413.47 or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b) The amount of not less than Php 1,066,033.68 or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.2	Partial bid is not allowed. The infrastructure project is packaged in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
20	No additional requirement.
21	<p>Additional Contract Documents relevant to the Project as required:</p> <ol style="list-style-type: none"> 1. Construction Schedule and S-curve, 2. Manpower Schedule, 3. Construction Methods, 4. Equipment Utilization Schedule, 5. PERT/CPM or other acceptable tools of project scheduling, shall be included in the submission of Technical Proposal.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.

3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the SCC.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in ITB Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex “E” of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor’s Bid shall be used for small additional amounts of work only when the Procuring Entity’s Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity’s Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity’s Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity’s Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor’s accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex “E” of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity’s Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide “as built” Drawings and/or operating and maintenance manuals as specified in the **SCC**.

- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
2	Completion of work shall be within 180 calendar days.
4.1	The Procuring Entity shall give possession of all parts of the Site to the Contractor upon receipt of the Notice to Proceed.
6	The site investigation reports are: <i>[list here the required site investigation reports.]</i>
7.2	<p><i>[Select one, delete the other.]</i></p> <p><i>[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:]</i> Fifteen (15) years.</p> <p><i>[In case of semi-permanent structures, such as buildings of types 1, 2, and 3 as classified under the National Building Code of the Philippines, concrete/asphalt roads, concrete river control, drainage, irrigation lined canals, river landing, deep wells, rock causeway, pedestrian overpass, and other similar semi-permanent structures:]</i> Five (5) years.</p> <p><i>[In case of other structures, such as bailey and wooden bridges, shallow wells, spring developments, and other similar structures:]</i> Two (2) years.</p>
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
13	The amount of the advance payment is no more that fifteen percent (15%) of the Contract Price subject to approval by the HOPE and compliance with the conditions under RA 9184 and its IRR.
14	No further instructions.
15.1	<p>The date by which operating and maintenance manuals are required is <i>thirty (30) days</i></p> <p>The date by which "as built" drawings are required as part of final payment</p>
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is ten (10%) percent of the contract price.

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted

subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT
5TH, 6TH, 7TH Floors, QC Civic Center Building "B"
Telephone Nos. 8988-4242 Local 8538



PROJECT TITLE : **PROPOSED CONSTRUCTION OF PERIMETER FENCE AND UPGRADING OF ELECTRICAL SYSTEM AT SAN BARTOLOME ELEMENTARY SCHOOL**
LOCATION : **BARANGAY SAN BARTOLOME, DISTRICT 5, QUEZON CITY**

TECHNICAL SPECIFICATIONS

GR GENERAL REQUIREMENTS

- A. Comply with the current and existing laws, ordinances and applicable codes, rules and regulations, and standards. Any works performed contrary to the existing laws, rules and regulations, ordinances and standards without notice shall bear all cost arising therefrom.
- B. Drawings, specifications, codes and standards are minimum requirements. Where requirements differ, the more stringent apply.
- C. Should there be any change(s) in drawings or specifications, it is required to comply with the governing regulations, notify the implementing agency.
- D. Photographs shall be taken as, when and where directed at intervals of not more than one month. The photographs shall be sufficient in number and location, to record the exact progress of the works. The photographs shall be retained and will become the property of the Government.
- E. Site verification / inspection shall be conducted to validate the scope of works. No extra compensation and extension of time shall be given due to negligence or inadvertence.
- F. The quality of materials shall be of the best grade of their respective kinds for the purpose. The work shall also be performed in the best and most capable manner in strict accordance with requirements of the plans and details. All materials not conforming to the requirements of these specifications shall be considered as defective.
- G. All equipment and installations shall meet or exceed minimum requirements of the standards and codes.
- H. Mobilization and Demobilization (if applicable)
 1. Mobilization shall include all activities and related costs for transportation of personnel, equipment, and operating supplies to the site; establishment of offices, buildings, and other necessary general facilities for the operations at the site.
 2. Demobilization shall include all activities and costs for transportation of personnel, equipment, and supplies not anymore required within the construction site including the disassembly, removal and site clean-up of offices and other facilities assembled on the site specifically for this contract.
- I. Execute work in strict accordance with the best practices of the trades in a thorough, substantial, workmanlike manner by competent workmen. Provide a competent, experienced, full-time supervisor who is authorized to make decisions on behalf of the Contractor.
- J. Temporary Facilities and Utilities
 1. All facilities shall be near the job site, where necessary and shall conform to the best standard for the required types.
 2. Temporary facilities shall be provided and maintained including sanitary facilities and first aid stations.

3. Temporary utilities shall be sufficiently provided until the completion of the project such as water, power and communication.
 4. Temporary enclosure shall be provided around the construction site with adequate guard lights, railings and proper signage.
 5. Temporary roadways shall be constructed and maintained to sustain loads to be carried on them during the entire construction period.
 6. Upon completion of the work, the temporary facilities shall be demolished, hauled-out and disposed properly.
- K. Adequate construction safety and health protection shall be provided at all times during the execution of work to both workers and property.
1. A fully-trained Medical Aide shall be employed permanently on the site who shall be engaged solely to medical duties.
 2. The medical room shall be provided with waterproofing; it could be a building or room designated and used exclusively for the purpose and have a floor area of at least 15 square meters and a glazed window area of at least 2 square meters.
 3. The location of the medical room and any other arrangements shall be made known to all employees by posting on prominent locations and suitable notices in the site.
 4. Additional safety precautions shall be provided in the event of a pandemic. Protocols set forth by the government shall be strictly followed.
 5. Construction safety shall consist of construction canopy and safety net
- L. Necessary protections to the adjacent property shall be provided to avoid untoward incidents / accidents
- M. Final cleaning of the work shall be employed prior to the final inspection for the certification of final acceptance. Final cleaning shall be applied on each surface or unit of work and shall be of condition expected for a building cleaning and maintenance program.

SW SITE WORKS

- A. All grades, lines, levels and dimensions shall be verified as indicated on the plans and details. Any discrepancies or inconsistencies shall be reported before commencing work.
- B. This Item shall consist of the removal wholly or in part, and satisfactory disposal of all buildings, fences, structures, old pavements, abandoned pipe lines, and any other obstructions which are not designated or permitted to remain, except for the obstructions to be removed and disposed of under other Items in the Contract.

Removal and/or demolition of existing structures shall be done in accordance to safety procedures.

- C. All excavations shall be made to grade as indicated in the plans. Whenever water is encountered in the excavation process, it shall be removed by pumping, care being taken that the surrounding soil particles are not disturbed or removed.

The Contractor shall notify the Engineer sufficiently in advance of the beginning of any excavation so that cross-sectional elevations and measurements may be taken on the undisturbed ground. The natural ground adjacent to the structure shall not be disturbed without permission of the Engineer.

Trenches or foundation pits for structures or structure footings shall be excavated to the lines and grades or elevations shown on the Plans or as staked by the Engineer. They shall be of sufficient size to permit the placing of structures or structure footings of the full width and length shown. The elevations of the bottoms of footings, as shown on the Plans, shall be considered as approximate only and the Engineer may order, in writing, such changes in dimensions or elevations of footings as may be deemed necessary, to secure a satisfactory foundation

Boulders, logs, and other objectionable materials encountered in excavation shall be removed.

After each excavation is completed, the Contractor shall notify the Engineer to that effect and no footing, bedding material or pipe culvert shall be placed until the Engineer has approved the depth of excavation and the character of the foundation material.

- D. All excavated materials, so far as suitable, shall be utilized as backfill. The surplus materials shall be disposed of in such manner as not to obstruct the stream or otherwise impair the efficiency or appearance of the structure. No excavated materials shall be deposited at any time so as to endanger the partly finished structure.

All backfills shall be placed in layers not exceeding to 150mm in thickness and each layer shall be thoroughly compacted by wetting, tamping and rolling.

CWS CIVIL / STRUCTURAL WORKS

A. MASONRY WORKS

1. Masonry Units (Concrete Hollow Blocks):

- a. 100mm thick for all interior walls and 150mm thick for all exterior walls unless otherwise indicated.
- b. Use 400 psi for non-load bearing blocks and 700 psi for load bearing blocks where required.
- c. Where full height walls are constructed with concrete hollow blocks, these shall extend up to the bottom of beam or slab unless otherwise indicated on plans. Provide stiffener columns and lintel beams as specified in the structural drawings or as specified or as deemed required to assure a stabilized wall due to height and other considerations.

2. Sand:

S-1, washed, clean and greenish in color.

3. Mortar:

One part Portland cement and two parts sand and water but not more than three parts sand and water.

4. Reinforcement

The concrete hollow blocks shall be reinforced with 10mm diameter deformed bar, spaced not more than 0.8m on centers, both ways.

5. Plaster bond.

The mixture of cement plaster for concrete hollow block wall finishes indicated in the drawings shall be one part Portland cement and three parts sand.

6. Floor Topping Preparation for tilework. One part Portland cement and two parts sand and water but not more than three parts sand and water.

B. METAL FABRICATION

1. Fabrication:

By mechanics skilled in the trade and in accordance with the manufacturer's directions. Metalwork shall be fabricated to allow for expansion and contraction of materials. Provide welding and bracing of adequate strength and durability, with tight, flush joints, dressed smooth and clean. Complete with bolts and nuts.

C. MOISTURE PROTECTION

1. VAPOR BARRIER

Vapor barrier shall be placement of 8mil Polyethylene sheet prior to pouring of concrete for foundation members, slabs-on-fill and slabs-on-grade

AW ARCHITECTURAL WORKS

A. PAINTING WORKS

1. Paint Materials. All types of paint material and other related products shall be subject to test as to material composition by the Bureau of Research and Standard, DPWH or the National Institute of Science and Technology.
2. Tinting Colors. Tinting colors shall be first grade quality pigment ground in alkyd resin that disperses and mixes easily with paint to produce the color desired. Use the same brand of paint and tinting color to effect good paint body.
3. Skim coat. Skim coat shall be fine powder type material like kalsomine that can be mixed into putty consistency, with oil-based primers and paints to fill minor surface dents and imperfections.
4. Paint Schedule.
 - a. Exterior Masonry Wall (plain cement plastered finish to be painted)
 - i 1 coat skim coating, 1 coat primer, 2 coats elastomeric paint finish
 - b Metal / Steel Surfaces
 - i 1 coat primer, 2 coats epoxy enamel finish
5. Surface Preparation All surfaces shall be in proper condition to receive the finish. Woodworks shall be hand-sanded smooth and dusted clean. All knot-holes pitch pockets or sappy portions shall be sealed with natural wood filler. Nail holes, cracks or defects shall be carefully puttied after the first coat, matching the color of paint.

Interior woodworks shall be sandpapered between coats. Cracks, holes or imperfections in plaster shall be filled with patching compound and smoothed off to match adjoining surfaces.

Concrete and masonry surfaces shall be coated with concrete neutralizer and allowed to dry before any painting primer coat is applied. When surface is dried apply first coating. Hairline cracks and unevenness shall be patched and sealed with approved putty or patching compound. After all defects are corrected apply the finish coats as specified on the Plans (color scheme approved).

Metal shall be clean, dry and free from mill scale and rust. Remove all grease and oil from surfaces. Wash, unprimed galvanized metal with etching solution and allow it to dry. Where required to prime coat surface with Red Lead Primer same shall be approved by the Engineer.

In addition, the Contractor shall undertake the following:

- a. Voids, cracks, nick etc. will be repaired with proper patching material and finished flushed with surrounding surfaces
- b. Marned or damaged shop coats on metal shall be spot primed with appropriate metal primer.
- c. Painting and varnishing works shall not be commenced when it is too hot or cold.
- d. Allow appropriate ventilation during application and drying period

- e. All hardware will be fitted and removed or protected prior to painting and varnishing works.
6. Application. Paints when applied by brush shall become non-fluid, thick enough to lay down an adequate film of wet paint. Brush marks shall have flowed out after application of paint.

Paints made for application by roller must be similar to brushing paint. It must be non-sticky when thinned to spraying viscosity so that it will break up easily into droplets.

Paint is atomized by high pressure pumping rather than broken up by the large volume of air mixed with it. This procedure changes the required properties of the paint.
7. Application shall be as per paint Manufacturer's specification and recommendation.
8. Provide all drop cloth and other covering requisite for protection of floors, walls, aluminum, glass, finishes and other works.
9. All applications and methods used shall strictly follow the Manufacturer's Instructions and Specifications.
10. All surfaces including masonry wall shall be thoroughly cleaned, puttied, sandpapered, rubbed and polished; masonry wall shall be treated with Neutralizer.
11. All exposed finish hardware, lighting fixtures and accessories, glass and the like shall be adequately protected so that these are not stained with paint and other painting materials prior to painting works
12. All other surfaces endangered by stains and paint marks should be taped and covered with craft paper.

EW ELECTRICAL WORKS

A. CONDUITS, BOXES AND FITTINGS

1. This item shall consist of the furnishing and installation of the complete conduit work, consisting of electrical conduits; conduit boxes such as junction boxes, pull boxes, utility boxes, octagonal and square boxes; conduit fittings, such as couplings, locknuts and bushings and other electrical materials needed to complete the conduit roughing-in work of this project.
2. All materials shall be brand new and shall be of the approved type meeting all the requirements of the Philippine Electrical Code and bearing the Philippine Standard Agency (PSA) mark.
3. All works throughout shall be executed in the best practice in a workmanlike manner by qualified and experienced electricians under the immediate supervision of a duly licensed Electrical Engineer.
4. The work to be done under this division of specifications consists of the fabrication, furnishing, delivery and installation, complete in all details of the electrical work, at the subject premises and all work materials incidental to the proper completion of the installation, except those portions of the work which are expressly stated to be done by other fields. All works shall be done in accordance with the rules and regulations and with the specifications
5. All lighting fixtures and lamps are as specified and listed on lighting fixture schedule.
6. All grounding system installation shall be executed in accordance with the approved plans. Grounding system shall include building perimeter ground wires, ground rods, clamps, connectors, ground wells and ground wire taps as shown in the approved design.
7. All auxiliary systems such as telephone and intercom system, time clock system, fire alarm system and public address/nurse's call/paging system installations shall be done in accordance with the approved design.

8. Upon completion of the electrical construction work, the contractor - shall provide all test equipment and personnel and to submit written copies of all test results.
9. The contractor shall guarantee the electrical installation are done and in accordance with the approved plans and specifications. The contractor shall guarantee that the electrical systems are free from all grounds and from all defective workmanship and materials and will remain so for a period of one year from date and acceptance of works. Any defect shall be remedied by the Contractor at his own expense.

B. WIRES AND WIRING DEVICES

1. This item shall consist of the furnishing and installation of all wires and wiring devices consisting of electric wires and cables, wall switches, convenience receptacles, heavy duty receptacles and other devices shown on the approved Plans but not mentioned in these specifications.
2. Wires and cables shall be of the approved type meeting all the requirements of the Philippine Electrical Code and bearing the Philippine Standard Agency (PSA) mark. Unless specified or indicated otherwise, all power and lighting conductors shall be insulated for 600 volts. All wires shall be copper, soft drawn and annealed, smooth and of cylindrical form and shall be centrally located inside the insulation.
3. Conductors or wires shall not be drawn in conduits until after the cement plaster is dry and the conduits are thoroughly cleaned and free from dirt and moisture. In drawing wires into conduits, sufficient slack shall be allowed to permit easy connections for fixtures, switches, receptacles and other wiring devices without the use of additional splices.
4. All conductors of convenience outlets and lighting branch circuit homeruns shall be wired with a minimum of 3.5 mm in size. Circuit homeruns to panelboards shall not be smaller than 3.5 mm but all homeruns to panelboard more than 30 meters shall not be smaller than 5.5 mm. No conductor shall be less than 2 mm in size.
5. All wires of 14mm and larger in size shall be connected to panels and apparatus by means of approved type lugs or connectors of the solderless type, sufficiently large enough to enclose all strands of the conductors and securely fastened. They shall not loosen under vibration or normal strain.
6. All joints, taps and splices on wires larger than 14 mm shall be made of suitable solderless connectors of the approved type and size. They shall be taped with rubber and PVC tapes providing insulation not less than that of the conductors.
7. No splices or joints shall be permitted in either feeder or branch conductors except within outlet boxes or accessible junction boxes or pull boxes. All joints in branch circuit wiring shall be made mechanically and electrically secured by approved splicing devices and taped with rubber and PVC tapes in a manner which will make their insulation as that of the conductor.
8. All wall switches and receptacles shall be fitted with standard Bakelite face plate covers. Device plates for flush mounting shall be installed with all four edges in continuous contact with finished wall surfaces without the use of coiled wire or similar devices. Plaster filling shall not be permitted. Plates installed in wet locations shall be gasketed.
9. When more than one switch or device is indicated in a single location, gang plate shall be used.

C. PANELBOARDS

1. Fabricate and test panelboards according to IEEE 344 to withstand seismic forces defined in Division 16 Sections 16073 and 16074 "Hangers and Supports for Electrical Systems and Vibration and Seismic controls for Electrical Systems" respectively.
2. Enclosures. Flush, Surface, Flush- and surface-mounted cabinets.


- a. Rated for environmental conditions at installed location.
 - i. Indoor Dry and Clean Locations: NEMA, Type 1.
 - ii. Outdoor Locations: NEMA, Type 3R.
 - iii. Kitchen and Wash-Down Areas: NEMA, Type 4X, stainless steel.
 - iv. Indoor Locations Subject to Dust, Falling Dirt, and Dripping Noncorrosive Liquids: NEMA, Type 12.
 - v. Outdoor Locations Subject to Dust, Falling Dirt, and Dripping Noncorrosive Liquids: NEMA, Type 5R.
 - b. Front: Secured to box with concealed trim clamps. For surface-mounted fronts, match box dimensions; for flush-mounted fronts, overlap box.
 - c. Hinged Front Cover: Entire front trim hinged to box and with standard door within hinged trim cover.
 - d. Skirt for Surface-Mounted Panelboards: Same gauge and finish as panelboard front with flanges for attachment to panelboard, wall, and ceiling or floor.
 - e. Gutter Extension and Barrier: Same gage and finish as panelboard enclosure; integral with enclosure body. Arrange to isolate individual panel sections.
 - f. Finishes:
 - i. Panels and Trim: Steel and galvanized steel, factory finished immediately after cleaning and pretreating with manufacturer's standard two-coat, baked-on finish consisting of prime coat and thermosetting topcoat.
 - ii. Back Boxes: Galvanized steel Same finish as panels and trim.
 - iii. Fungus Proofing: Permanent fungicidal treatment for overcurrent protective devices and other components.
 - g. Directory Card: Inside panelboard door, mounted in transparent card holder metal frame with transparent protective cover.
- 3 Incoming Mains Location: Top or Bottom.
- 4 Phase, Neutral, and Ground Buses:
- a. Material: Hard-drawn copper, 98 percent conductivity.
 - b. Equipment Ground Bus: Adequate for feeder and branch-circuit equipment grounding conductors; bonded to box.
 - c. Neutral Bus: 100 percent of phase bus 4. Extra-Capacity Neutral Bus: Neutral bus rated 200 percent of phase bus and UL listed as suitable for nonlinear loads.


PETE ANDRE S. IMATONG
Planning and Programming Division



JOCELYN D. NAONG
Planning and Programming Division

Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]




1 VICINITY MAP



2 LOCATION MAP

NOT TO SCALE



3 SITE DEVELOPMENT PLAN

NOT TO SCALE

TABLE OF CONTENTS

ARCHITECTURAL

AR-01	TABLE OF CONTENTS
	LOCATION MAP
	VICINITY MAP
	SITE DEVELOPMENT PLAN
AR-02	KEY PLAN A1
	BLOW-UP DETAIL A1
	KEY PLAN A2
	BLOW-UP DETAIL A2
AR-03	KEY PLAN A3
	BLOW-UP DETAIL A3
	TYPICAL ELEVATION

STRUCTURAL

ST-01	GENERAL NOTES
	COLUMN FOOTING DETAILS
	WALL FOOTING DETAILS
	TYP. FOUNDATION PLAN
	BEAM DETAIL
	BARRED WIRE DETAIL

ELECTRICAL

EL-01	GENERAL NOTES
	LEGEND & SYMBOLS
	MISCELLANEOUS DETAILS
EL-02	PROPOSED FEEDER LAYOUT
EL-03	SERVICE ENTRANCE DETAILS
	RISER DIAGRAM
EL-04	SCHEDULE OF LOADS
EL-05	SCHEDULE OF LOADS
EL-06	BELMONT LIGHTING LAYOUT
EL-07	BELMONT POWER LAYOUT
EL-08	NALDU LIGHTING LAYOUT
EL-09	NALDU POWER LAYOUT
EL-10	CASTELLO 1 LIGHTING LAYOUT
	CASTELLO 1 POWER LAYOUT
EL-11	CASTELLO 2 LIGHTING LAYOUT
	CASTELLO 2 POWER LAYOUT
EL-12	CASTELLO 3 LIGHTING LAYOUT
	CASTELLO 3 POWER LAYOUT
EL-13	CANTEN LIGHTING LAYOUT
	CANTEN POWER LAYOUT



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:
**PROPOSED REHABILITATION OF
SAN BARTOLOME ELEMENTARY
SCHOOL**

LOCATION:
BARAY, SAN BARTOLOME, DISTRICT 5, QUEZON CITY

DRAWN BY: LUNA
DATE:
CHECKED BY: [Signature]

REVISION NO.:

SUBMITTED BY: [Signature]
ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PREPARATION DIVISION

RECOMMENDED APPROVAL:
ENGR. ISAAC R. VERZOSA, JR.
D.C. CITY ENGINEERING DEPARTMENT

APPROVED BY:
HON. RA. JOSEFINA G. BELMONT
CITY MAYOR, QUEZON CITY


SHEET CONTENT:
VICINITY MAP
LOCATION MAP
SITE DEVELOPMENT PLAN

SHEET NO.:


AR-01
01 16




1 KEY PLAN A1 NOT TO SCALE



2 BLOW-UP DETAIL A1 NOT TO SCALE



3 KEY PLAN NOT TO SCALE



4 BLOW-UP DETAIL A2 NOT TO SCALE



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:
PROPOSED REHABILITATION OF
SAN BARTOLOME ELEMENTARY
SCHOOL
LOCATION:
BAR. SAN BARTOLOME, DISTRICT 8, QUEZON CITY

DRAWN BY: LMS
DATE:
DESIGNED BY: LMS
REVIEWED BY:


SUBMITTED BY:
ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMS DIVISION

RECOMMENDING APPROVAL:
ENGR. ISMAEL R. VERZOSA, JR.
DCC, CITY ENGINEERING DEPARTMENT


APPROVED BY:
HON. RA. JOSEFINA B. BELMONTTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT:
SHEET 01 OF 1
SHEET 02 OF 1
SHEET 03 OF 1

SHEET NO.:
AR-02
02/16




1 KEY PLAN NTS 2 BLOW-UP DETAIL A3



3 TYPICAL ELEVATION

NOT TO SCALE

 <p>Republika ng Pilipinas Lungsod ng Quezon CITY ENGINEERING DEPARTMENT</p>	PROJECT TITLE:	DESIGNED BY:	SUBMITTED BY:	RECOMMENDING APPROVAL:	APPROVED BY:	SHEET CONTENT:	SHEET NO.
	<p>PROPOSED REHABILITATION OF SAN BARTOLOME ELEMENTARY SCHOOL</p> <p>LOCATION: BRGY. SAN BARTOLOME, DISTRICT 8, QUEZON CITY</p>	<p>DATE:</p> <p>CHECKED BY:</p> <p>REVISION NO.</p>	<p>ENGR. LEO S. DEL ROSARIO HEAD, PLANNING & PROGRAMS DIVISION</p>	<p>ENGR. ISMAEL R. VERZOSA, JR. D.C. & ENGINEERING DEPARTMENT</p>	<p>HON. MA. JOSEFINA G. BELMONTE CITY SA FOR QUEZON CITY</p>	<p>BLOW-UP DETAIL KEY PLAN FRONT ELEVATION</p>	<p>AR-03 03 16</p>

1. ALL WORK SHALL BE DONE TO THE SATISFACTION OF THE NATIONAL CONSTRUCTION CODE OF THE PHILIPPINES, THE NATIONAL BUREAU OF FIRE PROTECTION AND THE BUREAU OF SANITATION AND HEALTH.
2. ALL WORK SHALL BE SUPERVISED BY A REGISTERED PROFESSIONAL ENGINEER OR ARCHITECT.
3. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE RELEVANT STANDARDS AND SPECIFICATIONS.
4. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER OR ARCHITECT.
5. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE RELEVANT STANDARDS AND SPECIFICATIONS.
6. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE RELEVANT STANDARDS AND SPECIFICATIONS.
7. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE RELEVANT STANDARDS AND SPECIFICATIONS.
8. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE RELEVANT STANDARDS AND SPECIFICATIONS.
9. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE RELEVANT STANDARDS AND SPECIFICATIONS.
10. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE RELEVANT STANDARDS AND SPECIFICATIONS.

11. FORMS AND SHORINGS

- 11.1. FORMS AND SHORINGS SHALL BE DESIGNED TO WITHSTAND THE LOADS OF THE CONCRETE AND THE WEIGHT OF THE FORMS.
- 11.2. FORMS SHALL BE DESIGNED TO WITHSTAND THE LOADS OF THE CONCRETE AND THE WEIGHT OF THE FORMS.

12. CONCRETE AND REINFORCEMENT

- 12.1. ALL CONCRETE SHALL BE OF A MINIMUM COMPRESSIVE STRENGTH OF 28 MPa.
- 12.2. ALL CONCRETE SHALL BE OF A MINIMUM COMPRESSIVE STRENGTH OF 28 MPa.

LOCATION	SECTION	MAX. SIZE OF AGGREGATE	MAX. SLUMP
1. SLAB ON GROUND	200mm x 200mm	1/4 (25mm)	100 (200mm)
2. BEAM, COLUMN	200mm x 200mm	1/4 (25mm)	100 (200mm)

- 13.1. ALL REINFORCEMENT SHALL CONFORM TO THE REQUIREMENTS OF THE NATIONAL CONSTRUCTION CODE OF THE PHILIPPINES.
- 13.2. ALL REINFORCEMENT SHALL CONFORM TO THE REQUIREMENTS OF THE NATIONAL CONSTRUCTION CODE OF THE PHILIPPINES.

REINFORCEMENT	MAX. SIZE OF AGGREGATE
1. SLAB ON GROUND	1/4 (25mm)
2. BEAM, COLUMN	1/4 (25mm)

- 14.1. ALL ANCHORS SHALL BE OF A MINIMUM LENGTH OF 300mm.
- 14.2. ALL ANCHORS SHALL BE OF A MINIMUM LENGTH OF 300mm.

ITEM	QUANTITY
1. ANCHORS	1000
2. ANCHORS	1000
3. ANCHORS	1000
4. ANCHORS	1000

15. STRUCTURAL STEEL AND PLATE


- 15.1. ALL STRUCTURAL STEEL SHALL CONFORM TO THE REQUIREMENTS OF THE NATIONAL CONSTRUCTION CODE OF THE PHILIPPINES.
- 15.2. ALL STRUCTURAL STEEL SHALL CONFORM TO THE REQUIREMENTS OF THE NATIONAL CONSTRUCTION CODE OF THE PHILIPPINES.

16. FOUNDATION

- 16.1. FOUNDATION SHALL BE OF A MINIMUM LENGTH OF 300mm.
- 16.2. FOUNDATION SHALL BE OF A MINIMUM LENGTH OF 300mm.


17. MAINTENANCE

- 17.1. MAINTENANCE SHALL BE OF A MINIMUM LENGTH OF 300mm.
- 17.2. MAINTENANCE SHALL BE OF A MINIMUM LENGTH OF 300mm.




2 COLUMN FOOTING DETAIL

NOT TO SCALE




3 TYPICAL FOUNDATION PLAN

NOT TO SCALE



4 TYPICAL BEAM DETAIL

NOT TO SCALE



5 BARBED WIRE DETAIL

NOT TO SCALE

1 GENERAL NOTES

NOT TO SCALE

3 WALL FOOTING DETAIL

NOT TO SCALE



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:
PROPOSED REHABILITATION OF
SAN BARTOLOME ELEMENTARY
SCHOOL

LOCATION:
DISTRICT 3, SAN BARTOLOME, QUEZON CITY

DRAWN BY:
DATE:
CHECKED BY:
REVISION NO.:

SUBMITTED BY:
ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROJECTS DIVISION

RECOMMENDED BY SPECIALIST:
ENGR. MARVIN R. VERZOSA, JR.
D.C. CITY ENGINEERING DEPARTMENT

APPROVED BY:
HON. RA. JOSEFINA G. BELMONTTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT:
GENERAL NOTES
COLUMN FOOTING DETAIL
WALL FOOTING DETAIL
TYPICAL FOUNDATION PLAN
TYPICAL BEAM DETAIL
BARBED WIRE DETAIL


ST-01
04 16

1. ALL ELECTRICAL WORKS HEREIN INCLUDED SHALL BE EXECUTED IN ACCORDANCE WITH THE PROVISIONS OF THE LATEST EDITION OF THE PHILIPPINE ELECTRICAL CODE, THE RULES AND REGULATIONS OF THE LOCALITY AND THE REQUIREMENTS OF THE POWER COMPANY.
2. ALL ELECTRICAL WORKS HEREIN SHALL BE EXECUTED BY EXPERIENCED MEN UNDER THE DIRECT SUPERVISION OF A FULL-TIME LICENSED ELECTRICAL ENGINEER AND A FULLY ACCREDITED ELECTRICAL CONTRACTOR BY POAO. WORKS SHALL BE NEATLY PLACED, SECURELY FASTENED AND PROPERLY FINISHED.
3. TYPE OF SERVICE ENTRANCE SHALL BE THREE-PHASE, THREE-WIRE PLUS GROUND, 208V/120VAC.
4. ALL WIRING SHALL BE NEAT AND SHALL CONFORM WITH THE INTERNATIONALLY ACCREDITED RECOMMENDED STANDARDS. IN EVERY CASE WHERE SUCH A STANDARD HAS BEEN ESTABLISHED FOR THE PARTICULAR TYPE OF MATERIAL IN QUESTION.
5. ALL FEEDER CONDUITS SHALL BE INTERMEDIATE METALLIC (IMC) OF HIGH STRENGTH AND GALVANIZED WITH AN ADDITIONAL INTERIOR PROTECTIVE COATING SHALL BE USED OR AS INDICATED ON THE PLAN. ALL IMMEDIATELY CONNECTED BRANCH CONDUITS SHALL BE PVC CONDUITS AND FOR EXPOSED INSTALLATION SHALL BE IMC.
6. ELECTRICAL TRADE SIZE SHALL BE USED, A MINIMUM OF 15mm Ø FOR CONDUITS AND IN NO CASE SHALL THERE BE MORE THAN THE EQUIVALENT OF FOUR QUARTER BENDS IN ANY CASE RUN.
7. ALL CONDUITS SHALL BE PROTECTED AGAINST DAMAGING BY THE ENTRANCE OF WATER AND FOREIGN MATTER DURING CONSTRUCTION. ALL ENDS OF CONDUITS SHALL BE PLUGGED TO EXCLUDE MOISTURE AND DUST IMMEDIATELY AFTER THE CONDUITS ARE PLACED.
8. ALL CONDUIT BENDS SHALL BE FIELD MADE BY USING HYDRAULIC BENDERS. MINIMUM BENDING RADIUS MUST BE IN ACCORDANCE TO THE CODE REQUIREMENTS.
9. SINGLE CONDUCTOR INSULATED THERMOPLASTIC (THERMOPLASTIC) WIRE SHALL BE USED IN CONDUIT. MINIMUM SIZE OF WIRES SHALL BE 2.0 mm Ø (14 AWG, SOLID) FOR ALL LIGHTING AND POWER SYSTEM.
10. ALL WIRES AND CABLES SHALL BE COLOR CODED AS FOLLOWS:
PHASE A - RED
PHASE B - YELLOW
PHASE C - BLACK
GROUND - GREEN
11. WALL SWITCHES SHALL BE RATED 15 AMPERES, 200 VOLTS TUMBLER TYPE AND CONVENIENCE OUTLETS SHALL BE OF ORANGEWIRE TYPE THREE WIRE, 200 VOLTS OR AS INDICATED ON THE PLANS AND SPECIFICATIONS.
12. RATING OF ALL PULLBOXES SHALL BE COMPUTED BASED ON THE CODE REQUIREMENTS. SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL PRIOR TO FABRICATION. LOCATION OF PULLBOXES SHALL BE APPROVED BY THE ARCHITECT/ENGINEER AND MUST BE REFLECTED ON THE "AS-BUILT" PLAN. FABRICATOR OF PULLBOXES SHALL BE THE SAME FABRICATOR FOR THE PANELBOARDS.
13. CONTRACTORS MUST SUBMIT SHOP DRAWINGS OF ALL PANELBOARDS AND PULLBOXES TO THE ENGINEER PRIOR TO FABRICATION. ONLY ONE BRAND OF CIRCUIT BREAKER AND ONLY THE APPROVED PANEL FABRICATOR SHALL BE UTILIZED IN THE ENTIRE PROJECT REQUIREMENT.
14. INSTALLATION HEIGHTS OF DEVICES SHALL BE AS APPROVED BY THE ARCHITECT AND/OR AS FOLLOWS:
PANEL BOARDS — 1.82 m. above finished floor to top of panel
WALL SWITCHES — 1.37 m. above finished floor to center of device
CONVENIENCE OUTLET — 0.30 m. above finished floor to center of device or 0.15 m. above working counter to center of device
15. THERE SHALL BE ADEQUATE AND EFFECTIVE EQUIPMENT GROUNDING.
16. UPON COMPLETION OF ELECTRICAL CONSTRUCTION WORK, INSULATION RESISTANCE TEST SHALL BE PERFORMED BY THE CONTRACTOR. EVIDENCE OF THE INSTALLATION TO BE REPORTED IN DETAIL ON FORMS APPROVED BY THE OWNER'S REPRESENTATIVE.
17. THE GROUND RESISTANCE FOR ELECTRICAL SYSTEMS SHALL NOT BE MORE THAN 5 OHMS. COMMUNICATION GROUNDING RESISTANCE SHALL NOT EXCEED 2 OHMS.

	DISTRIBUTION FEEDER LINE 1.2 AND 3 (1125-125mm ² THW FREE AIR)	9"	ONE GANG SWITCH
	BRANCH LINE FROM BUILDING CONNECTED TO DISTRIBUTION FEEDER LINE	25mm ²	TWO GANG SWITCH
	CIRCUIT RUN	3/8"	ONE GANG THREE WY SWITCH
	SWITCH RUN	3/8"	TWO GANG THREE WY SWITCH
	PANEL BOARD		TAPPING POINT
	SERVICE ENTRANCE CAP		30MM X 1200MM, 2X18W LED, TROFFER TYPE WITH COMPLETE ACCESSORIES, SURFACE MOUNTED TYPE
	3-SPOOL SECONDARY RACK (HEAVY DUTY)		10W BULB WITH RECEPTACLE
			DUPLEX C.O.
			ACU OUTLET WITH UCB

	PROPOSED DISTRIBUTION POST W/ 3-SPOOL SECONDARY RACK
	PROPOSED SERVICE ENTRANCE POST
	SERVICE ENTRANCE
	KILOWATT-HOUR METER
	CIRCUIT HOMERUN
	ORBIT FAN
	C-CLAMP

2 LEGEND & SYMBOLS



1 GENERAL NOTES

3 MISCELLANEOUS DETAILS

SCALE: NTS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:
**PROPOSED REHABILITATION OF
SAN BARTOLOME ELEMENTARY
SCHOOL**
LOCATION:
BRGY. SAN BARTOLOME, DISTRICT 5, QUEZON CITY

DRAWN BY:
DATE:
CHECKED BY:
REVISION NO.:

SUBMITTED BY:

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMS DIVISION

RECOMMENDING APPROVAL:

ENGR. ISMAEL R. VERZOSA, JR.
CH. CITY ENGINEERING DEPARTMENT

APPROVED BY:

HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, QUEZON CITY

SHEET CONTENT:
GENERAL NOTES,
APPENDICES,
MISCELLANEOUS

SHEET NO.:
**EL-01
05 16**

[illegible]

SCALE: NTB.



PROPOSED REHABILITATION OF
SAN BARTOLOME ELEMENTARY
SCHOOL

LOCATION
BRGY. SAN BARTOLOME, DISTRICT 1, GUANZON CITY

DATE: _____

RECEIVED NO. _____

Submitted by: 

ENCL. LE 8, DEL ROSARIO
HEAD, PLUMBING-PROGRAMMING DIVISION

RECOMMENDING APPROVAL:

ENCL. 10/10/91 R. VERZOSA, J.
CC: CITY ENGINEERING DEPARTMENT


APPROVED BY:	



HON. RA. JOSEFINA G. BELMON
CITY MAYOR, CHICAGO CITY

INDEX CONTENT

1

EL-02





1 SERVICE ENTRANCE DETAILS

SCALE: NTS.

2 RISER DIAGRAM

SCALE: NTS.



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:
**PROPOSED REHABILITATION OF
SAN BARTOLOME ELEMENTARY
SCHOOL**

LOCATION:
BARO, SAN BARTOLOME, DISTRICT 5, QUEZON CITY

DRAWN BY: *[Signature]*
DATE: *[Signature]*
CHECKED BY: *[Signature]*
REVISION NO.

ELABORATED BY:
[Signature]
ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMS DIVISION

RECOMMENDING APPROVAL:
[Signature]
ENGR. RAFAEL R. VERZOSA, JR.
SEC. CITY ENGINEERING DEPARTMENT

APPROVED BY:
[Signature]
MDN. MA. JOSEFINA G. BELMONTE
CITY MANOR, QUEZON CITY

SHEET CONTENT:
SERVICE ENTRANCE DET.
RISER DIAGRAM

SHEET NO.:
EL-03
07 16

MAIN BELMONTE BUILDING: MDP-BB						REVISION: 06/01/2017 REVISED BY: KATY FORWARDING TO THE MAIN BELMONT BLDG. 2.000000 0.000000 DO NOT RE-PROCESSED	
LOCAL TO BE MAINTAINED							
DET. NO.	LINE# DESCRIPTION	VOLTS	NA	BWP	AT	SIZE OF	
						WIRE	CABLE
1	LP1 (1ST FLOOR)	220	11500	11.500	100	1-1000' TRAIL CORDS WIRE 1-1000' TRAIL CORDS WIRE	W 1000' 50'
2	LP2 (2ND FLOOR)	220	10000	10.000	100	1-1000' TRAIL CORDS WIRE 1-1000' TRAIL CORDS WIRE	W 1000' 50'
3	LP3 (3RD FLOOR)	220	11250	11.250	100	1-1000' TRAIL CORDS WIRE 1-1000' TRAIL CORDS WIRE	W 1000' 50'
4	LP4 (4TH FLOOR)	220	10000	10.000	100	1-1000' TRAIL CORDS WIRE 1-1000' TRAIL CORDS WIRE	W 1000' 50'
			20000	20.000			

COMPUTATION :

USE CABLE PROTECTION

USE: 300T, 3P, 250V WIRE IN HDMA-1

IT = $\frac{20000}{1000}$

IT = 20.000

USE: 2 - 1000' TRAIL & 1-1000' TRAIL GROUND WIRE

IN 2000' 50'

BB BUILDING: BB-LPP1 TYPICAL TO BB-LPP3						REVISION: 04/01/14, ADDITION OF CONCEPTS TO BE USED FOR THE BB-LPP1, BB-LPP2, AND BB-LPP3 BUILDINGS	
LOCATION: BOSTON TOWER BUILDING						DATE: 04/01/14	
CCTV NO.	LOAD DESCRIPTION	UNITS	W	H	S	SET-UP	
						WIND	CONCRETE
1	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
2	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
3	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
4	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
5	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
6	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
7	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
8	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
9	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
10	LOADING BRIDGE W/B	120	1000	4.20	20	1-1/2" x 12" W/B BRIDGE W/B 1-1/2" x 12" W/B BRIDGE W/B	W 20x40 PVC BRIDGE W/B
			1000	4.20	20		

COMPUTATION:

$$T = \frac{2000}{1000}$$

$$T = 0.002 \text{ MP}$$

OVER CONCRETE PROTECTION:

USE: 1/2" x 12" W/B BRIDGE W/B

WIND:

USE: 1/2" x 12" W/B BRIDGE W/B

[illegible]

MAIN NALGU BUILDING: MDP-NO						OVERALL: NEMA 1-200V/250V/300V/350V/400V/480V/500V/600V/690V/720V/760V/800V/850V/900V/950V/1000V/1100V/1200V/1300V/1400V/1500V/1600V/1700V/1800V/1900V/2000V/2200V/2400V/2600V/2800V/3000V/3200V/3400V/3600V/3800V/4000V/4200V/4400V/4600V/4800V/5000V/5200V/5400V/5600V/5800V/6000V/6200V/6400V/6600V/6800V/7000V/7200V/7400V/7600V/7800V/8000V/8200V/8400V/8600V/8800V/9000V/9200V/9400V/9600V/9800V/10000V/10200V/10400V/10600V/10800V/11000V/11200V/11400V/11600V/11800V/12000V/12200V/12400V/12600V/12800V/13000V/13200V/13400V/13600V/13800V/14000V/14200V/14400V/14600V/14800V/15000V/15200V/15400V/15600V/15800V/16000V/16200V/16400V/16600V/16800V/17000V/17200V/17400V/17600V/17800V/18000V/18200V/18400V/18600V/18800V/19000V/19200V/19400V/19600V/19800V/20000V/20200V/20400V/20600V/20800V/21000V/21200V/21400V/21600V/21800V/22000V/22200V/22400V/22600V/22800V/23000V/23200V/23400V/23600V/23800V/24000V/24200V/24400V/24600V/24800V/25000V/25200V/25400V/25600V/25800V/26000V/26200V/26400V/26600V/26800V/27000V/27200V/27400V/27600V/27800V/28000V/28200V/28400V/28600V/28800V/29000V/29200V/29400V/29600V/29800V/30000V/30200V/30400V/30600V/30800V/31000V/31200V/31400V/31600V/31800V/32000V/32200V/32400V/32600V/32800V/33000V/33200V/33400V/33600V/33800V/34000V/34200V/34400V/34600V/34800V/35000V/35200V/35400V/35600V/35800V/36000V/36200V/36400V/36600V/36800V/37000V/37200V/37400V/37600V/37800V/38000V/38200V/38400V/38600V/38800V/39000V/39200V/39400V/39600V/39800V/40000V/40200V/40400V/40600V/40800V/41000V/41200V/41400V/41600V/41800V/42000V/42200V/42400V/42600V/42800V/43000V/43200V/43400V/43600V/43800V/44000V/44200V/44400V/44600V/44800V/45000V/45200V/45400V/45600V/45800V/46000V/46200V/46400V/46600V/46800V/47000V/47200V/47400V/47600V/47800V/48000V/48200V/48400V/48600V/48800V/49000V/49200V/49400V/49600V/49800V/50000V/50200V/50400V/50600V/50800V/51000V/51200V/51400V/51600V/51800V/52000V/52200V/52400V/52600V/52800V/53000V/53200V/53400V/53600V/53800V/54000V/54200V/54400V/54600V/54800V/55000V/55200V/55400V/55600V/55800V/56000V/56200V/56400V/56600V/56800V/57000V/57200V/57400V/57600V/57800V/58000V/58200V/58400V/58600V/58800V/59000V/59200V/59400V/59600V/59800V/60000V/60200V/60400V/60600V/60800V/61000V/61200V/61400V/61600V/61800V/62000V/62200V/62400V/62600V/62800V/63000V/63200V/63400V/63600V/63800V/64000V/64200V/64400V/64600V/64800V/65000V/65200V/65400V/65600V/65800V/66000V/66200V/66400V/66600V/66800V/67000V/67200V/67400V/67600V/67800V/68000V/68200V/68400V/68600V/68800V/69000V/69200V/69400V/69600V/69800V/70000V/70200V/70400V/70600V/70800V/71000V/71200V/71400V/71600V/71800V/72000V/72200V/72400V/72600V/72800V/73000V/73200V/73400V/73600V/73800V/74000V/74200V/74400V/74600V/74800V/75000V/75200V/75400V/75600V/75800V/76000V/76200V/76400V/76600V/76800V/77000V/77200V/77400V/77600V/77800V/78000V/78200V/78400V/78600V/78800V/79000V/79200V/79400V/79600V/79800V/80000V/80200V/80400V/80600V/80800V/81000V/81200V/81400V/81600V/81800V/82000V/82200V/82400V/82600V/82800V/83000V/83200V/83400V/83600V/83800V/84000V/84200V/84400V/84600V/84800V/85000V/85200V/85400V/85600V/85800V/86000V/86200V/86400V/86600V/86800V/87000V/87200V/87400V/87600V/87800V/88000V/88200V/88400V/88600V/88800V/89000V/89200V/89400V/89600V/89800V/90000V/90200V/90400V/90600V/90800V/91000V/91200V/91400V/91600V/91800V/92000V/92200V/92400V/92600V/92800V/93000V/93200V/93400V/93600V/93800V/94000V/94200V/94400V/94600V/94800V/95000V/95200V/95400V/95600V/95800V/96000V/96200V/96400V/96600V/96800V/97000V/97200V/97400V/97600V/97800V/98000V/98200V/98400V/98600V/98800V/99000V/99200V/99400V/99600V/99800V/100000V/100200V/100400V/100600V/100800V/101000V/101200V/101400V/101600V/101800V/102000V/102200V/102400V/102600V/102800V/103000V/103200V/103400V/103600V/103800V/104000V/104200V/104400V/104600V/104800V/105000V/105200V/105400V/105600V/105800V/106000V/106200V/106400V/106600V/106800V/107000V/107200V/107400V/107600V/107800V/108000V/108200V/108400V/108600V/108800V/109000V/109200V/109400V/109600V/109800V/110000V/110200V/110400V/110600V/110800V/111000V/111200V/111400V/111600V/111800V/112000V/112200V/112400V/112600V/112800V/113000	
-----------------------------	--	--	--	--	--	---	--

MAGU BUILDING: NG-LPFI TYPICAL TO NG-LP22 AND NG-LP23						REMARK: THIS TABLE APPLIES TO THE NG-LPFI TYPICAL TO NG-LP22 AND NG-LP23. SEE THE NG-LPFI TYPICAL TO NG-LP22 AND NG-LP23 FOR THE NG-LPFI TYPICAL TO NG-LP22 AND NG-LP23.	
CST. NO.	LOAD DESCRIPTION	VOLTS	VA	WATT	Amps	SCHED. 20	
						POWER	CURRENT
1	SWITCHING POWER SUPPLY	120	1000	4.30	30	3-1500W 120V POWER SUPPLY -1500W 120V POWER SUPPLY -1500W 120V POWER SUPPLY	11 Sched. 20C 1000.000
2	SWITCHING POWER SUPPLY	120	1000	4.30	30	3-1500W 120V POWER SUPPLY -1500W 120V POWER SUPPLY -1500W 120V POWER SUPPLY	11 Sched. 20C 1000.000
3	10 CHANNEL VIDEO/STILL CAM	120	1000	4.30	30	3-1500W 120V POWER SUPPLY -1500W 120V POWER SUPPLY -1500W 120V POWER SUPPLY	11 Sched. 20C 1000.000
4	COMBINATION CABLE J/1/C	120	1140	8.30	50	3-1500W 120V POWER SUPPLY -1500W 120V POWER SUPPLY -1500W 120V POWER SUPPLY	11 Sched. 20C 1000.000
			2180	22.90			

COMPUTATION:

$$I_T = \frac{1000}{120V}$$

$$I_T = 8.33 \text{ amp}$$

OVER CURRENT PROTECTION

USE: 80% OF 250V MCCB IN PANEL 1

MAIN CIRCUIT

USE: 2-1000W 120V & 1-1500W 120V GROUND WIRE

120V/240V GFC

[illegible][illegible]

MAIN CASTLE 2 BUILDING: MDP-C2						REFERENCE: WSP-100142000000000142 PROJECT: CASTLE 2000 WINDSCREEN REMOVAL PROJECT 100.000.00.000000.00	
CASTLE 2000 SECOND FLOOR							
UNIT NO.	LOAD DESCRIPTION	FOOTE	IN	LBP	KT	SIZE OF	
						WIND	CONCRETE
1	UP1 (ONING FLOOR)	220	49.8	15.40	80	2'-0" x 2'-0" 100.000.000.000	10' Slotted AC
2	UP1 (ONING FLOOR)	220	49.8	15.40	80	2'-0" x 2'-0" 100.000.000.000	10' Slotted AC
3	UP2 (2ND FLOOR)	220	49.8	15.40	80	2'-0" x 2'-0" 100.000.000.000	10' Slotted AC
4	UP4 (4TH FLOOR)	220	49.8	15.40	80	2'-0" x 2'-0" 100.000.000.000	10' Slotted AC
			100.0	30.80			

COMPUTATION :

$$R = \frac{200}{200}$$

$$R = 1.000.000$$

OVER CURRENT PROTECTION

USE : 150V, 2P, 20A MCCB IN MAIN 1

WIND PROOF

WIND : 2 - 1000V THREA 1 220V THIN (GROUND WIND)

IN GROUNDING

CASTLE 2 BUILDING- C2-LPPI						<small>WARNING: UNDER AIRCRAFT WING/ROTOR ARM OVERHANGS (10'-0" MIN) (10'-0" MIN) (10'-0" MIN), 10'-0" MIN FROM WING/ROTOR ARM</small>	
LOADING BRIDGE DATA						PLAN 01	
CIRCUIT NO.	LOAD DESCRIPTION	VOLTS	W	AMP	A2	PLAN 01	
						WIRING	COUNT
1	ENGINE OUTF A/C	220	3000	4.38	30	2-1200W* 190-220VAC, 500 1-1200W* 190-220VAC, 500	31 (Ground PIG 4000000)
2	LG BATTERY C/O CHARGE IN	220	3000	4.38	30	2-1200W* 190-220VAC, 500 1-1200W* 190-220VAC, 500	31 (Ground PIG 4000000)
3	COMBUSTION OUTLET A/C	220	3000	7.64	30	2-1200W* 190-220VAC, 500 1-1200W* 190-220VAC, 500	31 (Ground PIG 4000000)
4	OTHER LOAD	220	1170	4.60	30	2-1200W* 190-220VAC, 500 1-1200W* 190-220VAC, 500	31 (Ground PIG 4000000)
			9000	31.00			

COMPUTATION $IT = \frac{400}{2000}$ $IT = 0.13 \text{ AMP}$	OVER CURRENT PROTECTION (SEE: 100T, 24, 350V MICRO IN NEMA 1) MAX PROTECT (SEE: 2, -1400W 190-220VAC 1.0-1.0" MIN THW CIRCLED WIRE 90/250-220VAC)
--	---

1 | SCHEDULE OF LOADS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:

**PROPOSED REHABILITATION OF
SAN BARTOLOME ELEMENTARY
SCHOOL**

SNOW, SARA PATRICIA; 1987; ABSTRACT 5, 541706; COT

DRAWING BY:

PLATE 1

10-00000 (v. 2)

REVISED 1991

SUBMITTED BY:

10

—

48042

ENCL. LEO S. DEL ROSARIO
HEAD, PLANTING & PRODUCTION DIVISION

RECOMMENDED APPROACH:

100

© 2004 Blackwell Publishing Ltd
Journal of Internal Medicine 255: 103–110

DATE: 12/17/19

RECOMMENDING OFFICIAL:



ENGR. ISADOR R. VERZOSA, JR.
CHIEF, CITY ENGINEERING DEPARTMENT

8 971 462 9533 000

CITY OF NEW YORK

HON. MA. JOSEFINA G. BELMONTE
CITY MAYOR, GUILDFORD CITY

TABLE CONTENTS

1000

SCALE: NTS

EL-04
08 16

[illegible][illegible]

CASTLE 3 BUILDING: C3-LP1 TYPICAL TO C3-LP2C3-LP3 AND C3-LP4							REMARKS: REBAR ANCHOR & REINFORCEMENT SHALL BE PLACED ACCORDING TO THE DRAWING. REBAR SHALL BE PLACED IN THE MIDDLE OF THE SLAB.	
SECTION: C3-LP1 TYPICAL TO C3-LP2C3-LP3 AND C3-LP4							FOR REINFORCEMENT: SEE DRAWING	
ITEM NO.	LOADS (KNOCKOUTS)	VOLUME	W	L	H	ST	SLOPE OF	
							W/ST	CONCRETE
1	EXTERIOR WALLS (W)	210	1000	4.00	30	3	0.0000	10 EXTERIOR WALLS (W)
2	1.5' WIDE/1.5' DEEP (W)	330	1000	4.00	30	3	0.0000	10 EXTERIOR WALLS (W)
3	CONCRETE SLAB (W)	120	1000	4.00	30	3	0.0000	10 EXTERIOR WALLS (W)
4	WALL	240	0	0	0	0	0.0000	10 EXTERIOR WALLS (W)
		580	10.00					

[illegible][illegible]

MAIN DEP'D BUILDING: MDP-DEP'D (EXISTING)						REMARKS: BRIDGE, INCLUDES BRIDGE WITH NORTH APPROACHES, APPROXIMATELY 100' LONG, APPROXIMATELY 10' HIGH, AND APPROXIMATELY 10' WIDE.	
LOCAL TRAIL (EXISTING) - FUTURE TRAIL (EXISTING)							
CUT (FEET)	CUT DESCRIPTION	DIST (FEET)	VAL (FEET)	SLOPE (FEET)	AT (FEET)	SUB-CUT	
						VAL (FEET)	CUT (FEET)
1	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
2	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
3	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
4	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
5	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
6	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
7	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
8	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
9	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
10	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
11	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
12	CUTTING	100	1000	1:1	20	CUTTING	CUTTING
		1000	10,000				

COMPUTATION:

$$C = \frac{1000}{1000}$$

$$C = 1000 \text{ MDP}$$

OTHER COMMENTS: THE BRIDGE IS A 100' LONG, APPROXIMATELY 10' HIGH, AND APPROXIMATELY 10' WIDE. THE BRIDGE IS A 100' LONG, APPROXIMATELY 10' HIGH, AND APPROXIMATELY 10' WIDE.

[illegible]

FEEDER LINE 1					WARNING: THIS DOCUMENT IS NOT Intended to be taken into the field. It is for use only in the office.	
LINE NO.	LINE DESCRIPTION	121.75	10	400	COSTS	
					PRICE	QUANTITY
1	400-400	200	10000	100.00	10000	10000
2	400-400	200	10000	100.00	10000	10000
			10000	100.00		

COMPLETION		COSTS	
1	400-400	10000	10000
2	400-400	10000	10000

FEEDER LINE 2						RECEIVED FROM: (FEDERAL GOVERNMENT) RECEIVED FROM: (STATE GOVERNMENT) RECEIVED FROM: (LOCAL GOVERNMENT)	
INT. NO.	DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL	DATE	REMARKS
1	WATER SUPPLY	1000	1000	1000	1000		
2	WATER SUPPLY	1000	1000	1000	1000		
3	WATER SUPPLY	1000	1000	1000	1000		
4	WATER SUPPLY	1000	1000	1000	1000		
5	WATER SUPPLY	1000	1000	1000	1000		
6	WATER SUPPLY	1000	1000	1000	1000		
7	WATER SUPPLY	1000	1000	1000	1000		
8	WATER SUPPLY	1000	1000	1000	1000		
9	WATER SUPPLY	1000	1000	1000	1000		
10	WATER SUPPLY	1000	1000	1000	1000		
11	WATER SUPPLY	1000	1000	1000	1000		
12	WATER SUPPLY	1000	1000	1000	1000		
13	WATER SUPPLY	1000	1000	1000	1000		
14	WATER SUPPLY	1000	1000	1000	1000		
15	WATER SUPPLY	1000	1000	1000	1000		
16	WATER SUPPLY	1000	1000	1000	1000		
17	WATER SUPPLY	1000	1000	1000	1000		
18	WATER SUPPLY	1000	1000	1000	1000		
19	WATER SUPPLY	1000	1000	1000	1000		
20	WATER SUPPLY	1000	1000	1000	1000		
21	WATER SUPPLY	1000	1000	1000	1000		
22	WATER SUPPLY	1000	1000	1000	1000		
23	WATER SUPPLY	1000	1000	1000	1000		
24	WATER SUPPLY	1000	1000	1000	1000		
25	WATER SUPPLY	1000	1000	1000	1000		
26	WATER SUPPLY	1000	1000	1000	1000		
27	WATER SUPPLY	1000	1000	1000	1000		
28	WATER SUPPLY	1000	1000	1000	1000		
29	WATER SUPPLY	1000	1000	1000	1000		
30	WATER SUPPLY	1000	1000	1000	1000		
31	WATER SUPPLY	1000	1000	1000	1000		
32	WATER SUPPLY	1000	1000	1000	1000		
33	WATER SUPPLY	1000	1000	1000	1000		
34	WATER SUPPLY	1000	1000	1000	1000		
35	WATER SUPPLY	1000	1000	1000	1000		
36	WATER SUPPLY	1000	1000	1000	1000		
37	WATER SUPPLY	1000	1000	1000	1000		
38	WATER SUPPLY	1000	1000	1000	1000		
39	WATER SUPPLY	1000	1000	1000	1000		
40	WATER SUPPLY	1000	1000	1000	1000		
41	WATER SUPPLY	1000	1000	1000	1000		
42	WATER SUPPLY	1000	1000	1000	1000		
43	WATER SUPPLY	1000	1000	1000	1000		
44	WATER SUPPLY	1000	1000	1000	1000		
45	WATER SUPPLY	1000	1000	1000	1000		
46	WATER SUPPLY	1000	1000	1000	1000		
47	WATER SUPPLY	1000	1000	1000	1000		
48	WATER SUPPLY	1000	1000	1000	1000		
49	WATER SUPPLY	1000	1000	1000	1000		
50	WATER SUPPLY	1000	1000	1000	1000		
51	WATER SUPPLY	1000	1000	1000	1000		
52	WATER SUPPLY	1000	1000	1000	1000		
53	WATER SUPPLY	1000	1000	1000	1000		
54	WATER SUPPLY	1000	1000	1000	1000		
55	WATER SUPPLY	1000	1000	1000	1000		
56	WATER SUPPLY	1000	1000	1000	1000		
57	WATER SUPPLY	1000	1000	1000	1000		
58	WATER SUPPLY	1000	1000	1000	1000		
59	WATER SUPPLY	1000	1000	1000	1000		
60	WATER SUPPLY	1000	1000	1000	1000		
61	WATER SUPPLY	1000	1000	1000	1000		
62	WATER SUPPLY	1000	1000	1000	1000		
63	WATER SUPPLY	1000	1000	1000	1000		
64	WATER SUPPLY	1000	1000	1000	1000		
65	WATER SUPPLY	1000	1000	1000	1000		
66	WATER SUPPLY	1000	1000	1000	1000		
67	WATER SUPPLY	1000	1000	1000	1000		
68	WATER SUPPLY	1000	1000	1000	1000		
69	WATER SUPPLY	1000	1000	1000	1000		
70	WATER SUPPLY	1000	1000	1000	1000		
71	WATER SUPPLY	1000	1000	1000	1000		
72	WATER SUPPLY	1000	1000	1000	1000		
73	WATER SUPPLY	1000	1000	1000	1000		
74	WATER SUPPLY	1000	1000	1000	1000		
75	WATER SUPPLY	1000	1000	1000	1000		
76	WATER SUPPLY	1000	1000	1000	1000		
77	WATER SUPPLY	1000	1000	1000	1000		
78	WATER SUPPLY	1000	1000	1000	1000		
79	WATER SUPPLY	1000	1000	1000	1000		
80	WATER SUPPLY	1000	1000	1000	1000		
81	WATER SUPPLY	1000	1000	1000	1000		
82	WATER SUPPLY	1000	1000	1000	1000		
83	WATER SUPPLY	1000	1000	1000	1000		
84	WATER SUPPLY	1000	1000	1000	1000		
85	WATER SUPPLY	1000	1000	1000	1000		
86	WATER SUPPLY	1000	1000	1000	1000		
87	WATER SUPPLY	1000	1000	1000	1000		
88	WATER SUPPLY	1000	1000	1000	1000		
89	WATER SUPPLY	1000	1000	1000	1000		
90	WATER SUPPLY	1000	1000	1000	1000		
91	WATER SUPPLY	1000	1000	1000	1000		
92	WATER SUPPLY	1000	1000	1000	1000		
93	WATER SUPPLY	1000	1000	1000	1000		
94	WATER SUPPLY	1000	1000	1000	1000		
95	WATER SUPPLY	1000	1000	1000	1000		
96	WATER SUPPLY	1000	1000	1000	1000		
97	WATER SUPPLY	1000	1000	1000	1000		
98	WATER SUPPLY	1000	1000	1000	1000		
99	WATER SUPPLY	1000	1000	1000	1000		
100	WATER SUPPLY	1000	1000	1000	1000		

FEEDER LINE 3						REMARKS: 120V, 1-Ø, 3-W, 3-Ø, 4-W, 3-Ø, 4-W MAXIMUM PERMITTED WIRE SIZE (AWG) INDICATED IN EACH FEEDER LINE COLUMN	
CIR- CUIT NO.	CIRCUIT DESCRIPTION	VOLTS	WIRE SIZE	MFT	AT	CIRCUIT TYPE	
						PHASE	CONDUCT
1	AMP-008	200	10/3	170.0	20	3-Ø, 4-W, 3-Ø, 4-W	Ø 100mm ² AL
2	AMP-01	200	10/3	180.1	100	3-Ø, 4-W, 3-Ø, 4-W	Ø 100mm ² AL
3	AMP-02	200	10/3	23.50	W	3-Ø, 4-W, 3-Ø, 4-W	Ø 100mm ² AL
			10/3	170.0			

MAIN DISTRIBUTION PANEL/MDP										REMARKS: SERIAL CABLE CONNECTIONS ARE REQUIRED FOR ALL DEVICES TO BE USED WITH The main network port	
CCT NO.	LOAD DESCRIPTION	VOLTAGE	A	AMP EST. LOAD				FI	SLOTS CP		
				1	2	3	4		5	6	7
1	RESIDUE LINE 1	230	0.000	234.00					400	1 - 200Watt 1 - 100Watt 1 - 50Watt 1 - 25Watt 1 - 12.5Watt 1 - 6.25Watt 1 - 3.125Watt 1 - 1.5625Watt 1 - 0.78125Watt 1 - 0.390625Watt 1 - 0.1953125Watt 1 - 0.09765625Watt 1 - 0.048828125Watt 1 - 0.0244140625Watt 1 - 0.01220703125Watt 1 - 0.006103515625Watt 1 - 0.0030517578125Watt 1 - 0.00152587890625Watt 1 - 0.000762939453125Watt 1 - 0.0003814697265625Watt 1 - 0.00019073486328125Watt 1 - 0.000095367431640625Watt 1 - 0.0000476837158203125Watt 1 - 0.00002384185791015625Watt 1 - 0.000011920928955078125Watt 1 - 0.0000059604644775390625Watt 1 - 0.00000298023223876953125Watt 1 - 0.000001490116119384765625Watt 1 - 0.0000007450580596923828125Watt 1 - 0.00000037252902984619140625Watt 1 - 0.000000186264514923095703125Watt 1 - 0.0000000931322574615478515625Watt 1 - 0.00000004656612873077392578125Watt 1 - 0.000000023283064365386962890625Watt 1 - 0.0000000116415321826934814453125Watt 1 - 0.00000000582076609134674072265625Watt 1 - 0.000000002910383045673370361328125Watt 1 - 0.0000000014551915228366851806640625Watt 1 - 0.00000000072759576141834259033203125Watt 1 - 0.000000000363797880709171295166015625Watt 1 - 0.0000000001818989403545856475830078125Watt 1 - 0.00000000009094947017729282379150390625Watt 1 - 0.000000000045474735088646411895751953125Watt 1 - 0.0000000000227373675443232059478759765625Watt 1 - 0.00000000001136868377216160297393798828125Watt 1 - 0.000000000005684341886080801486968994140625Watt 1 - 0.0000000000028421709430404007434844970703125Watt 1 - 0.00000000000142108547152020037174224853515625Watt 1 - 0.000000000000710542735760100185871124267578125Watt 1 - 0.0000000000003552713678800500929355621337890625Watt 1 - 0.00000000000017763568394002504646778106689453125Watt 1 - 0.000000000000088817841970012523233890533447265625Watt 1 - 0.0000000000000444089209850062616169452667236328125Watt 1 - 0.00000000000002220446049250313080847263336181640625Watt 1 - 0.000000000000011102230246251565404236316680908203125Watt 1 - 0.0000000000000055511151231257827021181583340541015625Watt 1 - 0.00000000000000277555756156289135105907916702705078125Watt 1 - 0.00000000000000138777878078144567552953958351353515625Watt 1 - 0.000000000000000693889390390722837764769791756767578125Watt 1 - 0.0000000000000003469446951953614188823848958783837890625Watt 1 - 0.00000000000000017347234759768070944119244793919189453125Watt 1 - 0.000000000000000086736173798840354720596223969595947265625Watt 1 - 0.0000000000000000433680868994201773602981119847979736328125Watt 1 - 0.00000000000000002168404344971008868014905599239898681640625Watt 1 - 0.000000000000000010842021724855044340074527996199493408203125Watt 1 - 0.0000000000000000054210108624275221700372639980997467041015625Watt 1 - 0.00000000000000000271050543121376108501863199904987335205078125Watt 1 - 0.000000000000000001355252715606880542509315999524936676025390625Watt 1 - 0.0000000000000000006776263578034402712546579997624683380126953125Watt 1 - 0.00000000000000000033881317890172013562732899988123416900634765625Watt 1 - 0.000000000000000000169406589450860067813664499940617084503173828125Watt 1 - 0.0000000000000000000847032947254300339068322499703085422515869140625Watt 1 - 0.00000000000000000004235164736271501695341612498515427112579346875Watt 1 - 0.000000000000000000021175823681357508476708062492577135562896734375Watt 1 - 0.0000000000000000000105879118406787542383540312462885677814483671875Watt 1 - 0.00000000000000000000529395592033937711917701562314428389072418359375Watt 1 - 0.000000000000000000002646977960169688559588507811721141945362091796875Watt 1 - 0.0000000000000000000013234889800848442797942539058605709726810458984375Watt 1 - 0.00000000000000000000066174449004242213989712695293028548634052294921875Watt 1 - 0.000000000000000000000330	01 Ground SS1
2	RESIDUE LINE 2	230	0.000			234.00			400	1 - 200Watt 1 - 100Watt 1 - 50Watt 1 - 25Watt 1 - 12.5Watt 1 - 6.25Watt 1 - 3.125Watt 1 - 1.5625Watt 1 - 0.78125Watt 1 - 0.390625Watt 1 - 0.1953125Watt 1 - 0.09765625Watt 1 - 0.048828125Watt 1 - 0.0244140625Watt 1 - 0.01220703125Watt 1 - 0.006103515625Watt 1 - 0.0030517578125Watt 1 - 0.00152587890625Watt 1 - 0.000762939453125Watt 1 - 0.0003814697265625Watt 1 - 0.00019073486328125Watt 1 - 0.000095367431640625Watt 1 - 0.0000476837158203125Watt 1 - 0.00002384185791015625Watt 1 - 0.000011920928955078125Watt 1 - 0.0000059604644775390625Watt 1 - 0.00000298023223876953125Watt 1 - 0.000001490116119384765625Watt 1 - 0.0000007450580596923828125Watt 1 - 0.00000037252902984619140625Watt 1 - 0.000000186264514923095703125Watt 1 - 0.0000000931322574615478515625Watt 1 - 0.00000004656612873077392578125Watt 1 - 0.000000023283064365386962890625Watt 1 - 0.0000000116415321826934814453125Watt 1 - 0.00000000582076609134674072265625Watt 1 - 0.000000002910383045673370361328125Watt 1 - 0.0000000014551915228366851806640625Watt 1 - 0.00000000072759576141834259033203125Watt 1 - 0.000000000363797880709171295166015625Watt 1 - 0.0000000001818989403545856475830078125Watt 1 - 0.00000000009094947017729282379150390625Watt 1 - 0.000000000045474735088646411895751953125Watt 1 - 0.0000000000227373675443232059478759765625Watt 1 - 0.00000000001136868377216160297393798828125Watt 1 - 0.000000000005684341886080801486968994140625Watt 1 - 0.0000000000028421709430404007434844970703125Watt 1 - 0.00000000000142108547152020037174224853515625Watt 1 - 0.000000000000710542735760100185871124267578125Watt 1 - 0.0000000000003552713678800500929355621337890625Watt 1 - 0.00000000000017763568394002504646778106689453125Watt 1 - 0.000000000000088817841970012523233890533447265625Watt 1 - 0.0000000000000444089209850062616169452667236328125Watt 1 - 0.00000000000002220446049250313080847263336181640625Watt 1 - 0.000000000000011102230246251565404236316680908203125Watt 1 - 0.0000000000000055511151231257827021181583340541015625Watt 1 - 0.00000000000000277555756156289135105907916702705078125Watt 1 - 0.00000000000000138777878078144567552953958351353515625Watt 1 - 0.000000000000000693889390390722837764769791756767578125Watt 1 - 0.0000000000000003469446951953614188823848958783837890625Watt 1 - 0.00000000000000017347234759768070944119244793919189453125Watt 1 - 0.000000000000000086736173798840354720596223969595947265625Watt 1 - 0.0000000000000000433680868994201773602981119847979736328125Watt 1 - 0.00000000000000002168404344971008868014905599239898681640625Watt 1 - 0.000000000000000010842021724855044340074527996199493408203125Watt 1 - 0.0000000000000000054210108624275221700372639980997467041015625Watt 1 - 0.00000000000000000271050543121376108501863199904987335205078125Watt 1 - 0.000000000000000001355252715606880542509315999524936676025390625Watt 1 - 0.0000000000000000006776263578034402712546579997624683380126953125Watt 1 - 0.00000000000000000033881317890172013562732899988123416900634765625Watt 1 - 0.000000000000000000169406589450860067813664499940617084503173828125Watt 1 - 0.0000000000000000000847032947254300339068322499703085422515869140625Watt 1 - 0.00000000000000000004235164736271501695341612498515427112579346875Watt 1 - 0.000000000000000000021175823681357508476708062492577135562896734375Watt 1 - 0.0000000000000000000105879118406787542383540312462885677814483671875Watt 1 - 0.00000000000000000000529395592033937711917701562314428389072418359375Watt 1 - 0.000000000000000000002646977960169688559588507811721141945362091796875Watt 1 - 0.0000000000000000000013234889800848442797942539058605709726810458984375Watt 1 - 0.00000000000000000000066174449004242213989712695293028548634052294921875Watt 1 - 0.000000000000000000000330	01 Ground SS1
3	RESIDUE LINE 3	230	0.000		234.00				400	1 - 200Watt 1 - 100Watt 1 - 50Watt 1 - 25Watt 1 - 12.5Watt 1 - 6.25Watt 1 - 3.125Watt 1 - 1.5625Watt 1 - 0.78125Watt 1 - 0.390625Watt 1 - 0.1953125Watt 1 - 0.09765625Watt 1 - 0.048828125Watt 1 - 0.0244140625Watt 1 - 0.01220703125Watt 1 - 0.006103515625Watt 1 - 0.0030517578125Watt 1 - 0.00152587890625Watt 1 - 0.000762939453125Watt 1 - 0.0003814697265625Watt 1 - 0.00019073486328125Watt 1 - 0.000095367431640625Watt 1 - 0.0000476837158203125Watt 1 - 0.00002384185791015625Watt 1 - 0.000011920928955078125Watt 1 - 0.0000059604644775390625Watt 1 - 0.00000298023223876953125Watt 1 - 0.000001490116119384765625Watt 1 - 0.0000007450580596923828125Watt 1 - 0.00000037252902984619140625Watt 1 - 0.000000186264514923095703125Watt 1 - 0.0000000931322574615478515625Watt 1 - 0.00000004656612873077392578125Watt 1 - 0.000000023283064365386962890625Watt 1 - 0.0000000116415321826934814453125Watt 1 - 0.00000000582076609134674072265625Watt 1 - 0.000000002910383045673370361328125Watt 1 - 0.0000000014551915228366851806640625Watt 1 - 0.00000000072759576141834259033203125Watt 1 - 0.000000000363797880709171295166015625Watt 1 - 0.0000000001818989403545856475830078125Watt 1 - 0.00000000009094947017729282379150390625Watt 1 - 0.000000000045474735088646411895751953125Watt 1 - 0.0000000000227373675443232059478759765625Watt 1 - 0.00000000001136868377216160297393798828125Watt 1 - 0.000000000005684341886080801486968994140625Watt 1 - 0.0000000000028421709430404007434844970703125Watt 1 - 0.00000000000142108547152020037174224853515625Watt 1 - 0.000000000000710542735760100185871124267578125Watt 1 - 0.0000000000003552713678800500929355621337890625Watt 1 - 0.00000000000017763568394002504646778106689453125Watt 1 - 0.000000000000088817841970012523233890533447265625Watt 1 - 0.0000000000000444089209850062616169452667236328125Watt 1 - 0.00000000000002220446049250313080847263336181640625Watt 1 - 0.000000000000011102230246251565404236316680908203125Watt 1 - 0.0000000000000055511151231257827021181583340541015625Watt 1 - 0.00000000000000277555756156289135105907916702705078125Watt 1 - 0.00000000000000138777878078144567552953958351353515625Watt 1 - 0.000000000000000693889390390722837764769791756767578125Watt 1 - 0.0000000000000003469446951953614188823848958783837890625Watt 1 - 0.00000000000000017347234759768070944119244793919189453125Watt 1 - 0.000000000000000086736173798840354720596223969595947265625Watt 1 - 0.0000000000000000433680868994201773602981119847979736328125Watt 1 - 0.00000000000000002168404344971008868014905599239898681640625Watt 1 - 0.000000000000000010842021724855044340074527996199493408203125Watt 1 - 0.0000000000000000054210108624275221700372639980997467041015625Watt 1 - 0.00000000000000000271050543121376108501863199904987335205078125Watt 1 - 0.000000000000000001355252715606880542509315999524936676025390625Watt 1 - 0.0000000000000000006776263578034402712546579997624683380126953125Watt 1 - 0.00000000000000000033881317890172013562732899988123416900634765625Watt 1 - 0.000000000000000000169406589450860067813664499940617084503173828125Watt 1 - 0.0000000000000000000847032947254300339068322499703085422515869140625Watt 1 - 0.00000000000000000004235164736271501695341612498515427112579346875Watt 1 - 0.000000000000000000021175823681357508476708062492577135562896734375Watt 1 - 0.0000000000000000000105879118406787542383540312462885677814483671875Watt 1 - 0.00000000000000000000529395592033937711917701562314428389072418359375Watt 1 - 0.000000000000000000002646977960169688559588507811721141945362091796875Watt 1 - 0.0000000000000000000013234889800848442797942539058605709726810458984375Watt 1 - 0.00000000000000000000066174449004242213989712695293028548634052294921875Watt 1 - 0.000000000000000000000330	01 Ground SS1
TOTAL				1324.00	234.00	234.00	234.00				

COMPUTATION :

(1 = 3.7031 (234VA))

(2 = 100% AMPERE)

OVER CURRENT PROTECTION:

LINE : 100% (200% OF 234V) INCLUDED CASE CIRCUIT BREAKER 5 AMPERE (IN)

UNDER PROTECT :

LINE : 100% (2 = 200% 234V = 5 AMPERE (IN) (234VA) (IN) (234VA))

1 SCHEDULE OF LOADS



Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:

PROPOSED REHABILITATION OF
SAN BARTOLOME ELEMENTARY
SCHOOL

BRONX, SAN JUAN COLLEGE, DISTRICT 8, SOUTH CEN

Drawn by: 40

DATE:

CHONG CHONG

PREVIOUS PAGE

SUBMITTED BY

15

HEAD PLANNING

ENGR. LEO S. DEL ROSARIO
HEAD, PLANNING & PROGRAMMING DIVISION

RECEIVED: 10/1/99

7

ORG. DIV. OF POLICE

ENGR. BAGANI R. VERZOSA
CRL. DI PIANIFICAZIONE REGIONALE

Approved by:

100

1000

CITY OF NEW YORK

HON. RA. JOSEFINA G. BELMONTE
CITYMANHATTAN, QUEEN-CITY

SHEET CONTENT

100

1. **STATE OF TEXAS**


1. *Journal of Management Studies*, 1996, 33, 1, 1-15.

SCALE: INTX

SHEET NO.


1

EL-05



1 TYPICAL GROUND FLR. AND THIRD FLR. LIGHTING LAYOUT
(BELMONTE BUILDING)

SCALE: 1:150M.




2 TYPICAL SECOND FLR. AND FOURTH FLR. LIGHTING LAYOUT
(BELMONTE BUILDING)

SCALE: 1:150M.




Republika ng Pilipinas
Lungsod ng Cebu
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:	DRAWN BY: JAS	SUBMITTED BY:	RECOMMENDING APPROVAL:	APPROVED BY:	SHEET CONTENT	SHEET NO.
PROPOSED REHABILITATION OF SAN BARTOLOME ELEMENTARY SCHOOL	DATE: 10/16/2016	CHECKED: [Signature]	ENGR. LEO S. DEL ROSARIO HEAD, PLANNING & PROGRAMS DIVISION	ENGR. RAFAEL R. VERZOSA, JR. CH. CITY ENGINEERING DEPARTMENT	HON. MA. JOSEFINA G. BELMONTE CITY MAYOR, CEBU CITY	BELMONTE LIGHTING LAYOUT
LOCATION: BRGY. SAN BARTOLOME, DISTRICT 3, CEBU CITY	REVISION NO.:					EL-06 10 16



1 TYPICAL GROUND FLR. AND THIRD FLOOR POWER LAYOUT
(BELMONTE BUILDING)

SCALE: 1:100M.




2 TYPICAL SECOND FLR. AND FOURTH FLR. POWER LAYOUT
(BELMONTE BUILDING)

SCALE: 1:100M.




Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:	DRAWN BY: <i>JA</i>	DESIGNED BY:	RECOMMENDING APPROVAL:	APPROVED BY:	SHEET CONTENT:	SHEET NO:
PROPOSED REHABILITATION OF SAN BARTOLOME ELEMENTARY SCHOOL	DATE:	<i>[Signature]</i>	<i>[Signature]</i>		BELMONTE POWER LAYOUT	EL-07
LOCATION: BPOV, SAN BARTOLOME, DISTRICT 8, QUEZON CITY	DESIGNED BY:	ENGR. LEO S. DEL ROSARIO HEAD, PLANNING & PROGRAMMING DIVISION	ENGR. ISAGANI R. VERZOSA, JR. CH. CITY ENGINEERING DEPARTMENT	HON. MA. JOSEFINA S. BELMONTE GOV. MAJOR, QUEZON CITY		11 16
	REVISION NO.:					



1 TYPICAL GROUND FLR. TO THIRD FLR. LIGHTING LAYOUT
(NALGU BUILDING)

SCALE: 1:150M.




2 TYPICAL GROUND FLR. TO THIRD FLR. POWER LAYOUT
(NALGU BUILDING)

SCALE: 1:150M.




Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:	DESIGNED BY:	SUBMITTED BY:	RECOMMENDING APPROVAL:	APPROVED BY:	SHEET CONTENT	SHEET NO.
PROPOSED REHABILITATION OF SAN BARTOLOME ELEMENTARY SCHOOL	DATE:				WALOY-UTING & POWER LAYOUT	EL-08 12 16
LOCATION: BNGV, SAN BARTOLOME, DISTRICT 3, QUEZON CITY	CHECKED BY:	ENGR. LEO S. DEL ROSARIO HEAD, PLANNING & PROGRAMMING DIVISION	ENGR. ISAGANI R. VERZOSA, JR. SEC. CITY ENGINEERING DEPARTMENT	HON. MA. JOSEFINA G. BELMONTE CITY MAYOR, QUEZON CITY		
	REVISION NO.:					



1 TYPICAL GROUND FLR. TO FOURTH FLR. LIGHTING LAYOUT
(CASTELO 1 BUILDING)

SCALE: 1:150M




2 TYPICAL GROUND FLR. TO FOURTH FLR. POWER LAYOUT
(CASTELO 1 BUILDING)

SCALE: 1:150M




Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:	DRAWN BY:	SUBMITTED BY:	RECOMMENDING APPROVAL:	APPROVED BY:	SHEET CONTENT	SHEET NO.
PROPOSED REHABILITATION OF SAN BARTOLOME ELEMENTARY SCHOOL	DATE:				CASTELO 1 LIGHTING & POWER LAYOUT	EL-09 13 16
LOCATION: BARIO SAN BARTOLOME, DISTRICT 5, QUEZON CITY	DESIGNED BY:	ENGR. LEO S. DEL ROSARIO HEAD, PLANNING & PROGRAMMING DIVISION	ENGR. RAZON R. VERZOSA, JR. DTC, CITY ENGINEERING DEPARTMENT	HON. MA. JOSEFINA G. BELMONTE CITY MAYOR, QUEZON CITY		



1 TYPICAL GROUND FLR. TO FOURTH FLR. LIGHTING LAYOUT
(CASTELO 2 BUILDING)

SCALE: 1:150M.




2 TYPICAL GROUND FLR. TO FOURTH FLR. POWER LAYOUT
(CASTELO 2 BUILDING)

SCALE: 1:150M.




Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:	DRAWN BY: <i>[Signature]</i>	SUBMITTED TO:	RECOMMENDING APPROVAL:	APPROVED BY:	SHEET CONTENT	SHEET NO.
PROPOSED REHABILITATION OF SAN BARTOLOME ELEMENTARY SCHOOL	DATE: CHECKED BY: <i>[Signature]</i>	<i>[Signature]</i> ENGR. LEO S. DEL ROSARIO HEAD, PLANNING & PROGRAMMING DIVISION	<i>[Signature]</i> ENGR. MAGNUS R. VERZOSA, JR. DIR. CITY ENGINEERING DEPARTMENT	HON. RA. JOSEFINA G. BELMONTE CITY MAYOR, QUEZON CITY	CASTELO 2 LIGHTING & POWER LAYOUT	EL-10 14 16
LOCATION: BNGV, SAN BARTOLOME DISTRICT 3, QUEZON CITY	REVISION NO.:					



1 TYPICAL GROUND FLR. TO FOURTH FLR. LIGHTING LAYOUT
(CASTELO 3 BUILDING)

SCALE: 1:150M




2 TYPICAL GROUND FLR. TO FOURTH FLR. POWER LAYOUT
(CASTELO 3 BUILDING)

SCALE: 1:150M




Republika ng Pilipinas
Lungsod ng Quezon
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:	DESIGNED BY:	SUBMITTED BY:	RECOMMENDED APPROVAL:	APPROVED BY:	SHEET CONTENT:	SHEET NO.
PROPOSED REHABILITATION OF SAN BARTOLOME ELEMENTARY SCHOOL	DATE:				CASTELO 3 LIGHTING & POWER LAYOUT	EL-11 15 16
LOCATION: Bldg. San Bartolome, District 3, Quezon City	CHECKED BY:	ENGR. LEO S. DEL ROSARIO HEAD, PLANNING & PROGRAMS DIVISION	ENGR. EASON R. VERZOSA, JR. CH. CITY ENGINEERING DEPARTMENT	HON. MA. JOSEFINA G. BELMONTE CITY MAYOR - QUEZON CITY		
	REVISION NO.:					



1 TYPICAL GROUND FLR. TO SECOND FLR. LIGHTING LAYOUT
(CANTEEN BUILDING)

SCALE: 1:150M



2 TYPICAL GROUND FLR. TO SECOND FLR. POWER LAYOUT
(CANTEEN BUILDING)

SCALE: 1:150M



Republika ng Pilipinas
Lungsod ng Cebu
CITY ENGINEERING DEPARTMENT

PROJECT TITLE:	DRAWN BY: <i>[Signature]</i>	SUBMITTED BY: <i>[Signature]</i>	RECOMMENDING APPROVAL: <i>[Signature]</i>	APPROVED BY: <i>[Signature]</i>	SHEET CONTENT	SHEET NO.
PROPOSED REHABILITATION OF SAN BARTOLOME ELEMENTARY SCHOOL	DATE: <i>[Signature]</i>	CHECKED BY: <i>[Signature]</i>	ENGR. LEY S. DEL ROSARIO HEAD, PLANNING & PROGRAMMING DIVISION	ENGR. ISAAC R. VERZOSA, JR. SIC, CITY ENGINEERING DEPARTMENT	HON. MA. JOSEFINA G. BELMONTE CITY MAYOR - CEBU CITY	EL-12 16 16
LOCATION: BSPY, SAN BARTOLOME, DISTRICT 5, CEBU CITY	REVISION NO.					

Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

DURATION : One Hundred Eighty (180) Calendar Days

BILL OF QUANTITIES
(Building Construction/Rehabilitation Project)

PROJECT TITLE : PROPOSED CONSTRUCTION OF PERIMETER FENCE AND UPGRADING OF ELECTRICAL SYSTEM AT SAN BARTOLOME ELEMENTARY SCHOOL

LOCATION : BARANGAY SAN BARTOLOME, DISTRICT 5, QUEZON CITY

PROJECT NO. : 22 - 00170

DURATION : One Hundred Eighty (180) Calendar Days

PROJECT TITLE : PROPOSED CONSTRUCTION OF PERIMETER FENCE AND UPGRADING OF ELECTRICAL SYSTEM AT SAN BARTOLOME ELEMENTARY SCHOOL

LOCATION: SAN BARTOLOME, DISTRICT 5, QUEZON CITY

SCOPE OF WORKS:

- GR General Requirements** include billboard(s).
- OGR Other General Requirements (Non O.C.M.),** but not limited to:
 - 1 Temporary enclosure around the construction area.
 - 2 Temporary water system including water meter/sub-meter and connections.
 - 3 Temporary electrical system including electric meter/sub-meter and connections.
 - 4 Clearing, hauling and disposal of construction materials and debris.
 - 5 Scaffolding for general use (rental).
- I PERIMETER FENCE**
 - I-SW Site Works:**
 - 1 Excavation (for structures).
 - 2 Layout and Staking.
 - 3 Site clearing, preparation and backfill.
 - 4 Demolition works.
 - I-CWS Civil/Structural Works:**
 - 1 Earthworks include gravel bedding
 - 2 Concrete works include concreting, installation of reinforcing steel bars, and formworks.
 - 3 Moisture protection include waterproofing works and provision for vapor barrier.
 - 4 Masonry works include chb laying with plaster.
 - 5 Metal works include fabrication of metal structures.
 - I-AW Architectural Works:**
 - 1 Painting works include painting of exterior walls and metal surfaces.
- II UPGRADING OF MAIN ELECTRICAL SERVICE ENTRANCE**
 - II-EW Electrical Works:**
 - 1 Installation of roughing-ins and wirings.
 - 2 Installation of system devices, energy efficient lighting fixtures and components, panelboards, switchgears and accessories.
- III BELMONTE BUILDING**
 - III-SW Site Works:**
 - 1 Demolition/removal works.
 - III-CWS Civil / Structural Works:**
 - 1 Masonry works include restoration of concrete.

III-EW	Electrical Works:
1	Installation of roughing-ins and wirings.
2	Installation of system devices, energy efficient lighting fixtures and components, panelboards, switchgears and accessories.
IV	NALGU BUILDING
IV-SW	Site Works:
1	Demolition/removal works.
IV-CWS	Civil / Structural Works:
1	Masonry works include restoration of concrete.
IV-EW	Electrical Works:
1	Installation of roughing-ins and wirings.
2	Installation of system devices, energy efficient lighting fixtures and components, panelboards, switchgears and accessories.
V	CASTELO 1 BUILDING
V-SW	Site Works:
1	Demolition/removal works.
V-CWS	Civil / Structural Works:
1	Masonry works include restoration of concrete.

- V-EW Electrical Works:
- 1 Installation of roughing-ins and wirings.
 - 2 Installation of system devices, energy efficient lighting fixtures and components, panelboards, switchgears and accessories.
- VI CASTELO 2 BUILDING**
- VI-SW Site Works:
- 1 Demolition/removal works.
- VI-CWS Civil / Structural Works:
- 1 Masonry works include restoration of concrete.
- VI-EW Electrical Works:
- 1 Installation of roughing-ins and wirings.
 - 2 Installation of system devices, energy efficient lighting fixtures and components, panelboards, switchgears and accessories.
- VII CASTELO 3 BUILDING**
- VII-SW Site Works:
- 1 Demolition/removal works.
- VII-CWS Civil / Structural Works:
- 1 Masonry works include restoration of concrete.
- VII-EW Electrical Works:
- 1 Installation of roughing-ins and wirings.
 - 2 Installation of system devices, energy efficient lighting fixtures and components, panelboards, switchgears and accessories.
- VIII CANTEEN BUILDING**
- VIII-SW Site Works:
- 1 Demolition/removal works.
- VIII-CWS Civil / Structural Works:
- 1 Masonry works include restoration of concrete.
- VIII-EW Electrical Works:
- 1 Installation of roughing-ins and wirings.
 - 2 Installation of system devices, energy efficient lighting fixtures and components, panelboards, switchgears and accessories.
- UTI UTILITY AND ANCILLARY WORKS**
- 1 Construction of concrete electrical earth pit.
- O Others (included in Overhead, Contingencies and Miscellaneous Expenses)**
- 1 Provision of construction health and safety such as safety gears, medical kit, etc.
 - 2 Preparation of shop drawings, as necessary.
 - 3 Preparation of as-built plans (signed and sealed by the respective professional(s)).
 - 4 Testing and commissioning works shall be performed as per standard procedures.

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
GR	GENERAL REQUIREMENTS				
SPL7	Billboard (1.20m x 2.40m in Plywood)	1	piece	₱	₱
			MATERIAL COST GR		₱
			LABOR COST GR		
			DIRECT COST GR		₱
OGR	OTHER GENERAL REQUIREMENTS				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
OGR02c	Temporary Enclosure the Construction Area (H = 2.4m)	305	l.m.	₱	₱
OGR0301	Temporary Water Facility	1	unit		
OGR0302	Temporary Electrical Facility	1	unit		
		Subtotal OGR02c-OGR0302			₱
OGR01	Clearing, Hauling and Disposal of Construction Materials and Debris	22	t.l.	₱	₱
OGR05	Scaffolding (Rental)	185	sq.m.		
		Subtotal OGR01-OGR05			₱
		MATERIAL COST OGR			₱
			LABOR COST OGR		
			DIRECT COST OGR		₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
I	PERIMETER FENCE				
I-SW	SITE WORKS				
106	Excavation (Structures)	124	cu.m.	₱	₱
SW01	Layout and Staking	610	sq.m.		
SW02	Site Clearing and Preparation	610	sq.m.		
SW04	Backfill	57	cu.m.		
DEMV004	Demolition of Existing Structure (Perimeter Fence)	18	cu.m.		
		Direct Cost I-SW (Labor)			₱
I-CWS	CIVIL/ STRUCTURAL WORKS				
CWSE	Earthworks				
CWSE01	Gravel Bedding	9	cu.m.	₱	₱
CWSC	Concrete Works				
CWSCR1	Ready Mix Concrete (24MPa, 3/4" Gravel @ 28 days; Pumpcrete Design)				
CWSF05	Column Footing	21	cu.m.		
CWSCR105	Wall Footing	15	cu.m.		
CWSCR105	Column	27	cu.m.		
CWSCR105	Beam	18	cu.m.		
CWSRB	Reinforcing Steel Bar including G.I. Tie Wire # 16				
CWSRB40	Grade 40 Reinforcing Steel Bar including G.I. Tie Wire # 16				
CWSRB4001	10mm Ø (Beam)	1,157	kg		
CWSRB4001	10mm Ø (Column)	5,234	kg		
CWSRB4001	10mm Ø (Wall Footing)	331	kg		
CWSRB4002	12mm Ø (Beam)	2,109	kg		
CWSRB4002	12mm Ø (Wall Footing)	856	kg		
CWSRB60	Grade 60 Reinforcing Steel Bar including G.I. Tie Wire # 16				
CWSRB6001	16mm Ø (Column Footing)	1,383	kg		
CWSRB6001	16mm Ø (Column)	2,343	kg		
CWSF	Formworks, Scaffoldings and Shoring				
CWSF01	Beam	261	sq.m.		
CWSF03	Column	407	sq.m.		
CWSMP	Moisture Protection				
CWSMPV	Vapor Barrier Sheet				
CWSMPV03	6 mil	321	sq.m.		
CWSMA	Masonry Works				
CWSMA04	150mm CHB Wall Laying, including Mortar, Reinforcements and Two-Face Plastering	1,043	sq.m.		
CWSME	Metal Works				
CWSME06	Bladed Barbed Wire Including Metal Framing	321	l.m.		
			Material Cost I-CWS		₱
			Labor Cost I-CWS		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
			Direct Cost I-CWS		₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
I-AW	ARCHITECTURAL WORKS				
AWP	Painting Works				
AWP0102	Elastomeric Paint Finish (Exterior Wall - 3 Coats)	1922	sq.m.	₱	₱
AWP0106	Epoxy Enamel Paint Finish (Steel Member - 3 Coats)	26	sq.m.		
				Material Cost I-AW	₱
				Labor Cost I-AW	
				Direct Cost I-AW	₱
				MATERIAL COST I	₱
				LABOR COST I	
				DIRECT COST I	₱
II	UPGRADING OF MAIN ELECTRICAL SERVICE ENTRANCE				
II-EW	ELECTRICAL WORKS				
EW01	Pipes				
EW0133	80mmØ RSC Pipe	10	piece	₱	₱
EW05	Fittings and Accessories				
EW05107	80mmØ RSC Coupling	5	piece		
EW05116	80mmØ RSC Locknut and Bushing	10	pair		
EW05149	250mmØ Solderless Connector	11	pair		
EW05160	80mmØ Weatherproof Entrance Cap	5	piece		
EW05164	Secondary Rack, Heavy Duty, 3-Spool	23	set		
EW12	Grounding System				
EW1201	20mm Ø x 3000mm Grounding Rod (Copper Clad) with Ground Clamp	3	set		
EW09	Wires and Cables				
EW0901	THHN WIRES				
EW090117	250mm² THHN Wire	36	l.m.		
EW090116	200mm² THHN Wire	36	l.m.		
EW0902	THW WIRES				
EW090207b	30mm² THW Wire	30	l.m.		
EW090213	125mm² THW Wire	1,350	l.m.		
EW0903	TW WIRES				
EW090307b	30mm² TW Wire	675	l.m.		
EW13	Panelboard				
ASSY	MAIN DISTRIBUTION PANEL (MDP)				
	Main: 700AT, 700AF, 3P, 3Φ, 230V, MCCB Branches: 3 - 400AT, 3P, 230V, MCB Enclosure: Surface Mounted NEMA 3R with Metal Deadfront Ground Terminals and Terminal Lugs	1	assy		
S/PW07	Pipe Hangers and Supports				
EW1602	Vertical Layout of Pipe	10	l.m.		
EW12	Grounding System				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW1203	16mm Ø x 250mm Oval Eye Bolt with Nut	1	piece		
EW1209	Flint Igniter	1	piece		
EW1210	Handweld Clamp Mold	1	piece		
EW1219	Cadweld Powder, No. 90	1	pack		
MC	Miscellaneous and Consumables				
MC/G04	Cable Tie #8 (50pcs)	1	pack		
MC/E01	Electrical Tape	6	roll		
MC/E04	Rubber Tape	6	roll		
				MATERIAL COST II	P
				LABOR COST II	
				DIRECT COST II	P

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
III	BELMONTE BUILDING				
III-SW	SITE WORKS				
DEMV002	Chipping Works for Pipelines and Utilities (Electrical Works)	1	cu.m.	₱	₱
		Direct Cost III-SW (Labor)			₱
III-CWS	CIVIL WORKS / STRUCTURAL WORKS				
CWSMA13	Concrete Topping 25mm with plain cement finish (Electrical Works)	2	sq.m.	₱	₱
			Material Cost III-CWS		₱
			Labor Cost III-CWS		
			Direct Cost III-CWS		₱
III-EW	ELECTRICAL WORKS				
EW01	Pipes				
EW0113	32mmØ IMC Pipe	10	piece	₱	₱
EW0116	65mmØ IMC Pipe	4	piece		
EW04	Mouldings				
EW0403	16mm x 16mm x 2.44m Rectangular PVC Moulding	1,045	piece		
EW05	Fittings and Accessories				
EW05044	32mmØ IMC Locknut and Bushing	8	pair		
EW05047	65mmØ IMC Locknut and Bushing	2	pair		
EW05054	32mmØ IMC Coupling	6	piece		
EW05057	65mmØ IMC Coupling	3	piece		
EW05145	125mmØ Solderless Connector	1	pair		
EW05159	65mmØ Weatherproof Entrance Cap	1	piece		
EW06	Boxes and Fabricated Pullbox				
EW0602	100mm x 100mm PVC Junction Box with Cover	198	piece		
EW0605	50mm x 100mm PVC Amco Box	226	piece		
EW0612	Fabricated Pull Box at 0.16 (0.20m x 0.30m x 1.0m)	4	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090102a	3.5mm² THHN Wire	34	roll		
EW090107b	30mm² THHN Wire	60	l.m.		
EW090114	150mm² THHN Wire	60	l.m.		
EW0902	THW Wires				
EW090201a	2.0mm² THW Wire	17	roll		
EW090204b	8.0mm² THW Wire	30	l.m.		
EW090207b	30mm² THW Wire	30	l.m.		
EW11	Lighting Fixtures and Other Devices				
EW11140	Orbit Fan with Selector Switch	54	set		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW11043	300mm x 12000mm with 2 x 18w LED, Troffer Type, with complete accessories, Surface Mounted Type	144	set		
EW10	Wiring Devices				
EW1002	Outlet with Grounding, Two-Gang	108	piece		
EW1015	Switch with Plate and Cover, One-Gang	4	piece		
EW1016	Switch with Plate and Cover, Two-Gang	2	piece		
EW1018	Switch with Plate and Cover, Three Way	4	piece		
EW1019	Switch only, Three-way	72	piece		
EW1021	Switch Plate and Cover only, Two gang	36	piece		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW13	Panelboard				
ASSY	MDP- BB				
	Main: 300AT, 300AF, 2P, 230V, MCCB Branches: 4-100AT, 2P, 230V, MCB Enclosure: Surface Mounted NEMA with Metal Deadfront, Ground Terminals and Terminal Lugs	1	assy		
ASSY	BB-LPP1 AND BB-LPP4				
	Main: 100AT, 2P, 230V, MCCB Branches: 8-20AT, 2P, 230V, MCB 2-30AT, 2P, 230V, MCB Enclosure: Surface Mounted NEMA 1 with Metal Deadfront, Ground Terminals and Terminal Lugs	2	assy		
ASSY	BB-LPP2 AND BB-LPP4				
	Main: 100AT, 2P, 230V, MCCB Branches: 7-20AT, 2P, 230V, MCB 3-30AT, 2P, 230V, MCB Enclosure: Surface Mounted NEMA 1 with Metal Deadfront, Ground Terminals and Terminal Lugs	2	assy		
EW16	Pipe Hangers and Supports				
EW1601	Horizontal Layout of Pipe	348	l.m.		
EW1602	Vertical Layout of Pipe	14	l.m.		
MC	Miscellaneous and Consumables				
MC/G06	Hacksaw Blade	4	piece		
MC/G07	Masking Tape	4	roll		
MC/G13	All around Sealant	4	tube		
MC/G14	Solvent Cement, 400cc	4	can		
MC/G17	Torch with Butane	1	piece		
MC/G37	GI Tie Wire, Ga. 16	4	kg		
MC/E01	Electrical Tape	20	roll		
MC/E03	Pulling Lubricant	4	can		
MC/E04	Rubber Tape	4	roll		
				Material Cost III-EW	₱
				Labor Cost III-EW	
				Direct Cost III-EW	₱
				MATERIAL COST III	₱
				LABOR COST III	
				DIRECT COST III	₱
IV	NALGU BUILDING				
IV-SW	SITE WORKS				
DEMV002	Chipping Works for Pipelines and Utilities (Electrical Works)	2	sq.m.	₱	₱
				Direct Cost IV-SW (Labor)	₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
IV-CWS	CIVIL WORKS / STRUCTURAL WORKS				
CWSMA13	Concrete Topping 25mm with plain cement finish (Electrical Works)	2	sq.m.	₱	₱
				Material Cost IV-CWS	₱
				Labor Cost IV-CWS	
				Direct Cost IV-CWS	₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
IV-EW	ELECTRICAL WORKS				
EW01	Pipes				
EW0111	20mmØ IMC Pipe	8	piece	₱	₱
EW0114	40mmØ IMC Pipe	4	piece		
EW04	Mouldings				
EW0403	16mm x 16mm x 2.44m Rectangular PVC Moulding	492	piece		
EW05	Fittings and Accessories				
EW05042	20mmØ IMC Locknut and Bushing	10	pair		
EW05045	40mmØ IMC Locknut and Bushing	2	pair		
EW05052	20mmØ IMC Coupling	3	piece		
EW05055	40mmØ IMC Coupling	3	piece		
EW05145	125mmØ Solderless Connector	2	pair		
EW05157	40mmØ Weatherproof Entrance Cap	1	piece		
EW06	Boxes and Fabricated Pullbox				
EW0602	100mm x 100mm PVC Junction Box with Cover	96	piece		
EW0605	50mm x 100mm PVC Amco Box	69	piece		
EW0612	Fabricated Pull Box and 0.16 (0.20m x 0.30m x 1.0m)	3	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090102a	3.5mm² THHN Wire	16	roll		
EW090104b	8.0mm² THHN Wire	128	l.m.		
EW090110	60mm² THHN Wire	20	l.m.		
EW0902	THW Wires				
EW090201a	2.0mm² THW Wire	8	roll		
EW090203b	5.5mm² THW Wire	64	l.m.		
EW090206b	22mm² THW Wire	12	l.m.		
EW11	Lighting Fixtures and Other Devices				
EW11140	Orbit Fan with Selector Switch	27	set		
EW11043	300mm x 1200mm with 2 x 18w LED, Troffer Type, with complete accessories, Surface Mounted Type	69	set		
EW10	Wiring Devices				
EW1002	Outlet with Grounding, Two-Gang	45	piece		
EW1015	Switch with Plate and Cover, One-Gang	3	piece		
EW1018	Switch with Plate and Cover, Three-Way	3	piece		
EW1019	Switch only, Three-way	36	piece		
EW1021	Switch Plate and Cover only, Two gang	18	piece		
EW13	Panel Board				
ASSY	MDP- NG				
	Main: 150AT, 250AF, 2P, 230V, MCCB Branches: 5-40AT, 2P, 230V, Bolt-on 1-20 AT, 2P, 230V, Bolt-on Enclosure: Surface Mounted NEMA 1 with Metal Deadfront Ground Terminals and Terminal Lugs	1	assy		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
ASSY	NG-LPP1 TO NG-LPP3				
	Main: 40AT, 2P, 230V, MCCB Branches: 3-20AT, 2P, 230V, Bolt-on 1-30AT, 2P, 230V, Bolt-on Enclosure: Surface Mounted NEMA 1 with Metal Deadfront Ground Terminals and Terminal Lugs	3	assy		
EW16	Pipe Hangers and Supports				
EW1601	Horizontal layout of pipe	164	l.m.		
EW1602	Vertical Layout of Pipe	12	l.m.		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
MC	Miscellaneous and Consumables				
MC/G06	Hacksaw Blade	3	piece		
MC/G07	Masking Tape	3	roll		
MC/G13	All around Sealant	3	tube		
MC/G14	Solvent Cement, 400cc	3	can		
MC/G17	Torch with Butane	1	piece		
MC/G37	GI Tie Wire, Ga. 16	2	kg		
MC/E01	Electrical Tape	3	roll		
MC/E03	Pulling Lubricant	3	can		
MC/E04	Rubber Tape	3	roll		
				Material Cost IV-EW	₱
				Labor Cost IV-EW	
				Direct Cost IV-EW	₱
				MATERIAL COST IV	₱
				LABOR COST IV	
				DIRECT COST IV	₱
V	CASTELO 1 BUILDING				
V-SW	SITE WORKS				
DEMV002	Chipping Works for Pipelines and Utilities (Electrical Works)	2	sq.m.	₱	₱
				Direct Cost V-SW (Labor)	₱
V-CWS	CIVIL WORKS / STRUCTURAL WORKS				
CWSMA13	Concrete Topping 25mm with plain cement finish (Electrical Works)	2	sq.m.	₱	₱
				Material Cost V-CWS	₱
				Labor Cost V-CWS	
				Direct Cost V-CWS	₱
V-EW	ELECTRICAL WORKS				
EW01	Pipes				
EW0112	25mmØ IMC Pipe	10	piece	₱	₱
EW0115	50mmØ IMC Pipe	4	piece		
EW04	Mouldings				
EW0403	16mm x 16mm x 2.44m Rectangular PVC Moulding	615	piece		
EW05	Fittings and Accessories				
EW05043	25mmØ IMC Locknut and Bushing	8	pair		
EW05046	50mmØ IMC Locknut and Bushing	2	pair		
EW05053	25mmØ IMC Coupling	6	piece		
EW05056	50mmØ IMC Coupling	3	piece		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW05145	125mmØ Solderless Connector	1	pair		
EW05158	50mmØ Weatherproof Entrance Cap	1	piece		
EW06	Boxes and Fabricated Pullbox				
EW0602	100mm x 100mm PVC Junction Box with Cover	100	piece		
EW0605	50mm x 100mm PVC Amco Box	76	piece		
EW0612	Fabricated Pull Box at 0.16 (0.20m x 0.30m x 1.0m)	4	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090102a	3.5mm² THHN Wire	20	roll		
EW090105b	14mm² THHN Wire	60	l.m.		
EW090112	100mm² THHN Wire	24	l.m.		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW0902	THW Wires				
EW090201a	2.0mm² THW Wire	10	roll		
EW090204b	8.0mm² THW Wire	30	l.m.		
EW090207b	30mm² THW Wire	12	l.m.		
EW11	Lighting Fixtures and Other Devices				
EW11043	300mm x 12000mm with 2 x 18w LED, Troffer Type, with complete accessories, Surface Mounted Type	64	set		
EW11096	10W LED bulb	12	piece		
EW11112	Keyless Receptacle	12	piece		
EW11140	Orbit Fan with Selector Switch	24	set		
EW10	Wiring Devices				
EW1002	Outlet with Grounding, Two-Gang	40	piece		
EW1015	Switch with Plate and Cover, One-Gang	16	piece		
EW1018	Switch with Plate and Cover, Three-Way	4	piece		
EW1019	Switch only, Three-way	32	piece		
EW1021	Switch Plate and Cover only, Two gang	16	piece		
EW13	Panel Board				
ASSY	MDP- C1				
	Main: 225AT, 2P, 230V, MCCB Branches: 4-60AT, 2P, 230V, Bolt on Enclosure: Surface Mounted NEMA 1 with Metal Deadfront Ground Terminals and Terminal Lugs	1	assy		
ASSY	C1-LPP1 TO C1-LPP4				
	Main: 60AT, 2P, 230V, MCCB Branches: 3-20AT, 2P, 230V, Bolt on 1-30AT, 2P, 230V, Bolt on Enclosure: Surface Mounted NEMA 1 with Metal Deadfront Ground Terminals and Terminal Lugs	4	assy		
EW16	Pipe Hangers and Supports				
EW1601	Horizontal Layout of Pipe	167	l.m.		
EW1602	Vertical Layout of Pipe	14	l.m.		
MC	Miscellaneous and Consumables				
MC/G06	Hacksaw Blade	2	piece		
MC/G07	Masking Tape	2	roll		
MC/G13	All around Sealant	2	tube		
MC/G14	Solvent Cement, 400cc	2	can		
MC/G37	GI Tie Wire, Ga. 16	2	kg		
MC/E01	Electrical Tape	8	roll		
MC/E03	Pulling Lubricant	2	can		
MC/E04	Rubber Tape	4	roll		
				Material Cost V-EW	₱
				Labor Cost V-EW	
				Direct Cost V-EW	₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
				MATERIAL COST V	₱
				LABOR COST V	
				DIRECT COST V	₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
VI	CASTELO 2 BUILDING				
VI-SW	SITE WORKS				
DEMV002	Chipping Works for Pipelines and Utilities (Electrical Works)	2	sq.m.	₱	₱
		Direct Cost VI-SW (Labor)			₱
VI-CWS	CIVIL WORKS / STRUCTURAL WORKS				
CWSMA13	Concrete Topping 25mm with plain cement finish (Electrical Works)	2	sq.m.	₱	₱
			Material Cost VI-CWS		₱
			Labor Cost VI-CWS		
			Direct Cost VI-CWS		₱
VI-EW	ELECTRICAL WORKS				
EW01	Pipes				
EW0112	25mmØ IMC Pipe	10	piece	₱	₱
EW0114	40mmØ IMC Pipe	4	piece		
EW04	Mouldings				
EW0403	16mm x 16mm x 2.44m Rectangular PVC Moulding	500	piece		
EW05	Fittings and Accessories				
EW05043	25mmØ IMC Locknut and Bushing	8	pair		
EW05045	40mmØ IMC Locknut and Bushing	3	piece		
EW05053	25mmØ IMC Coupling	6	piece		
EW05055	40mmØ IMC Coupling	2	pair		
EW06	Boxes and Fabricated Pullbox				
EW0602	100mm x 100mm PVC Junction Box with Cover	100	piece		
EW0605	50mm x 100mm PVC Amco Box	76	piece		
EW0612	Fabricated Pull Box at 0.16 (0.20m x 0.30m x 1.0m)	4	piece		
EW05145	125mmØ Solderless Connector	1	pair		
EW05157	40mmØ Weatherproof Entrance Cap	1	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090102a	3.5mm² THHN Wire	16	roll		
EW090105b	14mm² THHN Wire	60	l.m.		
EW090112	100mm² THHN Wire	24	l.m.		
EW0902	THW Wires				
EW090201a	2.0mm² THW Wire	8	roll		
EW090204b	8.0mm² THW Wire	12	l.m.		
EW090207b	30mm² THW Wire	12	l.m.		
EW11	Lighting Fixtures and Other Devices				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW11043	300mm x 12000mm with 2 x 18w LED, Troffer Type, with complete accessories, Surface Mounted Type	64	set		
EW11096	10W LED bulb	12	piece		
EW11112	Keyless Receptacle	12	piece		
EW11140	Orbit Fan with Selector Switch	24	set		
EW10	Wiring Devices				
EW1002	Outlet with Grounding, Two-Gang	40	piece		
EW1004	Range Outlet, Multipurpose outlet 250V/20A, Heavy Duty	1	piece		
EW1015	Switch with Plate and Cover, One-Gang	16	piece		
EW1018	Switch with Plate and Cover, Three-Way	4	piece		
EW1019	Switch only, Three-way	32	piece		
EW1021	Switch Plate and Cover only, Two gang	16	piece		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW13	Panel Board				
ASSY	MDP- C2				
	Main: 150AT, 2P, 230V, MCCB Branches: 4-60AT, 2P, 230V, Bolt on Enclosure: Surface Mounted NEMA 1 with Metal Dead Front Ground Terminals and Terminal Lugs	1	assy		
ASSY	C2-LPP1				
	Main: 60AT, 2P, 230V, MCCB Branches: 2-20AT, 2P, 230V, Bolt on 2-30AT, 2P, 230V, Bolt on Enclosure: Surface Mounted NEMA 1 with Metal Dead Front Ground Terminals and Terminal Lugs	1	assy		
ASSY	C2-LPP2 TO C2-LPP4				
	Main: 60AT, 2P, 230V, MCCB Branches: 3-20AT, 2P, 230V, Bolt on 1-30AT, 2P, 230V, Bolt on Enclosure: Surface Mounted NEMA 1 with Metal Deadfront Ground Terminals and Terminal Lugs	3	assy		
EW16	Pipe Hangers and Supports				
EW1601	Horizontal Layout of Pipe	167	l.m.		
EW1602	Vertical Layout of Pipe	14	l.m.		
MC	Miscellaneous and Consumables				
MC/G06	Hacksaw Blade	2	piece		
MC/G07	Masking Tape	2	roll		
MC/G37	GI Tie Wire, Ga. 16	2	kg		
MC/E01	Electrical Tape	8	roll		
MC/E03	Pulling Lubricant	2	can		
MC/E04	Rubber Tape	4	roll		
				Material Cost VI-EW	₱
				Labor Cost VI-EW	
				Direct Cost VI-EW	₱
				MATERIAL COST VI	₱
				LABOR COST VI	
				DIRECT COST VI	₱
VII	CASTELO 3 BUILDING				
VII-SW	SITE WORKS				
DEMV002	Chipping Works for Pipelines and Utilities (Electrical Works)	2	cu.m.	₱	₱
				Direct Cost VII-SW (Labor)	₱
VII-CWS	CIVIL WORKS / STRUCTURAL WORKS				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
CWSMA13	Concrete Topping 25mm with plain cement finish (Electrical Works)	2	sq.m.	₱	₱
			Material Cost VII-CWS		₱
			Labor Cost VII-CWS		
			Direct Cost VII-CWS		₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
VII-EW	ELECTRICAL WORKS				
EW01	Pipes				
EW0111	20mmØ IMC Pipe	10	piece	₱	₱
EW0113	32mmØ IMC Pipe	4	piece		
EW04	Mouldings				
EW0403	16mm x 16mm x 2.44m Rectangular PVC Moulding	500	piece		
EW05	Fittings and Accessories				
EW05042	20mmØ IMC Locknut and Bushing	8	pair		
EW05044	32mmØ IMC Locknut and Bushing	2	pair		
EW05052	20mmØ IMC Coupling	6	piece		
EW05054	32mmØ IMC Coupling	3	piece		
EW05145	125mmØ Solderless Connector	1	pair		
EW05156	32mmØ Weatherproof Entrance Cap,	1	piece		
EW06	Boxes and Fabricated Pullbox				
EW0602	100mm x 100mm PVC Junction Box with Cover	100	piece		
EW0605	50mm x 100mm PVC Amco Box	76	piece		
EW0612	Fabricated Pull Box at 0.16 (0.20m x 0.30m x 1.0m)	4	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090102a	3.5mm² THHN Wire	16	roll		
EW090104b	8.0mm² THHN Wire	60	l.m.		
EW090107b	30mm² THHN Wire	24	l.m.		
EW0902	THW Wires				
EW090201a	2.0mm² THW Wire	8	roll		
EW090203b	5.5mm² THW Wire	30	l.m.		
EW090204b	8.0mm² THW Wire	12	l.m.		
EW11	Lighting Fixtures and Other Devices				
EW11043	300mm x 1200mm with 2 x 18w LED, Troffer Type, with complete accessories, Surface Mounted Type	64	set		
EW11096	10W LED bulb	12	piece		
EW11112	Keyless Receptacle		piece		
EW11140	Orbit Fan with Selector Switch	24	piece		
EW10	Wiring Devices				
EW1002	Outlet with Grounding, Two-Gang	40	piece		
EW1015	Switch with Plate and Cover, One-Gang	16	piece		
EW1018	Switch with Plate and Cover, Three-Way	4	piece		
EW1019	Switch only, Three-way	32	piece		
EW1021	Switch Plate and Cover only, Two gang	16	piece		
EW13	Panel Board				
ASSY	MDP- C3				

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
	Main: 100AT, 200AF, 2P, 230V, MCCB Branches: 4-40AT, 2P, 230V, MCB Enclosure: Surface Mounted NEMA 1 with Metal Deadfront Ground Terminals and Terminal Lugs	1	assy		
ASSY	C3-LPP1 TO C3-LPP4				
	Main: 40AT, 2P, 230V, MCCB Branches: 3-20AT, 2P, 230V, Bolt on 1-30AT, 2P, 230V, Bolt on Enclosure: Surface Mounted NEMA 1 with Metal Deadfront Ground Terminals and Terminal Lugs	4	assy		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW16	Pipe Hangers and Supports				
EW1601	Horizontal Layout of Pipe	167	l.m.		
EW1602	Vertical Layout of Pipe	14	l.m.		
MC	Miscellaneous and Consumables				
MC/G06	Hacksaw Blade	2	piece		
MC/G07	Masking Tape	2	roll		
MC/G13	All around Sealant	2	tube		
MC/G14	Solvent Cement, 400cc	2	can		
MC/G37	GI Tie Wire, Ga. 16	2	kg		
MC/E01	Electrical Tape	8	roll		
MC/E03	Pulling Lubricant	2	can		
MC/E04	Rubber Tape	4	roll		
				Material Cost VII-EW	₱
				Labor Cost VII-EW	
				Direct Cost VII-EW	₱
				MATERIAL COST VII	₱
				LABOR COST VII	
				DIRECT COST VII	₱
VIII	CANTEEN BUILDING				
VIII-SW	SITE WORKS				
DEM002	Chipping Works for Pipelines and Utilities (Electrical Works)	1	sq.m.	₱	₱
				Direct Cost VIII-SW (Labor)	₱
VIII-CWS	CIVIL WORKS / STRUCTURAL WORKS				
CWSMA13	Concrete Topping 25mm with plain cement finish (Electrical Works)	1	sq.m.	₱	₱
				Material Cost VIII-CWS	₱
				Labor Cost VIII-CWS	
				Direct Cost VIII-CWS	₱
VIII-EW	ELECTRICAL WORKS				
EW01	Pipes				
EW0111	20mmØ IMC Pipe	3	piece	₱	₱
EW0112	25mmØ IMC Pipe	4	piece		
EW04	Mouldings				
EW0403	16mm x 16mm x 2.44m Rectangular PVC Moulding	308	piece		
EW05	Fittings and Accessories				
EW05042	20mmØ IMC Locknut and Bushing	4	pair		
EW05043	25mmØ IMC Locknut and Bushing	2	pair		
EW05052	20mmØ IMC Coupling	1	piece		
EW05053	25mmØ IMC Coupling	3	piece		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW05145	125mmØ Solderless Connector	2	pair		
EW05155	25mmØ Weatherproof Entrance Cap, Diecast Type	1	piece		
EW06	Boxes and Fabricated Pullbox				
EW0605	50mm x 100mm PVC Amco Box	10	piece		
EW0602	100mm x 100mm PVC Junction Box with Cover	56	piece		
EW0612	1.0m)	4	piece		
EW09	Wires and Cables				
EW0901	THHN Wires				
EW090102a	3.5mm² THHN Wire	10	roll		
EW090104b	8.0mm² THHN Wire	18	l.m.		
EW090105b	14mm² THHN Wire	24	l.m.		

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
EW0902	THW Wires				
EW090201a	2.0mm² THW Wire	5	roll		
EW090203b	5.5mm² THW Wire	9	l.m.		
EW090204b	8.0mm² THW Wire	12	l.m.		
EW11	Lighting Fixtures and Other Devices				
EW11096	10W LED bulb	6	piece		
EW11112	Keyless Receptacle	6	piece		
EW11140	Orbit Fan with Selector Switch	12	set		
EW11043	300mm x 1200mm with 2 x 18w LED, Troffer Type, with complete accessories, Surface Mounted Type	32	set		
	Wiring Devices				
EW1002	Outlet with Grounding, Two Gang	20	piece		
EW1015	Switch with Plate and Cover, One Gang	8	piece		
EW1018	Switch with Plate and Cover, Three Way	2	piece		
EW1019	Switch only, Three-way	16	piece		
EW1021	Switch Plate and Cover only, Two gang	8	piece		
EW13	Panel Board				
ASSY	MDP- CT				
	Main: 60AT, 100AF, 2P, 230V, MCCB Branches: 2-40AT, 2P, 230V, Bolt-on 2-20AT, 2P, 230V, Bolt-on Enclosure: Surface Mounted NEMA 1 with Metal Deadfront, Ground Terminals and Terminal Lugs	1	assy		
ASSY	C3-LPP1 TO C3-LPP4				
	Main: 40AT, 2P, 230V, MCCB Branches: 1-20AT, 2P, 230V, Bolt on 1-30AT, 2P, 230V, Bolt on Enclosure: Surface Mounted NEMA 1 with Metal Deadfront, Ground Terminals and Terminal Lugs	2	assy		
EW16	Pipe Hangers and Supports				
EW1601	Horizontal Layout of Pipe	103	l.m.		
EW1602	Vertical Layout of Pipe	7	l.m.		
MC	Miscellaneous and Consumables				
MC/G06	Hacksaw Blade	1	piece		
MC/G07	Masking Tape	2	roll		
MC/G13	All around Sealant	1	tube		
MC/G14	Solvent Cement, 400cc	1	can		
MC/G37	GI Tie Wire, Ga. 16	1	kg		
MC/E01	Electrical Tape	4	roll		
MC/E03	Pulling Lubricant	1	can		
MC/E04	Rubber Tape	2	roll		
			Material Cost VIII-EW		P
			Labor Cost VIII-EW		
			Direct Cost VIII-EW		P

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
				MATERIAL COST VIII	₱
				LABOR COST VIII	
				DIRECT COST VIII	₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
UTI	UTILITY AND ANCILLARY WORKS				
SW	Site Works for Electrical Utilities				
106	Excavation	1	cu.m.	₱	₱
		Subtotal UTI-SW (Labor)			₱
UT01	Electrical Utilities				
UT010302	Earth Pit 0.30 x 0.30 x 0.30	1	unit	₱	₱
		Material Cost UTI-UT01			₱
			Labor Cost UTI-UT01		
			Subtotal UTI-UT01		₱
			MATERIAL COST UTI		₱
			LABOR COST UTI		
			DIRECT COST UTI		₱

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS	QTY	UNIT	UNIT COST	TOTAL COST
-----------	-------------------------------------	-----	------	-----------	------------

SUMMARY

ITEM CODE	WORK DESCRIPTION AND SCOPE OF WORKS			AMOUNT
OGR	OTHER GENERAL REQUIREMENTS			P
	TOTAL ESTIMATED COST A			P
GR	GENERAL REQUIREMENTS			P
I	PERIMETER FENCE			
II	UPGRADING OF MAIN ELECTRICAL SERVICE ENTRANCE			
III	BELMONTE BUILDING			
IV	NALGU BUILDING			
V	CASTELO 1 BUILDING			
VI	CASTELO 2 BUILDING			
VII	CASTELO 3 BUILDING			
VIII	CANTEEN BUILDING			
UTI	UTILITY AND ANCILLARY WORKS			
NOTE: • Strictly enforce Health Protocols relative to the latest applicable DPWH Memorandum	TOTAL DIRECT COST B			P
	Overhead, Contingencies and Miscellaneous Expenses (OCM)			
	Profit			
	TOTAL ESTIMATED COST B			P
	TOTAL ESTIMATED COST A			P
TOTAL ESTIMATED COST B				P
VAT				
TOTAL APPROVED BUDGET FOR THE CONTRACT				P

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
and
- ☐ (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
and
- ☐ (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
and
- ☐ (e) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- ☐ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (*please see attached prescribed forms required by the QC – BAC for Infrastructure and Consultancy*); **and**
- ☐ (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules with an attached Notice of Award, Notice to Proceed, Contract and Certificate of Acceptance (*please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy*); **and**
- ☐ (h) Philippine Contractors Accreditation Board (PCAB) License;
or
Special PCAB License in case of Joint Ventures;
and registration for the type and cost of the contract to be bid; **and**
- ☐ (i) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (j) Project Requirements, which shall include the following:
 - ☐ a. Organizational chart for the contract to be bid;
 - ☐ b. List of contractor’s key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (*please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy*);
 - ☐ c. List of contractor’s major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment

lessor/vendor for the duration of the project, as the case may be (*please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy*); **and**

- ☐ (k) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Additional Technical Requirements:

- ☐ • Certificate of Site Inspection or Affidavit of Site Inspection as part of Omnibus Sworn Statement
- ☐ • Affidavit of Undertaking for Key Personnel and Equipment (*please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy*)
- ☐ • Equipment Utilization Schedule
- ☐ • Manpower Schedule
- ☐ • Construction Schedule and S-Curve
- ☐ • PERT-CMP
- ☐ • Construction Methods

Financial Documents

- ☐ (l) The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- ☐ (m) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (*please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy*).

Class "B" Documents

- ☐ (n) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence; **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (o) Original of duly signed and accomplished Financial Bid Form; **and**

Other documentary requirements under RA No. 9184

- ☐ (p) Original of duly signed Bid Prices in the Bill of Quantities; **and**
- ☐ (q) Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; **and**
- ☐ (r) Cash Flow by Quarter.

Bid Form for the Procurement of Infrastructure Projects
[shall be submitted with the Bid]

BID FORM

Date : _____
Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: *[insert name of contract]*;
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: *[insert information]*;
- d. The discounts offered and the methodology for their application are: *[insert information]*;
- e. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein and reflected in the detailed estimates,
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines¹ for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.

¹ currently based on GPPB Resolution No. 09-2020

- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- l. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)

CITY OF _____) S.S.

BID SECURING DECLARATION **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)
[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project

Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**
11. We pledge that the project will be completed in accordance and congruency with the approved plans and programs.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of _____ 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT, made this *[insert date]* day of *[insert month]*, *[insert year]* between *[name and address of PROCURING ENTITY]* (hereinafter called the "Entity") and *[name and address of Contractor]* (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute *[name and identification number of contract]* (hereinafter called "the Works") and the Entity has accepted the Bid for *[contract price in words and figures in specified currency]* by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz.:

- a. Philippine Bidding Documents (PBDs);
 - i. Drawings/Plans;
 - ii. Specifications;
 - iii. Bill of Quantities;
 - iv. General and Special Conditions of Contract;
 - v. Supplemental or Bid Bulletins, if any;
- b. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
 - d. Notice of Award of Contract and the Bidder's conforme thereto; and
 - e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**
3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.

4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Procuring Entity] [Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

LIST OF ALL ON-GOING GOVERNMENT AND PRIVATE CONTRACTS

NAME OF CONTRACTOR: _____

PROJECT TITLE (Name of the Contract) & EXACT PROJECT LOCATION	DATE OF CONTRACT	CONTRACT DURATION	PROJECT OWNER & POSTAL ADDRESS	NATURE OF WORK	CONTRACTOR'S ROLE (SOLE CONTRACTOR, SUBCONTRACTOR, PARTNER IN A JV) and PERCENTAGE OF PARTICIPATION	TOTAL CONTRACT VALUE AT AWARD	DATE OF COMPLETION or ESTIMATED COMPLETION TIME	TOTAL CONTRACT VALUE AT COMPLETION IF APPLICABLE	PERCENTAGE		VALUE OF OUTSTANDING WORKS (IN PHP)
									ACTUAL ACCOMPLISHMENT	PLANNED ACCOMPLISHMENT	
									TOTAL AMOUNT (Php) OF OUTSTANDING WORKS		

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

Page _____ of _____

SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID

NAME OF CONTRACTOR: _____

PROJECT TITLE: _____

PROJECT TITLE (Name of the Contract) & EXACT PROJECT LOCATION	DATE OF CONTRACT	CONTRACT DURATION	PROJECT OWNER & POSTAL ADDRESS	NATURE OF WORK	CONTRACTOR'S ROLE (SOLE CONTRACTOR, SUBCONTRACTOR, PARTNER IN A JV) and PERCENTAGE OF PARTICIPATION	TOTAL CONTRACT VALUE AT AWARD	DATE OF COMPLETION or ESTIMATED COMPLETION TIME	TOTAL CONTRACT VALUE AT COMPLETION IF APPLICABLE

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

Page _____ of _____

LIST OF MAJOR EQUIPMENT TO BE USED FOR THE PROJECT

NAME OF CONTRACTOR: _____

PROJECT TITLE: _____

TYPE	DESCRIPTION / CAPACITY	SERIAL NO.	YEAR ACQUIRED	PRESENT LOCATION (SPECIFIC ADDRESS)	STATUS OF AVAILABILITY (OWNED/LEASED)

A. LIST OF KEY CONSTRUCTION PERSONNEL TO BE ASSIGNED TO THE PROJECT

NAME OF CONTRACTOR: _____

PROJECT TITLE: _____

NAME	POSITION	AGE	EDUCATIONAL ATTAINMENT	TYPE OF CONSTRUCTION EXPERIENCE	NO.OF YEARS WITH THE CONTRACTOR	PROFESSION	PRC NO.

COMPUTATION OF NET FINANCIAL CONTRACTING CAPACITY (NFCC)

NAME OF BIDDER: _____

CURRENT ASSETS*		PHP	_____
(LESS) CURRENT LIABILITIES*	(LESS)	PHP	_____
NETWORTH		PHP	_____
NETWORTH x 15	x 15	PHP	_____
(LESS) VALUE OF ALL OUTSTANDING ON-GOING CONTRACTS**	(LESS)	PHP	_____
(LESS) VALUE OF ALL AWARDED BUT NOT YET STARTED CONTRACTS AS OF DATE**	(LESS)	PHP	_____
NET FINANCIAL CONTRACTING CAPACITY		PHP	_____

NOTES: * CURRENT ASSETS AND LIABILITIES BASED ON AUDITED FINANCIAL STATEMENT FOR THE PRECEDING CALENDAR YEAR SUBMITTED TO B.I.R.

 ** BASED ON LIST OF ON-GOING AND AWRDED BUT NOT YET STARTED CONTRACTS SUBMITTED

REPUBLIC OF THE PHILIPPINES)

_____) S.S.

AFFIDAVIT OF UNDERTAKING

I, _____ of legal age, Filipino, _____ [OFFICER OR REPRESENTATIVE]

with office address at _____ after having been duly sworn to in accordance with law, hereby voluntary depose and state:

That I am duly authorized representative of the [Name of Bidder] to execute this undertaking as evidenced by Secretary's Certificate and Board Resolution.

That [Name of Bidder] bidding for the (Name of Project)

That relative to the aforementioned Project, the [Name of Bidder] hereby undertake that the equipment to be use and the key personnel to be assign shall exclusively be used and will only perform to the said project until its completion.

That I am executing this affidavit to attest to the truth of the foregoing and in compliance with the submission of the technical requirements for the public bidding of the said project.

IN WITNESS HEREOF, I have hereunto signed my name below this _____ day of _____ at _____.

AFFIANT FURTHER SAYETH NAUGHT.

Affiant

SUBSCRIBED AND SWORN TO BEFORE ME this _____ day of _____
in _____

affiant exhibiting to me his/her _____ issued at _____
on _____.

Doc. No. ;
Page No. ;
Book No. ;
Series of 2020

Notary Public

