



REQUEST FOR QUOTATION  
NEGOTIATED PROCUREMENT  
SECTION 53.1

DATE : NOV 21 2022

PROJECT NO. : OCM(POPS)-22-  
VEHICLES-1054B

Name of Company : \_\_\_\_\_  
Address : \_\_\_\_\_  
Contact No. : \_\_\_\_\_  
Project Title : PROCUREMENT OF 6X6 PERSONNEL CARRIER  
Approved Budget of  
the Contract : Php 7,240,000.00  
End-User /  
Implementing Office : OFFICE OF THE CITY MAYOR (POPS PLAN)

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than NOV 24 2022 11:00 AM Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)
- 3 Mayor's/Business Permit (2022);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the **QC BAC- Goods and Services**
- 6 Income/Business Tax Return (for FY 2021) (For ABCs above P500,000.00)
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE issued by QC BAC- Goods and Services.**

  
**MA. MARGARITA T. SANTOS**  
Chairperson, BAC- Goods and Services



**TERMS AND CONDITIONS**

1. Bidders shall **provide correct and accurate** information required in this form.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation **exceeding** the Approved Budget for the Contract (ABC) shall be **rejected**.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
	<i>With the following minimum technical specifications:</i>				
1	<b>6X6 PERSONNEL CARRIER</b> 6-wheel drive, 10-wheeler 1. Engine a) Type: Water-cooled b) Fuel: Diesel c) Piston displacement: 5,500cc or better d) Horsepower output: 120 or higher e) Torque: 17 kg. or higher f) Number of cylinders: Not lower than 6 g) Fuel system: Injection pump (Fuel of Direct Injection)  2. Transmission: Manual, 5-8 speed forward, reverse and neutral, floor shift  3. Axle a) Front: Optimal b) Rear: Single or dual  4. Suspension a) Front: Semi-elliptical leaf or coil spring type with shock absorber b) Rear: Semi-elliptical leaf spring with shock absorber  5. Tires: 9.00 x 20, not less than 14 ply rating or better a) Front: Single  6. Brake system a) Type: Air/Hydraulic Brake b) Front: Drum or Disc c) Rear: Drum or Disc d) Park: Provided with park brake  7. Steering wheel: Left hand drive	UNIT	1		

PJR S



<p>8. Steering Mechanism: Power steering</p> <p>9. Electrical system: standard electrical wiring harness with adequate margin of safety</p> <p>10. Body and frame</p> <p>a) Cab: Canvass or hard top</p> <p>b) Overall length: Not less than 5,800mm</p> <p>c) Overall width: Not less than 2,300mm</p> <p>d) Overall height: Not less than 2,700mm</p> <p>e) Wheelbase: 3,300mm (minimum)</p> <p>f) Track</p> <p>f.1. Front: 1,700mm (minimum)</p> <p>f.2. Rear: 1,650mm (minimum)</p> <p>g) Ground clearance for</p> <p>g.1. Urban use: Not lower than 25cm</p> <p>g.2. Rugged terrain: Not lower than 30cm</p> <p>h) Rear body</p> <p>Option 1: Removable bow mounting and canvass with fixed siding and tail gate</p> <p>Option 2: Open sides with roofing, without sidings and tail gate</p> <p>i) Height of sides: 400mm - 430mm</p> <p>j) Height of tail gate: 400mm - 510mm</p> <p>k) Bow mounting: 38mm diameter stainless steel pipe</p> <p>l) Number of bow mounting: 5 (minimum)</p> <p>m) Height of bow mounting: 1,700mm from flooring (minimum)</p> <p>n) Rear seats</p> <p>Option 1: 2 each folding (beam type) foldable to the sides when used as cargo carrier with lock</p> <p>Option 2: Back-to-back seats (quick conversion from front facing position to back-to-back position)</p> <p>o) Material for the rear seats and back rest: Hardwood, 25mm thick x 76mm width, 3-4 pcs with 10mm spacing</p> <p>p) Height of seats: 380mm - 430mm</p> <p>q) Height of back rest: 820mm - 860mm</p> <p>r) Seat legs: (Option 2) 50mm stainless steel pipe</p> <p>s) Rear step board: (Option 2) 2.5mm mild steel plate, non-skid finished, 200mm x 600mm</p> <p>t) Roofing post: (Option 2) 90mm G.I. Pipe with rust proofing, 3 posts on each side, rigidly attached to the flooring</p> <p>u) Roofing: (Option 2) GA 16 G.I. Sheet with heat insulation underneath</p> <p>v) Roof trusses: (Option 2) 38mm diameter G.I. Pipe</p> <p>w) Height of roofing: (Option 2) 2,000mm from flooring</p> <p>x) Top load carrier: (Option 2) 38mm diameter stainless steel pipe</p> <p>y) Height of top load carrier: (Option 2) 300mm with 38mm gap from the roofing</p> <p>z) Ladder: (Option 2) 2 each located at the left side of the rear portion of the body and at the left side behind the cab</p>				
--	--	--	--	--

<p>z.1) Material for the ladder : (Option 2) 25mm diameter stainless steel pipe 300mm wide and extended 690mm downward from flooring</p> <p>11. Instrumental gauges</p> <p>a) Speedometer</p> <p>b) Tachometer (Optional)</p> <p>c) Odometer</p> <p>d) Fuel gauge</p> <p>e) Water pump gauge</p> <p>f) Oil pressure gauge or low oil warning indicator</p> <p>g) Ammeter or low battery warning indicator</p> <p>12. Safety lightings</p> <p>a) Halogen-bulb lamp head light with 60 watts high and 55 watts low beams</p> <p>b) Dashboard panel light</p> <p>c) Park light</p> <p>d) Turn signal light</p> <p>e) Hazard light</p> <p>f) Stop light with 3rd brake light</p> <p>g) Tail light</p> <p>h) Plate light</p> <p>i) Cabin light</p> <p>13. Color and markings: White with appropriate markings specified in NAPOLCOM Res. No. 99-002 dated January 5, 1999 (Approving the Standard Color and Markings for PNP Motor Vehicles, Sea craft and Aircrafts)</p> <p>14. Vehicle Equipment/ accessories</p> <p>a) 2-side-mounted rear-view mirror</p> <p>b) 1 center-mounted rear-view mirror</p> <p>c) Seatbelt</p> <p>d) Tire wrench</p> <p>e) Hydraulic jack</p> <p>f) OVM tools</p> <p>g) Spare tire with rim</p> <p>h) 1 each siren, 4 programs with PA system 100W amplifier and 150W speaker or better</p> <p>i) Built-in AM/FM audio system or better</p> <p>j) Windshield wiper with windshield washer switch</p> <p>k) Horn switch operated at steering wheel</p> <p>EURO IV COMPLIANT</p> <p>With 1 year- LTO Registration</p> <p>1 year service warranty</p> <p>1 year comprehensive insurance</p>				
TOTAL				

Amount in Words : \_\_\_\_\_

\_\_\_\_\_

Delivery Period : Ninety (90) Calendar Days

Warranty : \_\_\_\_\_

\_\_\_\_\_

*8/8/5*

Other Requirement:

1. Copy of Authority to Sell from the Manufacturer/Distributor/ Dealer of the Vehicle being offered which includes guarantee on after-sales services and availability of parts
2. List of after-sales/maintenance services facilities located within Metro Manila
3. Statement of Warranty – One (1) Year Service Warranty

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

Email Address

#8/8