



REPUBLIC OF THE PHILIPPINES
 QUEZON CITY
 BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



RESOLUTION NO. 22-PB-465
 Series of 2022

RECOMMENDING THE AWARD OF THE PROJECT PROCURED THROUGH
 PUBLIC BIDDING

WHEREAS, on November 8, 2022 the BAC conducted a public bidding for the procurement of various goods and services enumerated in the Invitation to Bid (IB) posted on October 18, 2022 pursuant to the provisions of R.A. 9184 and its Revised Implementing Rules and Regulations (RIRR);

WHEREAS, the BAC has observed all the requirements and procedures prescribed by R.A. 9184 and its RIRR in the Opening of Bids including the bid evaluation and post qualification of the **Single Calculated and Responsive Bid**;

WHEREAS, the following bidder participated in and submitted its bid on the projects for evaluation and passed the post qualification process and may now be considered and declared as the **Single Calculated and Responsive Bid**, to wit;

| Item No. | End User | Project Number | Project Name | ABC | BIDDER | Bid Amount |
|----------|------------------------------|------------------|---|----------------|--|----------------|
| 1 | Novaliches District Hospital | NDH-22-ELTE-1055 | PROCUREMENT OF SAFETY ANALYZER AND OTHERS | P 9,210,527.92 | A.M.I. EQUIPMENT SERVICES AND SOLUTIONS INC. | P 9,209,950.00 |

NOW, THEREFORE, for and in consideration of the foregoing premises, the BAC recommends, as it does hereby recommend for the approval of the Hon. City Mayor, the award of contract for the supply and delivery of the afore-stated goods and services.

Signed by members of the Bids and Awards Committee this DEC 06 2022
 at Quezon City.

| BAC MEMBERS | SIGNATURE |
|-------------------------------|-----------|
| MS. MA. MARGARITA T. SANTOS | |
| MS. ROWENA T. MACATAO | |
| ATTY. SHERRY R. GONZALVO | |
| MR. DON FRANCIS D. JAVILLONAR | |
| DR. ESPERANZA ANITA E. ARIAS | |
| BAC – ALTERNATE MEMBERS | |
| MR. ROGELIO L. REYES | |
| MR. RICHARD S. SANTUILE | |

Approved:

MA. JOSEFINA G. BELMONTE
 City Mayor