

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF VARIOUS MEDICAL EQUIPMENT

PROJECT NO. NDH-22-HME-748B

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Section	on I. Invitation to Bid	7
Section	on II. Instructions to Bidders	11
1.	Scope of Bid	
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	12
6.	Origin of Goods	13
7.	Subcontracts	
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components 144	
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	on III. Bid Data Sheet	18
Section	on IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	
5.	Warranty	21
6.	Liability of the Supplier	22
Section	on V. Special Conditions of Contract	23
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

 $\mathbf{EXW} - \mathbf{Ex}$ works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



INVITATION TO BID

January 23, 2023

	PROJECT NO.	OFFICE		PROJECT NAME	AMOUNT	SOURCE OF	DELIVERY PERIOD
1	CAO(DBO)-22-OE- 1746	CITY ADMINISTRATOR'S OFFICE (DEPARTMEN OF BUILDING OFFICIA		DROP-OFF TERMINAL (KIOSK)	P 4,900,000.00	GENERAL FUND	60 CD
2	CAO(BPLD)-23-IT- 0125	CITY ADMINISTRATOR'S OFFICE (BPLD)		SUPPLY, TESTING, AND COMMISSIONING OF DOCUMENT DIGITIZATION MANAGEMENT SYSTEM PROJECT FOR THE QUEZON CITY BUSINESS PERMITS AND LICENSING DEPARTMENT (PHASE 1)	P 23,996,000.00	GENERAL FUND	150 CD
3	CAO(BPLD)-23-IT- 0126	CITY ADMINISTRATOR OFFICE (BPLD)	t'S	SUPPLY, TESTING, AND COMMISSIONING OF OCCUPATIONAL PERMIT SYSTEM ENHANCEMENT (OPSE) FOR THE QUEZON CITY BUSINESS PERMITS AND LICENSING DEPARTMENT - PHASE 3	P 13,000,000.00	GENERAL FUND	60 CD
4	OCM(GAD)-23- CS1-0155	OFFICE OF THE CITY MAYOR (GAD COUNCI OFFICE)		FOOD AND DRINKS	P 1,250,000.00	GENERAL FUND	10 MONTHS
5	PD-23-PS2-0143	PROCUREMENT DEPARTMENT		DIGITAL BLUEPRINTING OF PLANS	P 1,722,500.00	TRUST FUND	10 MONTHS
6	QCGH-23- SERVICES-0118	QUEZON CITY GENERA HOSPITAL	AL	COMPREHENSIVE PREVENTIVE MAINTENANCE OF ELEVATOR	P 1,820,000.00	GENERAL FUND	10 MONTHS
7	BPLD-23-OESC- 0134	BUSINESS PERMITS AN LICENSING DEPARTMENT	Œ	TONER CARTRIDGE AND OTHERS	P 1,285,310.00	GENERAL FUND	30 CD
8	NDH-22-HME-748B	NOVALICHES DISTRIC HOSPITAL	CT	VARIOUS MEDICAL EQUIPMENT	P 8,238,535.59	GENERAL FUND	60 CD
9	CGSD-22-FFRSE-1581C	CITY GENERAL SERVICES DEPARTMENT	S	SUPPLY AND DELIVERY OF FIRE EXTINGUISHER	P 1,866,450.00	GENERAL FUND	30 CD

- The QUEZON CITY LOCAL GOVERNMENT, through the General Fund and Trust Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 8:00 a.m. 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on Tuesday, January 24, 2023 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD RATES:

Approved Budget	for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 an	d below	500.00
More than 500,000	up to 1 Million	1,000.00
More than 1 Millio	n up to 5 Million	5,000.00
More than 5 Million	up to 10 Million	10,000.00
More than 10 Millio	n up to 50 Million	25,000.00
More than 50 Million	up to 500 Million	50,000.00
More than 50	00 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The Quezon City Local Government will hold a Pre-Bid Conference on 10:30 A.M. of Tuesday, January 31, 2023 at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre-Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of **Monday, February 13, 2023**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on 01:00 P.M. of **Monday**, **February 13**, 2023 at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz0

Meeting ID: 858 5085 5933

Passcode: 118682

- 10. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2nd Floor, Procurement Department,

Finance Building, Quezon City Hall Compound

Elliptical Road, Barangay Central Diliman, Quezon City.

Email Add: bacgoods.procurement@quezoncity.gov.ph

Tel. No. (02)8988-4242 loc. \$506/8710

Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

MA. MARGARITA T. SANTOS Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF VARIOUS MEDICAL EQUIPMENT** with identification number **NDH-22-HME-748B.**

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **eighty-nine** (89) *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2022 in the amount of EIGHT MILLION TWO HUNDRED THIRTY EIGHT THOUSAND FIVE HUNDRED THIRTY FIVE PESOS AND 59/100 ONLY (Php 8,238,535.59).
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of **Non-Expendable Supplies and Services**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **fifty percent (50%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and

- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to the items to be bid and must be at least fifty percent (50%) of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>Php164,770.71</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Php411,926.78</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	• no additional requirements
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	 Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.
	Statement of Warranty – minimum of One (1) Year warranty.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

	Special Conditions of Contract
GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each
	appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Contract Description **Final Destination** Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. [If partial payment is allowed, state] "The terms of payment shall be as follows: 2.2 will 4 inspections and tests that be conducted are: **Product** Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF VARIOUS MEDICAL EQUIPMENT PROJECT NO: NDH-22-HME-748B

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	With the following minimum technical			
	specifications:			
1	ECG MACHINE	Unit	10	
	One Touch Operation - for acquisition, analysis and printing, Alphanumeric Display - for easy visualization of ECG set up information, Ultra-Portable - ECG device (with battery) of 1300 Grams, for easy transport, Long-lasting battery - using Li-ion platform, lasts for 100 ECGs in auto mode and recharges in less than 3 hours. Reliable printer design - to last for many years of trouble free operation. Wide paper size - of 80mm for clear visualization of ECG waveforms and reports. Multiple ECG Modes - Auto, Manual and Arrhythmia) to allow to adopt to specific patient needs. Reliable decision support software package options such as Marquette 12SL measurement and Marquette 12SL interpretation with LCD display 2 row x 16 character alphanumeric with adjustable contrast with displayed data - Selected Lead Group, Operation Mode, Lead	Cint		
	Check, Heard Rate, AC filter, Muscle Filter, Gain,			
	Speed with Lead-fail indication and software options		1.0	
2	ent diagnostic set high quality optical glasses, durable handle; composed of: Ophthalmoscope, otoscope carrier, near specula, nasal speculum, nasal dilating speculum, laryngeal mirror stem, laryngeal mirrors, tongue depressor, battery handle, spare bulbs (large and small) rechargeable batteries.	Unit	10	Within sixty (60) Calendar Days Upon Issuance of Notice to
3	FETAL DOPPLER Water proof probe; interchangeable probe rate and trace display Doppler; dynamic digital noise reduction (DDNR) system and gel filter; high resolution color display; medical grade mains charger and cable	Unit	15	Proceed
4	BP APPARATUS ANEROID SET Pocket type aneroid sphygmomanometer	Unit	50	
5	BP APPARATUS WITH STAND SET with adjustable-height stand, adult-sized cuff and bladder, wheeled base, and cuff basket. Large, easy-to-read, recessed dial face (6.25 inches / 15cm Four-food coiled tubing provides grade range one-piece cuff is durable and easy to use, includes Luer lock for easy cuff-size changes. Latex free Adult cuff fits a patient arm circumference of 9.8 inches to 13.4 inches	Unit	50	
6	with intellisense technology and AC adapter cuff wrapping guide; hypertension indicator; can be used for both adult and pediatric patients Arm Cuff: 22-32cm arm circumference	Unit	20	
7	THERMOSCAN – EAR color-coded display for easier interpretation of results	Unit	50	

	wide-angle prove for accurate measurements, also on		
	newborns pre-warmed tip to ensure reliable measurements		
	with ExacTemp technology to ensure stable		
	positioning of the device backlit display for use in the		
	dark stores the last 9 temperature readings comes		
	with hygiene caps - disposable probe covers to avoid		
	cross-contamination		
8	VAGINAL SPECULUM (SMALL)	D.	50
	¾ inches (1.9cm) x 3 inches (7.6cm); with central	Piece	50
	fixation screw		
9	VAGINAL SPECULUM (MEDIUM)	Piece	200
	1 3/8 (3.5cm) x 4 inches (10.2cm); with central	Fiece	200
	fixation screw		
10	VAGINAL SPECULUM (LARGE)	Piece	15
	1% (3.8cm) x $4%$ (11.4cm); with central fixation	1 iccc	13
	screw		
11	VAGINAL SPECULUM DISPOSABLE (SMALL)	Piece	10
	sterile single use; 24mm; with central fixation screw		
12	VAGINAL SPECULUM DISPOSABLE (MEDIUM)	Piece	200
	sterile single use: 26mm; with central fixation screw		
13	VAGINAL SPECULUM DISPOSABLE (LARGE)	Piece	10
	sterile single use: 30mm; with central fixation screw		
14	KIDNEY BASIN	Piece	50
1.5	(stainless steel) - medium	D'	20
15	KIDNEY BASIN	Piece	20
1.6	(stainless steel) - large	T In it	5
16	EXAMINING TABLE	Unit	5
	bed back lifting gas spring operation, back with a scroll of paper; position seat plate, bad legs plate,		
	pedals and dirt basin are hidden, to save space;		
	Table dimension: L 1178 x W 520 x H 520mm;comes		
	with 1 pair of stirrups and bed cushion; with large		
	capacity drawer, can place inspection apparatus, the		
	file information;		
17	DR TABLE	Unit	2
	electrically operated remote controlled backrest and		
	height adjustment		
	Size: L 2035mm x W 600mmH (550mm - 850mm)		
	Manual Trendelenburg by crank		
	with handles on both side of backrest		
	four castors - 125mm diameter, Linear locking system		
	height adjustable IV pole - 2 hook, urine bag holder		
	easily removable leg holders		
	mattress: 28 density foam upholstery of fabric or artificial leather		
18	INSTRUMENT TABLE	Unit	3
10	stainless Major OR table 38 inches x 30 inches with	Oint	J
	side rails		
19	OB PACK	Set	20
1)	absorbent layer and impervious film provides	Sec	20
	exceptionally high barrier strength and optimal fluid		
	control 100% impermeable; highly efficient tape and		
	incise film suitable for long operations		
	Contents: 1 table cover reinforced; 1 under buttocks		
	drape; 1 abdominal cover; 1 utility drape; 2 leggings; 2		
	baby towel; 2 standard gown L; 4 absorbent towel; 1		
	plastic tray; 1 umbilical cord clamp; 1 bulb syringe; 1		
	underpads; 2 underpads small aperture for efficient		
	infection control		
20	CS PACK	Set	100
20	CS PACK absorbent layer and impervious film provides	Set	100
20	CS PACK absorbent layer and impervious film provides exceptionally high barrier strength and optimal fluid	Set	100
20	CS PACK absorbent layer and impervious film provides	Set	100

1	for officient infection control Court 1 4 1 1		
	for efficient infection control. Contents: 1 table cover		
	reinforced; 1 caesarian drape; 1 abdominal cover; 1		
	utility drape; 2 leggings; 2 baby towel; 2 standard		
	gown L; 4 absorbent towel; 1 plastic tray; 1 umbilical		
	cord clamp; 1 bulb syringe; 1 underpads; 2 underpads		
21	LAPAROTOMY PACK	Set	20
21	Designed for minimally invasive and other surgical	SCI	20
	procedures in the abdominal. The drape is made of		
	SMS (Spunbond Meltblown Spunbond) fabric.		
	with abdominal aperture and perineal aperture, with		
	fenestrated incision film; with 2 chamber instrument		
	pouches.		
	content: 4 pcs towels (30 x 40cm) 1 pc. Mayo stand		
	cove, PE film (60 x 140cm); with reinforcement; (45 x		
	60); 1 pc utility bag; 4 pcs adhesive drapes (67 x 40cm);		
	3pcs surgical gowns (130 x 150cm); 1 pc laparotomy		
	drape (270/195 x 312cm), abdominal aperture (10 x		
	30cm); 1pc instrument table cover, PE film (150 x		
	190cm); with reinforcement (75 x 190cm)		
22	PANEL SCREEN TRIPLE WITH CLOTH	Unit	30
	tubular stainless steel; 4pcs rubber & amp; 2pcs		
	wheel caster; provided with curtain; size L 122 inches		
	x H 65 inches		
23	STRETCHER	Unit	20
	Transfer Stretcher Hospital Ambulance Patients		
	Transfer Stretcher for Inconvenient People Manual		
	Hospital Stretcher Standard Size Patient Transfer		
	Manual Emergency Room Surgical Transport Hospital		
	or ER Transfer Stretcher Brand New Hospital transfer		
	stretcher Wheel Individual brake wheel, Sturdy and		
	durable, rolling more flexible, no noise. Guardrail ABS		
	dumping guardrail Infusion Rod Stainless steel		
	material, flexible operation, easy and convenient		
	Mattress High-grade waterproof cloth, easy to clean		
	and disinfect. Applicable people Old, young, sick,		
	paralyzed and other inconvenient people. The		
	universal brake wheel is wear-resistant and no noise		
	with self-locking device, use foot step design to lock and unlock, simple and convenient. Back section is		
	controlled by spring, very convenient and simple.		
	Height is adjustable from 54~84cm.ABS dumping		
	guardrail, collapsible. 1 flat car surface size: 1930 x		
	640mm. 2 flat car lifting height: 570-900mm. 3 net		
	weight 75kg, maximum load capacity 250kg. The car		
	surface is molded by ABS engineering injection		
	molding, which has the characteristics of high flame		
	retardancy, corrosion resistance, and toughness. The		
	four corners are respectively designed with handles		
	for the convenience of nursing emergency personnel.		
	4 The guardrail adopts ABS lifting and lifting		
	guardrail, and the gas spring cushioning design is put		
	down to improve the comfort and the service life of		
	the guardrail. The back is backed by a gas spring type,		
	and the back is lifted by 80°. It is easy to operate and		
	can be operated with one hand. 5 The head has an		
	oxygen cylinder bracket for 5L oxygen cylinders for		
	emergency use. The front end of the car has a		
	diagonal infusion stand jack and is equipped with an		
	infusion stand for patient infusion. 6 The overall		
	lifting adopts rocker type design, the lifting stroke is		
	570-900mm, the handle adopts two-way interference		
	protection and automatic lubrication function. The 7		
	protection and automatic lubrication function. The 7 casters are 2-speed central control casters with a		
	•		
	casters are 2-speed central control casters with a		

	straps to protect the patient from falling from the		
	transport cart when transporting the patient		
	urgently. Size: 198 x 69 x 64mmGW:102KgNW:90Kg		
24	STETHOSCOPE	Unit	50
	Adult		
25	STETHOSCOPE	Unit	20
2.5	Pedia	** .	1.50
26	IV STAND	Unit	150
	stainless steel; 4 hooks , 90degrees to each other,		
	screw height adjustment; non-weighted base weight;		
27	twin castors GOOSENECK LAMP	Unit	80
21	droplight with cover; stainless steel with wheels;	Oilit	80
	flexible gooseneck allows for directional lighting		
28	IV INFUSION PUMP	Unit	9
20	Alarms: Finish infusion, occlusion, bubble, door open,	Cint	
	power supply breakdown, battery low, battery		
	exhausted, no operation, system error, not-		
	calibration, KVO complete, drip sensor abnormal		
	Display range: 0-9999ml		
	Power: AC110-230, 50/60 Hz		
	Electric shock protection/class: Class 1 and internal		
	power supply: type CF continuous operation		
	Water proof level: IP X 4		
	Communication: Cable - Serial RS232; Wireless		
	communication -ZigBee		
	infusion rate: 3 modes - drip/min, mL/h, time/volume		
	Infusion mode setting: Rate mode, drip mode, weight		
	mode, and time (four types of infusion mode)		
	Top quality driving motor, less vibration, lower noise Dual-CPU monitoring, more secure horizontal		
	structure, effectively prevent liquid penetration into		
	the pump; it can be fixed on the pole or placed on the		
	desk		
29	SYRINGE PUMP	Unit	5
	its numerical silicon keypad; Color LCD displays		
	infusion information dramatically; shortcut key		
	manages easy approach for frequent functions.		
	K.V.O. rate, Purge rate, Bolus and Anti bolus can be		
	setup as operating application.		
	Occlusion, K.V.O. (Infusion completion), Standby,		
	near empty, Low battery, Device malfunction (CPU		
	error), Clamp/Handle lever/ Slider disengaged,		
	Syringe disengaged special function.		
	Keypad lock, Shortcut key, Retain memory, Remaining time, Alarm repeat, Open system, K.V.O.,		
	Purge, Bolus, Anti Bolus, Occ. level, History call-back,		
	Dosage mode(Option), Nurse call(Option),		
	Profile(Option), Drug labeling(Option), Central		
	system(Option)		
30	SUCTION MACHINE THOMAS WITH WHEELS	Unit	10
	oil free, with wheels, no positive pressure during		
	using		
31	SUCTION MACHINE	Unit	10
	heavy duty portable suction machine		
32	PEDIATRIC CRIB	Unit	3
	Easy access drop sides and ends for 360 degree		
	patient access; 5 swivel Whisper-Glide Casters - 2		
	braking; ball bearing design; Solid pan sleeping		
	surface (non-helical design); safety extender (on all		
	gatch decks; Available with various sleep surfaces,		
	flat was alask gatalastast. The first firs		
	flat pan deck, gatch deck, Trend Deck and		
33	flat pan deck, gatch deck, Trend Deck and Trendelenburg deck; INTUBATING STYLET FR 6	Piece	10

	made from malleable aluminum, covered with plastic sheath with a lubricated silk-slip surface; sheath tip is rounded to reduce the risk of trauma if the stylet extends beyond the tip of the endotracheal tube		
34	INTUBATING STYLET FR 10 made from malleable aluminum, covered with plastic sheath with a lubricated silk-slip surface; sheath tip is rounded to reduce the risk of trauma if the stylet extends beyond the tip of the endotracheal tube	Piece	10
35	intubating stylet fr 12 made from malleable aluminum, covered with plastic sheath with a lubricated silk-slip surface; sheath tip is rounded to reduce the risk of trauma if the stylet extends beyond the tip of the endotracheal tube	Piece	10
36	INTUBATING STYLET FR 14 made from malleable aluminum, covered with plastic sheath with a lubricated silk-slip surface; sheath tip is rounded to reduce the risk of trauma if the stylet extends beyond the tip of the endotracheal tube	Piece	10
37	ALLIS BABY TISSUE FORCEP - 13.5cm long 4 x 5 teeth	Piece	24
38	ALLIS BABY TISSUE FORCEP - 15cm long 5 x 6 teeth	Piece	24
39	ALLIS BABY TISSUE FORCEP - 25cm long x5 teeth 5 x 6 teeth	Piece	24
40	BANDAGE SCISSOR 5 inches utility scissors, small, 13cm	Piece	30
41	BANDAGE SCISSOR 7 inches utility scissors, small, 18cm	Piece	30
42	BANDAGE SCISSOR 8 inches utility scissors, small, 18cm	Piece	30
43	BRISTLE CLEANING BRUSH - Stainless Steel; autoclavable	Piece	5
44	BRISTLE CLEANING BRUSH - (Nylon)	Piece	5
45	CUSHING DRESSING FORCEP - 17.5 cm straight serrated tip	Piece	12
46	DRESSING FORCEP - 15cm long, square jaw, 2mm serrated, tungsten carbide	Piece	12
47	DRESSING FORCEP - 20cm long, square jaw, 2mm serrated, tungsten carbide	Piece	12
48	CRIBBET - stainless steel	Piece	20
49	YANKAUER SUCTION SET - transparent tubes; sturdy shatter-resistant; 210cm kink-free transparent non-collapsible tubing; funnel connector to ensure tight grip	Piece	100
50	SUCTION POOLE DRAIN SUCTION SET - Medical grade PVC; atraumatic distal tip; Built-in tip and tubing; 210cm L with Fr 24 connector; open distal end	Piece	1,500
51	THUMB - 5 ½ inches stainless steel	Piece	60
52	HEMOSTATIC FORCEP STRAIGHT 6 inches	Piece	50
53	HEMOSTATIC FORCEP CURVE 6 inches	Piece	50
54	HEMOSTATIC FORCEP STRAIGHT 7 inches	Piece	50
55	HEMOSTATIC FORCEP CURVE 7 inches	Piece	50
56	HEMOSTATIC FORCEP MOSQUITO STRAIGHT	Piece	30

57	Iris straight with round shanks 4 ½ inches (11.5cm)	Piece	30
58	Iris curved with round shanks 4 ½ inches (11.5cm)	Piece	30
59	Mayo straight/dissecting 5 ½ inches (14cm)	Piece	50
60	Mayo straight/dissecting 6 ¼ inches (16cm)	Piece	50
61	Mayo straight/dissecting 9 inches (23cm)	Piece	50
62	Mayo Curved/dissecting 5 ½ inches (14cm)	Piece	50
63	Mayo Curved/dissecting 6 1/4 inches (16cm)	Piece	50
64	Mayo Curved/dissecting 9 inches (23cm)	Piece	50
65	Metzenbaum curved 5 ½ inches 14cm blade length; 42mm mid screw to tip	Piece	25
66	Metzenbaum Regular straight BL/BL 7 inches (18cm)	Piece	25
67	Metzenbaum Regular straight BL/BL 8 inches (20cm)	Piece	25
68	Metzenbaum Regular curve BL/BL 7 inches (18cm)	Piece	25
69	Metzenbaum Regular curve BL/BL 8 inches (20cm)	Piece	25
70	Metzenbaum Delicate curve BL/BL 7 inches (18cm)	Piece	25
71	Metzenbaum Delicate curve BL/BL 8 inches (20cm)	Piece	25
72	Metzenbaum Delicate straight BL/BL 7 inches (18cm)	Piece	25
73	Metzenbaum Delicate straight BL/BL 8 inches (20cm)	Piece	25
74	Needle Holder 13cm 5 ½ inches; delicate jaw	Piece	70
75	Needle Holder 17cm 6 ¾ inches; delicate jaw	Piece	50
76	Neurologic Hammer - stainless steel tapered handle tip; PVC bumper	Piece	20
77	Oxygen regulator (compressed air)	Piece	5
78	Oxygen regulator with humidifier	Piece	5
79	Oxygen regulator (wall mount)	Piece	5
80	PULSE OXIMETER - high resolution 2.4 inches color display; light and compact handheld design; with medical grade AC/DC charger; auto-rotate screen; visual and sound alarms; type of protection against electric shock; with internal power device; comes with adult probe, pediatric probe and neonatal strap per unit	Piece	50
81	SCALPEL BLADE NO.3 stainless steel	Piece	20
82	SCALPEL BLADE NO.4 stainless steel	Piece	20
83	SOAKING TRAY 36cm x 27cm; stainless steel	Piece	30
84	SOAKING TRAY 32cm x 27cm; stainless steel	Piece	68
85	SOAKING TRAY 27cm x 20cm; stainless steel	Piece	68

86	TISSUE FORCEPS 15cm long 1 x 2 teeth; stainless	Piece	100
	steel		
87	BASSINET	Piece	50
88	UV LIGHT	Piece	10
89	GLUCOMETER MACHINE	Piece	20

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF VARIOUS MEDICAL EQUIPMENT PROJECT NO: NDH-22-HME-748B

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	With the following minimum technical specifications:	
A.1 2	ECG MACHINE One Touch Operation - for acquisition, analysis and printing, Alphanumeric Display - for easy visualization of ECG set up information, Ultra-Portable - ECG device (with battery) of 1300 Grams, for easy transport, Long-lasting battery - using Li-ion platform, lasts for 100 ECGs in auto mode and recharges in less than 3 hours. Reliable printer design - to last for many years of trouble free operation. Wide paper size - of 80mm for clear visualization of ECG waveforms and reports. Multiple ECG Modes - Auto, Manual and Arrhythmia) to allow to adopt to specific patient needs. Reliable decision support software package options such as Marquette 12SL measurement and Marquette 12SL interpretation with LCD display 2 row x 16 character alphanumeric with adjustable contrast with displayed data - Selected Lead Group, Operation Mode, Lead Check, Heard Rate, AC filter, Muscle Filter, Gain, Speed with Lead-fail indication and software options ENT DIAGNOSTIC SET high quality optical glasses, durable handle; composed of: Ophthalmoscope, otoscope carrier, near specula, nasal speculum, nasal dilating speculum, laryngeal mirror stem, laryngeal mirrors, tongue depressor, battery handle, spare bulbs (large and small) rechargeable batteries. FETAL DOPPLER Water proof probe; interchangeable probe rate and trace display Doppler; dynamic digital noise reduction (DDNR) system and gel filter; high resolution color display; medical grade mains charger	
4	and cable BP APPARATUS ANEROID SET Pocket type aneroid sphygmomanometer	
5	BP APPARATUS WITH STAND SET with adjustable-height stand, adult-sized cuff and bladder, wheeled base, and cuff basket. Large, easy-to-read, recessed dial face (6.25 inches / 15cm Four-food coiled tubing provides grade range one-piece cuff is durable and easy to use, includes Luer lock for easy cuff-size changes. Latex free Adult cuff fits a patient arm circumference of 9.8 inches to 13.4 inches	
6	BP APPARATUS DIGITAL SET with intellisense technology and AC adapter cuff wrapping guide; hypertension indicator; can be used for both adult and pediatric patients Arm Cuff: 22-32cm arm circumference	

7	THERMOSCAN – EAR	
	color-coded display for easier interpretation of results	
	wide-angle prove for accurate measurements, also on newborns	
	pre-warmed tip to ensure reliable measurements	
	with ExacTemp technology to ensure stable positioning of the	
	device backlit display for use in the dark stores the last 9 temperature readings comes with hygiene caps - disposable probe	
	covers to avoid cross-contamination	
8	VAGINAL SPECULUM (SMALL)	
	¾ inches (1.9cm) x 3 inches (7.6cm); with central fixation screw	
9	VAGINAL SPECULUM (MEDIUM)	
	1 3/8 (3.5cm) x 4 inches (10.2cm); with central fixation screw	
10	VAGINAL SPECULUM (LARGE)	
10	1 ½ (3.8cm) x 4 ½ (11.4cm); with central fixation screw	
11	VAGINAL SPECULUM DISPOSABLE (SMALL)	
11	sterile single use; 24mm; with central fixation screw	
12	VAGINAL SPECULUM DISPOSABLE (MEDIUM)	
12	sterile single use: 26mm; with central fixation screw	
12	-	
13	VAGINAL SPECULUM DISPOSABLE (LARGE) sterile single use: 30mm; with central fixation screw	
1.4		
14	KIDNEY BASIN (stainless steel) - medium	
	,	
15	KIDNEY BASIN	
	(stainless steel) - large	
16	EXAMINING TABLE	
	bed back lifting gas spring operation, back with a scroll of paper; position seat plate, bad legs plate, pedals and dirt basin are hidden,	
	to save space; Table dimension: L 1178 x W520 x H 520mm;comes	
	with 1 pair of stirrups and bed cushion; with large capacity drawer,	
	can place inspection apparatus, the file information;	
17	DR TABLE	
	electrically operated remote controlled backrest and height	
	adjustment	
	Size: L 2035mm x W 600mmH (550mm - 850mm) Manual Trendelenburg by crank	
	with handles on both side of backrest	
	four castors - 125mm diameter, Linear locking system	
	height adjustable IV pole - 2 hook, urine bag holder	
	easily removable leg holders	
	mattress: 28 density foam upholstery of fabric or artificial leather	
18	INSTRUMENT TABLE	
	stainless Major OR table 38 inches x 30 inches with side rails	
19	OB PACK	
	absorbent layer and impervious film provides exceptionally high barrier strength and optimal fluid control 100% impermeable;	
	highly efficient tape and incise film suitable for long operations	
	Contents: 1 table cover reinforced; 1 under buttocks drape; 1	
	abdominal cover; 1 utility drape; 2 leggings; 2 baby towel; 2	
	standard gown L; 4 absorbent towel; 1 plastic tray; 1 umbilical cord	
	clamp; 1 bulb syringe; 1 underpads; 2 underpads small aperture for	
20	efficient infection control CS PACK	
20	absorbent layer and impervious film provides exceptionally high	
	barrier strength and optimal fluid control 100% impermeable;	
	highly efficient tape and incise film suitable for long operations	
	small aperture for efficient infection control.	
	Contents: 1 table cover reinforced; 1 caesarian drape; 1 abdominal	
	cover; 1 utility drape; 2 leggings; 2 baby towel; 2 standard gown L; 4	
	absorbent towel; 1 plastic tray; 1 umbilical cord clamp; 1 bulb syringe; 1 underpads; 2 underpads	
21	LAPAROTOMY PACK	
	Designed for minimally invasive and other surgical procedures in	
	the abdominal. The drape is made of SMS (Spunbond Meltblown	
	Spunbond) fabric.	
	with abdominal aperture and perineal aperture, with fenestrated	
	incision film; with 2 chamber instrument pouches.	
	content: 4 pcs towels (30 x 40cm) 1 pc. Mayo stand cove, PE film (60 x 140cm); with reinforcement; (45 x 60); 1 pc utility bag; 4 pcs	
	adhesive drapes (67 x 40cm); 3pcs surgical gowns (130 x 150cm); 1	
	pc laparotomy drape (270/195 x 312cm), abdominal aperture (10 x	
	, , , , , , , , , , , , , , , , , , , ,	

22		
	reinforcement (75 x 190cm)	
23	PANEL SCREEN TRIPLE WITH CLOTH	
23	tubular stainless steel; 4pcs rubber & amp; 2pcs wheel caster; provided with curtain; size L 122 inches x H 65 inches	
	STRETCHER	
	Transfer Stretcher Hospital Ambulance Patients Transfer Stretcher	
	for Inconvenient People Manual Hospital Stretcher Standard Size	
	Patient Transfer Manual Emergency Room Surgical Transport	
	Hospital or ER Transfer Stretcher Brand New Hospital transfer	
	stretcher Wheel Individual brake wheel, Sturdy and durable, rolling	
	more flexible, no noise. Guardrail ABS dumping guardrail Infusion	
	Rod Stainless steel material, flexible operation, easy and convenient	
	Mattress High-grade waterproof cloth, easy to clean and disinfect.	
	Applicable people old, young, sick, paralyzed and other inconvenient people. The universal brake wheel is wear-resistant and no noise	
	with self-locking device, use foot step design to lock and unlock,	
	simple and convenient. Back section is controlled by spring, very	
	convenient and simple. Height is adjustable from 54~84cm.ABS	
	dumping guardrail, collapsible. 1 flat car surface size: 1930 x 640mm.	
	2 flat car lifting height: 570-900mm. 3 net weight 75kg, maximum	
	load capacity 250kg. The car surface is molded by ABS engineering	
	injection molding, which has the characteristics of high flame	
	retardancy, corrosion resistance, and toughness. The four corners	
	are respectively designed with handles for the convenience of nursing emergency personnel. 4 The guardrail adopts ABS lifting and	
	lifting guardrail, and the gas spring cushioning design is put down to	
	improve the comfort and the service life of the guardrail. The back is	
	backed by a gas spring type, and the back is lifted by 80°. It is easy to	
	operate and can be operated with one hand. 5 The head has an	
	oxygen cylinder bracket for 5L oxygen cylinders for emergency use.	
	The front end of the car has a diagonal infusion stand jack and is	
	equipped with an infusion stand for patient infusion. 6 The overall	
	lifting adopts rocker type design, the lifting stroke is 570-900mm, the	
	handle adopts two-way interference protection and automatic lubrication function. The 7 casters are 2-speed central control casters	
	with a diameter of 150mm and a central guide wheel. 8 Auxiliary	
	device: 4cm oxford car mat with 4 safety straps to protect the patient	
	from falling from the transport cart when transporting the patient	
	urgently. Size: 198 x 69 x 64mmGW:102KgNW:90Kg	
24	STETHOSCOPE Adult	
	CTETHOCOOPE D. III.	
25	STETHOSCOPE Pedia	
25		
	IV STAND	
25	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height	
25 26	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors	
25	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP	
25 26	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors	
25 26	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply:	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee	
25 26 27	IV STAND stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume	
25 26 27	stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume Infusion mode setting: Rate mode, drip mode, weight mode, and	
25 26 27	stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume Infusion mode setting: Rate mode, drip mode, weight mode, and time (four types of infusion mode)	
25 26 27	stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume Infusion mode setting: Rate mode, drip mode, weight mode, and time (four types of infusion mode) Top quality driving motor, less vibration, lower noise	
25 26 27	stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume Infusion mode setting: Rate mode, drip mode, weight mode, and time (four types of infusion mode) Top quality driving motor, less vibration, lower noise Dual-CPU monitoring, more secure horizontal structure, effectively	
25 26 27	stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume Infusion mode setting: Rate mode, drip mode, weight mode, and time (four types of infusion mode) Top quality driving motor, less vibration, lower noise Dual-CPU monitoring, more secure horizontal structure, effectively prevent liquid penetration into the pump; it can be fixed on the pole	
25 26 27 28	stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume Infusion mode setting: Rate mode, drip mode, weight mode, and time (four types of infusion mode) Top quality driving motor, less vibration, lower noise Dual-CPU monitoring, more secure horizontal structure, effectively	
25 26 27	stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume Infusion mode setting: Rate mode, drip mode, weight mode, and time (four types of infusion mode) Top quality driving motor, less vibration, lower noise Dual-CPU monitoring, more secure horizontal structure, effectively prevent liquid penetration into the pump; it can be fixed on the pole or placed on the desk	
25 26 27 28	stainless steel; 4 hooks , 90degrees to each other, screw height adjustment; non-weighted base weight; twin castors GOOSENECK LAMP droplight with cover; stainless steel with wheels; flexible gooseneck allows for directional lighting IV INFUSION PUMP Alarms: Finish infusion, occlusion, bubble, door open, power supply breakdown, battery low, battery exhausted, no operation, system error, not-calibration, KVO complete, drip sensor abnormal Display range: 0-9999ml Power: AC110-230, 50/60 Hz Electric shock protection/class: Class 1 and internal power supply: type CF continuous operation Water proof level: IP X 4 Communication: Cable - Serial RS232; Wireless communication - ZigBee infusion rate: 3 modes - drip/min, mL/h, time/volume Infusion mode setting: Rate mode, drip mode, weight mode, and time (four types of infusion mode) Top quality driving motor, less vibration, lower noise Dual-CPU monitoring, more secure horizontal structure, effectively prevent liquid penetration into the pump; it can be fixed on the pole or placed on the desk SYRINGE PUMP	

	functions. K.V.O. rate, Purge rate, Bolus and Anti bolus can be setup	
	as operating application. Occlusion, K.V.O. (Infusion completion), Standby, near empty, Low	
	battery, Device malfunction (CPU error), Clamp/Handle lever/ Slider	
	disengaged, Syringe disengaged special function. Keypad lock, Shortcut key, Retain memory, Remaining time, Alarm	
	repeat, Open system, K.V.O., Purge, Bolus, Anti Bolus, Occ. level,	
	History call-back, Dosage mode(Option), Nurse call(Option), Profile(Option), Drug labeling(Option), Central system(Option)	
30	SUCTION MACHINE THOMAS WITH WHEELS	
	oil free, with wheels, no positive pressure during using	
31	SUCTION MACHINE heavy duty portable suction machine	
32	PEDIATRIC CRIB	
32	Easy access drop sides and ends for 360 degree patient access; 5	
	swivel Whisper-Glide Casters - 2 braking; ball bearing design; Solid	
	pan sleeping surface (non-helical design); safety extender (on all gatch decks; Available with various sleep surfaces, flat pan deck,	
	gatch deck, Trend Deck and Trendelenburg deck;	
33	INTUBATING STYLET FR 6 made from malleable aluminum, covered with plastic sheath with a	
	lubricated silk-slip surface; sheath tip is rounded to reduce the risk	
	of trauma if the stylet extends beyond the tip of the endotracheal	
34	tube INTUBATING STYLET FR 10	
3-1	made from malleable aluminum, covered with plastic sheath with a	
	lubricated silk-slip surface; sheath tip is rounded to reduce the risk	
	of trauma if the stylet extends beyond the tip of the endotracheal tube	
35	INTUBATING STYLET FR 12	
	made from malleable aluminum, covered with plastic sheath with a lubricated silk-slip surface; sheath tip is rounded to reduce the risk	
	of trauma if the stylet extends beyond the tip of the endotracheal	
	tube	
36	INTUBATING STYLET FR 14 made from malleable aluminum, covered with plastic sheath with a	
	lubricated silk-slip surface; sheath tip is rounded to reduce the risk	
	of trauma if the stylet extends beyond the tip of the endotracheal tube	
37	ALLIS BABY TISSUE FORCEP - 13.5cm long 4 x 5 teeth	
38	ALLIS BABY TISSUE FORCEP - 15cm long 5 x 6 teeth	
39	ALLIS BABY TISSUE FORCEP - 25cm long x5 teeth 5 x 6 teeth	
40	BANDAGE SCISSOR 5 inches utility scissors, small, 13cm	
40	BANDAGE SCISSON S INChes deliney scissors, sindin, 15cm	
41	BANDAGE SCISSOR 7 inches utility scissors, small, 18cm	
42	BANDAGE SCISSOR 8 inches utility scissors, small, 18cm	
43	BRISTLE CLEANING BRUSH - Stainless Steel; autoclavable	
44	BRISTLE CLEANING BRUSH - (Nylon)	
45	CUSHING DRESSING FORCEP - 17.5 cm straight serrated tip	
46	DRESSING FORCEP - 15cm long, square jaw, 2mm serrated, tungsten carbide	
47	DRESSING FORCEP - 20cm long, square jaw, 2mm serrated, tungsten carbide	
48	CRIBBET - stainless steel	
49	YANKAUER SUCTION SET - transparent tubes; sturdy shatter-	
	resistant; 210cm kink-free transparent non-collapsible tubing;	
	funnel connector to ensure tight grip	

50	atraumatic distal tip; Built-in tip and tubing; 210cm L with Fr 24 connector; open distal end	
51	THUMB - 5 ½ inches stainless steel	
52	HEMOSTATIC FORCEP STRAIGHT 6 inches	
53	HEMOSTATIC FORCEP CURVE 6 inches	
54	HEMOSTATIC FORCEP STRAIGHT 7 inches	
55	HEMOSTATIC FORCEP CURVE 7 inches	
56	HEMOSTATIC FORCEP MOSQUITO STRAIGHT	
57	Iris straight with round shanks 4 ½ inches (11.5cm)	
58	Iris curved with round shanks 4 ½ inches (11.5cm)	
59	Mayo straight/dissecting 5 ½ inches (14cm)	
60	Mayo straight/dissecting 6 ¼ inches (16cm)	
61	Mayo straight/dissecting 9 inches (23cm)	
62	Mayo Curved/dissecting 5 ½ inches (14cm)	
63	Mayo Curved/dissecting 6 ¼ inches (16cm)	
64	Mayo Curved/dissecting 9 inches (23cm)	
65	Metzenbaum curved 5 ½ inches 14cm blade length; 42mm mid screw to tip	
66	Metzenbaum Regular straight BL/BL 7 inches (18cm)	
67	Metzenbaum Regular straight BL/BL 8 inches (20cm)	
68	Metzenbaum Regular curve BL/BL 7 inches (18cm)	
69	Metzenbaum Regular curve BL/BL 8 inches (20cm)	
70	Metzenbaum Delicate curve BL/BL 7 inches (18cm)	
71	Metzenbaum Delicate curve BL/BL 8 inches (20cm)	
72	Metzenbaum Delicate straight BL/BL 7 inches (18cm)	
73	Metzenbaum Delicate straight BL/BL 8 inches (20cm)	
74	Needle Holder 13cm 5 ½ inches; delicate jaw	
75	Needle Holder 17cm 6 ¾ inches; delicate jaw	
76	Neurologic Hammer - stainless steel tapered handle tip; PVC bumper	
77	Oxygen regulator (compressed air)	
78	Oxygen regulator with humidifier	
79	Oxygen regulator (wall mount)	

80	PULSE OXIMETER - high resolution 2.4 inches color display; light	
	and compact handheld design; with medical grade AC/DC charger;	
	auto-rotate screen; visual and sound alarms; type of protection	
	against electric shock; with internal power device; comes with adult	
	probe, pediatric probe and neonatal strap per unit	
81	SCALPEL BLADE NO.3 stainless steel	
82	SCALPEL BLADE NO.4 stainless steel	
83	SOAKING TRAY 36cm x 27cm; stainless steel	
84	SOAKING TRAY 32cm x 27cm; stainless steel	
85	SOAKING TRAY 27cm x 20cm; stainless steel	
86	TISSUE FORCEPS 15cm long 1 x 2 teeth; stainless steel	
87	BASSINET	
88	UV LIGHT	
89	GLUCOMETER MACHINE	
В.	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:

Technical Specifications Page 6 of 6

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Do	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
<u>Technica</u>	al Documents
(b) S	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed
(d)	by the QC-BAC-GOODS AND SERVICES); <u>and</u> Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
(e)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>
(f)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financia (g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);
	or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
(h)	Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or
	duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
Other do	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
[(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

(a)	Original of duly signed and accomplished Financial Bid Form; and
(b)	Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

- Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.
- Statement of Warranty minimum of One (1) Year warranty

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

