

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF FIREMAN'S SUIT

PROJECT NO. OCM(POPS)-22-SOP-996

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	n II. Instructions to Bidders	12
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	
6.	Origin of Goods	
7.	Subcontracts	
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components 154	
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	15
13.	Bid and Payment Currencies	
14.	Bid Security	
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	n III. Bid Data Sheet	19
Sectio	n IV. General Conditions of Contract	21
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	
5.	Warranty	22
6.	Liability of the Supplier	23
Sectio	n V. Special Conditions of Contract	24
Sectio	n VI. Schedule of Requirements	28
Sectio	n VII. Technical Specifications	
Sectio	n VIII. Checklist of Technical and Financial Documents	30

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

- **CIF** Cost Insurance and Freight.
- CIP Carriage and Insurance Paid.
- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."
- **DTI** Department of Trade and Industry.
- **EXW** Ex works.
- FCA "Free Carrier" shipping point.
- **FOB** "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



INVITATION TO BID

January 09, 2023

	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
			LINE 1: SOLID WASTE CLEANUP, COLLECTION AND DISPOSAL PROJECT 2023 FOR DISTRICT I	P 286,078,495.50	FUND	TEMOD
			LINE 2: SOLID WASTE CLEANUP, COLLECTION AND DISPOSAL PROJECT 2023 FOR DISTRICT II	P 213,441,736.60		
-	DSQC-23-SERVICES-	DEPARTMENT OF SANITATION AND CLEANUP WORKS OF	LINE 3: SOLID WASTE CLEANUP, COLLECTION AND DISPOSAL PROJECT 2023 FOR DISTRICT III	P 236,219,444.10	GENERAL	10 MONTHS
1	0002	QUEZON CITY	LINE 4: SOLID WASTE CLEANUP, COLLECTION AND DISPOSAL PROJECT 2023 FOR DISTRICT IV	P 347,524,078.20	FUND	IO MONTHS
			LINE 5: SOLID WASTE CLEANUP, COLLECTION AND DISPOSAL PROJECT 2023 FOR DISTRICT V	P 230,024,639.40		
			LINE 6: SOLID WASTE CLEANUP, COLLECTION AND DISPOSAL PROJECT 2023 FOR DISTRICT VI	P 256,549,094.50		
2	OCM(CAO)-22-IT-1785	OFFICE OF THE CITY MAYOR (CITY ADMINISTRATOR'S OFFICE)	QUEZON CITY - QC E-SERVICES PLATFORM CLOUD HOSTING, WEB APPLICATION FIREWALL & SECURITY SERVICES	P 29,000,000.00	GENERAL FUND	60 CD
3	OCM(CAO)-22-IT- 1786	OFFICE OF THE CITY MAYOR (CITY ADMINISTRATOR'S OFFICE)	SUPPLY AND DELIVERY OF TECHNICAL MAINTENANCE SERVICES OF THE QUEZON CITY QC-ESERVICES PORTAL	P 9,875,000.00	GENERAL FUND	60 CD
4	OCM(CAO)-22-IT- 1787	OFFICE OF THE CITY MAYOR (CITY ADMINISTRATOR'S OFFICE)	SUPPLY, DELIVERY, DEVELOPMENT, INSTALLATION, TESTING AND DEPLOYMENT OF THE QUEZON CITY CIVIL SOCIETY REGISTRATION SYSTEM	P 23,000,000.00	GENERAL FUND	60 CD
5	OCM(CAO)-22-IT- 1788	OFFICE OF THE CITY MAYOR (CITY ADMINISTRATOR'S OFFICE)	SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING OF QUEZON CITY HEALTH INFORMATION SYSTEM (QC HIS)	P 30,000,000.00	GENERAL FUND	6 MONTHS
6	OCM(POP5)-22-SOP- 996	OFFICE OF THE CITY MAYOR – POPS PLAN	FIREMAN'S SUIT	P 28,990,000.00	GENERAL FUND	90 CD
7	OCM(POPS)-22-SOP- 997	OFFICE OF THE CITY MAYOR – POPS PLAN	THERMAL IMAGER	P 1,986,548.94	GENERAL FUND	90 CD
8	OCM(POPS)-23-IME- 0119	OFFICE OF THE CITY MAYOR – POPS PLAN (MDAD)	BIO-WASTE CONVERTER TECHNOLOGY WITH LEACHATE TREATMENT SYSTEM AND OTHERS	P 22,404,200.00	GENERAL FUND	90 CD
9	QCDRRMO-22- VEHICLES-1630B	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE (ENGINEERING DEPARTMENT)	GARBAGE CRANE WITH CLAMSHELL BUCKET FOR DREDGING	P 9,000,000.00	TRUST FUND	180 CD
10	CTO-22-FURNITURE- 1765	CITY TREASURER'S OFFICE	GANG CHAIR AND OTHERS	P 3,167,350.00	GENERAL FUND	30 CD
11	QCPL-23- NEWSPAPERS-0107	QUEZON CITY PUBLIC LIBRARY	SUPPLY AND DELIVERY OF VARIOUS NEWSPAPER	P 2,500,027.75	GENERAL FUND	10 MONTHS
12	CGSD-23-SSI-0108	CITY GENERAL SERVICES DEPARTMENT	SECURITY SERVICES FOR QUEZON CITY PUBLIC MARKETS (PACKAGE V)	P 23,404,750.00	GENERAL FUND	10 MONTHS

Page 1 of 4

13	CGSD-23-SERVICES- 0128	CITY GENERAL SERVICES DEPARTMENT	PREVENTIVE MAINTENANCE OF GENERATOR SETS	P 1,982,618.34	GENERAL FUND	10 MONTHS
	- CONSO-23-JS1-0115	CITY GENERAL SERVICES DEPARTMENT (HEALTH)	LINE 1: JANITORIAL SERVICES FOR VARIOUS HEALTH CENTERS, LYING-IN CLINICS AND LABORATORIES	P 19,335,304.96	GENERAL FUND	10 MONTHS
14		CITY GENERAL SERVICES DEPARTMENT (QCGH)	LINE 2: JANITORIAL SERVICES FOR MEDICAL FACILITIES (HOPE 4) LOCATED AT QUEZON CITY GENERAL HOSPITAL	P 3,668,470.72	GENERAL FUND	10 MONTHS
		QUEZON CITY GENERAL HOSPITAL	LINE 3: JANITORIAL SERVICES FOR QUEZON CITY GENERAL HOSPITAL	P 17,435,420.78	GENERAL FUND	10 MONTHS
		BUSINESS PERMITS AND LICENSING DEPARTMENT	LINE 1: ENGAGEMENT OF COURIER SERVICES FOR THE DELIVERY OF DOCUMENTS LINKED TO THE AUTOMATED DOCUMENT DELIVERY SYSTEM OF THE BUSINESS PERMITS AND LICENSING DEPARTMENT OF QUEZON CITY	P 9,346,048.00	GENERAL FUND	10 MONTHS
15	CONSO-23- SERVICES-0116	CITY ASSESSOR'S OFFICE	LINE 2: ENGAGEMENT OF COURIER SERVICES FOR THE DELIVERY OF VARIOUS ASSESSMENT DOCUMENTS TO REAL PROPERTY OWNER LINKED TO THE AUTOMATED DOCUMENT DELIVERY SYSTEM OF THE OFFICE OF THE ASSESSOR OF QUEZON CITY	P 5,833,334.00	GENERAL FUND	10 MONTHS
		CITY CIVIL REGISTRY DEPARTMENT	LINE 3: ENGAGEMENT OF COURIER SERVICES FOR THE DELIVERY OF DOCUMENTS LINKED TO THE AUTOMATED DOCUMENT DELIVERY SYSTEM OF THE QUEZON CITY CIVIL REGISTRY DEPARTMENT (CCRD)	P 1,875,000.00	GENERAL FUND	10 MONTHS
16	QCGH-23-MSLI-0105	QUEZON CITY GENERAL HOSPITAL	MEDICAL OXYGEN REFILL AND OTHERS	P15,639,188.20	GENERAL FUND	10 MONTHS
17	OCGH-22-HME-1753	QUEZON CITY GENERAL	LINE 1: CT-SCAN MACHINE	P 130,000,000.00	HOSPITAL DEVELOPMENT FUND	120 CD
17	QCGH-22-IIIWE-1733	HOSPITAL	LINE 2: HEMODIALYSIS MACHINE AND OTHERS	P 34,303,960.00	HOSPITAL DEVELOPMENT FUND	120 CD
			QUEZON CITY BUS AUGMENTATION PROGRAM: LINE 1: ROUTE 1 QUEZON CITY HALL TO CUBAO (VICE VERSA)	P 33,265,221.00	GENERAL FUND	10 MONTHS
			QUEZON CITY BUS AUGMENTATION PROGRAM: LINE 2: ROUTE 2 QUEZON CITY HALL TO LITEX (VICE VERSA)	P 73,113,240.00	GENERAL FUND	10 MONTHS
			QUEZON CITY BUS AUGMENTATION PROGRAM: LINE 3: ROUTE 3 WELCOME ROTONDA TO AURORA KATIPUNAN (VICE VERSA)	P 29,837,102.00	GENERAL FUND	10 MONTHS
			QUEZON CITY BUS AUGMENTATION PROGRAM: LINE 4: ROUTE 4 QUEZON CITY HALL TO GEN. LUIS (VICE VERSA)	P 86,648,915.00	GENERAL FUND	10 MONTHS
18	CAO-23-SERVICES- 0120		QUEZON CITY BUS AUGMENTATION PROGRAM: LINE 5: ROUTE 5 QUEZON CITY HALL TO QUIRINO HIGHWAY VIA VISAYAS AVE. (VICE VERSA)	P 43,951,968.00	GENERAL FUND	10 MONTHS
			QUEZON CITY BUS AUGMENTATION PROGRAM: LINE 6: ROUTE 6 QUEZON CITY HALL TO GILMORE (VICE VERSA)	P 34,141,468.00	GENERAL FUND	10 MONTHS
			QUEZON CITY BUS AUGMENTATION PROGRAM: LINE 7: ROUTE 7 QUEZON CITY HALL TO ORTIGAS AVE. EXT. (VICE VERSA)	P 32,294,771.00	GENERAL FUND	10 MONTHS
			QUEZON CITY BUS AUGMENTATION PROGRAM: LINE 8: ROUTE 8 QUEZON CITY HALL TO MUÑOZ (VICE VERSA)	P 39,888,846.00	GENERAL FUND	10 MONTHS

IB FOR JANUARY 30, 2023 - ABOVE

Page 2 of 4

19	CAO-23-FUEL-0122	CITY ADMINISTRATOR'S OFFICE	PROCUREMENT OF FLEET CARD SYSTEM FOR THE PROVISION OF FUEL, OIL, LUBRICANTS AND OTHER RELATED SERVICES FOR THE SERVICE MOTOR VEHICLES AND OTHER EQUIPMENT OF THE QUEZON CITY GOVERNMENT	P 249,550,273.00	GENERAL FUND	10 MONTHS
20	CAO(TTMD)-23-PS2- 0123	CITY ADMINISTRATOR'S OFFICE (TTMD)	PRINTING OF TRIP TICKETS	P 2,660,000.00	GENERAL FUND	11 MONTHS

- The QUEZON CITY LOCAL GOVERNMENT, through the General Fund, Hospital Development Fund and Trust Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3.

Bidding will be conducted through open competitive bidding procedures using a non-discretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

- a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 8:00 a.m. - 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **Tuesday**, January 10, 2023 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

STANDARD RATES:

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- The Quezon City Local Government will hold a Pre-Bid Conference on 10:30 A.M. of Tuesday, January 17, 2023 at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre-Bid Conference Meeting Join Zoom Meeting https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1Q T09

Meeting ID: 848 3500 2246 Passcode: 154733

- Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of Monday, January 30, 2023. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 01:00 P.M. of **Monday, January 30, 2023** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING Join Zoom Meeting https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz0 9

Meeting ID: 858 5085 5933 Passcode: 118682

- 10. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u> Tel. No. (02)8988-4242 loc. 8506/8710 Website: <u>www.quezoncity.gov.ph</u>

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

A T. SANTOS Chairperson, OC-BAC-Goods and Services

IB FOR JANUARY 30, 2023 - ABOVE

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF FIREMAN'S SUIT** with identification number **OCM(POPS)-22-SOP-996.**

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **one (1**) *item*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2022** in the amount of TWENTY EIGHT MILLION NINE HUNDRED NINETY THOUSAND PESOS AND 00/100 ONLY (Php 28,990,000.00).
- 2.2. The source of funding is:
 - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of **Non-Expendable Supplies and Services**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **fifty percent (50%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security *in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government.* Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB	
Clause 5.3	For this purpose, contracts similar to the Project shall be:
	 a. A single contract similar to the items to be bid and must be at least fifty percent (50%) of the ABC. b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the CORDAND CORDAND SUPPORTS.
	QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	 a. The amount of not less than <i>Php579,800.00</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Php1,449,500.00</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	• no additional requirements
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	• no additional requirements

Bid Data Sheet

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [*indicate place of destination*]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is *[indicate name(s)]*. Incidental Services – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

	Contract Description Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF FIREMAN'S SUIT PROJECT NO. OCM(POPS)-22-SOP-996

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	With the following minimum technical specifications:			
1	FIREMAN'S SUIT	set	223	
	 Coat and Trousers Material Outer shell - Flame Resistant and water repellant fabric, pre-shuck and firmly woven in rip weave with yarn plied, double and twisted for extra strength. Flame quits breathable inner (thermal) barrier sewn to a moisture barrier membrane material. Wrestle/Sleeve Cuffs - made of fire resistant materials. Collar and its Closure System - Consist of an outer shell, moisture barrier, and thermal barrier with the same materials as the coat and trouser. It is further lined with water repellent fire resistant material. Waistband- Elasticized with Ultra Abrasion resistance nylon at the side. Straps/ Suspenders Made of two (2) Ultra Abrasion resistance nylon webbing. Hanger loop Made of high strength fabric. Pads Made of the same materials as the coat and trouser. Construction Inner Linings Coat- Retractable/ detachable using snap type "Velcro" or its equivalent type as per manufacturers design. Trouser-Configure as a Single layer or multiple layers and have a means of sewing such components to the outer shell. Extend a minimum to the waistline seam of the trousers, and to within 75 mm of the bottom outer shell hems of the trousers. Shoulder and Back Yoke - Permanently reinforced from a point on the front of the coat at 150 mm ± 10mm from the crown of the shoulder to a point on the back of the coat at 190 mm ± 10 mm from the bottom of the collar by a double thickness of the cloth. Sleeves-Set-in with fitted shoulders and attached to the coat so that there is no restriction of arm movement and the wrist are covered when the arms raised above the head. Wristlet-Snug fitting rib-knitted black wristlet/sleeve cuffs attached each sleeves. 			Within Ninety (90) Calendar Days Upon Issuance of Notice to Proceed

Schedule of Requirements Page 1 of 6

• Collar -The collars stand up and insulated with 80		
mm \pm 10 mm in height skin when the collar is in a		
closed position. The collar is snug fitting and		
comfortable and completely cover the neck and		
throat when in raised position. A strap of at least a		
minimum of 65 mm width x l60 mm Length or at an		
appropriate proportion was sewn to the underside of		
the collar on the left side and shall be closed by snap		
fastener. No snap has direct contact with the skin		
when the collar is in the closed position.		
Waistband- Equipped with adjustable heavy duty		
plastic buckle of 32 mm.		
 Straps / Suspenders Equipped with quick release 		
adjustable straps of 38mm with padded shoulders,		
heavy duty thermoplastics buckle at the back and		
front and H-back or equivalent style detachable		
design suspenders.		
 Body Stitch and seams- All seams are reinforced 		
double stitched, at least two-piece heavy duty for		
coat's back seam, with fire/ flame resistance thread		
treated for water proofing except for those high stress areas like collar line, sleeve line and side seam		
line (coat); buttocks line and waistline area (trouser)		
were triple stitched or other similar reinforced		
stitched of equivalent strength.		
 Storm Flap and Closure systems are secured of snap 		
type (VELCRO) fastener constructed in a manner		
that provides continuous moisture and thermal		
protection and heavy-duty zipper of non-corrosive		
materials. At least a minimum of 135mm ± 15mm		
overlap when the front of the coat is closed.		
 Retro-reflective Trims/ Stripes and Markings - A 		
yellow permanent luminous "BFP" marking		
provided at the back of the coat. Yellow fluorescent		
and retro-reflective circumferential bands of the		
trims/stipes at least 50 mm wide, permanently		
attached to the outer shell of the coat and trouser to		
meet visibility requirements. Provided around on the		
following areas of the outer shell for visibility		
enhancement;		
• Coat- One (1) stipe at the mid-level, one (1) stripe		
at the bottom level and one (1) stripe at each		
forearm.		
Trouser - One (1) stripe around each leg below		
knee area.		
Hanger loop- Provided at the center back collar line		
(coat); center back waistline (trouser) for hanging		
and drying purposes. It is conspicuously hidden		
under the collar (coat); trouser when they are in use.		
 Pads- Size dimension of the shoulder, elbow and 		
knee pads are proportionate to the schedule size and		
gender user of the coat and trouser. Both perimeters		
of knee pads are lock stitched for non-slip rugged		
performance for crawling, climbing, bending and		
kneeling. Leather reinforced cuffs provided for		
extended wear.		
 Pockets All pockets with the same color of the coat 		
and trouser, have snap strap closure system with		
secured with a snap type (VELCRO) fastener. A		
means of draining water and fastening them in the		
closed position are provided.		
ciosca position are providea.		

Schedule of Requirements Page 2 of 6

	[Γ
FIRE GLOVES		
GENERAL DESCRIPTION A brand-new five-finger design FIREFIGHTER'S GLOVES or FIRE GLOVES made of high strength materials, heat, flame, cut, puncture, and water resistant. that is essentially composed of a fire-resistant fabric outer shell, moisture barrier and thermal lining that delivers protection without sacrificing dexterity. The gloves shall remain soft and durable after repeated washing and stays supple, flexible, and provides comfort with even long periods of use. It shall be provided by a closely fitted wristlet that extends beyond the opening of the glove body to cover the wrist area.		
Over-all design and construction features shall be guided by latest applicable standards such as National Fire Protection Association (NFPA) and/or European Norms (EN) and passing the specified performance tests requirements in this specification.		
TECHNICAL REQUIREMENTS		
A. MATERIALS		
A.1 OUTER SHELL The outer shell shall be of leather or of equivalent strength or alternate composite material duly certified and designed with flame. thermal and mechanical resistance properties. It shall be water repellant and firmly sewn together. The gloves when machine washed shall not lose its properties of good thermal insulation, resistance against abrasion and sharp edges.		
A.2 INNER LINERS The Inner liners shall be composed of breathable thermal and breathable waterproof moisture barriers made of polyurethane or equivalent material and sewn to outer shell at finger tips with extra strong flame resistant thread.		
A.3 WRISTLET A flame-resistant close-fitting wristlet which shall extend circumferentially beyond the wrist crease not less than 50 mm (2 in] and of dark tone/shade knitted fabric to minimized dirt staining effect or of equivalent type shall be provided to restrict the entry of ember and other foreign materials.		
B. SEAMS All seams shall be fully lock-stitched or of equivalent method and treated for water proofing for better tactility.		
C. HANGER LOOP A glove hanger loop shall be provided for hanging and drying purposes.		
D. WEIGHT The average weight of a pair of medium size firefighter's gloves shall not weigh greater than 370 grams ‡10%.		

E. SIZES			
Firefighter gloves shall be available in all of the ASIAN			
built sizes (Extra Small, Small, Medium, Large, Extra			
Large and Double Extra Large).			
F. COLOR			
Color shall be of Dark Blue or Black only and low-			
lading type.			
lianing type.			
FIREFIGHTER'S BOOTS			
Materials -Made of Multi layered premium grade			
· · ·			
natural rubber or poly-rubber materials.			
• TOE - protected by a composite toecap.			
• Heel- area is of comfort it, designed to hold the heel			
snugly in place and eliminating "heel slip".			
• Insole- A thick cushioned insole generally made of			
knitted nylon-fabric or equivalent headed to the			
material in the heel of the felt-lined boots. Its guards			
against the break-up and oiling of feet in heel area			
that causes blisters and infections.			
• Midsole Equipped with a flexible stainless steel or			
midsole contour molded for foot fit and protects			
against punctures. It is provided with a minimum of			
10 millimeters of felt midsole to absorb heat and cold			
for maximum comfort.			
 Inner Lining- A heat resistant fabric inner lining is 			
provided for safety and comfort of the user.			
• Loops- loops made of rubber or of better material			
control, grip and ease in donning the boots. Colors-			
Over-all color of the shell is Opaque Black. It has			
yellow stripe for toecap, toe, mid sole and top line for			
maximum visibility.			
• Height - As per manufacturer's standard.			
• Weight - As per manufacturer's standard.			
Size- Available in all the following US size or			
Equivalent European or UK size that can			
accommodate the actual Asian Size.			
Men's 7-13, including half sizes and minimum of			
three widths.			
Women's 5-10, including half size and a minimum of three widths.			
unee widths.			
EIDE HEI MET Specificationer			
FIRE HELMET Specifications:			
(COLOR RED: 31 PCS & COLOR WHITE: 192 PCS)			
GENERAL REQUIREMENT			
A. A brand new FIREFIGHTER'S HELMET made of a			
high impact, electrically insulated, puncture resistant,			
heat resistant, and chemical resistant materials.			
B. Its over-all design and construction features shall be			
guided by latest applicable standards such as,			
National Fire Protection Association (NFPA) and/or			
European Norms (EN) for structural firefighting			
purposes and passing the specified performance tests			
requirements in this specification.			
C. The helmet shall have no openings penetrating the			
shell other than those provided by the manufacturer			
for mounting energy absorbing systems, retention			
systems, and other accessories.			
D. It shall be adaptable for Self-Contained Breathing			
Apparatus (SCBA) application.			
	Schedi	ute of Kequir	ements Page 4 of 6

Schedule of Requirements Page 4 of 6

	r		
E. The helmet shall consist of at least the following			
assembled components.			
1. A Shell			
2. Energy Absorbing System			
3. Retention System			
4. Retractable Visor			
5. Ears and Neck Cover			
6. Fluorescent and Retroreflective Trim.			
A. SHELL (Outer Shell)			
1. Shell Material - shall be made of composite material			
of either thermoplastic or heat resistant synthetic-			
fiber materials and of smoothed finish.			
2. Trim - The helmet shall have fluorescent and			
retroreflective trim on the shell exterior.			
a. The entire surface area of the trim shall be both			
fluorescent and retroreflective.			
b. Shall be composed of a single or dashed horizontal			
strip with a total/aggregate surface area of at least			
12,400 mm? and a height of not less than 25 mm (1			
c. It shall have a Coefficient of Retroreflection (Ra) of			
not less than 100 cd/lux/m2 (100 cd/fc/#2).			
d. The color shall either be fluorescent yellow-green OR			
lime yellow.			
NOTE: This requires submission of material			
certification and test certificates supported with test			
report/results issued by qualified third party testing			
laboratory or certifying body/agency covering the			
shell.			
3. Brim - shall be ergonomically and circumferentially			
designed with the rear part being extended to a			
downward angle that is approximately 60-85			
millimeters (mm) long and 260 mm wide ‡ 10%.			
4. Brim Guard - shall be composed of edge trim that			
will not melt, drip or burn at high temperature and			
providing extra durability to the helmet edge.			
5. Visor Port or Attachment - shall be provided for			
holding/retaining the visor assembly			
D ENERCY ARCORDING OVETEN			
B. ENERGY ABSORBING SYSTEM			
1. Inner shell or Impact Liner - shall be made of heat			
resistant polycarbonate/thermoplastic/high strength			
nylon material designed to address the impact force.			
2. Inner Liner / Comfort Liner - Removable, made of			
urethane foam located between the outer shell and			
Inner shell.			
C DETENTION OD HEAD CLICDENCION SVETERA			
C. RETENTION OR HEAD SUSPENSION SYSTEM			
1. Helmet Retention and Adjustment System			
a. Head Band - shall be made of plastic designed to			
receive, retain head sizes from six (6) to eight (8) with			
liner made of standard flannel for ease and			
comfortable fit.			
b. Nape Device - shall be provided as part of the			
headband and located below the "Bitragion Inion			
Arc" to aid in helmet retention and provided with			
padding for ease and comfort.			
c. Ratchet Adjustment System - shall be provided and			
located at the nape device to allow proper			
		f Doguinau aut	

Schedule of Requirements Page 5 of 6

_		
	adjustment for the headband to fit and prevents	
	backing out or slipping during use.	
	2. Crown Strap - The crown strap assembly shall be	
	made of ¾ in. nylon woven straps connected to at	
	least four attachment point to serve as impact cap's	
	suspension.	
	3. Chin Strap - shall be made of high strength and flame-	
	resistant fabric material with quick-release buckle and	
	with easy adjustment feature for efficient	
	performance, safety and fit. The chin strap shall have	
	a minimum width of 19 mm.	
	D. VISOR	
	1. Visor configuration - shall be made of Polycarbonate	
	material at least 110 mm ‡ 10% shapes molded,	
	optically correct, designed to fit over breathing	
	apparatus face masks with anti-scratch lens coating.	
	The visor shall have a safety reference standard of	
	NFPA 1971 or EN 166 or its acceptable equivalent and	
	shall meet the respective requirements for visor in	
	accordance with ANSI/ISEA Z87.1. Occupational and	
	Educational Personal Eye and Face Protection Device	
	2. Retention System - shall be provided to safely secure	
	on both sides the visor through a hardware made of a	
	high impact, fire retardant material that will not	
	corrode.	
	E. EAR AND NECK COVER/PROTECTION	
	1. Made of heat and flame-resistant fabric material with	
	a temperature rating of not less than 180°C of full-	
	sized design sufficient to cover the ears and neck	
	portion with added two layers of fire-resistant cotton	
	fabric (aluminum coated fabric is not acceptable).	
	2. Retention System - shall be provided to securely	
	attach the cover to the main shell by snap type	
	fasteners (e.g., nylon hook and loops).	
	H. MISCELLANEOUS	
	1. Helmet Hanger - shall be of a standard D-ring type	
	made of stainless steel securely fastened at the center of	
	the rear brim.	
	Standard requirements:	
	-Fire suit- NFPA 1971-2018 and/or EN 469:2005	
	-Fire Helmet -NFPA 1971-2018 and/or EN 449:2008	
	-Fire Gloves (short cuff) - NFPA 1971-2018 and/or EN 445:2008	
	659	
	-Fire Boots NFPA 1971-2018 and/or EN15090	
	*Certificate of EN and test result must be attached in	
1		
I	compliance for the technical specifications of the item	
1	being offer.	

I hereby certify to comply and deliver all the above requirements.

Name: _______
Legal Capacity: ______
Signature: ______

Duly authorized to sign the Bid for and behalf of: _____

Schedule of Requirements Page 6 of 6

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF FIREMAN'S SUIT PROJECT NO. OCM(POPS)-22-SOP-996

Specification	Statement of Compliance
	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross- referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
With the following minimum technical specifications:	
FIREMAN'S SUIT	
 Coat and Trousers Material Outer shell - Flame Resistant and water repellant fabric, pre- shuck and firmly woven in rip weave with yarn plied, double and twisted for extra strength. Flame quits breathable inner (thermal) barrier sewn to a moisture barrier membrane material. Wrestle/Sleeve Cuffs - made of fire resistant materials. Collar and its Closure System - Consist of an outer shell, moisture barrier, and thermal barrier with the same materials as the coat and trouser. It is further lined with water repellent fire resistant material. Waistband- Elasticized with Ultra Abrasion resistance nylon at the side. Straps/ Suspenders Made of two (2) Ultra Abrasion resistance nylon webbing. Hanger loop Made of high strength fabric. Pads Made of high strength fabric. Pockets Made of the same materials as the coat and trouser. 	
 Construction Inner Linings Coat- Retractable/ detachable using snap type "Velcro" or its equivalent type as per manufacturers design. Trouser-Configure as a Single layer or multiple layers and have a means of sewing such components to the outer shell. Extend a minimum to the waistline seam of the trousers, and to within 75 mm of the bottom outer shell hems of the trousers. Shoulder and Back Yoke - Permanently reinforced from a point on the front of the coat at 150 mm ± 10mm from the 	
	 With the following minimum technical specifications: FIREMAN'S SUIT Coat and Trousers Material Outer shell - Flame Resistant and water repellant fabric, preshuck and firmly woven in rip weave with yarn plied, double and twisted for extra strength. Flame quits breathable inner (thermal) barrier sewn to a moisture barrier membrane material. Wrestle/Sleeve Cuffs - made of fire resistant materials. Collar and its Closure System - Consist of an outer shell, moisture barrier, and thermal barrier with the same materials as the coat and trouser. It is further lined with water repellent fire resistant material. Waistband- Elasticized with Ultra Abrasion resistance nylon at the side. Straps/ Suspenders Made of two (2) Ultra Abrasion resistance nylon webbing. Hanger loop Made of high strength fabric. Pads Made of high strength fabric. Pads Made of the same materials as the coat and trouser. Construction Inner Linings Coat- Retractable/ detachable using snap type "Velcro" or its equivalent type as per manufacturers design. Trouser-Configure as a Single layer or multiple layers and have a means of sewing such components to the outer shell. Extend a minimum to the waistline seam of the trousers. Shoulder and Back Yoke - Permanently reinforced from a

	$90 \text{ mm} \pm 10 \text{ mm}$ from the bottom of the collar by a double
	hickness of the cloth.
• 5	Bleeves- Set-in with fitted shoulders and attached to the coat
s	to that there is no restriction of arm movement and the wrist
а	re covered when the arms raised above the head.
• \	Vristlet- Snug fitting rib-knitted black wristlet/sleeve cuffs
	ittached each sleeves.
• (Collar -The collars stand up and insulated with $80 \text{ mm} \pm 10$
	nm in height skin when the collar is in a closed position.
	The collar is snug fitting and comfortable and completely
	over the neck and throat when in raised position. A strap of
	It least a minimum of 65 mm width x l60 mm Length or at
	in appropriate proportion was sewn to the underside of the
	collar on the left side and shall be closed by snap fastener.
	No snap has direct contact with the skin when the collar is in
	he closed position.
	Vaistband- Equipped with adjustable heavy duty plastic
	puckle of 32 mm.
	Straps / Suspenders Equipped with quick release adjustable
	traps of 38mm with padded shoulders, heavy duty
	hermoplastics buckle at the back and front and H-back or
	equivalent style detachable design suspenders.
	Body Stitch and seams- All seams are reinforced double
	titched, at least two-piece heavy duty for coat's back seam,
	vith fire/ flame resistance thread treated for water proofing
	except for those high stress areas like collar line, sleeve line
	nd side seam line (coat); buttocks line and waistline area
	trouser) were triple stitched or other similar reinforced
	titched of equivalent strength.
• 5	Storm Flap and Closure systems are secured of snap type
(VELCRO) fastener constructed in a manner that provides
C	continuous moisture and thermal protection and heavy-duty
Z	tipper of non-corrosive materials. At least a minimum of
1	35 mm \pm 15mm overlap when the front of the coat is closed.
• F	Retro-reflective Trims/ Stripes and Markings - A yellow
F	permanent luminous "BFP" marking provided at the back of
t	he coat. Yellow fluorescent and retro-reflective
C	ircumferential bands of the trims/stipes at least 50 mm
v	vide, permanently attached to the outer shell of the coat and
t	rouser to meet visibility requirements. Provided around on
t	he following areas of the outer shell for visibility
e	enhancement;
	• Coat- One (1) stipe at the mid-level, one (1) stripe at the
	bottom level and one (1) stripe at each forearm.
	• Trouser - One (1) stripe around each leg below knee area.
	Hanger loop- Provided at the center back collar line (coat);
	enter back waistline (trouser) for hanging and drying
-	ourposes. It is conspicuously hidden under the collar (coat);
	rouser when they are in use.
• I	Pads- Size dimension of the shoulder, elbow and knee pads
	re proportionate to the schedule size and gender user of the
	oat and trouser. Both perimeters of knee pads are lock
	titched for non-slip rugged performance for crawling,
	limbing, bending and kneeling. Leather reinforced cuffs
-	provided for extended wear.
• I	ockets All pockets with the same color of the coat and
t	rouser, have snap strap closure system with secured with a
s	nap type (VELCRO) fastener. A means of draining water
а	and fastening them in the closed position are provided.

Technical Specifications Page 2 of 6

FIRE GLOVES

GENERAL DESCRIPTION

A brand-new five-finger design FIREFIGHTER'S GLOVES or FIRE GLOVES made of high strength materials, heat, flame, cut, puncture, and water resistant. that is essentially composed of a fire-resistant fabric outer shell, moisture barrier and thermal lining that delivers protection without sacrificing dexterity.

The gloves shall remain soft and durable after repeated washing and stays supple, flexible, and provides comfort with even long periods of use. It shall be provided by a closely fitted wristlet that extends beyond the opening of the glove body to cover the wrist area.

Over-all design and construction features shall be guided by latest applicable standards such as National Fire Protection Association (NFPA) and/or European Norms (EN) and passing the specified performance tests requirements in this specification.

TECHNICAL REQUIREMENTS

A. MATERIALS

A.1 OUTER SHELL

The outer shell shall be of leather or of equivalent strength or alternate composite material duly certified and designed with flame. thermal and mechanical resistance properties. It shall be water repellant and firmly sewn together. The gloves when machine washed shall not lose its properties of good thermal insulation, resistance against abrasion and sharp edges.

A.2 INNER LINERS

The Inner liners shall be composed of breathable thermal and breathable waterproof moisture barriers made of polyurethane or equivalent material and sewn to outer shell at finger tips with extra strong flame resistant thread.

A.3 WRISTLET

A flame-resistant close-fitting wristlet which shall extend circumferentially beyond the wrist crease not less than 50 mm (2 in] and of dark tone/shade knitted fabric to minimized dirt staining effect or of equivalent type shall be provided to restrict the entry of ember and other foreign materials.

B. SEAMS

All seams shall be fully lock-stitched or of equivalent method and treated for water proofing for better tactility.

C. HANGER LOOP

A glove hanger loop shall be provided for hanging and drying purposes.

D. WEIGHT

The average weight of a pair of medium size firefighter's gloves shall not weigh greater than 370 grams ‡10%.

E. SIZES

Firefighter gloves shall be available in all of the ASIAN built sizes (Extra Small, Small, Medium, Large, Extra Large and Double Extra Large).

F. COLOR

Color shall be of Dark Blue or Black only and low-lading type.

FIREFIGHTER'S BOOTS

- Materials -Made of Multi layered premium grade natural rubber or poly-rubber materials.
- TOE protected by a composite toecap.
- Heel- area is of comfort it, designed to hold the heel snugly in place and eliminating "heel slip".
- Insole- A thick cushioned insole generally made of knitted nylon-fabric or equivalent headed to the material in the heel of the felt-lined boots. Its guards against the break-up and oiling of feet in heel area that causes blisters and infections.
- Midsole Equipped with a flexible stainless steel or midsole contour molded for foot fit and protects against punctures. It is provided with a minimum of 10 millimeters of felt midsole to absorb heat and cold for maximum comfort.
- Inner Lining- A heat resistant fabric inner lining is provided for safety and comfort of the user.
- Loops- loops made of rubber or of better material control, grip and ease in donning the boots. Colors- Over-all color of the shell is Opaque Black. It has yellow stripe for toecap, toe, mid sole and top line for maximum visibility.
- Height As per manufacturer's standard.
- Weight As per manufacturer's standard.
- Size- Available in all the following US size or Equivalent European or UK size that can accommodate the actual Asian Size.

Men's 7-13, including half sizes and minimum of three widths.

Women's 5-10, including half size and a minimum of three widths.

FIRE HELMET Specifications:

(COLOR RED: 31 PCS & COLOR WHITE: 192 PCS)

GENERAL REQUIREMENT

- A. A brand new FIREFIGHTER'S HELMET made of a high impact, electrically insulated, puncture resistant, heat resistant, and chemical resistant materials.
- B. Its over-all design and construction features shall be guided by latest applicable standards such as, National Fire Protection Association (NFPA) and/or European Norms (EN) for structural firefighting purposes and passing the specified performance tests requirements in this specification.
- C. The helmet shall have no openings penetrating the shell other than those provided by the manufacturer for mounting energy absorbing systems, retention systems, and other accessories.
- D. It shall be adaptable for Self-Contained Breathing Apparatus (SCBA) application.
- E. The helmet shall consist of at least the following assembled components.
 - 1. A Shell
 - 2. Energy Absorbing System
 - 3. Retention System
 - 4. Retractable Visor
 - 5. Ears and Neck Cover
 - 6. Fluorescent and Retroreflective Trim.
- A. SHELL (Outer Shell)

1. Shell Material - shall be made of composite material of either
thermoplastic or heat resistant synthetic-fiber materials and
of smoothed finish.
2. Trim - The helmet shall have fluorescent and retroreflective
trim on the shell exterior.
a. The entire surface area of the trim shall be both fluorescent
and retroreflective.
b. Shall be composed of a single or dashed horizontal strip
with a total/aggregate surface area of at least 12,400 mm and
a height of not less than 25 mm (1 in.).
c. It shall have a Coefficient of Retroreflection (Ra) of not less
than 100 cd/lux/m2 (100 cd/fc/#2).
d. The color shall either be fluorescent yellow-green OR lime
yellow.
NOTE: This requires submission of material certification and
test certificates supported with test report/results issued by
qualified third party testing laboratory or certifying
body/agency covering the shell.
3. Brim - shall be ergonomically and circumferentially designed
with the rear part being extended to a downward angle that is
approximately 60-85 millimeters (mm) long and 260 mm wide
± 10%.
4. Brim Guard - shall be composed of edge trim that will not
melt, drip or burn at high temperature and providing extra
durability to the helmet edge.
5. Visor Port or Attachment - shall be provided for
holding/retaining the visor assembly
B. ENERGY ABSORBING SYSTEM
1. Inner shell or Impact Liner - shall be made of heat resistant
polycarbonate/thermoplastic/high strength nylon material
designed to address the impact force.
2. Inner Liner / Comfort Liner - Removable, made of urethane
foam located between the outer shell and Inner shell.
C. RETENTION OR HEAD SUSPENSION SYSTEM
1. Helmet Retention and Adjustment System
a. Head Band - shall be made of plastic designed to receive,
retain head sizes from six (6) to eight (8) with liner made of
standard flannel for ease and comfortable fit.
b. Nape Device - shall be provided as part of the headband and
located below the "Bitragion Inion Arc" to aid in helmet
retention and provided with padding for ease and comfort.
c. Ratchet Adjustment System - shall be provided and located
at the nape device to allow proper adjustment for the
• • • •
headband to fit and prevents backing out or slipping during
use.
2. Crown Strap - The crown strap assembly shall be made of ³ ⁄ ₄
in. nylon woven straps connected to at least four attachment
point to serve as impact cap's suspension.
3. Chin Strap - shall be made of high strength and flame-
resistant fabric material with quick-release buckle and with
easy adjustment feature for efficient performance, safety and
fit. The chin strap shall have a minimum width of 19 mm.
D. VISOR
1. Visor configuration - shall be made of Polycarbonate material
at least 110 mm ‡ 10% shapes molded, optically correct,
designed to fit over breathing apparatus face masks with anti-
scratch lens coating. The visor shall have a safety reference
standard of NFPA 1971 or EN 166 or its acceptable equivalent
and shall meet the respective requirements for visor in

Technical Specifications Page 5 of 6

accordance with ANSI/ISEA Z87.1. Occupational and	
Educational Personal Eye and Face Protection Device	
2. Retention System - shall be provided to safely secure on both	
sides the visor through a hardware made of a high impact,	
fire retardant material that will not corrode.	
E. EAR AND NECK COVER/PROTECTION	
1. Made of heat and flame-resistant fabric material with a	
temperature rating of not less than 180°C of full-sized design	
sufficient to cover the ears and neck portion with added two	
layers of fire-resistant cotton fabric (aluminum coated fabric is	
not acceptable).	
2. Retention System - shall be provided to securely attach the	
cover to the main shell by snap type fasteners (e.g., nylon	
hook and loops).	
H. MISCELLANEOUS	
1. Helmet Hanger - shall be of a standard D-ring type made of	
stainless steel securely fastened at the center of the rear brim.	
stantiess steel securely fastened at the center of the fear blint.	
Standard requirements:	
-Fire suit- NFPA 1971-2018 and/or EN 469:2005	
-Fire Helmet -NFPA 1971-2018 and/or EN 443:2008	
-Fire Gloves (short cuff) - NFPA 1971-2018 and/or EN 659	
-Fire Boots NFPA 1971-2018 and/or EN15090	
*Certificate of EN and test result must be attached in	
compliance for the technical specifications of the item being	
offer.	
Compliance to the Schedule of Requirements	
(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: ______

Technical Specifications Page 6 of 6

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

] (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

(b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**); **and**

- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 or

Original copy of Notarized Bid Securing Declaration; and

(e) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>
 (f) Original duly signed Omnibus Sworn Statement (OSS);

and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• no additional requirements

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp= sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

