



Quezon City Government



PO Number **2210084** 

Purchase Order

DEC 0 1 2022

Procuring Unit

: ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL

Project Number

:RMBGH-22-HME-769

Company Name

: DEXTEL TRADING

Mode of

:Public Bidding

Procurement

Address

: 0410 Tamblot Street, Cogon District, Tagbiliran City, Bohol

Resolution No.

:22-PB-354

:09177948854

Business Type

: Sole Proprietorship Registration #05686356

TIN Number Contact Number :185-832-665-000

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Rosario Maclang Bautista General Hospital

Delivery Schedule: Thirty (30) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
12	DROPLIGHT - Ormed bulb cover is made of thick anodized aluminum with high grade stainless lamp protector, Hard Glass Infrared Bulb, Gooseneck Arm for Flexibility, Variable Electronic Heat Intensity Control. T shape high grade stainless steel with caster wheel for easy transport, 220 volts, 0.5 Amp, 50/60 Hertz, 100-150 watts, 5000 hours, variable temperature (includes 2 extra bulbs for each droplight)	unit	10	4,810.00	48,100.00
13	ADULT WEIGHING SCALE - Ormed body weight balance to measure the height and weight of adults. Accurate and easily readable. Heavy duty and large weight capacity. With KG and LBS weight indicators Maximum Weight Capacity: 200kg Height Range: 70-190 cm, Gross Weight: 26.5kg	unit	5	9,620.00	48,100.00
14	LARGE OXYGEN CYLINDER CART - Ormed 50 lbs. used to conveniently transport heavy cylinder tanks with 2 hooks and chain to secure the cylinder tank while moving. Contoured hand grip with ribs and padded patterns to prevent slip. Collapsible cart when in Storage Body frame made from steel materials with protective finish Rear: 6inches PU flat Free Wheels Front: 3inches swivel caster wheels Net Weight: 7.9 kg Gross Weight: 8.9 kg Product Dimension: 100x44x78cm (not folded) 117x44x39cm (folded)	unit	20	6,500.00	130,000.00
	Warranty: One (1) Year on parts and service  ****** Nothing Follows ******				

Total Amount:

1,499,000.00

Total Amount In Words (Pesos):

One Million Four Hundred Ninety-Nine Thousand Pesos Only

MA. JOSEFINA City Mayor

Funds Available:

RUBY G. MANANGU City Accountant

Signature Over Printed Name of Supplier / Date

OBR: NW. 2003-11-13883

Approved Budget for the Contract: 1,499,930.00



Quezon City Government



PO Number

Purchase Order Date:

DEC 0 1 2022

Procuring Unit

: ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL

Project Number

:RMBGH-22-HME-769

Company Name

: DEXTEL TRADING

Mode of

:Public Bidding

Address

Procurement

:22-PB-354

:09177948854

: 0410 Tamblot Street, Cogon District, Tagbiliran City, Bohol

Resolution No. TIN Number

Contact Number

:185-832-665-000

Business Type

: Sole Proprietorship Registration #05686356

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Rosario Maclang Bautista General Hospital

Delivery Schedule: Thirty (30) Calendar Days

Payment Term:

Credit

Item	Unit of	QTY	Unit Cost	Amount
	Issue			
used to process the measurement, gives you consistent quality		2	170,000.00	340,000.00
Specifications: height: 168mm; length: 45mm; weight: 203g ± 10% width: 56mm Package includes: Jaundice meter, base, charger, manual				
Warranty: one (1) year parts and service STANDARD WHEELCHAIR - Ormed Features: Chrome plated steel frame Spoked Wheels: Fixed Upholstered Armrest Fixed Leg rest, Foldable Aluminum Footrest Specification: Back Wheel: at least 24 inches spoked wheels Front Wheel: 8 inches rubberized caster wheels Max Weight Capacity: 100 kg Seat Width: 18 inches Seat Depth: 16.5 inches Seat Height: 16.5 inches Over-all Height: 34.5 inches Upholstery: Black Nylon or PVC Leather	unit	10	5,300.00	53,000.00
	TRANSCUTANEOUS BILIRUBINOMETER - Dräger Jaundice Meters non-invasive transcutaneous bilirubinometer measure yellowness of subcutaneous tissue in newborn infants Provides a visual digital measurement that has been shown to correlate with blood levels of bilirubin in newborn infants; basic functionality including the measuring probe, hardware and softwa used to process the measurement, gives you consistent quality screening, cost-effectively delivered over the lifetime of the device Features: effective jaundice screening, easy to use, easy on everyone, improved process and cost effective  Specifications: height: 168mm; length: 45mm; weight: 203g ± 10% width: 56mm Package includes: Jaundice meter, base, charger, manual  Warranty: one (1) year parts and service STANDARD WHEELCHAIR - Ormed Features: Chrome plated steel frame Spoked Wheels: Fixed Upholstered Armrest Fixed Leg rest, Foldable Aluminum Footrest Specification: Back Wheel: at least 24 inches spoked wheels Front Wheel: 8 inches rubberized caster wheels Max Weight Capacity: 100 kg Seat Width: 18 inches Seat Depth: 16.5 inches Over-all Height: 34.5 inches	TRANSCUTANEOUS BILIRUBINOMETER - Dräger  Jaundice Meters non-invasive transcutaneous bilirubinometer measure yellowness of subcutaneous tissue in newborn infants Provides a visual digital measurement that has been shown to correlate with blood levels of bilirubin in newborn infants; basic functionality including the measuring probe, hardware and software used to process the measurement, gives you consistent quality screening, cost-effectively delivered over the lifetime of the device Features: effective jaundice screening, easy to use, easy on everyone, improved process and cost effective  Specifications: height: 168mm; length: 45mm; weight: 203g ± 10% width: 56mm Package includes: Jaundice meter, base, charger, manual  Warranty: one (1) year parts and service  STANDARD WHEELCHAIR - Ormed Features: Chrome plated steel frame Spoked Wheels: Fixed Upholstered Armrest Fixed Leg rest, Foldable Aluminum Footrest Specification: Back Wheel: at least 24 inches spoked wheels Front Wheel: 8 inches rubberized caster wheels Max Weight Capacity: 100 kg Seat Width: 18 inches Seat Depth: 16.5 inches Over-all Height: 34.5 inches	TRANSCUTANEOUS BILIRUBINOMETER - Dräger Jaundice Meters non-invasive transcutaneous bilirubinometer measure yellowness of subcutaneous tissue in newborn infants Provides a visual digital measurement that has been shown to correlate with blood levels of bilirubin in newborn infants; basic functionality including the measuring probe, hardware and software used to process the measurement, gives you consistent quality screening, cost-effectively delivered over the lifetime of the device Features: effective jaundice screening, easy to use, easy on everyone, improved process and cost effective  Specifications: height: 168mm; length: 45mm; weight: 203g ± 10% width: 56mm Package includes: Jaundice meter, base, charger, manual  Warranty: one (1) year parts and service STANDARD WHEELCHAIR - Ormed Features: Chrome plated steel frame Spoked Wheels: Fixed Upholstered Armrest Fixed Leg rest, Foldable Aluminum Footrest Specification: Back Wheel: at least 24 inches spoked wheels Front Wheel: 8 inches rubberized caster wheels Max Weight Capacity: 100 kg Seat Width: 18 inches Seat Width: 18 inches Seat Height: 16.5 inches Over-all Height: 34.5 inches	TRANSCUTANEOUS BILIRUBINOMETER - Dräger  Jaundice Meters non-invasive transcutaneous bilirubinometer measure yellowness of subcutaneous tissue in newborn infants Provides a visual digital measurement that has been shown to correlate with blood levels of bilirubin in newborn infants; basic functionality including the measuring probe, hardware and software used to process the measurement, gives you consistent quality screening, cost-effectively delivered over the lifetime of the device Features: effective jaundice screening, easy to use, easy on everyone, improved process and cost effective  Specifications: height: 168mm; length: 45mm; weight: 203g ± 10% width: 56mm Package includes: Jaundice meter, base, charger, manual  Warranty: one (1) year parts and service  STANDARD WHEELCHAIR - Ormed Features: Chrome plated steel frame Spoked Wheels: Fixed Upholstered Armrest Fixed Leg rest, Foldable Aluminum Footrest Specification: Back Wheel: at least 24 inches spoked wheels Front Wheel: 8 inches rubberized caster wheels Max Weight Capacity: 100 kg Seat Width: 18 inches Seat Depth: 16.5 inches Seat Depth: 16.5 inches Over-all Height: 34.5 inches

Funds Available:

RUBY G. MANANGU

OBR:

Approved Budget for the Contract: 1,499,930.00



Quezon City Government



PO Number **2210084** 

Purchase Order Date:

DEC 0 1 2022

Procuring Unit

: ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL

Project Number

:RMBGH-22-HME-769

Company Name

: DEXTEL TRADING

Mode of

:Public Bidding

Procurement

Address

: 0410 Tamblot Street, Cogon District, Tagbiliran City, Bohol

Resolution No.

:22-PB-354

TIN Number

:185-832-665-000

Business Type

: Sole Proprietorship Registration #05686356

Contact Number :09177948854

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Rosario Maclang Bautista General Hospital

Delivery Schedule: Thirty (30) Calendar Days

Payment Term:

Credit

Stock	Item	Unit of	QTY	Unit Cost	Amount
No.		Issue			
	liter and large full liter dial offset Connection: 22mm male BS/ISO taper, inlet and outlet Dial Diameter: 35mm(1.4in) Overall Dimension: 70mm x 60mm (2.75 inches x 2.35 inches)				
	STETHOSCOPE (ADULT) - Bokang Double Cup, Dual use (adult and pedia auscultation) chest piece in stainless steel or chrome plated brass. Adult diaphragm: 43-47mm; pediatric diaphragm: 28-36mm; Latex Free; good quality Y tube treated rubber or PVC with 8-11mm diameter, arms: stainless steel or chrome brass.	unit	12	8,500.00	102,000.00
	DIGITAL BP APPARATUS - Indoplas Automatic Blood Pressure Monitor, Detects irregular heartbeat hypertension indicator. For easy interpretation of blood pressure readings. Heartbeat will blink when systolic / diastolic is outside standard range. Fully automatic: clear - large LCD display for easy reading. Quick deflation release valve for speedy measurement.	unit	2	5,500.00	11,000.00
	PULSE OXIMETER - Indoplas measurement of arterial oxygen saturation (SpO2) and heart heart rate (pulse). Graphic pulse display with battery status indicator LED display SpO2 measuring range: 0% ~ 100% Measuring Range: 30bpm ~ 250 bpm	unit	2	1,900.00	3,800.00
	THERMOSCAN - Indoplas Forehead and Ear Modes power supply: DC 3V, 2x1.5V  AAA Batteries; Measurement Range: at least 89.6 - 109.2 ° F (32.0 - 42.9 ° C) Measurement Accuracy  Display: LED features: auto power off, auto mode switch  Easy to use features: 30 seconds auto power off function to save power, memory storage function to save up to 32 measurements	unit	10	5,000.00	50,000.00

BELMONTE

Funds Available:

RUBY G. MANANGU

OBR:

Approved Budget for the Contract: 1,499,930.00

Page 2 of 4



Quezon City Government



PO Number **2210084** 

Purchase Order Date:

DEC 0 1 2022

Procuring Unit

: ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL

Project Number

:RMBGH-22-HME-769

Company Name

: DEXTEL TRADING

Mode of

:Public Bidding

Address

Procurement

: 0410 Tamblot Street, Cogon District, Tagbiliran City, Bohol

Resolution No.

:22-PB-354

TIN Number

:185-832-665-000

Business Type

: Sole Proprietorship Registration #05686356

Contact Number

:09177948854

#### Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Rosario Maclang Bautista General Hospital

Delivery Schedule: Thirty (30) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
1	With the following minimum Technical Specifications  VERTICAL CASSETTE HOLDER - H-Link  made of strong metal with a baked-on enamel finish metal base has three low friction swirl casters and toe operated brakes. The cassette holder will accommodate cassette or grids	unit	1	6,000.00	6,000.00
	8x10 through 14x17. The stands not more than height (mm) 2230 width (mm) 790, Depth (mm) 690				
2	MEDICAL GRADE DIGITAL DEHUMIDIFIER - Truelife / defrost indicator with humidity level control water tank with Indicator. LCD or its equivalent display screen, water reservoir treated by anti-bacterial formula, Pre filter for removing dust and larger floating pollutant particles. Auto display for room temperature and humidity level. Optional permanent drain facility,	unit	4	28,000.00	112,000.00
	portable design and continuous drain option. Water Tank Capacity (I):1.1-2.5L, Voltage: 220-240V, Fan Speed: at least 3 Dimensions (LxWxH (Inches): 250x250x490mm				
	BABY BASSINET - Ormed size: at least 710mm (w) x 430mm (l) x 750mm (h) all stainless steel 304 seamless welded construction, PVC clear crib (fiberglass) with name plate removable, upholstered mattress, chart holder	рс	15	29,000.00	435,000.00
	plate, four ball bearing caster (two with locking brake) ELECTRIC PERCUSSOR RESPIRATORY - Vibracare true automated hand percussor, weight of 5.5 pounds, with 3 prong hospital grade plug on. With 10foot cord that can plug into a standard electrical receptacle 120VAC 50/60 Hz	unit	2	30,000.00	60,000.00
5	precisely controls power and frequency of percussion WRIGHT RESPIROMETER - Koko full scale measurement, r minute volume measurement with facility for measuring tidal volume. Small inner dial records 0-1liter, large outer dial record 0-100 liter. Dial layout: separate small functional	unit	1	100,000.00	100,000.00

OBR: 10. 2122-11-17833

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 1,499,930.00

Page 1 of 4

#### TERMS AND CONDITIONS

- 1. ALL PRICES INDICATED HEREIN ARE VALID, BINDING AND EFFECTIVE AT LEAST WITHIN THIRTY (30) CALENDAR DAYS FROM DATE OF RECEIPT.
- 2. AWARDEE shall be responsible for the source(s) of its supplies/materials/equipment and shall make deliveries in accordance with the schedule, quality and specification of the award and purchase order. Failure by the AWARDEE to comply with the same shall be a ground for cancellation of the award and purchase order issued to that AWARDEE and for re-awarding the item(s) to the ALTERNATE AWARDEE.
- 3. AWARDEE shall pick up purchase order(s) issued in its favor within three (3) days after receipt of notice to that effect. A telephone call, fax transmission or electronic mail (e-mail) shall constitute an official notice to the AWARDEE. Thereafter, if the purchase order(s) remains unclaimed, the said purchase order(s) shall be sent by mailing or courier, messengerial service to the AWARDEE. To avoid delay in the delivery of the requesting end-user's requirement, all DEFAULTING AWARDEES shall be precluded from proposing or submitting a substitute sample.
- 4. Subject to the provisions of the preceding paragraph, where AWARDEE has accepted a purchase order but fails to deliver the required product(s) within the time called for in the same order, the delivery period may be extended a maximum of fifteen (15) calendar days under liquidated damages to make good the delivery. Thereafter, if AWARDEE has not completed the
- 5. delivery within the extended period, the subject purchase order shall be cancelled and the award for the undelivered balance, withdrawn from that AWARDEE. The BAC-Goods and Services shall then purchase the required item(s) from such other source(s) as it may determine, with the difference in price to be charged against the DEFAULTING AWARDEE. Refusal by the DEFAULTING AWARDEE to shoulder the price difference shall be ground for its disqualification from future bids of the same items, without prejudice to the imposition of other sanction as prescribed under RA 9184 and its RIRR.
- 6. When the supplier fails to satisfactorily deliver goods/services under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier shall be liable for damages for the delay and shall pay the procuring entity liquidated damages, not by way of penalty, an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods/services scheduled for delivery for everyday of delay until such goods/services are finally delivered and accepted by the procuring entity concerned.
- 7. Rejected deliveries shall be construed as non-delivery of product(s)/item(s) so ordered and shall be subject to liquidated damages, subject to the terms and conditions prescribed under paragraph 4 hereof.
- 8. Supplier shall guarantee its deliveries to be free from defects. Any defective item(s)/product(s), therefore that maybe discovered by the Quezon City Government within three (3) months after acceptance of the same, shall be replaced by the supplier within seven (7) calendar days upon receipt of a written notice to that effect.
- 9. All duties, excise and other taxes and revenue charges, if any, shall be for the supplier's account.
- 10. As a pre-condition to payment, IMPORTANT DOCUMENTS specifically showing the condition and serial numbers of the imported equipment purchased should be submitted by the supplier to the Quezon City Government.
- 11. All transactions are subject to applicable withholding taxes in accordance with existing BIR rules and regulations.
- 12. Supplier shall furnish the End-user through the City General Services Department stockroom, the articles, described above;
- 13. The Quezon City Government reserves the right to accept or reject delivered articles if found not in conformity to the specifications, terms and conditions stipulated.
- 14. Provisions contained in Title VI. Book IV of the Civil Code of the Philippines on Sales

Integral part hereof.  15. This contract shall also serve as <b>Notice to Proce</b>	DEC 1 5 2022	•
JAN 1 4 2023		
ANNALKED Ochmonte A	No THE CAPACITY OF	12-15-22
SIGNATURE OVER PRINTED NAME	IN THE CAPACITY OF	DATE
Duly authorized to sign this Purchase Order for and on be		1NG
	COMPANY NAME	
SUBSCRIBED AND SWORN to before me this day of me and were identified by me through competent eviden 8-13-SC). Affiants exhibited to me his/her with No	nce of identity as defined in the 2004 Rules on Not	arial Practice (A.M. No. 02-
Doc. No		380
Page No		
Book No.		
Series of		