

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND OTHERS FOR QUEZON CITY HEALTH DEPARTMENT

PROJECT NO. CONSO-23-FIXTURES-0248

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Section	on I. Invitation to Bid	7
Section	on II. Instructions to Bidders	10
1.	Scope of Bid	
2.	Funding Information	12
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	12
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components 144	
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	on III. Bid Data Sheet	18
Sectio	on IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	
Section	on V. Special Conditions of Contract	23
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



INVITATION TO BID

March 20, 2023

					IVILLI OII	20, 2023
	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1	OCM(OSCA)-23-PS2- 0409	OFFICE OF THE CITY MAYOR (OSCA)	PRINTING OF PURCHASE SLIP BOOKLETS	P 7,700,000.00	GENERAL FUND	30 CD
2	OCM-23-CS1-0462	OFFICE OF THE CITY MAYOR	FOOD AND DRINKS	P 32,568,000.00	GENERAL FUND	8 MONTHS
3	OCM-23-GM-0463	OFFICE OF THE CITY MAYOR	FOLDABLE HAND CARRY MAT	P 10,900,000.00	GENERAL FUND	30 CD
4	OCM-23- KITCHENWARE-0464	OFFICE OF THE CITY MAYOR	STARTER KIT (KITCHEN SUPPLIES)	P 27,100,000.00	GENERAL FUND	30 CD
5	CONSO-23-FIXTURES- 0248	OFFICE OF THE CITY MAYOR/ QUEZON CITY HEALTH DEPARTMENT	SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND OTHERS FOR QUEZON CITY HEALTH DEPARTMENT	P 30,606,446.00	GENERAL FUND	90 CD
6	OCM(POPS)-23-OE- 0391	OFFICE OF THE CITY MAYOR – POPS PLAN	DIGITAL COPIER AND OTHERS	P 1,022,989.00	GENERAL FUND	30 CD
7	OCM(POPS)-23-HLMF- 0518	OFFICE OF THE CITY MAYOR - POPS PLAN (QCADAAC)	HOTEL ACCOMMODATION AND OTHERS	P 4,048,000.00	GENERAL FUND	8 MONTHS
8	QCDRRMO-23-SOP- 0364	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	RAIN SUIT	P 9,600,000.00	GENERAL FUND	60 CD
9	QCDRRMO-23-SOP- 0365	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	FIRE FIGHTING SUIT WITH FIRE HELMET LIGHT	P 4,137,796.80	GENERAL FUND	90 CD
10	NDH-23-FUEL-0647	NOVALICHES DISTRICT HOSPITAL	LPG (REFILL)	P 1,440,000.00	GENERAL FUND	8 MONTHS
11	BCRD-23-HLMF-0512	BARANGAY AND COMMUNITY RELATIONS DEPARTMENT	HOTEL ACCOMMODATION, FOOD AND OTHERS	P 2,787,300.00	GENERAL FUND	15 CD
12	BCRD-23-CS1-0490	BARANGAY AND COMMUNITY RELATIONS DEPARTMENT	FOOD AND DRINKS	P 1,015,050.00	GENERAL FUND	15 CD
13	HEALTH-23-MDE-0197	QUEZON CITY HEALTH DEPARTMENT	DENTAL UNIT WITH CHAIR AND OTHERS	P 6,851,500.00	GENERAL FUND	60 CD
14	CCRD-23-OE-0333	CITY CIVIL REGISTRY DEPARTMENT	MONOCHROME MULTI-FUNCTION PRINTER AND OTHERS	P 4,900,000.00	TRUST FUND	30 CD
15	ENGINEERING-23- HCS-0342	DEPARTMENT OF ENGINEERING	VARIOUS HARDWARE SUPPLIES	P 8,970,555.64	GENERAL FUND	30 CD
16	QCU-22-OE-1592	QUEZON CITY UNIVERSITY	3D PRINTER AND SCANNER FOR THE ENGINEERING LABORATORY ROOMS	P 3,200,000.00	TRUST FUND	90 CD
17	QCU-23-HCS-0276	QUEZON CITY UNIVERSITY	SUPPLY, DELIVERY AND INSTALLATION OF VERTICAL HYDROPONIC MODEL AND OTHERS	P 10,624,989.10	TRUST FUND	150 CD
18	QCU-23-GRMS-0274	QUEZON CITY UNIVERSITY	SUPPLY, INSTALLATION AND TESTING OF AUTOMATIC VOLTAGE REGULATOR AND COUNTER WEIGHT BLOCKS AND PROVISION OF COMPREHENSIVE PREVENTIVE MAINTENANCE SERVICE (PMS) FOR THREE (3) ELEVATOR UNITS AT THE QUEZON CITY UNIVERSITY - SAN BARTOLOME, NOVALICHES CAMPUS	P 1,743,284.00	GENERAL FUND	7 MONTHS
19	CPO-23-FURNITURE- 0309	CITY PROSECUTOR'S OFFICE	STEEL SHELVES AND OTHERS	P 1,205,500.00	GENERAL FUND	30 CD
21	ASSESSORS-23-AAS2- 0367	CITY ASSESSOR'S OFFICE	SUPPLY AND INSTALLATION OF AIR CONDITIONING UNITS	P 3,140,800.00	GENERAL FUND	30 CD

IB FOR APRIL 11, 2023 - ABOVE

10f3

22	RMBGH-23-GRMS-0322	ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL	PREVENTIVE MAINTENANCE OF AIR CONDITIONING UNITS	P 1,544,750.00	GENERAL FUND	8 MONTHS
23	CGSD-23-CS1-0441	CITY GENERAL SERVICES DEPARTMENT	FOOD AND DRINKS	P 1,999,800.00	GENERAL FUND	8 MONTHS
24	CGSD-23-GRMS-0465	CITY GENERAL SERVICES DEPARTMENT	GENERAL CLEANING AND REPAIR OF DEFECTIVE AIR CONDITIONING UNITS WITHIN THE QUEZON CITY HALL COMPOUND BUILDINGS	P 10,999,647.00	GENERAL FUND	90 CD
25	QCGH-23-MSLI- 0326B	QUEZON CITY GENERAL HOSPITAL	MEDICAL OXYGEN REFILL AND OTHERS	P 18,238,277.14	GENERAL FUND	8 MONTHS

- The QUEZON CITY LOCAL GOVERNMENT, through the General Fund and Trust Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 8:00 a.m. 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on Tuesday, March 21, 2023 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)

w t

6. The Quezon City Local Government will hold a Pre-Bid Conference on 10:30 A.M. of Tuesday, March 28, 2023 at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre-Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1Q

T09

Meeting ID: 848 3500 2246

Passcode: 154733

- Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of Tuesday, April 11, 2023. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- Bid opening shall be on 01:00 P.M. of Tuesday, April 11, 2023 at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

 $\frac{\text{https://us02web.zoom.us/j/85850855933?pwd} = R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz0}{9}$

Meeting ID: 858 5085 5933

Passcode: 118682

- 10. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department

2nd Floor, Procurement Department,

Finance Building, Quezon City Hall Compound

Elliptical Road, Barangay Central Diliman, Quezon City.

Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u>

Tel. No. (02)8988-4242 loc. 8506/8710 Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

MA. MARCARITAT. SANTOS Chairperson, QC BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** wishes to receive Bids for the SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND OTHERS FOR QUEZON CITY HEALTH DEPARTMENT with identification number CONSO-23-FIXTURES-0248.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **SIXTY THREE** (63) *items*, the details of which are described in Section VII (Technical specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2022 and 2023 in the amount of THIRTY MILLION SIX HUNDRED SIX THOUSAND FOUR HUNDRED FORTY SIX PESOS AND 00/100 ONLY (Php 30,606,446.00).
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **fifty percent** (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the

committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause						
5.3	For this purpose, contracts similar to the Project shall be:					
	a. A single contract similar to the item/s to be bid and must be at least fifty percent (50%) of the ABC.					
	sub Q(Ce	ompleted within the last three (3 omission and receipt of bids substact-BAC-GOODS AND SERVICE ortificate of Acceptance by the eles Invoice (S.I.) issued for the Country of	antially in a FORM prescribe ES, must be accompanied by end-user or Official Receipt	ed by the a copy of		
7.1	Subcontra	cting is not allowed.				
12	-	of the Goods shall be quoted DD nal Commercial Terms (INCOTI	~	pplicable		
14.1		ecurity shall be in the form of a Forms and amounts:	Bid Securing Declaration, or a	ny of the		
	a. The amount of not less than <i>Php612,128.92</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or					
	b. The amount of not less than <i>Php1,530,322.30</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.					
19.3	APPROVED BUDGET FOR THE CONTRACT					
		Item Nos. 1 - 56	P 28,589,327.00			
		Item Nos. 57 - 60	P 855,940.00			
	Item Nos. 61 - 63 P 1,161,179.00					
	TOTAL P 30,606,446.00					
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it. Copy of valid, current License to Operate from DOH Accreditation as					
	Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.					
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.					
	• Statement of Warranty – Minimum of One (1) Year (for item nos. 57-60)					

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

	Special Conditions of Contract
GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each
	appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation – Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. 2.2 [If partial payment is allowed, state] "The terms of payment shall be as follows: 4 inspections and tests that will be conducted **Product** are: Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements

PROJECT NAME: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND OTHERS FOR QUEZON CITY HEALTH DEPARTMENT

PROJECT NO. CONSO-23-FIXTURES-0248

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	With minimum technical specifications:			
1	Modular Laminated Partition, Floor to ceiling height, 60mm thick with aluminum end trim (color: off-white) and cable, wire ready baseboard,	m²	43	
	with glass and frosting or without glass			
2	Fabric with Glass Low Partition 60mm thick 2-tone Modular Fabric Partition (1.20m Ht.) with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric: top color - (0.15m) & bottom color - (1.05m)	m²	103	
3	Modular Desks, 600mm width, 30mm Thick Modular Desktop high pressure laminated top (600mm width) with drawer and powder coated bracket, color: light brown (wood grain)	lm	167	
4	Folding Door System; (3rd and 4th Floors), Single/double opening, 153mm wide and 12.55mm thick, MDF panel core, wood veneer or solid color laminate with heavy duty ball-bearing and tracks	m²	66	
5	Counter Top, 400mm 40mm thick high pressure laminate finish countertop with off-white powder coated metal brackets, 1000mmL x 400mmW	lm	10	Within Ninety (90) Calendar
6	Back Wall (BW), - (Dept. Head's Office) Laminated wall with aluminum grooves and backlights including 3-drawers, painted plywood backing and 2 - power outlets, 3.20m width x 2.40m height	set	1	Days Upon Issuance of the Notice to
7	Roller Shade Blinds, Indoor Combi Fabric, with Aluminum Framing	m²	14	Proceed
8	Roller Shade Blinds, Indoor Blackout Fabric, with Aluminum Framing	m²	49	
9	Roller Shade Blinds, Indoor Sunscreen Fabric, with Aluminum Framing	m²	591	
10	Modular Door, Single Leaf (D1) - (District Officer's Room – 2 nd floor) 60mm thick Laminated Partition-Half Glass Door with glass frosting, with door jambs, single leaf, 800mm Width x 2100mm Height	set	1	
11	Tubular Chrome legs for modular desks 10cm diameter x 74cm height	piece	89	
12	Back painted Glass Board Glass Board 6mm, PB GI sheet backing and other materials / accessories (White backing) Color: White Glass, 4ft. x 8ft. (BOLTED TYPE) Size:1219 mm H X 2438 mm W	set	4	
13	Medical Panel Screen 4-fold Stainless	set	4	

	1	1		
	Four-Section Hospital Ward Screen with Blue Curtain, 7 x 50mm Swiveling Type Wheels with 50mm diameter free rolling castors, wind penetrated screen, dust-proof and anti-bacterial function, removable PVC cloth curtains, overall length: 2000mm, size of each panel/fold 500mm (W) x 1800mm (H)			
1.4		224	1	-
14	Folding Panel Divider 4-panel orientation, palo china wood, Dimension: 1.803m L x 1.778m H	set	4	
15	Gang Chair, 3 Seater (1) - stainless steel, panel (1.5-	piece	44	-
13	1.8mm in thickness) with armrest; backrest & seat are of perforated stainless	piece	44	
16	Gang Chair, 4 Seater (2) - stainless steel, panel (1.5-	piece	53	
10	1.8mm in thickness) with armrest: backrest & seat are of	piece	33	
	perforated stainless			
17	Staff Chair (4) - Fabric type, mid-back with armrest, gas	piece	295	
	lift with 5-pronged star base legs	1		
18	Mobile Pedestal (5) - 3 Drawers, (2 small & 1 File	piece	274	
	Drawer), Ball Bearing Roller, Dimension: W40 x D56 x			
	H70cm Steel, Gauge 22, powder coated color, (off-white)			
19	Executive Mobile Pedestal (5a) - Top board in icebirke or	piece	2	
	rosewood color, with filing drawers at the bottom and 2			
	small drawers on upper, 460mmL x 560mmW x			
	680mmH			
20	Sofa, 3 Seater (6) - with armrest, fabric or leatherette	piece	2	
21	Sofa, 2 Seater (7) - with armrest, fabric or leatherette	piece	1	
22	Sofa, 1 Seater (27) - with armrest, fabric or leatherette	piece	4	Within Ninety
23	Center Table Rectangular (8) - Stainless steel base, glass top, 1.0m Length x 0.60m Width x 0.47m Height	piece	2	(90) Calendar
24	Center Table Round Glass (8a) - legs in chrome plated finish with 8mm thick tempered glass 0.81mD x 0.81mW X 0.45mH	piece	1	- Days Upon Issuance of the Notice to
25	Side Table with Stainless Steel Base (9) - glass top, 0.45m Length x 0.45m Width x 0.60m Height	piece	5	Proceed
26	Manager's High Back Chair (11) - with armrest, gaslift, backtilt and five pronged star base legs, leatherette finish	piece	16	
27	Executive Visitor's Chair A, (12a) - Semi High Back	piece	7	_
	mesh type with armrest gaslift with five pronged star	1		
	base chrome legs			
28	Manager's Visitor's Chair (12c) - Visitors chair without armrest low back sled type, leatherette finish	piece	30	
29	Staff Visitor's Chair (12d) - Visitors chair without armrest, sled type, fabric back and seat rest	piece	34	
30	Executive Visitor's Chair B (12f) - Semi high back, mesh type with armrest, sled type chrome legs, NET series	piece	6	
31	color black Multipurpose Chair, Stackable (12g)	niaca	316	_
21	Multipurpose Chair - Stackable (12g) Cushioned seat and perforated PVC back rest; without	piece	310	
22	armrest, four-legged type legs	m:	202	_
32	Filing Cabinet Vertical - 4 drawers (13) - gauge 22, steel, size:46x62x134cm, heavy duty, roller, metal guide, color: off-white	piece	203	
33	Executive Table with Side Table - 2.0m (14)	piece	1	1
	45mm thick solid wood in high pressured laminate top	1 - 1 3 5	-	
	finish with bull-nose edging, 2.0mL x 1.0mW x 0.75mH and side table, 1.0mL x 0.50mW x 0.75mH			
34	Executive Table with Side Table, 1.8m (14a) - 45mm thick	piece	1	
	solid wood in high pressured laminate top finish with			

	bull-nose edging, 1.8mL x 0.9mW x 0.750mH and side table, 1.0mL x 0.450mW x 0.75mH			
35	Regular Console Table (15b) - Industrial modern design, panel in MDF and particle board (E1 Grade), 2 drawers, aged walnut finish, powder coated metal frame in gunmetal, Dimensions: 118cmL x 39.5cmW x 80cmH	piece	3	
36	Free Standing Table 1.5m x 0.60m (19c) - High Pressure Laminated top, color: light brown (wood grain) powder coated metal legs with drawer (powder coated with lock) color code – (off-white), 1.5mL x 0.60mW x 0.75mH	piece	1	
37	Free Standing Table 1.2m x 0.60m (19e) - High Pressure Laminated top, color: light brown (wood grain) powder coated metal legs with drawer (powder coated with lock) color code – (off-white) 1.2mL x 0.60mW x 0.75mH	piece	146	
38	Lateral Filing Cabinet, wood on laminate finish, 4-layers (22a) - 2-filing drawers on bottom and 2-index drawers on upper part drawers in MFC finish, 0.90m length x 0.45m width x 1.06m height	piece	1	
39	Low cabinet, wood on laminate finish (22b) - with swing-out door and 2-adjustable shelves, color: light brown (wood grain) or icebirke, 0.90mL x 0.45mW x 1.06mH	piece	9	
40	Steel Lateral Filing Cabinet, 3 drawers (24) - Gauge 22, Size: 90cmW x 45cmD x 106cmH	piece	115	
41	Steel Locker 9-Doors (29) - 9 Doors with Louvers per door, padlock hasps per door, powder coated finish with Dimensions: 72inches H x 36inches W x 18inches D, opening 64inches H x 10inches W, with built-in steel handles, card holders, hanger rod and shoe rack	piece	7	Within Ninety
42	Free Standing Table, 1.5m x 0.70m with side table (30) - Free Standing Table, 1.5m L x 0.70m W x 0.75mH with Free Standing Side Table, 1.0mL x 0.50mW x 0.75mH, color: light brown (wood grain) powder coated metal legs and drawer with lock	piece	15	(90) Calendar Days Upon Issuance of the Notice to
43	Conference Chair (35) - Midback chair with armrest gaslift and backtilt 2 tone fabric with five pronged star base legs	piece	20	Proceed
44	Glass Door Metal Cabinet - Metal cabinet with glass sliding doors, 5-Layers with lock, Size: 0.90mL x 0.40mW x 1.85mH, color: (off-white)	piece	2	
45	Steel Open Racks, 4 - Layers 1.20mL x 0.60mW x 2.0mH (38) – coated rolled BI sheet with ga. 18 thick of adjustable shelves bolted to the angular post. Each shelf is provided with two mid-stiffeners welded beneath for added load resistance and back stiffeners for antisagging purposes, with triangular bracing for antisway 2mm x 1 ½ inches x 1 ½ inches, powder coated finish, full slotted angular post	piece	30	
46	Working Table 2.4mL x 1.2mW x 0.750mH (42) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs	piece	2	
47	Executive High Back Chair with chrome legs (43) - High-end Executive High Back Chair with armrest, gaslift and backtilt leatherette or fabric with five pronged star base chrome legs	piece	1	
48	Working Table 1.50mL x 0.80mW x 0.75mH (44) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs	piece	1	

49	Working Table, 1.60mL x 1.0mW x 0.75mH (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs	piece	1	
50	Dining Set C - Regular 4 seater (70c) - 8mm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PU, Color: Black, Table dimension: L43.5inches x W27.75inches x H29.5inches, Chair dimension: L17.26inches x W16.25 inches x H31.75inches	set	1	
51	Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height	piece	2	
52	Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height	piece	2	
53	Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves	piece	15	
54	0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table	set	1	
55	Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH	set	2	
56	Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches	set	2	
57	Autoclave Sterilizer Specifications: Chamber Capacity:: 0050xD350mm Inside Capacity:: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray Shelf: 1 pe. Tray Size (cm) L-26 x W-18 x H-2 Temperature and Pressure Display; LED Display Outside Size(L x W x H)cm: 56 x 39 x 36 Packing Size (L x W x H)cm: 51.5 x 44 x 36.5 Portable Dental X-ray (Handheld) - lightweight body, intelligent control system, streamlined aesthetic design, real time display of inclination, big screen, full touch,	unit	1	Within Ninety (90) Calendar Days Upon Issuance of the Notice to Proceed
	built-in automotive grade power battery, handheld (Tube Voltage): 60KV TUBE CURRENT: 2MA (Exposure Time : 0.1-2.5 S			

	Technical Parameter: Power 1500W Voltage 220V/60Hz Flow 3000 - 3500L/min Max Vacuum -18 kpa UV light power 3 x 90W HEPA 13H Positive ion concentration 10 x 106pcs/cm3 Negative ion concentration 10 x 106pcs/cm3 Noise 68dB Suction pipeline's diameter 50mm Suction pipeline's length 1.6m Package size: 46 x 58 x 105cm G.W 70KG			Within Ninety (90) Calendar Days Upon Issuance of the Notice to Proceed
61	Counter Top Clip Powdered coated metal	piece	11	
62	Wallpaper (QCHD Head and Asst. Head's Office) Plain or with design	m ²	74	
63	Glass film, frosted (for glass doors and walls)	m ²	703	
	****			1

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications PROJECT NAME: SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND OTHERS FOR QUEZON CITY HEALTH **DEPARTMENT**

PROJECT NO. CONSO-23-FIXTURES-0248

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
Α.	With minimum technical specifications:	
1	Modular Laminated Partition, Floor to ceiling height, 60mm thick with aluminum end trim (color: off-white) and cable, wire ready baseboard, with glass and frosting or without glass	
2	Fabric with Glass Low Partition 60mm thick 2-tone Modular Fabric Partition (1.20m Ht.) with clear glass, (0.30m Ht.) complete with aluminum end trim (color: off-white) and cable, wire ready baseboard, fabric: top color - (0.15m) & bottom color - (1.05m)	
3	Modular Desks, 600mm width, 30mm Thick Modular Desktop high pressure laminated top (600mm width) with drawer and powder coated bracket, color: light brown (wood grain)	
4	Folding Door System; (3rd and 4th Floors), Single/double opening, 153mm wide and 12.55mm thick, MDF panel core, wood veneer or solid color laminate with heavy duty ball-bearing and tracks	
5	Counter Top, 400mm 40mm thick high pressure laminate finish countertop with off-white powder coated metal brackets, 1000mmL x 400mmW	
6	Back Wall (BW), - (Dept. Head's Office) Laminated wall with aluminum grooves and backlights including 3-drawers, painted plywood backing and 2 - power outlets, 3.20m width x 2.40m height	
8	Roller Shade Blinds, Indoor Combi Fabric, with Aluminum Framing Roller Shade Blinds,	
9	Indoor Blackout Fabric, with Aluminum Framing Roller Shade Blinds,	
	Indoor Sunscreen Fabric, with Aluminum Framing	

10	Modular Door, Single Leaf (D1) - (District Officer's Room –	
	2 nd floor) 60mm thick Laminated Partition-Half Glass Door	
	with glass frosting, with door jambs, single leaf, 800mm	
11	Width x 2100mm Height	
11	Tubular Chrome legs for modular desks	
12	10cm diameter x 74cm height	
12	Back painted Glass Board Glass Board 6mm, PB GI sheet backing and other materials	
	/ accessories (White backing) Color: White Glass, 4ft. x 8ft.	
	(BOLTED TYPE)	
	Size:1219 mm H X 2438 mm W	
13	Medical Panel Screen 4-fold Stainless	
	Four-Section Hospital Ward Screen with Blue Curtain, 7 x	
	50mm Swiveling Type Wheels with 50mm diameter free	
	rolling castors, wind penetrated screen, dust-proof and	
	anti-bacterial function, removable PVC cloth curtains,	
	overall length: 2000mm, size of each panel/fold 500mm (W)	
	x 1800mm (H)	
14	Folding Panel Divider	
	4-panel orientation, palo china wood,	
	Dimension: 1.803m L x 1.778m H	
15	Gang Chair, 3 Seater (1) - stainless steel, panel (1.5-1.8mm	
	in thickness) with armrest; backrest & seat are of perforated	
16	stainless	
16	Gang Chair, 4 Seater (2) - stainless steel, panel (1.5-1.8mm	
	in thickness) with armrest: backrest & seat are of perforated stainless	
17	Staff Chair (4) - Fabric type, mid-back with armrest, gas lift	
1,	with 5-pronged star base legs	
18	Mobile Pedestal (5) - 3 Drawers, (2 small & 1 File Drawer),	
	Ball Bearing Roller, Dimension: W40 x D56 x H70cm Steel,	
	Gauge 22, powder coated color, (off-white)	
19	Executive Mobile Pedestal (5a) - Top board in icebirke or	
	rosewood color, with filing drawers at the bottom and 2	
	small drawers on upper, 460mmL x 560mmW x 680mmH	
20	Sofa, 3 Seater (6) - with armrest, fabric or leatherette	
24		
21	Sofa, 2 Seater (7) - with armrest, fabric or leatherette	
22	Sofa, 1 Seater (27) - with armrest, fabric or leatherette	
	Sola, 1 Scale (27) With armiest, fabric of leatherette	
23	Center Table Rectangular (8) - Stainless steel base, glass	
	top, 1.0m Length x 0.60m Width x 0.47m Height	
24	Center Table Round Glass (8a) - legs in chrome plated	
	finish with 8mm thick tempered glass 0.81mD x 0.81mW X	
	0.45mH	
25	Side Table with Stainless Steel Base (9) - glass top, 0.45m	
25	Length x 0.45m Width x 0.60m Height	
26	Manager's High Back Chair (11) - with armrest, gaslift,	
27	backtilt and five pronged star base legs, leatherette finish	
27	Executive Visitor's Chair A, (12a) - Semi High Back mesh	
	type with armrest gaslift with five pronged star base	
28	chrome legs Manager's Visitor's Chair (12c) - Visitors chair without	
20	armrest low back sled type, leatherette finish	
29	Staff Visitor's Chair (12d) - Visitors chair without armrest,	
	sled type, fabric back and seat rest	
	1	

30	Executive Visitor's Chair B (12f) - Semi high back, mesh	
	type with armrest, sled type chrome legs, NET series color	
	black	
31	Multipurpose Chair - Stackable (12g)	
	Cushioned seat and perforated PVC back rest; without	
	armrest, four-legged type legs	
32	Filing Cabinet Vertical - 4 drawers (13) - gauge 22, steel,	
	size:46x62x134cm, heavy duty, roller, metal guide, color:	
	off-white	
33	Executive Table with Side Table - 2.0m (14)	
	45mm thick solid wood in high pressured laminate top	
	finish with bull-nose edging, 2.0mL x 1.0mW x 0.75mH and	
	side table, 1.0mL x 0.50mW x 0.75mH	
34	Executive Table with Side Table, 1.8m (14a) - 45mm thick	
	solid wood in high pressured laminate top finish with bull-	
	nose edging, 1.8mL x 0.9mW x 0.750mH and side table,	
	1.0mL x 0.450mW x 0.75mH	
35	Regular Console Table (15b) - Industrial modern design,	
	panel in MDF and particle board (E1 Grade), 2 drawers,	
	aged walnut finish, powder coated metal frame in	
	gunmetal, Dimensions: 118cmL x 39.5cmW x 80cmH	
36	Free Standing Table 1.5m x 0.60m (19c) - High Pressure	
	Laminated top, color: light brown (wood grain) powder	
	coated metal legs with drawer (powder coated with lock)	
	color code – (off-white), 1.5mL x 0.60mW x 0.75mH	
37	Free Standing Table 1.2m x 0.60m (19e) - High Pressure	
	Laminated top, color: light brown (wood grain) powder	
	coated metal legs with drawer (powder coated with lock)	
	color code – (off-white) 1.2mL x 0.60mW x 0.75mH	
38	Lateral Filing Cabinet, wood on laminate finish,	
	4-layers (22a) - 2-filing drawers on bottom and 2-index	
	drawers on upper part drawers in MFC finish, 0.90m	
	length x 0.45m width x 1.06m height	
39	Low cabinet, wood on laminate finish (22b) - with swing-	
	out door and 2-adjustable shelves, color: light brown	
	(wood grain) or icebirke, 0.90mL x 0.45mW x 1.06mH	
40	Steel Lateral Filing Cabinet, 3 drawers (24) - Gauge 22, Size:	
	90cmW x 45cmD x 106cmH	
41	Steel Locker 9-Doors (29) - 9 Doors with Louvers per door,	
	padlock hasps per door, powder coated finish with	
	Dimensions: 72inches H x 36inches W x 18inches D,	
	opening 64inches H x 10inches W, with built-in steel	
	handles, card holders, hanger rod and shoe rack	
42	Free Standing Table, 1.5m x 0.70m with side table (30) -Free	
	Standing Table, 1.5m L x 0.70m W x 0.75mH with Free	
	Standing Side Table, 1.0mL x 0.50mW x 0.75mH, color:	
	light brown (wood grain) powder coated metal legs and	
	drawer with lock	
43	Conference Chair (35) - Midback chair with armrest gaslift	
	and backtilt 2 tone fabric with five pronged star base legs	
44	Glass Door Metal Cabinet - Metal cabinet with glass sliding	
	doors, 5-Layers with lock, Size: 0.90mL x 0.40mW x	
	1.85mH, color: (off-white)	
45	Steel Open Racks, 4 - Layers 1.20mL x 0.60mW x 2.0mH	
	(38) – coated rolled BI sheet with ga. 18 thick of adjustable	
	shelves bolted to the angular post. Each shelf is provided	
	with two mid-stiffeners welded beneath for added load	
	resistance and back stiffeners for anti-sagging purposes,	

46 Working Table 2-mlx 1.72mW w.1780mH (42) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 44? 47 Executive High Back Chair with chrome legs (43) - High-end Executive High Back Chair with chrome legs (43) - High-end Executive High Back Chair with armrest, goaliff and backfill leatherette or fabric with five pronged star base chrome legs 48 Working Table 1.50mL x (0.80mW x 0.75mH (44) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 49 Working Table 1.50mL x (0.80mW x 0.75mH (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 50 Dining Set C - Regular 4 seater (70c) - 8mm black tampered glass / black hammer tone powder coating / PU - seat - Backrost with Cushino covered PU, Color: Black, Table dimension: L12.5 sinches x W27.75inches x H29.5 sinches, Chair dimension: L12.2 sinches x W16.25 inches x H31.75inches 51 Round Table, Class Top (71a) - 4 seater, glass top and stainless legs. 90 ml diameter x 0.74m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs. 10 ml diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MKC Laminated Top, (71b) - 4 seater, laminated top and stainless legs. 10 ml diameter x 0.75m height 53 Book Shelves (72) - 1.0m length x 0.45m Width x 2.40m Height, MKC Laminate frish with 5 helves 54 O-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6pices 1.2m x 0.6m table, 2 pices 1.0m x 0.6m table, 2 pices 1.2m x 0.6m table, 2 pices 1.0m x 0.6m table, 2 pices 1.2m x 0.6m table, 2 pices 1.0m table and 4 pices 0.6m quarter circle table 56 Lawrent 2.0m table 2.0m table 2.0		with triangular bracing for anti-sway 2mm x 1 ½ inches x 1	
pressured laminated top, color. light brown (wood grain) with 4-stainless legs 47 Executive High Back Chair with chrome legs (43) - High-end Executive High Back Chair with armrest, gaslift and backfill leatherette or fabric with five pronged star base chrome legs 48 Working Table 1.50mL x 0.80mW x 0.75mH (44) - High pressured laminated top, color. light brown (wood grain) with 4-stainless legs 49 Working Table 1.60mL x 1.0mW x 0.75mH (49) - High pressured laminated top, color. light brown (wood grain) with 4-stainless legs 50 Dining Set C - Regular 4 seater (70c) - Smm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PU, Color. Black, Table dimension: L14.35inches x w27.25inches x 172.5inches, Chair dimension: L17.26inches x W16.25 inches x 182.5inches, Chair dimension: L17.26inches x W16.25 inches x W13.75inches 51 Round Table, Class Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter v 0.740m height 52 Round Table, Class Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter v 0.740m height 53 Book Shelves (79) - 1.0m Length x 0.45m Width s 2.40m Height, MHC laminate finish with 5 shelves 54 O-Shepe Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6 pieces 1.2m x 6.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter cricle table. 55 Security / Reception Counter (SC) - MHC Board countertop, MDF Board finish, with dock, 4 drawers and 1 cabinet with locks, Dimensions 2.40mL, 0.79mW x 1.16mH Double Deck Bunk fish deck, 4 drawers and 1 cabinet with locks, Dimensions 3.6inches x 36inches x 36inches x 75inches 56 Double Deck Bunk fish deck h drawers and 2 pillow, Dimensions 3.6inches x 36inches x 75inches 157 Autoclave Sterilizer Temperature: 121°C & 134°C Sterilize Time: 25mins & 6 mins Dry Time: No dry function Heater 900W Materials Quality: Stainless steel S U51304 Surfaxo Deal with The machine foundation and the outer shell use high-t		½ inches, powder coated finish, full slotted angular post	
with 4-stainless legg. 47 Evecutive High Back Chair with chrome legs (43) - High-end Executive High Back Chair with armost, gaslift and backfill featherette or fabric with five pronged star base chrome legs. 48 Working Table L50mL x 0.80mW x 0.75mH (44) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs. 49 Working Table 1.60mL x 1.0mW x 0.75mH (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs. 50 Dining Set C - Regular 4-seater (70c) - 8mm black tampered glass; black hammer tone powder coating; P/U seat + Backrest with Cushion covered Pty. Color: Black Table dimension: 1.43.5inches x W27.75inches x 1129.5inches, Chair dimension: 1.12.6inches x w W16.25 inches x W131.75inches 51 Round Table, Class Top (71a) - 4-seater, glass top and stainless legs, 0.90m diameter x 0.75m height 52 Round Table, Laminated Top, (71b) - 4-seater, laminated lop and stainless legs, 0.90m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5-shelves 54 0-5hape Conference table, 20-seater (88) - High Pressured Laminate to pfinish and metal legs (back) which consists of 6picces 1.2m x 0.66m table; 2 picces 1.0m x 0.66m table;	46		
Executive High Back Chair with chrome legs (43) High-end Executive High Back Chair with armsets gaslift and backtilt leatherette or fabric with five pronged star base durone legs			
High-end Executive High Back Chair with armrest, gaslift and backtill leatherette or fabric with five pronged star base durone legs Working Table 1.50m. x 0.80mW x 0.75mH (44) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs Working Table, 1.50m. x 1.0mW x 0.75mH (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs but have been been been dead to the state of the sta	45		
and backtil leatherette or fabric with five pronged star base chrome legs Working Table 1.50mL x 0.80mW x 0.75mH (44) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 9 Working Table 1.60mL x 1.0mW x 0.75mH (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 50 Dining Set C - Regular 4 seater (70c) - 8mm black tampered glass/ black hammer tone powder coating / PU seat + Backrest with Cushion covered PU. Color: Black, Table dimension: L43.5inches x W27.5inches x H29.5inches, Chair dimension: L17.26inches x W16.25 inches x H31.75inches 51 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MTC laminated Top, (71b) - 4 seater, laminated lop and stainless legs 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MTC laminate finish with 5 shelves 64 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of opieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions; 240mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension; 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity; 1050xD330mm Inside Capacity; 1050xD330mm Inside Capacity; 10 function Heater: SouW Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment 'Open door protective	47		
48 Working Table 1.50mL x 0.80mW x 0.75mH (44) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 49 Working Table, 1.60mL x 1.0mW x 0.75mH (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 50 Diring Set C - Regular 4-seater (70c) - 8mm black tampered glass; black hammer tone powder coating; PU seat + Backrest with Cushion covered PU; Color: Black, Table dimension: L43.5inches x W27.75inches x 129.5inches, Chair dimension: L12.26inches x W16.25 inches x 151 Round Table, Class Top (71a) - 4-seater, glass top and stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top; (71b) - 4-seater, laminated top and stainless legs, 0.90m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MTC laminate finish with 5 shelves 4 O-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6pieces 1.2m x 0.60m table; 2 pieces 1.0m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security, Reception Counter (SC) - MTC Board countertop, MTP Board finish, with 6s.4 drawers and 1 cabinet with locks, Dimensions; 2.40m 1, x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimensions; 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 18 Liter Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 9000W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment • Open door protective device • Overheat protective device • Sterilize Frame - Stainless steel Materials, Slandard accessories: 3-Layer Tray			
48 Working Table L 30m.t. v. 80m.W v. 0.75m.H (44) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 49 Working Table, L60m.t. x. 10m.W v. 0.75m.H (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 50 Dining Set C - Regular 4 seater (70c) - 8mm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PU, Color: Black, Jable dimension: 14.35m.ches x. W27.5m.ches x. Pd. 125m.ches x. W16.25 inches		1 0	
High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 49 Working Table, Lomm x 1.0mW x 0.75mH (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 50 Dining Set C - Regular 4 seater (70c) - 8mm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PU, Color: Black, Table dimension: L43.5inches x W27.75inches x H29.5inches, Chair dimension: L17.26inches x W27.75inches x H29.5inches, Chair dimension: L17.26inches x W16.25 inches x H31.75inches 51 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.730m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs, 0.90m diameter x 0.730m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 Oshape Conference table, 2.0-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of spicces 1.2m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimensions 2.6nches x 36inches x 75inches 57 Autoclave Sterillizer Specifications: Chamber Capacity: 18 Liter Sterilize Tengestoms 8.6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel 5 US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety, Equipment Open Processing 2.4 materials, Saindard accessories: 3-Layer Tray	40		
grain) with 4-stainless legs Working Table, 1.60m. x 1.0mW x 0.75mH (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 50 Dining Set C - Regular 4 seater (70c) - 8mm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PU, Color: Black, Table dimension: 14.35/inches x W27.5mches x 142.5mches x Chair dimension: L17.26inches x W16.25 inches x H31.75inches 51 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 O-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (lack) which consists of 6picces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (50) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complet 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 55mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel 5 US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	40		
Working Table, 1.0mlx x 0.75ml (49) - High pressured laminated top, color: light brown (wood grain) with 4-stainless legs 50 Dining Set C - Regular 4 seater (70c) - 8mm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Gushion covered PU, Color: Black, Table dimension: L17.26inches x W16.25 inches x L81.75inches (Chair dimension: L17.26inches x W16.25 inches x H31.75inches 51 Round Table, Class Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC Laminate finish with 5 shelves 54 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6 pieces 1.2m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions 2.40m1 x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity; 0.050x10350mm Inside Capacity; 0.050x10350mm Inside Capacity; 0.050x10350mm Inside Capacity; 12 C & 134*C Sterilize Teressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S U5*304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment 'Open door protective switch 'Pressure adjustment device 'Overheat protective dwice Sterilize Tame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
pressured laminated top, color: light brown (wood grain) with 4-stainless legs 50 Dining Set C. Regular 4-seater (70c) - 8mm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PU. Color: Black, Table dimension: L43.5inches x W27.75inches x H29.5inches, Chair dimension: L17.26inches x W16.25 inches x H31.75inches 51 Round Table, Glass Top (71a) - 4-seater, glass top and stainless legg, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4-seater, laminated top and stainless legg, 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6 pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40m L x 0.79m W x 1.16mH 56 Double Deck Bunk Bed with Foam and Fillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 75inches 57 Autoclave Sterilizer 58 Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temegrature: 121 C & 134 °C Sterilize Temegrature: 121 °C & 134 °C Sterilize Temperature: 121 °C & 134 °C Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch **Tressure adjustment device **Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	40		
with 4-stainless legs Dining Set C - Regular 4 seater (70c) - 8mm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PU, Color: Black, Table dimension: L43-Sinches x W27.75inches x H29.5inches, Chair dimension: L17.26inches x W16.25 inches x H31.75inches S1 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height S2 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.740m height S3 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 O-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6 pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40ml. x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Millitary Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 18 Liter Sterilize Tenseure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch** **Tressure adjustment device** **Overheat protective device** Sterilize Firane - Stainless steel Materials, Standard accessories: 3-1.ayer Tray	47		
50 Dining Set C - Regular 4 seater (70Q - 8mm black tampered glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PU, Color: Black, Table dimension: L43.5inches x W27.75inches x H29.5inches x H31.75inches 51 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs, 1.00m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6picces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment 'Open door protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
glass / black hammer tone powder coating / PU seat + Backrest with Cushion covered PC, Color: Black, Table dimension: L13-Sinches x W16.25 inches x H31.75inches 11 Round Table, Class Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 22 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height 33 Book Shelves (72) - 1.0m Length x 0.45m Wildth x 2.40m Height, MFC laminate finish with 5 shelves 4 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6 pieces 1.2m x 0.60m table, 2 pieces 1.0m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (5C) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions; 2.40mL x 0.79m Wx 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension; 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA); 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	50	Ü	
Backrest with Cushion covered PU, Color: Black, Table dimension: L43.5inches x W27.75inches x H29.5inches, Chair dimension: L17.26inches x W16.25 inches x H31.75inches 51 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height bond stainless legs 1.0m diameter x 0.75m height bond stainless legs 1.0m diameter x 0.75m height height, MFC laminate finish with 5 shelves 54 O-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6pieces 1.2m x 0.60m table, 2 pieces 1.0m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40m. x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Topy function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	30		
dimension: L43.5inches x W27.75inches x H29.5inches, Chair dimension: L17.26inches x W16.25 inches x H31.75inches 51 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6 pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and I cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Chair dimension: L17.26inches x W16.25 inches x H31.75inches 51 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 O-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6 pieces 1.2m x 0.60m dable, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with dask, 4 drawers and 1 cabinet with locks, Dimensions 2.40m L x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
## Starting Start ##			
51 Round Table, Glass Top (71a) - 4 seater, glass top and stainless legs, 0,90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 O-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of ópieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer 5pecifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121 C & 134 C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
stainless legs, 0.90m diameter x 0.740m height 52 Round Table, Laminated Top, (71b) - 4 scater, laminated top and stainless legs 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 0-Shape Conference table, 20-scater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 10x50xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Time; 25mins & 6 mins Dry Time; No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	51		
52 Round Table, Laminated Top, (71b) - 4 seater, laminated top and stainless legs 1.0m diameter x 0.75m height 53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of ópieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40m L x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective witch *Pressure adjustment device *Overheat protective device Sterilize Trame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
top and stainless legs 1.0m diameter x 0.75m height Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment "Open door protective witch "Pressure adjustment device "Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	52		
53 Book Shelves (72) - 1.0m Length x 0.45m Width x 2.40m Height, MFC laminate finish with 5 shelves 54 0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		= ' ' ' ' '	
0-Shape Conference table, 20-seater (88) - High Pressured Laminate top finish and metal legs (black) which consists of 6pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity:: 0050xD350mm Inside Capacity:: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	53		
Laminate top finish and metal legs (black) which consists of 6pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity:: 0050xD350mm Inside Capacity:: 18 Liter Sterilize Temperature: 121° C & 134° C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		Height, MFC laminate finish with 5 shelves	
of 6pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table and 4 pieces 0.60m quarter circle table 55 Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	54	0-Shape Conference table, 20-seater (88) - High Pressured	
and 4 pieces 0.60m quarter circle table Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment "Open door protective switch *Pressure adjustment device "Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		Laminate top finish and metal legs (black) which consists	
Security / Reception Counter (SC) - MFC Board countertop, MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Temperature: 121°C & 134°C Sterilize Time; 25mins & 6 mins Dry Time; No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device Yoverheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		of 6pieces 1.2m x 0.60m table, 2 pieces 1.00m x 0.60m table	
MDF Board finish, with desk, 4 drawers and 1 cabinet with locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity:: 0050xD350mm Inside Capacity:: 0050xD350mm Inside Capacity:: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
locks, Dimensions: 2.40mL x 0.79mW x 1.16mH 56 Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity.: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	55		
Double Deck Bunk Bed with Foam and Pillow (DB) - Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches Autoclave Sterilizer Specifications: Chamber Capacity:: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Heavy duty double deck bed - Military Spring or Military Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity.: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Flat Bar type, with complete 4-inches foam mattress and pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	56		
pillow, Dimension: 36inches x 36inches x 75inches 57 Autoclave Sterilizer Specifications: Chamber Capacity: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Autoclave Sterilizer Specifications: Chamber Capacity.: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Specifications: Chamber Capacity.: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	57	1	
Chamber Capacity:: 0050xD350mm Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray	31		
Inside Capacity: 18 Liter Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		*	
Sterilize Temperature: 121°C & 134°C Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Sterilize Pressure (MPA): 0.12Mpn 20 23Mpu Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Sterilize Time; 25mins & 6 mins Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Dry Time: No dry function Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Heater: 900W Materials Quality: Stainless steel S US+304 Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Surface Deal with: The machine foundation and the outer shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
shell use high-temperature powder-coated paint Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		Materials Quality: Stainless steel S US+304	
Electric Current: 220V Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		Surface Deal with: The machine foundation and the outer	
Safety Equipment *Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
*Open door protective switch *Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		Electric Current: 220V	
*Pressure adjustment device *Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
*Overheat protective device Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray			
Sterilize Frame - Stainless steel Materials, Standard accessories: 3-Layer Tray		,	
Standard accessories: 3-Layer Tray			
3-Layer Tray			
onen, i pe.			
		Juleut. I pe.	

	Tray Size (cm) L-26 x W-18 x H-2			
	Temperature and Pressure Display; LED Display			
	Outside Size(L x W x H)cm: 56 x 39 x 36			
50	Packing Size (L x W x H)cm: 61.5 x 44 x 36.5			
58	Portable Dental X-ray (Handheld) - lightweight body,			
	intelligent control system, streamlined aesthetic design,			
	real time display of inclination, big screen, full touch, built-			
	in automotive grade power battery, handheld			
	(Tube Voltage): 60KV TUBE CURRENT: 2MA			
	(Exposure Time: 0.1-2.5 S			
	(Operating Frequency): 20Kh:			
	(X-ray Tube Focus): 03 mm			
	(NET Weight): 1.7g (Gross Weight): 3.2kg			
	(Scorch Pitch): 110mm			
	(Display Mode): LCD Touch Screen Display			
	(Built-in Power) DC 16.8V (Rated Power) 80W			
	(Charger Input Voltage): AC 100-240V			
	(Input Voltage): DC16.8V			
	(Charger Input Frequency): 50-60Hz			
59	Dental Chair Set			
	Standard Accessories:			
	High Speed air turbine hand piece tie-in 2 sets, 4 holes,			
	Low speed air motor hand piece tie-in 1 set, 4 holes			
	Three way syringe (cold & hot) 1 set each			
	Automatic cup filler 1 set			
	Water strong suction & saliva weak suction 1 set each			
	Luxurious operation light 6500 - 26000lux 1 set			
	Rotatable tempered glass spittoon 1 set			
	2 2 2			
	Purified distilled water-supplied system 1 set			
	Dental stool 1 set			
	Inductive air-locked rotary arm system 1 set			
	Multifunctional foot controller 1 set			
	Led X-ray film viewer 1 set			
	24V noiseless DC motor patient chair (Compensation			
	design) 1 set			
	Comfortable backrest & seat 1 set			
	High-grade adjustable headrest 1 set			
	Standard Configuration:			
	1. 2xHigh speed air turbine handpiece tie-in			
	2. 1xLow speed air motor handpiece tie-in			
	3. 1xThree way syringe			
	4. 1xAutomatic cup filler			
	5. 1xWater strong suction & saliva weak suction			
	6. 1xDental operation light			
	7. 1xCeramic spittoon			
	8. 1xPurified water-supplied system			
	9. 1xDental stool			
	10. 1xlnductive air-locked rotary arm system			
	11. 1xMultifunctional foot controller			
	12. 1x24V noiseless DC motor chair			
	13. 1xComfortable backrest & seat			
	14. 1xHigh-grade adjustable headrest			
	Specification:			
	Supply pressure 220V, 60Hz			
	Air pressure 550KPa			
	Water Pressure 0.2MPa-0.4MPa			
	Power: 900VA			
	Water flow: 10L/min			
	Airflow: 50L/min			
	Ambient Temperature: 5°C - 40°C		 	

	D 1 (1 1 11) 200/ 750/	
	Relative humidity: 30% ~ 75%	
	Atmospheric pressure: 70Kpa - 106Kpa	
	Load Capacity: 135kg	
	With Compressor and AVR	
	With Compressor and Dentist's stool	
	With Intra-oral Camera	
60	External Oral Aerosol Suction Machine	
	Suction and disinfection machine for droplets and aerosols	
	to avoid cross contamination inside the dental unit area	
	Technical Parameter:	
	Power 1500W	
	Voltage 220V/60Hz	
	Flow 3000 - 3500L/min	
	Max Vacuum	
	-18 kpa	
	UV light power 3 x 90W	
	HEPA 13H	
	Positive ion concentration 10 x 106pcs/cm3	
	Negative ion concentration 10 x 106pcs/cm3	
	Noise 68dB	
	Suction pipeline's diameter 50mm	
	Suction pipeline's length 1.6m	
	Package size: 46 x 58 x 105cm	
	G.W 70KG	
61	Counter Top Clip	
	Powdered coated metal	
62	Wallpaper (QCHD Head and Asst. Head's Office)	
	Plain or with design	
63	Glass film, frosted (for glass doors and walls)	
В.	Compliance to the Schedule of Requirements	
	(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

$\frac{Legal\ Do}{\square}\ (a)$	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
<u>Technica</u>	al Documents
(b) S	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed
(d)	by the QC-BAC-GOODS AND SERVICES); <u>and</u> Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
(e)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>
(f)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financia	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); or
	A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
(h)	Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
	or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
	cumentary requirements under RA No. 9184 (as applicable)
[(i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
[(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II.	F	INANCIAL COMPONENT ENVELOPE
	(a)	Original of duly signed and accomplished Financial Bid Form; and
	(b)	Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

- Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.
- Statement of Warranty Minimum of One (1) Year (for item nos. 57-60).

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

