

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF CORDLESS HAMMER DRILL AND OTHERS

PROJECT NO. CPO-23-HCS-0311

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Jossai	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	12
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	31
Section	VIII. Checklist of Technical and Financial Documents	36

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



INVITATION TO BID

April 27, 2023

·	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1.	SDO-23-MSLI-0527	SCHOOLS DIVISION OFFICE	DENTAL LABORATORY SUPPLIES (SURGICAL HEAD CAP AND OTHERS)	P 446,000.00	GENERAL FUND	30 CD
2.	SDO-23-PS2-0531	SCHOOLS DIVISION OFFICE	PRINTING OF IBANG KLASE SA QC NEWSLETTER	P 360,000.00	GENERAL FUND	7 MONTHS
3.	SDO-23-AAS2-0549	SCHOOLS DIVISION OFFICE	SUPPLY AND INSTALLATION OF SPLIT TYPE WALL MOUNTED AIRCON	P 192,000.00	GENERAL FUND	30 CD
4.	SDO-23-MDE-0550	SCHOOLS DIVISION OFFICE	DENTAL UNIT WITH CHAIR	P 500,000.00	GENERAL FUND	30 CD
5.	HEALTH-23-CCP-0460	QUEZON CITY HEALTH DEPARTMENT	MOSQUITO OL TRAP KIT	P 540,000.00	GENERAL FUND	30 CD
6.	BUDGET-23-AAS2- 0714	CITY BUDGET DEPARTMENT	SUPPLY AND INSTALLATION OF AIRCONDITIONING UNIT	P 198,500.00	GENERAL FUND	30 CD
7.	NDC-23-HCS-0788	NOVALICHES DISTRICT CENTER	CEMENT AND OTHERS	P 224,880.00	GENERAL FUND	30 CD
8.	OCM(POPS)-23-MSLI- 0682	OFFICE OF THE CITY MAYOR – POPS PLAN	PULSE OXIMETER AND OTHERS	P 246,922.60	GENERAL FUND	90 CD
9.	OCM(POPS)-23- VEHICLES-0708	OFFICE OF THE CITY MAYOR – POPS PLAN	MOTORCYCLE	P 800,00.00	GENERAL FUND	30 CD
10.	CONSO-23-OESC-0822	CITY BUDGET DEPARTMENT/ NOVALICHES DISTRICT CENTER	INK CARTRIDGE AND OTHERS	P 950,113.60	GENERAL FUND	30 CD
11.	DPOS-23-SERVICES- 0627	DEPARTMENT OF PUBLIC ORDER AND SAFETY	RENTAL OF METAL TRUSSES	P 174,000.00	GENERAL FUND	7 MONTHS
12.	QCYDO-23-OE-0734	QUEZON CITY YOUTH DEVELOPMENT OFFICE	VARIOUS OFFICE EQUIPMENT (PHOTOCOPIER, PAPER TRIMMER, AND OTHERS)	P 713,361.68	GENERAL FUND	30 CD
13.	CAO-23-OSD-0799	CITY ADMINISTRATOR'S OFFICE	FLASHDRIVE, KEYBOARD, AND OTHERS	P 84,064.00	GENERAL FUND	30 CD

14.	QCCCD-23-CS1-0706	QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES	FOOD AND DRINKS AND OTHERS	P 537,000.00	GENERAL FUND	7 MONTHS
15.	CPO-23-HCS-0311	CITY PROSECUTOR'S OFFICE	CORDLESS HAMMER DRILL AND OTHERS	P 330,150.50	GENERAL FUND	30 CD
16.	CAD-23-JS2-0600	CITY ARCHITECT DEPARTMENT	VARIOUS JANITORIAL SUPPLIES	P 84,530.00	GENERAL FUND	30 CD

- 1. The QUEZON CITY LOCAL GOVERNMENT, through the General Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids* and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 8:00 a.m. 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>Friday, April 28, 2023</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 million	1,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 11:00 A.M. of Monday, May 08, 2023. Late bids shall not be accepted.

- 7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 8. Bid opening shall be on 1:00 P.M. of Monday, May 08, 2023 at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

 $\underline{https://us02web.zoom.us/j/85850855933?pwd} = R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz091WmdZ091WmdKRjZCdz091WmdKrjZCdz091WmdKrjZCdz091WmdKrjWndKrjZCdz091WmdKrjWndKrjZCdz091WmdKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndKrjWndYrjWndKrjWndYrjWndKrjWndYrjWndKrjWndY$

Meeting ID: 858 5085 5933

Passcode: 118682

- 9. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 10. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: bacgoods.procurement@quezoncity.gov.ph Tel. No. (02)8988-4242 loc. 8506/8710

Website: <u>www.quezoncity.gov.ph</u>

11. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

Chairperson, QC-BAC-Goods and Services

IB FOR MAY 08, 2023 - BELOW

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the PROCUREMENT OF CORDLESS HAMMER DRILL AND OTHERS with identification number CPO-23-HCS-0311.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *sixteen* (16) *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2023** in the amount of **THREE HUNDRED THIRTY THOUSAND ONE HUNDRED FIFTY PESOS AND 50/100 ONLY (Php330,150.50).**
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of **Expendable Supplies**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least *twenty-five percent* (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
 - One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the

NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB					
Clause					
5.3	For this purpose, contracts similar to the	Project shall be:			
	a. A single contract similar to the item/s to be bid and must be at least twenty-five percent (25%) of the ABC.				
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.				
7.1	Subcontracting is not allowed.				
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.				
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than <i>Php6,603.01</i> or equivalent to two percent				
	 (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Php16,507.53</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond. 				
19.3	APPROVED BUDGET FOR THE CONTRACT				
	FOR ITEM NOS. 1 - 9	PHP 122,000.00			
	FOR ITEM NOS. 10 - 16	PHP 208,150.50			
	TOTAL	PHP 330,150.50			
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.				
	No additional requirement				
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.				
	Statement of Warranty – Mini	mum of One (1) year			

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	Special Conditions of Contract				
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]				
	Delivery and Documents –				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."				
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).				
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].				
	Incidental Services –				
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.				
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;b. furnishing of tools required for assembly and/or maintenance of the				
	supplied Goods; c. furnishing of a detailed operations and maintenance manual for each				
	appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and				
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] 				
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

	Contract Description
	Final Destination
	Gross weight
	Any special lifting instructions Any special handling instructions
	Any special handing instructions Any relevant HAZCHEM classifications
	Any relevant mazement classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:"
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>

Section VI. Schedule of Requirements project name: procurement of cordless hammer drill and others

PROJECT NO. CPO-23-HCS-0311

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
	With minimum technical specifications:	155416		1/10114110
1	SACK	piece	400	
	woven polypropylene nylon heavy duty			
	Size: (26 inches x 40 inches – 65cm x 105cm)			
2	T5 LED TUBE LIGHT	piece	70	
	14W 2FT Industrial Daylight			
3	DVD+R 4.7GB 16X 120 minutes	pack	10	
	(10 pieces with Individual Slim Case)			
	DVD-Recordable Discs offer 4.7GB or 120 minutes of			
	DVD-Quality Storage Capacity archive			
	and back up, up to 4.7GB of important data			
	Compatible with most 16X DVD+R drives available			
	Read compatible with most DVD-ROM drives and DVD			
	video players, record 120 minutes of video			
4	SET VEHICLE MULTIFUNCTIONAL WRENCHES	set	1	
	CHROME VANADIUM STEEL AUTO CAR REPAIR			
	TOOL BOX SET 53 pieces			
	Material: high carbon steel			
	Maximum size: About 14mm/0.55 inch			
	Quantity: 21 pieces socket bits			Within
	Pattern hexagon socket: T10 / T15 / T20 / T25 / T30 / T40			Thirty (30)
	Flat head hexagon socket: H3 / H4 / H5 / H6 / H7 / H8			Calendar
	Slotted: S4/ S5.5/S7			Days
	Cross: PH1 / PH2 / PH3			Upon
	POZI: PZ1 / PZ2 / PZ3			Issuance
	13pcs ¼ inch hexagon sockets: 4-4.5-5.5-6-7-8-9-10-ll-12- 13-14mm			of Notice
	1pc ¼ inch universal joint			to Proceed
	1pc ½ inch elastic extension rod			
	2pcs ½ inch extension (50mm, 100mm)			
	3pcs L-type hexagonal wrench (1.5-2-2.5mm)			
	1pc ¼ inch slide bar			
	1pc ¹ / ₄ inch interface small square bar			
	1pc ¼ inch quick release ratchet wrench			
5	7pcs ¹ / ₄ inch long sockets: 6, 7, 8, 10, 12, 13, 14 mm	4	1	
5	PIPE WRENCH SET 8 inches/10 inches/12 inches/14 inches	set	1	
	*8 inches (200mm) Max clamping diameter: 27mm			
	*10 inches (250mm) Max clamping diameter: 34mm			
	*12 inches (300mm) Max clamping diameter: 42mm			
	*14 inches (350mm) Max clamping diameter: 50mm			
	Mobile jaw drop-forged with high quality carbon steel			
	Inactivate treatment			
	Body material: ductile cast iron			
	Black finish and polish solid rivet		1	
6	INDUSTRIAL HAND RIVETER (8 inches) TPR HANDLE	unit	1	
	Powder Coated Aluminum Alloy Body Innovative Patented			
	Structure Over 40% Labor Saving Design Ergonomic			
	Handles with Comfortable TPR Grips Three Jaws, Alloy			
	Steel, HRC 58-62 Maximum Working Stroke: 7mm,			
	Adjustable Suitable for Aluminum, Steel and Stainless Steel			
	Rivets Packing: Double Blister			

 $Schedule\ of\ Requirements\ Page\ 1\ of\ 4$

7	115 IN 1 MINI MAGNETICS PRECISION SCREWDRIVER SET MULTI COMPUTER PC REPAIR HAND 115 in 1 for a wide range of applications Anti-Slip handle in silicone quality and ergonomic design. Made of chrome vanadium steel, which are not easy to break and are durable. Reasonable package design, easy to use and carry. Features and specifications: 90 x Bits PH000, PH000, PH00, PH00, PH0, PH0, PH1, PH2, and PH2 m, word, Bit: PZOO, PZOO, PZO, PZO, PZI, PZ1, PZ2, and PZ2 Straight: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, and 4.0 Straight: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, and 5/32 Five star: 0.8, 0.8, 1.2, 1.2, 1.5, 1.5, 2.0, and 2.0 Torx: T3, T3, T4, T4, T5, T5, T6, T6, T7, T7, T8, T8, T9, T9, T10, T10, T15, T15, T20, and T20 Hexagon: 07, 0.9, 13, 1.3, 1.5, 1.5, 2.0, 2.0, Z5, 2.5, 3.0, 3.0, 3.5, 4.0, and 4.0 Hexagon: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, and 5/32 Triangle: 2.0, 2.3, 2.7, and 3.0 "U" shape: 2.6 and 2.6 "Y" shape: 2.0 and 3.0 4 mm socket: M2.5, M3.0, M3.5, M4.0, M4.0, M4.5, M5.0, and M5.5 Packaging: 1 x Aluminium handle 1 x Universal rod 1 x Extension rod 1 x Tweezers 2 x Crowbars 1 x Magnetizer / Demagnetizer	set	i	Within
	1 x Sucker 1 x Triangles			Thirty (30)
9	EXTRA SLIM PORTABLE DVD WRITER Ultra-slim, sleek design with rounded edges - just 13.9mm thick Compatible with CD-R/RW, DVD±R, DVD±RW, DVD±R DL, M-DISC, DVD-RAM media USB 2.0 interface for high-speed data transfer Reads and writes Dual Layer Discs USB powered - No external power adapter needed Anti-slip rubber feet Includes free CyberLink Media Suite 10 (Power2Go and MediaShow) media writing software download. Drive Type 9.5mm internal, Tray-Loading Buffer Memory 0.75MB Average Seek Time DVD-ROM - 160ms, CD-ROM - 140ms, Operating Voltage 5V Operating Temperature 50 Degrees Celsius (41 Degrees Fahrenheit) System Requirements Desktop or notebook computer with two working USB ports One of following operating systems: Windows XP, Windows Vista, Windows 7, Windows 8, Windows 10, Mac OS X 10.4 or later POLYETHYLENE SHEET FOR CONSTRUCTION MATERIAL HDPE POLYTHENE 8 mill. 5ft. x 60m. (200 microns) Color Transparent	roll	3	Calendar Days Upon Issuance of Notice to Proceed
11	PISINFECTANT HUMIDIFIER MACHINE Remote controlled (available for digital); Use pure water for humidifier and disinfectant solution to disinfect the area or person; 1 liter/our mist output can be adjusted for 360 degrees room disinfection and directional misting to disinfect a person; Ultrasonic high frequency oscillation quickly atomizes water into mist; Whisper-Quiet Operation; Constant Humidity Control CORDLESS HAMMER DRILL	unit	21	
	13mm ½ inch 18V LXT Kit Set with Brushless DC Motor . Voltage: 18V . Max Capacity Steel: 13mm . Max Capacity Wood: 38mm			

	37. 6	l .	1	
i .	. Max Capacity Masonry: 13mm			
	. Impacts per minute: 0-30/0-7500ipm			
	. No load speed: 0-500/0-2000rpm			
	. Max fastening torque: Hard: 54Nm Soft: 30Nm			
	. Weight: 1.6kg.			
	Includes:			
	1 x Cordless Hammer Drill 1/2 18V LXT Kit Set with			
	Brushless DC Motor			
	2 x Battery (3.0AH)			
	1 x Fast Charger			
	1 x Battery Cover			
	1 x Hook			
	1 x Double Ended Bit 2-45			
	1 x 1/2 Keyless Drill Chuck			
	1 x Carrying Case			
12	ANGLE GRINDER	unit	1	
	4 inches 12,000 RPM 720 Watts AC			
	Continuous Rating Input 720W Wheel Diameter 100mm			
	(4 inches) No Load Speed (RPM)			
	12000 Net weight 2.3 - 2.6 kg. (5.1 - 5.7 lbs.) Power Supply			
	cord 2.5m (8.2 ft.)			
	Includes:			
	Depressed Centre Wheel, Lock Nut Wrench, Diamond			
	Blade, Grip			
13	HIGH PRESSURE WASHER	unit	1	
	110 bars			
	Power: 1,300W Max.			
	Pressure: 110 bar Max.			
	Flow rate: 330 ltr/hr Max.			Within
	Flow temp: 40°C			
	Hose length: 3m PVC			Thirty (30)
				Calendar
	Cable length: 5m Self-priming			Days
	Inclusion: High-Pressure Gun Lance 3m High-Pressure			Upon
	Hose Variable Fan Jet Nozzle Rotary Nozzle High-Pressure			Issuance
	Detergent Nozzle, 450ml, Water Filter (Black)			of Notice
14	DIGITAL TRUE RMS DIGITAL CLAMP METER	unit	1	to Proceed
14				
14	MULTIMETER MULTI TESTER WITH			to Trocccu
14	MULTIMETER MULTI TESTER WITH CAPACITANCE			torroccu
14	CAPACITANCE			torroccu
14	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V			to Froced
14	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms			to Proceed
14	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester			torrocccu
14	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts			to Trocceu
14	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz)			torrocceu
14	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V			torrocccu
14	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light			torrocceu
14	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes			torrocceu
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII)			torrocceu
15	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD	set	1	to Trocceu
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES	set	1	torroccea
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features:	set	1	to Trocceu
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES	set	1	to Trocceu
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features:	set	1	to Trocced
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow	set	1	to Trocced
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator.	set	1	to Trocced
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle.	set	1	to Trocced
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation.	set	1	to Trocced
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in	set	1	to Trocced
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting.	set	1	to Trocced
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions:	set	1	to Trocced
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches	set	1	
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700	set	1	
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm	set	1	
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v	set	1	
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v - Input Voltage Frequency: 50Hz, - Weight: 4kg.	set	1	
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v - Input Voltage Frequency: 50Hz, - Weight: 4kg Cable: 2m	set	1	to 11 occess
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v - Input Voltage Frequency: 50Hz, - Weight: 4kg Cable: 2m - Plug: 2 Pin Plug (EU) EURO	set	1	to 11 occess
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v - Input Voltage Frequency: 50Hz, - Weight: 4kg Cable: 2m	set	1	to 11 occess
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ - 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v - Input Voltage Frequency: 50Hz, - Weight: 4kg Cable: 2m - Plug: 2 Pin Plug (EU) EURO	set	1	to 11 occess
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v - Input Voltage Frequency: 50Hz, - Weight: 4kg Cable: 2m - Plug: 2 Pin Plug (EU) EURO Package Includes:	set	1	
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v - Input Voltage Frequency: 50Hz, - Weight: 4kg Cable: 2m - Plug: 2 Pin Plug (EU) EURO Package Includes: - 1 x 1050W Circular Saw Machine - 2 x Carbon Brush	set	1	
	CAPACITANCE AC Current: 600A AC/DC Voltage: 600V Resistance: 40 Mega ohms Capacitance: 4nF - 4mF Diode Tester, Continuity Tester (>30 ohms) 6000 counts TRUE RMS: (30HZ – 1 KHz) Overload protection: 250V Functions: Data hold backlight flash light Inclusions: 2xAAA Tester Bag Manual 2 x Probes (600V CATIII) 1050W 7 INCHES CIRCULAR SAW WOOD CUTTING TOOL SET WITH BLADE ACCESSORIES Features: - Lower guard design for better making bevel and narrow cuts - Sawdust and chips hardly ever come near the operator Well balanced body and ergonomically designed handle Lightweight design for comfortable operation Smooth cut with Powerful 1050W motor for even in heavy-duty cutting. Descriptions: - Blade Size: 7 inches - RPM No Load: 4700 - Blade Diameter: 185mm - Voltage: 220v - Input Voltage Frequency: 50Hz, - Weight: 4kg Cable: 2m - Plug: 2 Pin Plug (EU) EURO Package Includes: - 1 x 1050W Circular Saw Machine	set	1	

	- 1 x 7 inches Saw Blade			
16	JIG SAW 450W 18mm (1 – 1/16 inches) Continuous Rating Input: 450W Max. Cutting Capacity at 90° Wood: 65 mm (2-9/16 inches) Steel: 6 mm (1/4 inch) Length of Stroke: 18 mm (11/16 inches) Strokes Per Minute (SPM): 0 - 3,100 Vibration Level: Cutting Wood: 8.0 m/s2 Vibration Level: Cutting Weather Metal: 5.0 m/s2 Sound Pressure Level: 82 dB(A) Sound Power Level: 93 dB(A) Net Weight: 1.9 kg. (4.2 lbs.) Power Supply Cord: 2.0 m (6.6 ft.) *Variable speed by trigger *18mm stroke with cut capacity of up to 65mm in wood and 6mm in steel *3 orbital cutting settings *Tool-less blade changes INCLUDES: * Hex wrench	unit	1	Within Thirty (30) Calendar Days Upon Issuance of Notice to Proceed

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Schedule of Requirements Page 4 of 4

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications
PROJECT NAME: PROCUREMENT OF CORDLESS HAMMER DRILL AND OTHERS PROJECT NO. CPO-23-HCS-0311

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or
		"Not Comply" against each of the individual
		parameters of each Specification stating the
		corresponding performance parameter of the
		equipment offered. Statements of "Comply"
		or "Not Comply" must be supported by
		evidence in a Bidders Bid and cross-
		referenced to that evidence. Evidence shall
		be in the form of manufacturer's un-amended
		sales literature, unconditional statements of
		specification and compliance issued by the
		manufacturer, samples, independent test
		data etc., as appropriate. A statement that is
		not supported by evidence or is subsequently
		found to be contradicted by the evidence
		presented will render the Bid under
		evaluation liable for rejection. A statement
		either in the Bidder's statement of
		compliance or the supporting evidence that is
		found to be false either during Bid
		evaluation, post-qualification or the
		execution of the Contract may be regarded as
		fraudulent and render the Bidder or supplier liable for prosecution subject to the
		applicable laws and issuances.]
Α.	With minimum technical specifications:	applicate laws and issumces.
1	SACK	
	woven polypropylene nylon heavy duty	
	Size: (26 inches x 40 inches – 65cm x 105cm)	
2	T5 LED TUBE LIGHT	
2	14W 2FT Industrial Daylight	
3	DVD+R 4.7GB 16X 120 minutes	
	(10 pieces with Individual Slim Case)	
	DVD-Recordable Discs offer 4.7GB or 120 minutes of	
	DVD-Quality Storage Capacity archive	
	and back up, up to 4.7GB of important data	
	Compatible with most 16X DVD+R drives available	
	Read compatible with most DVD-ROM drives and DVD	
	video players, record 120 minutes of video	
4	SET VEHICLE MULTIFUNCTIONAL WRENCHES	
	CHROME VANADIUM STEEL AUTO CAR REPAIR	
	TOOL BOX SET	
	53 pieces Material: high carbon steel	
	Maximum size: About 14mm/0.55 inch	
	Quantity: 21 pieces socket bits	
	Pattern hexagon socket: T10 / T15 / T20 / T25 / T30 / T40	
	Flat head hexagon socket: H3 / H4 / H5 / H6 / H7 / H8	
	Slotted: S4/ S5.5/S7	
	Cross: PH1 / PH2 / PH3	
	POZI: PZ1 / PZ2 / PZ3	
	13pcs ¼ inch hexagon sockets: 4-4.5-5.5-6-7-8-9-10-ll-12-	
	13-14mm	
	1pc ½ inch universal joint	
	1pc ¼ inch elastic extension rod	
	2pcs ¹ / ₄ inch extension (50mm, 100mm)	
	3pcs L-type hexagonal wrench (1.5-2-2.5mm)	

	7pcs ¹ / ₄ inch long sockets: 6, 7, 8, 10, 12, 13, 14 mm	
5	PIPE WRENCH SET 8 inches/10 inches/12 inches/14	
	inches	
	*8 inches (200mm) Max clamping diameter: 27mm	
	*10 inches (250mm) Max clamping diameter: 34mm	
	*12 inches (300mm) Max clamping diameter: 42mm	
	*14 inches (350mm) Max clamping diameter: 50mm	
	Mobile jaw drop-forged with high quality carbon steel	
	Inactivate treatment	
	Body material: ductile cast iron	
	Black finish and polish solid rivet	
6	INDUSTRIAL HAND RIVETER (8 inches) TPR	
0	HANDLE	
	Powder Coated Aluminum Alloy Body Innovative Patented	
	Structure Over 40% Labor Saving Design Ergonomic	
	Handles with Comfortable TPR Grips Three Jaws, Alloy	
	Steel, HRC 58-62 Maximum Working Stroke: 7mm,	
	Adjustable Suitable for Aluminum, Steel and Stainless Steel	
	Rivets Packing: Double Blister	
7	115 IN 1 MINI MAGNETICS PRECISION	
	SCREWDRIVER SET MULTI COMPUTER PC	
	REPAIR HAND	
	115 in 1 for a wide range of applications Anti-Slip handle in	
	silicone quality and ergonomic design. Made of chrome	
	vanadium steel, which are not easy to break and	
	are durable. Reasonable package design, easy to use and	
	carry.	
	Features and specifications: 90 x Bits	
	PH000, PH000, PH00, PH00, PH0, PH1,	
	PH1, PH2, and PH2 m, word,	
	Bit: PZOO, PZOO, PZO, PZO, PZI, PZI, PZ2, and PZ2	
	Straight: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, and 4.0 Straight: 1/16,	
	5/64, 3/32, 7/64, 1/8, 9/64, and 5/32	
	Five star: 0.8, 0.8, 1.2, 1.2, 1.5, 1.5, 2.0, and 2.0	
	Torx: T3, T3, T4, T4, T5, T5, T6, T6, T7, T7, T8,	
	T8, T9, T9, T10, T10, T15, T15, T20, and T20	
	Hexagon: 07, 0.9, 13, 1.3, 1.5, 1.5, 2.0, 2.0,	
	Z5, 2.5, 3.0, 3.0, 3.5, 4.0, and 4.0	
	Hexagon: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, and 5/32	
	Triangle: 2.0, 2.3, 2.7, and 3.0 "U" shape: 2.6 and 2.6 "Y"	
	shape: 2.0 and 3.0 4 mm socket:	
	M2.5, M3.0, M3.5, M4.0, M4.0, M4.5, M5.0, and M5.5	
	Packaging:	
	1 x Aluminium handle	
	1 x Universal rod	
	1 x Extension rod	
	1 x Extension rod 1 x Tweezers	
	2 x Crowbars	
	1 x Magnetizer / Demagnetizer	
	1 x Sucker	
	1 x Triangles	
8	EXTRA SLIM PORTABLE DVD WRITER	
	Ultra-slim, sleek design with rounded edges - just 13.9mm	
	thick	
	Compatible with CD-R/RW, DVD±R, DVD±RW, DVD±R	
	DL, M-DISC, DVD-RAM media	
	USB 2.0 interface for high-speed data transfer	
	Reads and writes Dual Layer Discs	
	USB powered - No external power adapter needed	
	Anti-slip rubber feet	
	Includes free CyberLink Media Suite 10 (Power2Go and	
	MediaShow) media writing software	
	download. Drive Type 9.5mm internal, Tray-Loading	
	Buffer Memory 0.75MB	
	Average Seek Time DVD-ROM - 160ms,	
	CD-ROM - 140ms, Operating Voltage 5V	
	Operating Temperature 50 Degrees Celsius (41 Degrees	
	Fahrenheit) ~ 40 Degrees Celsius (104 Degrees Fahrenheit)	
	System Requirements Desktop or notebook computer with	
	two working USB ports One of following operating	

	systems: Windows XP, Windows Vista, Windows 7,	
	Windows 8, Windows 10, Mac OS X 10.4 or later	
9	POLYETHYLENE SHEET FOR CONSTRUCTION	
,	MATERIAL HDPE POLYTHENE	
	8 mill. 5ft. x 60m. (200 microns)	
	Color Transparent	
10	DISINFECTANT HUMIDIFIER MACHINE	
10		
	Remote controlled (available for digital); Use pure water for	
	humidifier and disinfectant solution to disinfect the area or	
	person; 1 liter/our mist output can be adjusted for 360	
	degrees room disinfection and directional misting to	
	disinfect a person; Ultrasonic high frequency oscillation	
	quickly atomizes water into mist; Whisper-Quiet Operation;	
	Constant Humidity Control	
11	CORDLESS HAMMER DRILL	
	13mm ½ inch 18V LXT Kit Set with Brushless DC Motor	
	. Voltage: 18V	
	. Max Capacity Steel: 13mm	
	. Max Capacity Wood: 38mm	
	. Max Capacity Masonry: 13mm	
	. Impacts per minute: 0-30/0-7500ipm	
	. No load speed: 0-500/0-2000rpm	
	. Max fastening torque: Hard: 54Nm Soft: 30Nm	
	. Weight: 1.6kg.	
	Includes:	
	1 x Cordless Hammer Drill 1/2 18V LXT Kit Set with	
	Brushless DC Motor	
	2 x Battery (3.0AH)	
	1 x Fast Charger	
	1 x Battery Cover	
	1 x Hook	
	1 x Double Ended Bit 2-45	
	1 x 1/2 Keyless Drill Chuck	
	1 x Carrying Case	
12	ANGLE GRINDER	
12	4 inches 12,000 RPM 720 Watts AC	
	Continuous Rating Input 720W Wheel Diameter 100mm	
	(4 inches) No Load Speed (RPM)	
	12000 Net weight 2.3 - 2.6 kg. (5.1 - 5.7 lbs.) Power Supply	
	cord 2.5m (8.2 ft.)	
	Includes:	
	Depressed Centre Wheel, Lock Nut Wrench, Diamond	
	Blade, Grip	
13	HIGH PRESSURE WASHER	
13	110 bars	
	Power: 1,300W Max.	
	Pressure: 110 bar Max. Flow rate: 330 ltr/hr Max.	
	Flow temp: 40°C	
	Hose length: 3m PVC	
	Cable length: 5m Self-priming	
	Inclusion: High-Pressure Gun Lance 3m High-Pressure	
	Hose Variable Fan Jet Nozzle Rotary Nozzle High-Pressure	
	Detergent Nozzle, 450ml, Water Filter (Black)	
14	DIGITAL TRUE RMS DIGITAL CLAMP METER	
	MULTIMETER MULTI TESTER WITH	
	CAPACITANCE	
	AC Current: 600A AC/DC Voltage: 600V	
	Resistance: 40 Mega ohms	
	Capacitance: 4nF - 4mF Diode Tester, Continuity Tester	
	(>30 ohms) 6000 counts	
	TRUE RMS: (30HZ – 1 KHz)	
	Overload protection: 250V	
	Functions: Data hold backlight flash light	
	Inclusions: 2xAAA Tester Bag Manual 2 x Probes	
	(600V CATIII)	
15	1050W 7 INCHES CIRCULAR SAW WOOD	
	CUTTING TOOL SET WITH BLADE ACCESSORIES	
	Features:	

	- Lower guard design for better making bevel and narrow	
	cuts	
	- Sawdust and chips hardly ever come near the operator.	
	- Well balanced body and ergonomically designed handle.	
	- Lightweight design for comfortable operation.	
	- Smooth cut with Powerful 1050W motor for even in	
	heavy-duty cutting.	
	Descriptions:	
	- Blade Size: 7 inches	
	- RPM No Load: 4700	
	- Blade Diameter: 185mm	
	- Voltage: 220v	
	- Input Voltage Frequency: 50Hz, - Weight: 4kg.	
	- Cable: 2m	
	- Plug: 2 Pin Plug (EU) EURO	
	Package Includes:	
	- 1 x 1050W Circular Saw Machine	
	- 2 x Carbon Brush	
	- 1 x Allen Key Wrench	
	- 1 x Rip Fence (Guide Rule)	
	- 1 x 7 inches Saw Blade	
16	JIG SAW	
	450W 18mm (1 – 1/16 inches)	
	Continuous Rating Input: 450W Max.	
	Cutting Capacity at 90°	
	Wood: 65 mm (2-9/16 inches)	
	Steel: 6 mm (1/4 inch)	
	Length of Stroke: 18 mm (11/16 inches)	
	Strokes Per Minute (SPM): 0 - 3,100	
	Vibration Level: Cutting Wood: 8.0 m/s2	
	Vibration Level: Cutting Sheet Metal: 5.0 m/s2	
	Sound Pressure Level: 82 dB(A)	
	Sound Power Level: 93 dB(A)	
	Net Weight: 1.9 kg. (4.2 lbs.)	
	Power Supply Cord: 2.0 m (6.6 ft.)	
	*Variable speed by trigger	
	*18mm stroke with cut capacity of up to 65mm in wood	
	and 6mm in steel	
	*3 orbital cutting settings	
	*Tool-less blade changes	
	INCLUDES: * Hex wrench	
В.	Compliance to the Schedule of Requirements	
.	(Section VI)	
	(~~~~~~~~~~~)	1

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of	

Technical Specifications Page 4 of 4

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Leg	gal L	<u>Occuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
<u>Tec</u>	chnic	<u>cal Documents</u>
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES) ; and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed
	(d)	by the QC-BAC-GOODS AND SERVICES); <u>and</u> Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or
	(e)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>
	(f)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Fin	anci	al Documents
	(g)	
		A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
		Class "B" Documents
	(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
		or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
<u>O</u> th	<u>ıer</u> d	ocumentary requirements under RA No. 9184 (as applicable)
	(i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II	FINANCIAL.	COMPONENT	FNVFI	OPE
11.	THIANCIAL	COMI ONEMI		<i>~</i>

(a)	Original of duly signed and accomplished Financial Bid Form; and
(b)	Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• Statement of Warranty – Minimum of One (1) year

Note:

1. Please refer to

 $[\underline{https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh_aring}] \ for the following requirements:$

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

