



PO Number **2302028**

Purchase Order Date: APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number : OCM(POPS)-22-SOP-996

Company Name

Mode of

: Public Bidding

THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC. AND HANCOM SPI INC.

Procurement

Address

Resolution No.

: 23-PB-067

: Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

· 229-796-842-000/ 008-671-339-000

TIN Number

Business Type

; Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock	item	Unit of	QTY	Unit Cost	Amount
No.		Issue			
1	FIREMAN'S SUIT	set	223	118,834.08	26,499,999.84
	Coat and Trousers				
	Material				
	Outer shell - Flame Resistant and water repellent fabric, pre-shuck				
	and firmly woven in rip weave with yarn plied, double and twisted				
	for extra strength.				
	•Flame quits breathable inner (thermal) barrier sewn to a moisture				
	barrier membrane material.				
	Wrestle/Sleeve Cuffs - made of fire resistant materials.				
	Collar and its Closure System - Consist of an outer shell, moisture				
	barrier, and thermal barrier with the same materials as the coat and				
	trouser. It is further lined with water repellent fire resistant material.				
	Waistband- Elasticized with Ultra Abrasion resistance nylon at the				
	side.				1
	Straps/ Suspenders Made of two (2) Ultra Abrasion resistance				
	nylon webbing.				
	Hanger loop Made of high strength fabric.				
	Pads Made of high strength fabric.				
	 Pockets Made of the same materials as the coat and trouser. 				
	Construction				
	●Inner Linings				
	Coat- Retractable/ detachable using snap type "Velcro" or its				
	equivalent type as per manufacturers design.				
	Trouser-Configure as a Single layer or multiple layers and have a				
	means of sewing such components to the outer shell. Extend a				
	minimum to the waistline seam of the trousers, and to within 75				
	mm of the bottom outer shell hems of the trousers.				
	Shoulder and Back Yoke - Permanently reinforced from a point on				1
	the front of the coat at 150 mm \pm 10mm from the crown of the				

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU City Accountant

OBR: 100-duan-on, 01482

Approved Budget for the Contract: 28,990,000.00

Page 1 of 10

TERMS AND CONDITIONS

- ALL PRICES INDICATED HEREIN ARE VALID, BINDING AND EFFECTIVE AT LEAST WITHIN THIRTY (30) CALENDAR DAYS FROM
 DATE OF RECEIPT.
- 2. AWARDEE shall be responsible for the source(s) of its supplies/materials/equipment and shall make deliveries in accordance with the schedule, quality and specification of the award and purchase order. Failure by the AWARDEE to comply with the same shall be a ground for cancellation of the award and purchase order issued to that AWARDEE and for re-awarding the item(s) to the ALTERNATE AWARDEE.
- 3. AWARDEE shall pick up purchase order(s) issued in its favor within three (3) days after receipt of notice to that effect. A telephone call, fax transmission or electronic mail (e-mail) shall constitute an official notice to the AWARDEE. Thereafter, if the purchase order(s) remains unclaimed, the said purchase order(s) shall be sent by mailing or courier, messengerial service to the AWARDEE. To avoid delay in the delivery of the requesting end-user's requirement, all DEFAULTING AWARDEES shall be precluded from proposing or submitting a substitute sample.
- 4. Subject to the provisions of the preceding paragraph, where AWARDEE has accepted a purchase order but fails to deliver the required product(s) within the time called for in the same order, the delivery period may be extended a maximum of fifteen (15) calendar days under liquidated damages to make good the delivery. Thereafter, if AWARDEE has not completed the
- 5. delivery within the extended period, the subject purchase order shall be cancelled and the award for the undelivered balance, withdrawn from that AWARDEE. The BAC-Goods and Services shall then purchase the required item(s) from such other source(s) as it may determine, with the difference in price to be charged against the DEFAULTING AWARDEE. Refusal by the DEFAULTING AWARDEE to shoulder the price difference shall be ground for its disqualification from future bids of the same items, without prejudice to the imposition of other sanction as prescribed under RA 9184 and its RIRR.
- 6. When the supplier fails to satisfactorily deliver goods/services under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier shall be liable for damages for the delay and shall pay the procuring entity liquidated damages, not by way of penalty, an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods/services scheduled for delivery for everyday of delay until such goods/services are finally delivered and accepted by the procuring entity concerned.
- 7. Rejected deliveries shall be construed as non-delivery of product(s)/item(s) so ordered and shall be subject to liquidated damages, subject to the terms and conditions prescribed under paragraph 4 hereof.
- 8. Supplier shall guarantee its deliveries to be free from defects. Any defective item(s)/product(s), therefore that maybe discovered by the *Quezon City Government* within three (3) months after acceptance of the same, shall be replaced by the supplier within seven (7) calendar days upon receipt of a written notice to that effect.
- 9. All duties, excise and other taxes and revenue charges, if any, shall be for the supplier's account.
- 10. As a pre-condition to payment, IMPORTANT DOCUMENTS specifically showing the condition and serial numbers of the imported equipment purchased should be submitted by the supplier to the *Quezon City Government*.
- 11. All transactions are subject to applicable withholding taxes in accordance with existing BIR rules and regulations.
- 12. Supplier shall furnish the End-user through the City General Services Department stockroom, the articles, described above;
- 13. The Quezon City Government reserves the right to accept or reject delivered articles if found not in conformity to the specifications, terms and conditions stipulated.
- 14. Provisions contained in Title VI, Book IV of the Civil Code of the Philippines on Sales are hereby incorporated and made as an Integral part hereof.

15. This co	ntract shall also serve as Notice to Pro	ceed, to take effect on	APR 1 3 2023	and to expire on -
CONFORME:	formath dies	Authorized Kep	muchative of the	4/10/2023
SIGNATU	JRE OVER PRINTED NAME	IN THE CAPAC	CITY OF JYA	DATE
Duly authorized	to sign this Purchase Order for and on b	pehalf of The JVA of	COMPANY NAME	Logics, Inc. 5 Harrom of h
me and were ide	ID SWORN to before me this day entified by me through competent evident	ence of identity as defined	in the 2004 Rules on Nota	rial Practice (A.M. No. 02-
8-13-SC). Affiant with No.	s exhibited to me his/her	with h	is/her photograph and sig	nature appearing thereon
Doc. No				
Page No				
Book No.				
Series of				

^{***}This Purchase Order shall be deemed invalid without Notary Seal (for project amounting to Php2,500,000.00 and above only)







PO Number **2302028**

Purchase Order Date: APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number: OCM(POPS)-22-SOP-996

Company Name

THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC.

Mode of

: Public Bidding

AND HANCOM SPI INC.

Procurement

Address

: Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

Resolution No.

: 23-PB-067

TIN Number

229-796-842-000/ 008-671-339-000

Business Type

: Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Stock	ltem	Unit of	QTY	Unit Cost	Amount
No.		Issue			
	shoulder to a point on the back of the coat at 190 mm ± 10 mm				
	from the bottom of the collar by a double thickness of the cloth.				
}	•Sleeves- Set-in with fitted shoulders and attached to the coat so				
	that there is no restriction of arm movement and the wrist are				
	covered when the arms raised above the head.				
	Wristlet- Snug fitting rib-knitted black wristlet/sleeve cuffs				
	attached each sleeves.				
	•Collar -The collars stand up and insulated with 80 mm ± 10 mm in				
ļ	height skin when the collar is in a closed position. The collar is snug				
	fitting and comfortable and completely cover the neck and throat				
	when in raised position. A strap of at least a minimum of 65 mm				
	width x 160 mm Length or at an appropriate proportion was sewn to				
	the underside of the collar on the left side and shall be closed by				
	snap fastener. No snap has direct contact with the skin when the				
	collar is in the closed position.				
	Waistband- Equipped with adjustable heavy duty plastic buckle of				
	32 mm.				
	Straps / Suspenders Equipped with quick release adjustable straps				
	of 38mm with padded shoulders, heavy duty thermoplastics buckle				
	at the back and front and H-back or equivalent style detachable				
	design suspenders.				
	Body Stitch and seams- All seams are reinforced double stitched,				
	at least two-piece heavy duty for coat's back seam, with fire/ flame				
	resistance thread treated for water proofing except for those high				,
	stress areas like collar line, sleeve line and side seam line (coat);				
	buttocks line and waistline area (trouser) were triple stitched or				
	other similar reinforced stitched of equivalent strength.				
	•Storm Flap and Closure systems are secured of snap type				
	(VELCRO) fastener constructed in a manner that provides				
	continuous moisture and thermal protection and heavy-duty zipper				
	of non-corrosive materials. At least a minimum of 135mm ± 15mm				

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU City Accountant

OBR: Mu. dran, on, or or

Approved Budget for the Contract: 28,990,000.00

Page 2 of 10





PO Number **2302028**

Purchase Order Date: APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number : OCM(POPS)-22-SOP-996

Company Name

THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC. AND HANCOM SPI INC.

Mode of

: Public Bidding

Procurement

Address

: Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

Resolution No.

Pasig City

TIN Number

· 229-796-842-000/ 008-671-339-000

: 23-PB-067

Business Type

: Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock	ltem	Unit of	QTY	Unit Cost	Amount
No.		Issue			
	•Retro-reflective Trims/ Stripes and Markings - A yellow permanent luminous "BFP" marking provided at the back of the coat. Yellow fluorescent and retro-reflective circumferential bands of the trims/stripes at least 50 mm wide, permanently attached to the outer shell of the coat and trouser to meet visibility requirements. Provided around on the following areas of the outer shell for visibility enhancement; •Coat- One (1) stripe at the mid-level, one (1) stripe at the bottom level and one (1) stripe at each forearm. •Trouser - One (1) stripe around each leg below knee area. •Hanger loop- Provided at the center back collar line (coat); center back waistline (trouser) for hanging and drying purposes. It is conspicuously hidden under the collar (coat); trouser when they are in use. •Pads- Size dimension of the shoulder, elbow and knee pads are proportionate to the schedule size and gender user of the coat and trouser. Both perimeters of knee pads are lock stitched for non-slip rugged performance for crawling, climbing, bending and kneeling. Leather reinforced cuffs provided for extended wear. •Pockets - All pockets with the same color of the coat and trouser, have snap strap closure system with secured with a snap type (VELCRO) fastener. A means of draining water and fastening them in the closed position are provided.				
	FIRE GLOVES GENERAL DESCRIPTION A brand-new five-finger design FIREFIGHTER'S GLOVES or FIRE GLOVES made of high strength materials, heat, flame, cut, puncture, and water resistant, that is essentially composed of a fire-resistant fabric outer shell, moisture barrier and thermal lining that delivers				

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU City Accountant

OBR: 100-2001-01-01682

Approved Budget for the Contract: 28,990,000.00

Page 3 of 10





PO Number

Purchase Order Date:

APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number : OCM(POPS)-22-SOP-996

Company Name

THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC. AND HANCOM SPI INC.

Mode of Procurement : Public Bidding

Address

: Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

Resolution No.

: 23-PB-067

TIN Number

: 229-796-842-000/ 008-671-339-000

Business Type

: Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock No.	ltem	Unit of Issue	QTY	Unit Cost	Amount
	protection without sacrificing dexterity.				
	The gloves shall remain soft and durable after repeated washing and				
	stays supple, flexible, and provides comfort with even long periods				
	of use. It shall be provided by a closely fitted wristlet that extends				
	beyond the opening of the glove body to cover the wrist area.				
	Over-all design and construction features shall be guided by latest				
	applicable standards such as National Fire Protection Association				
	(NFPA) and/or European Norms (EN) and passing the specified]		
	performance tests requirements in this specification.				
	TECHNICAL REQUIREMENTS				
	A. MATERIALS				
	A.1 OUTER SHELL				
	The outer shell shall be of leather or of equivalent strength or				
	alternate composite material duly certified and designed with flame.				
	thermal and mechanical resistance properties. It shall be water				
	repellent and firmly sewn together. The gloves when machine				
	washed shall not lose its properties of good thermal insulation,				
	resistance against abrasion and sharp edges.				
	A.2 INNER LINERS				
	The Inner liners shall be composed of breathable thermal and				
	breathable waterproof moisture barriers made of polyurethane or				
	equivalent material and sewn to outer shell at finger tips with extra				
	strong flame resistant thread.				
	A.3 WRISTLET				
	A flame-resistant close-fitting wristlet which shall extend				
	circumferentially beyond the wrist crease not less than 50 mm (2 in)				

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU Çity Accountanta

OBR: 100.2007-07-06-06-

Approved Budget for the Contract: 28,990,000.00

Page 4 of 10





PO Number **2302028**

Purchase Order Date: APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number : OCM(POPS)-22-SOP-996

Company Name

. THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC.

Mode of

; Public Bidding

AND HANCOM SPI INC.

Procurement

Address

: Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

: 23-PB-067

Resolution No.

· 229-796-842-000/ 008-671-339-000

TIN Number

Business Type

: Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
	and of dark tone/shade knitted fabric to minimized dirt staining effect or of equivalent type shall be provided to restrict the entry of ember and other foreign materials.				
3	B. SEAMS				
	All seams shall be fully lock-stitched or of equivalent method and treated for water proofing for better tactility.				
	C. HANGER LOOP				
	A glove hanger loop shall be provided for hanging and drying purposes.				
	D. WEIGHT				•
	The average weight of a pair of medium size firefighter's gloves shall not weigh greater than 370 grams ‡10%.				
	E. SIZES				
	Firefighter gloves shall be available in all of the ASIAN built sizes (Extra Small, Small, Medium, Large, Extra Large and Double Extra Large).				
	F. COLOR				
	Color shall be of Dark Blue or Black only and low-lading type.				
	FIREFIGHTER'S BOOTS				
	Materials -Made of Multi layered premium grade natural rubber or poly-rubber materials.				
	 TOE - protected by a composite toecap. Heel- area is of comfort it, designed to hold the heel snugly in place and eliminating "heel slip". 				
	Insole- A thick cushioned insole generally made of knitted nylon-		1	:	

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU City Accountant

OBR: NO. WAR ON ONESS

Approved Budget for the Contract: 28,990,000.00

Page 5 of 10





PO Number

Purchase Order Date: APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number : OCM(POPS)-22-SOP-996

Company Name

Mode of

: Public Bidding

THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC. AND HANCOM SPI INC.

Procurement

Address

· Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

Resolution No.

: 23-PB-067

TIN Number

229-796-842-000/ 008-671-339-000

Business Type

: Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock	ltem	Unit of	QTY	Unit Cost	Amount
No.		Issue			
1	fabric or equivalent headed to the material in the heel of the felt-				
	lined boots. Its guards against the break-up and oiling of feet in heel				
	area that causes blisters and infections.				
	Midsole Equipped with a flexible stainless steel or midsole				
	contour molded for foot fit and protects against punctures. It is				
	provided with a minimum of 10 millimeters of felt midsole to absorb				
	heat and cold for maximum comfort.				
	 Inner Lining- A heat resistant fabric inner lining is provided for 				
	safety and comfort of the user.				
	 Loops- loops made of rubber or of better material control, grip 				
	and ease in donning the boots. Colors- Over-all color of the shell is				
	Opaque Black. It has yellow stripe for toecap, toe, mid sole and top				
	line for maximum visibility.				
	Height - As per manufacturer's standard.				
	Weight - As per manufacturer's standard.				
	Size- Available in all the following US size or Equivalent European				
	or UK size that can accommodate the actual Asian Size.				
	Men's 7-13, including half sizes and minimum of three widths.				
	Women's 5-10, including half size and a minimum of three widths.				
	FIRE HELMET Specifications:				
	(COLOR RED: 31 PCS & COLOR YELLOW: 192 PCS)				
	GENERAL REQUIREMENT				
	A. A brand new FIREFIGHTER'S HELMET made of a high impact,				
	electrically insulated, puncture resistant, heat resistant, and				
	chemical resistant materials.				
	B. Its over-all design and construction features shall be guided by				
	latest applicable standards such as, National Fire Protection				
	Association (NFPA) and/or European Norms (EN) for structural				
	firefighting purposes and passing the specified performance tests 🔨				

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU City Accountant

OBR: /W. MAM- M- NEED

Approved Budget for the Contract: 28,990,000.00

Page 6 of 10





PO Number

302028

Purchase Order Date: APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number : OCM(POPS)-22-SOP-996

Company Name

. THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC.

Mode of

: Public Bidding

AND HANCOM SPI INC.

Procurement

Address

: Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

Resolution No.

: 23-PB-067

Pasig City

TIN Number

· 229-796-842-000/ 008-671-339-000

Business Type

: Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock	ltem	Unit of	QTY	Unit Cost	Amount
No.		Issue			
	requirements in this specification.				
	C. The helmet shall have no openings penetrating the shell other				
	than those provided by the manufacturer for mounting energy	,			
	absorbing systems, retention systems, and other accessories.				
İ	D. It shall be adaptable for Self-Contained Breathing Apparatus				
	(SCBA) application.				
	E. The helmet shall consist of at least the following assembled				
	components.				
	1. A Shell				
ļ	2. Energy Absorbing System				
	3. Retention System				
	4. Retractable Visor				
	5. Ears and Neck Cover				
	6. Fluorescent and Retroreflective Trim.				
	A. SHELL (Outer Shell)				
	Shell Material - shall be made of composite material of either				
	thermoplastic or heat resistant synthetic-fiber materials and of				
ł	smoothed finish.				
	2. Trim - The helmet shall have fluorescent and retroreflective trim				
	on the shell exterior.				
	a. The entire surface area of the trim shall be both fluorescent and				
	retroreflective.				
	b. Shall be composed of a single or dashed horizontal strip with a				
	total/aggregate surface area of at least 12,400 mm? and a height of				
l	not less than 25 mm (1 in.).				
1	c. It shall have a Coefficient of Retroreflection (Ra) of not less than				
	100 cd/lux/m2 (100 cd/fc/#2).				
	d. The color shall either be fluorescent yellow-green OR lime yellow.				
	NOTE: This requires submission of material certification and test				

MA. JOSEFÍNA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

City Accountant

OBR: NO 2004-09- ONED

Approved Budget for the Contract: 28,990,000.00

Page 7 of 10





PO Number 2

Purchase Order Date:

APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number : OCM(POPS)-22-SOP-996

Company Name

Mode of

: Public Bidding

. THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC. AND HANCOM SPI INC.

Procurement

Address

: Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

Resolution No.

: 23-PB-067

TIN Number

229-796-842-000/ 008-671-339-000

Business Type

: Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock	ltem	Unit of	QTY	Unit Cost	Amount
No.		Issue			
	certificates supported with test report/results issued by qualified third party testing laboratory or certifying body/agency covering the shell. 3. Brim - shall be ergonomically and circumferentially designed with the rear part being extended to a downward angle that is approximately 60-85 millimeters (mm) long and 260 mm wide ‡ 10%. 4. Brim Guard - shall be composed of edge trim that will not melt, drip or burn at high temperature and providing extra durability to the helmet edge. 5. Visor Port or Attachment - shall be provided for holding/retaining the visor assembly				
	B. ENERGY ABSORBING SYSTEM 1. Inner shell or Impact Liner - shall be made of heat resistant polycarbonate/thermoplastic/high strength nylon material designed to address the impact force. 2. Inner Liner / Comfort Liner - Removable, made of urethane foam located between the outer shell and inner shell.				
	C. RETENTION OR HEAD SUSPENSION SYSTEM 1. Helmet Retention and Adjustment System a. Head Band - shall be made of plastic designed to receive, retain head sizes from six (6) to eight (8) with liner made of standard flannel for ease and comfortable fit. b. Nape Device - shall be provided as part of the headband and located below the "Bitragion Inion Arc" to aid in helmet retention and provided with padding for ease and comfort. c. Ratchet Adjustment System - shall be provided and located at the nape device to allow proper adjustment for the headband to fit and prevents backing out or slipping during use.				

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU City Accountant

MA even-on-orage

Approved Budget for the Contract: 28,990,000.00

Page 8 of 10





PO Number

302028

Purchase Order Date: APR 0 3 2023

Procuring Unit

: OFFICE OF THE CITY MAYOR - POPS PLAN

Project Number : OCM(POPS)-22-SOP-996

Company Name

THE JOINT VENTURE BETWEEN PANPISCO TECHNOLOGIES, INC.

Mode of

: Public Bidding

AND HANCOM SPI INC.

Procurement

Address

: Unit 701 Richmonde Plaza, 21 San Miguel Ave., Ortigas Center,

Resolution No.

: 23-PB-067

· 229-796-842-000/ 008-671-339-000

TIN Number

Business Type

: Corporation Registration # CS200403213/ #CS201323153

Contact Number: 09460957482

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock No.	ltem	Unit of Issue	QTY	Unit Cost	Amount
	2. Crown Strap - The crown strap assembly shall be made of ¾ inch				
	nylon woven straps connected to at least four attachment point to				
	serve as impact cap's suspension.				
	3. Chin Strap - shall be made of high strength and flame-resistant				
	fabric material with quick-release buckle and with easy adjustment				
	feature for efficient performance, safety and fit. The chin strap shall				
	have a minimum width of 19 mm.				
	D. VISOR				:
	1. Visor configuration - shall be made of Polycarbonate material at				
	least 110 mm ‡ 10% shapes molded, optically correct, designed to fit				
	over breathing apparatus face masks with anti-scratch lens coating.				
	The visor shall have a safety reference standard of NFPA 1971 or EN				
	166 or its acceptable equivalent and shall meet the respective				
	requirements for visor in accordance with ANSI/ISEA Z87.1.				
	Occupational and Educational Personal Eye and Face Protection				
	Device				
	2. Retention System - shall be provided to safely secure on both				
	sides the visor through a hardware made of a high impact, fire				
	retardant material that will not corrode.				
	E. EAR AND NECK COVER/PROTECTION				
	Made of heat and flame-resistant fabric material with a				
	temperature rating of not less than 180°C of full-sized design				
	sufficient to cover the ears and neck portion with added two layers				
	of fire-resistant cotton fabric (aluminum coated fabric is not acceptable).				
	2. Retention System - shall be provided to securely attach the cover				
	to the main shell by snap type fasteners (e.g., nylon hook and loops).				
	H. MISCELLANEOUS				

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBÝ G. MÁNANGU City Accountant

OBR:

W- SARM-On- Orego

Approved Budget for the Contract: 28,990,000.00

Page 9 of 10