

Republic of the Philippines PROCUREMENT DEPARTMENT

PO Number

2305062

Quezon City Government

Purchase Order Date:

1 7 JUN 2023

Procuring Unit

: PUBLIC AFFAIRS AND INFORMATION SERVICE

DEPARTMENT

:PAISD-23-OE-0568

Company Name

: E.N.L. TRADING

Mode of

:Public Bidding

Address

Procurement

Project Number

:23-PB-244

: Lot 5 Block 14 Goodwill Homes II, Bagbag, Novaliches, Quezon City Resolution No.

TIN Number

:290-954-554-000

Business Type

: Sole Proprietorship Registration #05457046

Contact Number

:09102869555

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Thirty (30) Calendar Days

Payment Term:

Credit

### PHOTOCOPIER MACHINE - Fujikerox General Functions: Print, Scan, Copy, Fax Operation Panel: 7 - Inch Smart Operation Panel Warm- up time: 25 seconds Continuous output speed: 6.5 seconds Continuous output speed: 6.5 seconds Continuous output speed: 6.5 seconds Weight (Mainframe): 4.6 Skg or less Dimensions W x D x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution:600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper uptout capacity: Standard 520 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper protuput capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper uptout capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper yeight: Tray 52-105g/m2, Bypas	Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
Functions: Print, Scan, Copy, Fax Operation Panel: 7 - Inch Smart Operation Panel Warm- up time: 25 seconds First output speed: 6.5 seconds Continuous output speed: 27ppm Memory: Standard 26B ARDF Capacity: 100 sheets Weight (Mainframe): 46.5kg or less Dimensions W x D x H: 587 x 581 x 677 mm Power Source: 220-240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution: 600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 500 sheets, Maximum 1,600 sheets Paper up weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20	1	PHOTOCOPIER MACHINE - Fujixerox	рс	1	113,000.00	113,000.00
Operation Panel: 7 - Inch Smart Operation Panel Warm- up time: 25 seconds First output speed: 6.5 seconds Continuous output speed: 27ppm Memory: Standard 2GB ARDF Capacity: 100 sheets Weight (Mainframe): 46.5kg or less Dimensions W x D x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution: 600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper yeps thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, prerpinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 531. Ref Volume: 1541. Power Consumption per Day: 8.20		General				
Operation Panel: 7 - Inch Smart Operation Panel Warm- up time: 25 seconds First output speed: 6.5 seconds Continuous output speed: 27ppm Memory: Standard 2GB ARDF Capacity: 100 sheets Weight (Mainframe): 46.5 kg or less Dimensions W x D x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution-600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper vuptus trapacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, prerpinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 531. Ref Volume: 1541. Power Consumption per Day: 8.20		Functions: Print, Scan, Copy, Fax				
Warm- up time: 25 seconds First output speed: 6.5 seconds Continuous output speed: 27ppm Memory: Standard 2GB ARDF Capacity: 100 sheets Weight (Mainframe): 46.5 kg or less Dimensions W x D x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution:600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 500 sheets, Maximum 1,600 sheets Paper veight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, prerpinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
Continuous output speed: 27ppm Memory: Standard 2GB ARDF Capacity: 100 sheets Weight (Mainframe): 46.5kg or less Dimensions W x D x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution 500 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 531. Ref Volume: 154L Power Consumption per Day: 8.20						
Memory: Standard 2GB ARDF Capacity: 100 sheets Weight (Mainframe): 46.5kg or less Dimensions W x 0 x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution>600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling: Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 250 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		First output speed: 6.5 seconds				
ARDF Capacity: 100 sheets Weight (Mainframe): 46.5kg or less Dimensions W a D x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution:600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 531. Ref Volume: 154L Power Consumption per Day: 8.20		Continuous output speed: 27ppm				
Weight (Mainframe): 46.5kg or less Dimensions W x D x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution:600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		Memory: Standard 2GB				
Weight (Mainframe): 46.5kg or less Dimensions W x D x H: 587 x 581 x 677 mm Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution:600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		ARDF Capacity: 100 sheets				*
Power Source: 220- 240V 50/60Hz Copier Multiple copying: Up to 999 copies Resolution:600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
Copier Multiple copying: Up to 999 copies Resolution:600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		Dimensions W x D x H: 587 x 581 x 677 mm				
Multiple copying: Up to 999 copies Resolution>600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		Power Source: 220- 240V 50/60Hz				
Resolution>600 x 600 dpi Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		Copier				
Zoom: From 25% to 400% in 1% steps Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		Multiple copying: Up to 999 copies				
Paper Handling Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		Resolution: 600 x 600 dpi				
Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		Zoom: From 25% to 400% in 1% steps				
Paper input capacity: Standard 500 sheets, Maximum 1,600 sheets Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
Paper output capacity: Standard 250 sheets Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
Paper weight: Tray 52-105g/m2, Bypass 60 216g/m2 Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
Paper types thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
thin paper, plain paper 1, plain paper 2, recycled, color paper, special paper, middle thick paper, printed paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						10 Maria
thick paper, printed paper, preprinted paper, pre-punched paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
paper, letterhead, bond paper, cardstock, thick page 1, thick paper 2, label paper, OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
OHP, envelope 2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
2 REFRIGERATOR - Condura 7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20						
7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		OHP, envelope				
7.9 cu. Ft, Two Door, No-Frost, Inverter LED Lighting higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20	2	REFRIGERATOR - Condura	unit	1	25,000.00	25,000.00
higher EEF: 344 Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		7.9 cu. Ft, Two Door, No-Frost, Inverter			,	
Crisper Drawer with Humidity Control Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		LED Lighting				
Net Volume: 7.3 cu. ft. Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		higher EEF: 344			4	
Freezer Volume: 53L Ref Volume: 154L Power Consumption per Day: 8.20		Crisper Drawer with Humidity Control				
Ref Volume: 154L Power Consumption per Day: 8.20		Net Volume: 7.3 cu. ft.	t and			
Power Consumption per Day: 8.20						
				8		
2 Years Warranty on Parts & Service					3 /11	
		2 Years Warranty on Parts & Service				
The state of the s				0		B. Carrier

MA. JOSÉFINA G. BELMONTE City Mayo

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 168,300.00

OBR: 100 - 2023 - 05 - 04675

Page 1 of 2





Republic of the Philippines PROCUREMENT DEPARTMENT Quezon City Government

2305062

Purchase Order Date:

0 7 JUN 2023

Procuring Unit

: PUBLIC AFFAIRS AND INFORMATION SERVICE

DEPARTMENT

:PAISD-23-OE-0568

Company Name

: E.N.L. TRADING

Mode of

:Public Bidding

Procurement

: Lot 5 Block 14 Goodwill Homes II, Bagbag, Novaliches, Quezon City Resolution No.

:23-PB-244

TIN Number

Project Number

:290-954-554-000

Business Type

Address

: Sole Proprietorship Registration #05457046

Contact Number

:09102869555

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Thirty (30) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
3	PUSH CART - Prestar Loading Face (LxW) 910mm x 610mm (36 Inches x 24 Inches) Loading Capacity: 300 kgs., (660 lbs.) Caster size: 130mm (5 Inches) diameter Folding handle type	unit	1	10,000.00	10,000.00
				05 ho - 1	
			-		4768

Total Amount:

148,000.00

Total Amount In Words (Pesos):

Funds Available:

One Hundred Forty-Eight Thousand Pesos Only

MA. JOSEFATA G. BELMONTE City Mayo

RUBY G. MANANGU City Accountant

Signature Over Printed Name of Supplier / Date

OBR: 100-2023-05-04675

Approved Budget for the Contract: 168,300.00

Page 2 of 2

TERMS AND CONDITIONS

- ALL PRICES INDICATED HEREIN ARE VALID, BINDING AND EFFECTIVE AT LEAST WITHIN THIRTY (30) CALENDAR DAYS FROM DATE OF RECEIPT.
- 2. AWARDEE shall be responsible for the source(s) of its supplies/materials/equipment and shall make deliveries in accordance with the schedule, quality and specification of the award and purchase order. Failure by the AWARDEE to comply with the same shall be a ground for cancellation of the award and purchase order issued to that AWARDEE and for re-awarding the item(s) to the ALTERNATE AWARDEE.
- 3. AWARDEE shall pick up purchase order(s) issued in its favor within three (3) days after receipt of notice to that effect. A telephone call, fax transmission or electronic mail (e-mail) shall constitute an official notice to the AWARDEE. Thereafter, if the purchase order(s) remains unclaimed, the said purchase order(s) shall be sent by mailing or courier, messengerial service to the AWARDEE. To avoid delay in the delivery of the requesting end-user's requirement, all DEFAULTING AWARDEES shall be precluded from proposing or submitting a substitute sample.
- 4. Subject to the provisions of the preceding paragraph, where AWARDEE has accepted a purchase order but fails to deliver the required product(s) within the time called for in the same order, the delivery period may be extended a maximum of fifteen (15) calendar days under liquidated damages to make good the delivery. Thereafter, if AWARDEE has not completed the
- 5. delivery within the extended period, the subject purchase order shall be cancelled and the award for the undelivered balance, withdrawn from that AWARDEE. The BAC-Goods and Services shall then purchase the required item(s) from such other source(s) as it may determine, with the difference in price to be charged against the DEFAULTING AWARDEE. Refusal by the DEFAULTING AWARDEE to shoulder the price difference shall be ground for its disqualification from future bids of the same items, without prejudice to the imposition of other sanction as prescribed under RA 9184 and its RIRR.
- 6. When the supplier fails to satisfactorily deliver goods/services under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier shall be liable for damages for the delay and shall pay the procuring entity liquidated damages, not by way of penalty, an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods/services scheduled for delivery for everyday of delay until such goods/services are finally delivered and accepted by the procuring entity concerned.
- 7. Rejected deliveries shall be construed as non-delivery of product(s)/item(s) so ordered and shall be subject to liquidated damages, subject to the terms and conditions prescribed under paragraph 4 hereof.
- 8. Supplier shall guarantee its deliveries to be free from defects. Any defective item(s)/product(s), therefore that maybe discovered by the *Quezon City Government* within three (3) months after acceptance of the same, shall be replaced by the supplier within seven (7) calendar days upon receipt of a written notice to that effect.
- 9. All duties, excise and other taxes and revenue charges, if any, shall be for the supplier's account.
- 10. As a pre-condition to payment, IMPORTANT DOCUMENTS specifically showing the condition and serial numbers of the imported equipment purchased should be submitted by the supplier to the *Quezon City Government*.
- 11. All transactions are subject to applicable withholding taxes in accordance with existing BIR rules and regulations.
- 12. Supplier shall furnish the End-user through the City General Services Department stockroom, the articles, described above;
- 13. The Quezon City Government reserves the right to accept or reject delivered articles if found not in conformity to the specifications, terms and conditions stipulated.

CONFORME: FINITI N / ACB-1 SIGNATURE OVER PRINTED NAME	IN THE CAPACITY OF	4/72/23 DATE			
Duly authorized to sign this Purchase Order for and on behalf or	ENL TO-	ding			
	COMPANY NAME				
subscribed and sworn to before me this day of me and were identified by me through competent evidence of 8-13-SC). Affiants exhibited to me his/her with No	identity as defined in the 2004 R	ules on Notarial Practice (A.M. No. 02-			
Doc. No					
Page No					
Book No.					
Series of					

