

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF FLASH DRIVE AND OTHERS

PROJECT NO. QCU-23-ITPAP-1104

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	12
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	30
Section	vIII. Checklist of Technical and Financial Documents	36

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES

× . .



INVITATION TO BID

August 18, 2023

	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1.	ASC-23-HCS-1120	AMORANTO SPORTS COMPLEX	ELECTRIC DRILL AND OTHERS	P 397,971.00	GENERAL FUND	30 CD
2.	BCRD-23-APP-0492	BARANGAY AND COMMUNITY RELATIONS DEPARTMENT	EVAPORATIVE AIR COOLER AND OTHERS	P 169,930.00	GENERAL FUND	30 CD
3.	BCRD-23-OE-0491	BARANGAY AND COMMUNITY RELATIONS DEPARTMENT	PHOTOCOPIER MACHINE AND OTHERS	P 497,800.00	GENERAL FUND	30 CD
4.	CAO-23-CS1-1270	CITY ADMINISTRATOR'S OFFICE	FOOD AND DRINKS	P 6 27, 300.00	GENERAL FUND	4 MONTH
5.	CCRD-23-OESC-0354	CITY CIVIL REGISTRY DEPARTMENT	INK CARTRIDGE AND OTHERS	P 479,100.00	GENERAL FUND	30 CD
6.	CCRD-23-OSD-1215	CITY CIVIL REGISTRY DEPARTMENT	BALLPEN AND OTHERS	P 222,736.10	GENERAL FUND	15 CD
7.	CLIMATE-23-PS2- 1118B	CLIMATE CHANGE AND ENVIRONMENTAL SUSTAINABILITY DEPARTMENT	PRINTING OF POSTER AND OTHERS	P 226,080.00	GENERAL FUND	30 CD
8.	CPDD-23-VRM-1050	CITY PLANNING AND DEVELOPMENT DEPARTMENT	RM-MOTOR VEHICLE (PARTS AND LABOR)	P 490,400.60	GENERAL FUND	30 CD
9.	DSQC-23-OESC-1056B	DEPARTMENT OF SANITATION AND CLEANUP WORKS OF QUEZON CITY	INK CARTRIDGE AND OTHERS	P 535,578.25	GENERAL FUND	15 CD
10.	HCDRD-23-OESC-0617	HOUSING, COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT	INK CARTRIDGES AND TONER	P 362,456.30	GENERAL FUND	30 CD
11.	LEGAL-23-OESC-0219	CITY LEGAL DEPARTMENT	TONER CARTRIDGE AND OTHERS	P 681,757.50	GENERAL FUND	30 CD
12.	OCM-23-OESC-1091B	OFFICE OF THE CITY MAYOR	TONER AND OTHERS	P 633,038.90	GENERAL FUND	30 CD
13.	OVM-23-OSD-1194	OFFICE OF THE VICE MAYOR	VARIOUS OFFICE SUPPLIES (RECORD BOOK AND OTHERS)	P 185,370.94	GENERAL FUND	30 CD
14.	PAISD-23-PPSA-0570B	PUBLIC AFFAIRS AND INFORMATION SERVICES DEPARTMENT	CAMERA ACCESSORIES, HDMI EXTENDER AND OTHERS	P 715,197.50	GENERAL FUND	60 CD
15.	PD-23-OSD-1274	PROCUREMENT DEPARTMENT	VARIOUS OFFICE SUPPLIES	P 608,873.00	TRUST FUND	30 CD
16.	QCADAAC-23- FIXTURES-1166	QUEZON CITY ANTI- DRUG ABUSE ADVISORY COUNCIL	SUNSCREEN ROLL-UP BLINDS	P 146,085.30	GENERAL FUND	45 CD
17.	QCDRRMO-23-OESC- 1249	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	PROCUREMENT OF INK	P 748,770.00	GENERAL FUND	30 CD

Page 1 of 3

18.	QCGH-23-OESC-1148	QUEZON CITY GENERAL HOSPITAL	TONER CARTRIDGE AND OTHERS	P 478,790.00	GENERAL FUND	30 CD
19.	QCGH-23-PS2-1146	QUEZON CITY GENERAL HOSPITAL	PRINTING OF PATIENT'S HOSPITAL CARD AND IDENTIFICATION CARD	P 143 ,830.00	GENERAL FUND	30 CD
20.	QCTD-23-CS1-1275	QUEZON CITY TOURISM DEPARTMENT	FOOD AND DRINKS AND OTHERS	P 462,900.00	GENERAL FUND	45 CD
21.	QCU-23-IT-1174	QUEZON CITY UNIVERSITY	CLOUD-BASED COGNITIVE PSYCHOLOGY LABORATORY COURSEWARE	P 963,125.00	GENERAL FUND	30 CD
22.	QCU-23-ITPAP-1104	QUEZON CITY UNIVERSITY	FLASH DRIVE AND OTHERS	P 684,125.96	GENERAL FUND	30 CD
23.	QCU-23-JS2-1139	QUEZON CITY UNIVERSITY	VARIOUS JANITORIAL SUPPLIES	P 532,004.13	GENERAL FUND	30 CD
24.	SDO-23-CS1-1229	SCHOOLS DIVISION OFFICE	FOOD AND DRINKS	P 335, 610.00	SPECIAL EDUCATION FUND	4 MONTHS

- 1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund, Trust Fund and* Special Education Find of various years intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 8:00 a.m. - 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>Tuesday</u>, <u>August 22, 2023</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Document (in Philippine Peso)	
500,000 and below	500.00	
More than 500,000 up to 1 million	1,000.00	

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- Authorization to Purchase Bidding Documents
 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 3.2 Special Power of Attorney for single proprietorship (specific for the project)

- 4. Notarized Joint Venture Agreement (as applicable)
- Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before <u>09:00</u> <u>A.M. of Tuesday, August 29, 2023</u>. Late bids shall not be accepted.
- 7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 8. Bid opening shall be on <u>11:00 A.M. of Tuesday, August 29, 2023</u> at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING Join Zoom Meeting <u>https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz0</u> <u>9</u>

Meeting ID: 858 5085 5933 Passcode: 118682

- 9. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 10. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u> Tel. No. (02)8988-4242 loc. 8506/8710 Website: www.quezoncity.gov.ph

11. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By: MS. MA. MAKOARIT, T. SANTOS, DPA Chairporon, CC BAC-Goods and Services

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** wishes to receive Bids for the **PROCUREMENT OF FLASH DRIVE AND OTHERS** with identification number **QCU-23-ITPAP-1104.**

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **twenty seven** (27) items, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of SIX HUNDRED EIGHTY FOUR THOUSAND ONE HUNDRED TWENTY FIVE PESOS AND 96/100 ONLY (Php684,125.96).
- 2.2. The source of funding is:
 - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of **Expendable Supplies**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **twenty-five percent** (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the

Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security *in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government.* Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB Clause					
5.3	For this purpose, contracts similar	to the Project shall be:	_		
	a. A single contract similar to the item/s to be bid and must be at least twenty-five percent (25%) of the ABC.				
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.				
7.1	Subcontracting is not allowed.				
12	The price of the Goods shall be quo International Commercial Terms (I	ted DDP within Quezon City or the applicable NCOTERMS) for this Project.	le		
14.1	The bid security shall be in the form following forms and amounts:	n of a Bid Securing Declaration, or any of the	ie		
	a. The amount of not less than <i>Php13,682.52</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or				
	b. The amount of not less than <i>Php34,206.30</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.				
19.3					
		ROVED BUDGET FOR THE RACT (ABC)			
	For Item Nos. $1 - 10$	P 399,257.60			
	For Item Nos. 11 – 19	P 255,005.88			
	For Item Nos. 20 – 24	P 13,412.48			
	For Item Nos. 25 – 27	P 16,450.00			
	Total P 684,125.96				
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.				
	No additional requirement				
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity				
	• No additional requirement				

Bid Data Sheet

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

I F	Contract Description
	Contract Description Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	Any recvant HAZeriew classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>

Section VI. Schedule of Requirements project name: procurement of flash drive and others project no. QCU-23-itpap-1104

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	With minimum technical specifications:			
	ADMINISTRATIVE SUPPORT SERVICE PROGRAM			
1	Flash Drive 16 GB capacity, USB 2.0 port compatible, plug and play, with light indicator, built-in USB interface cover carrying strap	piece	65	
2	Keyboard Full layout, mechanical, blue switches, wired	unit	3	
3	#14 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper	roll/ bulk	6	
4	#16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper	piece	6	
5	Smart Card Reader and Writer Technical specifications: Heavy Duty Contactless Smart Card; Reader and Writer; Host interface USB or serial RS232; operating range 0°C to +50 °C; storage range -40 °C to +85 °C; humidity range 30 % to 95 % non-condensing; Smart card interface ISO 7816 T=0 T=1 protocols, support popular memory cards in the market; Contactless ISO 14443 TYPE A&B or ISO15693 (13.56MHZ); Power supply voltage DC5V; Power supply current <100 mA; BPS 9600- 115200bps; Operating distance (contactless), up to 5cm typical 2.5cm	unit	30	Within Thirty (30) Calendar Days Upon Issuance of
6	External Hard Drive 1 TB	piece	2	Notice to Proceed
7	Speaker Stand Heavy duty all metal speaker stand Full metal body construction Height adjustable from 42.5 inches to 67 inches Tension height adjustment knob and safety pin for added safety Locking/retractable leg housing with 120 degrees design Removable top mounting plate	piece	5	
8	Nemovative top mounting placeMicrophone Stand (For SF & BATASAN CAMPUS)Tripod Base Boom Mic stand features the Mic Clip, the 2-in-1 Boom Clamp, and the Clutch.Features: The Clutch easily adjusts and securely locks todesired height.The 2-in-1 Boom Clamp with Single Knob Adjustmentsafely secures boom length and angle. The Boom Flip Clipreleases and locks into position easily securing boom clampin place.The Adaptor Flip Clip quickly secures mic clip in place andfits all standard size mic stands.	unit	8	
9	HARD DRIVE, External, Portable General Capacity: 2 TB; Interface USB 2.0; Weight: 10.93 oz.; POWER DEVICE, Type none; INTERFACE PROVIDED,	piece	6	

	Quantity: 1; Storage Interface USB 2.0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0 ; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1			
10	Web CamResolution: FHD 1080P 1920 x 1080; Frame Rate 30fps;Built-in Mic - single mic; Lens type Full HD Glass Lens,Focus type, Fixed Focus, Output Format MJPEG YUY2, USB2.0 High-Speed, Viewing Angle, 70 degrees, 74mm x 28mmx 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone	unit	41	
	ACADEMIC PROGRAM			Within
11	#16 Flat Cord Wire	roll/	10	Thirty (30)
	authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper	bulk	-	Calendar Days Upon Issuance of
12	Cat 5e UTP CableFast Ethernet, 155Mbps ATM4 pairs twisted pair cableAll cables meet or exceed the requirementProposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E24AWG (0.51mm) insulated copper conducts with PVCjacketPerformance characterized to 350MHzUltra smooth jacket makes this cable easy to pull in tightspacesPacking: 305m packaged in a full box/pcs	box	8	Notice to Proceed
13	Flash Drive 16GB capacity, USB 2.0 port compatible, plug and play, with light indicator, built-in USB interface cover carrying strap	piece	27	
14	Flash Drive 32GB capacity, USB 2.0 port compatible, plug and play, with light indicator, built-in USB interface cover carrying strap	unit	3	
15	HDMI Cable HD 1080P 4K Heavy Duty(30 meter long)Category 2 certified - quality HDMI cable for 3D TV's with2.0/1.4a/1.4/1.3c/1.3b devices and supports 3D moviesCable for 1080p also supports 4K x 2K Video and morecolor spare, high speed band width support 10.2Gbps andabove	piece	15	

Schedule of Requirements Page 2 of 4

16	 Full shield and gold plated connectors for better image/sound quality/stable signal transmit and more durable This all-in-one HDMI with Ethernet cable can share your internet connection with multiple devices, no separate Ethernet cable needed It has an Audio Return Channel (ARC) that combines both the audio and video channel in one cable ROHS and HDCP (High Bandwidth Digital Content Protection) compliance that ensure consumer safety and safe HDMI connection RJ 45 Rj45 Connector for cat5e, 100PCS RJ45 Connectors per Bag- Clear Color, 50 micron Gold Plating Connectors, For CAT5 CAT5E Solid or Stranded Cable, The Internal Cable Cannot be Removed after Being Fixed, High quality, Gold-plated contacts provides reliable performance for a Gigabit 	box	5	
17	Ethernet rated network	niaca	500	-
17	Surface 4-Gang Convenience Outlet 10A External Hard Drive	piece piece	500 6	-
10	1 TB, USB 3.0/2.0 compatible	Piece	0	
19	External Hard Drive	unit	3	-
	4TB, USB 3.0		-	
	STUDENT SUPPORT SERVICES PROGRAM			
20	Flash Drive	piece	17	
	16GB Capacity	_		Within
21	Flash Drive	piece	2	Thirty (30)
	128GB Capacity, 2.0 Compatible, plug and play			Calendar Days Upon
22	Flash Drive	piece	5	Issuance of
23	64GB Capacity, 100 G3 USB 3.0			Notice to
23	USB Extender Blue 5M USB 2.0 Male to Female Extend Extension Cable, Active USB extension cable, excellent signal quality to meet USB specification, 5M USB 2.0 cable gives you enough length and hence more flexibility to put your USB devices. The USB 2.0 A-A cable is fully compliant with the New High Speed 2.0 Standard and also downward Compatible with USB 1.1/1.0.Suitable for all USB devices. High-Speed transfer rates up to 480 Mbps., Length: 5M	piece	1	Proceed
24	USB Hub	piece	1	-
	USB multiple port hub 3.0 HUB, USB hub with power supply 5 Port Adapter Micro USB Power Multi USB Splitter High Speed OTG extension for Laptop MacBook PC Computer Accessories Adaptor powered USB hub			
	RESEARCH, EXTENSION PLANNING AND LINKAGES			
25	PROGRAM	niaca	2	
23	Extension Cord - 6 meters 5-Gang with Individual Switches, 6FT. Cord, 2,500W 10A 250V (12pks/ctn), With built-in IC for over-voltage protection	piece	3	
26	Extension Cord - 10 meters 5 gangs, good quality, with on-off switch, 10 meters length	piece	3	
27	 HDMI Cable (20 meters) Product details of Yellow Knife HDMI Cable 20M HD 1080P 4K 3D For LCD TV Television PC Monitor Projector Etc. Best HDMI to HDMI cable high speed Gauge: 30AWG Length: 20m 	piece	5	

 HDMI plug 19p to HDMI plug 19p gold plated Wire specification: Ferrite cores Cable with protective sleeve which made of nylon Quality: Meet all the requirements of reliability tests and electrical tests Supports 3D, Ethernet and Audio Return Guaranteed 4K, 1440p, 1080p, 1080i, 720p, 480p, and 480i Resolutions Works with all HDTVs, Blu-ray players, Xbox One, PS4 and other HDMI devices RoHS approval and compatible to 1080P. 	Within Thirty (30) Calendar Days Upon Issuance of Notice to Proceed
<u> ጥ ጥ</u>	

I hereby certify to comply and deliver all the above requirements.

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:

Schedule of Requirements Page 4 of 4

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications project name: procurement of flash drive and others project no. Qcu-23-itpap-1104

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
Α.	With minimum technical specifications:	
	ADMINISTRATIVE SUPPORT SERVICE PROGRAM	
1	Flash Drive	
	16 GB capacity, USB 2.0 port compatible, plug and play, with	
2	light indicator, built-in USB interface cover carrying strap	
2	Keyboard	
3	Full layout, mechanical, blue switches, wired #14 Flat Cord Wire	
-	authentic, high quality Flat Cord / Duplex Stranded Electrical	
	Wire Pure Copper	
4	#16 Flat Cord Wire	
	authentic, high quality Flat Cord / Duplex Stranded Electrical	
	Wire Pure Copper	
5	Smart Card Reader and Writer	
	Technical specifications: Heavy Duty Contactless Smart Card;	
	Reader and Writer; Host interface USB or serial RS232;	
	operating range 0°C to +50 °C; storage range -40 °C to +85 °C; humidity range 30 % to 95 % non-condensing; Smart card	
	interface ISO 7816 T=0 T=1 protocols, support popular memory	
	cards in the market; Contactless ISO 14443 TYPE A&B or	
	ISO15693 (13.56MHZ); Power supply voltage DC5V; Power	
	supply current <100 mA; BPS 9600-115200bps; Operating	
	distance (contactless), up to 5cm typical 2.5cm	
6	External Hard Drive	
	1 TB	
7	Speaker Stand	
	Heavy duty all metal speaker stand	
	Full metal body construction	
	Height adjustable from 42.5 inches to 67 inches	
	Tension height adjustment knob and safety pin for added safety	
	Locking/retractable leg housing with 120 degrees design Removable top mounting plate	
8	Microphone Stand (For SF & BATASAN CAMPUS)	
Ŭ	Tripod Base Boom Mic stand features the Mic Clip, the 2-in-1	
	Boom Clamp, and the Clutch.	
	Features: The Clutch easily adjusts and securely locks to desired	
	height.	

The 2-In-1 Boom Clamp with Single Knob Adjustment safely secures boom length and angle. The Boom Flip Clip releases and locks into position casily securing boom clamp in place. The Adaptor Flip Clip quickly secures mic clip in place and fits all standard size mic stands. 9 HARD DRIVF, External, Portable Ceneral Capacity: 2 TB; Interface USB 2.0; Weight: 10.93 oz.; POWER DEVICF, Type none; INTERFACE PROVIDED, Quantity: 1: Storage Interface USB 2.0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable; Form Factor (Short) 2.5 inches; Form Factor ICMUTTY ; Interfaces USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps; Spindle Speed5400 prm; STORAGE CONTROLLER (2ND), Type none; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.48 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus; Interface Speed480 Mbps; BAY REQUIRED, Type none; j DMENSIONS & WEIGHT, With: 33 inches; Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz, ; SLOT REQUIRED, Type none; 0 CABLE DETAILS, Type USB cable, Included Quantity: 1 10 10 Web Cam 11 r16 Hat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat SE UT Cable Fast Etherner, 155Mbps ATM 4 pairs twisted pair cable 11 r16 Hat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat SE UT Cable Fast Etherner, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EL	Boom Flip Clip releases and com clamp in place. es mic clip in place and fits B 2.0; Weight: 10.93 oz.; RFACE PROVIDED, 0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 I drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
locks into position easily securing boom clamp in place. The Adaptor Flip Clip quickly secures mic clip in place and fits all standard size mic stands. 9 HARD DRIVE, External, Portable General Capacity: 2 TB; Interface USB 2.0; Weight: 10.93 oz.; POWER DEVICE, Type none; INTERFACE PROVIDED, Quantity: 1: Storage Interface USB 2.0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable; Form Factor (Short) 2.5 inches; Form Factor (metrid) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metrid) 6.4 m; Form Factor (Short) (metric) 6.4 cm; Storage Interface USB 2.0; Interface USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps; Spindle Speed5400 rpm; STORAGE CONTROLLER (2DD), Type none; SYBER REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP; HEADER; Compatibility Mac, PC; EXTERNAL HARD DRIVE, Power Source USB bus; Interface Speed480 Mbps; BAY REQUIRED, Type none; DIMENSIONS & WE(GHT, Width: 3.3 inches, Deptit: 6 inches; Height: 1.1 inches; Weight: 10.93 oz; 15.01 REQUIRED, Type none; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920	bom clamp in place. es mic clip in place and fits BB 2.0; Weight: 10.93 oz.; RFACE PROVIDED, .0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 I drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
The Adaptor Flip Clip quickly secures mic clip in place and fits all standard size mic stands. 9 HARD DRIVE, External, Portable General Capacity: 2 TB; Interface USB 2.0; Weight: 10.93 oz.; POWER DEVICE, Type none; INTERFACE PROVIDED, Quantity: 1; Storage Interface USB 2.0; OWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width 33 inches, Depth 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABL DETAILS, Type USB cable, Included Quantity: 1 Veb Cam	es mic clip in place and fits B 2.0; Weight: 10.93 oz.; RFACE PROVIDED, .0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 I drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface BION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
all standard size mic stands. 9 HARD DRIVE, External, Portable General Capacity: 2 TB; Interface USB 2:0; Weight: 10.93 oz.; POWER DEVICE, Type none; INTERFACE PROVIDED, Quantity: 1; Storage Interface USB 2:0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2:5 inches; Interface Type USB 2:0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable; Form Factor (Short) 2:5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2:5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) DEVENDANISON & CONNECTIVITY; Interfaces INS 2:0; PIERFORMANCE; Interface Transfer Rate480 Mbps; Spindle Speed5400 rpm; STORACE CONTROLLER (2ND), Type none; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP; HEADER; Compatibility Mac, PC; EXTENNAL HARD DRIVE, Power Source USB bus; Interface Speed480 Mbps; BAY REQUIRED, Type none; DIMENSIONS & WEIGHT, Width: 3: inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz.; SLOT REQUIRED, Type none; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 192	BB 2.0; Weight: 10.93 oz.; RFACE PROVIDED, .0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 d drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface BION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
9 HARD DRIVE, External, Portable General Capacity: 2 TB; Interface USB 2.0; Weight: 10.93 oz.; POWER DEVICE, Type none; INTERFACE PROVIDED, Quantity: 1; Storage Interface USB 2.0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 prm ; 5TORACE CONTROLLER (2ND), Type none; SYSTEM REQUIREMENTS; OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Foccus, Output Format MJPEG YUY2, USB 2.0 High- <	RFACE PROVIDED, .0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 I drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
General Capacity: 2 TB; Interface USB 2.0; Weight: 10.93 oz.; POWER DEVICE, Type none; INTERFACE PROVIDED, Quantity: 1; Storage Interface USB 2.0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm, Hard Drive Type external hard drive; External Drive Type portable ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0; Interface USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10	RFACE PROVIDED, .0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 I drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
POWER DÉVICÉ, Type none; INTERFACE PROVIDED, Quantity: 1; Storage Interface USB 2.0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces 1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.48 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbp ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Gass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High-	RFACE PROVIDED, .0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 I drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
Quantity: 1; Storage Interface USB 2.0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm	0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 d drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
Quantity: 1; Storage Interface USB 2.0; POWER, Power Source USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80m	0; POWER, Power Source ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 d drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
USB bus; MISCELLANEOUS, Package Type Retail; Microsoft Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 2.5 inches; Form Factor (metric) 7 Sequired Apple Mac CS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTENNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT. Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rata 30fps; Buill-in Mic	ge Type Retail; Microsoft dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 d drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
Certifications Compatible with Windows 7 HARD DRIVE, Form Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) 0.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces1 x USB 2.0; PERPORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS; OS Required Apple Mac OS X 10.48 or later, Microsoft Windows Vista / XP ; HEADER; ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black-Silver, Full-HD Webcam with Built-in Mi	dows 7 HARD DRIVE, Form 3 2.0; Spindle Speed 5400 d drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
Factor 2.5 inches; Interface Type USB 2.0; Spindle Speed 5400 rpm; Hard Drive Type external hard drive; External Drive Type portable ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 10 Ret480 Mbps; Spindle Speed5400 rpm; STORAGE CONTROLLER (2ND), Type none; SVSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP; HEADER; Compatibility Mac, PC; EXTERNAL HARD DRIVE, Power Source USB bus; Interface Speed480 Mbps; BAY REQUIRED, Type none; DIMENSIONS & WEICHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz.; SLOT REQUIRED, Type none; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Gass Lens, Focus type, Fixed Focus, Output F	3 2.0; Spindle Speed 5400 d drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
rpm; Hard Drive Type external hard drive; External Drive Type portable; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm; Form Factor (Short) (metric) 6.4 cm; Storage Interface USB 2.0; Interface USB 2.0; EXPANSION & CONNECTIVITY; Interfaces1 x USB 2.0; PERFORMANCE; Interface Transfer Rate480 Mbps; Spindle Speed5400 rpm; STORAGE CONTROLLER (2ND), Type none; SYSTEM REQUIREMENTS; OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP; HEADER; Compatibility Mac, PC; EXTERNAL HARD DRIVE, Power Source USB bus; Interface Speed480 Mbps; BAY REQUIRED, Type none; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz.; SLOT REQUIRED, Type none; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11	l drive; External Drive Type ches; Form Factor (metric) 6.4 cm ; Storage Interface GION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
portable ; Form Factor (Short) 2.5 inches; Form Factor (metric) 6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0 ; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10:93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper Image: Pair Explice 12 Cat 5e U	ches; Form Factor (metric) 6.4 cm ; Storage Interface BION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
6.4 cm ; Form Factor (Short) (metric) 6.4 cm ; Storage Interface USB 2.0 ; Interface USB 2.0; EXPANSION & CONNECTIVITY ; Interfaces1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUV2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper I 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable	6.4 cm ; Storage Interface SION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
USB 2.0; Interface USB 2.0; EXPANSION & CONNECTIVITY; Interfaces1 x USB 2.0; PERFORMANCE; Interface Transfer Rate480 Mbps; Spindle Speed5400 rpm; STORAGE CONTROLLER (2ND), Type none; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.48 or later, Microsoft Windows Vista / XP; HEADER, ; Compatibility Mac, PC; EXTERNAL HARD DRIVE, Power Source USB bus; Interface Speed480 Mbps; BAY REQUIRED, Type none; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz.; SLOT REQUIRED, Type none; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 f16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Prooposed by TIA /EIA 56	GION & CONNECTIVITY ; ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
Interfaces1 x USB 2.0; PERFORMANCE ; Interface Transfer Rate480 Mbps ; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic, Lens type Full HD Class Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 f16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper Ital cables 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24	ICE ; Interface Transfer pm ; STORAGE SYSTEM REQUIREMENTS,
Rate480 Mbps ; Spindle Speed5400 rpm ; STORAGE CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /ELA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket	pm ; STORAGE SYSTEM REQUIREMENTS,
CONTROLLER (2ND), Type none ; SYSTEM REQUIREMENTS, OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	SYSTEM REQUIREMENTS,
OS Required Apple Mac OS X 10.4.8 or later, Microsoft Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG VUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
Windows Vista / XP ; HEADER, ; Compatibility Mac, PC ; EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	or later, Microsoft
EXTERNAL HARD DRIVE, Power Source USB bus ; Interface Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
Speed480 Mbps ; BAY REQUIRED, Type none ; DIMENSIONS & WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
& WEIGHT, Width: 3.3 inches, Depth: 6 inches; Height: 1.1 inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
inches; Weight: 10.93 oz. ; SLOT REQUIRED, Type none ; CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
CABLE DETAILS, Type USB cable, Included Quantity: 1 10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	•
10 Web Cam Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
Resolution: FHD 1080P 1920 x 1080; Frame Rate 30fps; Built-in Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket	ncluded Quantity: 1
Mic - single mic; Lens type Full HD Glass Lens, Focus type, Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in MicrophoneACADEMIC PROGRAM11#16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper12Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
Fixed Focus, Output Format MJPEG YUY2, USB 2.0 High- Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
Speed, Viewing Angle, 70 degrees, 74mm x 28mm x 80mm; Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
Color: Black+Silver; Full-HD Webcam with Built-in Microphone ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	e e
ACADEMIC PROGRAM 11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	4mm x 28mm x 80mm;
11 #16 Flat Cord Wire authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	m with Built-in Microphone
authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	OGRAM
Wire Pure Copper 12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
12 Cat 5e UTP Cable Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	uplex Stranded Electrical
Fast Ethernet, 155Mbps ATM 4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
4 pairs twisted pair cable All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
All cables meet or exceed the requirement Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E 24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	ement
24AWG (0.51mm) insulated copper conducts with PVC jacket Performance characterized to 350MHz	
Performance characterized to 350MHz	0.1
	,
Packing: 305m packaged in a full box/pcs	
13 Flash Drive	
16 GB capacity, USB 2.0 port compatible, plug and play, with	· F
light indicator, built-in USB interface cover carrying strap	
14 Flash Drive	tible, plug and play, with
32GB capacity, USB 2.0 port compatible, plug and play, with	tible, plug and play, with
	tible, plug and play, with e cover carrying strap
15 HDMI Cable HD 1080P 4K Heavy Duty	tible, plug and play, with e cover carrying strap ible, plug and play, with
	tible, plug and play, with e cover carrying strap ible, plug and play, with e cover carrying strap
(30 meter long)	tible, plug and play, with e cover carrying strap ible, plug and play, with e cover carrying strap
Category 2 certified - quality HDMI cable for 3D TV's with	tible, plug and play, with e cover carrying strap ible, plug and play, with e cover carrying strap Duty
2.0/1.4a/1.4/1.3c/1.3b devices and supports 3D movies	tible, plug and play, with e cover carrying strap ible, plug and play, with e cover carrying strap Duty cable for 3D TV's with
Cable for 1080p also supports 4K x 2K Video and more color	tible, plug and play, with e cover carrying strap ible, plug and play, with e cover carrying strap Duty cable for 3D TV's with pports 3D movies
spare, high speed band width support 10.2Gbps and above	tible, plug and play, with e cover carrying strap ible, plug and play, with e cover carrying strap Duty cable for 3D TV's with pports 3D movies K Video and more color
Full shield and gold plated connectors for better image/sound	tible, plug and play, with e cover carrying strap tible, plug and play, with e cover carrying strap Duty cable for 3D TV's with pports 3D movies K Video and more color ort 10.2Gbps and above
quality/stable signal transmit and more durable	tible, plug and play, with e cover carrying strap tible, plug and play, with e cover carrying strap Duty cable for 3D TV's with pports 3D movies K Video and more color ort 10.2Gbps and above ors for better image/sound

	This all-in-one HDMI with Ethernet cable can share your	
	internet connection with multiple devices, no separate Ethernet	
	cable needed	
	It has an Audio Return Channel (ARC) that combines both the	
	audio and video channel in one cable	
	ROHS and HDCP (High Bandwidth Digital Content Protection)	
	compliance that ensure consumer safety and safe HDMI	
	connection	
16	RJ 45	
	Rj45 Connector for cat5e, 100PCS RJ45 Connectors per Bag-	
	Clear Color, 50 micron Gold Plating Connectors, For CAT5	
	CAT5E Solid or Stranded Cable, The Internal Cable Cannot be	
	Removed after Being Fixed, High quality, Gold-plated contacts	
	provides reliable performance for a Gigabit Ethernet rated	
	network	
17	Surface 4 - Gang Convenience Outlet 10A	
18	External Hard Drive	
	1 TB, USB 3.0/2.0 compatible	
19	External Hard Drive	
	4TB, USB 3.0	
	STUDENT SUPPORT SERVICES PROGRAM	
20	Flash Drive	
	16GB Capacity	
21	Flash Drive	
	128GB Capacity, 2.0 Compatible, plug and play	
22	Flash Drive	
	64GB Capacity, 100 G3 USB 3.0	
23	USB Extender	
	Blue 5M USB 2.0 Male to Female Extend Extension Cable,	
	Active USB extension cable, excellent signal quality to meet USB	
	specification, 5M USB 2.0 cable gives you enough length and	
	hence more flexibility to put your USB devices. The USB 2.0 A-	
	A cable is fully compliant with the New High Speed 2.0	
	Standard and also downward Compatible with USB	
	1.1/1.0.Suitable for all USB devices. High-Speed transfer rates	
	up to 480 Mbps., Length: 5M	
24	USB Hub	
27	USB multiple port hub 3.0 HUB, USB hub with power supply 5	
	Port Adapter Micro USB Power Multi USB Splitter High Speed	
	OTG extension for Laptop MacBook PC Computer Accessories	
	Adaptor powered USB hub RESEARCH, EXTENSION PLANNING AND LINKAGES	
	PROGRAM	
25	Extension Cord - 6 meters	
25		
	5-Gang with Individual Switches, 6FT. Cord, 2,500W 10A 250V (12pks/ctn), With built-in IC for over-voltage protection	
26	Extension Cord - 10 meters	
20	5 gangs, good quality, with on-off switch, 10 meters length	
27	HDMI Cable (20 meters)	
27	Product details of Yellow Knife HDMI Cable 20M HD 1080P 4K	
	3D For LCD TV Television PC Monitor Projector Etc.	
	•Best HDMI to HDMI cable high speed	
	•Gauge: 30AWG	
	•Length: 20m	
	•HDMI plug 19p to HDMI plug 19p gold plated	
	•Wire specification:	
	•Ferrite cores	
	•Cable with protective sleeve which made of nylon	
	•Quality:	

	•Meet all the requirements of reliability tests and electrical tests	
	•Supports 3D, Ethernet and Audio Return	
	•Guaranteed 4K, 1440p, 1080p, 1080i, 720p, 480p, and 480i	
	Resolutions	
	•Works with all HDTVs, Blu-ray players, Xbox One, PS4 and	
	other HDMI devices	
	•RoHS approval and compatible to 1080P.	
В.	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Technical Specifications Page 4 of 4

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**); and
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 or

Original copy of Notarized Bid Securing Declaration; and

- (e) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- \Box (a) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- \Box (b) Original of duly signed and accomplished Price Schedule(s).

III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• No additional requirement

Note:

- Please refer to
 [https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp= sharing] for the following requirements:
 - a. Computation of NFCC;
 - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
 - c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

