



REQUEST FOR QUOTATION -  
NEGOTIATED PROCUREMENT -  
SECTION 53.1

DATE : OCTOBER 24, 2023


PROJECT NO. : OCM(POPS)-23-VEHICLES-0916

Name of Company : \_\_\_\_\_  
Address : \_\_\_\_\_  
Contact No. : \_\_\_\_\_  
Project Title : PROCUREMENT OF AMBULANCE FOR BJMP  
Approved Budget of  
the Contract : Php3,000,000.00  
End-User /  
Implementing Office : OFFICE OF THE CITY MAYOR - POPS PLAN

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **OCTOBER 27, 2023, 10:00 a.m.** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)
- 3 Mayor's/Business Permit (2023);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the **QC BAC- Goods and Services**
- 6 Income/Business Tax Return (for FY 2022) (For ABCs above P500,000.00)
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE** issued by QC BAC- Goods and Services.

  
**MA. MARGARITA T. SANTOS, DPA**  
Chairperson, BAC Goods and Services

19/8

### TERMS AND CONDITIONS

1. Bidders shall **provide correct and accurate** information required in this form.
2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
4. Quotation **exceeding** the Approved Budget for the Contract (ABC) shall be **rejected**.
5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
7. The City General Services Department (CGSD) shall have the right to inspect the goods.
8. Non-submission of eligibility documents shall mean disqualification of Quotation.
9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
	<i>With minimum technical specifications:</i>				
1	<b>AMBULANCE FOR BJMP - Male Dormitory</b>  Engine: Type: 2.5L 4 In-line 16 Valve DOHC Displacement (cc): 2500-3000 Performance: Drivetrain: RWD Max Power (HP) / rpm: 98/3,500 Max Torque (nm)/ rpm: 200/1,000 Fuel type: Diesel Fuel Capacity (liters): 65 Fuel System: Electronic Common Rail Direct Injection Fuel Supply Equipment: Fuel Injected Emission Compliance: Euro 4  Suspension: <ul style="list-style-type: none"> <li>• Front: MacPherson Strut or Double Wishbone or Torsion Bar with Stabilizer.</li> <li>• Rear: Rigid axle with leaf spring and double acting shock absorber.</li> </ul> Transmission Type: Manual Gear Box: 5-Speed Manual + 1-Reverse  Brakes: <ul style="list-style-type: none"> <li>• Front: Ventilated Disc</li> <li>• Rear: Ventilated Disc or Trailing Drums with ABS system and Hand Brake.</li> </ul> Safety: Air Bags for both driver and front passenger Wheels and Tires: Tires (Front/Rear): 195R15C8PR / 195R15C-8PR Wheels: 15-inches, aluminum mag rims or steel rims Dimension: Length (mm): 5,070, Width (mm): 1,790 Height (mm): 2,120, Wheelbase (mm): 2,080 Ground Clearance (mm): 195 Number of Doors: 4 Number of Seats: 5 Body Type: Wagon, Stainless Steel Bumper on the Rear ✓  Features: Entertainment System: <ul style="list-style-type: none"> <li>• USB hub</li> <li>• Single CD Player via 2 Speakers Dashboard Camera:</li> <li>• 1920 x 1080@30fps resolution</li> <li>• 120 degrees diagonal angle</li> </ul>	unit	1		

7/8

<ul style="list-style-type: none"> <li>• 2 inches, LED display</li> <li>• 64GB storage capacity with loop recording</li> <li>• Automatic on/off, night vision recording in low light</li> </ul> <p>Power Steering: YES, All Power: Lock, Windows and Side Mirror Air Conditioner System: Dual Air Conditioner Emergency Lights:</p> <ul style="list-style-type: none"> <li>• Roof mounted light bar with Red and Green flashing LED.</li> <li>• Red and Green flashing LED on all upper side of the patient cabin.</li> </ul> <p>Electric Sirens and Public Address System:</p> <ul style="list-style-type: none"> <li>• Standard Ambulance siren tones (High&amp;Low/Two Tones)</li> <li>• 100W, amplifier and siren speaker</li> <li>• Rotary switch</li> <li>• Momentary push button override control</li> <li>• Public address override with attached microphone</li> <li>• Volume control knob</li> </ul> <p>Set of Tools:</p> <ul style="list-style-type: none"> <li>• Hydraulic jack</li> <li>• Tire wrench</li> <li>• Flat and Phillips Screw</li> <li>• Set of pliers</li> <li>• Adjustable wrench</li> <li>• Early warning device</li> <li>• Spare tire with rim</li> </ul> <p>Color: Gray with BJMP Logo on the two front door, 12 inches diameter Markings:</p> <ul style="list-style-type: none"> <li>• Ambulance color red in the front and rear side of the vehicle</li> <li>• Front upper windshield tint, black color, 5 inches height</li> <li>• Quezon City Jail-MD white reflectorized sticker, Times New Roman (font)</li> <li>• 3.5 inches (size)</li> </ul> <p>Patient Compartment: Height (Inferior): 1,600mm, Width (Interior): 1,500mm Partition between the driver and patient compartment:</p> <ul style="list-style-type: none"> <li>• Air tight bulkhead made of non-porous material</li> <li>• transparent and shatter-proof sliding window</li> <li>• 35cm x 30cm in size, Storage Cabinet for Medicines, Instrument and Medical Equipment. Compartment for the folding stretcher and scoop stretcher. Bench for medical personnel.</li> </ul> <p>Overhead lighting: 2 LED with low light option</p> <p>Grab Rail:</p> <ul style="list-style-type: none"> <li>• Aluminum or stainless steel grab</li> <li>• 120cm long and 10cm, depth</li> <li>• Installed on the ceiling right above the patient ambulance stretcher.</li> </ul> <p>220V AC Supply:</p> <ul style="list-style-type: none"> <li>• Electronic inverter with a capacity of 2KVA and an output of 220V, 60Hz</li> <li>• Five convenience outlet installed at different point of the compartment to supply power to the medical equipment.</li> </ul> <p>Intercom System: voice communication between the driver and personnel in the patient cabin Communication Equipment: two-way radio</p> <p>Medical Equipment: I. Stretcher:</p>				
---	--	--	--	--

9/18

<ul style="list-style-type: none"> <li>• Stainless steel, high grade aluminum alloy</li> <li>• 185x55 cm (LxW)</li> <li>• 175kg. Loading capacity</li> <li>• 75 degrees head part rising angle</li> <li>• 15 degrees knee part rising angle</li> <li>• Collapsible side rails</li> <li>• Quick release patient restraint system</li> <li>• Durable folding leg mechanism</li> <li>• High density polyester fiber foam mattress with 5cm thickness covered with waterproof vinyl material.</li> </ul> <p>II. Automatic External Defibrillator:</p> <ul style="list-style-type: none"> <li>• On/Off and Discharged (shock) button</li> <li>• Voice prompt, voice command that give instruction to user.</li> <li>• Patient impedance for proper pad contact</li> <li>• Automatically evaluates patient impedance for proper pad contact.</li> <li>• Automatically analyses patient ECG condition for shockable and non-shockable rhythms.</li> <li>• Acquired patient ECG through defibrillator pads</li> <li>• 200 joules or higher energy output</li> <li>• Bi-phasic pulse shape</li> <li>• Maximum of 15 seconds charging time for battery</li> <li>• Automatic switch from main power operating mode to battery operating mode and vice-versa</li> <li>• Visible and audible indicators - Low battery - Pad skin contact / Pad disconnection - AED status - Warning, "Do not patient"</li> <li>• Self-adhesive disposable and non-polarized defibrillator pads</li> </ul> <p>III. Nebulizer:</p> <ul style="list-style-type: none"> <li>• Diaphragm type pump assembly</li> <li>• Replaceable air filter</li> <li>• With compartment</li> <li>• 220V, 60Hz</li> <li>• 20psig compressor pressure</li> <li>• Standard accessories (2 mouth piece with 2 tubing)</li> </ul> <p>IV. Portable Suction Machine:</p> <ul style="list-style-type: none"> <li>• Analogue or digital suction gauge/read out</li> <li>• Vacuum regulator with variable control</li> <li>• 1-liter collection container autoclavable including the lid</li> <li>• Silicone suction tube</li> <li>• Overflow sensors</li> <li>• Bacterial filters on suction side</li> <li>• 220V, 60Hz &gt;60kPa vacuum power</li> <li>• Suction machine is placed in a cart mounted on the head side of the patient</li> </ul> <p>V. Examining Light:</p> <ul style="list-style-type: none"> <li>• Flexible light head holder</li> <li>• White LED light</li> <li>• 220V, 60Hz.</li> <li>• Mounted on patient head side</li> </ul> <p>VI. Aneroid Sphygmomanometer:</p> <ul style="list-style-type: none"> <li>• 5 inches diagonal size manometer</li> <li>• 300 mmHg maximum pressure manometer gauge</li> <li>• 3-month manometer accuracy</li> <li>• With inflatable rubber cuff</li> <li>• With durable and flexible cover and Velcro strips</li> <li>• Bandage cuff (for adult and Obese)</li> <li>• 30cm latex free rubber tubes</li> <li>• inflatable latex free bulb with release valve</li> </ul>				
---	--	--	--	--

PR

<p>VII. Folding Stretcher:</p> <ul style="list-style-type: none"><li>• 1,900x530 mm (LxW)</li><li>• 120kg. loading capacity</li><li>• Quick release patient restraint system</li><li>• High grade aluminum</li><li>• Made of sturdy lightweight and non-twisting.</li><li>• With rubber handle</li><li>• Washable bed material</li></ul> <p>VIII. Scoop Stretcher:</p> <ul style="list-style-type: none"><li>• 200x42 mm (LxW)</li><li>• 150kg. loading capacity</li><li>• Adjustable length</li><li>• Quick release patient restraint system</li><li>• High grade aluminum frame</li></ul> <p>IX. Heavy Duty Stethoscope (1 adult):</p> <ul style="list-style-type: none"><li>• 2 sided chest piece, Stainless steel chest</li><li>• Diaphragm and bell types</li><li>• Rubberized ear tips and black tubing</li><li>• Standard accessories: - spare ear tip - 2 pieces</li></ul> <p>X. Non-Contact Thermometer;</p> <ul style="list-style-type: none"><li>• Degree Celsius measuring scale</li><li>• LCD or LED display with 3-digit measurement display</li><li>• No glass and mercury materials components</li><li>• 34 degrees Celsius to 42 degrees measurement or wider range</li><li>• Beep sound upon measurement</li><li>• Switch off automatically when not in use</li><li>• Battery operated</li><li>• Low battery indicator</li></ul> <p>XI. Blood-Glucose Meter with Strip:</p> <ul style="list-style-type: none"><li>• LCD or LED digital display</li><li>• Display Parameters: (blood glucose level in mg/ dl - blood glucose Level in mg/ dl or mmol/l - date and time test</li><li>• 0.3 - 07ul blood sample size</li><li>• Less than 10 seconds average test time</li><li>• 20-600mg/dl or mmol/l measurement range</li><li>• 50 measurement memory capacity</li><li>• 1,000 measurement battery life</li><li>• Accessories: lancing devices – 50, lancets – 50, test strips – 50, carrying case</li></ul> <p>XII. Manual Resuscitators for Adult:</p> <ul style="list-style-type: none"><li>• 100% silicone with visible markings in the bag as pressure relief valve</li><li>• Capacity: within 1,500ml to 1,700ml for adult</li><li>• Accessories: oral airway for adult, reservoir bag and oxygen tubing</li><li>• Must be stored and place in a hard plastic container</li></ul> <p>XIII. Oxygen Cylinder with Oxygen Therapy Set:</p> <ul style="list-style-type: none"><li>• 20 pounds capacity</li><li>• Color green</li><li>• Oxygen therapy Set: Gauge Reading: 1,800 psi or higher, Flowmeter: 0 to 15 li/min, Humidifier bottle - 200ml to 300ml Capacity, hard plastic, Accessories: mouth piece, tubing open wrench for installing the therapy set to the cylinder, Cylinder holder for oxygen cylinder</li></ul> <p>XIV. Laryngoscopes Set:</p> <ul style="list-style-type: none"><li>• Fiber optic LED light source or xenon light</li></ul>				
---	--	--	--	--

9/RS.

<ul style="list-style-type: none"><li>• Stainless blades sizes 2-3-4</li><li>• Stainless handle</li><li>• Autoclavable</li><li>• Battery operated</li></ul> <p>XV. Immobilization Devices:</p> <ul style="list-style-type: none"><li>• Cervical collars: 2 pieces each sizes (small, medium, large)</li><li>• 2 pieces head immobilization device (not sand bags): firm padding or commercial device</li><li>• Lower extremity (femur) traction devices (2 pieces each): limb support slings, padded ankle hitch padded ankle support, traction strap</li><li>• Upper and lower extremity immobilization devices: 2 pieces joint - above and joint, below fracture – 2 pieces each rigid - support constructed with appropriate material (cardboard, metal, wood, pneumatic, vacuum, or plastic) - various sizes, 2 pieces - resistant straps or cravats</li></ul> <p>XVI. Other Equipment and Accessories:</p> <ul style="list-style-type: none"><li>• Fire extinguisher (rating 2A10BC) with holder</li><li>• Heavy duty LED flashlight with 1,000 lumens of brightness with extra battery.</li><li>• IV holder (mounted on the ambulance wall head side of side of the patient.</li><li>• Digital clock with 4 inches display mounted on ambulance wall</li><li>• Air purifier with multi-stage air filters (pre-filter, HEPA, Carbon) and UV light, size must be appropriate for ambulance.</li><li>• Garbage container – 3 liters capacity and made of fiberglass reinforced plastic or Acrylonitrile Butadiene Styrene (ABS) plastic material, with lid cover. The container must be properly labelled and be mounted on the ambulance floor.</li><li>• Sharps container - with sliding lid and 1-liter capacity made of fiberglass reinforced plastic or ABS plastic material, must be mounted on the ambulance wall.</li></ul> <p>Inclusions:</p> <ul style="list-style-type: none"><li>• three (3) years warranty or 100,000 kms., Whichever comes first.</li><li>• three (3) years LTO/registration with insurance.</li></ul>				
TOTAL				

Amount in Words: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Delivery Period : Ninety (90) Calendar Days

Warranty : \_\_\_\_\_

<b>OTHER REQUIREMENTS:</b>
<ul style="list-style-type: none"><li>• Copy of Authority to Sell from the Manufacturer/Distributor/Dealer of the Vehicle being offered which includes guarantee on after-sales services and availability of parts.</li><li>• List of after-sales/maintenance services facilities located within Metro Manila.</li><li>• Statement of Warranty<ul style="list-style-type: none"><li>-for vehicle - 100,000 kms or three (3) years whichever comes first.</li><li>-for medical equipment – minimum of one (1) year.</li></ul></li><li>• Copy of valid, current License to Operate for Medical Supplies/Devices from DOH Accreditation as Supplier, Distributor or Manufacturer.</li></ul>

9/28

---

Signature over printed name

---

Office Telephone No./Fax/Mobile No.

---

Date

---

Email Address

# Cost Derivation

PROJECT NAME: PROCUREMENT OF AMBULANCE FOR BJMP

PROJECT NO. OCM(POPS)-23-VEHICLES-0916

Item No.	Description	Unit of Issue	QTY	Unit Cost	Total price
1.	Vehicle	unit	1		
2	Emergency Lights	lot	1		
3	Electric Sirens and Public Address System	lot	1		
4	Set of Tools	set	1		
5	Markings	lot	1		
6	Patient Compartment/Partition Between the Driver and Patient	lot	1		
7	Grab Rail/ 220V AC Supply	lot	1		
8	Intercom System	lot	1		
	Medical Equipment:				
9	Stretcher	unit	1		
10	Automatic External Defibrillator	unit	1		
11	Nebulizer	unit	1		
12	Portable Suction Machine	unit	1		
13	Examining Light	unit	1		
14	Aneroid Sphygmomanometer	unit	1		
15	Folding Stretcher	unit	1		
16	Scoop Stretcher	unit	1		
17	Heavy Duty Stethoscope, (1 adult)	unit	1		
18	Non-Contact Thermometer	unit	1		
19	Blood-Glucose Meter with Strip	set	1		
20	Manual Resuscitators for Adult	unit	1		
21	Oxygen Cylinder with Oxygen Therapy Set	set	1		
22	Laryngoscopes Set	set	1		
23	Immobilization Devices	set	1		
	Other Equipment and Accessories:				
24	Fire Extinguisher with Holder	set	1		
25	Heavy Duty LED Flashlight	unit	1		
26	IV Holder	piece	1		
27	Digital clock	piece	1		
28	Air Purifier with Multi-Stage Air Filters	piece	1		
29	Garbage Container	piece	1		
30	Sharps Container	piece	1		
Total quote amount					

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

9/28