

### Republic of the Philippines PROCUREMENT DEPARTMENT Quezon City Government



PO Number **2308073** 

Purchase Order Date:

SEP 2 2 2023

Procuring Unit

: DEPARTMENT OF BUILDING OFFICIAL

Project Number

:DBO-23-OE-1128

Company Name

: MAXCOR INTER-VENTURES, CO.

Mode of

:Public Bidding

Address

Procurement Resolution No.

: 105 Engineering Road, Araneta University Village, Potrero, Malabon City

**TIN Number** 

:23-PB-541 :006-581-588-000

**Business Type** 

; Company Registration #PG200618568

Contact Number : 09255058551

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

| Stock<br>No. | Item                                                                                                                                                                                                                     | Unit of<br>Issue | QTY | Unit Cost | Amount |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----|-----------|--------|
|              | monitor x 1, 3-pin plug (IEC C13/CEE22) x 1, HDMI Cable (v1.4; m Male-Male) x 1, USB A/B Cable (V2.0; Male-Male) x 1, audio Cable (Male-Male) x 1, Quick start guide x 1; Power management: Energy star standards, EPEAT |                  |     |           |        |
|              | ****** Nothing Follows *****                                                                                                                                                                                             |                  |     |           |        |
|              | - / ·                                                                                                                                                                                                                    |                  |     |           |        |
|              |                                                                                                                                                                                                                          |                  |     |           |        |
|              |                                                                                                                                                                                                                          |                  |     | ÷         |        |
|              |                                                                                                                                                                                                                          |                  |     | W 11      |        |
|              |                                                                                                                                                                                                                          |                  |     |           |        |
|              |                                                                                                                                                                                                                          |                  |     |           |        |
|              |                                                                                                                                                                                                                          |                  |     |           |        |
|              |                                                                                                                                                                                                                          |                  |     |           |        |

**Total Amount:** 

16,390,000.00

Total Amount In Words (Pesos): Sixteen Million Three Hundred Ninety Thousand Pesos Only

MA. JOSEFINA G. BELMONTE City Mayor

02984265

NOF Signature Over Printed Name of Supplier / Date

**Funds Available:** 

RUBY G. MANANGU

City Accountant

( 20401010-07-02.00T

Approved Budget for the Contract: 16,620,000.00



#### Republic of the Philippines PROCUREMENT DEPARTMENT Quezon City Government



2308073

Amount

Purchase Order Date: SEP 2 2 2023

: DEPARTMENT OF BUILDING OFFICIAL **Procuring Unit** 

Project Number

:DBO-23-OE-1128

Company Name

: MAXCOR INTER-VENTURES, CO.

Mode of

:Public Bidding

Procurement

Address

: 105 Engineering Road, Araneta University Village, Potrero,

Resolution No.

:23-PB-541

Malabon City

**TIN Number** 

:006-581-588-000

**Business Type** 

: Company Registration #PG200618568

Item

Contact Number : 09255058551

Unit of OTY Unit Cost

Sir/Madam:

Stock

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

Credit

| Stock<br>No. | item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Issue | QIY | Unit Cost | Amount       |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|-----------|--------------|
|              | Camera: 1280x1024 resolution, 720p HD video at 30 fps with temporal noise reduction, dual mic (54mm mic distance) Card reader: microSD card reader; Finger print and backlit: with finger print and backlit; Adapter: 3-pin 45W AC Adapter Battery: 50Wh 3-cell Li-ion battery Battery life: Up to 8.5 hours; Keys and Controls: keyboard: keyboard layout with international language support; touchpad: multi-gesture secure touchpad, supporting two finger scroll; pinch; gestures to open Cortana, warranty: 3 years on parts and labor                                                                                                               |       | ,   |           |              |
| 2            | TABLET (XIAOMI)  Platform  OS Android 11, upgradable to Android 12,  Chipset: Qualcomm Snapdragon 860 (7 nm)  CPU: Octa-core (1x2.96 GHz Kryo 485 Gold & 3x2.42 GHz Kryo 485  Gold & 4x1.78 GHz Kryo 485 Silver) or its equivalent benchmark  GPU: Adreno 640  Memory  Internal: 256GB 6GB RAM UFS 3.1  Display  Type: IPS LCD, 1B colors, 120Hz, HDR10, Dolby Vision  Resolution: 1600 x 2560 pixels, 16:10 ratio (~274 ppi density)  Main Camera  Single: 13 MP, f/2.0  Features: Dual-LED flash, HDR, panorama  Video: 4K@30fps, 1080p@30fps  Front Camera  Single: 8 MP, f/2.0; Video: 1080p@30fps  Loudspeaker Yes, with stereo speakers (4 speakers) | Unit  | 150 | 28,888.00 | 4,333,200.00 |

MA. JOSEFÍNA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY G. MANANGU City Accountant

OBR: gn. 2021-09-118 (2010010-M-Q,001)

Approved Budget for the Contract: 16,620,000.00

Page 2 of 5



## Republic of the Philippines PROCUREMENT DEPARTMENT



PO Number

2308073

Quezon City Government

Purchase Order Date:

SEP 2 2 2023

: DEPARTMENT OF BUILDING OFFICIAL Procuring Unit

**Malabon City** 

Project Number

:DBO-23-OE-1128

Company Name

Mode of

:Public Bidding

: MAXCOR INTER-VENTURES, CO.

Procurement

Address

: 105 Engineering Road, Araneta University Village, Potrero,

Resolution No.

:23-PB-541

**TIN Number** 

:006-581-588-000

**Business Type** 

: Company Registration #PG200618568

Contact Number : 09255058551

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

| Stock | Item                                                                  | Unit of | QTY | Unit Cost | Amount       |
|-------|-----------------------------------------------------------------------|---------|-----|-----------|--------------|
| No.   |                                                                       | Issue   |     |           |              |
| 1     | LAPTOP (ACER)                                                         | Unit    | 90  | 94,000.00 | 8,460,000.00 |
|       | Microsoft Office 2021 pro                                             |         |     |           |              |
|       | Operating System: Windows 11 pro;                                     |         |     |           |              |
|       | Processor: Intel Core i7-1255U Processor, 10 cores 12threads, 12MB    |         |     |           |              |
|       | caches, 3.50Ghz up to 4.70GHz, 12th Generation or its equivalent      |         |     |           |              |
|       | benchmark;                                                            |         |     |           |              |
|       | Memory: 16GB (1x16GB of DDR4 system memory). Upgradable to            |         |     |           |              |
|       | 32GB using two soDIMM modules;                                        |         |     |           |              |
|       | Display: 15.6 inches Full HD 1920x1080 IPS display, high-brightness;  |         |     |           |              |
|       | Comfy view LED-backlit TFT LCD, 16.9 aspect ratio. Ultra-slim design. |         |     |           |              |
|       | Mercury free environment friendly;                                    |         |     |           |              |
|       | Graphic: Intel Iris Xe Graphics eligible or its equivalent;           |         |     |           |              |
|       | Storage: 512GB PCIe NVMe SSD;                                         |         |     |           |              |
|       | Audio: Voice technology with AI noise reduction in dual built in      |         |     |           |              |
|       | microphones, features include far-field pickup, dynamic noise         |         |     |           |              |
|       | reduction, through neural network, adaptive beam forming, and pre-    |         |     |           |              |
|       | define personal and conference call modes; Compatible with            |         |     |           |              |
|       | cortana with voice; True harmony technology for lower distortion,     |         |     |           |              |
|       | wider frequency range; headphone-like audio and powerful sound        | 4       |     |           |              |
|       | Networking: WLAN; Intel Wireless Wi-Fi 6 AX201;                       |         |     |           |              |
|       | 802.11a/b/g/n/acR2 +ax wireless LAN; Dual band (2.4GHz and            |         |     |           |              |
|       | 5GHz); 2x2 MU-MIMO technology; Supports Bluetooth 5.2 and later;      |         |     |           |              |
|       | Wi-Fi CNVi Interface; LAN; Gigabit Ethernet, Wake-on LAN ready; I/O   |         |     |           |              |
|       | ports: USB Standard A 3 USB standard-A ports, supporting: 1 port      |         |     |           |              |
|       | for USB 3.2 Gen 1 featuring power off USB charging, 2 ports for USB   |         |     |           |              |
|       | 3.2 Gen 1 USB type C port supporting: USB4 40Gbps; display port       |         |     |           |              |
|       | over USB-C, Thunderbolt 4, USB charging 5 V:3A, DC-in port 20 V:      |         |     |           |              |
|       | 65W; Ethernet (RJ-45) port, DC-in jack for AC Adapter, HDMI 2.0       |         |     |           |              |
|       | port with HDCP support; Kensington lock slot;                         |         |     |           |              |
|       |                                                                       |         | 1   | 611       |              |

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier'/ Date

**Funds Available:** 

RUBY G. MANANGU City Accountant

an. 2020.09-118 (dry ono- on- D-101)

Approved Budget for the Contract: 16,620,000.00



### Republic of the Philippines PROCUREMENT DEPARTMENT Quezon City Government



PO Number

2308073

Purchase Order Date:

SEP 2 2 2023

Procuring Unit

: DEPARTMENT OF BUILDING OFFICIAL

**Project Number** 

:DBO-23-OE-1128

Company Name

: MAXCOR INTER-VENTURES, CO.

Mode of

:Public Bidding

Address

Procurement

:23-PB-541

: 105 Engineering Road, Araneta University Village, Potrero,

Resolution No. TIN Number

:006-581-588-000

**Business Type** 

: Company Registration #PG200618568

Contact Number : 09255058551

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

**Malabon City** 

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

Credit

| Stock | Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Unit of | QTY | Unit Cost | Amount       |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|-----------|--------------|
| No.   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Issue   |     | 1.00      |              |
|       | 24-bit/192kHz audio WLAN Wi-Fi 802.11 a/b/g/n/ac, dual-band, Wi-Fi Direct Bluetooth 5.0, A2DP, LE, USB USB Type-C Sensors: Accelerometer, gyro, proximity, compass Battery Type: Li-Po 8720 mAh, non-removable Charging 33W wired, PD3.0                                                                                                                                                                                                                                                                            |         |     |           |              |
| 3     | DESKTOP COMPUTER (ACER)  Operating system: windows 11 pro 64  Processor: 12th gen intel core i-5 12400T (6 cores, 12 threads, 18mb cache speed 1.80 GHz up to 4.20 GHz) or its equivalent benchmark; Memory: 16Gb (2x8GB) DDR4-2666 MHz (SoDIMM) Storage: 512GB SSD  Graphics: Integrated graphics and ethernet Audio: Internal speaker, USB keyboard and mouse (same brand as the unit), Monitor: 21 inches monitor HDMI and Power cable UPS 650 VA/360 watts  Warranty: (3) three years parts and labor onsite    | Unit    | 20  | 74,090.00 | 1,481,800.00 |
| 4     | MONITOR (STAND ALONE) (VIEWSONIC) Display Size(in): 22; Viewable area(in): 21.5; Panel type: TN technology; Resolution: 1920x1080; Resolution type: FHD (full HD) Static contrast ratio: 1,000:1 (typ); Dynamic contrast ratio: 20M:1; Light source: LED; Brightness: 250cd/m² (typ); Colors: 16.7M; Color space support: 8bit (6bit+Hi-FRC); Aspect ratio: 16.9; Response time (typical GTG): 5ms; Response time (GTG w/OD):5ms: Response time (typical Tr+Tf) 5ms; Viewing angles: 170° horizontal 160° vertical; | Unit    | 90  | 23,500.00 | 2,115,000.00 |
|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |         |     | 77/       |              |

MA. JOSEFINA G. BELMONTE City Mayor

NOF Signature Over Printed Name of Supplier / Date

**Funds Available:** 

RUBY G. MANANGU City Accountant

OBR: 70. 2003-09-118 (2040100. 7-02-01)

Approved Budget for the Contract: 16,620,000.00

Page 3 of 5



# Republic of the Philippines PROCUREMENT DEPARTMENT



PO Number

2308073

Quezon City Government

Purchase Order Date:

SEP 2 2 2025

**Procuring Unit** 

: DEPARTMENT OF BUILDING OFFICIAL

Project Number

:DBO-23-OE-1128

Company Name

Mode of

:Public Bidding

: MAXCOR INTER-VENTURES, CO.

Procurement

Address

Resolution No.

:23-PB-541

**Malabon City** 

: 105 Engineering Road, Araneta University Village, Potrero,

TIN Number

:006-581-588-000

**Business Type** 

: Company Registration #PG200618568

Contact Number : 09255058551

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: CGSD Central Warehouse

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

Credit

| Stock<br>No. | Item                                                                    | Unit of<br>Issue | QTY | Unit Cost                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Amount |
|--------------|-------------------------------------------------------------------------|------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
|              | Backlight life(hour): 3000hrs (min); Curvature: flat;                   |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Refresh rate (Hz): 75; Blue light filter: yes; Flicker-free: yes; Color |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | gamut: NTSC: 72% size (Typ) sRGB: 103% size (Typ); Pixel size;          |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | 0.248mm (H) x 0.248mm (V); Touch screen: IR, 10-point multi-touch;      |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Surface treatment: glossy, hard coating (7H); Cover glass               |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | thickness:2mm                                                           |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Connector: VGA:1; USB 2.0 type A: 2; USB 2.0 type B: 1; 3.5mm           |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | audio in: 1; Audio Out: 1; HDMI 1.4:1; DVI-D: 1; Power in: 3-pin        |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | socket (IECC14/CEE22);                                                  |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Audio: Internal speaker: 2watts x2;                                     |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Power: Eco mode (conserve): 8.5W; Eco mode (optimized): 10.5W;          |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Consumption (typical): 12.5W; Consumption (max): 14W; Voltage:          |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | AC 100-240V: Power supply: Internal power supply;                       |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Additional hardware: Kensington lock slot: 1; cable organization: yes;  |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Controls: Physical controls: 1, 2, up, down, power; On screen           |                  |     | ->                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |        |
|              | display: auto image adjust, contrast/brightness, input select, audio    |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | adjust, color adjust, information, manual image adjust, setup menu,     |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | memory recall;                                                          |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Operating condition: Temperature: 32°F to 104°F (0°C to 40°C);          |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | humidity (non-condensing) 20% to 90%;                                   |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Wall mount: VESA compatible: 100x100mm                                  |                  | -   | The state of the s |        |
|              | Input signal: Frequency horizontal: 24~82KHz; Frequency Vertical:       |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | 50-75Hz                                                                 |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Video Input: Digital sync: TMDS-DVI-D, TMDS-HDMI (v1.4); Analog         |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | sync: separate/composite/SOG-RGB analog                                 |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | Ergonomics: Tilt (forward/back): 20°/40°                                |                  |     | 199                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |        |
|              | General: Regulation: cTUVus, FCC-B, ICES003, energy star, EPEAT,        |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | CEC, MX-CoC, Mexico energy, CE, CE EMC, CB, RoHS, ErP, REACH,           |                  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |
|              | WEEE, EAC, UkrSEPRO, UKCA, BSMI, VCCI, PSE, KC, e-Standby, BIS          |                  |     | 4.11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |        |
|              | CCC, China RoHS, China energy Label, CECP Package Contents:             |                  |     | 11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |        |
|              | 55.90 F(_0                                                              |                  |     | Free Val.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |        |

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

**Funds Available:** 

RUBY G. MÁNANGU City Accountant

OBR: 200- aran- 9- 118 Caranno- n- a, on

Approved Budget for the Contract: 16,620,000.00

Page 4 of 5

#### **TERMS AND CONDITIONS**

- 1. ALL PRICES INDICATED HEREIN ARE VALID, BINDING AND EFFECTIVE AT LEAST WITHIN THIRTY (30) CALENDAR DAYS FROM
- AWARDEE shall be responsible for the source(s) of its supplies/materials/equipment and shall make deliveries in accordance
  with the schedule, quality and specification of the award and purchase order. Failure by the AWARDEE to comply with the
  same shall be a ground for cancellation of the award and purchase order issued to that AWARDEE and for re-awarding the
  item(s) to the ALTERNATE AWARDEE.
- 3. AWARDEE shall pick up purchase order(s) issued in its favor within three (3) days after receipt of notice to that effect. A telephone call, fax transmission or electronic mail (e-mail) shall constitute an official notice to the AWARDEE. Thereafter, if the purchase order(s) remains unclaimed, the said purchase order(s) shall be sent by mailing or courier, messengerial service to the AWARDEE. To avoid delay in the delivery of the requesting end-user's requirement, all DEFAULTING AWARDEES shall be precluded from proposing or submitting a substitute sample.
- 4. Subject to the provisions of the preceding paragraph, where AWARDEE has accepted a purchase order but fails to deliver the required product(s) within the time called for in the same order, the delivery period may be extended a maximum of fifteen (15) calendar days under liquidated damages to make good the delivery. Thereafter, if AWARDEE has not completed the
- 5. delivery within the extended period, the subject purchase order shall be cancelled and the award for the undelivered balance, withdrawn from that AWARDEE. The BAC-Goods and Services shall then purchase the required item(s) from such other source(s) as it may determine, with the difference in price to be charged against the DEFAULTING AWARDEE. Refusal by the DEFAULTING AWARDEE to shoulder the price difference shall be ground for its disqualification from future bids of the same items, without prejudice to the imposition of other sanction as prescribed under RA 9184 and its RIRR.
- 6. When the supplier fails to satisfactorily deliver goods/services under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier shall be liable for damages for the delay and shall pay the procuring entity liquidated damages, not by way of penalty, an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods/services scheduled for delivery for everyday of delay until such goods/services are finally delivered and accepted by the procuring entity concerned.
- 7. Rejected deliveries shall be construed as non-delivery of product(s)/item(s) so ordered and shall be subject to liquidated damages, subject to the terms and conditions prescribed under paragraph 4 hereof.
- 8. Supplier shall guarantee its deliveries to be free from defects. Any defective item(s)/product(s), therefore that maybe discovered by the *Quezon City Government* within three (3) months after acceptance of the same, shall be replaced by the supplier within seven (7) calendar days upon receipt of a written notice to that effect.
- 9. All duties, excise and other taxes and revenue charges, if any, shall be for the supplier's account.
- 10. As a pre-condition to payment, IMPORTANT DOCUMENTS specifically showing the condition and serial numbers of the imported equipment purchased should be submitted by the supplier to the *Quezon City Government*.
- 11. All transactions are subject to applicable withholding taxes in accordance with existing BIR rules and regulations.
- 12. Supplier shall furnish the End-user through the City General Services Department stockroom, the articles, described above;
- 13. The *Quezon City Government* reserves the right to accept or reject delivered articles if found not in conformity to the specifications, terms and conditions stipulated.
- 14. Provisions contained in Title VI, Book IV of the Civil Code of the Philippines on Sales are hereby incorporated and made as an Integral part hereof.

| 15. This contract shall also serve as <b>Notice to Proceed,</b> to t                                                                                            | ake effect on                       | and to expire on                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------|
| CONFORME:                                                                                                                                                       | soles forpesontativos               | N/2 12023                         |
| SIGNATURE OVER PRINTED NAME                                                                                                                                     | IN THE CAPACITY OF                  | DATE                              |
| Duly authorized to sign this Purchase Order for and on behalf of _                                                                                              | MOKCO TW<br>COMPANY I               | er-Vouhures co.                   |
| subscribed and sworn to before me this day of, me and were identified by me through competent evidence of id 8-13-SC). Affiants exhibited to me his/her with No | entity as defined in the 2004 Rules | on Notarial Practice (A.M. No. 02 |
| Doc. No Page No Book No Series of                                                                                                                               |                                     |                                   |