

Republic of the Philippines QUEZON CITY GOVERNMENT

BAC – Goods and Services 2nd floor, Procurement Department, Finance Building, Quezon City Hall Compound



REQUEST FOR QUOTATION **NEGOTIATED PROCUREMENT SECTION 53.1**

		DATE : OCTOBER 24, 2023
		PROJECT NO. : QCU-23-HME-1096C
Name of Company	:	
Address	:	
Contact No.	:	
Project Title	:	PROCUREMENT OF AUTOMATED EXTERNAL DEFIBRILLATOR AND OTHERS
Approved Budget of the Contract	:	Php282,008.00
End-User / Implementing Office	:	QUEZON CITY UNIVERSITY

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **OCTOBER 27, 2023; 10:00 a.m.** Philippine Standard Time, together with the following documents of your company:

- PhilGEPS certificate (not expired on the time of opening of quotations); 1
- Business Registration (DTI/SEC) 2
- 3 Mayor's/Business Permit (2023);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the QC BAC- Goods and Services
- 6 Income/Business Tax Return (for FY 2022) (For ABCs above P500,000.00)
- If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a SEALED LONG BROWN ENVELOPE issued by QC BAC- Goods and Services.

(SGD.) MA. MARGARITA T. SANTOS, DPA

Chairperson, BAC- Goods and Services

TERMS AND CONDITIONS

- 1. Bidders shall **provide correct and accurate** information required in this form.
- 2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
- 4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
- 5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 7. The City General Services Department (CGSD) shall have the right to inspect the goods.
- 8. Non-submission of eligibility documents shall mean disqualification of Quotation.
- 9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
	With minimum technical specifications:				
1	Oxygen Regulator with Humidifier Compatible with ALL Oxygen Tanks Oxygen Flow Range 1-10L/Min Pressure Reducing Range 2.0 – 3.0kg Relief Valve Pressure Range 3.5kg +/- 0.5kg 1 set	piece	3		
2	Oxygen Tank Holder Painted Oxygen tank holder for 50lbs.	piece	4		
3	Oxygen Tank Refill 50lbs. refill	refill	6		
4	Automated External Defibrillator AED Plus Defibrillator Unit 1 AED CPR-D Pads with CPR feedback 1 Rescue Kit- CPR Barrier, Gloves, Towel, Scissors, Razor, Antiseptic Wipe 10 Type 123 Lithium Batteries 1 Administrator Guide CD 1 Quick Setup CD 1 AED Soft case One (1) Year Manufacture Warranty	piece	1		
5	BP Apparatus with Wheels Square shape 145mm x 145mm dial Plastic caster with metal reinforced base for stability; 360° swivel for easy-reading; Gradient adjustable for easy-reading; 4-wheel with brake; The height of aluminum pole is adjustable (With range of 90cm - 125cm); Metal basket; Cotton cuff with D-ring; 2-tube adult latex bladder; Standard latex bulb; Air-release valve with spring; Standard end valve; Spiral PVC tubing, Plastic connector; Glow in the dark gauge	piece	1		
6	Glucometer Kit Includes: Glucose Meter 25 Test Strips; Case; Batteries; Owner Booklet and Quick Reference Guide; Fast results in just 5 seconds; No more	piece	1		

	coding; Easy to read display; 350-tests memory; 7, 14 and			
	30 days averages			
7	Nebulizer	piece	1	
	In the box contents:	μ.σσσ	_	
	Carrying Bag, Compressor, Air Tube, 5pcs. Replacement			
	Filters, Jet Air Nebulizer, Mouthpiece, Instruction Manual,			
	Adult Mask, Child Mask			
	Key Features:			
	All 5 Micron m Particle Size			
	Breathe Enhanced Nebulizer Design			
	Patented Pump Design			
	Compressor Nebulizer			
	6ml Medication Capacity			
	6ml Capacity			
	Average Nebulization Rate of 0.2ml /min			
	Silent Operation			
	Medical Specifications:			
	Average Nebulization Rate (ml/min): 0.2ml/min			
	Medication Capacity (MI): 6ml			
	Mmad (Micro M): 5 μm			
	Operating Air Flow Rate: 4.0 L/min			
	Particle Size (Micro M): 5 μm			
	Product Details:			
	Color: White			
	Type: Compressor Nebulizer			
8	Pulse Oximeter	piece	2	
	Blood Oxygen Saturation Measurement	•		
	Pulse Rate Measurement			
	One Key Measurement			
	TFT HD Color Screen			
	Four Directions Display			
	5 Seconds Automatic Shutdown			
	Specifications:			
	Material: Plastic + Silicone			
	Product Size: 28mm x 32mm x 34mm			
	Box Size: 71.5mm x 51mm x 40mm			
	Accessories: Manual/Lanyard			
9	Power Requirement: AAA Battery x 2pcs.		1	
9	Spine Board	piece	1	
	With holes around the stretcher for convenient			
	transportation.			
	On head end there is a space to fix head immobilizer.			
	Floats in water.			
	Equipped with 3 safety belts.			
	Spider strap (optional)			
	Size: Length: 184cm x Width: 45cm x Height: 6cm			
4.0	Load capacity: 160kg.			
10	Thermal Scanner	piece	5	
	1. Non-contact, no need to hold hands to avoid cross			
	infection.			
	2. Using a new chip, the induction time is faster; the pass			
	rate per minute is greatly improved (50/min).			
	3. High temperature measurement accuracy, accuracy			
	tolerance: ±0.2 (10~40°C)			
	4. With warning light for detection failure and warning			
	light for abnormal temperature.			
	5. Can be connected to USB power, charging treasure,			
	self-installed lithium battery.			

6. High-definition display, 5 meters viewing distance.				
be hung/double-sided tape/fixed bracket, etc.				
Package Contents:				
1 x Infrared Thermometer				
1 x USB cable				
1 x Mounting Accessories (tripod)				
Weighing Scale Physician Dial-Type	piece	1		
Big Dial Face				
Height rod				
Wide base				
Powder coated				
Specifications:				
Max. Weighing: 120kg.				
Min. Value Per Division: 0.5kg.				
Height Range To Be Measured: 70cm - 190cm				
Min. Value of Height Per Division: 0.5cm				
	piece	1		
, -	piece			
Pounds (Height: 141cm x Circumference: 67cm)				
			TOTAL	
int in Words:				
Deli	verv Period	: Thi	rty (30) Calenda	r Davs
56.1	very 1 errou		rty (50) Culcilui	<u>. 24,5</u>
\\/ a				
War	ranty	:		
war	ranty	:		
OTHER REQUIREMENTS:	ranty	:		
OTHER REQUIREMENTS:	•	:	on as Supplier,	Distributor or
OTHER REQUIREMENTS:	om DOH A		on as Supplier,	Distributor or
OTHER REQUIREMENTS: • Copy of valid, current License to Operate from	om DOH Ao nent or De		on as Supplier,	Distributor or
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao nent or De		on as Supplier,	Distributor or
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao nent or De		on as Supplier,	Distributor or
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao nent or De		on as Supplier,	Distributor or
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao nent or De		on as Supplier,	Distributor or
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao nent or De	vices.		
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices.	on as Supplier,	
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices.		
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices. Signat	ure over printe	d name
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices. Signat		d name
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices. Signat	ure over printe	d name
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices. Signat	ure over printe	d name
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices. Signat	ure over printe	d name
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices. Signat	ure over printe	d name
OTHER REQUIREMENTS: • Copy of valid, current License to Operate fro Manufacturer for Medical or Hospital Equipment of the Company of the Com	om DOH Ao	vices. Signat	ure over printe	d name
	1 x Infrared Thermometer 1 x USB cable 1 x Mounting Accessories (tripod) Weighing Scale Physician Dial-Type Big Dial Face Height rod Wide base Powder coated Specifications: Max. Weighing: 120kg. Min. Value Per Division: 0.5kg. Height Range To Be Measured: 70cm - 190cm Min. Value of Height Per Division: 0.5cm Load Platform Area (L x W): 375mm x 275mm Measurement (L x W x H): 695mm x 286mm x 930mm Net Weight: 15kg. Gross Weight: 17kg. Oxygen Tank Cylinders are cleaned for medical oxygen service. Safety paint protects cylinder sidewall & provides heat detection. Cylinder finish is easy to clean & maintain. Straight thread design eliminates thread damage. 50 Pounds (Height: 141cm x Circumference: 67cm)	be hung/double-sided tape/fixed bracket, etc. Package Contents: 1 x Infrared Thermometer 1 x USB cable 1 x Mounting Accessories (tripod) Weighing Scale Physician Dial-Type Big Dial Face Height rod Wide base Powder coated Specifications: Max. Weighing: 120kg. Min. Value Per Division: 0.5kg. Height Range To Be Measured: 70cm - 190cm Min. Value of Height Per Division: 0.5cm Load Platform Area (L x W): 375mm x 275mm Measurement (L x W x H): 695mm x 286mm x 930mm Net Weight: 15kg. Gross Weight: 17kg. Oxygen Tank Cylinders are cleaned for medical oxygen service. Safety paint protects cylinder sidewall & provides heat detection. Cylinder finish is easy to clean & maintain. Straight thread design eliminates thread damage. 50 Pounds (Height: 141cm x Circumference: 67cm)	be hung/double-sided tape/fixed bracket, etc. Package Contents: 1 x Infrared Thermometer 1 x USB cable 1 x Mounting Accessories (tripod) Weighing Scale Physician Dial-Type Big Dial Face Height rod Wide base Powder coated Specifications: Max. Weighing: 120kg. Min. Value Per Division: 0.5kg. Height Range To Be Measured: 70cm - 190cm Min. Value of Height Per Division: 0.5cm Load Platform Area (L x W): 375mm x 275mm Measurement (L x W x H): 695mm x 286mm x 930mm Net Weight: 15kg. Gross Weight: 17kg. Oxygen Tank Cylinders are cleaned for medical oxygen service. Safety paint protects cylinder sidewall & provides heat detection. Cylinder finish is easy to clean & maintain. Straight thread design eliminates thread damage. 50 Pounds (Height: 141cm x Circumference: 67cm)	be hung/double-sided tape/fixed bracket, etc. Package Contents: 1 x Infrared Thermometer 1 x USB cable 1 x Mounting Accessories (tripod) Weighing Scale Physician Dial-Type Big Dial Face Height rod Wide base Powder coated Specifications: Max. Weighing: 120kg. Min. Value Per Division: 0.5kg. Height Range To Be Measured: 70cm - 190cm Min. Value of Height Per Division: 0.5cm Load Platform Area (L x W): 375mm x 275mm Measurement (L x W x H): 695mm x 286mm x 930mm Net Weight: 15kg. Gross Weight: 17kg. Oxygen Tank Cylinders are cleaned for medical oxygen service. Safety paint protects cylinder sidewall & provides heat detection. Cylinder finish is easy to clean & maintain. Straight thread design eliminates thread damage. 50 Pounds (Height: 141cm x Circumference: 67cm) TOTAL