

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF VARIOUS OFFICE EQUIPMENT (PAPER SHREDDER AND OTHERS)

PROJECT NO. ASSESSORS-23-OE-1658

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Jossai	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	8
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	12
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	29
Section	VIII. Checklist of Technical and Financial Documents	34

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as Proposal and Tender. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as civil works or works. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (e.g., the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



Invitation to Bid

November 09, 2023

	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1.	ASC-23-HCS-1120F	AMORANTO SPORTS COMPLEX	ELECTRIC DRILL AND OTHERS	P 397,971.00	GENERAL FUND	15 CD
2.	ACCOUNTING-23-OSD- 1574B	CITY ACCOUNTING DEPARTMENT	VARIOUS OFFICE SUPPLIES AND OTHERS	P 556,532.71	GENERAL FUND	15 CD
3.	CAO-23-OE-1437D	CITY ADMINISTRATOR'S OFFICE	OFFICE EQUIPMENT	P 131,827.00	GENERAL FUND	30 CD
4.	CAO-23-OSD-1499C	CITY ADMINISTRATOR'S OFFICE	VARIOUS OFFICE SUPPLIES (MULTICOPY PAPER, STICKY NOTES, AND OTHERS)	P 848,573.40	GENERAL FUND	30 CD
5.	CAO(TFS)-23-CE1-1649B	CITY ADMINISTRATOR'S OFFICE (TASK FORCE STREETLIGHTS)	CELLPHONES	P 39,000.00	GENERAL FUND	30 CD
6.	CPDD-23-PS2-1706	CITY PLANNING AND DEVELOPMENT DEPARTMENT	PRINTING OF PROJECT MANAGEMENT MANUAL FOR QC GOVERNMENT INFRASTRUCTIRE PROJECTS SERIES OF 2023	P 187,500.00	GENERAL FUND	15 CD
7.	DBO-23-OESC-0937B	DEPARTMENT OF BUILDING OFFICIAL	INK	P 399,060.00	TRUST FUND	15 CD
8.	HCDRD-23-OESC-1707	HOUSING, COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT	INK CARTRIDGES AND TONER	P 353,560.30	GENERAL FUND	15 CD
9.	HRMD-23-OESC-1659B	HUMAN RESOURCE MANAGEMENT DEPARTMENT	INK CARTRIDGE AND OTHERS	P 901,460.20	GENERAL FUND	15 CD
10.	NDH-23-HMES-1639B	NOVALICHES DISTRICT HOSPITAL	REPAIR AND MAINTENANCE OF FETAL AND MATERNAL MONITOR	P 360,000.00	GENERAL FUND	15 CD
11.	ASSESSORS-23-OE-1658	OFFICE OF THE CITY ASSESSOR	VARIOUS OFFICE EQUIPMENT (PAPER SHREDDER AND OTHERS)	P 637,204.00	GENERAL FUND	30 CD
12.	CONSO-23-OSD-1686B	OFFICE OF THE CITY ASSESSOR	VARIOUS OFFICE SUPPLIES	P 106,963.34	GENERAL FUND	15 CD
13.	OCM-23-HCS-1697	OFFICE OF THE CITY MAYOR	VARIOUS HARDWARE SUPPLIES	P 127,846.00	GENERAL FUND	15 CD
14.	OCM-23-CS1-1678B	OFFICE OF THE CITY MAYOR	FOOD AND DRINKS	P 420,000.00	GENERAL FUND	15 CD
15.	OCM-23-GRMS-1708	OFFICE OF THE CITY MAYOR	RM - AIRCONDITIONING UNIT	P 523,150.00	GENERAL FUND	1 MONTH
16.	OCM(PDAO)-23-OESC- 1361E	OFFICE OF THE CITY MAYOR (PERSON WITH DISABILITY AFFAIRS OFFICE)	MASTER ROLL AND INK CARTRIDGE	P 192,330.00	GENERAL FUND	30 CD
17.	QCCCD-23-GM-0686D	QUEZON CITY CENTER FOR CHILDREN WITH DISABILITIES	KIDS MINI BIKE, WOODEN RAMP RACE TRACK, AND OTHERS	P 391,591.88	GENERAL FUND	30 CD
18.	QCGH-23-MSLI-1645B	QUEZON CITY GENERAL HOSPITAL	VARIOUS MEDICAL SUPPLIES	P 573,400.77	GENERAL FUND	15 CD
19.	QCGH-23-FFRSE-1124	QUEZON CITY GENERAL HOSPITAL	FIRE EXTINGUISHER (REFILL)	P 137,000.00	GENERAL FUND	15 CD
20.	QCPL-23-BMOP-1654B	QUEZON CITY PUBLIC LIBRARY	LIBRARY BOOKS	P 431,610.00	GENERAL FUND	30 CD
21.	QCU-23-CE1-1573B	QUEZON CITY UNIVERSITY	ACTIVE POWERED SPEAKER AND OTHERS	P 891,141.40	GENERAL FUND	60 CD
22.	QCU-23-PE-1569B	QUEZON CITY UNIVERSITY	4K VIDEO CAMCORDER AND OTHERS	P 223,025.00	GENERAL FUND	60 CD
23.	QCU-23-OE-1105B	QUEZON CITY UNIVERSITY	MULTIFUNCTION DIGITAL COPIER AND OTHERS	P 556,009.00	GENERAL FUND	30 CD
24.	QCYDO-23-SERVICES- 1126E	QUEZON CITY YOUTH DEVELOPMENT OFFICE	RENTAL OF SOUND SYSTEM, LED WALL SCREEN, AND OTHERS	P 382,400.00	GENERAL FUND	30 CD
25.	TTMD-23-VRM-1576	TRAFFIC AND TRANSPORT MANAGEMENT DEPARTMENT	REPAIR AND MAINTEANCE OF MOTOR VEHICLE (PARTS AND LABOR)	P 236,800.00	GENERAL FUND	15 CD
26.	SDO-23-AAS2-1675	SCHOOLS DIVISION OFFICE	SUPPLY AND INSTALLATION OF AIRCONDITIONING UNIT	P 880,000.00	SPECIAL EDUCATION FUND	30 CD

- 1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund and Trust Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for various *Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three* (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC)*Secretariat and inspect the Bidding Documents at the address given below during weekdays from 8:00 a.m. 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on Friday, November 10, 2023 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 million	1,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 10:00 A.M. of Friday, November 17, 2023. Late bids shall not be accepted.
- 7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 8. Bid opening shall be on 11:00 A.M. of Friday, November 17, 2023 at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

 $\underline{https://us02web.zoom.us/j/85850855933?pwd} = \underline{R2dZUUp4Z31yU29iZGV1WmdKRjZCdz09}$

Meeting ID: 858 5085 5933 Passcode: 118682

- 9. The *Quezon City Local Government* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 10. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: bacgoods.procurement@quezoncity.gov.ph Tel. No. (02)8988-4242 loc. 8506/8710

Website: <u>www.quezoncity.gov.ph</u>

11. You may visit the following websites:

For downloading of Bidding Documents: $\underline{www.quezoncity.gov.ph}$

By:

(SGD.) MS. MA. MARGARITA T. SANTOS, DPA Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** wishes to receive Bids for the **PROCUREMENT OF VARIOUS OFFICE EQUIPMENT (PAPER SHREDDER AND OTHERS)** with identification number **ASSESSORS-23-OE-1658**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **twelve** (12) **items**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of SIX HUNDRED THIRTY SEVEN THOUSAND TWO HUNDRED FOUR PESOS AND 00/100 ONLY (Php637,204.00).
- 2.2. The source of funding is:
 - c. LGUs, the proposed Local Expenditure Program

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **the last three** (3) **years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA

No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB			
Clause	For this purpose, contracts similar to the Project	shall ha	
5.3	For this purpose, contracts similar to the Project	shan be.	
	 A single contract similar to the item/s t the ABC. 	o be bid and must be at least fifty percent (50%) of	
		s prior to the deadline for the submission and receipt ribed by the QC-BAC-GOODS AND SERVICES,	
	must be accompanied by a copy of Ce	rtificate of Acceptance by the end-user or Official	
7.1	Receipt (O.R) or Sales Invoice (S.I.) i	ssued for the Contract.	
7.1	Subcontracting is not allowed.		
12	The price of the Goods shall be quoted DDP Commercial Terms (INCOTERMS) for this Proj	within Quezon City or the applicable International ect.	
14.1	The bid security shall be in the form of a Bid Sec amounts:	uring Declaration, or any of the following forms and	
		4.08 or equivalent to two percent (2%) of ABC if bid check, bank draft/guarantee or irrevocable letter of	
		0.20 or equivalent to five percent (5%) of ABC if bid	
19.3	A POPO OVER DA	TO COME FIGURE	
		JDGET FOR THE TRACT	
	Item No. 1	167,685.00	
	Item No. 2	51,350.00	
	Item Nos. 3 and 4	105,640.00	
	Item No. 5	6,500.00	
	Item No. 6	13,494.00	
	Item Nos. 7 and 8	25,285.00	
	Item No. 9	190,000.00	
	Item No. 10	57,000.00	
	Item Nos. 11 and 12	20,250.00	
	TOTAL	P 637,204.00	
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.		
	No additional requirement		
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.		
	1) Statement of Warranty: Minimum of one (1) year		
	2) For itom no 0		
	2) For item no. 9 Anthonity to call from manufactures on evaluaive/outhonized distributor of the		
	 Authority to sell from manufacturer or exclusive/authorized distributor of the machine being offered which includes full guarantee on the availability of parts after sales warranty. Statement of Warranty: One (1) year warranty on parts and lifetime maintenance on 		
	service.		

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC	
Clause 1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;b. furnishing of tools required for assembly and/or maintenance of the
	supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	 e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

	Contract Description
	Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:"
4	The inspections and tests that will be conducted are: Product Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF VARIOUS OFFICE EQUIPMENT (PAPER SHREDDER AND OTHERS) PROJECT NO. ASSESSORS-23-OE-1658

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
1	Paper Shredder, Heavy Duty	unit	3	
	Cut Size (inches): 5/32inch x 1-1/2 inches, Cut			
	Type: Cross-Cut, DIN Level - Paper: P-4,			
	Maximum Run Time (minutes): Continuous,			
	Energy Efficient Features: Energy Savings			
	System, Material Type: Plastic, Noise			
	Features: Silent, Paper Entry Width (inches):			
	9, Bin Capacity (gallons): 14, Run Time			
	(minutes): Continuous, Sheet Capacity: 20,			
	Shreds Per Sheet: 397. One year warranty.			
2	DSLR Camera with storage	unit	1	
	Monitor size: 3.2inches, Diagonal, Monitor			
	Resolution 1, 037,000 Dots, Monitor Type:			
	Wide Viewing Angle, Vari-Angle Touch,			
	TFT-LCD, Eye Sensor Control, Playback			
	Functions: Automated Rotation full screen,			
	Interface: HDMI Type C, Hi-Speed USB with			Within Thirty
	Micro-USB Connector; Connection to Built-In			(30) Calendar
	USB port, WIFI Functionality, Smart Device			Days Upon Issuance of
	App Connectivity, Bluetooth Connectivity			Notice to Proceed
	with GPS, Battery Life (shots per charge) 970			
	shots (CIPA) Based on CIPA standard, when			
	Bluetooth is disabled, with AC adapter and			
	Battery Charger, Warranty: 1 year.			
3	Power Tools	set	1	
	Impact Drill, 650 Watts, 13mm / ½ inch, 100			
	pcs accessories and with hand tools, heavy			
	duty, one (l) year parts and service warranty			
4	Smart TV	unit	1	
	85inches, Smart Crystal 4K Ultra HD, Smart TV			
	One (1) year warranty			
5	Ladder	unit	1	
	6-Step, Aluminum household ladder,			
	Lightweight aluminum design, Durable			
	Aluminum profile with anodizing finish Rust			
	proof steel platform, Standard size			

	V 01 II D :	,	1
6	Vacuum Cleaner, Heavy Duty	unit	1
	Weight: 6 kg, Container volume, net: 10 L,		
	Rated input power: 1,100 W, Container		
	volume, gross: 15 L, Container volume, net,		
	water: 8 L, Tool dimensions (length):360 mm,		
	Tool dimensions (height): 440 mm, Filter		
	surface area: 2,300 cm², Max. airflow rate		
	(turbine): 53 l/s, Max. vacuum pressure		
	(turbine): 270 mbar, Wheels, number: 4		
	One (1) year warranty		
7	Push Cart Trolley	unit	2
	Double Decker Push Cart - 150kg, 150 kg,		
	49 x 73 cm platform		
8	Ladder	unit	3
	3 Step, Aluminum household ladder, Light-		
	weight aluminum design, Durable		
	Aluminum profile with anodizing finish Rust		
	proof steel platform, Standard size		
9	Photocopier Machine	unit	1
	Multi-Function printer, up to 31ppm, Paper-		
	size max. A3, min. A6: Paper capacity 1100		
	sheets, 500 sheets x 2 + 100 sheets; Color		
	output: mono-chrome; standard function:		
	Copy + Network Print + Color scan + Duplex;		
	Copier: Copying method indirect electrostatic		
	photographic method/laser beam printing,		
	Developing System Dual Component,		
	Magnetic Brush Development, Copying		
	Speed: 31 copies per min in A4, first copy of		
	times 5.2 secs., Warm up time 20 secs.		
	Paperweight drawer: 55-105g/m2: Bypass: 55-		
	2 -g/m2, Memory 320MB RAM; continuous		
	copy 1 to 999, Zoom range 25% to 400% in 1%		
	increments, Resolution 600 x 600		
	dpi, Dimensions: W599xD612xH511mm, Wt.		
	approx. 37 kg., Power consumptions Max		
	1.45kw, PS Rated Local AC Volt + 10%,		
	50/60Hz, Printer: 31 ppm in A4, Interface USB		
	2.0, 10Base-T/100Base-TX Supported OS		
	Windows 2003, 2003R2, 2008, 2008R2, 2012,		
	2012R2, Vista 7, 8, 8.1, Mac OS x 10.4, 10.5,		
	10.6		
	One (1) year warranty on parts and lifetime		
	maintenance on service		
10	AIR DISINFECTION PURIFIER	unit	3
10	Tank Capacity:16L	annt .	
	Power: 80Watts		
	Voltage: 220V/60Hz		

	Rated Amount of Fog/Mist: 1500ml/hour		
	Dimensions: 284x284x590mm (including		
	installation testing and commissioning)		
	One (1) year warranty		
11	Push Cart Trolley	unit	1
	4 Wheel Aluminum, heavy duty. 920mm L x		
	610mm W, Loading Capacity: 300kgs, Caster		
	size: 125mm		
12	Projector Screen Pulldown	unit	1
	106 inches diagonal, 52 H x 92W inches,		
	viewing area, 16:9 aspect ratio		
	***	•	•

I hereby certify to comply and deliver all the above requirements.

Name:
Legal Capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:

Schedule of Requirements Page 3 of 3 ASSESSORS-23-OE-1658

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF VARIOUS OFFICE EQUIPMENT (PAPER SHREDDER AND OTHERS) PROJECT NO. ASSESSORS-23-OE-1658

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	With the following minimum technical specifications	
A.1	Paper Shredder, Heavy Duty Cut Size (inches): 5/32inch x 1-1/2 inches, Cut Type: Cross-Cut, DIN Level - Paper: P- 4, Maximum Run Time (minutes): Continuous, Energy Efficient Features: Energy Savings System, Material Type: Plastic, Noise Features: Silent, Paper Entry Width (inches): 9, Bin Capacity (gallons): 14, Run Time (minutes): Continuous, Sheet Capacity: 20, Shreds Per Sheet: 397. One year warranty.	
2	DSLR Camera with storage	
	Monitor size: 3.2inches, Diagonal, Monitor Resolution 1, 037,000 Dots, Monitor Type: Wide Viewing Angle, Vari-Angle Touch, TFT-LCD, Eye Sensor Control, Playback Functions: Automated Rotation full screen, Interface: HDMI Type C, Hi-Speed USB with Micro-USB Connector; Connection to Built-In USB port, WIFI Functionality, Smart Device App Connectivity, Bluetooth Connectivity with GPS, Battery Life (shots per charge) 970 shots (CIPA) Based on CIPA standard, when Bluetooth is disabled, with AC adapter and Battery Charger, Warranty: 1 year.	
3	Power Tools Impact Drill, 650 Watts, 13mm / ½ inch, 100 pcs accessories and with hand tools, heavy duty, one (l) year parts and service warranty	

4 Sinart TV One (1) year warranty 5 Ladder 6-Step, Aluminum household ladder, Lightweight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 6 Vacuum Cleaner, Heavy Duty Weight 6 kg, Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7 Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/np.2 bypass: 55-2 g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt + 10%, 50/60Hz, Printer: 31 ppm in A4,			
One (1) year warranty 1 Adder 6-Step, Aluminum household ladder, Lightweight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Vacuum Cleaner, Heavy Duty Weight: 6 kg, Container volume, net: 10 l., Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 - g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, P5 Rated Local AC Volt +	4	Smart TV	
Ladder 6-Step, Aluminum household ladder, Lightweight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Vacuum Cleaner, Heavy Duty Weight: 6 kg, Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 531 ks, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 × 73 cm platform Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy N Network Print + Color scan + Dupley; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		85inches, Smart Crystal 4K Ultra HD, Smart TV	
6-Step, Aluminum household ladder, Lightweight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Vacuum Cleaner, Heavy Duty Weight: 6 kg, Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm³, Max. airflow rate (turbine): 33 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform Ladder 3 step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31 ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs, Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 - g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		One (1) year warranty	
Lightweight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Vacuum Cleaner, Heavy Duty Weight: 6 kg, Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (height): (440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 53 1/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +	5	Ladder	
Aluminum profile with anodizing finish Rust proof steel platform, Standard size 6 Vacuum Cleaner, Heavy Duty Weight: 6 kg, Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (length): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (furbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7 Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs, Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg, Power consumptions Max 1.45kw, PS Rated Local AC Volt +		6-Step, Aluminum household ladder,	
Aluminum profile with anodizing finish Rust proof steel platform, Standard size 6 Vacuum Cleaner, Heavy Duty Weight: 6 kg, Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (length): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (furbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7 Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs, Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg, Power consumptions Max 1.45kw, PS Rated Local AC Volt +		Lightweight aluminum design, Durable	
Rust proof steel platform, Standard size 6 Vacuum Cleaner, Heavy Duty Weight: 6 kg, Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (furbine): 53 l/s, Max. vacuum pressure (furbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7 Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs, Warm up time 20 secs. Paperweight drawer: 55-108g/m2: Bypass: 55-2 - g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
Vacuum Cleaner, Heavy Duty Weight: 6 kg. Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (furbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31 ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs, Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2-g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		_	
Weight: 6 kg, Container volume, net: 10 L, Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (leight): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7 Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs, Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2-g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +	6	<u> </u>	
Rated input power: 1,100 W, Container volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7 Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
volume, gross: 15 L, Container volume, net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7			
net, water: 8 L, Tool dimensions (length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7 Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31 ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		* *	
(length):360 mm, Tool dimensions (height): 440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7			
440 mm, Filter surface area: 2,300 cm², Max. airflow rate (turbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7			
Max. airflow rate (turbine): 53 l/s, Max. vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7			
vacuum pressure (turbine): 270 mbar, Wheels, number: 4 One (1) year warranty 7 Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx., 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
Wheels, number: 4 One (1) year warranty Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		· · · · · · · · · · · · · · · · · · ·	
One (1) year warranty Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
Push Cart Trolley Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform B Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
Double Decker Push Cart - 150kg, 150 kg, 49 x 73 cm platform 8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +	7		
8 Ladder 3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		9	
3 Step, Aluminum household ladder, Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size 9 Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		-	
Light-weight aluminum design, Durable Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +	8	Ladder	
Aluminum profile with anodizing finish Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		3 Step, Aluminum household ladder,	
Rust proof steel platform, Standard size Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		Light-weight aluminum design, Durable	
Photocopier Machine Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		Aluminum profile with anodizing finish	
Multi-Function printer, up to 31ppm, Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		Rust proof steel platform, Standard size	
Paper-size max. A3, min. A6: Paper capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +	9	Photocopier Machine	
capacity 1100 sheets, 500 sheets x 2 + 100 sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		Multi-Function printer, up to 31ppm,	
sheets; Color output: mono-chrome; standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		Paper-size max. A3, min. A6: Paper	
standard function: Copy + Network Print + Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		capacity 1100 sheets, 500 sheets x 2 + 100	
Color scan + Duplex; Copier: Copying method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		sheets; Color output: mono-chrome;	
method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		standard function: Copy + Network Print +	
method indirect electrostatic photographic method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		Color scan + Duplex; Copier: Copying	
method/laser beam printing, Developing System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
System Dual Component, Magnetic Brush Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
Development, Copying Speed: 31 copies per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
per min in A4, first copy of times 5.2 secs., Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
Warm up time 20 secs. Paperweight drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
drawer: 55-105g/m2: Bypass: 55-2 -g/m2, Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		1 -	
Memory 320MB RAM; continuous copy 1 to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
to 999, Zoom range 25% to 400% in 1% increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
increments, Resolution 600 x 600 dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +		1	
dpi, Dimensions: W599xD612xH511mm, Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
Wt. approx. 37 kg., Power consumptions Max 1.45kw, PS Rated Local AC Volt +			
Max 1.45kw, PS Rated Local AC Volt +		_	
10%, 50/60Hz, Frinter: 31 ppm in A4,			
		10%, 50/60Hz, Printer: 31 ppm in A4,	

	Interface USB 2.0, 10Base-T/100Base-TX	
	Supported OS Windows 2003, 2003R2,	
	2008, 2008R2, 2012, 2012R2, Vista 7, 8, 8.1,	
	Mac OS x 10.4, 10.5, 10.6	
	One (1) year warranty on parts and	
	lifetime maintenance on service	
10	AIR DISINFECTION PURIFIER	
	Tank Capacity:16L	
	Power: 80Watts	
	Voltage: 220V/60Hz	
	Rated Amount of Fog/Mist: 1500ml/hour	
	Dimensions: 284x284x590mm (including	
	installation testing and commissioning)	
	One (1) year warranty	
11	Push Cart Trolley	
	4 Wheel Aluminum, heavy duty. 920mm L	
	x 610mm W, Loading Capacity: 300kgs,	
	Caster size: 125mm	
12	Projector Screen Pulldown	
	106 inches diagonal, 52 H x 92W inches,	
	viewing area, 16:9 aspect ratio	
В.	Compliance to the Schedule of Requirements	
	(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	_
Legal Capacity:	_
Signature:	_
Duly authorized to sign the Bid for and behalf of:	

Technical Specifications Page 3 of 3 ASSESSORS-23-OE-1658

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:


- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents



(j)	Certification from the DTI if the Bidder claims preference as a Domestic
	Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (a) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- ☐ (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

1) Statement of Warranty: Minimum of one (1) year

2) <u>For item no. 9</u>

- Authority to sell from manufacturer or exclusive/authorized distributor of the machine being offered which includes full guarantee on the availability of parts after sales warranty.
- Statement of Warranty: One (1) year warranty on parts and lifetime maintenance on service.

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

