PHILIPPINE BIDDING DOCUMENTS

Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A.
BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL
BARANGAY BALINGASA

Project number: 23-00181

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv)the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

\mathbf{G}	LOSSA	ARY OF TERMS, ABBREVIATIONS, AND ACRONYMS	5
SE	CTIO	N I. INVITATION TO BID	8
SE	CTIO	N II. INSTRUCTIONS TO BIDDERS	9
	1.	Scope of Bid	10
	2.	Funding Information	10
	3.	Bidding Requirements	10
	4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	10
	5.	Eligible Bidders	11
	6.	Origin of Associated Goods	11
	7.	Subcontracts	11
	8.	Pre-Bid Conference	12
	9.	Clarification and Amendment of Bidding Documents	12
	10.	Documents Comprising the Bid: Eligibility and Technical Components	12
	11.	Documents Comprising the Bid: Financial Component	13
	12.	Alternative Bids	13
	13.	Bid Prices	13
	14.	Bid and Payment Currencies	13
	15.	Bid Security	14
	16.	Sealing and Marking of Bids	14
	17.	Deadline for Submission of Bids	14
	18.	Opening and Preliminary Examination of Bids	14
	19.	Detailed Evaluation and Comparison of Bids	14
	20.	Post Qualification	15
	21.	Signing of the Contract	15
SE	CTIO	N III. BID DATA SHEET	16
SE	CTIO	N IV. GENERAL CONDITIONS OF CONTRACT	19
	1.	Scope of Contract	20
	2.	Sectional Completion of Works	20
	3.	Possession of Site	20
	4.	The Contractor's Obligations	20
	5.	Performance Security	20
	6.	Site Investigation Reports	21

7.	Warranty	21
8.	Liability of the Contractor	21
9.	Termination for Other Causes	21
10). Dayworks	21
11	. Program of Work	22
12	. Instructions, Inspections and Audits	22
13	. Advance Payment	22
14	Progress Payments	22
15	. Operating and Maintenance Manuals	22
9. Termination for Other Causes	24	
SECT	ION VI. SPECIFICATIONS	26
	-	
SECT	ION 1X. CHECKLIST OF 1 ECHNICAL AND FINANCIAL DOCUMENTS	31

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT



BIDS AND AWARDS COMMITTEE FOR INFRASTRUCTURE & CONSULTANCY

2nd floor, Finance Building, Procurement Department, Quezon City Hall Complex, Elliptical Road, Quezon City

November 07, 2023

Invitation to Bid

No.	Project No.	Project Name	Location	Amount	Duration Cal. Days	Office	Source Fund
Buil	dings –	Small B				7.5:	
1	23- 00173	Proposed Rehabilitation of New Mess Hall at Quezon City Drug Treatment and Rehabilitation Center	Payatas	2,056,030.66	90	Engineering Department	2014 Community Developmen Fund
2	23- 00174	Proposed Rehabilitation of Greater Lagro Multi- Purpose Building (HB Building)	Greater Lagro	2,281,472.03	60	Engineering Department	20% Community Developmen Fund
3	23- 00175	Proposed Rehabilitation of Perimeter Fence and 2nd Floor of Multi-Purpose Hall at Queensland Village 1	Nagkaisang Nayon	3,222,062.10	90	Engineering Department	20% Community Developmen Fund
4	23- 00176	Proposed Rehabilitation of Barangay Hall	Escopa II	7,026,782.47	150	Engineering Department	Engineering Continuing Appropriation
5	23- 00177	Proposed Rehabilitation of Talipapa Senior High School	Talipapa	7,180,747.72	90	Engineering Department	Special Education Fund
6	23- 00178	Proposed Rehabilitation of Justice Cecilia Muñoz Palma Senior High School	Payatas	9,998,635.38	90	Engineering Department	Special Education Fund
Виі	dings –	Medium A					
7	23- 00179	Proposed Rehabilitation of Civic Center Building A Basement to Fifth floor	Central	44,143,452.86	210	Engineering Department	Engineering Continuing Appropriation
8	23- 00180	Proposed Construction of Housing No. 17 (Wright Park) Phase 2	Bagong Silangan	127,982,685.68	360	City Architect	2023 AB - Housing Community Development and Resettlement Department
Bric	ige – Me	dium A					
9	23- 00181	Proposed Construction of Footbridge at A. Bonifacio infront of Ayala Cloverleaf Mall	Balingasa	68,406,617.22	260	Engineering Department	20% Community Developmen Fund

 The QUEZON CITY LOCAL GOVERNMENT, through funding source of various years intends to apply the sum stated above being the Approved Budget for the Contract (ABC) to payments under the contract for the above stated Projects. Bids received in excess of the ABC shall be automatically rejected at bid opening.

- The QUEZON CITY LOCAL GOVERNMENT now invites bids for the above Procurement Project. Completion of the Works is required as stated above. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- Bidding will be conducted through open competitive bidding procedures using nondiscretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- Interested bidders may obtain further information from QUEZON CITY LOCAL GOVERNMENT – BAC Secretariat and inspect the Bidding Documents at the address given below weekdays from 8:00 am. – 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested bidders on November 10, 2023 (Friday) from given address and website/s below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- PhilGEPS Registration Certificate (Platinum 3 Pages)
- Document Request List (DRL)
- 3. Authorization to purchase bidding documents
 - 3.1 Secretary's Certificate (for corporation)
 - 3.2 Special Power of Attorney (for sole proprietorship)
- 4. Notarized Joint Venture Agreement (if applicable)
- 5. Letter of Intent

It must be duly received by the BAC Secretariat at 2rd Floor, Procurement Department, Finance Building, Quezon City Hall Compound.

 The QC-BAC-INFRASTRUCTURE & CONSULTANCY will hold a Pre-Bid Conference¹ on November 20, 2023 at 9:30 AM at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound or we encourage the prospective bidders to join through our Virtual Conference (ZOOM APP) which shall be open to prospective bidders.

Virtual Conference (ZOOM APP)

Meeting ID: 854 9489 0133

Password: 273320

May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

- Bids must be duly received by the BAC Secretariat through manual submission at the office address as indicated below, on or before December 04, 2023 – 9:00 AM. Late bids shall not be accepted.
- All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 16.
- Bid opening shall be on December 04, 2023 10:00 AM at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Virtual Conference (ZOOM APP)

Meeting ID: 810 3646 5257

Password: 201522

- 10. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY, DOMINIC B. GARCIA

OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Tel. No. (02)8988-4242 loc. 8506/8710

Email Add: bacinfra.procurement@quezoncity.gov.ph

Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: https://quezoneity.gov.ph/public-notices/procurement/

By:

ARCH, LUCILLE H. CHUA, fuap, piep Chairperson, BAC-Infra and Consultancy

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Quezon City Government invites Bids for the PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL BARANGAY BALINGASA, with Project Identification Number 23-00181.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of Sixty-Eight Million Four Hundred Six Thousand Six Hundred Seventeen Pesos and 22/100 Ctvs. (68,406,617.22).
- 2.2. The source of funding is:
 - a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

- 7.1. [If Procuring Entity has determined that subcontracting is allowed during the bidding, state:] The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criterial stated in ITB Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.2. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the

implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.

7.3. Subcontracting of any portion of the Project does not relieve the Contractor of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Contractor's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address on November 20, 2023 at 9:30 A.M. at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound and/or we encourage the prospective bidders to join through our Virtual Conference (ZOOM APP) Meeting ID: 854 9489 0133 Password: 273320

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.

- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 5 of the IB.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause			
	For this records similar contracts	h a 11 wa faw 40 a a m4	wasta wikish have the same
5.2	For this purpose, similar contracts shall refer to contracts which have the same major categories of work.		
7.1	Subcontracting is not allowed.		
10.3	No additional contractor license or permit is required		
	In addition, eligible bidders shall qualify or comply with the following:		
	1. Bidders with valid Philippine Contractors Accreditation Board (PCAB)		
	Type		
	Bridge - Medium A		
10.4	The minimum work experience	requirements for	r key personnel are the
	following:	ual Evracuionea	Dalawant Evranianaa
	Qnty. Key Personnel Gene	ral Experience	Relevant Experience
	1 Project Engineer	3 years	3 years
	1 General Foreman	3 years	3 years
	1 Trade Engineers/ Leadman	•	3 years
	for Civil Works	J	J
	1 Trade Engineers/ Leadman for Electrical Works	3 years	3 years
	1 Trade Engineers/ Leadman for Mechanical Works	3 years	3 years
	1 Safety Officer	3 years	3 years
	1 DPWH Duly Accredited Materials Engineer	3 years	3 years
10.5	In addition, the bidder must ex notarized stating that the foregoing for the project until its completion.	personnel shall Please see attacl	perform work exclusively hed bid forms.
10.5	The minimum major equipment req	uirements are the	following:
	Equipment	Capacity	Number of Units
	Drilling Rig	300 HP	1
	Crawler Crane	41-45 MT	1
	Crawler Crane	21-45 MT	1
	Dump Truck	12 yd ³	1
	Payloader	1.50 m ³	1
	Generator Set	300 kW	1
	Bentonite Bin		1
	Bentonite Mixer	7 5 IID	1
	Water Pump, 100 mm suction θ	7.5 HP	1
	Water Truck	16000 L	1

	Don Cutton		1	
	Bar Cutter Bar Bender		1	
		500 A	1	
	Welding Machine, Electric Driven	500 A	1	
	Cutting Outfit		1	
	Tremie Pipe Set		1	
	SPT & Desanding Machine	10 - 1 - 0 - 0	1	
	Air Compressor, Portable	126 - 160 cfm	1	
	Lighting System/ Tower Lights		1	
	Concrete Vibrator		1	
	One Bagger Mixer		1	
	Backhoe		1	
	In addition, the bidder must exec	cute an affidavit of	undertaking duly	
	notarized stating that the foregoing	equipment shall be us	sed exclusively for	
	the project until its completion. Pleas	se see attached bid for	ms.	
12	[Insert Value Engineering clause if allowed.]			
15.1	The bid security shall be in the form of a Bid Securing Declaration with project			
	number, or any of the following forms and amounts:			
	, , ,			
	a) The amount of not less than Php 1,368,132.34 or equivalent to two			
	percent (2%) of ABC if bid security is in cash, cashier's/manager's			
	check, bank draft/guarantee or irrevocable letter of credit; or			
	-			
	b) The amount of not less than Php 3,420,330.86 or equivalent to five			
	percent (5%) of ABC if bid se	-	-	
19.2	Partial bid is not allowed. The infrastructure project is packaged in a single lot			
	and the lot shall not be divided in			
	evaluation, and contract award.	1	1 0,	
20	No additional requirement.			
21	Additional Contract Documents relevant to the Project as required:			
21	1. Construction Schedule and S-curve,			
	2. Manpower Schedule,			
	3. Construction Methods,			
	4. Equipment Utilization Schedule,			
	5. PERT/CPM or other acceptable tools of project scheduling, shall be			
	included in the submission of Techn		icuumig, shan De	
	included in the submission of Techi	ncai r roposai.		

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract** (SCC), references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
 - 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the SCC, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.

15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
2	Completion of work shall be within 260 calendar days.
4.1	The Procuring Entity shall give possession of all parts of the Site to the
	Contractor upon receipt of the Notice to Proceed.
6	The site investigation reports are: [list here the required site investigation reports.]
7.2	[Select one, delete the other.]
	[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:] Fifteen (15) years.
	[In case of semi-permanent structures, such as buildings of types 1, 2, and 3 as classified under the National Building Code of the Philippines, concrete/asphalt roads, concrete river control, drainage, irrigation lined canals, river landing, deep wells, rock causeway, pedestrian overpass, and other similar semi-permanent structures:] Five (5) years.
	[In case of other structures, such as bailey and wooden bridges, shallow wells, spring developments, and other similar structures:] Two (2) years.
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
13	The amount of the advance payment is no more that fifteen percent (15%) of the Contract Price subject to approval by the HOPE and compliance with the conditions under RA 9184 and its IRR.
14	No further instructions.
15.1	The date by which operating and maintenance manuals are required is thirty (30) days The date by which "as built" drawings are required as part of final payment
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is ten (10%) percent of the contract price.

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted

subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.



Replublika ng Pilipinas Lungsod ng Quezon

KAGAWARAN NG INHINYERYA (CITY ENGINEERING DEPARTMENT)



Civic Center Building 8, Quezon City Hall Compound, Elliptical Road Ditiman, Central 1100 Quezon City Telephone Nos. 8988-4242 Local 8538

PROJECT TITLE: PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT

OF AYALA COLOVERLEAF MALL BARANGAY BALINGASA

LOCATION: BARANGAY BALINGASA, DISTRICT 1, QUEZON CITY

TECHNICAL SPECIFICATIONS

GENERAL REQUIREMENTS

- A. Comply with the current and existing laws, ordinances and applicable codes, rules and regulations, and etandards. Any works performed contrary to the existing laws, rules and regulations, ordinances and standards without notice shall bear all cost arising therefrom.
- B. Drawings, specifications, codes and standards are minimum requirements. Where requirements differ the more stringent apply.
- C. Should there be any change(s) in drawings or specifications, it is required to comply With the governing regulations, notify the implementing agency.
- D. Photographs shall be taken as, when and where directed at intervals of not more than one month. The photographs shall be sufficient in number and location, to record the exact progress of the works. The photographs shall be retained and will become the property of the Government.
- E. Site verification / inspection shall be conducted to validate the scope of works. No extre compensation and extension of time shall be given due to negligence or inadvertence.
- F The quality of materials shall be of the best grade of their respective kinds for the purpose. The work shall also be performed in the best and most capable mariner in strict accordance with requirements of the plans and details. All materials not conforming to the requirements of these specifications shall be considered as detective.
- G. All equipment and installations shall meet or exceed minimum requirements of the standards and codes.
- H. Mobilization and Demobilization (if applicable).
 - t. Mobilization shall include all activities and related costs for transportation of personnel, equipment, and operating supplies to the site: establishment of offices, buildings, and other necessary general facilities for the operations at the site.
 - Demobilization shall include all activities and costs for transportation of personnel, equipment, and supplies not anymore required within the construction site including the disassembly, removal and site clean-up of offices and other facilities assembled on the site specifically for this contract.
- Execute work in strict accordance with the best practices of the trades in a thorough, substantial, workmanlike manner by competent workman. Provide a competent, experienced, full-time supervisor who is authorized to make decisions on behalf of the Contractor.
- J. Temporary Facilities and Utilities
 - All facilities shall be near the job site, where necessary and shall conform to the best standard for the required types.

- Temporary facilities shall be provided and maintained including sanitary facilities and first aid stations.
- Temporary utilities shall be sufficiently provided until the completion of the project such as water, power and communication
- Temporary enclosure shall be provided around the construction site with adequate guard lights, railings and proper signage
- 5 Temporary roadways shall be constructed and maintained to sustain loads to be carried on them during the entire construction period
- 6 Upon completion of the work, the temporary facilities shall be demolished, haulad-out and disposed property.
- K. Adequate construction safety and health protection shall be provided at all times during the execution of work to both workers and property.
 - 1 A fully-trained Medical Aide shall be employed permanently on the site who shall be engaged solely to medical duties
 - The medical room shall be provided with waterproofing: It could be a building or room designated and used exclusively for the purpose and have a floor area of at least 15 square meters and a glazed window area of at least 2 square meters.
 - The location of the medical room and any other arrangements shall be made known to all employees by posting on prominent locations and suitable notices in the site.
 - Additional safety precautions shall be provided in the event of a pandemic. Protocols
 set forth by the government shall be strictly followed.
 - Construction safety shall consist of construction canopy and safety net.
- L. Necessary protections to the adjacent property shall be provided to avoid untoward incidents? accidents.
- M Final cleaning of the work shall be employed prior to the final inspection for the certification of final acceptance. Final cleaning shall be applied on each surface or unit of work and shall be of condition expected for a building cleaning and maintenance program.

ii. SITE WORKS

- A. All grades, lines, levels and dimensions shall be verified as indicated on the plans and details. Any discrepancies or inconsistencies shall be reported before commencing work.
- B. This Item shall consist of the removal wholly or in part, and satisfactory disposal of all buildings, fences, structures, old pavements, abandoned pipe lines, and any other obstructions which are not designated or permitted to remain, except for the obstructions to be removed and disposed of under other items in the Contract.

Removal and/or demolrhon of existing structures shall be done in accordance to safety procedures.

C. All excavations shall be made to grade as indicated in the plans. Whenever water is encountered in the excavation process, it shall be removed by pumping care being taken that the surrounding soil particles are not disturbed or removed.

The Contractor shall notify the Engineer sufficiently in advance of the beginning of any excavation so that cross-sectional elevations and measurements may be taken on the undisturbed ground. The natural ground adjacent to the structure shall not be disturbed without permission of the Engineer.

Trenches or foundation pils for structures or structure footings shall be excevated to the lines and grades or elevations shown on the Plans or as staked by the Engineer. They shall be of sufficient size to permit the placing of structures or structure footings of the full width and length shown. The elevations of the bottoms of footings, as shown on the Plans, shall be considered as approximate only and the Engineer may order, in writing, such changes

in dimensions or elevations of foolings as may be deemed necessary, to secure a satisfactory foundation

Boulders, logs, and other objectionable materials encountered in excavation shall be removed.

After each excavation is completed, the Contractor shall notify the Engineer to that effect and no footing, bedding material or pipe culvert shall be placed until the Engineer has approved the depth of excavation and the character of the foundation material.

D. All excavated meterials, so far as suitable, shall be utilized as backfill. The surplus materials shall be disposed of in such manner as not to obstruct the stream or otherwise impair the efficiency or appearance of the structure. No excavated materials shall be deposited at any time so as to endanger the partly finished structure.

All backfills shall be placed in layers not exceeding to 150mm in thickness and each layer shall be thoroughly compacted by wetting, tamping and rolling

- E. Solt Poisoning. There are two methods usually adopted in soil poisoning which are as follows:
 - Condoning. This method is usually adopted when there is no visible evidence of termite infestation. Trenches in concentric circles, squares or rectangles are dug 150mm to 220mm wide and at least one meter spart and applied with Liquid Termicide Concentrate working solution at the rate of 8 liters per linear meter.
 - 2 Drenching. When soil show termite infestation, this method shall be applied. The building area shall be thoroughly drenched with Liquid Termicide Concentrate working solution at the rale of 24 liters per square meter.

III. CIVIL / STRUCTURAL WORKS

A. CONCRETE WORKS

- Delivery, Storage, and Handling: All materials shall be so delivered, stored, and handled as to prevent the inclusion of foreign materials and the damage of materials by water or breakage. Package materials shall be delivered and stored in original packages until ready to be used. Packages or materials showing evidence of water or other damage shall be rejected.
- 2. Untess atherwise specified herein, concrete works shall conform to the requirements of the ACI Building Code. Full cooperation shall be given on trades to install embedded items. Provisions shall be made for setting items not placed in the forms. Before concrete is placed, embedded items shall have been inspected and tested for concrete aggregates and other materials shall have been done.

Materials

- Cement for concrete shall conform to the requirements of specifications for Portland Cement (ASTM C - 150)
- b. Water used at mixing concrete shall be clean and free from other injurious amounts of oils, acids, alkaline, organic materials or other substances that may be deleterious to concrete or steel
- Fine aggregates shall be beach or river sand conforming to ASTM C33, "Specification for Concrete Aggregates" Sand particle shall be course, sharp, clean free from salt, dust, loam, dirt and all foreign matters.
- d. Coarse aggregates shall be either ratural gravel or crushed rock conforming to the "Specifications for Concrete Aggregates (ASTM C33). The minimum size of aggregates shall be larger than one fifth (1/5) of the narrowest dimensions between sides of the forms within which the concrete is to be cast nor larger than three fourths (3/4) of the minimum clear spacing between reinforcing bars or between reinforcing bars and forms.

4 Proportioning and Mixing.

Proportioning and mixing of concrete shall conform to the requirements for item 405 of the standard specification with the following proportions:

Cement, Sand; Gravel Class "A" - 1: 2: 3

Çkaşe "B" - 1: 2: 4

Class "C" - 1, 2 1/2

- Concrete mixture to be used for concrete shall conform with the structural requirements
- c. Mixing concrete shall be machine mixed. Mixing shall begin within 30 minutes after the cement has been added to the aggregates.

Forms

- a. General Forms shall be used whatever necessary to confine the concrete and shape it to the required lines, or to insure the concrete of contamination with materials caving from adjacent, excavated surfaces. Forms shall have sufficient strength to withstand the pressure resulting from placement and vibration of the concrete, and shall be maintained rigidly in correct position. Forms shall be sufficiently tight to prevent loss or mortar from the concrete. Forms shall be ½' (6mm) thick ordinary plywood and form lumber.
- Cleaning of Forms before placing the concrete, the contect surfaces of the formed hall be cleaned of encrustations of morter, the grout or other foreign material.
- c Removel of Forms forms shall be removed in a manner which will prevent damage to the concrete. Forms shall not be removed without approval. Any repairs of surface imperfections shall be formed at once and siring shall be started as soon as the surface is sufficiently hard to permit it without further damage.

Placing Reinforcement.

Steel reinforcement shall be provided as indicated, together with all necessary tie wires, chairs, spacers, supports and other devices necessary to install and secure the reinforcement properly. All reinforcement, when placed, shall be free from toose, flaky rust and scale, oil, grease, clay and other coating and foreign substances that would reduce or destroy its bond with concrete. Reinforcement shall be placed accurately and secured in place by use of metal or concrete supports, spacers and ties. Such supports shall be used in such manner that they will not be exposed or contribute in any way, to the discoloration or deterioration of the concrete.

7 Conveying and Placing Concrete:

- a. Conveying concrete shall be conveyed from mixer to forms as rapidly as applicable, by methods which will prevent segregation, or loss of ingredients. There will be no vertical drop greater than 1.5 maters except where suitable equipment is provided to prevent segregation and where specifically authorized.
- b. Placing concrete shall be worked readily into the corners and angles of the forms and around all reinforcement and imbedded items without permitting the material to segregate, concrete shall be deposited as close as possible to its final position in the forms so that flow within the mass does not exceed two (2) meters and consequently segregation is reduced to a minimum near forms or embedded items, or etsewhere as directed, the discharge shall be so controlled that the concrete may be effectively compacted into horizontal layers not exceeding 30 centimeters in depth within the maximum lateral movement specified.
- c Time interval between mixing and placing. Concrete shall be placed before initial set has occurred and before it has contained its water content for more.

than 45 minutes. No concrete mix shall be placed before 60 complete revolution of the machine mixer

- d. Consolidation of Concrete concrete shall be consolidated with the aid of mechanical vibrating equipment and supplemented by the hard spading and tamping. Vibrators shall not be inserted into lower cursed that have commenced initial set; and reinforcement embedded in concepts beginning to set or already set shall not be disturbed by vibrators. Consolidation around major embedded parts shall by hand spading and tamping and vibrators shall not be used.
- e. Placing Concrete through reinforcement In placing concrete through reinforcement, care shall be taken that no segregation of the coarse aggregate occurs. On the bottom of beams and slabs, where the congestion of steel near the forms makes placing difficult, a layer of mortar of the same cament-sand ratios as used in concrete shall be first deposited to cover the surfaces.

Curing

- General All concrete shall be most cured for a period not less than seven.
 consecutive days by an approved method or combination applicable to local conditions.
- Moist Curing The surface of the concrete shall be kept continuously wet by covering with burlap plastic or other approved materials thoroughly saturated with water and keeping the covering spraying or intermittent hosing.

9. Finishing

- a. Concrete surfaces shall not be plastered unlass otherwise indicated. Exposed concrete surfaces shall be formed with plywood and after removal of forms, the surfaces shall be smooth, true to line and shall present or finished appearance except for minor defects which can be easily repaired with patching with cement mortar, or can be grounded to a smooth surface to remove all joint marks of the form works.
- Concrete Slabs on Fill. The concrete slabs on fill shall be laid on a prepared foundation consisting of sub grade and granular fill with thickness equal to the thickness of the overlaying slab except when indicated

B. MASONRY WORKS

- Masonry Units (Concrete Hollow Blocks):
 - a. 100mm thick for all interior walls and 150mm thick for all exterior walls unless
 otherwise indicated
 - b Use 400 psi for non-load bearing blocks and 700 psi for load bearing blocks where required.
 - c. Where full height walls are constructed with concrete hollow blocks, these shall extend up to the bottom of beam or slab unless otherwise indicated on plans. Provide stiffener columns and lintel beams as specified in the structural drawings or as specified or as deemed required to assure a stabilized wall due to height and other considerations.

Sand:

Ş-1, washed, clean and greenish in color.

Mortar:

One part Portland cement and two parts sand and water but not more than three parts sand and water.

4. Reinforcement

The concrete hollow blocks shall be reinforced with 10mm diameter deformed ber, spaced not more than 0.8m on centers, both ways.

5. Plaster bond.

The mixture of cement plaster for concrete hollow block wall finishes indicated in the drawings shall be one part Portland cament and three parts sand

Floor Topping Preparation for Tilework. One part Portland cement and two parts sand and water but not more than three parts sand and water.

C. METAL FABRICATION

1 Materials:

- g. Steel and Iron. If not specified otherwise, use standard mill-finished structural steel shapes or bar iron in compliance with AISC Specifications for Design. Fabrication and Erection of Structural Steel for buildings.
- b Bolts, Nuts, Stude and Rivers ASTM A 307 and A 325.
- Screws, Fed. Spec FF-\$-85, Fed. Spec FF-\$-92, and Fed. Spec FF-\$-111.
- d. Metal Purlins. High grade galvanized steel with minimum tensite strength of 275 MPa, 1.4mm in thickness or approved equal.

2. Fabrication:

By mechanics skilled in the frade and in accordance with the manufacturer's directions. Metalwork shall be fabricated to allow for expansion and contraction of materials. Provide welding and bracing of adequate strength and durability, with light, flush joints diressed smooth and clean. Complete with bolts and nuts.

Metal Surfaces.

Surfaces shall be clean and free from all scale, flake, rust and rust pitting: wallformed and finished to shape and size, with sharp lines, angle and smooth surface. Shearing and punching shall leave clean true lines and surfaces. Weld or rivet permanent connections. Weld and flush rivets shall be used and finished flush smooth on surfaces that will be exposed after installation. Do not use screws or botts where they can be avoided: when used, heads shall be countersunk, screwed up tight and threads nicked to prevent loosening.

4. Construction.

Thickness of metals and details of assembly and supports shall give ample strength and stiffness for the minimum loads specified or indicated. Joints exposed to weather shall be formed to exclude water.

Vvelding:

Use welding electrode E70xx and perform welding, welding inspection and corrective welding in accordance with AWS D1.1. Weld in a manner to prevent permanent distortion of the connected parts. Weld continuously along the entire area of contact (except where tack welding is permitted. Do not tack weld exposed to connections). Grand smooth visible weld in finished installation.

IV. ARCHITECTURAL WORKS

A. PAINTING WORKS

- Paint Materials. All types of paint material and other related products shall be subject to test as to material composition by the Bureau of Research and Standard, DPWH or the National Institute of Science and Technology
- Tinting Colors. Tinting colors shall be first grade quality pigment ground in alkyd resinthat disperses and mixes easily with paint to produce the color desired. Use the samebrend of paint and tinting color to effect good paint body.
- 3 Skim coat. Skim coat shall be fine powder type material like kalsomine that can be mixed into putty consistency, with oil-based primers and paints to fill minor surface dents and imperfections.
- Paint Schedule.
 - Exterior Masonry Walf (plain coment plastered finish to be painted).
 - i. If cost skim costing, if coat primer, 2 coats elastomeric paint finish.
 - Intenor Masonry Wall (plain cement plastered finish to be pointed).
 - 1 coat skim coating, 1 coat primer, 2 coats tatex paint finish.
 - Interior Dry Wall.
 - 1 cost primer, 2 costs latex paint finish.
 - d. Çeiling Soards
 - t coat primer, 2 coats latex paint finish.
 - e. Stab Softit.
 - i. If coat primer, 2 coats latex paint linish.
 - Metal / Steet Surfaces
 - 1 coat primer, 2 coats epoxy enamel finish.
- 5. Surface Preparation. All surfaces shall be in proper condition to receive the finish. Woodworks shall be hand-sanded smooth and dusted clean. All knot-holes pitch pockets or sappy portions shall be sealed with natural wood filler. Nail holes, cracks or defects shall be carefully puttled after the first coat, matching the color of paint.

Interior woodworks shall be sandpapered between coats. Cracks, holes of imperfections in plaster shall be filled with patching compound and smoothed off to match adjoining surfaces.

Concrete and masonry surfaces shall be coated with concrete neutralizer and allowed to dry before any painting primer coat is applied. When surface is dried apply first coating. Hairline crecks and unevenness shall be petched and sealed with approved putty or patching compound. After all defects are corrected apply the finish coats as specified on the Plans (color scheme approved).

Metal shall be clean, dry and free from mill scale and rust. Remove all grease and oil from surfaces. Wash, unprimed galvanized metal with etching solution and allow it to dry. Where required to prime coal surface with Red Lead Primer same shall be approved by the Engineer.

in addition, the Contractor shall undertake the following:

 Voids, cracks, nick etc. will be repaired with proper patching material and finished flushed with surrounding surfaces.

- Merred or damaged shop coats on metal shall be spot primed with appropriate metal primer.
- Panting and varnishing works shall not be commenced when it is too hot or cold.
- Allow appropriate ventitation during application and drying period
- All hardware will be fitted and removed or protected prior to painting and varnishing works.
- Application. Paints when applied by brush shall become non-fluid, thick enough to lay down as adequate film of well paint. Brush marks shall have flawed out after application of paint.

Paints made for application by roller must be similar to brushing paint. It must be nonsticky when thinned to spraying viscosity so that it will break up easily into droplets


Paint is atomized by high pressure pumping rather than broken up by the large volume of air mixed with it. This procedure changes the required properties of the paint.


- Application shall be as per paint Manufacturer's specification and recommendation.
- B. Provide all drop cloth and other covering requisito for protection of floors, walts, aluminum, glass finishes and other works.
- All applications and methods used shall strictly follow the Manufacturer's Instructions and Specifications.
- 10 All surfaces including masonry wall shall be thoroughly cleaned, puttled, sandpapered, rubbed and polished, masonry wall shall be treated with Neutralizer.
- All exposed finish hardware, lighting fectures and accessories, glass and the like shall be adequately protected so that these are not stained with peint and other painting materials prior to painting works.
- All other surfaces endangered by stains and paint marks should be taped and covered with craft paper.


CRISTAL MAE & LORENZO Planning and Design Division JOCELAN & MAONG Planning and Design Division


Section VII. Drawings


[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]















LIFT AND STAIRS TYPICAL PLAN SCALE 1100W. VECTOR WHICH RECOMMENDING APPROVAL ARREST IN SHEET CONTENT SHEET NO. DESCRIPTION OF PROPOSED CONSTRUCTION OF Applific of the Philippine FOOTBRIDGE AT A. BONIFACIO IN GMINGCH KAGAWARAN NG INHINYERA as allown. AR-05 FRONT OF AYALA CLOVERLEAF MALL, CHY CHONORISM DETARTMENTS BARANGAY BALINGASA DVI DIGHTS 05 25 ENGR FREDISMS DL DE GLEMAN ATTY MARK DAT DUMOND P. PERRALA HON MA JOSEFINA G. BELMONTE HODATION CWOON NO. WHEN BALMBAGA DESTRUCT 1 , GUEZONG FIS



1 LIFT AND STAIR SECTION

BCALE 1:100M.



POJECT TILE	
PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A, BONIFACIO IN FRONT OF AYALA CLOVERLEAF WALL, BARANGAY BALINGASA	
COAFICH: 69/GV, RALENGARA, DIRECT + IDESTON SETY	herita

0	- 44
Sent by	a
	DRAWNEY: SAN
	(1)
04L040450	CHECKBOOK FEIN

Chest .	I	
ENGR. FREDISHMEN DL. DE GUZNAN		ENGR. FREDBY AND DE GUZNAN

SAMETTED BY

	L	
N	ATTY, MARK DACE DIAMOND P. PERHAL	

RECOMMENDING APPROVIS.


HON. MA. JOSEFRIA G. BELMONTE

SHEET CONTENT

STYDWDDT


AR-06 06 25

SHEET NO



LIFT AND STAIR ELEVATION A SCALE 1:100M RECOVERENCES ATTROVAL APPROXITION. NATIVOO YEMIS SHEET HO. DUMMITTED BY PROPOSED CONSTRUCTION OF NO.COMPRES Signification Hillings was FOOTBRIDGE AT A. BONIFACIO IN Busin City Altinomi AR-07 RAIGAWARAN NG PHIRNYERA FRONT OF AYALA CLOVERLEAF MALL. ILTEY ENGINEERING REPARTMENT) BARANGAY BALINGASA ENCEL PREDISVANDO DE CUENTAN ATTY, MARK DALL DESTANDO P. PERFAJ. 07 25 prin franchist. HON MA JOSEFINA O BELMONTE PERSONNO.


BROY BAUROASA DISTRICT 1 DUSTRIADTY



LIFT AND STAIR ELEVATION B SCALE 1 TOOM. APPROVEDURE. DISPASS TARKS DECTHS. DURWITHOUT RECOUNEMEND APPROVAL PROPOSED CONSTRUCTION OF REDGAES EV Republic of the Philippiers. FOOTBRIDGE AT A. BONIFACIO IN Decratily AT SHOWN AR-08 KAGAWARAN NG INDINVERA FRONT OF AVAILA CLOVERLEAF MALL, 08 25 **BARANGAY BALINGASA** ENGR. FREDISHADA DI. DE GUZMAN ATTY MARK DI E GRANONO P. PERRAL DUST NORTH HON, MA. JOSEFINA G. BELMONTE

REVISEDUTES.

BRETT BYLINDASA, DISTRICT 1, QUEZON CITY



1. GENERAL

11. DOMERTE, REBEDROMENT, STRUCTURE STEEL

CASANT CARRY NAMED IN	SHIRT SHE IS NOT SHE	
	14 Mary 2004/00 DRIES	
Storen, W.S.	- 8	
Oliver / PRESSE	- 8	
DAS	- 6	
MARKET AND ASSECTATIONS		
WARRE OF ARE CHOSEN	-	

If the state waste to 1980, but it is read-

PRODUCED OF BALLION.

Introduction for Virginia Pres. 811.0 MOG-

IN MATCHINE SEL DESIGN TO ASSOCIATION &

F.Z. TO FET OF DOCUMENT

- A 16 SCHOOL SANS IN SPENDS OF MATRICE CHAPTER.
- 6. N. AN IT TO COLUMN IS NOT SELECTED AND DESCRIPTION OF THE PROPERTY OF THE SELECTED AND DESCRIPTION OF THE PROPERTY OF THE P
- F THE SPACESSES IN TO MY SEASONS IT MAKEN BY BOKE AS INCOMENTE MAY THE NAME ASSOCIATE OF MAKENING AS
- to its side and it is expensed use the programme

J.A. COMP FOR JEMIE

A PROPERTY OF SALE OF SALE OF A COMMAND SALE OF SALE O

TAL TRANSC CONSTRUCT

AT HE DEPOSIT HE IS REACTED THESE OFFICE TAKES.

Z. REBAR FABRICATION AND INSTALLATION

T.S. BEBAN FARRONICS

- IN STREET OF STATE PURPOSED MADE IN PROPERTY OF THE CONTRACTOR. 4) WHAT IS COLD BEST IN SECURITY IN SECURITY STREET, S
- 1) WHAT ALL IF AN ADVANCED TO DESCRIPT AND REST OF THE ALL IN A THREE PARTY OF THE ALL IN A LABOR THE F.
- AT TAXABLE PROPERTY AND ADMINISTRATION OF HE RESIDENCE.
- If Made it have been set as mading outs where.

WIT ST. ASSETS OF THE

	(100)	ALCOHOL:	
CHEF THE THE THE	late(f)	.49	
man integr	1155 C		
MURICIANS	FORE MAIN.	1.0	
TRUMPHOUS	wast.inte	+ 11	

5. REBAR HOOKS

- If your had no past in store or an out of chapter, summary
- O WANTED AND RESIDENCES AND THE MOOTE.
- CO YEST THAT I AND BUT MADE IN AND BASE ALL.

THE THE WAS INVESTIGATIVE ON THE CO. IT SERVE

MCL	1995	STEEL OW.	DA DE MODE (E)	HEAR END (A) WESTER
w + 1		136	100	40.00.40.00
	n 14.	10000		1000
e80	N 60	9.6		and the second
- No ring	12 69	+ 98 MO + 25	.0	
* - 815		4.38	-	100
HINCH	1	17/46 4 0		150

4. INSTALLATION AND SUPERVISION

- IL SECTION AND ADDRESS IS IN AN AD JUST AND
- S. M. ACRES P.E. ESTAGES, MENTERS BYSINGS, COS. CONCO. SCIENCE.
- Or and distinct surpress regard on the property of

risk helpfy broomer

FOR OWN-REALING COLUMN

- II. ARMEDITAL STREET STATE A WILL AN ALSO THE STREET OF \$1. TO DESIGN PRODUCT OF ATTEMPT.
- If you wind their later to some street or real-regions.

5. DEVELOPMENT AND DAP LENGTH

S.I. ODGLOFNOG LIBERTS

- A NAME OF THE PARTY OF THE PART
- If he begins in terms that I have sent it is not expected and the sent of the

TH WHICH RESIDENCE AND AT LEASE OF S. When Hadel TOPRISON WOLLD 2000

- THE RESENTANCE SPECIAL STATES AND ADDRESS OF THE PROPERTY AND ADDRESS.

- FI. 185 IN TREASURE OF A PLANT IS NO TAKEN DESCRIPTION OF THE PARTY OF THE
- YE SHOW THE THE REAL PLANTS OF THE PERSON NAMED IN COLUMN TO

IN AT ME THE LOCAL PROPERTY BUTCHESS AND RESIDENCE.

- ALL OF THE RESIDENCE MAKE
- Or so les has a markines

6. DENERAL NOTES ON STRUCTURAL STEEL

\$1 (Marchine (RE) (Marchine) ALTERNATION DESIGNATION, THEN PRODUCED AND AN ALL RELIGIOS SPECIFIC DE

SHARE OF TAKEN STREET, STREET,

PULSTAN	100 year / rest impace 5
DESCRIPTION OF THE PARTY	series accounts a longer positional turnings.
SAME VO NUMBER	the not made in Appropria
PATRICIA TAKE	SHEET STRUCKS IN THEIR HARD, I'V WHAT I

- STATE OF THE PARTY AND AND AND AND AND AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY ADDRES
- 4) ON SETTING WAS TRUE BY A STREET, and AGEN AND STATE OF ANY PARTIES OF STREET, MIGHLS
- 51. A LODGE DRIVER DW.) ON MY PLANT THE CAR OTHER DESIGNATION OF THE DRIVER WASHINGTON.
- 41 N. BERGER AN (My) WHITE IS CHIEF IN SIZE AND WILL ASSESS THE PROPERTY OF THE PARTY OF T
- " TO THE REAL PROPERTY OF THE REAL PROPERTY.
- C) SIM I PORTORA DELIVERACIO DE SE SELECCIO POR PETRO PORTORA DEL PORTO DE SE SELECCIO DE SELECC
- SO THE SPECIAL SERVICE WHICH IS NOT THROUGH AN AN ADMINISTRAL TO SERVICE WHICH IS NOT THE THROUGH AND SERVICE WHICH IS NOT THROUGH AND SERVICE WHICH THE SERVICE WHICH THROUGH AND SERVICE WHICH THE SERVICE WHICH THE SERVICE WHICH TH #1 DEC ST-COMM WITE GAT COMES
 TO SPECIAL STREET, OF STREET, DEC STREET, SEC. STREET

AND THE PROPERTY OF THE STATE AND THE STATE

- In Commencial Exercisis, 700 (C) have 16, 1973 handed and more restrict exacusate of 16 to 50 to 30 to 50 to 170 to 180 to 50 to
- \$4. W. Material to the latter of 100 to disable frame white:

 The first to being the materials of the state recognition to being the materials of the state recognition to being the tensor of tensor of the tensor of tensor of the tensor of t
- 17 N. LIECHTSCHE SAN, ANN & REST ON HIGH SHIP STREET, M. BRITTANIA, M. BRITTANIA, STREET, M. BRITTANIA, STR
- THE ME REPORTED HAS IN REPORTED IN HE PROPERTY ALL PROPERTY THAN HE BY LIKE MACHINE IN ANY ADDRESS TO ANY ADDRESS OF THE PROPERTY OF THE PROPE
- \$11 Sets Sets 2 to 40 Octo to Checks pool as LCT persons. No Oct. Oct 1 Sets Sets Set To 40 Octo to Checks pool as LCT persons. No Octo Checks Octo To 40 Octo Checks Octo Check
- THE RESIDENCE AND ASSESSED OF WALL DON'T AND ADDRESS OF THE SECOND STATE A
- 6.6 IN SECRETS ONL DECK PRINT, NOT 40 KINS AT THOSE WITH AN EXPRESIONAL MEXICAL DISCORP, MICH. CO. IN WITHOUT SHEET COMMUNICATION. C TERROR COLLEGE CONTROL OF STATE OF ST

 - \$1.00 EXEMPLES DOLL DATE AND MAKE DELIVERY AT DAY ONCE ONE DATE AND MAKE DATE AND MAKE DATE AND MAKE DATE AND ADMINISTRATION OF THE MAKE DELIVERY DATE. AND ADMINISTRATION OF THE MAKE DELIVERY DATE AND ADMINISTRATION OF THE MAKE DELIVERY DATE.
 - 135. SLIPE, SON DOLL E CORD, DE PETITIVA SELERI. SE CONCRETOR THE LORS FOR SWINDS AN EXTRE PRODUCT OF SECUNDATION OF THE PARK WHICH CONTROL WITH THE PARK A CONTRACT IN SECUNDATION AS SELECT ONE SE SPECIAL OF SECUNDATION OF SECUNDATION OF SECUNDATION OF SECUNDATION.

- THE RESIDENCE PROPERTY OF SHELL PROPERTY AND RECORD AND AND THE THE PROPERTY AND ADDRESS OF THE PARTY OF THE
- CO PART IS THE TAX AS SELECT THE SELECT WHITE WELL AND ADDRESS OF A PART OF THE PART OF TH
- THE THE SE AN ADDRESS OF THE SECOND SHOP SHARE SELECTION OF
- ACT THESE THE EMPERISHING AS CHARGE TO COME AN INCIDENCE WITH THE PROPERTY WHILL THEM A STEMP AND THE PROPERTY WITH THE PROPERTY CONTINUED AND THE PROPERTY WITH THE PROPERTY CONTINUED AND THE PROPERTY WITH THE
- \$17. Del missació michies del allo especia de non constituto, no constituto de 17 (Mel 1965, e. 1811, indireto ser este indireto del al Mescale de 1861, foi del 1811, indireto ser este indireto del constituto del 1871, foi del constituto de no como indireto constituto del 1871, indireto del 1871, indireto del 1871, indirecto del color servicio del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del constituto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 1871, indireto del 1871, indireto del 1871, indireto del del 1871, indireto del 187
- EST OF USERS ONL OF PROCEED AND DOOR OWNER, ON THE STATE OF THE STATE At Personal is he manufact thomas
- 6.17 JOSOPPOCOS O DIESTONI EN RO PRO POR DE PROTECTI VISILADO. DESPOSA DE O SEI BENCOLLIDOS. (DOSTO SPL. 1997 DE PERSONA DE SEU PROCESO.). DE PERSONA D
- AND DESCRIPTION OF THE PROPERTY OF THE PROPERT
- THE WATER THE PROPERTY OF THE PROPERTY OF THE CONTRACTOR OF THE PROPERTY OF TH

GENERAL NOTES FOR STRUCTURAL



Reports of the Polipiums RAGAWARAN NG INHINYERA CITY ENDISTREESE DEPARTMENT

PROJECT SILE

PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL BARANGAY MALINGASA оситов

WITEOWNO: BROW BAUMURSA, DISTRICT 1 DURISON CITY

SERBIART OF en proper

SUBMITTED BY

ENGR. PREDISON OF DE GUERAN ATTY MARK DAY TO DONE P. PERRAY

ANCIENTAL CHICARRISONA

APPROVED ET

HON, MA. JOSEFINA 6. BELMONTE DETY MAPSES

SCHE: NTS PRETRO

периодизина

ASSESSED IN

ST-01 10 25

BUILD, ON MURDINESS CONCRECTION


- I BE COLL LICENS IN MINISTERS WE SET OF AN ARREST WAY
- THE RESIDENCE WHEN THE USE OF STREET WAS A STREET
- DESTRUCTION FOR MALE AND AND ADDRESS OF THE PARTY OF THE PROPERTY OF THE PARTY OF T
- S. HER SCHOOL IF THE SEA COME TO BE WIGHTED TO HEAVY AND STREET
- STREET, STATE OF THE STATE OF THE STREET, STATE OF THE STATE OF T
- Stage may be, or name which he may been as in re-stage in the set of managed broken I as a same.
- B) COMME IS MEDICE THAT HE RESULT IN SUPPLIES HAS BEEN MADE OF THE PERSON OF THE PERSON
- THE RESIDENCE OF THE STATE OF T PARK TO TEMPORISE AND RESENTED SPEAK SHOPS ALLEGATED TO SHOULD NOT THE SHOP ALLEGATED TO SHOULD SHOULD SHOW THE SHOP ALLEGATED TO SHOULD SHOULD SHOW THE SHOP ALLEGATED TO SHOULD SHOULD SHOULD SHOW THE SHOP ALLEGATED TO SHOULD SHOULD
- 15. We CONT, DONE OR A MANUFACTURE OF THE APPROXIMATION OF THE APPROX


WOTES FOR PRE-DISILING

- 1. HE ORDER THAT HE RESIDENCE WITH THE MEANAGER THE REPORTED.
- Fig. STATES from (M) colored with such some factors of the last (M) -
- k . We will be that if the μ -part to who in the minute state states region (f. 16) where the method is 0.0041
- N. THER PERFORM LINE TO SHALL MI. THROUGH SHIP AT LICE WILL LINE LAND LINE
- ye special definition of the parties are constituted as the belief of the parties o
- AL PER MALL SHIP THE RESPECT TO THE ACTION AT A SHIP OF PROCESS.
 AL LEAST COOK. TO THE PROCESS THE PART DAYS.


TEST GOOD JUNE PLATE LOND THAT


- I WE WARR STREET STREETS CALL OF SCHOOLS WE HAVE THE TYPE MODELS OF HELDER STREET STREET, SECURITIES AND HELD SECURITIES AND HELD SECURITIES AND HELD SECURITIES AND HELD STREET SECURITIES AND ADDRESS OF HER STREET SECURITIES.
- ORDER DE LE TRACES PRODUCTION DE LE TRACE DE LAS COMPLETE DE LE TRACE DE LA COMPLETE DE LA COMPL






MIRCOPILES HEAD DETAILS





TYPICAL SPLICE DETAIL FOR STEEL CASING OF MICROPILES DESLUNG OPERATION OF MICROPILES



DYPICAL DETAILS FOR MICROPILES

TABLE FOR TENTATIVE MICROPLES LENGTH

	TENDENE RODSHEAD LEVEL Intol)	NUCK SOCKETED LEWITH (m)	TENTANE TOTAL PILE LEASTIN
000	TO WORK IN	(9. 04.6K pet 0	14.00.00
in move	SECTION AND THE RESE	- u	2 2 70

GENERAL NOTES AND DETAILS FOR MICROPILES

BCALE 1: 100M CH THEFT



Layretta of the Philippinos Quence City KAGAWARAN NG INDRVIEKA CHY EVERTERING REPORTMENT

PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL BARANGAY BALINGASA

SACY, BALBYSIANA, MISTRICT 1. QUEZON CITY

KONONED WY. CHILD SHARESTEE CHECKED AND ADM REVERON NO.

SHITTLESS

ENGR. FREDRING HELDE GUZMAN ATTY, WARK OF E- DUNGOND F. PERRUA


диром их овготимистия


IPPROVED BY:


FION, MA. JOSEFINA G. BELMONTE. CITY MAYER


ASSISTANCE. ST-02 11 25


SHEET CONTENT



















DETAIL 1 TYPICAL CONNECTION OF BRACING B5 AND B6 TO SECONDARY BEAM B5





KEY PLAN

TYPICAL FOOTBRIDGE CONNECTION DETAILS OF DECK FRAMING

BCALE 1 30M DHEET NO.

SHIPP CONTEST

Assessmen

Raphilic of the Philippine Quantity KAGAWARAN NG INTINYERA. GUTY ENGINEERING REPLETVENT)

PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL. BARANGAY BALINGASA CÓCATION: BROY, BALWANA, SHITHICT 1. DUEZON CITY.

NE STREET, BY SNUTBBOOK. SVMSN 801

ENGR. FREDISWAND BL. DE DIJMAN ATTY MARK BALE DIAGOND P. PERRAL


SHARTTY PAY

PEDCAMENS NO APPROVIA.

HON, MA. JOSEPINA G. BELMONTE SEYMONIE 1

APPROVED BY

ST-07 16 25





PROJECT TRUE	DATE
PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A, BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL, BARANGAY BALINGASA	000
DOATION	PARTE

EMANUEL OF	
OHO COMP. JESS	ENGR FRED
	president de Oriología Sese

1		ľ
	Λ	l
	(MA	
	ENGR FREDSAMNA DL. DE GUZMAN	1
	/	

1.00	Γ
K	
ATTY WARK DATE DIAMOND P. PERRAL	Ī

PECCHARRONIC INTRINAL


33 SHOWN HON MA JOSEPINA G. BELMONTE

ARRESTED BY

ST-08 17 25

SHEET WO.

SHRET CONTRACT



BCALE 1:100M SHRIPT INS



rylogicoly t	WLE
FO	ROPOSED CONSTRUCTION OF OTBRIDGE AT A. BONIFACIO IN IT OF AYALA CLOVERLEAF MALL, BARANGAY BALINGASA
DESCRIPTION OF THE PERSON.	MUNEAGA, DISTRICT I , DUEZON GTV

De Till	SWINNIED SP
ESPANOR DE	
ALABOR NO.	ENGR. FRED

204	l
No -	l
ENGR. FREDISHAROVOL DE GUZHAN	ŀ
	L

K	
ATTY, MARK BALE BANCHO P. PERRAL.	HDN.


#PPROVED BY

PROCAMEND NO APPROVING

	AND DESCRIPTION
MA JOSEPINA G. BRUNONTE	

BHEST CONTENT

ST-09 18 25





PROMEST OFFICE	J
PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL, BARANGAY BALINGASA	
COCATION: UNION GALAGRADA DISTRICTY GUARDING MY	Ī

BATC .	3184013335
EXPERIMENTS NO.	G.
PEMPONING.	ENGR. FRED

New -	l
ENGR. FRECHSWINDA DL. DE GUZNAN	1
NEG TAMONOS SERIOS STIGLOS	ŀ

ZNAN ATTY MARK DATE GAMERIO P. PERHALL

RECOMMENSION OF PROCESS.


1	
H	HON. MA. JOSEFINA G. BELMONT


APPROVED BY


ST-10 19 25

HERT WO

STREET STREET, SQUARE








SECTION 1

SECTION 2



TYPICAL DETAILS OF LANDING RAMP FOR LIFT ENTRANCE AT GROUND LEVEL

TYPICAL LIFT TOWER AND PILE CAP SECTIONS

SCALE 1.100M. HERTING.



Aspetts of the Palacies. KAGAWARAN NG INBINYERA SCHOOL SERVICE SERVICE

PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL BARANGAY BALINGASA soswhole

BRIGH BALINGASA, DISTRICT L. QUIETON OTY.

DESCRIPTION OF (Int Déletion NEVENDERAND.

DOMNETED BY

ENGR. FREDISH NA DL. DE GUZENAM ATTY MARK OULE DANGED P. PERRAL

RECOMMENDATION APPROPRIE

HOW MA. JOSEFINA C. BELMONTE

APPROVED BY

ASSESSMENT. ST-11 20 25


PRETABLE TERM

ALCOHOUS.

HON, MA. JOSEFINA G. BELMONTE

ST-12

21 25



ENGR. PREDINANTA DL. DE GUZNAN ATTY MARK DILS MANDAD P. PERRAL.

KAGAWARAN NG INHINYERA

CH'S ENCINEBRISC DEPARTMENT.

FRONT OF AYALA CLOVERLEAF MALL


BARANGAY BALINGASA

BYOY MALBOLINA, DUTTINGT 1, CLOSED SCITY

DOCATIONS


CHI DONES


TERROUND.



TYPICAL CONNECTION DETAILS FOR LIFT STEEL FRAME

	Appells of the Fill appear Quarter City NAGAWARAN NG INHINVERA (THY UNIONERROY)	PROJECT STUE:	DATE:	DURATTED BY	RECORMENDING APPROVIL	APPROVED BY	SHEET COMPANY	SHEETHO
		PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A, BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL, BARANGAY BALINGASA	HOMES YAN CHOOSE TON	ENGR FREDISONAL DE QUE WAN	ATTY MARK DAVE CHANGE OF DERBAL VITA	HON, MA JOSETINA Q. RELEIGHTE	AS SHOWS	ST-13 22 25
		INDIATION SHEWBASA, CHITRICT F, QUESCHICITY	Hoyeley NO.	HEND, FLANSING & DRIBBH DATEON	CALIFORNIA DE LA PERIOR DE PERIOR DE	CETY MAYOR &		





PORTAL FRAME ALONG DECK WITH SPACING 2.5m C/C
(TYPE B - Sm, 20m SPAN)

TYPICAL CONNECTION DETAILS FOR LIFT STEEL FRAME

FOOTBRIDGE CANOPIES PORTAL FRAME DETAILS AND CONNECTIONS



PRODUCT TOLE	11
FROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL, BARANGAY BALINGASA	-
location	ı.

BROY, BALRIGABA, DIETRICT 1 , QUEZON CITY



Ī		ľ
	Au -	
i	ENGR. FREDERINGON DL. DE GUEVAN	
		L

managers by

	1-
Ñ	ATTY MARK DATE BULLOND P. PERRAL
	of virtualism

RECOMMENDING APPROVAL

APPENDENT BHET HO

SECTION ST. 14

ALL HON. MA. JOSEPHA G. BELWONTE
OTT-SAME



GROUND LEVEL AND FOUNDATION PLAN



PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL, BARANGAY BALINGASA

ERGY, DALMERSA, DISTRICT + LIGUEZON CITY.

0470		Sustained to
DESIGNED BY	SHANNER GEN	
ROMAIL VAP	creow de Tren	
PERFECT NO.		ENDIK FRED

-1		ı
- 1	Λ	ł
	/WV	1
"	FREDBYMOADL DE GUZMAN	1
	HELD, P., HOUSE & CHEEK ST HOLDS	Į

1
ATTY MARK DATE BUSINGS P. PERINAL

PECONOMICS APPROVE.


HON, MA. JOSEPHA G. BELWONTE

alresoyCD for

95 (340MH) ST-15 24 25

THEFT CONTENT

DETERM.



within		
13000	Republic of the Thillianness	Т
to the same of	Occur City	1
	KAGAWARAN NG INBINYERA	н
None of	KULL CHRISTODS/DEFOUNDATE	E
the state of the state of		-

MOJEST TITLE:	SATE	
PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A, BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL, BARANGAY BALINGASA	HOUSES OF	
EROY, SALMOAGA, DISTINCT 1, QUELDALCITY	NCHSKIN NO	

CATE		SUBMITTED BY:
DEBOUEL OF	SHANET CA	
HOUSE, NO.	D-BORRING MIN	ENGR. FRED
NONSKY NO.		HEARTY

man and Millian and and
HEAD, TO WEIGHT DESIGNATION

	L	
Ni	ATTY MARK DATE CHANGE PERRAL	

RECORDERED SPREAMS.

I/MIOVED BY	DEST CONTRACT.	06007363
	10 540/04	ST-16
HON, MA. JOSEFINA G. BELMONTE		25 25

Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

PROJECT TITLE: PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL

LOCATION : BARANGAY BAHAY TORO, DISTRICT 1, QUEZON CITY

PROJECT NO. : 23 - 00181

DURATION : Two Hundred Sixty (260) Calendar Days

BREAKDOWN OF COST

ITEM NO.	DESCRIPTION	ESTIMATED DIRECT	TOTAL MARK-UP		VAT	TOTAL INDIRECT COST	TOTAL COST
ITEWINO.	DESCRIPTION	COST	%	VALUE	VAI	TOTAL INDIRECT COST	TOTAL COST
PART I	GENERAL REQUIREMENTS						
PART II	OTHER GENERAL REQUIREMENTS						
PART III	CIVIL/ STRUCTURAL AND ARCHITECTURAL WORKS						
PART A	EARTHWORKS						
PART B	PLAIN AND REINFORCED CONCRETE WORKS						
PART C	FINISHING AND OTHER CIVIL WORKS						
	TOTAL OF PART III						
	TOTAL						

	TOTAL COST P
LUMP SUM BID IN WORDS :	
Contractor:	

Page 3 of 3 Bid Form

BILL OF QUANTITIES

(Bridge Construction/Rehabilitation Project)

PROJECT TITLE: PROPOSED CONSTRUCTION OF FOOTBRIDGE AT A. BONIFACIO IN FRONT OF AYALA CLOVERLEAF MALL

LOCATION : BARANGAY BALINGASA, DISTRICT 1, QUEZON CITY

PROJECT NO. : 23 - 00181

DURATION : Two Hundred Sixty (260) Calendar Days

ITEM CODE	DESCRIPTION	QUANTITY	UNIT	ESTIMATED DIRECT COST	MARK-UP IN %		TOTAL MARK-UP		VAT	TOTAL INDIRECT	TOTAL COST	LINUT COOT
					OCM	PROFIT	%	VALUE	VAT	COST	TOTAL COST	UNIT COST
PART I	FACILITIES FOR THE ENGINEER											
A.1.1.	Operation and Maintenance of Field Office for the Engineer	9	mo									
	TOTAL OF PART I											
PART II	OTHER GENERAL REQUIREMENTS											
B.5	Project Billboard / Sign Board	1	ea									
B.7(1)	Occupational Safety and Health	9	mo									
B.4(1)	Construction Survey and Staking	175	m²									
	TOTAL OF PART II											
PART III	CIVIL/ STRUCTURAL AND ARCHITECTURAL WORKS											
PART A	EARTHWORKS											
803(1)b	Structure Excavation	225	m³									
804(1)a	Embankment from Structure Excavation	267	m³									
804(4)	Gravel Fill	5	m³									
	TOTAL OF PART A											
PART B	PLAIN AND REINFORCED CONCRETE WORKS											
900(1)c	Structural Concrete, Class A, 28 Days (3000 PSI), Stairs	2	m³									
900(5)	Structural Concrete (Ready Mix, 5000psi, 28 days), Pile Cap	118	m³									
900(5)	Structural Concrete (Ready Mix, 5000psi, 28 days), Elevator	25	m³									
900(5)	Structural Concrete (Ready Mix, 5000psi, 28 days), Slab	33	m³									
900(5)	Structural Concrete (Ready Mix, 5000psi, 28 days), Stair Footing	24	m³									

ITEM CODE	DESCRIPTION	QUANTITY	UNIT	ESTIMATED DIRECT COST	MARK-UP IN %		TOTAL MARK-UP		VAT	TOTAL INDIRECT	TOTAL COST	UNIT COST
					OCM	PROFIT	%	VALUE	VAI	COST	TOTAL COST	UNII CUSI
	Reinforcing Steel, Grade 40, Pile Cap	3491	kg									
902(1)b	Reinforcing Steel, Grade 60, Pile Cap	47,994	kg									1
903(2)a	Formworks and Falseworks, Pile Cap	106	m²									
	Reinforcing Steel, Grade 60, Elevator	32,856	kg									
902(1)a	Reinforcing Steel, Grade 40, Slab	1,438	kg									1
()	Reinforcing Steel, Grade 40, Stairs	779	kg									
902(1)b	Reinforcing Steel, Grade 60, Stairs	2,766	kg									1
903(2)b	Formworks and Falseworks, Stairs	41	m²									
	TOTAL OF PART B											
PART C	FINISHING AND OTHER CIVIL WORKS											
C.1 Masonry	Works											1
1046(2)a2	150 mm CHB Non Load Bearing Wall (including Reinforcing	58	m²									
` '	Cement Plaster Finish	116	m²									
C.2 Fabricated Materials and Hardwares												1
1052	Concrete Piles cast in Drilled Holes, 0.30m Ø, fc' = 35 Mpa (Ordinary Soil Condition)	1	l.s.									
1047 (1)	Structural Steel, Column and Beam	1	l.s.									
1047 (1)	Structural Steel, Railings	1	l.s.									
1047 (1)	Structural Steel with Accessories, Elevator	1	l.s.									
1033(1)	Steel Deck	263	m²									
1047 (1)	Structural Steel with Accessories, Stairs	1	l.s.									
1047(8)a	Structural Steel, Stainless Steel Pipe	1,088	kg									
1039(1)	Perforated Aluminum Panel	76	sq.m.									1
C.3 Painting Works												
1032(1)c	Painting	1,453	m²									
	TOTAL OF PART C											
	TOTAL OF PART III											
	GRAND TOTAL											

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Leg	al Do	<u>cuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
	(b)	and Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent
	(c)	document; and Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	(e)	and Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
Too	hnica	l Documents
	(f)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (please see attached prescribed forms required by the QC – BAC for Infrastructure and Consultancy); and
	(g)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules with an attached Notice of Award, Notice to Proceed, Contract and Certificate of Acceptance (please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy); and
	(h)	Philippine Contractors Accreditation Board (PCAB) License;
	(i)	or Special PCAB License in case of Joint Ventures; and registration for the type and cost of the contract to be bid; and Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
	(j)	or Original copy of Notarized Bid Securing Declaration; and Project Requirements, which shall include the following: a. Organizational chart for the contract to be bid;
		b. List of contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data (please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy);
		c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment

lessor/vendor for the duration of the project, as the case may be (please see attached prescribed form required by the QC - BAC for Infrastructure and Consultancy); and Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Additional Technical Requirements: Certificate of Site Inspection or Affidavit of Site Inspection as part of **Omnibus Sworn Statement** • Affidavit of Undertaking for Key Personnel and Equipment (please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy) ■ • Equipment Utilization Schedule ■ • Manpower Schedule Construction Schedule and S-Curve \square • PERT-CMP □ • Construction Methods Financial Documents The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (please see attached prescribed form required by the QC – BAC for Infrastructure and Consultancy). Class "B" Documents If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

 \sqcap (k)

(1)

(m)

П

 \square (n)

	(O)) () 1	rigina	l o	ť c	lul	y signed	l anc	l accomp	olis	hed	Financi	al	В	Bid	IJ	Form;	an	d
--	---	----	-----	------------	--------	-----	-----	-----	----------	-------	----------	------	-----	---------	----	---	-----	----	-------	----	---

Other documentary requirements under RA No. 9184

- Original of duly signed Bid Prices in the Bill of Quantities; and П (p)
- (q) Duly accomplished Detailed Estimates Form, including a summary shee indicating the unit prices of construction materials, labor rates, and equipmen rentals used in coming up with the Bid; and
- Cash Flow by Quarter. (r)

Bid Form for the Procurement of Infrastructure Projects

[shall be submitted with the Bid]

BID FORM	
Date : Project Identification No. :	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: [insert name of contract];
- b. We offer to execute the Works for this Contract in accordance with the PBDs:
- The total price of our Bid in words and figures, excluding any discounts offered below is: [insert information];
- d. The discounts offered and the methodology for their application are: [insert information];
- e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates,
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines¹ for this purpose;
- We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.

currently based on GPPB Resolution No. 09-2020

- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract,

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)				
CITY/MUNICIPALITY OF) S.S.			

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project

Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
- 11. We pledge that the project will be completed in accordance and congruency with the approved plans and programs.

N WITNESS WHEREOF, I have hereunto set my hand this _	_ day of	20	_ at
, Philippines.			

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT, made this [insert date] day of [insert month], [insert year] between [name and address of PROCURING ENTITY] (hereinafter called the "Entity") and [name and address of Contractor] (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute [name and identification number of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [contract price in words and figures in specified currency] by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - a. Philippine Bidding Documents (PBDs);
 - Drawings/Plans:
 - ii. Specifications;
 - iii. Bill of Quantities:
 - iv. General and Special Conditions of Contract;
 - v. Supplemental or Bid Bulletins, if any;
 - Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- c. Performance Security;
- d. Notice of Award of Contract and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder agrees that</u> additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for:

for:

[Insert Procuring Entity] [Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

NAME OF CONTRACTOR:	
---------------------	--

PROJECT TITLE	227.01	**********	100000000000000000000000000000000000000		CONTRACTOR'S ROLE (SOLE CONTRACTOR, SUBCONTRACTOR,	TOTAL	DATE OF	CONTRACT	PERCE	NTAGE	VALUE OF DUTSTANDING WORKS (IN PHP)
[Name of the Contract] B. EXACT PROJECT LOCATION	DATE OF CONTRACT		POSTAL ADDRESS	PROJECT GWINER & NATURE OF WORK	and PERCENTAGE OF PARTICIPATION	VALUE AT AWARD	COMPLETION of ESTIMATED COMPLETION TIME	VALUE AT COMPLETION IF APPLICABLE	ACTUAL ACCOMPLISHMENT	PLANNED ACCOMPLISHMENT	
									TOTAL AMOUNT OUTSTANDING V		

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

Page of

NAME OF CONTRACTOR: PROJECT TITLE: _____ ROLE OF BIDDER IN THE MAJOR SCOPE OF WORKS & DATE CONTRACT PRICE CONTRACT SOLE NAME AND ADDRESS DATE OF SCHEDULED PROJECT TITLE & EXACT LOCATION STARTED OF PROJECT OWNER (PHP) AS AWARDED CONTRACTOR / SUB-COMPLETION CONTRACTOR/PARTNER IN A TOTAL AMOUNT

OF CONTRACT (Php)

LIST OF ALL AWARDED BUT NOT YET STARTED GOVERNMENT AND PRIVATE CONTRACTS OF THE BIDDER

PHOTOCOPY ADDITIONAL FORMS, IF NECESSARY

Page___of___

NAME OF CONTRACTOR: PROJECT TITLE:

PROJECT TITLE (Name of the Contract) & EXACT PROJECT LOCATION	DATE OF CONTRACT	CONTRACT DURATION	PROJECT OWNER & POSTAL ADDRESS	NATURE OF WORK	CONTRACTOR'S ROLE SOLE CONTRACTOR, SURCONTRACTOR, PARTHNER IN A JVI and PERCENTAGE OF PARTICIPATION	TOTAL CONTRACT VALUE AT AWARD	DATE OF COMPLETION OF ESTIMATED COMPLETION TIME	TOTAL CONTRACT VALUE AT COMPLETION IF APPLICABLE

	4	
Page	4.04	
- W. B. W.		

LIST OF MAJOR EQUIPMENT TO BE USED FOR THE PROJECT

NAME OF CONTRACTOR:		
PROJECT TITLE:		

ТҮРЕ	DESCRIPTION / CAPACITY	SERIAL NO.	YEAR ACQUIRED	PRESENT LOCATION (SPECIFIC ADDRESS)	STATUS OF AVAILABILITY (OWNED/LEASED)

Page	100	
1 once	OI.	

A. LIST OF KEY CONSTRUCTION PERSONNEL TO BE ASSIGNED TO THE PROJECT

NAME OF CONTRACTOR:			
PROJECT TITLE:			

NAME	POSITION	AGE	EDUCATIONAL ATTAINMENT	TYPE OF CONSTRUCTION EXPERIENCE	NO.OF YEARS WITH THE CONTRACTOR	PROFESSION	PRC NO.

Page	of	
F HELD	474	

COMPUTATION OF NET FINANCIAL CONTRACTING CAPACITY (NFCC)

NAME OF BIDDER:				
	CURRENT ASSETS*		PHP	
	(LESS) CURRENT LIABILITIES*	(LESS)	PHP	
	NETWORTH		PHP	
	NETWORTH x 15	x 15	PHP	
	(LESS) VALUE OF ALL OUTSTANDING ON-GOING CONTRACTS**	(LESS)	PHP	
	(LESS) VALUE OF ALL AWARDED BUT NOT YET STARTED CONTRACTS AS OF DATE**	(LESS)	PHP	
	NET FINANCIAL CONTRACTING CAPACITY		РНР	

NOTES:

- CURRENT ASSETS AND LIABILITIES BASED ON AUDITED FINANCIAL STATEMENT FOR THE PRECEDING CALENDAR YEAR SUBMITTED TO B.I.R.
- ** BASED ON LIST OF ON-GOING AND AWRDED BUT NOT YEY STARTED CONTRACTS SUBMITTED

)	S. S.					
			AFFI	DAVIT OF	UNDI	ERTA	KING		
101221611	1,			of	legal	age,	Filipino,	[OFFICER	OF
REPR	ESENTA'	TIVE)					301.1140.01486	100000000000000000000000000000000000000	
with c	office add	ress at							after
having	g been du	ly sworn	to in accord	ance with law	, hereby	y volum	atary depose an	d state:	-
	That 1 a underta	ım duly king ası	authorized i	representative / Secretary's C	of the . Certifica	[Nam	e of Bidder Board Resoluti	to execution.	te this
	That _	IName	of Bidder	_bidding for	the (Na	me of l	Project)		
	that the	equipm	ent to be use	ntioned Project and the key p project until i	ersonne	d to be	assign shall ex	_hereby undertal clusively be used	ke l and
	That I a with the	m execut	ing this affic	davit to attest technical requir	o the tr	uth of for the	the foregoing a public bidding	nd in compliance g of the said proje	ect.
of	IN WI	INESS 1	HEREOF, I	have hereun	to sign	ned m	y name belov	v this	day
	AFFIAN	IT FURT	HER SAYET	'H NAUGHT.					
							Affiant		
	SUBSCI	RIBED A	ND SWOR	N TO BEFORE	E ME th	is	day of		7
		in							
affiant	exhibiti	ng to	me his/h	er				issued	l at
Doc. N	0								
Page N	100								
Book N	1000								
eries c	f 2020								

Notary Public

