



**REQUEST FOR QUOTATION
NEGOTIATED PROCUREMENT
SECTION 53.1**

DATE : NOVEMBER 14, 2023

PROJECT NO. : QCU-23-HME-1096E

Name of Company : _____

Address : _____

Contact No. : _____

Project Title : PROCUREMENT OF AUTOMATED EXTERNAL DEFIBRILLATOR AND OTHERS

Approved Budget of the Contract : Php282,008.00

End-User / Implementing Office : QUEZON CITY UNIVERSITY

BREAKDOWN OF APPROVED BUDGET FOR THE CONTRACT	
FOR ITEM NOS. 1-3	P 23,064.00
FOR ITEM NOS. 4-11	P 248,684.00
FOR ITEM NO. 12	P 10,260.00
TOTAL:	P 282,008.00

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **NOVEMBER 17, 2023; 10:00 a.m.** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)
- 3 Mayor's/Business Permit (2023);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the **QC BAC- Goods and Services**
- 6 Income/Business Tax Return (for FY 2022) (For ABCs above P500,000.00)
- 7 If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a **SEALED LONG BROWN ENVELOPE issued by QC BAC- Goods and Services.**

(SGD.) MA. MARGARITA T. SANTOS, DPA
Chairperson, BAC- Goods and Services

TERMS AND CONDITIONS

- 1. Bidders shall **provide correct and accurate** information required in this form.
- 2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
- 4. Quotation **exceeding** the Approved Budget for the Contract (ABC) shall be **rejected**.
- 5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 7. The City General Services Department (CGSD) shall have the right to inspect the goods.
- 8. Non-submission of eligibility documents shall mean disqualification of Quotation.
- 9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
	<i>With minimum technical specifications:</i>				
1	Oxygen Regulator with Humidifier Compatible with ALL Oxygen Tanks Oxygen Flow Range 1-10L/Min Pressure Reducing Range 2.0 – 3.0kg Relief Valve Pressure Range 3.5kg +/- 0.5kg 1 set	piece	3		
2	Oxygen Tank Holder Painted Oxygen tank holder for 50lbs.	piece	4		
3	Oxygen Tank Refill 50lbs. refill	refill	6		
4	Automated External Defibrillator AED Plus Defibrillator Unit 1 AED CPR-D Pads with CPR feedback 1 Rescue Kit- CPR Barrier, Gloves, Towel, Scissors, Razor, Antiseptic Wipe 10 Type 123 Lithium Batteries 1 Administrator Guide CD 1 Quick Setup CD 1 AED Soft case One (1) Year Manufacture Warranty	piece	1		
5	BP Apparatus with Wheels Square shape 145mm x 145mm dial Plastic caster with metal reinforced base for stability; 360° swivel for easy-reading; Gradient adjustable for easy-reading; 4-wheel with brake; The height of aluminum pole is adjustable (With range of 90cm - 125cm); Metal basket; Cotton cuff with D-ring; 2-tube adult latex bladder; Standard latex bulb; Air-release valve with spring; Standard end valve; Spiral PVC tubing, Plastic connector; Glow in the dark gauge	piece	1		
6	Glucometer Kit Includes: Glucose Meter 25 Test Strips; Case; Batteries; Owner Booklet and Quick Reference Guide; Fast results in just 5 seconds; No more	piece	1		

	coding; Easy to read display; 350-tests memory; 7, 14 and 30 days averages				
7	<p>Nebulizer</p> <p>In the box contents: Carrying Bag, Compressor, Air Tube, 5pcs. Replacement Filters, Jet Air Nebulizer, Mouthpiece, Instruction Manual, Adult Mask, Child Mask</p> <p>Key Features: All 5 Micron m Particle Size Breathe Enhanced Nebulizer Design Patented Pump Design Compressor Nebulizer 6ml Medication Capacity 6ml Capacity Average Nebulization Rate of 0.2ml /min Silent Operation</p> <p>Medical Specifications: Average Nebulization Rate (ml/min): 0.2ml/min Medication Capacity (ML): 6ml Mmad (Micro M): 5 µm Operating Air Flow Rate: 4.0 L/min Particle Size (Micro M): 5 µm</p> <p>Product Details: Color: White Type: Compressor Nebulizer</p>	piece	1		
8	<p>Pulse Oximeter</p> <p>Blood Oxygen Saturation Measurement Pulse Rate Measurement One Key Measurement TFT HD Color Screen Four Directions Display 5 Seconds Automatic Shutdown</p> <p>Specifications: Material: Plastic + Silicone Product Size: 28mm x 32mm x 34mm Box Size: 71.5mm x 51mm x 40mm Accessories: Manual/Lanyard Power Requirement: AAA Battery x 2pcs.</p>	piece	2		
9	<p>Spine Board</p> <p>With holes around the stretcher for convenient transportation. On head end there is a space to fix head immobilizer. Floats in water. Equipped with 3 safety belts. Spider strap (optional) Size: Length: 184cm x Width: 45cm x Height: 6cm Load capacity: 160kg.</p>	piece	1		
10	<p>Thermal Scanner</p> <ol style="list-style-type: none"> 1. Non-contact, no need to hold hands to avoid cross infection. 2. Using a new chip, the induction time is faster; the pass rate per minute is greatly improved (50/min). 3. High temperature measurement accuracy, accuracy tolerance: ±0.2 (10~40°C) 4. With warning light for detection failure and warning light for abnormal temperature. 5. Can be connected to USB power, charging treasure, self-installed lithium battery. 	piece	5		

	6. High-definition display, 5 meters viewing distance. 7. Intelligent infrared thermometer, no need to hold, can be hung/double-sided tape/fixed bracket, etc. Package Contents: 1 x Infrared Thermometer 1 x USB cable 1 x Mounting Accessories (tripod)				
11	Weighing Scale Physician Dial-Type Big Dial Face Height rod Wide base Powder coated Specifications: Max. Weighing: 120kg. Min. Value Per Division: 0.5kg. Height Range To Be Measured: 70cm - 190cm Min. Value of Height Per Division: 0.5cm Load Platform Area (L x W): 375mm x 275mm Measurement (L x W x H): 695mm x 286mm x 930mm Net Weight: 15kg. Gross Weight: 17kg.	piece	1		
12	Oxygen Tank Cylinders are cleaned for medical oxygen service. Safety paint protects cylinder sidewall & provides heat detection. Cylinder finish is easy to clean & maintain. Straight thread design eliminates thread damage. 50 Pounds (Height: 141cm x Circumference: 67cm)	piece	1		
TOTAL					

Amount in Words: _____

Delivery Period : **Fifteen (15) Calendar Days**
Warranty : _____

OTHER REQUIREMENTS:
<ul style="list-style-type: none">• Copy of valid, current License to Operate from DOH Accreditation as Supplier, Distributor or Manufacturer for Medical or Hospital Equipment or Devices.• Statement of Warranty – minimum of one (1) year.

Signature over printed name

Office Telephone No./Fax/Mobile No.

Date

Email Address