

PO Number **2312043**

Purchase Order Date:

JAN 08 2024

Procuring Unit

Quezon City Government

:QCU-23-CE1-1573 _

: QUEZON CITY UNIVERSITY

Mode of

Company Name

: JUKENI ENTERPRISES

:53.1 -

Address

Procurement Resolution No.

Project Number

:23-A-324 -

: Room 408 ACRE Building, 137 Malakas St., Brgy. Central, Quezon City

TIN Number

:116-212-308-000 -

Business Type

: Sole Proprietorship Registration #1166141

Contact Number :09175277767

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery : Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Sixty (60) Calendar Days

Payment Term :

Credit /

Stock	Item	Unit of	QTY	Unit Cost	Amount
No.		Issue			
1_	ACTIVE POWERED SPEAKER - QSC K12.2	unit -	2 _	120,000.00	240,000.00
	Multi-purpose, 2-way active loudspeaker				
	2000 Watts Class-D amplifier module				
	Intrinsic Correction tuning and loudspeaker management				
	Directivity Matched Transition (DMT) design provides excellent				
	power response and consistent performance across the listening				
	area				
	Rugged ABS enclosure				
	Deployment in either main PA or floor monitor position				
	Factory Presets and savable/recallable Scenes for commonly-used				
	application				
	Multi-function digital display for control and selection of				
	loudspeaker functions including cross-over, EQ, delay and frequency				
	contour				
	Dual pole cup mounts (standard and 7.5 degree down-tilt)				
	M10 fittings for flown applications				
	Complete EASE and CAD information available online				
	ITEM NAME/DESCRIPTION				
	SRIVATION				
	LF Transducer 305mm (12-inch), cone			7/	
	HF Transducer 35.6mm (1.4-inch) titanium diaphragm compression				
	driver				
	Frequency Response (-6 dB) 50 Hz - 20 kHz				
	Frequency Range (-10 dB) 45 Hz - 20 kHz				
	Nominal Coverage Angle 75° Axisymmetric				
	Maximum Rated SPL1				
	Amplifier Cooling 132 dB @ 1 M, peak 126 dB @ 1 M, continuous				
	Class D		,	196 1 113	
	Peak: 1800 W (LF), 225 W (HF)				0
	Low-noise, variable speed fan	,*	2	,	1
	Controls Power				

MA. JOSEFINÁ G. BELMONTE City Mayor

Dver Printed Name of Supplier / Date

OBR: M- dan 12/4574

SEGI-10 20THAZHAUF.

Funds Available:

RUBY G. MANANGU

Approved Budget for the Contract: 891,141.40

City Accountant

Page 1 of 5





Quezon City Government



PO Number **2312043**

Purchase Order Date:

JAN 08 2024

Procuring Unit

: QUEZON CITY UNIVERSITY

Project Number

Mode of

:QCU-23-CE1-1573

Company Name

: JUKENI ENTERPRISES

: 53.1

Address

Procurement

: Room 408 ACRE Building, 137 Malakas St., Brgy. Central,

Resolution No.

:23-A-324

Quezon City

TIN Number

:116-212-308-000

Business Type

: Sole Proprietorship Registration #1166141

Contact Number :09175277767

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
	3 x Level				
	Rotary encoder (push)				
	2 × selection buttons				
	Indicators Monochrome LCD Display 1.75-inch x 1-inch (45mm x				
	25.4mm)				
	2 x Power LED (front and rear)				
	3 x Input Signal LED			9	
	Input A Mic selected LED				
	Input B Hi-Z selected LED				
	Limiter active LED				
	Connectors 2 x locking XLR/F ¼-inch combo (Mic/Line Input and Hi-				
	Z/Line Input				
	1 x 3.5mm TRS (Stereo Input)				
	2 × XLR/M (Loop-thru Output)				
	1 × XLR/M (Mix Output)				
	1 x locking IEC power connector				
	AC Power Input Universal power supply 100 - 240 VAC, 50 - 60 Hz				
	AC Power Consumption 1/8th Power 2 100 VAC, 2.1 A / 120 VAC, 1.9				
	A / 240 VAC, 1.1 A AC Power Consumption - Standby 0.2 A at any				
	voltage				
	Enclosure Impact Resistant ABS				
	Attachment Points 2 × M10 threaded inserts plus Pull-Back			20	
	Color Black (RAL 9011)				
	Grille 18 Gauge powered coated steel, internal cloth lining				
2	RACKMOUNTABLE DIGITAL MIXER - ALLEN AND HEATH	unit _	1 _	140,000.00	_ 140,000.00
	16 Mono Inputs (TRS + XLR), 3 Stereo Inputs (TRS), 4 Stereo FX				
	Returns, 16 Busses, and 12 Mix Outputs (LR, Mono Mix 1-4, Stereo				
	Mix 1-3), 19 inches Rack mountable with moving faders and			and the second	· · · · · · · · · · · · · · · · · · ·
	recallable AnaLOG preamps, Direct multitrack recording/ playback		Market Ma		- , -
	on USB drives and USB Audio Streaming, 800×480 Touchscreen, iPad			74 1 5	
	App Inputs: 16 Mono / 3 Stereo			1	

MA. JOSEFINA G. BELMONTE City Mayor

3 EDANSANTOS 101-18-124 Printed Name of Supplier / Date

OBR: M. dian 12-14079

Funds Available:

RUBY G. MANANGU

Approved Budget for the Contract: 891,141.40

City Accountant

Page 2 of 5





PO Number **2312043**

Quezon City Government

Purchase Order Date:

JAN 08 2024

Procuring Unit

: QUEZON CITY UNIVERSITY

Project Number

:QCU-23-CE1-1573

Mode of

Company Name

: JUKENI ENTERPRISES

: 53.1

Address

Procurement

:23-A-324

: Room 408 ACRE Building, 137 Malakas St., Brgy. Central, **Quezon City**

Resolution No.

TIN Number

:116-212-308-000

Business Type

: Sole Proprietorship Registration #1166141

Contact Number :09175277767

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

Credit

Stock	Item	Unit of	QTY	Unit Cost	Amount
No.		Issue			
	Mixes: 4 Mono / 3 Stereo / LR				
	24×22 USB Audio Interface				
	Comprehensive Channel Processing and FX				
	Intuitive Interface with Full Colour Touchscreen				
	Range of Remote Expanders				
	19 inches Rack Mountable				
	16 Mono Mic/Line Inputs (TRS + XLR)				
	3 Stereo Inputs (TRS)				
	12 Mix Outputs (XLR)				
	7 Monitor Mixes (4 mono + 3 stereo)				
	4 FX Engines				
	2 dedicated FX Sends / Returns				
	4 Mute Groups				
	4 DCA Groups				
	AES Digital Out				
	24×22 USB Audio Interface				
	Remote Audio Port				
	17 Motor Faders				
	800×480 Touchscreen				
	4 Soft Keys	Na contraction of the contractio			
	Trim, polarity, HPF, gate, insert, 4-band PEQ, compressor, delay on				
	all Inputs				
	Insert, 4-band PEQ, 1/3 octave GEQ, compressor, delay on all				
	Outputs				
	Automatic Mic Mixer				
	Channel Ducker on all Inputs				
	ProFactory Mic Presets				
	RackFX Library			Prof.	
	Built-in Signal Generator			-	1
	RTA with Peak Band indication				
	Spectrogram to aid feedback elimination and room acoustics			1	

MA. JOSEFINA G. BELMONTE

City Mayor

Signature Over Printed Name of Supplier / Date

OBR: 12-14574

Funds Available:

RUBÝ G. MÁNANGU

Approved Budget for the Contract: 891,141.40

City Accountant

Page 3 of 5







PO Number **2312043**

Quezon City Government

Purchase Order Date:

JAN 08 2024

Procuring Unit

: QUEZON CITY UNIVERSITY

Project Number

:QCU-23-CE1-1573

Company Name

Mode of

: 53.1

: JUKENI ENTERPRISES

Procurement

Address

: Room 408 ACRE Building, 137 Malakas St., Brgy. Central, **Quezon City**

Resolution No.

:23-A-324

TIN Number

:116-212-308-000

Business Type

: Sole Proprietorship Registration #1166141

Contact Number

:09175277767

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
	Qu-Drive Direct Multitrack Recording / Playback on USB drives				
	DAW MIDI Control				
3	ANALOG AUDIO MIXER - XENYX	unit _	1 -	59,000.00	59,000.00
	Type: Analog				
	Channels: 8				
	Computer Connectivity: USB (2 x 2)				
	Faders: 9 x 60mm Throw				
	Inputs - Mic Preamps: 4 x XLR				
	Phantom Power: 4				
	Inputs - Line: 8 × TRS, 2 x RCA				
	Outputs - Main: 2 x XLR, 2 x TRS				
	Outputs - Other: 2 x RCA				
	Aux Sends: 1 x Pre, 1 x Post				
	Send/Return I/O: 2 × ¼ inch (Send)				
	4 x ¼ inch (Return)				
	Busses/Groups: 2 x Bus				
	Headphones: 1 x ¼ inch,				
	USB: 1 x Type B				
	EQ Bands: 3-band				
	Rackmountable: YES (includes Rack Ears)				
4	POWERED SUBWOOFER SYSTEM - AS VANTEC	unit –	2-	118,900.00	237,800.00
	High output 18LX loudspeaker.				
	Polarity switch (0°-180°).				
	Filtered output defeat switch.				
	Variable 80-125 Hz low-pass filter.				
	Gain control.				
	Nominal LF Amplifier Power: 1500 Wpeak (Class D)			(a)	
	Frequency Range (-10 dB): Loud: 35 Hz - 125 Hz.			12. 13.	
	Deep: 30 Hz - 125 Hz				1
	Rated Peak SPL at 1 m: 134 dB		,		
					Λ \

MA. JOSEFINA G. BELMONTE City Mayor

Printed Name of Supplier / Date

OBR: 10. 2001-12-14574

Funds Available:

RUBY G. MANANGU

Approved Budget for the Contract: 891,141.40

City Accountant

Page 4 of 5





PO Number **2312043**

Quezon City Government

Purchase Order Date:

JAN 08 2024

Procuring Unit

: QUEZON CITY UNIVERSITY

Project Number

Mode of

:QCU-23-CE1-1573

Company Name

: JUKENI ENTERPRISES

Procurement

: 53.1

Address

Resolution No.

:23-A-324

: Room 408 ACRE Building, 137 Malakas St., Brgy. Central, **Quezon City**

TIN Number

:116-212-308-000

Business Type

: Sole Proprietorship Registration #1166141

Contact Number :09175277767

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Sixty (60) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
	Connectors: INPUT: Female XLR, LOOP THRU: Male XLR, AC INPUT: powerCON AC Requirements: 115 V, 50 Hz/60 Hz, 230 V, 50 Hz/60 Hz Enclosure Material: Birch Plywood Color/Finish: Black ISO-flex Paint				
5_	POWERED SPEAKER POINT SOURCE - DAS VANTEC Twin 15 inches powered 3-way system. Increased output capacity. Ultra lightweight Class D amplifier with SMPS. User definable DSP with LCD screen. Wireless streaming of music. Rigging points. Amplifier Power: 2250 Wpeak, Class D, Tri-amplified Frequency Range (-10 dB): Loud: 40 Hz - 20 kHz Rated Peak SPL at 1 m: 138 dB Dispersion: 90 deg x 50 deg Enclosure Material: Birch Plywood Color/Finish: Black ISO-flex Paint Connectors: INPUT: Female XLR, LOOP THRU: Male XLR, AC INPUT: powerCON AC Requirements: 115 V, 50 Hz/60 Hz, 230 V, 50 Hz/60 Hz	unit -	1 -	212,000.00	212,000.00
AND THE REAL PROPERTY AND THE PROPERTY A	****** Nothing Follows ******				
	200° - 1194			jin i lay	

Total Amount:

OBR:

888,800.00

Total Amount In Words (Pesos): Eight Hundred Eighty-Eight Thousand Eight Hundred Pesos and 00/100 Only

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

nw. 2nan- p. 14574

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 891,141.40

Page 5 of 5