

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

SUPPLY AND INSTALLATION OF MODULAR PARTITION AND OTHERS

PROJECT NO. OCM-24-FIXTURES-0642

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	12
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	15
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	16
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	34
Section	VIII. Checklist of Technical and Financial Documents	41

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES

INVITATION TO BID



March 11, 2024

NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1.	BPLD-24-PS2-0522	BUSINESS PERMITS AND LICENSING DEPARTMENT	PRINTING OF BUSINESS AND LIQUOR CLEARANCE FORMS	P 1,500,000.00	GENERAL FUND	30 CD
2.	CCRD-24-SERVICES-0528	CITY CIVIL REGISTRY DEPARTMENT	OPERATION, MANAGEMENT AND MAINTENANCE OF THE BAESA PUBLIC CREMATORIUM QUEZON CITY	P 19,766,992.96	GENERAL FUND	8 MONTHS
3.	CLIMATE-24-CS1-0238	CLIMATE CHANGE AND ENVIRONMENTAL SUSTAINABILITY DEPARTMENT	FOOD AND DRINKS	P 1,365,200.00	GENERAL FUND	8 MONTHS
4.	CGSD-24-JS2-0265	CITY GENERAL SERVICES DEPARTMENT	SUPPLY AND DELIVERY OF VARIOUS JANITORIAL SUPPLIES AND OTHERS	P 20,237,031.75	GENERAL FUND	8 MONTHS
5.	CONSO-24-OSD-0550	CITY GENERAL SERVICES	LINE 1: SUPPLY AND DELIVERY OF VARIOUS OFFICE SUPPLIES (PHOTO PAPER AND OTHERS)	P 26,694,522.09	GENERAL FUND	8 MONTHS
		DEPARTMENT	LINE 2: SUPPLY AND DELIVERY OF VARIOUS OFFICE SUPPLIES (BALLPEN AND OTHERS)	P 6,788,711.70	GENERAL FUND	8 MONTHS
6.	NDH-24-MSLI-0511	NOVALICHES DISTRICT HOSPITAL	VARIOUS REAGENTS FOR HEMATOLOGY ANALYZER	P 9,766,272.40	GENERAL FUND	8 MONTHS
7.	CONSO-24-PS2-0495B	PUBLIC AFFAIRS AND INFORMATION SERVICES DEPARTMENT	PRINTING OF NEWSLETTER AND OTHERS	P 1,544,000.00	GENERAL FUND	8 MONTHS
8.	ENGINEERING-24-OE- 0458	DEPARTMENT OF ENGINEERING	CLAMP METER AND OTHERS	P 1,283,243.82	GENERAL FUND	30 CD
9.	ENGINEERING-24-SOP- 0552	DEPARTMENT OF ENGINEERING	TRAFFIC CONE AND OTHERS	P 1,435,759.50	GENERAL FUND	45 CD
			LINE 1: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT I OF QUEZON CITY	P 74,672,038.16	GENERAL FUND	8 MONTHS
	HEALTH-24-DM-0469		LINE 2: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT II OF QUEZON CITY	P 128,015,944.71	GENERAL FUND	8 MONTHS
10.		HEALTH-24-DM-0469 QUEZON CITY HEALTH	LINE 3: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT III OF QUEZON CITY	P 58,669,428.62	GENERAL FUND	8 MONTHS
		DEPARTMENT	LINE 4: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT IV OF QUEZON CITY	P 80.005,115.33	GENERAL FUND	8 MONTHS
			LINE 5: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT V OF QUEZON CITY	P 106,663,560.59	GENERAL FUND	8 MONTHS
			LINE 6: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT VI OF QUEZON CITY	P 85,335,176.02	GENERAL FUND	8 MONTHS
11.	HEALTH-24-FFRSE-0534	QUEZON CITY HEALTH DEPARTMENT	FIRE EXTINGUISHER	P 2,124,000.00	GENERAL FUND	30 CD
12.	OCM(GAD)-24-PS2-0229	OFFICE OF THE CITY MAYOR (GAD COUNCIL OFFICE)	CONCEPTUALIZATION AND FULL PRODUCTION OF COFFEE TABLE BOOK, AND PRINTING OF BOOK, BOOKLETS, AND IEC MATERIALS FOR GAD COUNCIL	P 3,618,000.00	GENERAL FUND	8 MONTHS
13.	ОСМ(POP5)-24-HLMF- 0569	OFFICE OF THE CITY MAYOR - POPS PLAN	VENUE ACCOMMODATION AND OTHERS	P 3,898,500.00	GENERAL FUND	8 MONTHS
14.	OCM(POPS)-24-SOP-0354	OFFICE OF THE CITY MAYOR - POPS PLAN	BATON	P 2,499,200.00	GENERAL FUND	8 MONTHS
15.	OCM-24-FIXTURES-0642	OFFICE OF THE CITY MAYOR	SUPPLY AND INSTALLATION OF MODULAR PARTITION AND OTHERS	P 12,212,960.00	GENERAL FUND	90 CD

IB FOR APRIL 02, 2024 - ABOVE

NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
16.	OCM-24-GARMENTS-0546	OFFICE OF THE CITY MAYOR	ROUND NECK T-SHIRT AND COLLARED SHIRT	P 8,950,000.00	GENERAL FUND	8 MONTHS
17.	OCM-24-KITCHENWARE- 0565	OFFICE OF THE CITY MAYOR	STARTER KIT (KITCHEN SUPPLIES)	P 29,269,900.00	GENERAL FUND	30 CD
18.	OCM-24-PS2-0406	OFFICE OF THE CITY MAYOR	PRINTING OF SIMPLIFIED HOUSEHOLD PROFILE QUESTIONNAIRE (HPQ) ANSWER SHEET AND LISTING FORM	P 3,377,800.00	GENERAL FUND	30 CD
19.	OVM-24-CS1-0207B	OFFICE OF THE VICE MAYOR	FOOD AND DRINKS	P 6,170,000.00	GENERAL FUND	8 MONTHS
20.	QCADAAC-24-HLMF-0196	QUEZON CITY ANTI-DRUG ABUSE ADVISORY COUNCIL	HOTEL ACCOMMODATION INCLUDING FOOD AND DRINKS, AND OTHERS	P 2,012,408.00	GENERAL FUND	8 MONTHS
21.	QCDRRMO-24-CS1-0545	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	FOOD AND DRINKS	P 7,000,000.00	GENERAL FUND	8 MONTHS
22.	QCDRRMO-24- SERVICES-0446	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	RENTAL OF PORTALET	P 5,703,950.00	GENERAL FUND	8 MONTHS
23.	QCDRRMO-24-SOP-0543	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	MODULAR PARTITION TENT	P 14,999,894.00	GENERAL FUND	30 CD
24.	CONSO-24-P52-0536	OUEZON CITY UNIVERSITY	LINE 1: PRINTING OF CERTIFICATE HOLDER	P 624,000.00	TRUST FUND	45 CD
			LINE 2: PRINTING OF CERTIFICATE HOLDER	P 1,095,744.00	GENERAL FUND	45 CD
25.	QCU-24-OESC-0504	QUEZON CITY UNIVERSITY	VARIOUS CONSUMABLES FOR QCU LIBRARY ID, SCHOOL ID AND ALUMNI ID	P 4,345,400.00	TRUST FUND	30 CD
26.	QCTD-24-CS1-0452	QUEZON CITY TOURISM DEPARTMENT	FOOD AND DRINKS AND OTHERS	P 4,903,248.00	GENERAL FUND	8 MONTHS
27.	QCTD-24-PS2-0160	QUEZON CITY TOURISM DEPARTMENT	CONCEPTUALIZATION AND PRINTING OF DIRECTORY BOOKLET/BOOK	P 3,200,000.00	GENERAL FUND	90 CD
28.	RMBGH-24-PS2-0307	ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL	PRINTING OF BOOKLET AND OTHERS	P 1,717,500.00	GENERAL FUND	30 CD
29.	SDO-24-HCS-0410	SCHOOLS DIVISION OFFICE	PAINTS FOR BRIGADA ESKWELA	P 2,769,975.00	GENERAL FUND	30 CD

- 1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund and Trust Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

 Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 8:00 a.m. – 5:00 p.m

5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>Tuesday, March 12, 2024</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD	RATES:
----------	--------

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000,00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

IB FOR APRIL 02, 2024 - ABOVE

F

The following are the requirements for purchase of Bidding Documents;

- I. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The Quezon City Local Government will hold a Pre-Bid Conference on 10:30 A.M. of <u>Tuesday, March 19, 2024</u> at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre-Bid Conference Meeting Join Zoom Meeting https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1OT09

Meeting ID: 848 3500 2246 Passcode: 154733

- Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before <u>10:00 A.M.</u> of <u>Tuesday</u>, April 02, 2024. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on <u>11:00 A.M.</u> of <u>Tuesday</u>, <u>April 02</u>, <u>2024</u> at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING Join Zoom Meeting https://us02web.zoom.us/i/85850855933?pwd=R2dZUUp4Z3lvU29iZGV1WmdKRjZCdz09

Meeting ID: 858 5085 5933 Passcode: 118682

- 10. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u> Tel. No. (02)8988-4242 loc. 8506/8710 Website: <u>www.quezoncity.gov.ph</u>

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

MS. MA. MARGARITA T. SANTOS, DPA

Chairperson, QC-BAC-Goods and Services

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **SUPPLY AND INSTALLATION OF MODULAR PARTITION AND OTHERS** with identification number **OCM-24-FIXTURES-0642.**

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **twenty-five** (25) *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2024** in the amount of **TWELVE MILLION TWO HUNDRED TWELVE THOUSAND NINE HUNDRED SIXTY PESOS AND 00/100 ONLY (Php 12,212,960.00).**
- 2.2. The source of funding is:
 - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of **Non-Expendable Supplies and Services:** The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **fifty percent (50%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.

- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB					
Clause 5.3	For this purpose, contracts similar to the	Project shall be:			
	a. A single contract similar to the items to be bid and must be at least fifty percent (50%) of the ABC.				
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.				
7.1	Subcontracting is not allowed.				
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.				
14.1	 The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than <i>Php 244,259.20</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Php 610,648.00</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond. 				
19.3	APPROVED BUDGET				
	ITEM no. 1	Php 8,925,380.00			
	ITEM nos. 2-23 ITEM no. 24	Php 1,839,880.00			
	<i>ITEM no. 24</i> <i>ITEM no. 25</i>	Php 1,400,000.00 Php 47,700.00			
	Total ABC	Php 12,212,960.00			
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it. • No additional requirements				
21.2	Additional required documents relevant existing laws and/or the Procuring Entity No additional requirements 	· · ·			

Bid Data Sheet

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>
2.2	"The terms of payment shall be as follows: Payment after rendering of service
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
	Intellectual Property Rights –
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Transportation – Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications

Section VI. Schedule of Requirements

PROJECT NAME: SUPPLY AND INSTALLATION OF MODULAR PARTITION AND OTHERS PROJECT NO. OCM-24-FIXTURES-0642

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks / Months
	Description SUPPLY AND INSTALLATION OF MODULAR PARTITION AND OTHER ITEMS TILES 300mm x 600mm Non-Skid Floor Tiles, 600mm x 600mm Non-Skid Porcelain Floor Tiles and 300mm x 600mm Ceramic Wall Tiles with tile adhesive and tile grout. 158 square meter, 3,150.00/ square meter ANTI-BAC VINYL ROLL 3mm thick Anti-Bac Vinyl Roll. Provide Seamless Self-Coving Height of 6 inches Towards the Wall, 134 square meter, 4,750.00/square meter CEILING 12mm Thick Ordinary Gypsum, 12mm Thick		Quantity	Weeks /
	Moisture Resistant and 6mm Thick Fiber Cement Board with Framings, 207 square meter, 2,900.00/ square meter Standard Reflectorize traffic markings/sign paint ae 300mm HT, 64 square meter, 2,670.00/square meter Electrical, Fire Detection and Alarm System including Accessories			Within Ninety (90) Calendar Days Upon Issuance of Notice to Proceed
	ELECTRICAL WORKS A. CONDUITS, BOXES AND FITTINGS 12 sets- 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m per piece with Locknut and Bushing 1 set- 32mmØ Intermediate Metal Conduit, 3m per piece with Locknut and Bushing 394 set- 20mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 131 sets- 15mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 6 pieces- 15mmØ IMC Elbow 150 pieces- 20mmØ IMC Elbow 70 I.m 15mmØ Mica Tube 140 I.m 15mmØ Flexible Metal Conduit			

Schedule of Requirements Page 1 of 7

3 pieces- 80mm ² Ø Solderless Connector, Set-		
screw Type		
1 pieces- 65mmØ Weatherproof Service		
Entrance Cap, Aluminum Clamp Type		
2 boxes- 4-11/16 inches Square Box with cover and screw		
105 pieces- 50mm x 100mm PVC Utility Box with		
screw		
68 pieces- 100mm x 100mm PVC Junction Box		
with cover and screw		
2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel,		
Threaded Rod, Uni-strut Clamp, Locknut and		
Washer, Anchor Grip)		
B. WIRES AND WIRING DEVICES		
105 meters- 80mm² THHN Wire, 90°C 18 meters- 50mm² THHN Wire, 90°C		
18 meters- 30mm² THHN Wire, 90°C		
7 rolls- 5.5mm² THHN Wire, 90°C		
7 rolls- 3.5mm² THHN Wire, 90°C		
4 rolls- 2.0mm² THW Wire, 90°C		
4 rolls- 3.5mm ² THW Wire, 90°C		
6 meters- 8.0mm ² THW Wire, 90°C		
6 meters- 14mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C		
31 sets- Switch with Plate and Cover, One-		
Gang		
2 sets- Switch with Plate and Cover, One-Gang		
Three-Way		
4 sets- Switch with Plate and Cover, Two-Gang		Within
Three-Way		Ninety (90)
5 sets- Single Convenience Outlet with Grounding		Calendar
54 sets- Duplex Convenience Outlet with		Days Upon
Grounding		Issuance of Notice to
9 sets- One-Gang Outlet for ACU, Heavy Duty		Proceed
with Grounding		Troccou
C. PANEL BOARD		
1 assembly - MDP		
Main: 200AT, 250AF, 3P, 230V, MCB		
Branches:		
1 - 125AT, 3P, MCCB		
1 - 100AT, 3P, MCCB		
Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front		
1 assembly - LPPA		
Main: 125AT, 250AF, 3P, 230V, MCCB		
Branches:		
1 - 40AT, 3P, BOLT-ON		
14 - 30AT, 2P, BOLT-ON		
7 - 20AT, 2P, BOLT-ON Enclosure: NEMA 3R with Ground Terminals and		
Metal Dead Front		
1 assembly - LPPB		
Main: 100AT, 100AF, 3P, 230V, MCCB		
Branches		
9 - 30AT, 2P, BOLT-ON		
Enclosure: NEMA 3R with Ground Terminals and		
Metal Dead Front 1 assembly - LPPC		
Main: 40AT, 100AF, 3P, 230V, MCCB		
Branches:		
1 - 30AT, 3P, BOLT-ON		
2 - 30AT, 2P, BOLT-ON		

Enclosure: NEMA 3R with Ground Terminals and	
Metal Dead Front	
12 assemblies - Enclosed Circuit Breaker	
D. LIGHTING FIXTURES	
3 sets- 600mm x 600mm with 2 x 10w LED	
Daylight, Troffer Type, with complete	
accessories, Surface Mounted Type 18 sets- 600mm x 600mm Troffer Fixture	
Recessed Mounted LED Panel Type Lighting	
Fixture 30Watts Daylight	
16 sets- 1x18W T5 Fluorescent Light under	
cabinet lighting, Daylight 4 sets- 2 x 18W LED Daylight, Dust Proof Cover,	
with complete accessories, Surface Mounted	
Type	
17 sets- 6 inches x 6 inches Recessed Mounted	
Super Flat Pinlight, Daylight	
5 sets- Emergency Light Twin Head with Battery	
Pack with minimum of 2 hours Rating	
E. GROUNDING SYSTEM	
1 set- 16mm Ø x 3000mm Grounding Rod	
(Copper Clad) with Ground Clamp	
E EDAS SYSTEM	
F. FDAS SYSTEM	
19 sets- Smoke Detector (Addressable)	
2 sets- Heat Detector 2 sets- Fire Alarm Manual Pull Station	
2 sets- Horn with Strobe Light	
300 meters- 1.25mm ² TF Wire	XX7:41
50 lm- Horizontal Layout	Within
2 sets- Fire Alarm Control Panel	Ninety (90)
100 pieces- 15mm Ø EMT	Calendar
50 pieces- 15mm Ø EMT Connector,	Days Upon
Compression Type	Issuance of
	Notico to
100 pieces-15mm Ø EMI Coupling	Notice to
100 pieces- 15mm Ø EMT Coupling,	Proceed
Compression Type	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m)	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m)	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 46 pieces- 100mm Ø, PVC Pipe with Hub	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 46 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 46 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, P-Trap	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 46 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 46 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, P-Trap 55 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 46 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 75mm Ø, 1/8 Bend	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 16 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 50mm Ø, P-Trap 3 pieces- 50mm Ø, P-Trap 55 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 75mm Ø, 1/8 Bend 37 pieces- 100mm Ø, 1/8 Bend	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 16 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 50mm Ø, P-Trap 3 pieces- 50mm Ø, P-Trap 55 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 37 pieces- 100mm Ø, 1/8 Bend 20 pieces- 100mm Ø x 50mmØ Wye	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6 inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 16 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 50mm Ø, P-Trap 3 pieces- 50mm Ø, P-Trap 55 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 37 pieces- 100mm Ø, 1/8 Bend 37 pieces- 100mm Ø x 50mmØ Wye 3 pieces- 100mmØ x 75mmØ Wye	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 46 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 75mm Ø, 1/8 Bend 37 pieces- 100mm Ø x 75mmØ Wye 18 pieces- 100mmØ x 75mmØ Wye	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 16 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 75mm Ø, 1/8 Bend 37 pieces- 100mm Ø x 75mmØ Wye 18 pieces- 100mmØ x 100mmØ Wye 3 pieces- 100mmØ x 75mmØ, Reducer	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 16 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 50mm Ø, P-Trap 3 pieces- 50mm Ø, P-Trap 55 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 75mm Ø, 1/8 Bend 37 pieces- 100mm Ø x 50mmØ Wye 3 pieces- 100mmØ x 75mmØ Wye 18 pieces- 100mmØ x 75mmØ Wye 18 pieces- 100mmØ x 75mmØ Wye 18 pieces- 100mmØ x 75mmØ Wye 19 pieces- 50mmØ x 50mmØ Wye 19 pieces- 50mmØ x 50mmØ Wye 10 pieces- 50mmØ x 75mmØ Wye 10 pieces- 50mmØ x 75mmØ, Reducer 12 pieces- 50mmØ x 50mmØ Tee	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 16 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 75mm Ø, 1/8 Bend 37 pieces- 100mm Ø x 50mmØ Wye 3 pieces- 100mmØ x 100mmØ Wye 3 pieces- 100mmØ x 75mmØ Wye 18 pieces- 100mmØ x 75mmØ Wye 3 pieces- 50mm Ø x 50mmØ Tee 23 pieces- 75mm Ø x 50mm Ø Tee	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 16 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 75mm Ø, 1/8 Bend 37 pieces- 100mm Ø x 50mmØ Wye 3 pieces- 100mmØ x 75mmØ Wye 18 pieces- 100mmØ x 75mmØ Wye 18 pieces- 100mmØ x 50mmØ Wye 3 pieces- 50mm Ø x 50mmØ Tee 23 pieces- 75mm Ø x 50mm Ø Tee 23 pieces- 75mm Ø x 50mm Ø Tee 38 pieces- Coupling 50mmØ	
Compression Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4 inches at 0.16 (0.15m x 0.15m x 0.10m) 21 pieces- 100mm x 100mm PVC Junction Box with cover Plumbing, Sanitary Line and Sewage Treatment Plant Equipment and Accessories SANITARY/PLUMBING WORKS A. SEWER LINE WORKS 42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece- 75mm Ø, PVC Pipe with Hub 16 pieces- 100mm Ø, PVC Pipe with Hub 16 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 75mm Ø, 1/8 Bend 37 pieces- 100mm Ø x 50mmØ Wye 3 pieces- 100mmØ x 100mmØ Wye 3 pieces- 100mmØ x 75mmØ Wye 18 pieces- 100mmØ x 75mmØ Wye 3 pieces- 50mm Ø x 50mmØ Tee 23 pieces- 75mm Ø x 50mm Ø Tee	

D. Constitutions Phylocecon	
B. Sanitary Fixtures 3 pieces- Floor Drain, 100mm Ø, Stainless	
5 pieces- rioor brain, roomin Ø, stainiess	
C. PLUMBING FIXTURES	
Sanitary Fixtures, Fittings and Accessories	
3 sets- Bidet with Complete Accessories (Water	
Efficient)	
3 pieces- Hose Bibb Lever Type, Stainless, Heavy	
Duty (Water Efficient)	
13 sets- Kitchen Sink, Single Tub with Grease	
Trap (5GPM) with Complete Fittings and	
Accessories	
3 sets- Lavatory with Wall Hung, with Complete	
Fittings and Accessories	
3 pieces- Lavatory Faucet, Wall Hung, Lever	
Type (Water Efficient)	
1 set-Urinal, Flush Valve with Complete Fittings	
and Accessories (Water Efficient)	
3 sets- Water Closet, Tank-Type with Complete	
Fittings and Accessories (Water Efficient)	
Plumbing Fixtures, Fittings and Accessories	
16 pieces- Angle Valve, Single-Way Stainless	
3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless	
Pipe Hangers and Supports	
42 l.m For horizontal pipes less than 50mmØ	
(2m interval)	
105 I.m For horizontal pipes more than 50mmØ	
(1m interval)	Within
12 I.m For vertical pipes greater than 50mmØ	Ninety (90)
(1m interval)	Calendar
	Days Upon
D. COLD WATER LINE	Issuance of
12 pieces- 20mm Ø, PPR Pipe	Notice to
13 pieces- 25mm Ø, PPR Pipe	Proceed
42 pieces- 20mm Ø, 90 Deg Elbow	
24 pieces- 25mm Ø, 90 Deg Elbow	
10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee	
10 pieces- 20mm Ø, End Cap	
7 pieces- 20mm Ø, Coupling	
13 pieces-25mm Ø, Coupling	
E. WATER TREATMENT PLANT - TERTIARY SYSTEM	
Hydraulic Panel	
1 piece- Piping	
Tank and Accessories	
2 sets- Dosing Tank 60 Liters, diameter: 37cm,	
height: 70cm, high density polyethylene tank	
with accessories and initial chemical	
1 set-Portable Sewage Treatment Plant (2	
cubic meters)	
Filters	
1 piece- 2SF Filters 21 inches x 62 inches	
-	
1 piece- Micron Fillers: Bag Type	
1 piece- Micron Fillers: Bag Type 6 pieces- Membrane 4 inches x 40 inches	
1 piece- Micron Fillers: Bag Type 6 pieces- Membrane 4 inches x 40 inches Electrical Works	
1 piece- Micron Fillers: Bag Type 6 pieces- Membrane 4 inches x 40 inches Electrical Works 1 lot - Electrical	
 piece- Micron Fillers: Bag Type pieces- Membrane 4 inches x 40 inches Electrical Works lot - Electrical lot- Control Panel 	
 piece- Micron Fillers: Bag Type pieces- Membrane 4 inches x 40 inches Electrical Works 1 lot - Electrical 1 lot- Control Panel Pumps and Motors 	
 piece- Micron Fillers: Bag Type pieces- Membrane 4 inches x 40 inches Electrical Works lot - Electrical lot- Control Panel Pumps and Motors set- Filter-feed Pump: 15gpm at 120ft., Single 	
 piece- Micron Fillers: Bag Type pieces- Membrane 4 inches x 40 inches Electrical Works lot - Electrical lot- Control Panel Pumps and Motors set- Filter-feed Pump: 15gpm at 120ft., Single phase 220v/60Hz - similar to 1.5 HP 	
 piece- Micron Fillers: Bag Type pieces- Membrane 4 inches x 40 inches Electrical Works lot - Electrical lot- Control Panel Pumps and Motors set- Filter-feed Pump: 15gpm at 120ft., Single phase 220v/60Hz - similar to 1.5 HP set- High Pressure Pump: 15gpm at 200ft. 	
1 piece- Micron Fillers: Bag Type 6 pieces- Membrane 4 inches x 40 inches Electrical Works 1 lot - Electrical 1 lot- Control Panel Pumps and Motors 1 set- Filter-feed Pump: 15gpm at 120ft., Single phase 220v/60Hz - similar to 1.5 HP 1 set- High Pressure Pump: 15gpm at 200ft. Single phase 220v/60Hz - similar to 2.0Hp	
 piece- Micron Fillers: Bag Type pieces- Membrane 4 inches x 40 inches Electrical Works lot - Electrical lot- Control Panel Pumps and Motors set- Filter-feed Pump: 15gpm at 120ft., Single phase 220v/60Hz - similar to 1.5 HP set- High Pressure Pump: 15gpm at 200ft. 	

	SUPPLY AND INSTALLATION OF FIRE PROTECTION SYSTEM			
	FIRE PROTECTION WORKS A. SPRINKLER HEAD 17 pieces- 13mm Ø Fire Sprinkler Head Pendent			
	B. FIRE SPRINKLER SYSTEM 4 pieces- 25mm x 6m Ø B.I. Pipe, Schedule 40 8 pieces- 32mm x 6m Ø B.I. Pipe, Schedule 40 17 pieces- 25mm Ø x 12mm Ø 90° B.I. Bell Reducer, Threaded			
2	Modular Partition Expanded Polystyrene Wall Panels	Square meter	174	
3	Frameless Tempered Glass Door , Swing Type (0.9m x 2.15m) - Swing Type Frameless Tempered Glass Door with Patch Fittings and Frosted Glass Film	set	5	
4	Flush Hollow Core Door, Sliding Type (0.9m x 2.15m) - Sliding Type, Flush Hollow Core Door with 200mm x 900mm x 6mm thick Clear Tempered Glass View Panel with Frosted Glass Film	set	1	
5	Flush Hollow Core Door, Sliding Type (0.9m x 2.15m) - Sliding Type, Flush Hollow Core Door with 600mm x 900mm x 6mm thick Clear Tempered Glass View Panel with Frosted Glass Film Strips	set	6	Within Ninety (90) – Calendar
6	Flush Hollow Core Door, Swing Type (0.8m x 2.15m) - Swing Type, Flush Hollow Core Door with Louver	set	2	Days Upon Issuance of Notice to
7	Flush Hollow Core Door, Swing Type (0.8m x 2.15m) - Swing Type, Flush Hollow Core Door with 500mm x 900mm x 6mm thick Clear Tempered Glass View Panel with Frosted Glass Film Strips	set	1	Proceed
8	Flush Hollow Core Door, Swing Type (1.0m x 2.15m) - Swing Type FHCD with Louvers and Stainless Steel Kick Plate	set	1	
9	Flush Hollow Core Door, Sliding Type (0.9m x 2.15m) - Sliding Type, Flush Hollow Core Door with 600mm x 900mm x 6mm thick Fixed Clear Tempered Glass View Panel	set	2	
10	Flush Hollow Core Door, Sliding Type (1.0m x 2.15m)- Sliding Type, Flush Hollow Core Door with 700mm x 900mm x 6mm thick Fixed Clear Tempered Glass View Panel with Frosted Glass Film Strip	set	1	
11	Flush Hollow Core Door, Swing Type (1.0m x 2.15m)-Swing Type, Flush Hollow Core Door with 700mm x 900mm x 6mm thick fixed Clear Tempered Glass View Panel with Frosted Glass Film Strip	set	4	
12	Steel Door, Swing Type (1.09m x 2.15m) -	set	1	1
13	Swing Type Fire Rated Steel Door Flush Hollow Core Door , Swing Type (0.8mx2.15m) - Swing Type, Flush Hollow Core Door with 6mm thick Clear Tempered Glass View Panel	set	1	

14	Metal Door , Swing Type (0.8m x 2.15m) - Swing Type Fully louvered Metal Door with Metal Jamb, Provide Insect Screen	set	2	
15	Tempered Glass Window (1.2m x 1.2m), Sliding Type, 6mm thick Tempered Clear Glass with Frosted Glass Film on White Color Powder Coated Aluminum Frame	set	1	
16	Tempered Glass Window (0.9m x 1.05m) - Transaction Window , 10mm thick Clear Tempered Glass on Concealed Aluminum U-Channel with 250mm x 75mm Document Port	set	1	
17	Tempered Glass Window (0.8m x 1.05m) - Pass-Through Window , 6mm thick Tempered Clear Glass Sliding Panel and Top fixed Panel on White Color Powder Coated Aluminum Frames	set	1	
18	Tempered Glass Window (0.6m x 1.10m)- Pass - Through window, 6mm thick Tempered Clear Glass Sliding Panel and top Fixed Panel on White Color Powder Coated Aluminum Frames	set	1	
19	Counter Top Stainless Steel Countertop with Medium Density Fiberboard and 20mm Thick Granite Slab Countertop and Backsplash on 19mm Thick Marine Plywood Substrate	l.m.	27	
20	Medicine Rack 2.30m x 1.45m x 0.60m x 2.30m x 2.0m x 0.60m Medicine Racks with Shelves	set	3	Within Ninety (90)
21	Aluminum Cabinet Aluminum Under counter and Wall Hung Cabinet with Complete Accessories	Square meter	27	Calendar Days Upon Issuance of
22	Logos 200mm HT. Stainless Steel Letterings, Mirror Finish with Backlight "KLINIKA" '150mm HT. Stainless Steel Lettering, Mirror Finish with Backlight "EASTWOOD"	letter	15	Notice to Proceed
23	Green Color Sticker for Text on White Acrylic Opaque Backboard with Complete Accessories Room Signage	set	2	
24	Airconditioning and Ventilation System Including Accessories A. MECHANICAL WORKS Airconditioning System (Split-Type) Equipment (Split Type): 8 SETS- FCU 1 - Wall Mounted Split Type Air Conditioning Unit, Inverter Type, 1.0 hp, 2.54 KW (9,140 KJ/h) Cooling Capacity, 365 cfm, 670 W, 230/1/60, 6.35 mm (1/4 inch) Ø L, 9.52 mm (3/8 inch) Ø G, with accessories and supports 1 SET- FCU 2 - Wall Mounted Split Type Air Conditioning Unit, Inverter Type, 1.5 hp, 3.06 KW (11,620 KJ/h) Cooling Capacity,1120 cfm, 750 W, 230/1/60, 6.35 mm (1/4 inch) Ø L, 9.52mm (3/8 inch) Ø G, with accessories and supports Refrigerant Pipe System (Roughing-Ins): 173 I.m 6.35mm Ø Copper Coil Tubing 173 I.m 9.52mm Ø Copper Coil Tubing Refrigerant Pipe System (Insulations): 173 I.m 6.35mm Ø x 20mm thick Rubber Foam Insulation	lot]	

Schedule of Requirements Page 6 of 7

	 173 I.m 9.52mm Ø x 20mm thick Rubber Foam Insulation Condensate Water Drainage System (Roughing-ins) 27 pieces- 20mm Ø X 3m uPVC Pipe 18 pieces- 20mm Ø uPVC Elbow Condensate Water Drainage System (Insulations) 36 pieces- 20mm Ø x 12mm Thick Rubber Foam Insulation 			Within Ninety (90) Calendar Days Upon Issuance of Notice to
25	Logos 350mm Quezon City Health Department MEGAWORLD Logo with backlight	Set	3	Proceed

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of:

Schedule of Requirements Page 7 of 7

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: SUPPLY AND INSTALLATION OF MODULAR PARTITION AND OTHERS

PROJECT NO. OCM-24-FIXTURES-0642

Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross- referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent	Item	Specification	Statement of Compliance
PARTITION AND OTHER ITEMS TILES 300mm x 600mm Non-Skid Floor Tiles, 600mm x 600mm Non-Skid Porcelain Floor Tiles and 300mm x 600mm Ceramic Wall Tiles with tile adhesive and tile grout. 158 square meter, 3,150.00/ square meter ANTI-BAC VINYL ROLL 3mm thick Anti-Bac Vinyl Roll. Provide Seamless Self-Coving Height of 6 inches Towards the Wall, 134 square meter, 4,750.00/square meter CELLING 12mm Thick Ordinary Gypsum, 12mm Thick Moisture Resistant and 6mm Thick Fiber Cement Board with Framings, 207 square meter, 2,900.00/ square meter Standard Reflectorize traffic markings/sign paint ae 300mm HT, 64 square meter, 2,670.00/square meter Electrical, Fire Detection and Alarm System including Accessories ELECTRICAL WORKS A. CONDUITS, BOXES AND FITTINGS 12 sets- 65mm/2 Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mm/2 Intermediate Metal Conduit, 3m			performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross- referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution
 300mm x 600mm Non-Skid Floor Tiles, 600mm x 600mm Non-Skid Porcelain Floor Tiles and 300mm x 600mm Ceramic Wall Tiles with tile adhesive and tile grout. 158 square meter, 3,150.00/ square meter ANTI-BAC VINYL ROLL 3mm thick Anti-Bac Vinyl Roll, Provide Seamless Self-Coving Height of 6 inches Towards the Wall, 134 square meter, 4,750.00/square meter CEILING 12mm Thick Ordinary Gypsum, 12mm Thick Moisture Resistant and 6mm Thick Fiber Cement Board with Framings, 207 square meter, 2,900.00/ square meter Standard Reflectorize traffic markings/sign paint ae 300mm HT, 64 square meter, 2,670.00/square meter Electrical, Fire Detection and Alarm System including Accessories ELECTRICAL WORKS A. CONDUITS, BOXES AND FITTINCS 12 sets - 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m 	A.1		
 3mm thick Anti-Bac Vinyl Roll. Provide Seamless Self-Coving Height of 6 inches Towards the Wall, 134 square meter, 4,750.00/square meter CEILING 12mm Thick Ordinary Gypsum, 12mm Thick Moisture Resistant and 6mm Thick Fiber Cement Board with Framings, 207 square meter, 2,900.00/ square meter Standard Reflectorize traffic markings/sign paint ae 300mm HT, 64 square meter, 2,670.00/square meter Electrical, Fire Detection and Alarm System including Accessories ELECTRICAL WORKS A. CONDUITS, BOXES AND FITTINGS 12 sets- 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m 		300mm x 600mm Non-Skid Floor Tiles, 600mm x 600mm Non-Skid Porcelain Floor Tiles and 300mm x 600mm Ceramic Wall Tiles with tile adhesive and tile grout. 158 square meter, 3,150.00/ square	
 12mm Thick Ordinary Gypsum, 12mm Thick Moisture Resistant and 6mm Thick Fiber Cement Board with Framings, 207 square meter, 2,900.00/ square meter Standard Reflectorize traffic markings/sign paint ae 300mm HT, 64 square meter, 2,670.00/square meter Electrical, Fire Detection and Alarm System including Accessories ELECTRICAL WORKS A. CONDUITS, BOXES AND FITTINGS 12 sets- 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m 		3mm thick Anti-Bac Vinyl Roll. Provide Seamless Self-Coving Height of 6 inches Towards the Wall,	
ae 300mm HT, 64 square meter, 2,670.00/square meter Electrical, Fire Detection and Alarm System including Accessories ELECTRICAL WORKS A. CONDUITS, BOXES AND FITTINGS 12 sets- 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m		12mm Thick Ordinary Gypsum, 12mm Thick Moisture Resistant and 6mm Thick Fiber Cement Board with Framings, 207 square meter, 2,900.00/	
including Accessories ELECTRICAL WORKS A. CONDUITS, BOXES AND FITTINGS 12 sets- 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m		ae 300mm HT, 64 square meter, 2,670.00/square	
A. CONDUITS, BOXES AND FITTINGS 12 sets- 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m		-	
12 sets- 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m		ELECTRICAL WORKS	
		12 sets- 65mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 1 set- 50mmØ Intermediate Metal Conduit, 3m	

Technical Specifications Page 1 of 7

 1 set- 32mmØ Intermediate Metal Conduit, 3m per piece with Locknut and Bushing 131 sets- 15mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 6 pieces - 15mmØ Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 6 pieces - 15mmØ Intermediate Metal Conduit 130 pieces - 20mmØ INC Elbow 70 lm 15mmØ McB Ibow 70 lm 15mmØ McB Ibow 70 lm 15mmØ McB Ibow 70 lm 15mmØ McB Ibos 70 lm		
per piece with Locknut and Bushing 394 set- 20mm0 Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 4 pieces-10mm0 INC Elbow 150 pieces-20mm0 INC Elbow 70 l.m Ismm0 Mica Tube 140 l.m Ismm0 Mica Tube 140 l.m Ismm0 Mica Sube 140 l.m Ismm0 Mica Sube 150 pieces- 20mm1 Ø Solderless Connector, Set- screw Type 2 boxe- 4-11/16 inches Square Box with cover and screw 2 boxe- 4-11/16 inches Square Box with cover and screw - 4-11/16 inches Square Box with cover 2 boxe- 4-11/16 inches Square Box with cover and screw - 2 pieces- 50mm x 100mm PVC Utility Box with screw - 2 pieces- 50mm x 100mm PVC Utility Box with cover and screw 2 pieces- 100mm x 100mm PVC Utility Box with cover and screw - 2 pieces- 50mm7 tilth Wire, 90°C 18 meters- 50mm7 THN Wire, 90°C 18 meters- 30mm7 THN Wire, 90°C 19 meters- 30mm7 THN Wire, 90°C 4 rolls- 3.5mm7 THN Wire, 90°C 4 rolls- 3.5mm7 THN Wire, 90°C 4 rolls- 3.5mm7 THN Wire, 90°C 3 meters- 30mm7 THN Wire, 90°C 3 meters- 30mm7 THN Wire, 90°C 4 rolls- 3.5mm7 THW Wire, 90°C 3 meters- 30mm7 THW Wire, 90°C 3 meters- 30mm7 THW Wire, 90°C 4 rolls- 3.5mm7 THW Wire, 90°C 3 meters- 30mm7 THW Wire, 90°C 4 rolls- 3.5mm7 THW Wire, 90°C 4 rolls- 3.5mm7 THW Wire, 90°C 3 meters- 30mm7 THW Wire, 90°C 4 rolls- 3.5mm7 THW Wire, 90°C 3 meters- 30mm7 THW Wire, 90°C 3 meters- 30mm7 THW Wire, 90°C 3 meters- 30mm7 THW Wire, 90°C 5 meters- 30mm7 THW Wire, 90°C 3 meters- 30mm7 THW Wire, 90°C 4 rolls- 2.20mm7 THW Wire, 90°C 5 meters- 30mm7 THW Wire, 90°C 6 meters- 30mm7 THW Wire, 90°C 5 meters- 30mm7 THW Wire, 90°C 6 meters- 30mm7 THW Wire, 90°C 7 rolls- 5.5mm7 1 rolls- 5.5mm7 1 rolls- 5.5mm7 1 rolls- 5.5mm7 1 ro	1 set- 32mmØ Intermediate Metal Conduit, 3m	
 394 set- 20mm% Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 131 sets- 15mm% Intermediate Metal Conduit, 3m per cells with Cauping, Locknut and Bushing 6 pieces- 15mm% INC Elbow 100 pieces- 20mm% INC Elbow 101 m 15mm% Flexible Metal Conduit 3 pieces- 80mm% Ø Salderless Connector, Setscrew Type 1 pieces-50mm% Ø Salderless Connector, Setscrew Type 2 boxes- 4-11/16 inches Square Box with cover and screw 105 pieces- 20mm N 100mm PVC Utility Box with cover and screw 2 boxes- 4-11/16 inches Square Box with cover and screw 2 pieces- 50mm x 100mm PVC Utility Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. WIRES AND WIRING DEVICES 105 meters- 30mm* THHN Wire, 90°C 18 meters- 30mm* THHN Wire, 90°C 17 rolls - 35mm* THHN Wire, 90°C 18 meters- 30mm* THHN Wire, 90°C 3 meters- 30mm* THHN Wire, 90°C 3 rolls - 3.5mm* THHN Wire, 90°C 3 rolls - 3.5mm* THHN Wire, 90°C 3 sets - S0mm* THHN Wire, 90°C 3 rolls - 3.5mm* THHN Wire, 90°C 3 sets - S0mm* THHN Wire, 90°C 3 sets - S0mm* THHN Wire, 90°C 3 sets - S0mm* THHN Wire, 90°C 3 sets - South with Plate and Cover, One-Gang 1 sets - Switch with Plate and Cover, One-Gang 1 hree-Way 5 sets - Single Convenience Outlet with Grounding 54 sets - Duplex Convenience Outlet		
per piece with Coupling, Locknut and Bushing 13) sets-15mm0 Intermediate Metal Conduit, 3m per piece with Coupling, Locknut and Bushing 4 pieces-15mm0 IMC Elbow 70.1m15mm0 Mica Tube 140.1m15mm0 Fieldble Metal Conduit 3 pieces- 80mm? Ø Solderless Connector, Set- screw Type 1 pieces-411716 inches Square Box with cover and screw 2 boxes -411716 inches Square Box with cover and screw 2 boxes -411716 inches Square Box with cover and screw 2 pieces- Bomm x 100mm PVC Utility Box with screw 2 pieces- 50mm x 100mm PVC Utility Box with cover and screw 2 pieces- Bottical Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. Wites AND WiRING DEVICES 105 meters- 80mm? THHN Wire, 90°C 18 meters- 30mm? THHN Wire, 90°C 18 meters- 30mm? THHN Wire, 90°C 4 rolts-3.5mm? THHN Wire, 90°C 4 rolts-3.5mm? THHN Wire, 90°C 4 rolts-3.5mm? THHN Wire, 90°C 31 sets-Switch with Plate and Cover, One-Gang 1 sets-Switch with Plate and Cover, One-Gang 1 sets-Single Convenience Outlet with Grounding 5 4 sets- Duplex Convenience Outlet with Grounding 5 4 sets- Duplex Convenience Outlet with Grounding 9 sets-One-Gang Outlet for ACU, Heavy Duty with		
 131 sets - 15mm/2 Infermiediate Metal Conduit, 3m per pieces with Coupling, Locknut and Bushing 6 pieces - 15mm/2 IMC Elbow 150 pieces - 20mm/2 IMC Elbow 140 Lm, - 15mm/2 Mica Tube 140 Lm, - 15mm/2 Mica Tube 140 Lm, - 15mm/2 Mica Tube 1 pieces - 80mm/2 & Solderless Connector, Setscrew Type 1 pieces - 65mm/2 Weatherproof Service Entrance Cap, Aluminum Clamp Type 2 boxes - 411/16 inches Square Box with cover and screw 105 pieces - 50mm x 100mm PVC Utility Box with screw 2 pieces - 50mm x 100mm PVC Junction Box with cover and screw 2 pieces - 100mm x 100mm PVC Junction Box with cover and screw 2 pieces - Bechtical Sub - Meter 175 sets - Horizontal Layout of Pipe (C-Channel, Threaded Rod, Unishrut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters - 80mm/7 THHN Wire, 90°C 18 meters - 30mm/7 THHN Wire, 90°C 7 rolls - 35mm/7 THHN Wire, 90°C 3 rolls - 35mm/7 THHN Wire, 90°C 3 meters - 40mm/7 THW Wire, 90°C 3 rolls - 35mm/7 THW Wire, 90°C 31 sets - Suitch with Plate and Cover, One-Gang 2 sets - Switch with Plate and Cover, One-Gang 2 sets - Single Convenience Outlet with Grounding 54 sets - Duplex Convenience Outlet with	394 set- 20mmØ Intermediate Metal Conduit, 3m	
 131 sets - 15mm/2 Infermiediate Metal Conduit, 3m per pieces with Coupling, Locknut and Bushing 6 pieces - 15mm/2 IMC Elbow 150 pieces - 20mm/2 IMC Elbow 140 Lm, - 15mm/2 Mica Tube 140 Lm, - 15mm/2 Mica Tube 140 Lm, - 15mm/2 Mica Tube 1 pieces - 80mm/2 & Solderless Connector, Setscrew Type 1 pieces - 65mm/2 Weatherproof Service Entrance Cap, Aluminum Clamp Type 2 boxes - 411/16 inches Square Box with cover and screw 105 pieces - 50mm x 100mm PVC Utility Box with screw 2 pieces - 50mm x 100mm PVC Junction Box with cover and screw 2 pieces - 100mm x 100mm PVC Junction Box with cover and screw 2 pieces - Bechtical Sub - Meter 175 sets - Horizontal Layout of Pipe (C-Channel, Threaded Rod, Unishrut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters - 80mm/7 THHN Wire, 90°C 18 meters - 30mm/7 THHN Wire, 90°C 7 rolls - 35mm/7 THHN Wire, 90°C 3 rolls - 35mm/7 THHN Wire, 90°C 3 meters - 40mm/7 THW Wire, 90°C 3 rolls - 35mm/7 THW Wire, 90°C 31 sets - Suitch with Plate and Cover, One-Gang 2 sets - Switch with Plate and Cover, One-Gang 2 sets - Single Convenience Outlet with Grounding 54 sets - Duplex Convenience Outlet with	per piece with Coupling. Locknut and Bushing	
 per piece with Coupling. Locknut and Bushing 6 pieces - 15mmØ IMC Elbow 130 pieces - 80mmØ IMC Elbow 70 Lm 15mmØ Riekible Metal Conduit 3 pieces - 80mmØ Ø Solderless Connector, Set- screw Type 1 pieces - 45mmØ Weatherproof Service Entrance Cap, Aluminum Ciamp Type 2 baxes - 4-11/16 inches Square Bax with cover and screw 105 pieces - 50mm x 100mm PVC Unitly Bax with screw 68 pieces - 50mm x 100mm PVC Junction Bax with cover and screw 2 pieces - 80mm x 100mm PVC Junction Bax with cover and screw 2 pieces - 100mm x 100mm PVC Junction Bax with cover and screw 2 pieces - 80mm7 THIN Wire, 90°C 18 meters - 80mm⁹ THIN Wire, 90°C 18 meters - 80mm⁹ THIN Wire, 90°C 18 meters - 80mm⁹ THIN Wire, 90°C 4 rolts - 3.5mm⁹ THIN Wire, 90°C 4 rolts - 3.5mm⁹ THIN Wire, 90°C 3 smeters - 80mm⁹ THIN Wire, 90°C 4 rolts - 3.5mm⁹ THIN Wire, 90°C 3 smeters - 80mm⁹ THIW Wire, 90°C 3 smeters - 80mm⁹ THW Wire, 90°C 3 smeters - 80mm⁹ THW Wire, 90°C 4 rolts - 80mm⁹ THW Wire, 90°C 3 smeters - 80mm⁹ THW Wire, 90°C 4 rolts - 80mm⁹ THW Wire, 90°C 3 smeters - 80mm⁹ THW Wire, 90°C 4 rolts - 80mm⁹ THW Wire, 90°C 5 smeters - 80mm⁹ THW Wire, 90°C 3 smeters - 80mm⁹ THW Wire, 90°C 4 rolts - 80mm⁹ THW Wire, 90°C 5 smeters - 80mm⁹ THW Wire, 90°C 5 smeters		
 6 pieces-15mm0 IMC Elbow 150 pieces-20mm0 IMC Elbow 70 Lm 15mm0 IMC Elbow 70 Lm 15mm0 Piexible Metal Conduit 3 pieces-80mm0 & Solderless Connector, Setscrew Type 1 pieces-45mm0 Weatherproof Service Entrance Cap, Aluminum Clamp Type 2 baxes - 4-11/16 Inches Square Box with cover and crew 105 pieces-50mm x 100mm PVC Utility Box with screw 68 pieces-100mm x 100mm PVC Junction Box with cover and screw 2 pieces-Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Unishtuf Clamp, Lacknut and Washer, Anchor Grip) 8. WIRES AND WIRING DEVICES 105 meters-30mm² THHN Wire, 90°C 18 meters-30mm² THHN Wire, 90°C 4 rolts-3.5mm² HHN Wire, 90°C 4 rolts-3.5mm² HHN Wire, 90°C 4 rolts-3.5mm² THW Wire, 90°C 4 rolts-3.5mm² THW Wire, 90°C 3 meters-30mm² THW Wire, 90°C 3 meters-30mm² THW Wire, 90°C 3 sets-Switch with Plate and Cover, One-Gang 2 sets-Switch with Plate and Cover, One-Gang 2 sets-Switch with Plate and Cover, Noe-Gang 3 sets-Switch with Plate and Cover, Noe-Gang 3 sets-Switch with Plate and Cover, One-Gang 3 sets-Switch with Plate and Cover, One-Gang 1 ree-Way 4 sets-Duplex Convenience Outlet with Grounding 54 sets-Duplex Convenience Outlet with Grounding 54 sets-Duplex Convenience Outlet with Grounding 54 sets. One-Gang Outlet for ACU, Heavy Duty with Grounding 54 sets. 1 - 125AT, 3P, MCCB 1 - 105AT, 3P, MCCB 1 - 105AT, 3P, MCCB 1 - 105AT, 250AF, 3P, 230V, MCCB Branches: 1 - 125AT, 250AF, 3P, 230V, MCCB Branches: 		
150 pieces- 20mm ⁰ MiC Elbow 70 I.m ISmm ⁰ Alica Tube 140 I.m ISmm ⁰ Piexible Metal Conduit 3 pieces- 80mm ² Ø Solderiess Connector, Set- screw Type 1 pieces- 58mm ⁰ Weatherproof Service Entrance Cap, Aluminum Ciamp Type 2 boxes- 4-11/16 inches Square Box with cover and screw 48 pieces- 50mm x 100mm PVC Utility Box with screw 48 pieces- 50mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 5 WIRES AND WIRING DEVICES 105 meters- 80mm ² THHN Wire, 90°C 18 meters- 30mm ² THHN Wire, 90°C 7 rolls - 55mm ³ THHN Wire, 90°C 4 rolls - 20mm ³ THHN Wire, 90°C 4 rolls - 20mm ³ THHN Wire, 90°C 35 meters- 80mm ³ THW Wire, 90°C 35 meters- 80mm ³ THW Wire, 90°C 36 meters- 80mm ³ THW Wire, 90°C 37 sets- Somm ³ THW Wire, 90°C 38 meters- 30mm ³ THW Wire, 90°C 39 meters- 30mm ³ THW Wire, 90°C 30 sets- Switch with Plate and Cover, One-Gang 17 three-Way 4 sets- Switch with Plate and Cover, One-Gang 17 three-Way 5 sets- Single Convenience Outlet with 54 sets- Sublex Convenience Outlet with 55 secone-Gang Outlet for ACU, Heavy Duty with 56 granches: 1 - 125AT, 37, MCCB Branches: 1 - 125AT, 37, MCCB Enclosure: NEMA 37 with Ground Terminals and Metal Dead Front 1 assembly- LIPA Main: 123AT, 250AF, 3P, 230V, MCCB Branches:		
 70.Lm-15mm2 Mica Tube 140.Lm-15mm2 Flexible Metal Conduit 3 pieces: 80mm2 Ø Solderless Connector, Setscrew Type 2 boxes: 4-11/16 inches Square Box with cover and screw 105 pieces: 50mm x 100mm PVC Utility Box with cover and screw 105 pieces: 50mm x 100mm PVC Utility Box with cover and screw 2 pieces: Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. WIRES AND WIRING DEVICES 105 meters: 80mm2 THHN Wire, 90°C 18 meters: 50mm2 THHN Wire, 90°C 7 rolis: 5.5mm2 THHN Wire, 90°C 4 rolis: 3.5mm2 THHN Wire, 90°C 4 rolis: 3.5mm2 THHN Wire, 90°C 4 rolis: 3.5mm2 THW Wire, 90°C 4 rolis: 3.5mm2 THW Wire, 90°C 3 meters: 80mm2 THW Wire, 90°C 4 rolis: 3.5mm2 THW Wire, 90°C 3 meters: 30mm2 THW Wire, 90°C 4 rolis: 3.5mm2 THW Wire, 90°C 5 meters: 8.0mm2 THW Wire, 90°C 5 meters: 8.0mm2 THW Wire, 90°C 5 meters: 8.0mm2 THW Wire, 90°C 6 meters: 30mm2 THW Wire, 90°C 7 rolis: 3.5mm2 THW Wire, 90°C 7 rolis: 3.5mm2 THW Wire, 90°C 8 meters: 30mm2 THW Wire, 90°C 9 sets-Switch with Plate and Cover, One-Gang 2 sets-Switch with Plate and Cover, One-Gang 2 sets-Switch with Plate and Cover, Two-Gang 9 sets- Single Convenience Outlet with Grounding 54 sets Duplex Convenience Outlet with Grounding 54 sets Duplex Convenience Outlet with Grounding 54 sets Duplex Convenience Outlet with Grounding 54 sets: Duplex Convenience Outlet with Grounding 54 sets: Nich 3.7 yes Art yes Art Art yes A	6 pieces- 15mmØ IMC Elbow	
 70.Lm-15mm@ Nica Tube 140.Lm-15mm@ Flexible Metal Conduit 3 pieces-80mm² Ø Solderiess Connector, Setscrew Type 1 pieces-65mm@ Weatherproof Service Entrance Cap, Aluminum Clamp Type 2 baxes-4-11/16 inches Square Box with cover and screw 105 pieces-50mm x 100mm PVC Utility Box with cover and screw 68 pieces-100mm x 100mm PVC Junction Box with cover and screw 2 pieces-Electrical Sub - Meter 175 sets-Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters-80mm² THHN Wire, 90°C 18 meters-50mm² THHN Wire, 90°C 18 meters-50mm² THHN Wire, 90°C 7 rolis-5.5mm³ THHN Wire, 90°C 4 rolis-2.5mm³ THHN Wire, 90°C 4 rolis-3.5mm³ THW Wire, 90°C 3 smeters-30mm³ THW Wire, 90°C 4 rolis-3.5mm³ THW Wire, 90°C 5 meters-8.0mm³ THW Wire, 90°C 3 smeters-30mm³ THW Wire, 90°C 4 rolis-3.5mm³ THW Wire, 90°C 5 meters-8.0mm³ THW Wire, 90°C 3 smeters-30mm³ THW Wire, 90°C 4 rolis-3.5mm³ THW Wire, 90°C 5 meters-3.0mm³ THW Wire, 90°C 5 meters-3.0mm³ THW Wire, 90°C 6 meters-3.0mm³ THW Wire, 90°C 7 rolis-3.5mm³ THW Wire, 90°C 7 rolis-2.5mm³ THW Wire, 90°C 7 rolis-2.5mm³ THW Wire, 90°C 7 rolis-2.5mm³ THW Wire, 90°C 8 meters-3.10mm³ THW Wire, 90°C 9 sets-Switch with Plate and Cover, One-Gang 2 sets-Switch with Plate and Cover, One-Gang 2 sets-Switch with Plate and Cover, One-Gang 9 sets-Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- NichA 3R with Ground Terminals and Metal Dead Front 1 assembly - MDP<	150 pieces- 20mmØ IMC Elbow	
 140 I.m ISmmØ Flexible Metal Conduit 3 pieces- 80mm² Ø Solderless Connector, Setscrew Type 1 pieces- 65mmØ Weatherproof Service Entrance Cap, Aluminum Clamp Type 2 boxes- 4-11/16 inches Square Box with cover and screw 105 pieces- 50mm x 100mm PVC Utility Box with screw 8 pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- 50mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. wiRES AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 35 meters-30mm² THW Wire, 90°C 35 meters-30mm² THW Wire, 90°C 35 meters-30mm² THW Wire, 90°C 4 rolls - 3.5mm² THW Wire, 90°C 35 meters-30mm² THW Wire, 90°C 36 meters-30mm² THW Wire, 90°C 37 meters-30m² THW Wire, 90°C 38 meters-30m² THW Wire, 90°C 39 meters-30m² THW Wire, 90°C 30 meters-30m² THW Wire, 90°C 31 sets-Switch with Plate and Cover, One-Gang 31 sets-Switch with Plate and Cover, One-Gang 31 sets- Suigle Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- NEMA 3R with Ground Terminals and Metal Dead Front 1 ca	•	
 3 pieces- 80mm² Ø Soldertess Connector, Setscrew Type 1 pieces- 65mmØ Weatherproof Service Entrance Cap. Aluminum Clamp Type 2 boxs- 4-11/16 inches Square Box with cover and screw 105 pieces- 50mm x 100mm PVC Utility Box with screw 68 pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 3.5mm² THN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 35 meters- 80mm² THW Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 5 meters- 80mm² THW Wire, 90°C 5 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 1 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Nich A 3R with Ground Terminals and Metal Dead Front 1 assembly - MDP Main: 120AT, 250AF, 3P. 230V, MCCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 2P, MCCB Branches: 		
screw Type 1 pieces- 65mm/2 Weatherproof Service Entrance Cap, Aluminum Clamp Type 2 boxes- 4-11/16 inches Square Box with cover and screw 105 pieces- 50mm x 100mm PVC Utility Box with screw 2 pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm ³ THHN Wire, 90°C 18 meters- 50mm ³ THHN Wire, 90°C 7 rolls- 3.5mm ³ THHN Wire, 90°C 4 rolls- 3.5mm ³ THHN Wire, 90°C 4 rolls- 3.5mm ³ THHN Wire, 90°C 35 meters- 30mm ³ THW Wire, 90°C 4 rolls- 3.5mm ³ THW Wire, 90°C 35 meters- 30mm ³ THW Wire, 90°C 36 meters- 30mm ³ THW Wire, 90°C 37 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 1 nree-Way 4 sets- Sunder JHW Wire, 90°C 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 54 sets- NeDA 3R with Ground Terminals and Metal Dead Front 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - IPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
 I pieces' domma Weatherproof Service Entrance Cap, Aluminum Clamp Type boxes 4-11/16 inches Square Box with cover and screw d8 pieces- 50mm x 100mm PVC Utility Box with screw d8 pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRS AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 14mm² THW Wire, 90°C 3 meters- 30mm² THW Wire, 90°C 3 meters- 30mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 5 meters- 30mm² THW Wire, 90°C 5 meters- 14mm² THW Wire, 90°C 3 meters- 14mm² THW Wire, 90°C 3 meters- 30mm² THW Wire, 90°C 4 meters- 30mm² THW Wire, 90°C 5 meters- 14mm² THW Wire, 90°C 5 meters- 14mm² THW Wire, 90°C 5 meters- 14mm² THW Wire, 90°C 4 rolls- 2.5 witch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 5 sets- Switch with Plate and Cover, Two-Gang 5 sets- Switch with Plate and Cover, One-Gang 1 rea-Way 5 sets- Switch with Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cov	3 pieces- 80mm ² Ø Solderless Connector, Set-	
 I pieces' domma Weatherproof Service Entrance Cap, Aluminum Clamp Type boxes 4-11/16 inches Square Box with cover and screw d8 pieces- 50mm x 100mm PVC Utility Box with screw d8 pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRS AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 14mm² THW Wire, 90°C 3 meters- 30mm² THW Wire, 90°C 3 meters- 30mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 5 meters- 30mm² THW Wire, 90°C 5 meters- 14mm² THW Wire, 90°C 3 meters- 14mm² THW Wire, 90°C 3 meters- 30mm² THW Wire, 90°C 4 meters- 30mm² THW Wire, 90°C 5 meters- 14mm² THW Wire, 90°C 5 meters- 14mm² THW Wire, 90°C 5 meters- 14mm² THW Wire, 90°C 4 rolls- 2.5 witch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 5 sets- Switch with Plate and Cover, Two-Gang 5 sets- Switch with Plate and Cover, One-Gang 1 rea-Way 5 sets- Switch with Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cover, Washer, Sonording 5 sets- Switch With Plate and Cov	screw Type	
Cap. Aluminum Clamp Type 2 boxes: 4-11/16 inches Square Box with cover and screw 105 pieces: 50mm x 100mm PVC Utility Box with screw 68 pieces: Electrical Sub - Meter 175 sets: Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. WIRS AND WIRING DEVICES 105 meters: 80mm? THHN Wire, 90°C 18 meters: 50mm? THHN Wire, 90°C 7 rolls: -55mm? THHN Wire, 90°C 7 rolls: -55mm? THHN Wire, 90°C 7 rolls: -55mm? THHN Wire, 90°C 4 rolls: -3.5mm? THW Wire, 90°C 5 meters: 80mm? THW Wire, 90°C 6 meters: 80mm? THW Wire, 90°C 31 sets: Switch with Plate and Cover, One-Gang 2 sets: Switch with Plate and Cover, Two-Gang Three-Way 4 sets: Sunch with Plate and Cover, Two-Gang Three-Way 5 sets: Single Convenience Outlet with Grounding 54 sets: Duplex Convenience Outlet with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
2 boxes - 4-11/16 inches Square Box with cover and screw 105 pieces- 50mm x 100mm PVC Utility Box with screw 88 pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets. Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. WIRES AND WIRING DEVICES 105 meters- 80mm ² THHN Wire, 90°C 18 meters- 50mm ² THHN Wire, 90°C 7 rolls- 5.5mm ² THHN Wire, 90°C 4 rolls- 3.5mm ² THHN Wire, 90°C 4 rolls- 3.5mm ² THHN Wire, 90°C 6 meters- 80mm ² THW Wire, 90°C 6 meters- 80mm ² THW Wire, 90°C 35 meters- 30mm ² THW Wire, 90°C 6 meters- 80mm ² THW Wire, 90°C 6 meters- 80mm ² THW Wire, 90°C 7 rolls - 2.5mm ² THW Wire, 90°C 8 meters- 30mm ² THW Wire, 90°C 9 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 11 nee-Way 4 sets- Switch with Plate and Cover, One-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 7 sets- Single Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 7 LizeAT, 3P, MCCB 1 - 100AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LIPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
and screw 105 pieces- 50mm x 100mm PVC Utility Box with screw &8 pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Unistrut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm ² THHN Wire, 90°C 18 meters- 50mm ² THHN Wire, 90°C 7 rolls- 5.5mm ² THHN Wire, 90°C 4 rolls- 3.5mm ² THHN Wire, 90°C 4 rolls- 3.5mm ² THHN Wire, 90°C 6 meters- 80mm ² THW Wire, 90°C 35 meters- 30mm ² THW Wire, 90°C 36 meters- 80mm ² THW Wire, 90°C 37 rolls- 5.5mm ² THW Wire, 90°C 38 meters- 30mm ² THW Wire, 90°C 39 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 1 hree-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
 105 pieces- 50mm x 100mm PVC Utility Box with screw & pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. WIRES AND WIRING DEVICES 105 meters- 30mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 17 rolls- 5.5mm² THHN Wire, 90°C 4 rolls - 2.0mm² THW Wire, 90°C 4 rolls - 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 3 smeters- 30mm² THW Wire, 90°C 3 meters- 30mm² THW Wire, 90°C 3 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 1 ree-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 55 sembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	2 boxes- 4-11/16 inches Square Box with cover	
screw &8 pieces- 100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm ² THHN Wire, 90°C 18 meters- 30mm ² THHN Wire, 90°C 7 rolls- 5.5mm ² THHN Wire, 90°C 4 rolls- 2.0mm ² THW Wire, 90°C 4 rolls- 3.5mm ² THW Wire, 90°C 6 meters- 14mm ² THW Wire, 90°C 35 meters- 30mm ² THW Wire, 90°C 6 meters- 3.0mm ² THW Wire, 90°C 36 meters- 3.0mm ² THW Wire, 90°C 37 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, One-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - UPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	and screw	
screw &8 pieces-100mm x 100mm PVC Junction Box with cover and screw 2 pieces-Electrical Sub - Meter 175 sets-Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm ² THHN Wire, 90°C 18 meters- 30mm ² THHN Wire, 90°C 7 rolls- 5.5mm ² THHN Wire, 90°C 4 rolls-2.0mm ² THW Wire, 90°C 4 rolls-3.5mm ² THW Wire, 90°C 6 meters-14nm ² THW Wire, 90°C 35 meters-30mm ² THW Wire, 90°C 36 meters-30mm ² THW Wire, 90°C 31 sets-Switch with Plate and Cover, One-Gang 2 sets-Switch with Plate and Cover, One-Gang Three-Way 4 sets-Switch with Plate and Cover, Two-Gang Three-Way 5 sets-Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets-One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - UPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	105 pieces- 50mm x 100mm PVC Utility Box with	
 68 pieces-100mm x 100mm PVC Junction Box with cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Unistruit Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 50mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THHN Wire, 90°C 6 meters- 80mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 36 meters- 30mm² THW Wire, 90°C 37 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 17 three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - UPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
cover and screw 2 pieces- Electrical Sub - Meter 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm ² THHN Wire, 90°C 18 meters- 50mm ² THHN Wire, 90°C 7 rolls - 3.5mm ² THHN Wire, 90°C 4 rolls - 3.5mm ² THHN Wire, 90°C 4 rolls - 3.5mm ² THHN Wire, 90°C 6 meters- 80mm ² THW Wire, 90°C 3 rolls - 3.5mm ² THW Wire, 90°C 3 smeters- 80mm ² THW Wire, 90°C 3 rolls - 3.5mm ² THW Wire, 90°C 3 sets- Switch with Plate and Cover, One-Gang 2 sets - Switch with Plate and Cover, One-Gang 1 hree-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets - Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 7 c. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
2 pieces- Electrical Sub - Meter 175 sets- Harizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm ² THHN Wire, 90°C 18 meters- 50mm ² THHN Wire, 90°C 18 meters- 30mm ² THHN Wire, 90°C 7 rolls - 3.5mm ² THHN Wire, 90°C 4 rolls - 3.5mm ² THW Wire, 90°C 6 meters- 8.0mm ² THW Wire, 90°C 6 meters- 8.0mm ² THW Wire, 90°C 6 meters- 8.0mm ² THW Wire, 90°C 7 solls - 3.5mm ² THW Wire, 90°C 8 meters- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 7 hree-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with 6 Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with 7 orounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with 7 orounding 9 sets- Diplex Convenience Outlet with 7 orounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with 9 sets- I and The Source Bernches: 1 - 125AT, 3P, MCCB 1 cosembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB 8 branches: 1 - assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB 8 branches:	•	
 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. WIRES AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls - 5.5mm² THHN Wire, 90°C 4 rolls - 3.5mm² THHN Wire, 90°C 4 rolls - 3.5mm² THW Wire, 90°C 4 rolls - 3.5mm² THW Wire, 90°C 6 meters- 80mm² THW Wire, 90°C 3 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 1 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 55 sets- Single Convenience Outlet with Grounding 56 sets- Duplex Convenience Outlet with Grounding 57 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 58 sets- Duplex Convenience Outlet with Grounding 59 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 105AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	cover and screw	
 175 sets- Horizontal Layout of Pipe (C-Channel, Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) 8. WIRES AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls - 5.5mm² THHN Wire, 90°C 4 rolls - 3.5mm² THHN Wire, 90°C 4 rolls - 3.5mm² THW Wire, 90°C 4 rolls - 3.5mm² THW Wire, 90°C 6 meters- 80mm² THW Wire, 90°C 3 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 1 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 55 sets- Single Convenience Outlet with Grounding 56 sets- Duplex Convenience Outlet with Grounding 57 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 58 sets- Duplex Convenience Outlet with Grounding 59 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 105AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	2 pieces- Electrical Sub - Meter	
Threaded Rod, Uni-strut Clamp, Locknut and Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 7 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 3.5mm² THHN Wire, 90°C 6 meters- 80mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 35 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB Enclosure: NEMA 3R with Ground		
 Washer, Anchor Grip) B. WIRES AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 50mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Mcin: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Mcin: 125AT, 250AF, 3P, 230V, MCCB 		
 B. WIRES AND WIRING DEVICES 105 meters- 80mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 105AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
 105 meters- 80mm² THHN Wire, 90°C 18 meters- 50mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 35 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	wasner, Anchor Gripj	
 105 meters- 80mm² THHN Wire, 90°C 18 meters- 50mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 35 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang 7 hree-Way 4 sets- Switch with Plate and Cover, Two-Gang 7 hree-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
 18 meters- 50mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, One-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD I assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front I assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	B. WIRES AND WIRING DEVICES	
 18 meters- 50mm² THHN Wire, 90°C 18 meters- 30mm² THHN Wire, 90°C 7 rolls- 5.5mm² THHN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, One-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD I assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front I assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	105 meters- 80mm² THHN Wire 90°C	
 18 meters- 30mm² THHN Wire, 90°C 7 rolls - 5.5mm² THHN Wire, 90°C 4 rolls - 2.0mm² THW Wire, 90°C 4 rolls - 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 14mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 10AT, 3P, MCCB 1 - 10AT, 3P, MCCB 1 - 10AT, 3P, MCCB 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
 7 rolls- 5.5mm² THHN Wire, 90°C 7 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 14mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 10AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
 7 rolls- 3.5mm² THHN Wire, 90°C 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 100AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - IPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	7 rolls- 5.5mm² THHN Wire, 90°C	
 4 rolls- 2.0mm² THW Wire, 90°C 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	7 rolls- 3.5mm² THHN Wire, 90°C	
 4 rolls- 3.5mm² THW Wire, 90°C 6 meters- 8.0mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 54 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
 6 meters- 8.0mm² THW Wire, 90°C 6 meters- 14mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
 6 meters- 14mm² THW Wire, 90°C 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 0 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
 35 meters- 30mm² THW Wire, 90°C 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	6 meters- 8.0mm² THW Wire, 90°C	
 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	6 meters- 14mm² THW Wire, 90°C	
 31 sets- Switch with Plate and Cover, One-Gang 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	35 meters- 30mm ² THW Wire 900C	
 2 sets- Switch with Plate and Cover, One-Gang Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD assembly - MDP main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB 		
Three-Way 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	G	
 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	2 sets- Switch with Plate and Cover, One-Gang	
 4 sets- Switch with Plate and Cover, Two-Gang Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 	Three-Way	
Three-Way 5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	,	
5 sets- Single Convenience Outlet with Grounding 54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
54 sets- Duplex Convenience Outlet with Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	,	
Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	5 sets- single Convenience Outlet with Grounding	
Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
Grounding 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	54 sets- Duplex Convenience Outlet with	
 9 sets- One-Gang Outlet for ACU, Heavy Duty with Grounding C. PANEL BOARD assembly - MDP main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 25AT, 3P, MCCB 1 00AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches: 		
Grounding C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
C. PANEL BOARD 1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	Grounding	
1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
1 assembly - MDP Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	C. PANEL BOARD	
Main: 200AT, 250AF, 3P, 230V, MCB Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
Branches: 1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	,	
1 - 125AT, 3P, MCCB 1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
1 - 100AT, 3P, MCCB Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	1 - 125AT, 3P, MCCB	
Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:	1 - 100AT, 3P, MCCB	
Metal Dead Front 1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
1 assembly - LPPA Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
Main: 125AT, 250AF, 3P, 230V, MCCB Branches:		
Branches:	1 assembly - LPPA	
Branches:	Main: 125AT, 250AF, 3P, 230V, MCCB	

14 - 30AT, 2P, BOLT-ON	
7 - 20AT, 2P, BOLT-ON Enclosure: NEMA 3R with Ground Terminals and	
Metal Dead Front	
1 assembly - LPPB	
Main: 100AT, 100AF, 3P, 230V, MCCB	
Branches	
9 - 30AT, 2P, BOLT-ON	
Enclosure: NEMA 3R with Ground Terminals and Metal Dead Front	
1 assembly - LPPC	
Main: 40AT, 100AF, 3P, 230V, MCCB	
Branches:	
1 - 30AT, 3P, BOLT-ON	
2 - 30AT, 2P, BOLT-ON Enclosure: NEMA 3R with Ground Terminals and	
Metal Dead Front	
12 assemblies - Enclosed Circuit Breaker	
D. LIGHTING FIXTURES	
3 sets- 600mm x 600mm with 2 x 10w LED Daylight,	
Troffer Type, with complete accessories, Surface Mounted Type	
18 sets- 600mm x 600mm Troffer Fixture Recessed	
Mounted LED Panel Type Lighting Fixture 30Watts	
Daylight	
16 sets- 1x18W T5 Fluorescent Light under cabinet	
lighting, Daylight	
4 sets- 2 x 18W LED Daylight, Dust Proof Cover, with complete accessories, Surface Mounted Type	
17 sets- 6 inches x 6 inches Recessed Mounted	
Super Flat Pinlight, Daylight	
5 sets- Emergency Light Twin Head with Battery	
Pack with minimum of 2 hours Rating	
E. GROUNDING SYSTEM	
1 set-16mmØx3000mmGroundingRod (Copper	
Clad) with Ground Clamp	
F. FDAS SYSTEM	
19 sets- Smoke Detector (Addressable)	
2 sets- Heat Detector	
2 sets- Fire Alarm Manual Pull Station	
2 sets- Horn with Strobe Light	
300 meters- 1.25mm² TF Wire 50 Im- Horizontal Layout	
2 sets- Fire Alarm Control Panel	
100 pieces- 15mm Ø EMT	
50 pieces- 15mm Ø EMT Connector, Compression	
100 pieces- 15mm Ø EMT Coupling, Compression	
Type 1 set- Fabricated Pull Box, 6 inches x 6inches x 4	
inches at 0.16 (0.15m x 0.15m x 0.10m)	
21 pieces- 100mm x 100mm PVC Junction Box with	
cover	
Plumbing, Sanitary Line and Sewage Treatment	
Plant Equipment and Accessories	

SANTARY/FLUMBING WORKS A. SEWER LINE WORKS A pieces - Somm Ø, P-Prop S5 pieces-Somm Ø, P-Prop S5 pieces-Somm Ø, 1/4 Bend 42 pieces-Somm Ø, 1/4 Bend 57 pieces-100mm Ø, 1/8 Bend 57 pieces-100mm Ø, 1/8 Bend 57 pieces-100mm Ø, 1/8 Bend 58 pieces-100mm Ø, 1/8 Bend 59 pieces-100mm Ø, 1/8 Bend 50 pieces-200mm Ø, 75mm Ø, Reducer 12 pieces-50mm Ø, 75mm Ø, Reducer 12 pieces-50mm Ø, 50mm Ø Tee 38 pieces-Coupling 50mm Ø 59 pieces-Coupling 50mm Ø 59 pieces-Coupling 50mm Ø 59 pieces-Coupling 50mm Ø 50 pieces-Coupling 100mm Ø, Stainless C. PLUMBING FIXTURES Sonitary Fixtures 51 pieces-Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 51 pieces-Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 51 pieces-Louge fillings and Accessories 51 sets- Lickardory with Wall Hung, with Complete Fiftings and Accessories 51 pieces-Louge Karler Efficient) 51 sets- Kloardory With Wall Hung, Lever Type (Water Efficient) 1 set- Ufind, Fluxtures, Hings and Accessories 51 pieces-Louge Karler Efficient) 1 set-Rickard With Wall Hung, Lever Type (Water Efficient) 1 set- Ufind, Fluxtures, Hings and Accessories 51 pieces-Angle Valve, Nov-Way Stainless 51 pieces-Angle Valve, Nov-Way Stainless 51 pieces-Angle Valve, Nov-Way Stainless 51 pieces-Angle Valve, Stainless 51 pieces-Angle Valve, Stainless 51 pieces-Angle Valve, Stainless 51 pieces-Comm Ø, PRP Pipe 51 pieces-Somm Ø, PRP Pipe 51 pieces-Somm Ø, PRP Pipe 51 pieces-Somm Ø, PPR Pipe 51 pieces-Somm Ø, PRP Pipe 51 pieces-Somm Ø, No Deg Elbow 24 pieces-Somm Ø, No Deg Elbow 52 pieces-20mm Ø, Coupling		
42 pieces- 50mm Ø, PVC Pipe with Hub 1 piece-75mm Ø, PVC Pipe with Hub 44 pieces- 100mm Ø, P-YC pipe with Hub 15 pieces- 50mm Ø, P-Trap 55 pieces- 50mm Ø, 1/4 Bend 42 pieces- 50mm Ø, 1/8 Bend 37 pieces- 100mm Ø, 75mm Ø, Wee 3 pieces- 100mm Ø, 75mm Ø, Reducer 12 pieces- 50mm Ø, 25mm Ø Tee 38 pieces- Coupling 100mm Ø, Wee 39 pieces- Coupling 100mm Ø, 8 50 pieces- Coupling 100mm Ø 8 pieces- Coupling 100mm Ø, 50mm Ø 50 pieces- Coupling 100mm Ø, 50mm Ø 8 pieces- Coupling 100mm Ø, 50mm Ø 50 pieces- Coupling 100mm Ø, 50mm Ø 8 pieces- Coupling 100mm Ø, 50mm Ø 50 pieces- Coupling 100mm Ø, 50mm Ø 8 pieces- Floor Drain, 100mm Ø, 50mles 51 pieces- Hose Bibb Lever Type, Stainless 51 pieces- Hose Bibb Lever Type, Stainless, Heavy Dufy (Water Efficient) 31 sets- Kitchen Sink, Single Tub with Grease Trap (SGPN) with Complete Fittings and Accessories 3 pieces- Lavatory with Wall Hung, uth Complete Fittings and Accessories 3 pieces- Lavatory Kaucet, Wall Hung, Lever Type (Water Efficient) 3 sets- Vator Kauter, Efficient) 1 set- Unital, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Winda, Futures, Fittings and Accessories 3 pieces- Angle Valve, Single-Way Stainless 1 pieces- Comm Ø, PPR Pipe 1 pieces- 20mm Ø, ND Deg Elbow 2 pieces- 20mm Ø, ND Deg Elbow 2 pieces- 20mm Ø, ND Deg Elbow 1 pieces- 20mm Ø, ND Deg Elbow	-	
1 piece- 75mm Ø, PVC Pipe with Hub 46 piece- 75mm Ø, P-Trop 3 pieces- 30mm Ø, P-Trop 5 pieces- 50mm Ø, 1/8 Bend 37 pieces- 50mm Ø, 1/8 Bend 37 pieces- 100mm Ø x 50mm Ø Wye 3 pieces- 100mm Ø x 50mm Ø Wye 3 pieces- 100mm Ø x 50mm Ø Wye 3 pieces- 100mm Ø x 50mm Ø Hee 33 pieces- 100mm Ø x 50mm Ø Tee 33 pieces- Coupling 50mm Ø 59 pieces- Coupling 50mm Ø 8 pieces- Coupling 100mm Ø 8 sonitary Fixtures, 9 pieces- Floor Droin, 100mm Ø, Stoinless C. PLUMBING Fixtures 3 pieces- Floor Droin, 100mm Ø, Stoinless C. PLUMBING Fixtures 3 pieces- Hose Bibb Lever Type, Stoinless, Heavy Dubr (Water Efficient) 3 sets- Bidet with Complete Accessories 3 sets- Stord with Wall Hung, with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flust, Single Tub with Grease Trap 165GPM, with Complete Fittings and Accessories 3 sets- Lavatory Kuter Efficient) 1 set- Urinal, Flust, Single Tub with Complete Fittings and Accessories 3 sets- Bider Closet, Inder Yoye with Complete Fittings and Accessories 3 pieces- Lavatory Fittings and Accessories 3 sets- Mater Closet, Inder-Yoye with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 3 pieces- Angle Valve, Two-Way Stainless 1 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 1 pieces- 20mm Ø, PR Pipe 42 juisaces- 20mm Ø, PD Pipe 42 juisaces- 20mm Ø, PD Pipe 42 pieces- 20mm Ø, PD Pipe 43 pieces-		
44 pieces- 100mm Ø, P-VC Pipe with Hub 16 pieces- 30mm Ø, P-Trap 55 pieces- 50mm Ø, 1/4 Bend 47 pieces- 50mm Ø, 1/8 Bend 37 pieces- 100mm Ø, 21/8 Bend 37 pieces- 100mm Ø, 21/8 Bend 37 pieces- 100mm Ø, 25mm Ø Wye 3 pieces- 100mm Ø, 25mm Ø Wye 3 pieces- 100mm Ø, 75mm Ø, Reducer 12 pieces- 50mm Ø, 75mm Ø, Reducer 12 pieces- 50mm Ø, 75mm Ø, Reducer 12 pieces- 75mm Ø, x 50mm Ø Tee 38 pieces- Coupling 100mm Ø, Reducer 19 pieces- Coupling 100mm Ø, Reducer 39 pieces- Coupling 100mm Ø, Stainless C. PLUMBING FIXTURES 3 pieces- Floor Drain, 100mm Ø, Stainless C. PLUMBING FIXTURES 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (5GPM) with Complete Fittings and Accessories 3 pieces- Lovatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Uniad, Flush Valve with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Uniad, Flush Valve with Complete Fittings and Accessories 3 pieces- Angle Valve, Single-Way Stainless 16 pieces- Angle Valve, Single-Way Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Envice Stainless 19 pieces- Envice Stainless 19 pieces- Cave Valve, Iwo-Way Stainless 19 pieces- Stainl		
14 pieces- 32mm Ø, P-Trap 3 pieces- 50mm Ø, P-Trap 5 pieces- 50mm Ø, 1/8 Bend 42 pieces- 100mmØ x 100mmØ Wye 3 pieces- 100mmØ x 50mmØ Wye 3 pieces- 100mmØ x 50mmØ Wye 18 pieces- 100mmØ x 50mmØ Wye 3 pieces- 100mmØ x 50mmØ Tee 23 pieces- 100mmØ x 50mm Ø Tee 23 pieces- Coupling 50mm Ø 59 pieces- Coupling 50mm Ø 59 pieces- Coupling 100mm Ø 8 pieces- Coupling 100mm Ø 8 pieces- Coupling 100mm Ø 9 pieces- Coupling 50mm Ø 59 pieces- Coupling 50mm Ø 59 pieces- Coupling 50mm Ø 59 pieces- Coupling 50mm Ø 8 pieces- Coupling 50mm Ø 8 pieces- Cleanout 100mm Ø 8 pieces- Cleanout 100mm Ø 8 sonitary Fixtures 5 pieces- Floor Drain, 100mm Ø, Stainless C. FLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Ribb Lever Type, Stainless, Heavy Duty (Water Efficient) 1 sets- Klichen Sink, Single Tub with Grease Trap (5GPM) with Complete Fittings and Accessories 3 pieces- Lavatory with Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 9 lumbing Fixtures, Fittings and Accessories 14 pieces- Lavatory faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 9 lumbing Fixtures, Fittings and Accessories 14 pieces- Angle Valve, Single-Way Stainless 9 pieces- Angle Valve, Single-Way Stainless 19 pieces- Revible Hose, Stainless 19 pieces- Piexible Hose, Stainless 19 pieces- Omm Ø, DPR Pipe 12 Lm For horizontal pipes more than 50mmØ (Im interval) 0 COLD WATER LINE 12 pieces- 20mm Ø, PR Pipe 13 pieces- 20mm Ø, PR Pipe 14 pieces- 20mm Ø, PD Deg Elbow 24 pieces- 20mm Ø, ND Deg Elbow 24 pieces- 20mm Ø, ND Deg Elbow 24 pieces- 20mm Ø, ND Deg Elbow		
3 pieces - Somm Ø, P-Frap 55 pieces - Somm Ø, 1/8 Bend 47 pieces - Somm Ø, 1/8 Bend 97 pieces - 100mmØ, 1/8 Bend 18 pieces - 100mmØ, x SommØ Wye 18 pieces - 100mmØ, x SommØ Wye 19 pieces - 100mmØ, x TSmm Ø, Reducer 12 pieces - Somm Ø, x SommØ Tee 23 pieces - Coupling 100mmØ 8 pieces - Coupling 100mmØ 8 pieces - Coupling 100mmØ 8 pieces - Coupling 100mmØ 8 pieces - Cleanout 100mmØ, Stainless C. FLUMBING FIXIURES Sonitary Fixtures, Fittings and Accessories 3 sets - Bidet with Complete Accessories (Water Efficient) 3 pieces - Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 10 sets - Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets - Lavatory paucet, Wall Hung, Lever Type (Kater Efficient) 1 sets - Kitchen Sink, Single Tub with Complete Fittings and Accessories 3 pieces - Lavatory Faucet, Wall Hung, Lever Type (Kater Efficient) 1 sets - Kitchen Sink, Single Tub with Complete Fittings and Accessories 3 pieces - Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 sets - Unical, Flush Valve with Complete Fittings and Accessories 3 pieces - Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 sets - Water Closet, Tank-Type with Complete Fittings and Accessories 16 pieces - Angle Valve, Single-Way Stainless 19 pieces - Hexible Hose, Stainless 19 pieces - Hexible Hose, Stainless 19 pieces - Angle Valve, Single-Way Stainless 19 pieces - Angle Valve, Nou-Way Stainless 19 pieces - Comm Ø, PPR Pipe 13 pieces - 20mm Ø, PPR Pipe 13 pieces - 20mm Ø, PPR Pipe 14 pieces - 20mm Ø, ND Deg Elbow 24 pieces - 20mm Ø, ND Deg Elbow 24 pieces - 20mm Ø, ND Deg Elbow 24 pieces - 20mm Ø, ND Deg Elbow		
55 pieces- 50mm Ø, 1/8 Bend 42 pieces- 75mm Ø, 1/8 Bend 37 pieces- 100mmØ x 75mmØ Wye 3 pieces- 100mmØ x 75mmØ Wye 3 pieces- 100mmØ x 75mmØ, Reducer 12 pieces- 100mmØ x 75mmØ, Reducer 12 pieces- 50mmØ x 35mmØ, Reducer 12 pieces- 50mmØ x 50mmØ Tee 38 pieces- Coupling 50mmØ 59 pieces- Coupling 100mmØ 8 pieces- Coupling 100mmØ 8 pieces- Floor Drain, 100mmØ, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 3 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 pieces- Loavotory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Utinal, Hush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 1 set- Water, Single-Way Stainless 3 pieces- Angle Valve, Ningle-Way Stainless 19 pieces- Rely Valve, Single-Way Stainless <td></td> <td></td>		
42 pieces- 50mm Ø, 1/8 Bend 9 pieces- 100mm Ø, 1/8 Bend 20 pieces- 100mm Ø x 50mm Ø Wye 18 pieces- 100mm Ø x 75mm Ø Wye 18 pieces- 100mm Ø x 75mm Ø, Reducer 12 pieces- 50mm Ø x 50mm Ø Tee 23 pieces- 75mm Ø x 50mm Ø Tee 23 pieces- Coupling 100mm Ø 8 pieces- Coupling 100mm Ø 8 pieces- Coupling 100mm Ø 8 pieces- Coupling 100mm Ø, Stainless C. PLMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 pieces- Hase Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Bidet with Complete Accessories 3 sets- Bidet with Complete Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, Lever Type (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Complete Fittings and Accessories 3 sets- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Uring, Flush Yalve with Complete Fittings and Accessories (Water Efficient) 1 set- Uring, Flush Yalve with Complete Fittings and Accessories 3 pieces- Angle Valve, Two-Way Stainless 1 pieces- Angle Valve, Two-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 3 pieces- Angle Valve, Stainless 19 pieces and Supports 42.1.m For horizontal pipes less than 50mmØ (2m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, 9 Deg Elbow 24 pieces- 20mm Ø, 9 Deg Elbow 24 pieces- 20mm Ø, 9 Deg Elbow		
9 pieces-75mm Ø, 1/8 Bend 37 pieces-100mmØ × 50mmØ Wye 3 pieces-100mmØ × 75mmØ Wye 18 pieces-100mmØ × 75mmØ Wye 12 pieces-50mmØ × 50mmØ Tee 23 pieces-75mmØ × 50mmØ Tee 38 pieces-Coupling 50mmØ 59 pieces-Coupling 50mmØ 8 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 9 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 8 pieces-Coupling 100mmØ 9 pieces-Coupling 100mmØ 13 pieces-Hoor Drain, 100mmØ, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories (Water Efficient) 13 sets-Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Accessories 3 sets-Lavatory with Wall Hung, uth Complete Fittings and Accessories 3 pieces-Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set-Urinal, Flush Valve with Complete Fittings and Accessories 3 pieces-Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set-Urinal, Flush Valve with Complete Fittings and Accessories 3 pieces-Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set-Urinal, Flush Valve with Complete Fittings and Accessories 3 pieces-Angle Valve, Two-Way Stainless 3 pieces-Angle Valve, Two-Way Stainless 3 pieces-Angle Valve, Single-Way Stainless 3 pieces-Angle Valve, Single-Way Stainless 3 pieces-Angle Valve, Stainless 19 pieces molton pipes less than 50mmØ (2m interval) D. COLD WATER LINE 12 LmFor horizontal pipes more than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces-20mmØ, 9 Deg Elbow 42 piezes-20mmØ, 9 Deg Elbow		
37 pieces- 100mm Ø, 1/8 Bend 20 pieces- 100mmØ x 50mmØ Wye 38 pieces- 100mmØ x 100mmØ Wye 39 pieces- 100mmØ x 55mm Ø, Reducer 12 pieces- 50mm Ø x 50mm Ø Tee 33 pieces- Coupling 50mm Ø 59 pieces- Coupling 50mm Ø 8 pieces- Cleanout 100mm Ø 8. Sanltary Fixtures 3 pieces- Cleanout 100mm Ø, Stainless C. FLUMBING FIXTURES Sanltary Fixtures, Fittlings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPA) with Complete Fittlings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittlings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urial, Flush Volve with Complete Fittlings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urial, Flush Volve with Complete Fittlings and Accessories 3 pieces- Angle Volve, Single-Way Stainless 16 pieces- Angle Volve, Type with Complete Fittlings and Accessories 18 pieces- Angle Volve, Type With Complete Fittlings and Accessories 19 pieces- Revible Hose, Stainless 19 pieces- Angle Volve, Two-Way Stainless 19 pieces- Comm Ø, PPR Pipe 12 Lim For horizontal pipes greater than 50mmØ (1m intervol) D. COLD WATER LINE 12 pieces- 20mm Ø, 9 Deg Elbow 24 pieces- 20mm Ø, 9 Deg Elbow 24 pieces- 20mm Ø, 9 Deg Elbow 24 pieces- 20mm Ø, 9 Deg Elbow	•	
20 pieces- 100mmØ x 75mmØ Wye 3 pieces- 100mmØ x 75mmØ Wye 3 pieces- 100mmØ x 75mmØ Neducer 12 pieces- 100mmØ x 75mmØ Neducer 12 pieces- 75mmØ x 50mmØ Tee 33 pieces- Coupling 50mmØ Tee 38 pieces- Coupling 50mmØ Tee 38 pieces- Coupling 100mmØ 8 pieces- Cleanout 100mmØ 8 sontary Fixtures 3 pieces- Floor Drain, 100mmØ, Stainless C.PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 3 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory Faucet, Wall Hung, Lever Type (Kater Mictient) 1 set- Urinal, Flush Vall Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories 3 pieces- Angle Valve, Single-Way Stainless 19 pieces- Angle Valve, No-Way Stainless 19 pieces- Piethole Hose, Stainless 19 pieces- Piethole Hose, Stainless 19 pieces- Single Juports 42 Lm For horizontal pipes more than 50mmØ (2m Interval) D.COLD WATER LINE 12 Lm For vertical pipes greater than 50mmØ (1m interval) D.COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, PPR Pipe 42 pieses- 20mm Ø, ND Deg Elbow 44 pieces- 20mm Ø, ND Deg Elbow 44 pieces- 20mm Ø, ND Deg Elbow	•	
3 pieces- 100mm@ x 75mm@ Wye 18 pieces- 100mm@ x 15mm@ Wye 3 pieces- 50mm @ x 55mm @ Tee 23 pieces- 50mm @ x 50mm Ø Tee 23 pieces- Coupling 50mm Ø 59 pieces- Coupling 100mm Ø 8 pieces- Cleanout 100mm Ø 8. Sanitary Fixtures 3 pieces- Cleanout 100mm Ø 8. Sanitary Fixtures 3 pieces- Cleanout 100mm Ø, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete fittings and Accessories 3 sets- Lovatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Paxible Hose, Stainless Fipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PR Pipe 13 pieces- 20mm Ø, 90 Deg Elbow 42 pieces- 20mm Ø, 90 Deg Elbow 42 pieces- 25mm Ø, 90 Deg Elbow	•	
18 pieces- 100mmØ x 100mmØ Wye 3 pieces- 50mmØ x 50mmØ Tee 23 pieces- 50mmØ x 50mmØ Tee 38 pieces- Coupling 50mmØ 8 pieces- Cleanout 100mmØ 8 pieces- Cleanout 100mmØ 8 sonitary Fixtures 3 pieces- Floor Drain, 100mmØ, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 pieces- Lavatory KitWall Hung, Lever Type (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Complete Fittings and Accessories 3 pieces- Lavatory fauctet, Wall Hung, Lever Type (Water Efficient) 1 sets- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 sets- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 3 pieces- Angle Valve, Single-Way Stainless 1 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 1 pieces- Angle Valve, No-Way Stainless 1 pieces- 20mmØ, PR Pipe 1 pieces- 20mmØ, PR Pipe 1 pieces- 20mmØ, PDR Pipe 1 pieces- 20mmØ, No Deg Elbow 1 pieces- 20mmØ, No Deg Elbow		
3 pieces- 100mm Ø x 75mm Ø, Reducer 12 pieces- 50mm Ø x 50mm Ø Tee 38 pieces- Coupling 50mm Ø 59 pieces- Coupling 100mm Ø 8 pieces- Coupling 100mm Ø 8 pieces- Cleanout 100mm Ø. 8 sanitary Fixtures 3 pieces- Floor Drain, 100mm Ø, Stainless C. PLUMBING FIXTURES Sonitary Fixtures, Fiftings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 3 sets- Kitchen Sink, Single Tub with Grease Trap [SGPN] with Complete Fiftings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fiftings and Accessories 3 sets- Lavatory foucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 3 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42.1.m For horizontal pipes more than 50mmØ (2m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PR Pipe 13 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow		
12 pieces- 50mm Ø x 50mm Ø Tee 23 pieces- Coupling 50mm Ø Tee 36 pieces- Coupling 100mm Ø 8 pieces- Cleanout 100mm Ø 8. Sanitary Fixtures 3 pieces- Eleor Drain, 100mm Ø, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 sets- Lavatory vith Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 9 sets- Rayel Valve, Single-Way Stainless 16 pieces- Angle Valve, Single-Way Stainless 19 pieces- Site Valter (Single-Way Stainless 19 pieces- Site Valter, Two-Way Stainless 19 pieces- Site Ises Itan 50mmØ (2m interval) 10 Si.m For horizontal pipes more than 50mmØ (1m interval) 10 Lim For vertical pipes greater than 50mmØ (1m interval) 10 Lim For vertical pipes fielewa 21 pieces- 20mm Ø, 90 Deg Elbow 22 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 20mm Ø, 50 Deg Kender 10 pieces 20mm Ø, 50 D		
23 pieces- 75mm Ø x 50mm Ø Tee 38 pieces- Coupling 100mm Ø 8 pieces- Cleanout 100mm Ø 8. Sanitary Fixtures 3 pieces- Floor Drain, 100mm Ø, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 3 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urion, Flush Valve with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urion, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories 3 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Way Stainless 3 pieces- Angle Valve, Way Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Rexible Hose, Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Rexible Hose, Stainless 19 pieces- Rexible Hose, Stainless 19 pieces- Rexible Hose, Stainless 19 pieces- Stam Ø, PPR Pipe 13 pieces- 20mm Ø, PPR Pipe 13 pieces- 20mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø, 90 Deg Elbow	•	
38 pieces- Coupling 50mm Ø 59 pieces- Coupling 100mm Ø 8 pieces- Cleanout 100mm Ø 8. Sanitary Fixtures 3 pieces- Floor Drain, 100mm Ø, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (5GPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve, Type with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve, Wall Hung, Lever Type (Water Efficient) 1 set- Sangle Valve, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 3 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Tank-Type With Complete Stainless 3 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 Lm For horizontal pipes more than 50mmØ (Im interval) 12 Lm For vertical pipes greater than 50mmØ (Im interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 20mm Ø, PPR Pipe 14 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow	•	
 59 pieces- Coupling 100mm Ø 8 pieces- Cleanout 100mm Ø 8 Sanitary Fixtures 3 pieces- Floor Drain, 100mm Ø, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 3 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories (Water Efficient) 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 1 set- Urinal, Flush Valve, Single-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 19 pieces- Rexible Hose, Stainless 19 pieces- Somm Ø, PPR Pipe 12 pieces- 25mm Ø, PPR Pipe 13 pieces- 25mm Ø, 90 Deg Elbow 24 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 	•	
8 pieces- Cleanout 100mm Ø 8. Sanitary Fixtures 3 pieces- Floor Drain, 100mm Ø, Stainless C. FLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinol, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 1 set- Urinol, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 3 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 3 pieces- Rexible Hose, Stainless 19 pieces- Rexible Hose, Stainless 19 pieces- Rexible Hose, Stainless 19 pieces- Rexible Hose, Stainless 19 pieces- Sornid pipes more than 50mmØ (1m interval) 12 Lm For horizontal pipes greater than 50mmØ (1m interval) 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 20mm Ø, PPR Pipe 14 pieces- 20mm Ø, PPR Pipe 15 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø, 90 Deg Elbow		
 B. Sanitary Fixtures B. Sanitary Fixtures B. Spieces- Floor Drain, 100mm Ø, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories Sasts- Bidet with Complete Accessories (Water Efficient) B pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) B sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories B sets- Lavatory with Wall Hung, with Complete Fittings and Accessories B pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) I set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) I set- Urinal, Flush Valve With Complete Fittings and Accessories (Water Efficient) B sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Pieces- Angle Valve, Single-Way Stainless J pieces- Angle Valve, Single-Way Stainless J pieces- Angle Valve, No-Way Stainless J pieces- Angle Valve, Singles-Way Stainless J pieces- Invibile Hose, Stainless Pipe Hangers and Supports 42 Lm For horizontal pipes more than 50mmØ (2m interval) D5 Lm For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE I pieces- 20mm Ø, PPR Pipe I pieces- 25mm Ø, 90 Deg Elbow 		
3 pieces-Floor Drain, 100mm Ø, Stainless C. FLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Utinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 3 pieces- Angle Valve, No-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 Lm For horizontal pipes more than 50mmØ (2m interval) 105 Lm For vertical pipes greater than 50mmØ (1m interval) 12 Lm For vertical pipes greater than 50mmØ (1m interval) 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 14 pieces- 20mm Ø, Fondle Thread Tee 10 pieces- 20mm Ø, End Cap	3 pieces- Cleanout 100mm Ø	
3 pieces-Floor Drain, 100mm Ø, Stainless C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 3 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 Lm For horizontal pipes more than 50mmØ (2m interval) 105 Lm For vertical pipes greater than 50mmØ (1m interval) 12 Lm For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 20mm Ø, 15mm Ø, Fendle Thread Tee 10 pieces- 20mm Ø, 15mm Ø, Fendle Thread Tee 10 pieces- 20mm Ø, 15mm Ø, Fendle Thread Tee 10 pieces- 20mm Ø, End Cap		
C. PLUMBING FIXTURES Sanitary Fixtures, Fittings and Accessories 3 sets-Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets-Kitchen Sink, Single Tub with Grease Trap (5GPM) with Complete Fittings and Accessories 3 sets-Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces-Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set-Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets-Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 9 sets-Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 9 pieces- Angle Valve, Single-Way Stainless 16 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless 10 pieces- Pietical pipes greater than 50mmØ (2m interval) 10 S.Lm For horizontal pipes greater than 50mmØ (1m interval) 12 Lm For vertical pipes greater than 50mmØ (1m interval) 12 Lim For vertical pipes greater than 50mmØ (1m interval) 12 pieces-20mm Ø, PPR Pipe 13 pieces-20mm Ø, 90 Deg Elbow 24 pieces-20mm Ø, 90 Deg Elbow 24 pieces-20mm Ø, 90 Deg Elbow	-	
Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 4 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 9 pieces- Flexible Hose, Stainless 19 pieces- Flexible Hose, greater than 50mmØ (1m interval) 12 Lm For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 20mm Ø, 90 Deg Elbow 10 pieces- 20mm Ø, 50 Deg Elbow 10 pieces- 20mm Ø, 50 Deg Elbow	3 pieces- Floor Drain, 100mm Ø, Stainless	
Sanitary Fixtures, Fittings and Accessories 3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) 4 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 9 pieces- Flexible Hose, Stainless 19 pieces- Provertical pipes more than 50mmØ (1m interval) 105 L.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 20mm Ø, 9D beg Elbow 24 pieces- 20mm Ø, 9D beg Elbow 24 pieces- 20mm Ø, ND beg Elbow 10 pieces- 20mm Ø, Stom Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
3 sets- Bidet with Complete Accessories (Water Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m interval) 105 I.m For horizontal pipes greater than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) 2 pieces- 25mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pieces- 25mm Ø, PD Deg Elbow 24 pieces- 25mm Ø, v15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
Efficient) 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Flexible Hose, Stainless 10 to Lim For horizontal pipes more than 50mmØ (2m interval) 12 L.m For vertical pipes greater than 50mmØ (1m interval) 12 L.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 14 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, ND Eg Elbow 25 pieces- 20mm Ø, End Cap		
 3 pieces- Hose Bibb Lever Type, Stainless, Heavy Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (5GPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 17 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 Lm For horizontal pipes more than 50mmØ (2m interval) 105 Lm For vertical pipes greater than 50mmØ (1m interval) 12 Lm For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PRR Pipe 13 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, vol Deg Elbow 10 pieces- 25mm Ø, xol Deg Elbow 10 pieces- 20mm Ø, End Cap 		
Duty (Water Efficient) 13 sets- Kitchen Sink, Single Tub with Grease Trap (SGPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Single-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 Lm For horizontal pipes less than 50mmØ (2m interval) 105 Lm For horizontal pipes greater than 50mmØ (1m interval) 12 Lm For vertical pipes greater than 50mmØ (1m interval) D COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PDR Pipe 14 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 70 Deg Elbow 10 pieces- 25mm Ø, x15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
 13 sets- Kitchen Sink, Single Tub with Grease Trap (5GPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m interval) 105 I.m For horizontal pipes greater than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, x15mmØ, Female Thread Tee 10 pieces- 25mm Ø, End Cap 		
(5GPM) with Complete Fittings and Accessories 3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 l.m For horizontal pipes more than 50mmØ (2m nterval) 105 l.m For horizontal pipes greater than 50mmØ (1m interval) 12 l.m For vertical pipes greater than 50mmØ (1m interval) 0. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 20mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
3 sets- Lavatory with Wall Hung, with Complete Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m nterval) 105 I.m For horizontal pipes greater than 50mmØ (1m interval) 12 Lm For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	•	
Fittings and Accessories 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes more than 50mmØ (2m nterval) 105 I.m For horizontal pipes greater than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø, x15mmØ, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
 3 pieces- Lavatory Faucet, Wall Hung, Lever Type (Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m nterval) 105 I.m For horizontal pipes greater than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap 	3 sets- Lavatory with Wall Hung, with Complete	
(Water Efficient) 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Flexible Hose, Stainless 19 pieces- Rescription of the stainless 242 I.m For horizontal pipes more than 50mmØ (2m interval) 105 I.m For horizontal pipes greater than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 14 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	-	
 1 set- Urinal, Flush Valve with Complete Fittings and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 Lm For horizontal pipes less than 50mmØ (2m interval) 105 Lm For horizontal pipes greater than 50mmØ (1m interval) 12 Lm For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap 	3 pieces- Lavatory Faucet, Wall Hung, Lever Type	
and Accessories (Water Efficient) 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m interval) 105 I.m For horizontal pipes more than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø, 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	(Water Efficient)	
 3 sets- Water Closet, Tank-Type with Complete Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m interval) 105 I.m For horizontal pipes more than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø, 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap 	1 set- Urinal, Flush Valve with Complete Fittings	
Fittings and Accessories (Water Efficient) Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m interval) 105 I.m For horizontal pipes more than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	and Accessories (Water Efficient)	
Plumbing Fixtures, Fittings and Accessories 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m interval) 105 I.m For horizontal pipes more than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	3 sets- Water Closet, Tank-Type with Complete	
 16 pieces- Angle Valve, Single-Way Stainless 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 I.m For horizontal pipes less than 50mmØ (2m interval) 105 I.m For horizontal pipes more than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 20mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap 	Fittings and Accessories (Water Efficient)	
 3 pieces- Angle Valve, Two-Way Stainless 19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 l.m For horizontal pipes less than 50mmØ (2m interval) 105 l.m For horizontal pipes more than 50mmØ (1m interval) 12 l.m For vertical pipes greater than 50mmØ (1m interval) 12 l.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø, 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap 	Plumbing Fixtures, Fittings and Accessories	
19 pieces- Flexible Hose, Stainless Pipe Hangers and Supports 42 l.m For horizontal pipes less than 50mmØ (2m interval) 105 l.m For horizontal pipes more than 50mmØ (1m interval) 12 l.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	16 pieces- Angle Valve, Single-Way Stainless	
Pipe Hangers and Supports 42 l.m For horizontal pipes less than 50mmØ (2m interval) 105 l.m For horizontal pipes more than 50mmØ (1m interval) 12 l.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	3 pieces- Angle Valve, Two-Way Stainless	
42 I.m For horizontal pipes less than 50mmØ (2m interval) 105 I.m For horizontal pipes more than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	19 pieces- Flexible Hose, Stainless	
interval) 105 I.m For horizontal pipes more than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	Pipe Hangers and Supports	
 105 I.m For horizontal pipes more than 50mmØ (1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap 	42 I.m For horizontal pipes less than 50mmØ (2m	
(1m interval) 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
 12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap 	105 I.m For horizontal pipes more than 50mmØ	
12 I.m For vertical pipes greater than 50mmØ (1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
(1m interval) D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
D. COLD WATER LINE 12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
12 pieces- 20mm Ø, PPR Pipe 13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	D. COLD WATER LINE	
13 pieces- 25mm Ø, PPR Pipe 42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap	12 pieces- 20mm Ø, PPR Pipe	
42 pie3ces- 20mm Ø, 90 Deg Elbow 24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
24 pieces- 25mm Ø, 90 Deg Elbow 10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
10 pieces- 25mm Ø x 15mm Ø, Female Thread Tee 10 pieces- 20mm Ø, End Cap		
10 pieces- 20mm Ø, End Cap		
		1

	13 pieces- 25mm Ø, Coupling	
	E. WATER TREATMENT PLANT - TERTIARY SYSTEM	
	Hydraulic Panel	
	1 piece- Piping	
	Tank and Accessories	
	2 sets- Dosing Tank 60 Liters, diameter: 37cm,	
	height: 70cm, high density polyethylene tank with	
	accessories and initial chemical	
	1 set- Portable Sewage Treatment Plant (2 cubic	
	meters)	
	Filters	
	1 piece- 2SF Filters 21inches x 62 inches 1 piece- Micron Fillers: Bag Type	
	6 pieces- Membrane 4 inches x 40 inches	
	Electrical Works	
	1 lot - Electrical	
	1 lot- Control Panel	
	Pumps and Motors	
	1 set- Filter-feed Pump: 15gpm at 120ft., Single	
	phase 220v/60Hz - similar to 1.5 HP	
	1 set- High Pressure Pump: 15gpm at 200ft. Single	
	phase 220v/60Hz - similar to 2.0Hp	
	2 sets- Dosing Pump: 32 Watts, metering pump,	
	220V/60Hz, Single Phase	
	SUPPLY AND INSTALLATION OF FIRE PROTECTION	
	SYSTEM	
	FIRE PROTECTION WORKS	
	A. SPRINKLER HEAD	
	17 pieces- 13mm Ø Fire Sprinkler Head Pendent	
	B. FIRE SPRINKLER SYSTEM	
	4 pieces- 25mm x 6m Ø B.I. Pipe, Schedule 40 8 pieces- 32mm x 6m Ø B.I. Pipe, Schedule 40	
	17 pieces- 25mm Ø x 12mm Ø 90° B.I. Bell Reducer,	
	Threaded	
2	Modular Partition	
	Expanded Polystyrene Wall Panels	
2	Francisco Tama and Class Dalar Suring Trace	
3	Frameless Tempered Glass Door, Swing Type (0.9m x 2.15m) - Swing Type Frameless Tempered	
	Glass Door with Patch Fittings and Frosted Glass Film	
4	Flush Hollow Core Door, Sliding Type	
	(0.9m x 2.15m) - Sliding Type, Flush Hollow Core Door with 200mm x 900mm x 6mm thick Clear Tempered	
	Glass View Panel with Frosted Glass Film	
5	Flush Hollow Core Door, Sliding Type	
	(0.9m x 2.15m) - Sliding Type, Flush Hollow Core Door	
	with 600mm x 900mm x 6mm thick Clear Tempered Glass View Panel with Frosted Glass Film Strips	
6	Flush Hollow Core Door, Swing Type	
	(0.8m x 2.15m) - Swing Type, Flush Hollow Core Door	
	with Louver	
7	Flush Hollow Core Door, Swing Type	
	(0.8m x 2.15m) - Swing Type, Flush Hollow Core Door with 500mm x 900mm x 6mm thick Clear Tempered	

Technical Specifications Page 5 of 7

	Glass View Panel with Frosted Glass Film Strips	
	· · · · · · · · · · · · · · · · · · ·	
8	Flush Hollow Core Door, Swing Type (1.0m x 2.15m) - Swing Type FHCD with Louvers and Stainless Steel Kick Plate	
9	Flush Hollow Core Door, Sliding Type	
	(0.9m x 2.15m) - Sliding Type, Flush Hollow Core Door	
	with 600mm x 900mm x 6mm thick Fixed Clear Tempered Glass View Panel	
10	Flush Hollow Core Door, Sliding Type (1.0m x 2.15m)-	
	Sliding Type, Flush Hollow Core Door with 700mm x	
	900mm x 6mm thick Fixed Clear Tempered Glass View	
11	Panel with Frosted Glass Film Strip	
11	Flush Hollow Core Door , Swing Type (1.0m x 2.15m)- Swing Type, Flush Hollow Core Door with 700mm x	
	900mm x 6mm thick fixed Clear Tempered Glass View	
	Panel with Frosted Glass Film Strip	
12	Steel Door, Swing Type (1.09m x 2.15m) - Swing Type	
12	Fire Rated Steel Door	
13	Flush Hollow Core Door, Swing Type (0.8mx2.15m) - Swing Type, Flush Hollow Core Door with 6mm thick	
	Clear Tempered Glass View Panel	
14	Metal Door, Swing Type (0.8m x 2.15m) - Swing Type	
	Fully louvered Metal Door with Metal Jamb, Provide	
15	Insect Screen Tempered Glass Window (1.2m x 1.2m), Sliding Type ,	
10	6mm thick Tempered Clear Glass with Frosted Glass	
	Film on White Color Powder Coated Aluminum Frame	
16	Tempered Glass Window	
	(0.9m x 1.05m) - Transaction Window , 10mm thick Clear Tempered Glass on Concealed Aluminum U-	
	Channel with 250mm x 75mm Document Port	
17	Tempered Glass Window	
	(0.8m x 1.05m) - Pass-Through Window , 6mm thick	
	Tempered Clear Glass Sliding Panel and Top fixed Panel on White Color Powder Coated Aluminum	
	Frames	
18	Tempered Glass Window	
	(0.6m x 1.10m)- Pass - Through window, 6mm thick	
	Tempered Clear Glass Sliding Panel and top Fixed Panel on White Color Powder Coated Aluminum	
	Frames	
19	Counter Top	
	Stainless Steel Countertop with Medium Density	
	Fiberboard and 20mm Thick Granite Slab Countertop and Backsplash on 19mm Thick Marine Plywood	
	Substrate	
20	Medicine Rack	
	2.30m x 1.45m x 0.60m x 2.30m x 2.0m x 0.60m Medicine Racks with Shelves	
21	Aluminum Cabinet	
	Aluminum Under counter and Wall Hung Cabinet with	
	Complete Accessories	
22	Logos	
	200mm HT. Stainless Steel Letterings, Mirror Finish with Backlight "KLINIKA" '150mm HT. Stainless Steel	
	Lettering, Mirror Finish with Backlight "EASTWOOD"	
23	Green Color Sticker for Text on White Acrylic Opaque	
	Backboard with Complete Accessories Room Signage	
24	Airconditioning and Ventilation System Including Accessories	
	A. MECHANICAL WORKS	
	Airconditioning System (Split-Type)	
L	Equipment (Split Type):	

	8 SETS- FCU 1 - Wall Mounted Split Type Air Conditioning Unit, Inverter Type, 1.0 hp, 2.54 KW (9,140 KJ/h) Cooling Capacity, 365 cfm, 670 W, 230/1/60, 6.35 mm (1/4 inch) Ø L, 9.52 mm (3/8 inch) Ø G, with accessories and supports 1 SET- FCU 2 - Wall Mounted Split Type Air Conditioning Unit, Inverter Type, 1.5 hp, 3.06 KW (11,620 KJ/h) Cooling Capacity,1120 cfm, 750 W, 230/1/60, 6.35 mm (1/4 inch) Ø L, 9.52mm (3/8 inch) Ø G, with accessories and supports	
	Refrigerant Pipe System (Roughing-Ins): 173 I.m 6.35mm Ø Copper Coil Tubing 173 I.m 9.52mm Ø Copper Coil Tubing Refrigerant Pipe System (Insulations): 173 I.m 6.35mm Ø x 20mm thick Rubber Foam Insulation 173 I.m 9.52mm Ø x 20mm thick Rubber Foam Insulation Condensate Water Drainage System (Roughing-ins) 27 pieces- 20mm Ø X 3m uPVC Pipe 18 pieces- 20mm Ø uPVC Elbow Condensate Water Drainage System (Insulations) 36 pieces- 20mm Ø x 12mm Thick Rubber Foam Insulation	
25	Logos 350mm Quezon City Health Department MEGAWORLD Logo with backlight	
В.	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Technical Specifications Page 7 of 7

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

(b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and

- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 or

Original copy of Notarized Bid Securing Declaration; and

- (e) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>
 (f) Original duly signed Omnibus Sworn Statement (OSS);
 - and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- \Box (a) Original of duly signed and accomplished Financial Bid Form; **and**
- \Box (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• No additional requirements

Note:

- Please refer to
 [https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:
 - a. Computation of NFCC;
 - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
 - c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

