

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF LAMINATING MACHINE AND OTHERS

PROJECT NO. OCS-24-OE-0419

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	13
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	30
Section	VIII. Checklist of Technical and Financial Documents	33

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES

INVITATION TO BID



March 22, 2024

NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF	DELIVERY
					FUND	PERIOD
1.	ASSESSORS-24-ITPAP-0396	OFFICE OF THE CITY ASSESSOR	EXTERNAL HARD DRIVE AND OTHERS	P 133,521.70	GENERAL FUND	30 CD
2.	ASSESSORS-24-JS2-0395	OFFICE OF THE CITY ASSESSOR	VARIOUS JANITORIAL SUPPLIES AND OTHERS	P 124,779.74	GENERAL FUND	30 CD
3.	BCRD-24-HLMF-0362C	BARANGAY AND COMMUNITY RELATIONS DEPARTMENT	VENUE ACCOMMODATION AND OTHERS	P 942,000.00	GENERAL FUND	8 MONTHS
4.	BPLD-24-PS2-0372B	BUSINESS PERMITS AND LICENSING DEPARTMENT	BOND PAPER WITH PRINT	P 250,800.00	GENERAL FUND	30 CD
5.	CPDD-24-FURNITURE-0437	CITY PLANNING AND DEVELOPMENT DEPARTMENT	DRAFTING TABLE AND OTHERS	P 120,503.50	GENERAL FUND	30 CD
6.	CPDD-24-HLMF-0491	CITY PLANNING AND DEVELOPMENT DEPARTMENT	HOTEL ACCOMODATION INCLUDING FOOD AND DRINKS, AND OTHERS	P 264,592.00	GENERAL FUND	7 MONTHS
7.	CPDD-24-OE-0436	CITY PLANNING AND DEVELOPMENT DEPARTMENT	VARIOUS OFFICE EQUIPMENT	P 788,413.00	GENERAL FUND	30 CD
8.	DPOS-24-OESC-0576	DEPARTMENT OF PUBLIC ORDER AND SAFETY	INK CARTRIDGES AND OTHERS	P 599,733.20	GENERAL FUND	30 CD
9.	ENGINEERING-24-HCS-0478	DEPARTMENT OF ENGINEERING	ALUMINUM EXTENSION LADDER AND OTHERS	P 343,662.70	GENERAL FUND	30 CD
10.	ENGINEERING-24-OE-0459	DEPARTMENT OF ENGINEERING	PHOTOCOPYING MACHINE	P 363,948.00	GENERAL FUND	30 CD
11.	HCDRD-24-FURNITURE-0346	HOUSING, COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT	MOBILE CABINET AND FILING CABINET	P 378,202.50	GENERAL FUND	30 CD
12.	HCDRD-24-OESC-0402	HOUSING, COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT	TONER AND OTHERS	P298,739.20	GENERAL FUND	30 CD
13.	HCDRD-24-0SD-0404	HOUSING, COMMUNITY DEVELOPMENT AND RESETTLEMENT DEPARTMENT	VARIOUS OFFICE SUPPLIES	P 443,485.19	GENERAL FUND	30 CD
14.	HEALTH-24-FOODSTUFF- 0527B	QUEZON CITY HEALTH DEPARTMENT	BASKET OF FRESH VEGETABLES	P 266,500.00	GENERAL FUND	8 MONTHS
15.	HEALTH-24-GM-0521B	QUEZON CITY HEALTH DEPARTMENT	PREPAID LOAD AND SIM	P 175,720.00	GENERAL FUND	30 CD
16.	HRMD-24-SERVICES-0369	HUMAN RESOURCE MANAGEMENT DEPARTMENT	RENTAL OF VENUE	P 799,980.30	GENERAL FUND	8 MONTHS
17.	ITDD-24-OE-0324	INFORMATION TECHNOLOGY DEVELOPMENT DEPARTMENT	PHOTOCOPIER MACHINE AND OTHERS	P 408,912.00	GENERAL FUND	30 CD
18.	LEIPO-24-OESC-0301B	LOCAL ECONOMIC INVESTMENT PROMOTIONS OFFICE	TONER CARTRIDGE AND OTHERS	P 667,928.00	GENERAL FUND	45 CD
19.	OCM(PDAO)-24-OE-0315B	OFFICE OF THE CITY MAYOR (PERSON WITH DISABILITY AFFAIRS OFFICE)	VARIOUS EQUIPMENT AND OTHERS	P 130,104.90	GENERAL FUND	30 CD
20.	OCM(QMC)-24-CE2-0377B	OFFICE OF THE CITY MAYOR (QUEZON MEMORIAL CIRCLE)	POWER SHREDDER AND CHIPPER, POLE PRUNER, AND OTHERS	P 564,340.00	GENERAL FUND	60 CD
21.	OCM-24-FIXTURES-0397	OFFICE OF THE CITY MAYOR	SUPPLY AND INSTALLATION OF MODULAR PARTITIONS INCLUDING FURNITURE AND OTHER WORKS FOR THE QC PRESS OFFICE	P 823,151.00	GENERAL FUND	90 CD
22.	OCS-24-AAS2-0416	OFFICE OF THE SECRETARY TO THE SANGGUNIANG PANLUNGSOD	AIR CONDITIONING UNIT	P 320,580.00	GENERAL FUND	30 CD

Page 1 of 3

P

			· · · · · · · · · · · · · · · · · · ·	•		
23.	OC5-24-FURNITURE-0412	OFFICE OF THE SECRETARY TO THE SANGGUNIANG PANLUNGSOD	CLERICAL CHAIR, MOBILE STORAGE CABINET, AND OTHERS	P 849,686.60	GENERAL FUND	30 CD
2 <u>4</u> .	OC3-24-OE-0419	OFFICE OF THE SECRETARY TO THE SANGGUNIANG PANLUNGSOD	LAMINATING MACHINE AND OTHERS	P 492,444.70	GENERAL FUND	30 CD
25.	OC3-24-OSD-0420	OFFICE OF THE SECRETARY TO THE SANGGUNIANG PANLUNGSOD	VARIOUS OFFICE SUPPLIES (HARD DRIVE, HARD DRIVE DOCKING STATION, AND OTHERS)	P 450,227.60	GENERAL FUND	30 CD
26.	PAISD-24-OESC-0276	PUBLIC AFFAIRS AND INFORMATION SERVICES DEPARTMENT	TONER CARTRIDGE AND OTHERS	P 131,746.00	GENERAL FUND	60 CD
27.	PAISD-24-OSD-0303	PUBLIC AFFAIRS AND INFORMATION SERVICES DEPARTMENT	PHOTO PAPER, BATTERY, AND OTHERS	P 65,320.00	GENERAL FUND	60 CD
28.	QCDRRMO-24-ES-0633	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	TRIPLEX WIRE	P 459,960.00	GENERAL FUND	30 CD
29.	QCPC-24-GARMENTS-0538	QUEZON CITY PROTECTION CENTER	SLIPPERS, JOGGING PANTS, AND - OTHERS	P 216,090.50	GENERAL FUND	30 CD
30.	QCPL-24-CE1-01718	QUEZON CITY PUBLIC LIBRARY	HEADSET WITH MICROPHONE AND OTHERS	P 584,934.50	GENERAL FUND	30 CD
31.	QCPL-24-PE-0173B	QUEZON CITY PUBLIC LIBRARY	CAMERA AND OTHERS	P 844,526.80	GENERAL FUND	30 CD
32.	QCSECDPO-24-OE-0283	QUEZON CITY SMALL BUSINESS AND COOPERATIVES DEVELOPMENT AND PROMOTIONS OFFICE	PHOTOCOPIER MACHINE AND OTHERS	P 702,124.04	GENERAL FUND	30 CD
33.	QCU-24-CE1-0558	QUEZON CITY UNIVERSITY	AUDIO MIXER AND OTHERS	P 635,136.40	GENERAL FUND	45 CD
34.	QCU-24-C51-0677	QUEZON CITY UNIVERSITY	FOOD AND DRINKS FOR VARIOUS PROGRAMS, ACTIVITIES AND EVENTS	P 798,100.00	GENERAL FUND	8 MONTHS
35.	QCU-24-OSD-6529	QUEZON CITY UNIVERSITY	VARIOUS OFFICE SUPPLIES	P 278,392.50	GENERAL FUND	30 CD
36.	QCU-24-P52-0658	QUEZON CITY UNIVERSITY	PRINTING OF CERTIFICATE/DIPLOMA HOLDER AND OTHERS	₽ 264,390.00	TRUST FUND	30 CD
37.	QCU-24-SERVICES-0549	QUEZON CITY UNIVERSITY	SUBSCRIPTION TO E-BOOKS FOR QUEZON CITY UNIVERSITY LIBRARY	P 893,000.00	GENERAL FUND	15 CD
.38.	RMBGH-24- j 52-0426	ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL	VARIOUS JANITORIAL SUPPLIES AND OTHERS	P 462,566.40	GENERAL FUND	30 CD
39.	RMBGH-24-0E9C-0424	ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL	VARIOUS INK AND OTHERS	P 416,668.80	GENERAL FUND	30 CD
40.	TTMD-24-C91-0582	TRAFFIC AND TRANSPORT MANAGEMENT DEPARTMENT	FOOD AND DRINKS	P 142,800.00	GENERAL FUND	8 MONTHS

- 1. The QUEZON CITY LOCAL GOVERNMENT, through the General Fund and Trust Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below thring weekdays from 8:00 a.m. - 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>Monday</u>, <u>March 25</u>, <u>2024</u> from the given address and website(s) below *and upon payment of the applicable fee for the Bidding*

4

Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to I million	1,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before <u>10:00 A.M. of</u> <u>Tuesday, April 02, 2024</u>. Late bids shall not be accepted.
- 7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 8. Bid opening shall be on <u>11:00 A.M. of Tnesday, April 02, 2024</u> at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING Join Zoom Meeting https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz09

Meeting ID: 858 5085 5933 Passcode: 118682

- 9. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 10. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u> Tel. No. (02)8988-4242 loc. 8506/8710 Website: <u>www.quezoncity.gov.ph</u>

11. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

MS. MA. MARCKRIDA T. SANTOS, DPA Chairperson, QC-BAC-Goods and Services

IB FOR APRIL 02, 2024 - BELOW

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF LAMINATING MACHINE AND OTHERS** with identification number **OCS-24-OE-0419**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *ten* (10) *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1.The GOP through the source of funding as indicated below for **2024** in the amount of FOUR HUNDRED NINETY-TWO THOUSAND FOUR HUNDRED FORTY-FOUR PESOS AND 70/100 ONLY (Php 492,444.70).
- 2.2. The source of funding is:
 - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security *in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government.* Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB		
Clause		
5.3	For this purpose, contracts similar to the P	Project shall be:
	 <i>percent</i> (50%) of the ABC. b. Completed within the last three (a submission and receipt of bids subst QC-BAC-GOODS AND SERVIC of Certificate of Acceptance by the submission of the submission and the subm	<i>m/s to be bid and must be at least fifty</i> 3) years prior to the deadline for the tantially in a FORM prescribed by the ES, must be accompanied by a copy he end-user or Official Receipt (O.R)
7.1	or Sales Invoice (S.I.) issued for th	ne Contract.
7.1	Subcontracting is not allowed.	
12	The price of the Goods shall be quoted DD International Commercial Terms (INCOT	~ 11
14.1	The bid security shall be in the form of a E	Bid Securing Declaration, or any of the
19.3	(2%) of ABC if bid security is in a draft/guarantee or irrevocable lette	24,622.24 or equivalent to five percent Surety Bond.
20.2	List of required licenses and permits corresponding law requiring it.	s relevant to the Project and the
	• No additional requirement	
21.2	Additional required documents relevant existing laws and/or the Procuring Entity.	
	• Statement of Warranty – For item nos. 1-4 & 6: minimum For item no. 5: one (1) year on p	

Bid Data Sheet

Г

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare Parts –
The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
Select appropriate requirements and delete the rest.
a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
b. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [<i>indicate here the time period specified. If not used indicate a time period of three times the warranty period</i>].
Spare parts or components shall be supplied as promptly as possible, but in any case, within [<i>insert appropriate time period</i>] months of placing the order.
Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity Name of the Supplier

Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications	
Any special lifting instructions Any special handling instructions	-
They relevant in Alertalist classifications	
A packaging list identifying the contents and quantities of the package is to placed on an accessible point of the outer packaging if practical. If not practic the packaging list is to be placed inside the outer packaging but outside t secondary packaging.	cal
Transportation –	
Where the Supplier is required under Contract to deliver the Goods CIF, CL or DDP, transport of the Goods to the port of destination or such other nam place of destination in the Philippines, as shall be specified in this Contra shall be arranged and paid for by the Supplier, and the cost thereof shall included in the Contract Price.	ed ct,
Where the Supplier is required under this Contract to transport the Goods to specified place of destination within the Philippines, defined as the Project Si transport to such place of destination in the Philippines, including insurance a storage, as shall be specified in this Contract, shall be arranged by the Suppli and related costs shall be included in the contract price.	te, nd
Where the Supplier is required under Contract to deliver the Goods CIF, CIP DDP, Goods are to be transported on carriers of Philippine registry. In the even that no carrier of Philippine registry is available, Goods may be shipped by carrier which is not of Philippine registry provided that the Supplier obtains a presents to the Procuring Entity certification to this effect from the near Philippine consulate to the port of dispatch. In the event that carriers Philippine registry are available but their schedule delays the Supplier in performance of this Contract the period from when the Goods were first rea for shipment and the actual date of shipment the period of delay will considered force majeure.	ent y a nd est of its dy
The Procuring Entity accepts no liability for the damage of Goods during tran other than those prescribed by INCOTERMS for DDP deliveries. In the ca of Goods supplied from within the Philippines or supplied by domes Suppliers risk and title will not be deemed to have passed to the Procuring Ent until their receipt and final acceptance at the final destination.	.se tic
Intellectual Property Rights –	
The Supplier shall indemnify the Procuring Entity against all third-party claim of infringement of patent, trademark, or industrial design rights arising from u of the Goods or any part thereof.	
2.2 [If partial payment is allowed, state] "The terms of payment shall be as follow"	/s:
4 The inspections and tests that will be conducted are: <i>Produ</i> <i>Presentation/Demonstration/Site Inspection, if applicable.</i>	ıct

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF LAMINATING MACHINE AND OTHERS PROJECT NO. OCS-24-OE-0419

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
1	LAMINATING MACHINE Heavy duty, A3 size capable Laminating Speed: 50Hz:460mm/min, 60Hz:560mm/min Laminating Width: 320mm Laminating Films: 75mic~250mic Thickness of substrate (Paper): 80g/nf~250g/nf Power Requirements: 220~240V, 50/60Hz Power Consumption: 520W, 2.1A Heating System: Heat Plate Operating Temperature: 150 Max. Speed Control: Fixed Temperature Control: Knob & Volume Dimensions (WxLxH): 500 x 185 x 95mm Type of Main Motor: Synchronous Motor-S	UNIT	1	
2	PAPER CUTTER Ream cutter, A4/A3 heavy duty Pressing tightly, easily cutting and changing blade Cutting rate is very high Sharp knife edge Durable Accurate cutting Regular cutting surface Ream Paper Cutter A4 size with measuring scale	UNIT	1	
3	UPS 1200VA, 230V, AVR, Universal Sockets Output Power capacity: 650 Watts/ 1.2kVA Output Connections: (1) IEC 60320 C13 (Battery Backup) Nominal Output Voltage: 230V Nominal Input Voltage: 230V Input Connections: IEC 60320 C14 Cord Length: 1.2meters	UNIT	35	Within Thirty (30) Calendar Days Upon Issuance of Notice to Proceed
4	DIGITAL VOICE RECORDER Record in MP3/LPCM with a high sensitivity S- Microphone, Up to 4 GB of built-in storage, expandable via microSD (SDHC/SDXC) cards, Auto Voice Recording reduces background noise	UNIT	5	
5	PORTABLE PA SPEAKER with two (2) microphones, built in bluetooth player, usb storage devices, high power audio system with Bluetooth technology warranty terms: parts – one (1) year, labor – one (1) year • CD: Yes • DVD: Yes • USB1: Yes • FM: Yes • Audio In1: Yes (Stereo mini) • TV: Yes (HDMI), (AUDIO IN) • Bluetooth: Yes(iAP over BT) • Analog Audio Input(s): 1 • HDMI Output(s): 1 • HDMI Output(s): 1 • Microphone Inputs): 2 (6¢/Guitar available for one port - MIC 2/GUITAR) • Equalizer: Music(Emotion EQ) • Video EQ: MOVIE/GAME/DRAMA/NEWS • FIESTA mode: Yes • Bass Boost function: MEGA BASS LIVE SOUND: Yes • Jet Bass Booster: Yes • DSEE sound enhancement: DSEE(AUTO)	UNIT	1	

• Wirelass Party Chain via Bluetocht: Yes • Cardwaldis: 'Yes • Cardwaldis: 'Ye				1	1
Oblay Diginal: Yes		,			
PSPEXER LUGHT: veryBlue for WE and Mig) PAPH LUGH: veryBlue for WE and Mig) Plant LUGH: veryBlue Style To Christer Style Styl		, 0			
PARTUCHT: Yes[For front. Arc:Deep8kue:Skyke.Stipe:Red) Illuminoted keys: BUEFOOTH/AEGA BASS/Ostive area (LED indicator) · Vocal toder (Karaoke PON); Yesfor all Indicator) · Key control: Yes(for all function) · Cheb: Yes[for all function] · Moder: Stern x 1 · Commution [Mage [FM]: 82.5-108/Hz/50KHz · Presel Chonnel: FM20 · Less Booster: Yes · Liveeler: Acm x2 (High efficiency hom] final & book] · Woofer Inf Size: 200m x 1 · Woofer Inf Size: 200m x 10 · Woofer Inf Size: 200m x 10					
Arc:DeepBulke/Skylkue, StipesRed] - Altiminated keys BUETOOH/NEGA BASX/Getture area (LED Indicator) - Vacal Inder (Karoak-PON): Yes(for all function) - Scale (area (Kroti al function) - Scale (area (Kroti al function) - Cates Yes(for all function) - Party King; Yes - VaceEar (Arm Xg, Ulph) efficiency horn) - Valie House Sontar: Yes - VaceEar (Arm Xg, Ulph) efficiency horn) - Valie Allows: Xes Xg, Ulph) efficiency horn - Yes - Yes Arthered - Carrying Handler; Yes (Back K, Side) - Calor: black Net weight (lig): 14,51g Not all mensions (WebQ): 349,5mm x - 795mmx328,5mm - Vace Yes - Yes Arthered - Yes Arth					
Illuminotice keys: BLUETOCHHARCA BASXGesture area (LED Indicator) Yocal Rader (Karacke-PON); Yes(for all function) Key control: Yes(for all function) Control: Yes(for all function) Cuide Vocal: Yes(for all function) Control: Yes(Vortical & hottcontol defation) Control: Yes(Vortical & hottcontol defation Controlible smartphone apps: Yes(Music Center & Restable) Power Consumption (in Shandby): 0.5W Multi Bevice Connection: Yes Compotible smartphone apps: Yes(Music Center & Restable) Power Consumption (in Shandby): 0.5W Multi Bevice Connection: Yes Compotible smartphone apps: Yes(Music Center & Restable) Power Consumption (in Shandby): 0.5W Multi Bevice Connection: Yes Newelet: - Amaz J High efficiency hom tran & back Prest Channer: Ma0 Jer Bass Booster: Yes Tweeter: - Amaz J High efficiency hom tran & back Net weight (Rig): 14.5Kg Net dimensions (Webk0): 349.5mm x 795mm:232.5mm Whaf's in the back Color: black Net weight (Rig): 14.5Kg Net dimensions (Webk0): 349.5mm x 795mm:232.5mm Whaf's in the back Color: black Net weight (Rig): 14.5Kg Net dimensions (Webk0): 349.5mm x 795mm:232.5mm Whaf's in the back Color: black Net Webly (Rig): 14.5Kg Net dimensions (Webk0): 349.5mm x 755mm:232.5mm Whaf's in the back Color: black Net weight (Rig): 14.5Kg Net dimensions (Webk0): 349.5mm x 755mm:232.5mm Whaf's in the back Color: black Net weight (Rig):					
BASS/Gesture area (LED Indicator) + Vocal fader (Karaoke PON): regitor all function) - Key control: Yes(for all function) - Scoring: Yes(for all function) - Scoring: Yes(for all function) - Columbra (Yes)(for all function) - Auto Standay (Yes)(Yes) - Power Consumption (in Operation): 115W - Power Consumption (in Operation): 115W - Power Consumption (in Standay): 0.5W - Multi Device Connection: Yes - Compatible amorphone opps: Yes)(Multic Center & Flestable) - Porty King: Yes - Thing Range (Yes) 25-108MHz/50KHz - Thing Range (Yes) 25-108M					
• Vocal frader (Karobse-PCN): Yes[for all Innetion] • Key control: Yes[for all Innetion] • Scoring: Yes[for all Innetion] • Calde Wocal: Yes • Power Consumption (in Standby): 0.3W • Multi Device Connection: Yes • Composition (in Operation): 113W • Power Consumption (in Standby): 0.3W • Multi Device Connection: Yes • Composition (in Operation): 115W • Power Consumption (in Standby): 0.3W • Multi Device Connection: Yes • Turing Range (FM): 87.5 108MHz/50KHz • Preset Channet: FM20 • Jest Bass Booter: Yes • Twoefer: Jand 22 (High efficiency horn) • Mud-ange: Sem x2 (High) efficiency horn front & back] • Woofer: Jack: Jack & Side) Color: black Net weight (Hig): 14.3Kg Net dimensions (WMH30): 349.5mm x 75mmm2328.5mm What's in the back? • FM antema • remote control • Woofer: Jack Jack & Side) Color: black Net due moving USB x 8fits.2004.00000 # Jack Xes * Kest Halt Amicine Jack Xes * Kest Halt High Halt Amicine Yes * Kest Halt Hight Halt Halt Highthefficiency Halt * Moder Halt Jacksg * Kest Halt * K					
function) • Key control: Yes(for all function) • Key control: Yes(for all function) • Key control: Yes(for all function) • Calde Vocal: Yes(for all function) • Canamption (In Operation): 115W • Power Consumption (In Operation): 115W • Power Consumption (In Strandby): 0.3W • Campatible strandphone apps: Yes(Music Carlor K, Riestoble) • Preset Channel: PM20 • Wooler: Starx 1 • Wooler: Unit Stas: 25cm x 1 • Mic holds: Yes (Back & Side) Color: black Net veight (IR): 14.5kg Net dimensions (Wick0): 34.5mm x 797mm/228.7mm What's in the box% • Neat lens • Protech Autor Set UP • wall monifed speaker with multi tapping core mount					
 Key control: Yeş(for all function) Key control: Yeş(for all function) Mic Volume: Yeş(for all function) Choi: Yeş(for all function) Guide Vocci: Yeş(for all function) Auto Standby Mode: Yeş Power Consumption (in Depertion): 115W Power Consumption (in Depertion): 115W Power Consumption (in Standby): 0.5W Multi Device Connection: Yeş Control Kis and the top opp: Yeş(Music Center & Fiesdation) Porty King: Yeş Bornd: FM Turing Romge (FM): 87.5-108MHz/50KHz Preset Consumption (in Gleinery hom) Mic Hoder: 2 Mic Holder Color: black Ne voofer: 2 Scm x 1 Woofer (Kis): 2 Scm x 1 Woofer (Kis): 2 Scm x 1 Wichofer: 2 Mic Holder Color: black Net weight (Kg): 14.5Kg Net Weight (Kg): 14.5Kg Net dimensions (WHAD): 349.5mm x 75mm328.5mm What's in the box8 FM ontermo remote control Offici Autoo Set UP -wall mounted speaker with multi topping zone mount -5.72-way Bas reflax, sensilivity: 98dB frequency response: 55Hz 20KHz Mach Channel 4 mic/fline 2 aux miker sound system 16 DB w/U BB & 81 2 stereo input, recording function 1 He doughone in H CA Tape Input & 2.0Uput + 489 phontom power for condenser Mich Jold Tior 220v Duol Channel U IPF pofessional wineless thranking an bigo top top tot tot button conthout our butto					
 Scoring: Yestfor all function) Echa: Yestfor all function) Echa: Yestfor all function) Colde Vocal: Yestfor all function) Colde Vocal: Yestfor all function) Colde Vocal: Yestfor all function) Costure control: Yestfor all function) Costure consumption (in Operation): 115W Power Consumption (in Standby): 0.5W Multi Device Zifin all flictioncy horn) Mid-ronge: Sem x2 (High efficiency horn) Mid-ronge: Sem x2 (High efficiency horn) Mid-ronge: Sem x2 (High efficiency horn) Mid-todier: Zifin Xi Zi Mid-Holder Coring Islandby: Yestfor Xi Xi Multi State State) Color: black Ne holder: Zifin Xi Zi Xi Xi					
 Mic Volume: Yestfor all function) Cuide Vocci: Yestfor all function)(Apps only) Voice Changer: Yestfor all function)(Apps only) Voice Changer: Yestfor all function) Gestive control: Yestfor all function): Auto Standay Mode: Yes Power Consumption in Standay): 0.5W Multi Device Connection; Yes Compatible amotphone apps: Yestfor all function): Power Consumption in Standay: Power Power Standay:					
 Cho: Yos(for all function) Colide Vocal: Yes(for all function) Ovice Changer: Yes(for all function) Over Consumption (in Operation): 115W Nower Consumption (in Operation): 115W Nower Consumption (in Operation): 115W Nower Consumption (in Standby): 0.5W Multi Device Connection: Yes Compatible smartphone apps: Yes(Music Center & Fiestable) Party King: Yes Band: FM Unring Range (FM): 87.5-108MHz/50KHz Preset Channel: FM20 Ivelest Range (FM): 87.5-108MHz/50KHz Preset Channel: FM20 Color: black Velotier: 22cm x 1 Velotier: 22cm X 1 Velotier: 20m VI 100Y TAP 30W, 15W, 8W, 4W Schamel Hick Range (FM): 8W, 5W, 4W Schamel Michae 2 acuter with multi tapping zone mount of spectro 100 TAP 30W, 15W, 8W, 4W Acomel A michae 20m X 100 TAP 30W, 15W, 8W, 4W Acomel A michae 20m APA 30W, 15W, 8W, 4W Acomel A michae 20m APA					
only					
 Voice Changer: Yes(For all function) evertue control: Yes(Vertical & horizontal direction) ••••••••••••••••••••••••••••••••••••					
direction) Auto Standby Mode: Yes Power Consumption (in Standby): 0.5W • Multi Device Connection: Yes • Compatible smartphone apps: Yes[Music Center & Fiestable] • Parthy King; Yes • Band: FM • Tuning Ronge (FM): 87.5-108MHz/S0KHz • Preset Channel: FM2 • Ide Bass Boosts: Yes • Woolf Cunit Size: 25cm x 1 • Mich Indice: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net dimensions (WatkD): 349.5mm x 795mmx328.5mm What's in the box8 • FM antenna • Fmode control Chife: A Lubo St UP -vali mounted speaker with multi tapping zone mount -some mount -some house the Condenser microphone with USB. con play MP3, WMA, WW -8 channel 4 mic/line 2 aux miker sound system 10 ack with USB, con play MP3, WMA, WAV -9.2 atterno input: recording function headphone with USB, con play MP3, WMA, WAV -9.2 atteros inp					
 Auto Standby Mode: Yes Power Consumption (in Operation): 115W Power Consumption (in Operation): 115W Power Consumption (in Standby): 0.5W Multi Device Connection: Yes Compatible smartphone apps: Yes(Music Control FM Turning Range (FM): 87.5-108MHz/S0KHz Prank King: Yes Bond: FM Turning Range (FM): 87.5-108MHz/S0KHz Preset Channel: FM20 Jelf Bass Boodster: Yes Woofer: Scm x2 (High efficiency hom) Mid-range: Scm x2 (High efficiency hom) Mid-range: Scm x2 (High efficiency hom) Mid-range: Scm x1 (High efficiency hom) Mid-range: Scm x1 (High efficiency hom) Wich older: Z Mic Holder Corrying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net dimensions (WkHz): 349.5mm x 795mmx328.5mm Whoft's in the box? FM antenna remate control OFFICE AUDO SET UP -wall mounted speaker with multi tapping zone mount -6.572-way bass reflex, sensitivity: 99dB frequency: range to zonx mixer sound system 16 DSP w/USB & BT 2 stereo input. recording function headphone in FCA tape input & Cutput + 48V phantam power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110- to 220V -Dual Wireless microphone with 200 electable frequencies frequency: range: 600-710mhz 200 user-selectable (Hiff frequency) in graphice y Headmand big LCD display for easy Yes/MB big LCD display for easy Yes					
 Power Consumption (in Standby): 0.3W Multi Device Connection: Yes Compatible smartphone apps: Yes(Music Center & Fiestable) Partry King; Yes Band: FM Tuning Ronge (FM): 87.5-108MHz/50KHz Preset Channel: FN20 Jeff Bass Boorder: Yes Wooter Linit Size: 25cm x 1 Orange: Barn X2 (High efficiency hom firm & back) Wooter Linit Size: 25cm x 1 Who first: 152: 25cm x 1 Who first: 152: 25cm x 1 Who first: 14.5kg Net weight (kg): 14.5kg Vest dimensions (WetkQ): 349.5mm x Zommouted speaker with multi tapping zone mount -emode control Christ and thick for the Condenser -frequency response: 55Hz-25KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 14 CSP w/USB as IT 2 stereo input, recording function heradphoren H eCA tope input 8. Output + 48V Abrontom power for condenser microphone with USB, can play MP3, WMA, WAY -0 Channel UHF professional wireless horadheld microphone with 200 selectable frequencies frequency runge: 300-710m/z 200 user-selectable UHF frequencies dual on topus to 100 topus + 400-710m/z 200 user-selectable UHF frequencies frequency sync aperation bardtheld microphone Vith 200 selectable frequencies frequency runge: 300-710m/z 200 user-selectable UHF frequencies dual antename, flue diversity frequencies dual antename, flue diversity frequencies dual antename, flue diversity frequency respondion barthel,		/			
 Power Consumption (in Standby): 0.5W Multi Device Connection: Yes Compatible smartphone apps: Yes(Music Center & Fiestable) Party King; Yes Band: FM Tuning Range (FM): 87.5-108MHz/S0KHz Preset Channel: FM20 Jef Bass Booster: Yes Tweeter: Acm x2 (High efficiency horn) Mid-ange: Sem x1 (High): 452,552 (M) Woofer: Sinx X2 (M): X00 (M) Martis in the box? FM antema FM anteminisms (WxHAD): 349,5mm x 795mmx328,5mm What's in the box? FM anteminisms (WxHAD): 349,5mm x 795mmx328,5mm Woalt mounted speaker with multi tapping zone mount -6.5"2-way bas reflex, sensitivity: 99dB frequency reponse: SiFx2 (KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W & channel 4 mic/line 2 aux mixer sound system 10 EVE professional wireless horabed microphone with 200 setectable (High efficiency horab (M) (M) (M) (M) (M) (M) (M) (M) (M) (M)					
 Multi Device Connection: Yes '' Compatible smartphone apps; Yes(Music Center & Fiestable) Party King; Yes Eand: FM Tuning Range (FM); 87,5-108MHz/50KHz Preset Channel: FM20 Piester Chan					
4 Compatible smartphone apps: Yes(Music Centre & Ristable) - Party King; Yes -Band: FM • Unning Range (FM): 87.5-108MHz/S0KHz -Preset Channel: FM20 • Jet Bass Booster: Yes -Weeter: 4cm X2 (High efficiency horn) • Nick-range: Scm X2 (High efficiency horn) -Nick-range: Scm X2 (High efficiency horn) • Woofer: Zscm X1 -Woofer: Zscm X1 • Woofer: Zscm X2 (Kigh efficiency horn) -Woofer: Zscm X1 • Woofer: Zscm X2 (Kigh efficiency horn) -Kick-range: Scm X1 • Woofer: Zscm X1 -Woofer: Zscm X1 • Woofer: Zscm X2 Nicholder -Canying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net dimensions (WatkD): 349.5mm x 795mmx2825.5mm What's in the box? -FK antenna • FM antenna -emote control OFFICE AUDO SET UP -woll mounted specker with multi topping zone mount -6.572-way Bass reflex: sensitivity: 98dB frequency response: Style: 20KHz max power: 2000 100 VTAP 300W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 steree input: recording function headphone In + RCA tape input 8. Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WA Auto Voft 110v t					
Center & Fiestable) Petry King: Yes Bond: FM 1 Tuning Ronge (FM: 87.5-108MHz/50KHz Preset Channel: FM20 Jet Bass Booste: Yes 1 Weeter: Acm x2 (High efficiency hom) • Mid-range: Bcm x2 (High efficiency hom) • Woofer: JScm x1 • Woofer: ZScm x1 • Woofer: JScm x1 • Woofer WinSze: ZScm x1 • Kind unetions • Conving Hondle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net dimensions (WxHxD): 349.5mm x 795mmx328.5mm Whart's in the box? • FM ontenna • remole control Office AuDio Str UP • vall mounted speaker with multi topping zone mount -6.5-2x-way Bass reflex, sensitivity: 98dB frequency response: SHz-20KHz max power: 20W 100V TAP 30W, 15W, 8W, 4W 2 channel 4 mic/lin					
 Perty King: Yes ' Bond: FM Turing Range (FM): 87.5-108MHz/50KHz Presel Channel: FM20 Jet Bass Booste: Yes Tweeter: 4cm x2 (High efficiency horn) Wid-tange: 8cm x2 (High efficiency horn) Wwoolfer: 25cm x1 Wicholder: 2 Mic Holder Carrying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net dimensions (WxHz0): 349.5mm x 795mmx328.5mm What's in the box? FM antenna remote control OFFICE AUDO SET UP -wall mounted speaker with multi topping zone mount -6.5"2wary Bass reflex, sensitivity: 98d8 frequency response: 55Hz-20KHz max power: 200W 100V 1AP 30W, 15W, 8W, 4W -8 channel 4 mic/Jine 2 aux mixer sound system 16 DSP w/ UB8 & 81 2 stereo input, recording function headphone in + RCA tape input & Output + 48W phonthom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220V -Doual Channel UHF professional wireless hoadheid microphone Mic UHF professional wireless forguency strenguencies frequencies frequencis vistre frequencis frequencies fre					
 Bond: FM Tuning Range (FM): 87.5-108MHz/50KHz Preset Channel: FM20 Jet Bass Booste: Yes Trweeter: 4cm x2 (High efficiency horn) Mid-range: 8cm x2 (High efficiency horn) Mid-range: 8cm x2 (High efficiency horn) Woofer: 25cm x 1 Woofer: 75cm x 1 Woofer: 75cm x 1 Woofer 2 Mic Holder Carnying Handle: Yes (Back & Side) Color: black Net weight (Eg): 14.5kg Net dimensions (WMtxD): 349.5mm x 795mmx328.5mm What's in the box? FM antenna remote control OFFICE AUDIO SET UP -wall mountled speaker with multi tapping zone mount -6.5°2-way Bass reflex, sensitivity: 98d8 frequency response: 55Hz-20KHz max power: 200W 1000 TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone in + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220V Dual Channel UHF professional wireless handheld microphone Mit upfolance XLR and unbalanced Audio antennae, true diversity receiving system U track unit design big LCD display for easy viewing balance XLR and unbalanced Audio antennae, true diversity receiving system U track unit design big LCD display for easy viewing balance XLR and unbalanced Audio applance XLR Ande Audio Signal Patch coble -Acoustic 100 meters heavy duty stereo 		,			
 Tuning Range (FM): 87.5-108MHz/50KHz Preset Channel: FM20 Jet Bass Booster: Yes Tweeter: 4cm x2 (High efficiency horn) Midrange: Scm x2 (High efficiency horn) Woofer Unit Size: 25cm x 1 Woofer Joint Size: 35cm x 1 Woofer Joint Size: 35cm x 1 Woofer Unit Size: 35cm x 1 Woofer Unit Size: 35cm x 1 Woofer Unit Size: 35cm x 1 Woofer Joint Size: 35cm x 1 Woofer Schwarz (MxtkD): 349,5mm x Present Change Size: 35cm x 1 What's in the box? FM antenna remote control OFFICE AUDO SET UP -wall mounted speaker with multi tapping zone mount -6.572 way Bass reflex, sensitivity: 98d8 frequency response: S5Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W B channel 4 mic/line 2 aux mixer sound system 16 DSP w/ UBB & 81 2 stereo input, recording function headphone in + RCA tape input & Output + 48W phonthom power for condenser microphone with USB, can play MP3, WMA, WAV Audo Volt 110V to 220V Doual Channel UHF professional wireless handheld microphone Mic UHF Enduencies (frequencies frequency range: 600-710miz 200 user-selectable UHF frequencies (frequencies frequencies (frequencies frequencies frequencies (frequencies frequencies frequencies (frequencies frequencies frequencies (frequencies frequencies) (frequencies (frequencies) (freque		, 6			
 • Preset Channel: FM20 -jet Boss Booster: Yes -weeter: 4cm x2 (High efficiency hom) -Mid-range: 8cm x2 (High efficiency hom) -Mid-range: 8cm x2 (High efficiency hom front & back) -Woofer: 1011 Size: 25cm x 1 -Mich holder: 2 Alic Holder -Carrying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net dimensions (WxHxD): 349.5mm x 795mmx322.5mm What's in the box? -FM antenna -remote control -weilt mounted speaker with multi tapping zone mount -6.52-way Bass reflex, sensitivity: 98dB frequency response: 53H-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP W/ US8. & BT 2 stereo input, recording function headphone In + RCA tape input 8 Output + 48V phantom power for condenser microphone with US9, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 selectable (Frequency renge)ce d00-710mhz 200 user-selectable UHF frequency reary eximp Bolance XLR and unbalanced audio output soft houch button control, easy frequency sync operation balater of a sync wing Bolance XLR and unbalanced audio output soft houch button control, easy frequency sync operation balater of 1/3 Way Bass Reflex/10 inches active speaker frade to Dual RCA Male Audio Signal Patch cable -Acoustic 100 metes heavy duty stereo -Acoustic 100 metes heavy Muty Stereo -Acoustic 100 metes heavy duty stere					
4. Jet Bass Booster: Yes • Tweeter: 4cm x2 (High efficiency hom) • Mid-range: 8cm x2 (High efficiency hom) front & back) • Woofer: 25cm x1 • Moofer Unit Size: 25cm x1					
 • (weeter: 4cm x2 (High efficiency hom) • Mid-range: 8cm x2 (High efficiency hom front & back) • Woofer: 25cm x 1 • Mic holder: 2 Mic Holder • Carrying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net weight (kg): 14.5kg<!--</td--><td></td><td></td><td></td><td></td><td></td>					
*.Nid-range: 8cm x2 (High efficiency hom front & back) *.Woofer: 2scm x1 *.Woofer: 2scm x1 *.Woofer: 2 Mic Holder •.Carrying Handle: Yes (Back & Side) Color: black Net weight (Kg): 14.5kg Net dimensions (WxHxD): 349.5mm x 795mmx328.5mm What's in the box? •.FM antenna •.emote control OFFICE AUDIO SET UP -wall mounted speaker with multi topping zone mount -6.52-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8. Channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone in + RCA tape input 8 Collput + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV 4 UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mk 200 user-selectable UHF frequencies dual antennae, frue diversity receiving system 11 rack unit design big LDD display for easy viewing balance XLR and unbalanced audio output soft houch button control, easy frequency sync operation battery status indicator - Speaker Foil 7 3 Way Bass Reflex/10 inches active speaker field as pail - XLR Male and Fermele connector heavy duty - Copper dual XLR Fermele to Dual RCA Male Audio Signal Patch cable					
• Woofer: 25cm x 1 • Woofer Unit Size: 25cm x 1 • Mic holder: 2 Mic Holder • Carrying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net dimensions (WktAD): 349.5mm x 795mmx328.5mm What's in the box? • FM antenna • remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone in + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone Mic UHF Dual wireless microphone Mic UHF Dual wireless microphone Mic UHF frequencies dual antennae, frue diversity frequencies dual antennae, frue diversity freeking system 10 rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft flouch button control, easy frequency sync operation battery status indicator					
• Woofer Unit Size: 25cm x 1 • Mic holder: 2 Mic Holder • Carnying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net weight (kg): 14.5kg Net weight (kg): 14.5kg Net weight (kg): 14.5kg What's in the box? • FM antenna • remote control OFFICE AUDO SET UP -wall mounted speaker with multi tapping zone mount -6.5'2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone in + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV UNIT • Jult Vo Vol 110' to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 ubalanced audio output soft touch button control, easy frequency sync operation battery status indicator UNIT 1 • Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Coopper dual XLR Female to Dual RCA Male Audio Signal Patch cable -Acoustic 100 meters heavy duty stereo		front & back)			
 Mic holder: 2 Mic Holder Carrying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net weight (kg): 14.5kg Net dimensions (WxHxD): 349.5mm x 795mmx328.5mm What's in the box? Hv and the how? Find and the hom a remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55H2-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & B1 2 stereo input, recording function headphone in + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110V to 220V -Dual Channel UHF professional wireless handheld microphone Mic UHF professional wireless handheld microphone Mic UHF frequencies dual antennae, true diversity frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 10 tack unit design big LCD display for easy viewing balance XLR and unbalance and audio output soft touch button control, easy frequency sync operation baftery status indicator Speaker Poir / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Cooper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic L00 meters heavy duty stereo 					
6 Carrying Handle: Yes (Back & Side) Color: black Net weight (kg): 14.5kg Net dimensions (WxHkD): 349.5mm x 795mmx328.5mm What's in the box? • FM antenna • remote control OFFICE AUDIO SET UP -woll mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHE professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 UHF frequencies dual antennae, true diversity receiving system 10 rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Mdle and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable					
6 Color: black Net weight (kg): 14.5kg Net dimensions (WxHxD): 349.5mm x 795mmx328.5mm What's in the box? • FM antenna • remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W - 8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & 8T 2 steree input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV UNIT 1 6 UNIT 1 Interview of the diversity receiving system 10 rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator - Specker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable UNIT 1					
6 Net weight [kg]: 14.5kg Net dimensions (WxHxD): 349.5mm x 795mmX328.5mm What's in the box? • FM antenna • remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex. sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 Channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation baftery status indicator UNIT 1 Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable -Acoustic 100 meters heavy duty stereo		 Carrying Handle: Yes (Back & Side) 			
Net weight [kg]: 14.5kg Net dimensions (WxHxD): 349.5mm x 795mmx328.5mm What's in the box? • FM antenna • remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, frue diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation baftery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) UNIT 1 *LR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable -Acoustic 100 meters heavy duty stereo					
6 Net dimensions (WxHxD): 349.5mm x 795mmx328.5mm What's in the box? • FM antenna • • remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount •.6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheel microphone Mic UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF INIT 1 frequencies dual antennae, true diversity receiving system 10 rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) *LR Adie and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable -Acoustic 100 meters heavy duty stereo					
6 What's in the box? • FM antenna • remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount • cervate speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 5SH2-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 Channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & 8T 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UNIT 1 UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity 1 receiving system 10 rack unit design big LCD display for easy viewing balance XIR and unbalanced audio output soft touch button control, easy frequency sync operation batery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker Poir / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable -Acoustic 100 meters heavy duty stereo -Acoustic 100 meters heavy duty stereo -Acoustic 100 meters heavy duty stereo <td></td> <td></td> <td></td> <td></td> <td></td>					
What's in the box? • FM antenna • remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.572-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with UB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mtz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable UNIT 1		· · · · ·			
 FM antenna remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W 		/ 7511111X520.511111			
 FM antenna remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W 		What's in the box?			
• remote control OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone in + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency synce operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
6 OFFICE AUDIO SET UP -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W 8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo UNIT 1					
 -wall mounted speaker with multi tapping zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UNIT 1 				1	1
 Zone mount -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UNIT 1 6 UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy riewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo 					
 -6.5"2-way Bass reflex, sensitivity: 98dB frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UNIT 1 WHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, frue diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Poir / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo 					
 frequency response: 55Hz-20KHz max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UNIT 1 6 ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo 					
 max power: 200W 100V TAP 30W, 15W, 8W, 4W -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo 					
 -8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UNIT 1 					
6 system 16 DSP w/ USB & BT 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
 2 stereo input, recording function headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Valt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic UHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mbz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy riewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo 					
 headphone In + RCA tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo 		,			
48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Image: Constraint of the second se					
6 microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
6 WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo		• •			
6 Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
6 -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
6 handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
6 ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo		•			
selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo	6	·	UNIT	1	
600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo		•			
frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
-Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo		•			
-XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
-Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
Audio Signal Patch cable - Acoustic 100 meters heavy duty stereo					
- Acoustic 100 meters heavy duty stereo					
		microphone cable (black)- professional			
grade		grade			

meters/spool cable thickness: approximately 7mm special features: durable and flexible design that eliminate kinks and twists high fidelity transmission heavy duty, low impedance, low noise oxygen free microphone cabl0065	
---	--

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF LAMINATING MACHINE AND OTHERS PROJECT NO. OCS-24-OE-0419

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross- referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	With the following minimum technical specifications LAMINATING MACHINE	
A .1	Heavy duty, A3 size capable Laminating Speed: 50Hz:460mm/min, 60Hz:560mm/min Laminating Width: 320mm Laminating Films: 75mic~250mic Thickness of substrate(Paper): 80g/nf~250g/nf Power Requirements: 220~240V, 50/60Hz Power Consumption: 520W, 2.1A Heating System: Heat Plate Operating Temperature: 150 Max. Speed Control: Fixed Temperature Control: Knob & Volume Dimensions(WxLxH): 500 x 185 x 95mm Type of Main Motor: Synchronous Motor-S	
	PAPER CUTTER Ream cutter, A4/A3 heavy duty	
2	Pressing tightly, easily cutting and changing blade Cutting rate is very high Sharp knife edge Durable Accurate cutting Regular cutting surface Ream Paper Cutter A4 size with measuring scale	
	UPS	
3	1200VA, 230V, AVR, Universal Sockets Output Power capacity: 650 Watts/ 1.2kVA Output Connections: (1) IEC 60320 C13 (Battery Backup) Nominal Output Voltage: 230V Nominal Input Voltage: 230V Input Connections: IEC 60320 C14 Cord Length: 1.2meters	
4	DIGITAL VOICE RECORDER Record in MP3/LPCM with a high sensitivity S-Microphone, Up to 4 GB of built-in storage, expandable via microSD (SDHC/SDXC) cards, Auto Voice Recording reduces background noise	
	PORTABLE PA SPEAKER with two (2) microphones, built in bluetooth player, usb storage devices, high power audio system with Bluetooth technology warranty terms: parts – one (1) year, labor – one (1) year	
5	 CD: Yes DVD: Yes USB1: Yes FM: Yes Audio In1: Yes (Stereo mini) TV: Yes (HDMI), (AUDIO IN) Bluetooth: Yes(iAP over BT) Analog Audio Input(s): 1 	

	HDMI Output(s): 1	
	•USB Port(s): 1	
	•Microphone Inputs): 2 (6¢/Guitar available for one port	
	- MIC 2/GUITAR)	
	• Equalizer: Music (Emotion EQ)	
	Video EQ: MOVIE/GAME/DRAMA/NEWS	
	•FIESTA mode: Yes	
	Bass Boost function: MEGA BASS	
	LIVE SOUND: Yes	
	• Jet Bass Booster: Yes	
	 DSEE sound enhancement: DSEE(AUTO) 	
	 Wireless Party Chain via Bluetooth: Yes 	
	•ClearAudio+: Yes	
	•Dolby Digital: Yes	
	•Sampler: Yes(Scratch and more)	
	•SPEAKER LIGHT: Yes(Blue for WF and Mid)	
	PARTY LIGHT: Yes(For front, Arc:DeepBlue/SkyBlue,	
	Stripe:Red)	
	Illuminated keys: BLUETOOTH/MEGA BASS/Gesture area	
	(LED Indicator)	
	Vocal fader (Karaoke-PON): Yes(for all function)	
	Key control: Yes(for all function)	
	•Scoring: Yes(for all function)	
	 Mic Volume: Yes(for all function) 	
	 Echo: Yes(for all function) 	
	 Guide Vocal: Yes(for all function)(Apps only) 	
	Voice Changer: Yes(for all function)	
	•Gesture control: Yes(Vertical & horizontal direction)	
	• Auto Standby Mode: Yes	
	Power Consumption (in Operation): 115W	
	Power Consumption (in Standby): 0.5W	
	Multi Device Connection: Yes	
	Compatible smartphone apps: Yes(Music Center &	
	Fiestable)	
	•Party King: Yes	
	•Band: FM	
	 Tuning Range (FM): 87.5-108MHz/50KHz 	
	 Preset Channel: FM20 	
	• Jet Bass Booster: Yes	
	 Tweeter: 4cm x2 (High efficiency horn) 	
	•Mid-range: 8cm x2 (High efficiency horn front & back)	
	•Woofer: 25cm x 1	
	• Woofer Unit Size: 25cm x 1	
	Mic holder: 2 Mic Holder	
	 Carrying Handle: Yes (Back & Side) 	
	Color: black	
	Net weight (kg): 14.5kg	
	Net dimensions (WxHxD): 349.5mm x 795mmx328.5mm	
	What's in the box?	
	• FM antenna	
	remote control	
	OFFICE AUDIO SET UP	
	-wall mounted speaker with multi tapping zone mount	
	-6.5"2-way Bass reflex, sensitivity: 98dB frequency	
	response: 55Hz-20KHz	
	max power: 200W 100V TAP 30W, 15W, 8W, 4W	
	•	
	-8 channel 4 mic/line 2 aux mixer sound system 16 DSP w/	
	USB & BT	
	2 stereo input, recording function headphone In + RCA	
	tape input & Output + 48V phantom power for	
	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA,	
	tape input & Output + 48V phantom power for	
	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA,	
	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range:	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair)	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair)	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal	
6	tape input & Output + 48V phantom power for condenser microphone with USB, can play MP3, WMA, WAV Auto Volt 110v to 220v -Dual Channel UHF professional wireless handheld microphone Mic ÚHF Dual wireless microphone with 200 selectable frequencies frequency range: 600-710mhz 200 user-selectable UHF frequencies dual antennae, true diversity receiving system 1U rack unit design big LCD display for easy viewing balance XLR and unbalanced audio output soft touch button control, easy frequency sync operation battery status indicator -Speaker Pair / 3 Way Bass Reflex/10 inches active speaker (sold as pair) -XLR Male and Female connector heavy duty -Copper dual XLR Female to Dual RCA Male Audio Signal Patch cable	

	type: stereo microphone wire length: 100 meters/spool cable thickness: approximately 7mm special features: durable and flexible design that eliminate kinks and twists high fidelity transmission heavy duty, low impedance, low noise oxygen free microphone cabl0065	
B.	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

 (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- □ (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; <u>or</u>
 Original copy of Notarized Bid Securing Declaration; <u>and</u>
- (e) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
- (f) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

□ (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);

or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

□ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- \Box (a) Original of duly signed and accomplished Financial Bid Form; **and**
- \Box (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• Statement of Warranty – For item nos. 1-4 & 6: minimum of one (1) year; For item no. 5: one (1) year on parts and labor

Note:

- 1. Please refer to [<u>https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh</u> aring] for the following requirements:
 - a. Computation of NFCC;
 - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
 - c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

