

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

SUPPLY AND DELIVERY OF VARIOUS JANITORIAL SUPPLIES AND OTHERS

PROJECT NO. CGSD-24-JS2-0265

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

| Glossai | ry of Acronyms, Terms, and Abbreviations | 4 |
|---------|--|----|
| Section | I. Invitation to Bid | 7 |
| Section | II. Instructions to Bidders | 11 |
| 1. | Scope of Bid | 12 |
| 2. | Funding Information | 12 |
| 3. | Bidding Requirements | 12 |
| 4. | Corrupt, Fraudulent, Collusive, and Coercive Practices | 12 |
| 5. | Eligible Bidders | 13 |
| 6. | Origin of Goods | 13 |
| 7. | Subcontracts | 13 |
| 8. | Pre-Bid Conference | 14 |
| 9. | Clarification and Amendment of Bidding Documents | 14 |
| 10. | Documents comprising the Bid: Eligibility and Technical Components | 14 |
| 11. | Documents comprising the Bid: Financial Component | 14 |
| 12. | Bid Prices | 14 |
| 13. | Bid and Payment Currencies | 15 |
| 14. | Bid Security | 15 |
| 15. | Sealing and Marking of Bids | 16 |
| 16. | Deadline for Submission of Bids | 16 |
| 17. | Opening and Preliminary Examination of Bids | 16 |
| 18. | Domestic Preference | 16 |
| 19. | Detailed Evaluation and Comparison of Bids | 16 |
| 20. | Post-Qualification | 17 |
| 21. | Signing of the Contract | 17 |
| Section | III. Bid Data Sheet | 18 |
| Section | IV. General Conditions of Contract | 20 |
| 1. | Scope of Contract | 21 |
| 2. | Advance Payment and Terms of Payment | 21 |
| 3. | Performance Security | 21 |
| 4. | Inspection and Tests | 21 |
| 5. | Warranty | 21 |
| 6. | Liability of the Supplier | 22 |
| Section | V. Special Conditions of Contract | 23 |
| Section | VI. Schedule of Requirements | 27 |
| Section | VII. Technical Specifications | 35 |
| Section | VIII. Checklist of Technical and Financial Documents | 44 |

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES



INVITATION TO BID

March 11, 2024

| | | | | | March | , 2024 | |
|----------|-----------------------------|--|--|--|-------------------|--------------------|----------|
| NO. | PROJECT NO. | OFFICE | PROJECT NAME | AMOUNT | SOURCE OF FUND | DELIVERY PERIOD | |
| 1. | BPLD-24-PS2-0522 | BUSINESS PERMITS AND LICENSING DEPARTMENT | PRINTING OF BUSINESS AND LIQUOR CLEARANCE FORMS | P 1,500,000.00 | GENERAL FUND | 30 CD | |
| 2. | CCRD-24-SERVICES-0528 | CITY CIVIL REGISTRY DEPARTMENT | OPERATION, MANAGEMENT AND MAINTENANCE OF THE BAESA PUBLIC CREMATORIUM QUEZON CITY | P 19,766,992.96 | GENERAL FUND | 8 MONTHS | |
| 3. | CLIMATE-24-CS1-0238 | CLIMATE CHANGE AND ENVIRONMENTAL SUSTAINABILITY DEPARTMENT | FOOD AND DRINKS | P 1,365,200.00 | GENERAL FUND | 8 MONTHS | |
| 4. | CGSD-24-JS2-0265 | CITY GENERAL SERVICES DEPARTMENT | SUPPLY AND DELIVERY OF VARIOUS JANITORIAL SUPPLIES AND OTHERS | P 20,237,031.75 | GENERAL FUND | 8 MONTHS | |
| 5. | CONSO-24-OSD-0550 | CITY GENERAL SERVICES | LINE 1: SUPPLY AND DELIVERY OF VARIOUS OFFICE SUPPLIES (PHOTO PAPER AND OTHERS) | P 26,694,522.09 | GENERAL FUND | 8 MONTHS | |
| | 27 000 000 | DEPARTMENT | LINE 2: SUPPLY AND DELIVERY OF VARIOUS OFFICE SUPPLIES (BALLPEN AND OTHERS) | P 6,788,711.70 | GENERAL FUND | 8 MONTHS | |
| 6. | NDH-24-MSLI-0511 | NOVALICHES DISTRICT HOSPITAL | VARIOUS REAGENTS FOR HEMATOLOGY ANALYZER | P 9,766,272.40 | GENERAL FUND | 8 MONTHS | |
| 7. | CONSO-24-PS2-0495B | PUBLIC AFFAIRS AND INFORMATION SERVICES DEPARTMENT | PRINTING OF NEWSLETTER AND OTHERS | P 1,544,000.00 | GENERAL FUND | 8 MONTHS | |
| 8. | ENGINEERING-24-OE- 0458 | DEPARTMENT OF ENGINEERING | CLAMP METER AND OTHERS | P 1,283,243.82 | GENERAL FUND | 30 CD | |
| 9. | ENGINEERING-24-SOP- 0552 | DEPARTMENT OF ENGINEERING | TRAFFIC CONE AND OTHERS | P 1,435,759.50 | GENERAL FUND | 45 CD | |
| | HEALTH-24-DM-0469 | | LINE 1: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT I OF QUEZON CITY | P 74,672,038.16 | GENERAL FUND | 8 MONTHS | |
| | | | LINE 2: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT II OF QUEZON CITY | P 128,015,944.71 | GENERAL FUND | 8 MONTHS | |
| 10. | | HEALTH-24-DM-0469 QUEZON CITY HEALTH DEPARTMENT | 1EAL1 D-24-DVI-1469 | LINE 3: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT III OF QUEZON CITY | P 58,669,428.62 | GENERAL FUND | 8 MONTHS |
| 50/10/-0 | | | | LINE 4: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT IV OF QUEZON CITY | P 80,005,115.33 | GENERAL FUND | 8 MONTHS |
| | | | LINE 5: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT V OF QUEZON CITY | P 106,663,560.59 | GENERAL FUND | 8 MONTHS | |
| | | | LINE 6: PROCUREMENT OF VARIOUS DRUGS AND MEDICINES FOR DISTRICT VI OF QUEZON CITY | P 85,335,176.02 | GENERAL FUND | 8 MONTHS | |
| 11. | HEALTH-24-FFRSE-0534 | QUEZON CITY HEALTH DEPARTMENT | FIRE EXTINGUISHER | P 2,124,000.00 | GENERAL FUND | 30 CD | |
| 12. | OCM(GAD)-24-PS2-0229 | OFFICE OF THE CITY MAYOR (GAD COUNCIL OFFICE) | CONCEPTUALIZATION AND FULL PRODUCTION OF COFFEE TABLE BOOK, AND PRINTING OF BOOK, BOOKLETS, AND IEC MATERIALS FOR GAD COUNCIL | P 3,618,000.00 | GENERAL FUND | 8 MONTHS | |
| 13. | OCM(POPS)-24-HLMF- 0569 | OFFICE OF THE CITY MAYOR - POPS PLAN | VENUE ACCOMMODATION AND OTHERS | P 3,898,500.00 | GENERAL FUND | 8 MONTHS | |
| 14. | OCM(POPS)-24-SOP-0354 | OFFICE OF THE CITY MAYOR - POPS PLAN | BATON | P 2,499,200.00 | GENERAL FUND | 8 MONTHS | |
| 15. | OCM-24-FIXTURES-0642 | OFFICE OF THE CITY MAYOR | SUPPLY AND INSTALLATION OF MODULAR PARTITION AND OTHERS | P 12,212,960.00 | GENERAL FUND | 90 CD | |

| NO. | PROJECT NO. | OFFICE | PROJECT NAME | AMOUNT | SOURCE OF FUND | DELIVERY PERIOD |
|---------|------------------------------|---|--|-----------------|-------------------|--------------------|
| 16. | OCM-24-GARMENTS-0546 | OFFICE OF THE CITY MAYOR | ROUND NECK T-SHIRT AND COLLARED SHIRT | P 8,950,000.00 | GENERAL FUND | 8 MONTHS |
| 17. | OCM-24-KITCHENWARE- 0565 | OFFICE OF THE CITY MAYOR | STARTER KIT (KITCHEN SUPPLIES) | P 29,269,900.00 | GENERAL FUND | 30 CD |
| 18. | OCM-24-PS2-0406 | OFFICE OF THE CITY MAYOR | PRINTING OF SIMPLIFIED HOUSEHOLD PROFILE QUESTIONNAIRE (HPQ) ANSWER SHEET AND LISTING FORM | P 3,377,800.00 | GENERAL FUND | 30 CD |
| 19. | OVM-24-CS1-0207B | OFFICE OF THE VICE MAYOR | FOOD AND DRINKS | P 6,170,000.00 | GENERAL FUND | 8 MONTHS |
| 20. | QCADAAC-24-HLMF-0196 | QUEZON CITY ANTI-DRUG ABUSE ADVISORY COUNCIL | HOTEL ACCOMMODATION INCLUDING FOOD AND DRINKS, AND OTHERS | P 2,012,408.00 | GENERAL FUND | 8 MONTHS |
| 21. | QCDRRMO-24-CS1-0545 | QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE | FOOD AND DRINKS | P 7,000,000.00 | GENERAL FUND | 8 MONTHS |
| 22. | QCDRRMO-24- SERVICES-0446 | QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE | RENTAL OF PORTALET | P 5,703,950.00 | GENERAL FUND | 8 MONTHS |
| 23. | QCDRRMO-24-SOP-0543 | QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE | MODULAR PARTITION TENT | P 14,999,894.00 | GENERAL FUND | 30 CD |
| 24. | CONSO-24-PS2-0536 | QUEZON CITY UNIVERSITY | LINE 1: PRINTING OF CERTIFICATE HOLDER | P 624,000.00 | TRUST FUND | 45 CD |
| 1000000 | | | LINE 2: PRINTING OF CERTIFICATE HOLDER | P 1,095,744.00 | GENERAL FUND | 45 CD |
| 25. | QCU-24-OESC-0504 | QUEZON CITY UNIVERSITY | VARIOUS CONSUMABLES FOR QCU LIBRARY ID, SCHOOL ID AND ALUMNI ID | P 4,345,400.00 | TRUST FUND | 30 CD |
| 26. | QCTD-24-CS1-0452 | QUEZON CITY TOURISM DEPARTMENT | FOOD AND DRINKS AND OTHERS | P 4,903,248.00 | GENERAL FUND | 8 MONTHS |
| 27. | QCTD-24-PS2-0160 | QUEZON CITY TOURISM DEPARTMENT | CONCEPTUALIZATION AND PRINTING OF DIRECTORY BOOKLET/BOOK | P 3,200,000.00 | GENERAL FUND | 90 CD |
| 28. | RMBGH-24-PS2-0307 | ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL | PRINTING OF BOOKLET AND OTHERS | P 1,717,500.00 | GENERAL FUND | 30 CD |
| 29. | SDO-24-HCS-0410 | SCHOOLS DIVISION OFFICE | PAINTS FOR BRIGADA ESKWELA | P 2,769,975.00 | GENERAL FUND | 30 CD |

- 1. The QUEZON CITY LOCAL GOVERNMENT, through the General Fund and Trust Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated 2. above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 8:00 a.m. - 5:00 p.m
- A complete set of Bidding Documents may be acquired by interested Bidders on Tuesday, March 12, 2024 from the given 5. address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD RATES:

| Approved Budget for the Contract | Maximum Cost of Bidding Documents (in Philippine Peso) |
|--|---|
| 500,000 and below | 500.00 |
| More than 500,000 up to 1 Million | 1,000.00 |
| More than 1 Million up to 5 Million | 5,000.00 |
| More than 5 Million up to 10 Million | 10,000.00 |
| More than 10 Million up to 50 Million | 25,000.00 |
| More than 50 Million up to 500 Million | 50,000.00 |
| More than 500 Million | 75,000.00 |

IB FOR APRIL 02, 2024 - ABOVE

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- 6. The Quezon City Local Government will hold a Pre-Bid Conference on 10:30 A.M. of Tuesday, March 19, 2024 at 2nd
 Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre-Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246

Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before 10:00 A.M. of Tuesday, April 02, 2024. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on 11:00 A.M. of Tuesday, April 02, 2024 at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz09

Meeting ID: 858 5085 5933

Passcode: 118682

- The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: bacgoods.procurement@quezoncity.gov.ph Tel. No. (02)8988-4242 loc. 8506/8710

Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

MS. MA. MARGAPITA T. SANTOS, DPA Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **SUPPLY AND DELIVERY OF VARIOUS JANITORIAL SUPPLIES AND OTHERS** with identification number **CGSD-24-JS2-0265**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *two hundred ten* (210) *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2024 in the amount of TWENTY MILLION TWO HUNDRED THIRTY-SEVEN THOUSAND THIRTY-ONE PESOS AND 75/100 ONLY (Php20,237,031.75).
- 2.2. The source of funding is:
 - a) LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three* (3) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - The cost of all customs duties and sales and other taxes already ii. paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section** VII (Technical Specifications).

13. Bid and Payment Currencies

- For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - Philippine Pesos.

14. Bid Security

- The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:
 - One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

| ITB | |
|--------|---|
| Clause | |
| 5.3 | For this purpose, contracts similar to the Project shall be: |
| | a. A single contract similar to the item/s to be bid and must be at fifty percent (50%) of the ABC. |
| | b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract. |
| 7.1 | Subcontracting is not allowed. |
| 12 | The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project. |
| 14.1 | The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: |
| | a. The amount of not less than <i>Php 404,740.64</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or |
| | b. The amount of not less than <i>Php 1,011,851.59</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond. |
| 19.3 | [In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.] |
| | [In case the project will be awarded by item, list each item indicating its quantity and ABC.] |
| 20.2 | List of required licenses and permits relevant to the Project and the corresponding law requiring it. |
| | No additional requirement |
| 21.2 | Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity. |
| | List of Manpower With at least three (3) to Five (5) responsible and physically fit personnel shall be in charge of unloading and securing the good condition of the deliveries. |
| | 2. Organizational Chart • Which should indicate an established organizational structure of personnel to show its capability to undertake the project. |
| | 3. Affidavit of Undertaking of the following: The Bidder/Supplier shall assign a focal person in charge of handling and facilitating all the requests for the supply and delivery of the items. The Bidder/Supplier must have an organization of qualified, competent, and responsible people dedicated to carrying out and fulfilling their obligations for the project. |
| | (With attached Terms of Reference which will form an integral part of this bidding document) |

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

| 0.00 | |
|---------------|---|
| GCC Clause | |
| 1 | [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] |
| | Delivery and Documents – |
| | For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: |
| | [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS." |
| | [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." |
| | Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). |
| | For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>[indicate name(s)]</i> . |
| | Incidental Services – |
| | The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. |
| | a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;b. furnishing of tools required for assembly and/or maintenance of the |
| | supplied Goods; c. furnishing of a detailed operations and maintenance manual for each |
| | appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the |
| | supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and |
| | e. training of the Procuring Entity's personnel, at the Supplier's plant |
| | and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] |
| | The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. |

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

| | Contract Description |
|-----|---|
| | Final Destination |
| | Gross weight |
| | Any special lifting instructions Any special handling instructions |
| | Any special handing instructions Any relevant HAZCHEM classifications |
| | Any relevant mazement classifications |
| | A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. |
| | Transportation – |
| | Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. |
| | Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. |
| | Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. |
| | The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. |
| | Intellectual Property Rights – |
| | The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. |
| 2.2 | [If partial payment is allowed, state] "The terms of payment shall be as follows:" |
| 4 | The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i> |
| | |

Section VI. Schedule of Requirements

PROJECT NAME: SUPPLY AND DELIVERY OF VARIOUS JANITORIAL SUPPLIES AND OTHERS PROJECT NO. CGSD-24-JS2-0265

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item | Description | Unit of | Quantity | Delivered, |
|--------|---|----------|-----------|----------------|
| Number | • | Issue | Qualitity | Weeks / Months |
| 1 | ALCOHOL ,isopropyl, 70% Solution for disinfection, | gallon | 3000 | |
| | gal | | | |
| 2 | ALCOHOL, isopropyl, 70% Solution for disinfection, | bottle | 3000 | |
| | 500ml | | | |
| 3 | BATH SOAP, original scent 90g | piece | 500 | |
| 4 | BATTERY CHARGER, for 9 volts battery | piece | 2 | |
| 5 | BATTERY, 9 volts | pack | 33 | |
| 6 | BATTERY, 9 volts rechargeable | piece | 30 | |
| 7 | BATTERY, AA rechargeable | piece | 9 | |
| 8 | BATTERY, AA, dry cell, 2 pcs per blister pack | pack | 1800 | |
| 9 | BATTERY, AAA rechargeable | piece | 10 | |
| 10 | BATTERY, AAA, dry cell, 2 pcs per blister pack | pack | 1500 | |
| 11 | BATTERY, D size, dry cell | pack | 95 | |
| 12 | BATTERY,C Type, Super heavy duty C size battery | Pack | 10 | |
| | 2pcs/pack | | | |
| 13 | BLEACHING LIQUID, Antivac, 1 Liter, whitens, | Bottle | 150 | |
| | removes stains, deodorize | | | |
| 14 | BLEACHING LIQUID, original total clean bleach | gallon | 1,000 | |
| | 3785ml. (1 gal) | | | |
| 15 | BROOM NATURAL WHISK, Broom head is made of | piece | 50 | |
| | natural fiber, Handle is made of plastic, Long-lasting | | | |
| | whisk, Has dense bristles for easier sweeping, Handle | | | |
| | height measures 60cm | | | |
| 16 | BROOM, soft, walis tambo | piece | 1,000 | Upon |
| 17 | BROOM STICK, Stick, (Ting-ting), standard size | piece | 1,000 | Issuance of |
| 18 | BROOM SET, Long Handle Broom Floor Cleaning | set | 10 | Notice to |
| | Foldable Broom And Dustpan Set Sweeping Magic | | | Proceed until |
| | Brush | | | December 31, |
| 19 | BRUSH, Toilet bowl with holder set, plastic long | piece | 53 | 2024 |
| | handle, nylon bristle | | | |
| 20 | CLEANER, toilet and urinal, 900-1000 ml | bottle | 500 | |
| 21 | CLEANSER, scouring powder, 350gms. | can | 500 | |
| 22 | DETERGENT POWDER, all-purpose, 500g | pack | 4,500 | |
| 23 | DETERGENT POWDER, all-purpose, 200g | pack | 36 | |
| 24 | DETERGENT LIQUID , stain remover, Sunshine fresh | bottle | 142 | |
| | scent, 1 liter/bottle | | | |
| 25 | DETERGENT LIQUID , for cleaning glassware that | gallon | 156 | |
| | leaves no residue, 1 gallon/bottle | | | _ |
| 26 | DISINFECTANT SPRAY, aerosol type, 400-500g | can | 5,000 | _ |
| 27 | DISINFECTANT CLEANER, all purpose spray, 1liter | bottle | 457 | |
| 28 | DISINFECTANT CLEANER, all purpose spray, 1gal | gallon | 32 | _ |
| 29 | DISWASHING LIQUID, Antibacterial 1liter/bottle | bottle | 85 | |
| 30 | DISWASHING LIQUID, anti-grease with | bottle | 500 | |
| | antibacterial; 500ml/bottle | | | |
| 31 | DISWASHING LIQUID, Chemical Foam Booster, | pack | 160 | |
| | 250ml per pack | | | |
| 32 | DISWASHING LIQUID SOAP, Liquid soap, | bottle | 150 | |
| | Antibacterial, Grease stripper/Fresh Scent, Color - | | | |
| | Blue,1000ml/Bottle or pouch | | | |
| 33 | DISWASHING PASTE , 200g with free sponge inside | canister | 120 | _ |
| 34 | DISHWASHING SPONGE, Foam; size: 3 inches x 3 | set | 2 | |
| | inches; 12pcs/set | | | |

| 35 | DUCT TAPE, 2 inches, 10 meters length | roll | 56 |
|----------|---|-----------|--------------|
| 36 | DUCT TAPE, 2 inches, 10 meters length | roll | 10 |
| 37 | DUCT TAPE, 2 inches, 50 meters length | roll | 60 |
| 38 | FLOOR WAX, colorless, 3.5L/gal. | gallon | 10 |
| 39 | GLASS CLEANER, Antibacterial 500ml with | Ŭ | |
| 39 | | can | 120 |
| 10 | spray/bottle | • | 10 |
| 40 | GLASS CLEANER WIPER, cleaner wiper, squeegee | piece | 10 |
| | brush | | |
| 41 | INSECTICIDE, aerosol type, 600 ml | can | 3,300 |
| 42 | LIQUID HAND SOAP, liquid, antibacterial, floral | bottle | 3,300 |
| | care, 500ml | | |
| 43 | LIQUID HAND SOAP, Liquid, Antibacterial liquid | bottle | 123 |
| | soap, 1 gallon | 2 2 2 2 2 | |
| 44 | LIQUID HAND SANITIZER, 500mL | bottle | 2,000 |
| 45 | | unit | 5 |
| | MOP, with spinner | | |
| 46 | MOPHEAD, made of rayon | piece | 1,450 |
| 47 | RAGS, all cotton, 32pcs/kilo/bundle | bundle | 3,500 |
| 48 | SCOURING PAD, synthetic nylon, 5 pcs/pack | pack | 450 |
| 49 | SCRUB SPONGE , made of nylon polyester (100mm x | pack | 33 |
| | 70 mm),3 pcs/pack | 1 | |
| 50 | SCRUBBING BRUSH, Size: 5x11.5x4.5cm, assorted | pack | 80 |
| | colors, 3x cleaner, convenient-quick, comfortable to grip | Puck | |
| 51 | TOILET TISSUE PAPER, 2-ply, 100% recycled 12 | pack | 9,000 |
| JΙ | 1 , | pack | 9,000 |
| F2 | roll/pack | • | 1 000 |
| 52 | TOILET TISSUE PAPER, Interfolded Paper Towel, | piece | 1,000 |
| | 150 pulls/ pack | | |
| 53 | TISSUE FACIAL, 2-ply, approx. sheet size: | box | 12 |
| | 200mmx200mm, 340sheets/box | | |
| 54 | TISSUE PAPER TOWEL, 150 pulls, 1 ply, size: | pack | 2,000 |
| | 200mmx200mm | 1 | , |
| 55 | TISSUE PAPER TOWEL, Tissue Multi-Fold, Multi- | pack | 15 |
| | Fold Towels, Absorbency Pockets, 9 2/5 x 9 1/5, | pack | |
| | White, 250 Sheets Per Pack (Case of 12 pack) | | |
| - | | 1 | 1.000 |
| 56 | TISSUE, interfolded paper towel, 170 pull ups/ size | pack | 1,000 |
| | 200 mm x 200 mm/ pack of 3 | | |
| 57 | TISSUE, Jumbo Roll, 16roll/box | box | 15 |
| 58 | TAPE, Duct MAXBOND, heavy duty, high strength, | roll | 23 |
| | 48mm x 20m | | |
| 59 | TAPE, electrical 19mm x 16m, made of polyvinyl | roll | 158 |
| • • | chloride (PVC) | | |
| 60 | TAPE , Foam type Double Adhesive tape 1" | roll | 17 |
| | | | |
| 61 | TAPE, Foam type Double Adhesive tape 2" | roll | 23 |
| 62 | TAPE, masking, 24mm | roll | 12 |
| 63 | TWINE, plastic 1 kilo/roll | roll | 900 |
| 64 | TRASHBAG, plastic transparent, 10's/pack, medium | pack | 2,500 |
| 65 | TRASHBAG, plastic transparent, 10's/pack, Large | pack | 160 |
| 66 | TRASHBAG, plastic transparent, 10's/pack, XL | pack | 2,500 |
| 67 | TRASHBAG, transparent, plastic/ 100's/ pack, | pack | 150 |
| 07 | biodegradable, Clear XXL 37x40 thickness: 0.05mm | pack | 150 |
| 69 | | m = =1 · | 10 |
| 68 | TRASHBAG, yellow, large (26"x32"), 50 pcs per pack | pack | 13 |
| 69 | TRASHBAG, Yellow Plastic Bag (large); 100/pack | pack | 200 |
| 70 | TRASHBAG, yellow garbage bag home commercial | pack | 6 |
| | use small, medium, large, extra-large, 10roll/pack | | |
| 71 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, Large | pack | 250 |
| 72 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | pack | 100 |
| _ | Medium | г | _ 5 5 |
| 73 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | nack | 50 |
| 13 | | pack | 50 |
| <u> </u> | Small | | F 222 |
| 74 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | pack | 5,000 |
| | XL | | |
| | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | pack | 900 |
| 75 | TRASTIBAG, plastic black Garbage bag, 10 s/ pack, | | |
| 75 | XXL | 1 | |
| 75 76 | | pack | 24 |

| | -Large: 13x13x32 inches (3 packs); XL: 15x15x37 inches (3 packs); Color: Yellow/Green/Black; One (1) color each size | | |
|-----|---|---------|----------|
| 77 | TRASHBIN, plastic, standard size | pack | 30 |
| 78 | WASTEBASKET, non-rigid plastic | piece | 50 |
| 79 | WASTEBASKET, with lid, non-rigid, plastic 35 cm | piece | 10 |
| ., | Height | piece | 10 |
| 80 | LINEAR TUBE, Light Emitting Diode (LED), 8-9 | piece | 1,500 |
| | watts LED tube, daylight, 600mm, | 1 | |
| 81 | LED Fluorescent Tube Light, Polycarbonate LED T8, 20 | piece | 120 |
| | watts Big; single-ended; High lumen output 120lm/w; | 1 | |
| | 2200lm; 129.5 x 18 x 15.5cm | | |
| 82 | LIGHT BULB, Light Emitting Diode (LED), 12 watts, | piece | 30 |
| | LED bulb daylight | | |
| 83 | LIGHT BULB, Light Emitting Diode (LED), 13 watts, | piece | 60 |
| | LED bulb daylight | | |
| 84 | LIGHT BULB, Light Emitting Diode (LED), 15W, | piece | 120 |
| | wide voltage 110-240V AC 50/60Hz; non-dimmable; | | |
| 0.5 | daylight PLOUTE PLANT OF THE CONTROL OF T | • | 200 |
| 85 | LIGHT BULB, Light Emitting Diode (LED), daylight, | piece | 230 |
| 0.6 | 7 watts, 100-250V | • | 100 |
| 86 | LIGHT BULB, Light Emitting Diode (LED), daylight, | piece | 130 |
| 07 | 9 Watts, t 806 lumens 170-240V 50/60Hz | | F0 |
| 87 | LINEAR TUBE, Light Emitting Diode (LED),12W | piece | 50 |
| 00 | panel light, day light white, 6"diameter | <u></u> | 1 000 |
| 88 | LINEAR TUBE, Light Emitting Diode (LED), Cool | piece | 1,000 |
| 90 | Daylight, 6500k, 18 Watts, 220-240 v, 50/60 Hz | | FO |
| 89 | LINEAR TUBE, Light Emitting Diode (LED), T5 LED | piece | 50 |
| 00 | 24W, 2FT Industrial Daylight double ended | nio | 200 |
| 90 | LINEAR TUBE, Light Emitting Diode (LED),T8 LED 16W, Single-ended, Color Temperature: Daylight, Life: 15,000 | piece | 300 |
| | hours, Operating Voltage: 220-240V AC 50/60Hz, 1600 | | |
| | Lumens, Dimensions: 25.4x1200mm | | |
| 91 | EXTERNAL HARD DRIVE, 2TB external Hard Drive | piece | 5 |
| | Expansion Desktop | 1 | |
| 92 | EXTERNAL HARD DRIVE,4TB, Color: Red, USB 3.2 | piece | 3 |
| | Gen 1, Dimensions (LxWxH): 107.2mm x 75mm x 19.15mm | 1 | |
| 93 | FLASH DRIVE, 16 GB capacity USB 2.0 port | piece | 1,200 |
| | compatible, plug and play, with light indicator, built- | - | |
| | in USB interface cover carrying strap, OTG 3.0 | | |
| 94 | FLASH DRIVE, 32GB, capacity USB 2.0 port compatible, | piece | 300 |
| | plug and play, with light indicator, built-in USB interface | _ | |
| | cover carrying strap, OTG 3.0 | | |
| 95 | FLASH DRIVE, 64GB capacity- USB 3.2 Gen 1 Speeds, | piece | 135 |
| | plug and play, with light indicator, built-in USB interface | | |
| 0.6 | cover carrying strap Dual Drive OTG 3.0 USB Flash Drive | | 447 |
| 96 | FLASH DRIVE, 128GB, Capacity, 2.0 Compatible, plug | piece | 146 |
| 07 | and play128GB, Capacity, 2.0 Compatible, plug and play | granit. | 200 |
| 97 | MOUSE, OPTICAL, USB connection type MOUSE Logitach M100P, corded | unit | 200 |
| 98 | MOUSE, Logitech, M100R, corded | unit | 50 50 |
| 99 | KEYBOARD, Logitech, K120, corded | unit | 50 |
| 100 | KEYBOARD, USB wired keyboard, Drain holes design | unit | 4 |
| 101 | PHILIPPINE NATIONAL FLAG | piece | 4 |
| | Size: 3ft X 6ft (standard size), Materials: Super-Weave Polyester, 100% water proof material, Designs are through- | | |
| | printed and visible on both sides, Bright, fade-resistant inks, | | |
| | Reinforced grommet holes with metal rings | | |
| 102 | MONOBLOC CHAIR, beige, Back Rest HT: 780 mm | piece | 30 |
| | -Front Legs Distance: 355 mm; Seat HT: 375 mm; Seat | 1 | |
| | Length: 355 mm; Side Legs Distance: 365 mm; Seat Width: | | |
| | 370 mm; Gross Weight: 2.28 kg | | |
| 103 | AUX CABLE, audio cable 3.5mm | piece | 2 |
| 104 | BACK WRENCH SET, H.D. 23pcs Combination | set | 1 |
| | Wrench Cr-V Set 6-32mm #33-650 | | |
| 105 | BADMINTON RACKET, Badminton racket, frame: | unit | 10 |
| | high modulus graphite, shaft: titanium mesh/full | | |
| | | | |
| | carbon graphite, weight: 3U (Ave. 85g), head shape: | | |

| | nylon multiflament gauge 0 ((mm langth 10 | | |
|------|--|-------|-----|
| | nylon, multifilament, gauge: 0.66mm, length: 10 meter, color: white | | |
| 106 | BADMINTON SHUTTLECOCKS, shuttlecocks, | tubes | 2 |
| 100 | goose feather, 12pcs per tube, authentic | tubes | 2 |
| 107 | BALL BAG, mesh bag with shoulder strap, large | unit | 1 |
| 107 | capacity, durable and wear-resistant, Materials: | ann | 1 |
| | oxford-cloth, type: Large Backpack | | |
| 108 | BALL PUMP, with 160 PSI pressure gauge, type: | unit | 2 |
| 100 | floor/track pump, color: black valve, type: dual | unit | _ |
| | (presta & schrader), material: aluminum alloy | | |
| 109 | BED MATTRESS, with Leatherette cover | piece | 4 |
| 10) | Size: Length: 75 x Width: 36 x Thickness: 4inches for | piece | 1 |
| | hospital bed | | |
| 110 | BED SHEET, plain green or white in color bed sheet | piece | 30 |
| 110 | fitted, cotton for single bed | piece | 30 |
| 111 | BILLIARD CUE STICK, 13 mm shaft size, 58 inches | unit | 4 |
| | height | Cirit | - |
| 112 | BROWN PAPER, Kraft, 90gsm 50 sheets per pack, 24 | roll | 12 |
| 112 | inches in length | 1011 | 12 |
| 113 | CARBON FILM, Legal, 100sheets per pack | pack | 10 |
| 114 | CERTIFICATE HOLDER, Double Sided 8.27x11.69 | piece | 400 |
| TT-I | inches DCH-4 | Piece | 100 |
| 115 | CERTIFICATE FRAMES, 8.5X11 | piece | 100 |
| 116 | CERTIFICATE FRAMES, 8.3A11 CERTIFICATE FRAMES, A4, Frame: Weight 0.4kg; | piece | 15 |
| 110 | Length 31cm; Width 22cm, Height 1.5cm | Picce | 10 |
| 117 | CIRCUIT BREAKER,30 amp, plug-in | piece | 3 |
| 118 | CIRCUIT BREAKER, ECB with 40AT | piece | 4 |
| 119 | CLEANING CLOTH, multi-purpose cleaning cloth; | set | 3 |
| 11) | flannel 18"x18" 12pcs/set; multi-color | set | 3 |
| 120 | COIL MATTING SOFT RUBBER MATTING, | roll | 3 |
| 120 | 5yards x 1meter per roll, extremely durable, Anti-Slip. | 1011 | 3 |
| | Spiked Backing Can be washed and scrubbed | | |
| | Removable Made of Rubber / PVC | | |
| 121 | COMPUTER BLOWER CLEANER, plug type, 220V | piece | 1 |
| 122 | CRAYONS, 16 CRAYONS/BOX | box | 125 |
| 123 | DART PIN, steel tip, 22 gram weight, 85% tungsten, 3 | set | 2 |
| 123 | pieces per set | set | 2 |
| 124 | DART STAND, heavy duty, quality design, stable, | unit | 1 |
| 124 | less wiggle when it used, it can disassemble, portable, | unit | 1 |
| | adjustable height up to 8 feet, inclusions: dart board | | |
| | bracket, 6 pcs. Wood screw, 8 pieces stand big screw | | |
| 125 | DARTBOARD, official size, movable number ring, | unit | 1 |
| 125 | staple-free, thin wiring segments fins, 2 years | unit | 1 |
| | warranty | | |
| 126 | DEODORIZER, Urinal anti blocking, anti-splash, | piece | 80 |
| 120 | deodorizing mat | Picce | 00 |
| 127 | DISPOSABLE GLOVES, latex, medium size | box | 10 |
| 128 | DISTRIBUTION PANEL BOARD, 250 AT Main 2 | unit | 10 |
| 120 | Branches, 1-150AT & 1-100AT | ann | 1 |
| 129 | DOORMAT RAGS, rectangle machine sewn 35cm x | piece | 120 |
| 149 | 50cm | piece | 120 |
| 130 | ELASTIC CORD, 3mm 10yards | yard | 70 |
| 131 | EMERGENCY LIGHT, for Brownout Automatic; | piece | 25 |
| 101 | Rechargeable LED Light Bulb; 12V rechargeable | Piece | 20 |
| | batteries included; Emergency light wall mounted; | | |
| | 2hours usage duration; 24hour charging time; 16 pcs | | |
| | SMD LED Light; White Light; Fire retardant; | | |
| | Overcharge protection; Over discharge protection; | | |
| | Adjustable dual optics; Up to 90 degrees Tilt Range | | |
| | 1 rajastable data optics, op to 70 degrees riit Kange | | |
| | Lamp Head: Wall mountable: Rechargeable Built- | | |
| | Lamp Head; Wall mountable; Rechargeable. Built- in4V2Ah Sealed Lead Acid Battery: 220-240V AC | | |
| | in4V2Ah Sealed Lead Acid Battery; 220-240V AC | | |
| 132 | | unit | 24 |

| | Amps; Max Load: Wound-720W/240V Unwound | | |
|-------------------|---|-------------------|------------|
| 100 | 3120W/240V Reel Set 10 meters | •• | 20 |
| 133 | EXTENSION CORD,(AEC-923)With Individual | unit | 38 |
| | Switch Control, With 2 USB Ports at 5V 2A, With | | |
| | Surge Protection, Cable Length: 4 meter, Socket type: | | |
| | 5 Gang Multipurpose Sockets, Maximum Load | | |
| | Capacity: 6A 1500 Watts, Input Voltage: 250Vac, | | |
| | 50/60Hz, Product Dimension: 3.5 x 7 x 36cm | | |
| 134 | EXTENSION CORD, with switch, 5 meters, Max. | unit | 3 |
| | Capacity: 2500W; 6 Parallel Outlets w/ Grounding | | |
| 135 | EXTENSION WHEEL, 1 0A, 2500W, 15 meters wire, | unit | 8 |
| | universal heavy duty outlets, with over heating | | |
| | protection button, Power leakage protector safety | | |
| | breaker, rapid flame retardant | | |
| 136 | FABRIC CONDITIONER, 1.8L - 2L Branded | bottle | 50 |
| 137 | FABRIC CONDITIONER, 8.5L, Branded | unit | 3 |
| 138 | FACE MASK, 50pcs/box | box | 10 |
| 139 | FACE SHIELD, direct splash protection | piece | 50 |
| 140 | FLOOR FINISH, 3M 5 Liter (1.32 per gallon) | gal | 15 |
| 141 | FLOOR MOP SPONGE MOP TWIST, The Water | piece | 20 |
| 171 | Mop Microfiber Nozzle Self-squeezing Home cleaning | piece | 20 |
| | Sponge Mops | | |
| 142 | FLOOR SCRUB (TILES SCRUB), scrub brush with | piece | 2 |
| 142 | | piece | 2 |
| 143 | long handle, stiff bristle FLOOR STRIPPING PAD | nicas | 10 |
| 143 | | piece | 10 |
| | 16inches Diameter: 16inches | | |
| | Hole diameter: 3 3/8inches; Color: black; floor type: | | |
| | hard floors; Shape: round; thickness: 3/4inch; | | |
| 111 | types: pads; usage: stripping | | 1 000 |
| 144 | FOOT RAGS, High quality rags; assorted colors; | piece | 1,000 |
| | 13x18" | | |
| 145 | FUNNEL (BIG), Thickened 304 Stainless Steel Funnel | piece | 1 |
| | Large Diameter with Filter Household Wine Oil | | |
| 146 | Funnel Extra Large Industrial Hopper | | 40 |
| 146 | GROUND WIRE, 125mm | meter | 49 |
| 147 | GROUND WIRE, 14mm | meter | 25 |
| 148 | GUN TUCKER, arrow type | piece | 3 |
| 149 | HAND TOWEL, Hand Towel Rectangular Shape, | pail | 1,501 |
| 450 | white, 100% cotton 5 pcs / pail | | |
| 150 | HDMI TO HDMI CABLE, 10m cable | piece | 5 |
| 151 | HDMI TO VGA ADAPTOR KIT, adaptor kit | piece | 3 |
| 152 | HEAD COVER, Bouffant cap, Head cover, disposable 100's | piece | 5 |
| 153 | HOSPITAL BED FLAT SHEET/ BLANKET, white | piece | 30 |
| | size 77x58 inches | | |
| 154 | INCANDESCENT, bulb, 10 watts | piece | 30 |
| 155 | KITCHEN GLOVES, plastic gloves | pack | 20 |
| | | • | 70 |
| 156 | LAUNDRY GLOVES, 100% natural rubber material with | pairs | |
| 156 | honeycomb pattern, with cotton lining and lemon scent for | pairs | |
| 156 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves | pairs | |
| | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip | - | |
| 156 157 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg | pairs | 350 |
| | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch | - | 350 |
| | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, | - | 350 500 |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail | pouch piece | 500 |
| 157 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net | pouch | |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe | pouch piece | 500 |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working | pouch piece | 500 |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type | pouch piece | 500 |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type Material: Stainless steel; Valve seat diameter: 35mm; Nominal | pouch piece | 500 |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa | pouch piece | 500 |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; | pouch piece | 500 |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve | pouch piece | 500 |
| 157 158 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; | pouch piece | 500 |
| 157 158 159 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature | pouch piece piece | 500 24 |
| 157 158 159 | honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, | pouch piece piece | 500 24 |

| | Functions - 24H display, temperature, date, calendar, visuable at night; Other uses- for shop, cafe, school, office, hotel, hall, mall, etc.; Material: Plastic; Size: 18inch; Plug: US; Voltage: 110-220V | | |
|-----|---|--------|-----|
| 161 | LIQUID SOSA DECLOGGER, Unclog pipes, sinks and drains, 1 liter Scent Rain Clean, anti-bacterial sulfate free /bottle | bottle | 100 |
| 162 | LIQUIFIED PETROLEUM GAS, 50kg/tank | tank | 288 |
| 163 | MEGABOX, Storage Box 50L | piece | 20 |
| 164 | MICROFIBER TOWEL, 30x30 / pc | piece | 102 |
| 165 | MOTH BALLS, 175 grams/pack | pack | 90 |
| 166 | MULTI-SURFACE CLEANER & DEODORIZER, | bottle | 100 |
| 100 | dilutable cleaner, in Lavender or Fresh Scent 60oz/bottle | bottle | 100 |
| 167 | MURIATIC ACID, 2 liters/bottle | bottle | 300 |
| 168 | NEMA BOX 3R, | piece | 3 |
| | Box Metal, Steel Gray Hinged Door, Lid 8.000inches L x 6.000inches W (203.20mm x 152.40mm) x 8.000inches (203.20mm) | 1 | |
| 169 | NOTARIAL SEAL, Notarial seal #23 (40 pcs per box) | box | 125 |
| 170 | OIL FILTER CAP REMOVAL WRENCH SOCKET SET, 23pcs Set Ratchet Spanner Cup Type With Portable Storage Case | set | 1 |
| 171 | PANEL BOARD 100 AT, Main 4 Branches, 4-40AT | piece | 1 |
| 172 | PILLOW, size 18x28 inches | piece | 15 |
| 173 | PILLOW CASE, cotton, size 18x28 inches, 2pcs per pack | pack | 15 |
| 174 | POWER CORD EXTENSION, 6 sockets, 5 meters | piece | 4 |
| 175 | PROTECTIVE SAFETY GOGGLES, silicone | piece | 50 |
| 176 | PVC CLAMP, ¾ inch | piece | 50 |
| 177 | PVC ELECTRICAL, 1inch | piece | 5 |
| 178 | PVC ELECTRICAL, ¾ inch | piece | 10 |
| 179 | ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L | piece | 6 |
| 180 | ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L | piece | 6 |
| 181 | RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair | piece | 50 |
| 182 | SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg-105kg, color: white, thickness: 15mm | piece | 225 |
| 183 | SANDO BAG, XL, plastic | piece | 50 |
| 184 | board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black | piece | 1 |
| 185 | scoreboard for volleyball, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, made of high quality plastic | piece | 1 |
| 186 | SCREW DRIVER, 6 pcs per set Specifications: Sizes: Flat Blades: 3x100mm 4x100mm 5.5x125mm 6.5x150mm Phillips Head: 1x80mm 2x100mm; Dimensions: width=21.8, height=4.5, length=30.6; Weight: 0.91kgs | piece | 2 |
| 187 | SEPARABLE SPIN MOP, with Double Bucket 360 Tornado Mop with Spinner Magic Spin Mop Floor Mop Lazy Mop | piece | 5 |
| 188 | SHOE COVER, non-woven, 100's (50 pairs), non-sterile | piece | 2 |
| 189 | SPLITTER/HUB, HDMI splitter/hub | piece | 3 |
| 190 | STORAGE BOX, Mega Box Plastic Made; High- | piece | 10 |
| | Impact" Series | _ | |

| Available: Transparent Clear | | Size. 95 liters (cm): L67.6 / W47.8 / H41.0; Color | | | |
|--|-----|--|-------|-------|---|
| STUDY LAMPS WITH BULB | | | | | |
| Material: metal -1 ampshade size: 12,5cm (Dia.) -Base size: 15cm (Dia.), 3cm (H) -The lamp body; 6cm -Operated by 2007, 80/60Hz or 120V, 50/60H, light bulb -8-12 watts 193 1HWN WIRE, 5,5mm2 194 1HWN YBR, 5,5mm2 195 1HWN YBR, 5,5mm2 195 195 196 197 198 198 198 198 198 198 199 198 198 198 199 199 190 190 | | , , | - | 2,499 | |
| - Lampshade size: 12.5cm (Dia.) - Base size:15cm (Dia.) 3cm (II) - The lamp hody: 60cm - Operated by 200V, 50/60fL or 120V, 50/60fL light bulb - 8-12-wats - 193 - 1190 | 192 | | piece | 6 | |
| -Base sizer.15cm (Dia.), 3cm (1) -The lamp body; 60cm -Operated by 230V, 80/6004 or 0120V, 80/60H, light bulb -8-12 watts 193 1HWN WIRE, 5.5mm2 150Mebrery, Box THWN 75°C, 600v Building Wire Oil and Heat Resistant, Plarne Retardant, Solid sizes of 1.60mm to 3.20mm; Stranded sizes 2.0mm²2 to 500mm²2 194 UNIVERSAL ADAPTOR, 10A, universal socket adaptor 195 USB C TO HDMI - USB-C TO LAN/HDMI/VGA/ USB30 GICART/4K/100W/PD back charge adapter tunderbot 3 AVC00HBTB, Color: Black, Features, Multi-Port USB-C Power Delivery 4K UPB C ompatible; Color contects to Survey and the USB-A-30, VGA, and 8t IMB ports; Connects to your device's USB-C, port, USB-C Power Delivery in 4K UBD Compatible; Connects to your device's USB-C, port, USB-C Power Delivery up to film? Package Includes USB-C Multimedia Adaptor + Charge (100W) Package Includes USB-C Package (100W) Pack | | | | | |
| -The lamp body; 60cm -Operated by 230%, 50/60Hz or 120V, 50/60H, light hulb -8-12 watts 193 | | • , , | | | |
| -Operated by 230V, 59/60Hz or 120V, 50/60H, light bulb -8-12 watts 193 | | | | | |
| -8-12 waits 193 | | | | | |
| 193 THWN WIRE, 5.5mm2 150Meters / Box 11 140Meters / Box 11 140Meters / Box 11 140Meters / Box 11 140Meters / Box 12 140Meters / Box 140Meters / Box | | | | | |
| 150Meters/ Box THWN 75°C, 600°R building Wire Oil and Heat Resistant, Flame Retardant, Solid sizes of 1.60mm to 3.20mm; Solid sizes of 1.60mm; Solid s | 193 | | piece | 1 | - |
| THWN 75°C, 600v Building Wire Oil and Heat Resistant, Flame Retardant, Solid sizes of 1.60mm to 3.20mm; Stranded sizes 2.0mm² (2) 500mm² (2) 194 UNIVERSAL ADAPTOR, 10A, universal socket adaptor 195 USB C TO HDMI - USB C TO LAN/HDMI/VGA/ USB30 piece GIGARIT/AK/100W/PD black charge adapter thundreholt 3 AVC0048TBK; Colors Black; Festures Multi-Port USB-C Power Delivery 4K UBE Compatible Cable connectors: USB-C Flower Delivery 4K UBE Compatible Cable connectors: USB-C Ethernet USB-A VGA HDMI, Multi-port adapter with USB-A 3.0, VGA, and 4K 11DMI ports; Connects to your device's USB-C port; USB-C Power Delivery up to 100W; Package Includes: USB-C Multimedal Adapter + Charge (100W) 196 USB WIRELESS PRESENTER Wireless mini-receive **2.AAA batterics,** Carrying case; Dimansions (height x width, depth): 149 m (278 mm) x 251 m (68 mm) x 21 | 170 | | Prece | - | |
| Oil and Heat Resistant, Fame Retardant, Solid sizes of 1.60mm to 3.20mm; Stranded sizes 2.0mm^2 to 500mm/2 194 UNIVERSAL ADAPTOR, 10A, universal socket adaptor 195 USB CT OHDMI USB.C TO LAN/HDMI/VGA/ USB3.0 GIGABIT/4K/100W/PD black charge adapter thunderboll 3 AVCOMBTIBK; Color Black, Features, Multi-Port 1 (DSB-C Power Delivery 4K UHD Compatible; Cable connectors; USB-C Power Delivery 4K UHD Compatible; Cable connectors; USB-C Elbernet USB-A VGA HDM, Multi-port adapter with USB-A 3.0, VGA, and 4K HDM ports; Connects to your device's USB-C Port; USB-C Power Delivery up to 100W; Package Includes; USB-C Multimedia Adapter + Charge (100W) Package Includes; USB-C Multimedia Adapter + USB-C Multimedia Adapter + USB-C Multimedia | | * | | | |
| Solid sizes of 1.60mm to 3.20mm; Stranded sizes 2.0mm/2 to 500mm/2 194 UNIVERSAL ADAPTOR, 10A, universal socket adaptor 195 USB C TO HDMI - USB-C TO LAN/IIDMI/VGA/ USB3.0 GIGABIT 4K, 100M/PD black charge adapter funderbeil 3 AVCOMBIBK, Cofor Black; Features: Multi-Port USB-C Power Delivery 4K UIID Compatible Cable connectors: USB-C Internet USB-A VGA HDMI: Multi-port adapter with USB-A 3.0, VGA, and 4K IIDMI ports; Connects to your device's USB-C port USB-C Power Delivery 4K UIID Compatible Cable connectors: USB-C Internet USB-A VGA HDMI: Multi-port adapter with USB-A 3.0, VGA, and 4K IIDMI ports; Connects to your device's USB-C port USB-C Power Delivery up to 100W; Package includes USB-C Multimodal Adapter + Charge (100W) 196 USB WIRELESS PRESENTER Wireless mit-received a proper of the connection of the power of the connection of the | | | | | |
| 194 UNIVERSAL ADAITOR, 10A, universal socket adaptor 195 USB CTO HDMI USB-C TO LAN/HDMI/VCA/ USB3.0 GIGABIT/4K, 100W/PD black charge adapter thunderholt 3 AVC004BIBK, Color Black; Features: Multi-Port USB-C Power Delivery 4K UHD Compatible Cable connectors: USB-C Ethernet USB-A VCA HDMI; Multi-port adapter with USB-A 30, VCA, and 4K HDMI ports, Connects to your device's USB-C port; USB-C Power Delivery up to 100W; Package includes: USB-C Multimedia Adapter + Charge (100W) 196 USB WIRELESS PRESENTER Wirelass mini-recvier • 2-AAA batteries • Carrying case; Dimensions (height x width x depth): 1.49 in (37 8m) x 4.55 in (15.5 mm) x 1.86 in (27.4 mm) • Weighte 2.01ox [57g]; • Receiver Dimensions (height x width x depth): 0.65 in (16.5 mm) x 2.31 in (856 mm) x 0.31 in (7.9 mm) • Receiver Weight: 0.21 ox [6 g]; • Color: Black; • Laser Class 2 Laser; • Max Output: Less than Inwit; • Wave Length: 6300- 666mm (ned light); • Battery type: 2 AAA batteries; • Battery life (Laser pointer); 20-hour maximum; • Buttery life (Pesceler) (100- hour maximum; • Wireless sperating distance: Approx Um2 197 UTILITY AIL, with metal handle with cover; 16.1 tlers 198 UV LIGHT BULB 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9.000 Burning Hours; Dimensions: 3.14inches H x 12inches W x 2-36inches L; 220V - 11 watts; Weight: 0.8 kg 199 VGA CABLE; 10 meters 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent stragging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rook, bands of red and white stringing on top halt. 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty individual switch and built in safety circuit breaker maximum wattage; 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 201 WALL CLOCK, Jüdt operation - Power: 220V AC or SV DC (Adapter included) - Hall Display Buils linch battery back-up (for setting) - LED Colour Available: | | | | | |
| 195 USB C TO HDMI - USB-C TO LAN/HDM/WGA/ USB3.0 piece GGABIT/4K/100W/PD black charge adapter thunderboll 3 AVC04BIBK; Color: Black Features Multi-Port I USB-C Power Delivery I 4R UHD Computible; Cable connectors: USB-C piece I USB-C Power Delivery at profile Color black of the USB-C Power Delivery at profile Color Color Black Features Multi-Port I USB-C Power USB | | Stranded sizes 2.0mm ² to 500mm ² | | | |
| GIGABIT / 4K/ 100W/PD black charge adapter thunderholt 3 AVCOMBTBIS; Color Black; Features Multi-Port USB-C Power Detivery 4K UIID Compatible; Cable connectors: USB-C Fithernet USB-A VGA ITDM! Multi-port adapter with USB-A 30, VGA, and 4K IIDM! ports; Connects to your device's USB-C port; USB-C Power Delivery up to 100W; Package Includes: USB-C Multimedia Adapter + Charge (100W) 196 USB WIRLESS PRESENTER Wirelsss mini-receiver Carpying case; Dimensions; (height x width x **2, **1, **1, **1, **1, **1, **1, **1, | 194 | UNIVERSAL ADAPTOR, 10A, universal socket adaptor | piece | 5 | |
| AVCOMBTEK; Color. Black; Features: Multi-Port USB-C Power Delivery 4 K UIID Compatible: Cable connectors: USB-C Ethernet USB-A WGA HDME Multi-port adapter with USB-A 3.0, WGA, and 44 HDMI ports: Connects to your device's USB-C port; USB-C Power Delivery up to 100W; Package Includes: USB-C Multimodia Adapter + Charge (100W) 196 | 195 | USB C TO HDMI - USB-C TO LAN/HDMI/VGA/ USB3.0 | piece | 3 | |
| Power Delivery 4K UIID Compatible; Cable connectors: USB-C Ethernet USB-A VGA HDMI Multi-ports C Ethernet USB-A VGA HDMI multi-ports C Ethernet USB-A VGA HDMI ports; Connects to your device's USB-C port; USB-C Power Delivery up to 100W; Package Includes: USB-C Multimedia Adapter + Charge (100W) 196 USB WIRELESS PRESENTER Wireless mini-receiver • 2 AAA batteries; • Carrying case; Dimensions (height x width x depth): 1.49 in (27.8 mm) x 4.55 in (115.5 mm) x 1.08 in (27.4 mm) • Weight: 2010x (37.9); • Receiver Dimensions (height x width x depth): 0.65 in (16.5 mm) x 2.31 in (8.6 mm) x 0.31 in (3.79 mm) • Neceiver Weight: 0.21 or (6.9); • Color: Black; • Laser Clases Clase 2 Laser; • Max Output: Less than IMW; • Wave Length: 610~ 660mm (red light): • Battery type: 2 AAA batteries; • Battery life (Incessenter): 1050-hour maximum; • Dimensions: 3 Jalinches H x; 12inches W x; 2.36inches I; 220V - 11 watts; Weight: 1.88 kg 199 VGA CABLE, 10 meters 200 VOLIEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on lop half; 1 pair or set 201 VOLLEYBALL NTE, tournament size, with cable, heavy duty 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grou | | | _ | | |
| C Ethernet USB-A VGA HDMI; Multi-port adapter with USB-A 30, UGA, and 4K IIMD ports; Connects to your device's USB-C port; USB-C Power Delivery up to 100W; Package Includes: USB-C Multimedia Adapter + Charge (100W) 196 USB WIRELESS PRESENTER Wirelines mini-receiver - 2.4 AAA hatteries; • Carrying case; Dimensions (height x width x depth): 1.49 in (67 4 mm) 4 5 mm / 4 5 mm / 4 5 mm in (7.9 mm) 4 Weight: 2010x (57g): • Receiver Dimensions (height x width x depth): 0.65 in (6.5 mm) x 23 in (6.5 mm) x 2.3 in (6.5 mm) x 2.3 in (6.5 mm) x 2.0 in (7.9 mm) x | | | | | |
| USB-A 3.0, VGA, and 4K HDMI ports; Connects to your device's USB-C port USB-C Power Delivery up to 100W; Package Includes: USB-C Multimedia Adapter + Charge (100W) 196 USB WIRELESS PRESENTER Wirolass mini-receiver * 2 AAA batteries; * Carrying case: Dimensions (height x width x depth): 1.49 in (V3 mm) x 4.55 in (115.5 mm) x 1.08 in (27.4 mm) * Weight: 20 for (97g); * Receiver Dimensions (height x width x depth): 0.65 in (16.5 mm) x 2.11 in (36.6 mm) x 2.13 in (36.6 mm) x 0.21 in (7.9 mm) * Receiver Weight: 0.21 or (6 g); * Color: Black; * Laser Class Class 2 Laser; * Max Output: Less than ImW; * Wave Length: 60° * 660m (red light); * Battery type: 2 AAA batteries; * Battery life (1.6 mesenter): 1050-hour maximum; * Wireless operating distance: Approx 10m.2 197 * UTILITY PAIL, with metal handle with cover; 161.iters piece 10 198 * UV LIGHT BULB 11 watts UV Light: Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions; 3.14 inches H x 12 inches W x 2.36 inches L; 220V - 11 watts; Weight: 0.8 kg piece 10 199 * VGA CABLE, 10 meters piece 3 200 * VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna. Solid fiberglass rods, bands of red and white striping on top half. 1 pair or set VOLLEYBALL NTE, commanent size, with cable, heavy duty piece 1 201 * VOLLEYBALL NET, commanent size, with cable, heavy duty piece 1 202 * VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety, circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 2500 wniversal outlet; 5 meters 200 wniversal o | | | | | |
| device's USB-C port; USB-C Power Delivery up to 100W; Package Includes USB-C Multimedia Adapter + Charge (100W) 196 USB WIRELESS PRESENTER **Package Includes **Carrying case; Dimensions (height x width x depth); 1.49 in (97.8 mm) x 4.55 in (115.5 mm) x 1.08 in (27.4 mm) **Weight 2.010; Cfg); **Neceiver Dimensions (height x width x depth); 0.65 in (16.5 mm) x 2.31 in (18.6 mm) x 0.31 in (7.9 mm) **Neceiver Weight; 0.210 x (6 gh; x Color Black; **Laser Class: Class 2 Laser; **Max Output: Less than InW; **Weve Length; 640** 660mm (rolt glight); **Stutrey type; 2.AAA batteries; **Stutrey life** ([.aser pointer); 20-hour maximum; **Battery life** (Presenter); 1050-hour maximum; **Verifcess operating distance: Approx 10m2 **Windess technology; 2.4 GHz wiredess technology 197 UVILITY PAIL, with metal handle with cover; 16.1sters piece 10 198 UV LIGHT BULB 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions: 3.14inches H x 12inches W x 2.36inches L; 220V ~*-11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters piece 3 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with able, heavy duty 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 2 204 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation - Power: 220V AC or SV DC (Adapter included) -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Postage and the surface of the sur | | | | | |
| USB WIRELESS PRESENTER piece 6 | | device's USB-C port; USB-C Power Delivery up to 100W; | | | |
| Wireless mini-receiver • 2 AAA batteries; • Carrying case; Dimensions (height x width x depth); 1.49 in (378 mm) x 4.85 in (115.5 mm) x 1.08 in (274 mm) • Weight; 2.01 oz (57g); • Receiver Dimensions (height x width x depth); 0.65 in (16.5 mm) x 2.31 in (28.6 mm) x 0.21 in (7.9 mm) • Receiver Weight; 0.21 oz (6 g); • Color Black; • 1.aser Class; Class 2 Laser; • Max Output; Less than 1miv]; • Wave Length; 640~660mm (red light); • Battery type; 2 AAA batteries; • Battery life (Laser pointer); 22-0-hour maximum; • Battery life (Tresenter); 1050-hour maximum; • Wireless operating distance: Approx 10m2 • Wireless technology; 24 CHz wireless technology 197 UTILITY PAIL, with metal handle with cover; 16Liters 198 10 VIGHT BUIB 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life; 9,000 Burning Hours; Dimensions; 3.14 inches H x 12 linches W x 2.36 inches 1, 2200 + 11 watts; Weight; 0.8 kg 199 VGA CABLE, 10 meters 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half; 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty 202 VOLTAGE SURGE FROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation • Power: 220V AC or 5V DC (Adapter included) • Wall Display; Built-in battery back-up (for setting) • LED Colour Available: Red • Product Dimensions: 20 x 7.5 x 2 (inches) • Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Display • Technical Specification: **Clock Size: 480mmX190mm50mm (L X H X W)* **Time Digits Size: 10 x 15 mm • Outpur: AC1000-0000 (600000000000000000000000000000 | | | | | = |
| *2 AAA batteries; * Carrying case; Dimensions (height x width x depth): 149 in (37 mm) x 48 in (125 mm) x 10 in (125 mm) x 10 in (125 mm) x 40 in (125 mm) x 40 in (125 mm) x 21 in (185 mm) | 196 | | piece | 6 | |
| depth): 1.49 in (37.8 mm) x 4.58 in (115.5 mm) x 1.08 in (27.4 mm) • Weight 2.010; (57g); • Receiver Dimensions (height x width x depth): 0.65 in (16.5 mm) x 2.31 in (8.6 mm) x 0.31 in (7.9 mm) • Receiver Weight: 0.21 oz (6 g); • Color Black; • Laser Class: Class: 2 Laser; • Max Output: Less than ImW; • Wave Length: 640~ 660mm (red light); • Battery type: 2 AAA batteries; • Battery life (flaser pointer); 220-bneu maximum; • Battery life (Tresenter): 1050- hour maximum; • Wireless operating distance: Approx 10m2 • Wireless technology; 24.6 fLs wireless technology 197 UTILITY PAIL, with metal handle with cover; 16Liters 198 IV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions: 3.14 inches H x 12 inches W x 2.36 inches L; 220V - 11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty 202 VOLLEYBALL NET, tournament size, with cable, heavy duty 203 WALL CLOCK, DIGTAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: **Clock Size: 486mmX 190mmx50mm (L X H X W) **Time Digits Size 45mm X 75mm **Calendar Digits Size: 10 x 15 mm **Output: AC100v-240v 50/ 60Hz | | | | | |
| depth): 0.65 in (16.5 mm) x 2.31 in (38.6 mm) x 0.31 in (7.9 mm) * Neceiver Weight 0.21 or (g); 0; * Color: Black; * Laser Class: Class 2 Laser; * Max Output: Loss than ImW; * Wave Length: 640~ 660nm (red light); * Battery type: 2 AAA batteries; * Battery life (Laser pointer); 20-hour maximum; * Mircless operating distance. Approx 10m2 * Wireless technology: 2.4 GHz wireless technology 197 **UTILITY PAIL, with metal handle with cover; 161.iters 198 **UV LIGHT BULB 11 watts UV Light: Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions; 3.14 inches H x 12 inches W x 2.36 inches L; 220V - 11 watts; Weight: 0.8 kg 199 **VGA CABLE, 10 meters 200 **VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 **VOLLEYBALL NET, tournament size, with cable, heavy duty 202 **VOLLEYBALL NET, tournament size, with cable, heavy duty 202 **VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 **WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation - Power: 220V AC or 5V DC (Adapter included) - Wall Display; Buill-in battery back-up (for setting) - LED Colour Available: Red - Product Dimensions: 20 x 7.5 x 2 (inches) - Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display - Technical Specification: **Clock Size: 480mmx190mmx50mm (L X H X W) **Time Digits Size 45mm X 75mm **Calendar Digits Size 10 x 15 mm **Calendar Digits Size: 10 x | | | | | |
| * Receiver Weighte 0.21 oz (6 g); * Color: Black; * Laser Class: Class 2 Laser; * Max Output Less than ImW; * Wave Length: 640~ 660nm (red light); * Battery type: 2 AAA batteries; * Battery life (Laser pointer); 20-hour maximum; * Battery life (Presenter); 1050-hour maximum; * Wireless operating distance Approx 10m2 * Wireless technology; 2.4 GHz wireless technology | | | | | |
| 2 Laser, * Max Output Less than ImW; * Wave Length: 640~ 660m (red light): * Battery type 2 AAA battery life (Laser pointer): 20-hour maximum; * Battery life (Presenter): 1050-hour maximum; * Wireless technology: 24 GHz wireless technology 197 UTILITY PAIL, with metal handle with cover; 16 Liters 198 UV LIGHT BULB 119 Watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions; 3.14 inches H x 12 inches W x 2.36 inches 1; 220V - 11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker; includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display Buill-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: **Clock Size: 480mmx190mmx50mm (L X H X W) **Time Digits Size: 10 x 15 mm** **Calendar Digits Size: 10 x 15 mm** **Output: AC100v-240v-500/60Hz* | | | | | |
| 660nm (red light).* Battery type: 2 AAA batteries; *Battery life (!Laser pointer).20-hour maximum; *Battery life (Presenter): 1050-hour maximum; *Other life life presenter): 1050-hour maximum; *Other life life presenting distance: Approx 10m2 *Wireless technology: 2.4 Girlz wireless technology 198 | | | | | |
| hour maximum; • Wireless operating distance: Approx 10m2 • Wireless technology: 2.4 GHz wireless technology 197 UTILITY PAIL, with metal handle with cover; 16Liters piece 30 198 UV LIGHT BULB 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions: 3.14inches H x 12inches W x 2.36inches L; 220V - 11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters piece 3 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 1 202 VOLLAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with groundling pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: **Clock Size: 480mmx190mmx50mm (L X H X W)** **Time Digits Size: 480mmx190mmx50mm (L X H X W) **Time Digits Size: 10 x 15 mm **Output: AC100v-240v 50/60Hz | | 660nm (red light); • Battery type: 2 AAA batteries; • Battery life | | | |
| Wireless technology: 2.4 GHz wireless technology 197 UTILITY PAIL, with metal handle with cover; 16Liters piece 30 198 UV LIGHT BULB piece 10 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions: 3.14inches H x 12inches W x 2.36inches L; 220V - 11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters piece 3 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set striping on top half, 1 pair or set with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation - Power: 220V AC or 5V DC (Adapter included) - Wall Display; Built-in battery back-up (for setting) - LED Colour Available: Red - Product Dimensions: 20 x 7.5 x 2 (inches) - Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display - Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz. | | | | | |
| 197 UTILITY PAIL, with metal handle with cover; 16Liters piece 30 198 UV LIGHT BULB 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions: 3.14inches H x 12inches W x 2.36inches L; 220V - 11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters piece 3 200 VOLLEVBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 1 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | | | | |
| 198 UV LIGHT BULB 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions: 3.14inches H x 12inches W x 2.36inches L; 220V - 11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7 5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | 197 | | piece | 30 | = |
| 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); Lamp Life: 9,000 Burning Hours; Dimensions: 3.14inches H x 12inches W x 2.36inches L; 220V - 11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters piece 3 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 1 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | 198 | | * | 10 | 1 |
| x 12inches W x 2.36inches L; 220V – 11 watts; Weight: 0.8 kg 199 VGA CABLE, 10 meters piece 3 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 1 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); | 1 | | |
| 199 VGA CABLE, 10 meters 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 1 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | | | | |
| 200 VOLLEYBALL ANTENNA MARKET SET, Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | 100 | | | | - |
| Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 1 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | | • | | |
| sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 1 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | 200 | | piece | 1 | |
| antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty piece 1 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation - Power: 220V AC or 5V DC (Adapter included) - Wall Display; Built-in battery back-up (for setting) - LED Colour Available: Red - Product Dimensions: 20 x 7.5 x 2 (inches) - Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display - Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size 10 x 15 mm * Output: AC100v-240v 50/60Hz | | | | | |
| striping on top half, 1 pair or set 201 VOLLEYBALL NET, tournament size, with cable, heavy duty 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | ÿ 1 | | | |
| 202 VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | | | | |
| individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | 201 | VOLLEYBALL NET, tournament size, with cable, heavy duty | piece | 1 | |
| individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | 202 | VOLTAGE SURGE PROTECTOR, 6 outlet with | - | 12 | |
| outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters 203 WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | individual switch and built in safety circuit breaker | - | | |
| 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | | | | |
| WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | outlets with grounding pin, durable steel housing, 10A, | | | |
| 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | 202 | | mi | 2 | |
| visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | 203 | | piece | 3 | |
| -Power: 220V AC or 5V DC (Adapter included) -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | | | | |
| -Wall Display; Built-in battery back-up (for setting) -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | | | | |
| -LED Colour Available: Red -Product Dimensions: 20 x 7.5 x 2 (inches) -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm *Output: AC100v-240v 50/60Hz | | | | | |
| -Red Digital Large Jumbo LED Wall Desk Alarm Clock Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | -LED Colour Available: Red | | | |
| Calendar Temperature Practical Product Description Model 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | | | | |
| 4819Time (Hour, Minute, Second) Calendar (Date, Month, Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | | | | |
| Year) Temperature Display -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | | | | |
| -Technical Specification: *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | | | | |
| *Clock Size: 480mmx190mmx50mm (L X H X W) *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | | | | |
| *Time Digits Size 45mm X 75mm *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | | | | |
| *Calendar Digits Size: 10 x 15 mm * Output: AC100v-240v 50/60Hz | | *Time Digits Size 45mm X 75mm | | | |
| | | *Calendar Digits Size: 10 x 15 mm | | | |
| *Fower Consumption: ≤ 3 watts | | | | | |
| | | rower Consumption: ≤ 3 watts | | | |

| | *Colour: red; Weight: about 2KG; Material- Front panel | | | | | |
|-----|---|-------|-----|--|--|--|
| | (glass), Frame (aluminum alloy); Features: 24-hour mode | | | | | |
| | with calendar & temperature displayed along the bottom; | | | | | |
| | can be placed on a table or hung the wall have no alarm and | | | | | |
| | punctual reporting function | | | | | |
| | -Time memory function: time saved when power off | | | | | |
| | energy-saving less than 3W power consumption | | | | | |
| | a button cell battery included for memory back-up (Notice: | | | | | |
| 204 | This battery is just for memory back-up | | 10 | | | |
| 204 | WALL MOUNT FAUCET, Stainless Steel 90° quick | piece | 12 | | | |
| | open | | | | | |
| 205 | WASTE COTTON, white rag | piece | 300 | | | |
| | White round cotton rags; 14-16 cm diameter; 25-45pcs | | | | | |
| | (depends on the rags made); very absorbent; quality | | | | | |
| | | | | | | |
| | made; affordable; good for cleaning and painting purposes | | | | | |
| 206 | WATER DIPPER , Heavy duty plastic, 41 cm x 13cm | piece | 30 | | | |
| 207 | WHISTLE, ABS+ titanium alloy + polymer material + | piece | 3 | | | |
| | rope, with storage box | | | | | |
| 208 | WIDE STEEL MOP HEAD, made of soft cotton yarn | piece | 50 | | | |
| | 120cm/pc | 1 | | | | |
| 209 | WIPES, Clorox 30 pcs, Didecyldimethylammonium | piece | 10 | | | |
| | chloride (0.40%), Other ingredients: <5% cationic | r | | | | |
| | surfactants, <5% non-ionic surfactants, <5% | | | | | |
| | hydrocarbons, perfumes | | | | | |
| 210 | WRAPPING PAPER, kraft, 50's/pack | pack | 17 | | | |
| 210 | *** | pack | 17 | | | |
| | | | | | | |

I hereby certify to comply and deliver all the above requirements.

| Name: | |
|--|--|
| Legal Capacity: | |
| Signature: | |
| Duly authorized to sign the Bid for and behalf of: _ | |

Schedule of Requirements Page 8 of 8 CGSD-24-JS2-0265

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: SUPPLY AND DELIVERY OF VARIOUS JANITORIAL SUPPLIES AND OTHERS PROJECT NO. CGSD-24-JS2-0265

| Item | Specification | Statement of Compliance |
|------|---|--|
| | | [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.] |
| A.1 | ALCOHOL ,isopropyl, 70% Solution for disinfection, gal | iaws and issuances. |
| 2 | ALCOHOL, isopropyl, 70% Solution for disinfection, 500ml | |
| 3 | BATH SOAP, original scent 90g | |
| 4 | BATTERY CHARGER, for 9 volts battery | |
| 5 | BATTERY, 9 volts | |
| 6 | BATTERY, 9 volts rechargeable | |
| 7 | BATTERY, AA rechargeable | |
| 8 | BATTERY, AA, dry cell, 2 pcs per blister pack | |
| 9 | BATTERY, AAA rechargeable | |
| 10 | BATTERY, AAA, dry cell, 2 pcs per blister pack | |
| 11 | BATTERY, D size, dry cell | |
| 12 | BATTERY,C Type, Super heavy duty C size battery 2pcs/pack | |
| 13 | BLEACHING LIQUID, Antivac, 1 Liter, whitens, | |
| 13 | removes stains, deodorize | |
| 14 | BLEACHING LIQUID, original total clean bleach 3785ml. (1 gal) | |
| 15 | BROOM NATURAL WHISK, Broom head is made of | |
| | natural fiber, Handle is made of plastic, Long-lasting | |
| | whisk, Has dense bristles for easier sweeping, Handle | |
| | height measures 60cm | |
| 16 | BROOM, soft, walis tambo | |
| 17 | BROOM STICK, Stick, (Ting-ting), standard size | |
| 18 | BROOM SET, Long Handle Broom Floor Cleaning Foldable Broom And Dustpan Set Sweeping Magic Brush | |
| 19 | BRUSH, Toilet bowl with holder set, plastic long handle, nylon bristle | |
| 20 | CLEANER, toilet and urinal, 900-1000 ml | |
| 21 | CLEANSER, scouring powder, 350gms. | |
| 22 | DETERGENT POWDER, all-purpose, 500g | |
| 23 | DETERGENT POWDER, all-purpose, 200g | |
| 24 | DETERGENT LIQUID, stain remover, Sunshine fresh | |
| | scent, 1 liter/bottle | |

| 25 | DETERGENT LIQUID ,for cleaning glassware that | |
|---------|--|--|
| <u></u> | leaves no residue, 1 gallon/bottle | |
| 26 | DISINFECTANT SPRAY, aerosol type, 400-500g | |
| 27 | DISINFECTANT CLEANER, all purpose spray, 1liter | |
| 28 | DISINFECTANT CLEANER, all purpose spray, 1gal | |
| 29 | DISWASHING LIQUID, Antibacterial 1liter/bottle | |
| 30 | DISWASHING LIQUID, anti-grease with | |
| 30 | antibacterial; 500ml/bottle | |
| 31 | DISWASHING LIQUID, Chemical Foam Booster, | |
| | 250ml per pack | |
| 32 | DISWASHING LIQUID SOAP, Liquid soap, | |
| | Antibacterial, Grease stripper/Fresh Scent, Color - | |
| | Blue,1000ml/Bottle or pouch | |
| 33 | DISWASHING PASTE, 200g with free sponge inside | |
| 34 | DISHWASHING SPONGE , Foam; size: 3 inches x 3 | |
| | inches; 12pcs/set | |
| 35 | DUCT TAPE, 2 inches, 10 meters length | |
| 36 | DUCT TAPE, 2 inches, 10 meters length | |
| 37 | DUCT TAPE, 2 inches, 50 meters length | |
| 38 | FLOOR WAX, colorless, 3.5L/gal. | |
| 39 | GLASS CLEANER, Antibacterial 500ml with spray/bottle | |
| 40 | GLASS CLEANER WIPER, cleaner wiper, squeegee | |
| | brush | |
| 41 | INSECTICIDE, aerosol type, 600 ml | |
| 42 | LIQUID HAND SOAP, liquid, antibacterial, floral | |
| | care, 500ml | |
| 43 | LIQUID HAND SOAP, Liquid, Antibacterial liquid | |
| | soap, 1 gallon | |
| 44 | LIQUID HAND SANITIZER, 500mL | |
| 45 | MOP, with spinner | |
| 46 | MOPHEAD, made of rayon | |
| 47 | RAGS, all cotton, 32pcs/kilo/bundle | |
| 48 | SCOURING PAD, synthetic nylon, 5 pcs/pack | |
| 49 | SCRUB SPONGE, made of nylon polyester (100mm x | |
| 13 | 70 mm),3 pcs/pack | |
| 50 | SCRUBBING BRUSH, Size: 5x11.5x4.5cm, assorted | |
| | colors, 3x cleaner, convenient-quick, comfortable to grip | |
| 51 | TOILET TISSUE PAPER, 2-ply, 100% recycled 12 | |
| | roll/pack | |
| 52 | TOILET TISSUE PAPER, Interfolded Paper Towel, | |
| | 150 pulls/ pack | |
| 53 | TISSUE FACIAL, 2-ply, approx. sheet size: | |
| | 200mmx200mm, 340sheets/box | |
| 54 | TISSUE PAPER TOWEL, 150 pulls, 1 ply, size: | |
| | 200mmx200mm | |
| 55 | TISSUE PAPER TOWEL, Tissue Multi-Fold, Multi- | |
| | Fold Towels, Absorbency Pockets, 9 2/5 x 9 1/5, | |
| F.C. | White, 250 Sheets Per Pack (Case of 12 pack) | |
| 56 | TISSUE, interfolded paper towel, 170 pull ups/ size 200 mm x 200 mm/ pack of 3 | |
| 57 | TISSUE, Jumbo Roll, 16roll/box | |
| 58 | TAPE, Duct MAXBOND, heavy duty, high strength, | |
| عة عق | 48mm x 20m | |
| 59 | TAPE, electrical 19mm x 16m, made of polyvinyl | |
| | chloride (PVC) | |
| 60 | TAPE , Foam type Double Adhesive tape 1" | |
| 61 | TAPE, Foam type Double Adhesive tape 2" | |
| 62 | TAPE, masking, 24mm | |
| 63 | TWINE, plastic 1 kilo/roll | |
| | TRASHBAG, plastic transparent, 10's/pack, medium | |
| 64 | TRASHBAG, plastic transparent, 10's/pack, medium TRASHBAG, plastic transparent, 10's/pack, Large | |
| 65 | 1 1 | |
| 66 | TRASHBAG, plastic transparent, 10's/pack, XL | |

| 67 | TRASHBAG, transparent, plastic/ 100's/ pack, | |
|-----|---|--|
| 07 | biodegradable, Clear XXL 37x40 thickness: 0.05mm | |
| 68 | TRASHBAG, yellow, large (26"x32"), 50 pcs per pack | |
| | | |
| 69 | TRASHBAG, Yellow Plastic Bag (large); 100/pack | |
| 70 | TRASHBAG, yellow garbage bag home commercial | |
| | use small, medium, large, extra-large, 10roll/pack | |
| 71 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | |
| | Large | |
| 72 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | |
| | Medium | |
| 73 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | |
| | Small | |
| 74 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | |
| | XL | |
| 75 | TRASHBAG, plastic Black Garbage Bag, 10's/pack, | |
| | XXL | |
| 76 | TRASHBAG, 100's/pack | |
| , 0 | Small: 9x9x20 (3 packs); Medium:11x11x24 (3 packs) | |
| | -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) | |
| | -Color: Yellow/Green/Black; One (1) color each size | |
| 77 | TRASHBIN, plastic, standard size | |
| | ÷ | |
| 78 | WASTEBASKET, non-rigid plastic | |
| 79 | WASTEBASKET, with lid, non-rigid, plastic 35 cm | |
| | Height | |
| 80 | LINEAR TUBE, Light Emitting Diode (LED), 8-9 watts | |
| | LED tube, daylight, 600mm, | |
| 81 | LED Fluorescent Tube Light , Polycarbonate LED T8, | |
| | 20 watts Big; single-ended; High lumen output | |
| | 120lm/w; 2200lm; 129.5 x 18 x 15.5cm | |
| 82 | LIGHT BULB, Light Emitting Diode (LED), 12 watts, | |
| | LED bulb daylight | |
| 83 | LIGHT BULB, Light Emitting Diode (LED), 13 watts, | |
| | LED bulb daylight | |
| 84 | LIGHT BULB, Light Emitting Diode (LED), 15W, | |
| 04 | wide voltage 110-240V AC 50/60Hz; non-dimmable; | |
| | daylight | |
| 85 | LIGHT BULB, Light Emitting Diode (LED), daylight, | |
| 85 | 7 watts, 100-250V | |
| 0.0 | · | |
| 86 | LIGHT BULB, Light Emitting Diode (LED), daylight, | |
| | 9 Watts, t 806 lumens 170-240V 50/60Hz | |
| 87 | LINEAR TUBE, Light Emitting Diode (LED),12W | |
| | panel light, day light white, 6"diameter | |
| 88 | LINEAR TUBE, Light Emitting Diode (LED), Cool | |
| | Daylight, 6500k, 18 Watts, 220-240 v, 50/60 Hz | |
| 89 | LINEAR TUBE, Light Emitting Diode (LED),T5 LED | |
| | 24W, 2FT Industrial Daylight double ended | |
| 90 | LINEAR TUBE, Light Emitting Diode (LED), T8 LED | |
| | 16W, Single-ended, Color Temperature: Daylight, Life: | |
| | 15,000 hours, Operating Voltage: 220-240V AC | |
| | 50/60Hz, 1600 Lumens, Dimensions: 25.4x1200mm | |
| 91 | EXTERNAL HARD DRIVE, 2TB external Hard Drive | |
| | Expansion Desktop | |
| 92 | EXTERNAL HARD DRIVE,4TB, Color: Red, USB 3.2 | |
| | Gen 1, Dimensions (L x W x H): 107.2mm x 75mm x | |
| | 19.15mm | |
| 93 | FLASH DRIVE, 16 GB capacity USB 2.0 port | |
| 33 | compatible, plug and play, with light indicator, built- | |
| | | |
| | in USB interface cover carrying strap, OTG 3.0 | |
| 94 | FLASH DRIVE, 32GB, capacity USB 2.0 port | |
| | compatible, plug and play, with light indicator, built- | |
| | in USB interface cover carrying strap, OTG 3.0 | |
| 95 | FLASH DRIVE, 64GB capacity- USB 3.2 Gen 1 Speeds, | |
| | plug and play, with light indicator, built-in USB | |
| | | |

| | interface cover carrying strap Dual Drive OTG 3.0 USB | |
|-----|--|--|
| | Flash Drive | |
| 96 | FLASH DRIVE, 128GB, Capacity, 2.0 Compatible, | |
| | plug and play128GB, Capacity, 2.0 Compatible, plug | |
| | and play | |
| 97 | MOUSE, OPTICAL, USB connection type | |
| 98 | MOUSE, Logitech, M100R, corded | |
| 99 | KEYBOARD, Logitech, K120, corded | |
| 100 | KEYBOARD, USB wired keyboard, Drain holes | |
| | design | |
| 101 | PHILIPPINE NATIONAL FLAG | |
| | Size: 3ft X 6ft (standard size), Materials: Super-Weave | |
| | Polyester, 100% water proof material, Designs are throughprinted and visible on both sides, Bright, fade-resistant inks, | |
| | Reinforced grommet holes with metal rings | |
| 102 | MONOBLOC CHAIR, beige | |
| 103 | AUX CABLE, audio cable 3.5mm | |
| 104 | BACK WRENCH SET, H.D. 23pcs Combination | |
| 104 | Wrench Cr-V Set 6-32mm #33-650 | |
| 105 | BADMINTON RACKET, Badminton racket, frame: high | |
| | modulus graphite, shaft: titanium mesh/full carbon | |
| | graphite, weight: 3U (Ave. 85g), head shape: isometric, with | |
| | badminton string, high polymer nylon, multifilament, | |
| 100 | gauge: 0.66mm, length: 10 meter, color: white | |
| 106 | BADMINTON SHUTTLECOCKS, shuttlecocks, goose feather, 12pcs per tube, authentic | |
| 107 | BALL BAG, mesh bag with shoulder strap, large | |
| 107 | capacity, durable and wear-resistant, Materials: | |
| | oxford-cloth, type: Large Backpack | |
| 108 | BALL PUMP, with 160 PSI pressure gauge, type: | |
| | floor/track pump, color: black valve, type: dual | |
| | (presta & schrader), material: aluminum alloy | |
| 109 | BED MATTRESS, with Leatherette cover | |
| | Size: Length: 75 x Width: 36 x Thickness: 4" for hospital bed | |
| 110 | BED SHEET, plain green or white in color bed sheet | |
| | fitted, cotton for single bed | |
| 111 | BILLIARD CUE STICK, 13 mm shaft size, 58 inches | |
| 112 | height | |
| 112 | BROWN PAPER, Kraft, 90gsm 50 sheets per pack, 24 inches in length | |
| 113 | CARBON FILM, Legal, 100sheets per pack | |
| 114 | CERTIFICATE HOLDER, Double Sided 8.27x11.69 | |
| 114 | inches DCH-4 | |
| 115 | CERTIFICATE FRAMES, 8.5X11 | |
| 116 | CERTIFICATE FRAMES, A4, Frame: Weight 0.4kg; | |
| 110 | Length 31cm; Width 22cm, Height 1.5cm | |
| 117 | CIRCUIT BREAKER,30 amp, plug-in | |
| 118 | CIRCUIT BREAKER, ECB with 40AT | |
| 119 | CLEANING CLOTH, multi-purpose cleaning cloth; | |
| | flannel 18"x18" 12pcs/set; multi-color | |
| 120 | COIL MATTING SOFT RUBBER MATTING, 5yards | |
| | x 1meter per roll, extremely durable, Anti-Slip. Spiked | |
| | Backing Can be washed and scrubbed Removable Made of | |
| 424 | Rubber / PVC | |
| 121 | COMPUTER BLOWER CLEANER, plug type, 220V | |
| 122 | CRAYONS, 16 CRAYONS/BOX | |
| 123 | DART PIN , steel tip, 22 gram weight, 85% tungsten, 3 | |
| 124 | pieces per set DART STAND beavy duty quality design stable | |
| 124 | DART STAND, heavy duty, quality design, stable, less wiggle when it used, it can disassemble, portable, | |
| | adjustable height up to 8 feet, inclusions: dart board | |
| | bracket, 6 pcs. Wood screw, 8 pieces stand big screw | |
| 125 | DARTBOARD, official size, movable number ring, | |
| | staple-free, thin wiring segments fins, 2 years | |
| | warranty | |
| | • | |

| decolorizing mat 127 DISPOSABILE GLOVES, latex, medium size 128 DISTRIBUTION PANEL BOARD, 250 AT Main 2 Branches, 1-150AT & 1-100AT 129 DOORMAT RAGS, recturgle machine seven 35cm x 56cm 130 ELASTIC CORD, 3mm Hyards 131 EMERGENCY LIGHT, for Brownout Automatic; Rechargeable LED Light Bulb; 12V rechargeable betteries included, Emergency light wall mounted; 2 hours usage duration; 24hour charging time; 16 pes 5 MTD 1FD Light; White Light; fire retardant; Overcharge protection Over discharge protection; Adjustable dual optics: Up to 90-degree Tilt Range Lamp Head; Wall mountable; Rechargeable Built- in4V2Ah Saukel Lead Acid Battery; 220-240V AC 50/60Hz; Built in power cord. 132 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2mm2-Wire Labej; Socket-4 Sockets, Plug Fuses: 16 Amps; Max Load: Wound-7-20W/246V I Unwound 3120W/246V Reel Socket-4 Sockets, Plug Fuses: 16 Amps; Max Load: Wound-7-20W/246V I Unwound 3120W/246V Reel Set 10 meters 133 EXTENSION CORD, AEC-923With Individual Switch Control, With 2 USB Ports at 55 V.2 A, With Surge Protection, Cable I ength: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity; 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity; 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x x 36cm 135 EXTENSION WHITE, 170A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, capid flame to the product of the produ | 126 | DEODORIZER, Urinal anti blocking, anti-splash, | |
|--|-----|---|--|
| 128 DISTRIBUTION PANEL BOARD, 250 AT Main 2 Branches, 1-150AT to 1-100AT 129 DOORMAT RAGS, rectangle machine sewn 35cm x 50cm 130 ELASTIC CORD, 3mm 10yards 131 EMERGENCY LIGHT, for Brownout Automatic; Rechargoable LED Light Bulb; 12V rechargoable batteries included; Emergency light wall mounted; 2hours usage duration 24hour charging time; 16 pes 5MD LED Light, White Light, Fire retardant; Overcharge protection Over discharge protection; Adjustable dual optics; Up to 90-degree Tilt Range Lamp Head; Wall mountable; Rechargeable, Built- in4V2Ah Sealed Lead Acid Battery; 220-240V AC 50/60Hz, Built in power cord. 132 EXTENSION CORD, Reel Set 30 meters, 2.5 inch x 2mm2-Wire Labej; Socket 4 Sockets; Plug Fuse: 16 Amps; Max Load: Wound-7-20W/240V Unwound 3120W/240V Reel Socket 4 Sockets; Plug Fuse: 16 Amps; Max Load: Wound-7-20W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, (AFC-923)With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable I ength: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 30/60Hz, Product Dimension: 35 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 250W1; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2508W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 8.1; 2-12 Branded 137 FABRIC CONDITIONER, 8.5; Lebanded 148 FACE MASK, 50per-box 149 FACE SHIELD, direct splash protection 140 FLOOR FINSH, 3M.5 Liter (13 2) per gallon) 141 FLOOR MORP SYONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponya Mops 142 FLOOR SCRIB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR SCRIB (TILES SCRUB), scrub brush with long handle, stiff bristle 144 FLOOR AGCRIB (TILES SCRUB), scrub brush with long handle, stiff bristle 145 FLOOR SCRIB (TILES SCRUB), scrub brush with long handle, stiff brist | | | |
| Branches, 1-150AT & 1-100AT 19 DORMAT RAGS, rectangle machine sewn 35cm x 50cm 130 ELASTIC CORD, 3mm 10yards 131 EMERGENCY LIGHL, for Brownout Automatic; Rechargeable 1FDT ight Bulb; 12V rechargeable batteries included, Emergency light wall mounted; 2hours usage duration; 24hour charging time; 16 pcs SMD LED Light White Light; Fire retardant; Overcharge protection; Over discharge protection; Adjustable dual optise; Up to 90-40gree Tilt Range Lamp Head; Wall mountable; Rechargeable, Built- in4V2Ah Scaled Lead Acid Battery; 220-40V AC 50/601t2; Built in power cord. 132 EXIENSION CORD, Red Sex 30 meters, 2 Sinch x 2mm2-Wire I abe!; Socket 4 Sockets; Plug Fuse: 16 Amps: Max Load wound-720W/240V Luwound 3120W/240V Reel Set 10 meters 133 EXIENSION CORD, AEC Sex) With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length 4 meter, Socket type: 5 Cang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage; 250Vac, 50/601t2, Poduct Dimension: 35 x x 3 Scm 134 EXTENSION CORD, with switch, 5 meters Max. Capacity; 250W; 6 Parallel Outlets w/ Grounding 135 EXTENSION CORD, with switch, 5 meters wire, universal heavy duty outles, with over heating protection button, Power leakage protectors asfety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 181 2L Branded 137 FABRIC CONDITIONER, 181 2L Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR KORD (THES) SCRUB), scrub brush with 160 long handle, stiff bristle 141 FLOOR SCRUB (THES SCRUB), scrub brush with 161 long handle, stiff bristle 142 FLOOR SCRUB (THES SCRUB), scrub brush with 163 long handle, stiff bristle 143 FACE MASK, 50pcs/box 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 GOUND WIRE, 15mm 146 GROUND WIRE, 15mm 147 GROUND WIRE, 15mm 148 GUN TUCKER, arrow type 149 HAND TOWEA, DAAPION KII, adaptor kii 150 HDMI TO HDMI CABLE, 10m cable | | | |
| 130 BLASTIC CORD, 3mm 10yards 131 IMFRGINCY LIGHT, for Brownout Automatic; Rechargeable LED Light Bulb; 12V rechargeable batteries included; Imergency light wall mounted; 2hours usage duration; 24hour charging time; 16 pes SMD LED Light; White Light; Fire retardant; Overcharge protection; Over discharge protection; Adjustable dual optics; Up to 90-degree Tilt Range Lamp Head; Wall mountable; Rechargeable; Built- in4V2Ah Sealed I ead Acti Battery; 2200-240V AC 30/601tz; Built in power cord. 132 EXTENSION CORD, Reel Set; 30 meters, 2.5 inch x 2 mm2 - Wire Label; Socket; 4 Sockets; Plug Fuse; 16 Amps; Max Load; Wound-720W/240V I Unwound 3120W/240V Reel Set; 10 meters 133 EXTENSION CORD, AEC-923With Individual Switch Control, With; 2 USB Ports at 5V 2A, With Surge Protection, Cable Length; 4 meter, Socket type; 5 Gang Multipurpose Sockets, Maximum Load Capacity; 6A 1500 Watts, Input Voltage; 250Vac, 50/601tz, Product Dimension; 35 x 7 x 36cm 134 EXTENSION CORD, with switch 5 meters, Max. Capacity; 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION CORD, with switch 5 meters, wire, universal heavy duty outlets, with over heating protection button, Tower fockage protectors affety becan; rapid flame retardant 136 FABRIC CONDITIONER, 8-13, Panaded 137 FABRIC CONDITIONER, 8-13, Panaded 138 FACE MASK, 50pcs/box 140 FLOOR SCRUB (ILLES SCRUB), scrub brush with long handle, stiff bristle 141 FLOOR SCRUB (ILLES SCRUB), scrub brush with long handle, stiff bristle 142 FLOOR SCRUB (ILLES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR SCRUB (ILLES SCRUB), scrub brush with long handle, stiff bristle 144 FOOR SCRUB (ILLES SCRUB), scrub brush with long handle, stiff bristle 145 FLOOR SCRUB (ILLES SCRUB), scrub brush with long handle, stiff bristle 146 GROUND WiRE, 15 menter 147 GROUND WIRE, 15 menter 148 GUN TUCKER, arrow type 149 HAND TOWER, 15 menter 149 HAND TOWER, 15 menter 140 HOUR TOWER, 15 menter 141 GROUND WIRE, 15 menter 141 HOUR HOUR ADAPLOR KIR, adaptor kix | 128 | | |
| Som | | · | |
| 130 EMERGENCY LIGHT, for Brownout Automatic; Rechargeable LPD Light Bulls; 12V rechargeable batteries included; Friergency light wall mounted; 2hours usage duration; 24hour charging time; 16 pcs SMD LED Light; White Light; Fire relardant; Overcharge protection; Over discharge protection; Adjustable dual optics; Up to 90-degree Tilt Range Lamp Head; Wall mountable; Rechargeable, Built- ind V2Ah Sealed Lead Acid Battery; 220-240 V AC 80/60Hz; Built in power cord. 132 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2mm2-Wire Labels; Socket 4 Sockets; Plug Fuse: 16 Amps; Max Lead: Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2mm2-Wire Labels; Socket 4 Sockets; Plug Fuse: 16 Amps; Max Lead: Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, Lace-923With Individual Switch Control, With; 2 USB Ports at 5V 2A, With Surge Protection, Cabel Length; 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity; 6A 1500 Watts, Input Voltage: 250Vac, 80/60Hz, Product Dimension: 3.5 x 7 x 36cm 124 EXTENSION ORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 125 EXTENSION WHEH, 10A, 2500W, 5 meters wire, universal heavy duty outlets, with over heating, protection button, Power leakage protector safety breaker, rapid flame retardant 136 FARRIC CONDITIONIR, 1.81; 21: Branded 137 FABRIC CONDITIONIR, 1.81; 21: Branded 138 FACE SHIELD, dinect splash protection 140 FLOOR FINISH, 3M 51 iter (1.32 per gallon) 141 FLOOR SCRUB (Inter splash protection 142 FLOOR SCRUB; Stripping 143 FLOOR SCRUB; Grib, Scrub brush with long handle, stiff bristle 144 FOOR SCRUB; Stripping 145 FUNKE, [BIC), Thickened 304 Stainless Steel Funnel 146 Large Diameter tinches 147 FUNKE, BIC), Thickened 304 Stainless Steel Funnel 148 FLOOR SCRUB; Jamm 149 GUNT UCKER, arrow type 140 HDM TO HDMI CABLE, Hom 141 GROUND WIRE, 125mm 144 FLOOR SCRUB; Jamm 145 GUNT UCKER, arrow type 146 GROUND WIRE, 125mm 147 FUNKER, BUNC SCRUB; Jamm 148 GUNT | 129 | Ü | |
| EMERGENCY LIGHT, for Brownout Automatic; Rechargable Lish Light Bulh; 12V rechargable batteries included; Emergency light wall mounted; 2 hours usage duration; 24hour charging time; 16 pes SMD L17D Light, White Light, Eire retardant; Overcharge protection; Over discharge protection; Adjustable dual optics; Up to 90-degree Tilt Range Lamp Head; Wall mountable; Rechargeable, Built- indV2Ah Sealed Lead Acid Batter; 220-240 V AC 30/60Hz; Built in power cord. 2 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2 mm². Wire Label; Socket 4 Sockets; Plug Fuse: 16 Amps; Max Load; Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2 mm². Wire Label; Socket 4 Sockets; Plug Fuse: 16 Amps; Max Load; Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 134 EXTENSION CORD, Max at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage; 250Vac, 30/60Hz, Product Dimension: 3-5x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500Vb; 6 Parallel Cottlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over healing protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 18L - 2L Branded 137 FABRIC CONDITIONER, 85L, Dranded 140 FACE MASK, 50pcs/box 141 FLOOR HORS, MS, 3M 5 Liter (1.32 per gallon) 141 FLOOR STRIPTIONER, 18L - 2L Branded 143 FLOOR STRIPTIONER, 18L - 2L Branded 144 FLOOR STRIPTIONER, 18L - 2L Branded 145 FLOOR STRIPTIONER, 18L - 2L Branded 146 FLOOR HORS, 3M 5 Liter (1.32 per gallon) 147 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 148 FLOOR STRIPTIONER, 18L - 3L Branded 149 FLOOR STRIPTIONER, 18L - 3L Branded 140 FLOOR STRIPTIONER, 18L - 3L Branded 141 FLOOR STRIPTIONER, 18L - 3L Branded 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR SCRUB (TILES SCRUB), scrub brush with long | 120 | | |
| Rechargeable LTD 1 ight Bulb; 12V rechargeable batteries included: Emergency light wall mounted; 2hours usage duration; 24hour charging time; 16 pes SMD LED Light; White Light; Fire retardant; Overcharge protection; Overcharge overcharge overcharge overcharge protection; Overcharge overcharg | | · | |
| batteries included; Emergency light wall mounted; 2hours usage duration 2Ahour charging time; 16 pes SMD LED Light; White Light; Fire retardant; Overcharge protection; Over discharge protection; Adjustable dual optics; Up to 90-degree Till Range Lamp Head; Wall mountable; Rechargeable, Built- indv2Ah Seaded Lead Acid Battery; 220-240V AC 50/60Hz; Built in power cord. 132 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2mm2 -Wire Labe! Socket 4 Sockets; Plug Fuse: 16 Amps; Max Load: Wound-720W/240V Unwound 31:20W/240V Reel Set 10 meters 133 EXTENSION CORD, AEC-923)With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Walksimum Capacity Ca | 131 | | |
| 2hours usage duration. 2hour charging time; 16 pes SMD LED Light, White Light, Fire retardant; Overcharge protection; Over discharge protection, Adjustable dual optics, Up to 90-degree Tilt Range Lamp Head; Wall mountable; Rechargeable, Built- instV2Ah Sealed Lead Acid Battery; 220-240V AC 50/60Hz; Built in power cord. 2 EXTENSION CORD, Reel Set 30 meters, 2-Sinch x 2 mm2-Wire Label; Socket 4 Sockets; Plug Fuse; 16 Amps; Max Load; Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, ARC-923With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length; 4 meter, Socket type; 5 Gang Multipurpose Sockets, Maximum Load Capacity; 6A 1500 Watts, Input Voltage; 250Vac, 50/60Hz, Product Dimension; 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity; 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION CORD, with switch, 5 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.81 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE MASK, 50pcs/box 140 FLOOR INISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 1610ches Diameter: 1610ches 144 FLOOR STRIPPING PAD 1610ches Diameter: 1610ches 145 FUNNEL (BIG), Thickned 304 Stainless Steel Funnel 146 GROUND WIRE, 14mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, 15mm 140 FLOOR SCRUB (TILES SCRUB), scrub brush with 141 FLOOR SCRUB (TILES SCRUB), scrub brush with 144 FOOT RAGS, High quality rags; assorted colors; 13x1Sinches 145 FUNNEL (BIG), Thickned 304 Stainless Steel Funnel 146 GROUND WIRE, 14mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, 14md Towel Rectangular Shape, white, 100% cotton 5 pcs / pail | | | |
| SMD LED Light; White Light; Fire retardant; Overcharge protection; Over discharge protection; Adjustable dual optics; Up to 90-degree Tilt Range Lamp Head; Wall mountable; Rechargeable, Built- instV2Ah Sealed Lead Acid Battery; 220-240V AC 50/601Lz Built in power cord. 132 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2mm2 -Wire Label; Socket: 4 Sockets; Plug Fuse: 16 Amps; Max Load: Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, Mark-923)With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/601Lz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety broaker, rapid flame retardant 136 PABRIC CONDITIONER, 8.5L, Branded 137 PABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONCE MOP TWIST; The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 HOOR STRIPPING PAD 16inches Diameter: 16inches 143 HOOR STRIPPING PAD 16inches Diameter: 16inches 144 HOOR SARB, 15thes, 2clor: black; floor type: hard floors; Shape; round; thickness: 3/4inch; types; pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 135 STRIPPING PAD 16inches Diameter: 16inches 145 FUNNEL (BIG), Thickned 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 14mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HOMI CABLE, 10m cable | | | |
| Overcharge protection, Over discharge protection; Adjustable dual optics; Up to 90-degree Tilt Range Lamp Head; Wall mountable; Rechargeable; Built- insV2Ah Sealed Lead Acid Battery; 220-240V AC 50/60Hz; Built in power cord. 2 EKTENSION CORD, Reel Set 30 meters, 2-Sinch x 2 mm2 -Wire Label; Socket 4 Sockets; Plug Fuse: 16 Amps; Max Load; Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters EXTENSION CORD, ARC-923)With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length; 4 meter, 5ocket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity; 6A 1500 Watts, Input Voltage; 250Vac, 50/60Hz, Product Dimension; 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity; 250W, 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 18L - 2. Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 140 FLOOR BINISH, 3M 51 iter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches 1610 diameter: 3 / Sinches; Color: black; floor type: hard floor; Shape round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOR TRAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with filter Household Wim Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 14mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, 14md 150 HDMI TO HOM CABLE, 10m cable 150 HDMI TO HOM CABLE, 10m cable 151 HDMI TO HOM CABLE, 10m cable | | | |
| Adjustable dual optics; Up to 90-degree Tilt Range Lamp Headt. Wall mountable; Rechargeable, Built- in4V2Ah Sealed Lead Acid Battery; 220-240V AC 30/601Lz; Built in power cord. 132 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2mm2 - Wire Label; Socket: 4 Sockets; Plug Fuse: 16 Amps; Max Load: Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, AEC-923/With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/601Lz, Product Dimension: 35 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 1.8L - 2L Branded 138 FACE MASK, 50pcs/box 140 FLOOR BINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONCE MOP TWIST; The Water Mop Microfiber Noxzle Self-squeezing Home cleaning Spongs Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPTING PAD 16inches Diameter: 16inches Hole diameter: 3 inches; Color: black; floor type: hard floor; Shape: round; thickness: 3/4inch; types: pads; usage: stripping. 144 FOOT RAGS, High quality rags; assorted colors; 13x1Sinches 145 FUNNEL (BIG), Thickned 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Exta Large Industrial Hopper 146 GROUND WIRE, 14mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HUMI TO HOMI CABLE, 10m cable 151 HUMI TO HOMI CABLE, 10m cable | | e e | |
| in4V2Ah Soaled Load Acid Battery; 220-240V AC 50/60Hz; Built in power cord. 132 EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2mm2 - Wire Label; Socket: 4 Sockets; Plug Fuse: 16 Amps; Max Load: Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, (AEC-923)With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.81 21. Branded 137 FABRIC CONDITIONER, 1.81 21. Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 144 FOOT RACS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 14mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HDMI CABLE, 10m cable | | | |
| S0/601tz Built in power cord. | | | |
| EXTENSION CORD, Reel Set 30 meters, 2.5inch x 2mm2 - Wire Label; Socket: 4 Sockets; Plug Fuse: 16 Amps; Max Load: Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, (AEC-923) With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3 S x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.81 21. Branded 137 FABRIC CONDITIONER, 8.51. Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 142 FLOOR STRIPSH, 3M 5 Liter (1.32 per gallon) 143 FLOOR STRIPSH, 3M 5 Liter (1.32 per gallon) 144 FLOOR STRIPSH (1.32 per gallon) 145 FLOOR STRIPSH (1.32 per gallon) 146 FLOOR STRIPSH (1.32 per gallon) 147 FLOOR STRIPSH (1.32 per gallon) 148 FLOOR STRIPSH (1.32 per gallon) 149 FLOOR STRIPSH (1.32 per gallon) 140 FLOOR STRIPSH (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR STRIPSH (1.32 per gallon) 143 FLOOR STRIPSH (1.32 per gallon) 144 FLOOR STRIPSH (1.32 per gallon) 145 FLOOR STRIPSH (1.32 per gallon) 146 GROWD WIRE, 13 mm 147 GROUND WIRE, 12 mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pes / pail 149 HDMI TO HDMI CABLE, 10m cable 150 HDMI TO HDMI CABLE, 10m cable | | | |
| 2mm2 - Wire Label; Socket: 4 Sockets; Plug Fuse: 16 Amps; Max Load: Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters 133 EXTENSION CORD, (AEC-923)With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 5200W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEFL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 1.8L - 2L Branded 138 FACE MASK, 50pcs/box 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (IILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 / 8inches; Color: black; floor type: hard floors; Shape: round; thickness; 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable | | | |
| Amps; Max Load: Wound-720W/240V Unwound 3120W/240V Reel Set 10 meters EXTENSION CORD,(AEC-923)With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 35 x 7 x 36cm EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding EXTENSION WHEEL; 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.81 21. Branded 137 FABRIC CONDITIONER, 8.51., Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST; The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR STRIPPING PAD 16inches Diameter: 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HDMI CABLE, 10m cable | 132 | | |
| 3120W/240V Reel Set 10 meters EXTENSION CORD,(AEC-923)With Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x 7 x 36cm STENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant FABRIC CONDITIONER, 1.81 - 2L Branded FABRIC CONDITIONER, 8.5L, Branded FACE MASK, 50pcs/box FACE SHIELD, direct splash protection FLOOR FINISH, 3M5 Liter (1.32 per gallon) FLOOR FINISH, 3M5 Liter (1.32 per gallon) FLOOR FORMOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops FLOOR STRIPPING PAD Indinches Diameter: 16inches Hong handle, stiff bristle FLOOR STRIPPING PAD Indinches Diameter: 16inches Hole diameter: 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 446 GROUND WIRE, 125mm 447 GROUND WIRE, 125mm 448 GUN TUCKER, arrow type HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable | | | |
| EXTENSION CORD, (AEC-923) with Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 250Wy; 6 Parallel Outlets w/ Grounding EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 1.8L - 2L Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 141 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HOMI CABLE, 10m cable | | | |
| Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 POOT RAGS, High quality rags; assorted colors; 13x1 Sinches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HOMI CABLE, 10m cable | 122 | | |
| Surge Protection, Cable Length: 4 meter, Socket type: 5 Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 33/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickned 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HOMI CABLE, 10m cable 151 HDMI TO HOMI CABLE, 10m cable | 155 | | |
| Gang Multipurpose Sockets, Maximum Load Capacity: 6A 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (ITLES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickneed 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HDMI CABLE, 10m cable | | | |
| Capacity: 6À 1500 Watts, Input Voltage: 250Vac, 50/60Hz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (IILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thicknend 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HDMI CABLE, 10m cable | | | |
| 50/60Hz, Product Dimension: 3.5 x 7 x 36cm 134 EXTENSION CORD, with switch, 5 meters, Max. Capacity: 2500W; 6 Parallel Outlets w/ Grounding 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 1.8L - 3L Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 33/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO HDMI CABLE, 10m cable | | | |
| Capacity: 2500W; 6 Parallel Outlets w/ Grounding EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 33/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| 135 EXTENSION WHEEL, 10A, 2500W, 15 meters wire, universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 1.8L - 2L Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO VGA ADAPTOR KIT, adaptor kit | 134 | EXTENSION CORD, with switch, 5 meters, Max. | |
| universal heavy duty outlets, with over heating protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13348inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| protection button, Power leakage protector safety breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 135 | | |
| breaker, rapid flame retardant 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| 136 FABRIC CONDITIONER, 1.8L - 2L Branded 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, Sopes/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 125mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| 137 FABRIC CONDITIONER, 8.5L, Branded 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 126 | | |
| 138 FACE MASK, 50pcs/box 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 /8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | · · | |
| 139 FACE SHIELD, direct splash protection 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| 140 FLOOR FINISH, 3M 5 Liter (1.32 per gallon) 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | 1 , | |
| 141 FLOOR MOP SPONGE MOP TWIST, The Water Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| Mop Microfiber Nozzle Self-squeezing Home cleaning Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | , 1 0 / | |
| Sponge Mops 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 171 | · · | |
| 142 FLOOR SCRUB (TILES SCRUB), scrub brush with long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| long handle, stiff bristle 143 FLOOR STRIPPING PAD 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 142 | | |
| 16inches Diameter: 16inches Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | long handle, stiff bristle | |
| Hole diameter: 3 3/8inches; Color: black; floor type: hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 143 | | |
| hard floors; Shape: round; thickness: 3/4inch; types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| types: pads; usage: stripping 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| 144 FOOT RAGS, High quality rags; assorted colors; 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | - | |
| 13x18inches 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 1// | | |
| 145 FUNNEL (BIG), Thickened 304 Stainless Steel Funnel Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 144 | | |
| Large Diameter with Filter Household Wine Oil Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 145 | | |
| Funnel Extra Large Industrial Hopper 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| 146 GROUND WIRE, 125mm 147 GROUND WIRE, 14mm 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| 148 GUN TUCKER, arrow type 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 146 | GROUND WIRE, 125mm | |
| 149 HAND TOWEL, Hand Towel Rectangular Shape, white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 147 | GROUND WIRE, 14mm | |
| white, 100% cotton 5 pcs / pail 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 148 | 7 1 | |
| 150 HDMI TO HDMI CABLE, 10m cable 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | 149 | _ | |
| 151 HDMI TO VGA ADAPTOR KIT, adaptor kit | | | |
| 1 | | | |
| ARCHITEAD COVER D. CC | | 1 | |
| | 152 | HEAD COVER, Bouffant cap, Head cover, disposable | |
| 100's | | 100'S | |

| 153 | HOSPITAL BED FLAT SHEET/ BLANKET, white | |
|------------|--|--|
| | size 77x58" | |
| 154 | INCANDESCENT, bulb, 10 watts | |
| 155 | KITCHEN GLOVES, plastic gloves | |
| 156 | LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for | |
| | sweat absorption and pleasant smelling hands, thin gloves | |
| | for better grip | |
| 157 | LAUNDRY SOAP POWDER, Laundry soap 2.2 kg | |
| | per pouch | |
| 158 | LAUNDRY/DETERGENT SOAP, | |
| | Laundry/Detergent Soap 2 Bars / pail | |
| 159 | LAVATORY FAUCET, Stainless Steel Kitchen Faucet; | |
| | Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: | |
| | Mixing Faucet; Working temperature: 0-90°; Opening | |
| | method: wrench type; Material: Stainless steel; Valve | |
| | seat diameter: 35mm; Nominal pressure: 1.6Mpa | |
| | Installation type: thread; Surface technology: brushed; | |
| | Applicable type: Basin faucet; Valve core type: ceramic | |
| | valve core; Style: modern minimalist | |
| 160 | LED DIGITAL CLOCK, Large LED clock, alarm | |
| | clock, easy viewing in living room, hall, kitchen; | |
| | Indoor Temperature Display - able to know about the | |
| | timely temperature, not able to go outside; 24H display, large arabic numbers, easy to read; Functions | |
| | - 24H display, temperature, date, calendar, visuable at | |
| | night; Other uses- for shop, cafe, school, office, hotel, | |
| | hall, mall, etc.; Material: Plastic; Size: 18inch; Plug: US; | |
| | Voltage: 110-220V | |
| 161 | LIQUID SOSA DECLOGGER, Unclog pipes, sinks | |
| | and drains, 1 liter Scent Rain Clean, anti-bacterial | |
| | sulfate free /bottle | |
| 162 | LIQUIFIED PETROLEUM GAS, 50kg/tank | |
| 163 | MEGABOX, Storage Box 50L | |
| 164 | MICROFIBER TOWEL, 30x30 / pc | |
| 165 | MOTH BALLS, 175 grams/pack MULTI-SURFACE CLEANER & DEODORIZER, | |
| 166 | dilutable cleaner, in Lavender or Fresh Scent 60oz/bottle | |
| 167 | MURIATIC ACID, 2 liters/bottle | |
| 168 | NEMA BOX 3R, | |
| 100 | Box Metal, Steel Gray Hinged Door, Lid 8.000inches L | |
| | x 6.000inches W (203.20mm x 152.40mm) x 8.000inches | |
| | (203.20mm) | |
| 169 | NOTARIAL SEAL, Notarial seal #23 (40 pcs per box) | |
| 170 | OIL FILTER CAP REMOVAL WRENCH SOCKET | |
| | SET, 23pcs Set Ratchet Spanner Cup Type With | |
| 474 | PANEL BOARD 100 AT. Main 4 Branch on 4 40 AT. | |
| 171 | PANEL BOARD 100 AT, Main 4 Branches, 4-40AT | |
| 172 | PILLOW, size 18x28 inches | |
| 173 | PILLOW CASE, cotton, size 18x28 inches, 2pcs per pack | |
| 174 | POWER CORD EXTENSION, 6 sockets, 5 meters PROTECTIVE SAFETY GOGGLES, silicone | |
| 175 176 | PVC CLAMP, ¾ inch | |
| 176 | PVC ELECTRICAL, 1inch | |
| 177 | PVC ELECTRICAL, ³ / ₄ inch | |
| 178 | ROLLING TRASHBIN, heavy duty plastic, with | |
| 1/9 | wheels, 80L | |
| 180 | ROLLING TRASHBIN, heavy duty plastic, with | |
| | wheels, 80L | |
| | , | |
| 181 | RUBBER GLOVES ELBOW LENGTH, Length, High | |
| 181 | Quality Waterproof Rubber 38cm/pair | |
| 181 | Quality Waterproof Rubber 38cm/pair SACKS, Clean Plastic made, Woven Bag Coated LARGE: | |
| | Quality Waterproof Rubber 38cm/pair | |

| | T = | |
|-----|---|--|
| 183 | SANDO BAG, XL, plastic | |
| 184 | SCOREBOARD FOR BASKETBALL, 4-digit score | |
| | board, Material: Outer shell: high quality plastic, core | |
| | page: special cardboard, weight: 900 grams, size: 38.8 | |
| | cm x 19 cm x 20 cm, color: black: Outer shell: high | |
| | quality plastic, core page: special cardboard, weight: | |
| | 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black | |
| 185 | SCOREBOARD FOR VOLLEYBALL, light foldable | |
| 103 | tabs allow the scoreboard to stand upright, storage | |
| | 1 0 0 | |
| 100 | pocket on inner lid, made of high quality plastic | |
| 186 | SCREW DRIVER, 6 pcs per set Specifications: Sizes: Flat | |
| | Blades: 3x100mm 4x100mm 5.5x125mm 6.5x150mm Phillips | |
| | Head: 1x80mm 2x100mm; Dimensions: width=21.8, | |
| 107 | height=4.5, length=30.6; Weight: 0.91kgs | |
| 187 | SEPARABLE SPIN MOP, with Double Bucket 360 | |
| | Tornado Mop with Spinner Magic Spin Mop Floor Mop | |
| 100 | Lazy Mop | |
| 188 | SHOE COVER, non-woven, 100's (50 pairs), non-sterile | |
| 189 | SPLITTER/HUB, HDMI splitter/hub | |
| 190 | STORAGE BOX, Mega Box Plastic Made; High- | |
| | Impact" Series; Size. 95 liters (cm): L67.6 / W47.8 / | |
| | H41.0; Color Available: Transparent Clear | |
| 191 | STORAGE BOX, with lid Hardboard, heavy duty | |
| 192 | STUDY LAMPS WITH BULB | |
| 132 | Material: metal; Lampshade size: 12.5cm (Dia.) | |
| | -Base size:15cm (Dia.), 3cm (H); The lamp body: 60cm | |
| | -Operated by 230V, 50/60Hz or 120V, 50/60H, light bulb; 8- | |
| | 12 watts | |
| 193 | THWN WIRE, 5.5mm2 | |
| | 150Meters/ Box | |
| | THWN 75°C, 600v Building Wire | |
| | Oil and Heat Resistant, Flame Retardant, | |
| | Solid sizes of 1.60mm to 3.20mm; | |
| | Stranded sizes 2.0mm ² to 500mm ² | |
| 194 | UNIVERSAL ADAPTOR, | |
| 194 | 10A, universal socket adaptor | |
| 105 | ± | |
| 195 | USB C TO HDMI - USB-C TO LAN/HDMI/VGA/USB3.0 GIGABIT/4K/100W/PD black charge adapter thunderbolt 3 | |
| | AVC004BTBK; Color: Black; Features: Multi-Port USB-C | |
| | Power Delivery 4K UHD Compatible; Cable connectors: USB- | |
| | C Ethernet USB-A VGA HDMI; Multi-port adapter with | |
| | USB-A 3.0, VGA, and 4K HDMI ports; Connects to your device's | |
| | USB-C port; USB-C Power Delivery up to 100W; Package | |
| | Includes: USB-C Multimedia Adapter + Charge (100W) | |
| 196 | USB WIRELESS PRESENTER | |
| | • Wireless mini-receiver | |
| | • 2 AAA batteries; • Carrying case; Dimensions (height x width x depth): 1.49 in (37.8 mm) x 4.55 in (115.5 mm) x 1.08 in (27.4 mm) | |
| | • Weight: 2.01oz (57g); • Receiver Dimensions (height x width x | |
| | depth): 0.65 in (16.5 mm) x 2.31 in (58.6 mm) x 0.31 in (7.9 mm) | |
| | • Receiver Weight: 0.21oz (6 g); • Color: Black; • Laser Class: Class | |
| | 2 Laser; • Max Output: Less than 1mW; • Wave Length: 640~ | |
| | 660nm (red light); • Battery type: 2 AAA batteries; • Battery life | |
| | (Laser pointer): 20-hour maximum; • Battery life (Presenter): 1050-hour maximum; • Wireless operating distance: Approx. 10m2 | |
| 1 | Wireless technology: 2.4 GHz wireless technology | |
| 197 | UTILITY PAIL, with metal handle with cover; 16Liters | |
| 198 | UV LIGHT BULB | |
| 150 | 11 watts UV Light; Flow Rate: 4 LPM (Liters Per Minute); | |
| | Lamp Life: 9,000 Burning Hours; Dimensions: 3.14inches H x | |
| 1 | 12inches W x 2.36inches L; 220V – 11 watts; Weight : 0.8 kg | |
| 199 | VGA CABLE, 10 meters | |
| 200 | VOLLEYBALL ANTENNA MARKET SET, | |
| 200 | Rounded bottom edges to prevent snagging or tearing of | |
| | sideline marker, includes full length pocket to insert | |
| | antenna, Solid fiberglass rods, bands of red and white | |
| | striping on top half, 1 pair or set | |
| 201 | VOLLEYBALL NET, tournament size, with cable, heavy | |
| | duty | |
| | • | |

| 202 | VOLTACE CLIDGE DDOTECTOD (audiat audia | |
|-----|---|--|
| 202 | VOLTAGE SURGE PROTECTOR, 6 outlet with | |
| | individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel | |
| | outlets with grounding pin, durable steel housing, 10A, | |
| | 250V universal outlet; 5 meters | |
| 202 | WALL CLOCK, DIGITAL, | |
| 203 | 24 Hours; Temperature / Day of Week / Date; LED display | |
| | visible in day / night operation; Power: 220V AC or 5V DC | |
| | (Adapter included); Wall Display; Built-in battery back-up | |
| | (for setting); LED Colour Available: Red; Product | |
| | Dimensions: 20 x 7.5 x 2 (inches); Red Digital Large Jumbo | |
| | LED Wall Desk Alarm Clock Calendar Temperature | |
| | Practical Product Description Model 4819Time (Hour, | |
| | Minute, Second) Calendar (Date, Month, Year) Temperature | |
| | Display | |
| | -Technical Specification: | |
| | *Clock Size: 480mmx190mmx50mm (L X H X W) | |
| | *Time Digits Size 45mm X 75mm | |
| | *Calendar Digits Size: 10 x 15 mm | |
| | * Output: AC100v-240v 50/60Hz | |
| | *Power Consumption: ≤3 watts | |
| | *Colour: red; Weight: about 2KG; Material - Front panel | |
| | (glass), Frame (aluminum alloy); Features: 24-hour mode | |
| | with calendar & temperature displayed along the bottom; | |
| | can be placed on a table or hung the wall have no alarm and | |
| | punctual reporting function | |
| | -Time memory function: time saved when power off | |
| | energy-saving less than 3W power consumption a button cell battery included for memory back-up (Notice: | |
| | This battery is just for memory back-up (Notice. | |
| 204 | WALL MOUNT FAUCET, Stainless Steel 90° quick | |
| 204 | - | |
| 205 | open | |
| 205 | WASTE COTTON, white, rag | |
| | White round cotton rags; 14-16 cm diameter; 25-45pcs | |
| | (depends on the rags made); very absorbent; quality | |
| | made; affordable; good for cleaning and painting | |
| | purposes | |
| 206 | WATER DIPPER , Heavy duty plastic, 41 cm x 13cm | |
| 207 | WHISTLE, ABS+ titanium alloy + polymer material + | |
| | rope, with storage box | |
| 208 | WIDE STEEL MOP HEAD, made of soft cotton yarn | |
| | 120cm/pc | |
| 209 | WIPES, Clorox 30 pcs, Didecyldimethylammonium | |
| | chloride (0.40%), Other ingredients: <5% cationic | |
| | surfactants, <5% non-ionic surfactants, <5% | |
| | hydrocarbons, perfumes | |
| 210 | WRAPPING PAPER, kraft, 50's/pack | |
| В. | · • | |
| ъ. | Compliance to the Schedule of Requirements | |
| ĺ | (Section VI) | |

I hereby certify to comply and deliver all the above requirements.

| Name: |
|--|
| Legal Capacity: |
| Signature: |
| Duly authorized to sign the Bid for and behalf of: |

Technical Specifications Page 8 of 8 CGSD-24-JS2-0265

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

| Lega | al Doc | cuments |
|-------------|--------|--|
| | (a) | Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR; |
| <u>Tech</u> | nical | <u>Documents</u> |
| | (b) | Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and |
| | (c) | Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and |
| | (d) | Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; <u>or</u> Original copy of Notarized Bid Securing Declaration; <u>and</u> |
| | (e) | Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and |
| | (f) | Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. |
| Fina | ıncial | Documents |
| | (g) | The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); |
| | | or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. |
| | (h) | Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or |
| | | duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. |
| <u>Othe</u> | er doc | umentary requirements under RA No. 9184 (as applicable) |
| | (i) | [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in |
| | (j) | government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. |

II. FINANCIAL COMPONENT ENVELOPE

| (a) | Original of duly signed and accomplished Financial Bid Form; and |
|-----|--|
| (b) | Original of duly signed and accomplished Price Schedule(s). |

III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

1. List of Manpower

• With at least three (3) to Five (5) responsible and physically fit personnel shall be in charge of unloading and securing the good condition of the deliveries.

2. Organizational Chart

• Which should indicate an established organizational structure of personnel to show its capability to undertake the project.

3. Affidavit of Undertaking of the following:

- The Bidder/Supplier shall assign a focal person in charge of handling and facilitating all the requests for the supply and delivery of the items.
- The Bidder/Supplier must have an organization of qualified, competent, and responsible people dedicated to carrying out and fulfilling their obligations for the project.

(With attached Terms of Reference which will form an integral part of this bidding document)

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh aring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started:
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement



DELIVERY SCHEDULE

PROJECT NAME: SUPPLY AND DELIVERY OF VARIOUS JANITORIAL SUPPLIES AND OTHERS PROJECT NO. CGSD-24-JS2-0265

| ALCOHOL, isopropyl, 70% Solution for distinitection, gal distinitection, gal distinitection, Solution for distinite for the solution for distinite for d | CENEDAL DESCRIPTION | | UNIT OF | QTY | DELIVERY SCHEDULE (QUARTERLY) | | |
|--|---------------------|--|------------|-------|-------------------------------|-------|-------|
| distinfection, gallow 200 3000 1,500 750 750 750 38 ATTERY, Chaptery, 170% Solution for distinfection, 500ml 3 BATH SOAP, original scent 90g piece 500 250 125 125 125 3 BATTERY, 9 volts battery piece 2 2 - | | | | | | | |
| Misrification, 500ml | A.1 | disinfection, gal | gallon | 3000 | 1,500 | 750 | 750 |
| BATTERY, 9 volts pack 33 33 - - | 2 | disinfection, 500ml | bottle | 3000 | 1,500 | 750 | 750 |
| BATTERY, 9volls chargeable | 3 | | piece | 500 | 250 | 125 | 125 |
| BATTERY, 9 volts rechargeable | 4 | | piece | | | - | - |
| BATTERY, AA, dry cell, 2 pes per blister pack p | 5 | | pack | 33 | 33 | - | - |
| BATTERY, AAA, dry cell, 2 pcs per blister pack | | BATTERY, 9 volts rechargeable | | | | - | - |
| pack | | | | | · · | | |
| BATTERY, AAA, dry cell, 2 pes per bister pack bister pack bister pack bister pack pack pack 95 95 | 8 | | pack | 1800 | 900 | 450 | 450 |
| bilister pack | 9 | | piece | | | | - |
| 11 BATTERY, D size, dry cell | 10 | | pack | 1500 | 750 | 375 | 375 |
| BATTERY_CType, Super heavy duty C size battery 2pes/pack 10 10 - - | | | | | | | |
| Size battery 2pcs/ pack | | | | | | - | - |
| whitens, removes stains, deodorize gallon 1,000 500 250 | 12 | size battery 2pcs/pack | Pack | 10 | 10 | - | - |
| BLEACHING LIQUID, original total clean bleach 3785ml. (1 gal) | 13 | | Bottle | 150 | 150 | - | - |
| BROOM NATURAL WHISK, Broom head is made of plastic, Long-lasting whisk, Has dense bristles for easier sweeping, Handle height measures 60m | 14 | BLEACHING LIQUID, original total | gallon | 1,000 | 500 | 250 | 250 |
| 16 BROOM, soft, walis tambo piece 1,000 500 250 250 250 17 BROOM STICK, Stick, (Fing-ting), standard size 1,000 500 25 | 15 | head is made of natural fiber, Handle is made of plastic, Long-lasting whisk, Has dense bristles for easier sweeping, Handle | piece | 50 | 50 | - | - |
| BROOM STICK, Stick, (Ting-ting), piece 1,000 500 250 250 250 | 1.5 | | | 1 000 | F00 | 250 | 250 |
| Standard size | | | | | | | |
| Cleaning Foldable Broom And Dustpan Set Sweeping Magic Brush Set Sweeping Magic Brush | 17 | standard size | ріесе | | | 250 | 250 |
| BRUSH, Toilet bowl with holder set, plastic long handle, nylon bristle 20 CLEANER, toilet and urinal, 900-1000 ml bottle 500 250 125 1 | 18 | Cleaning Foldable Broom And Dustpan | set | 10 | 10 | - | - |
| CLEANER, toilet and urinal, 900-1000 ml bottle 500 250 125 1 | 19 | BRUSH, Toilet bowl with holder set, | piece | 53 | 53 | - | - |
| DETERGENT POWDER, all-purpose, 500g | 20 | | bottle | 500 | 250 | 125 | 125 |
| DETERGENT POWDER, all-purpose, 500g | 21 | | can | 500 | 250 | 125 | 125 |
| DETERGENT POWDER, all-purpose, 200g pack 36 36 - - | 22 | DETERGENT POWDER, all-purpose, | pack | 4,500 | 2,250 | 1,125 | 1,125 |
| DETERGENT LIQUID, stain remover, Sunshine fresh scent, 1 liter/bottle | 23 | DETERGENT POWDER, all-purpose, | pack | 36 | 36 | - | - |
| DETERGENT LIQUID for cleaning glassware that leaves no residue, 1 gallon/bottle 26 DISINFECTANT SPRAY, aerosol type, 400-500g 2,500 1,250 1,250 1,250 2,500 1,250 1,250 2,500 1,250 1,250 2,500 1,250 1,250 2,500 1,250 1,250 2,500 1,250 1,250 2,500 1,250 1,250 2,500 1,250 1,250 2,500 1,250 2,500 1,250 2,500 1,250 2,500 2,500 1,250 2,500 | 24 | DETERGENT LIQUID, stain remover, | bottle | 142 | 142 | - | - |
| DISINFECTANT SPRAY, aerosol type, can 5,000 2,500 1,250 1,250 | 25 | DETERGENT LIQUID , for cleaning glassware that leaves no residue, 1 | gallon | 156 | 156 | - | - |
| DISINFECTANT CLEANER, all purpose spray, 1 liter Spra | 26 | DISINFECTANT SPRAY, aerosol type, | can | 5,000 | 2,500 | 1,250 | 1,250 |
| DISINFECTANT CLEANER, all purpose gallon 32 32 | 27 | DISINFECTANT CLEANER, all purpose | bottle | 457 | 229 | 114 | 114 |
| 29 DISWASHING LIQUID, Antibacterial litter/bottle 30 DISWASHING LIQUID, anti-grease with antibacterial; 500ml/bottle 31 DISWASHING LIQUID, Chemical Foam Booster, 250ml per pack 32 DISWASHING LIQUID SOAP, Liquid soap, Antibacterial, Grease stripper/Fresh Scent, Color -Blue,1000ml/Bottle or pouch 33 DISWASHING PASTE, 200g with free sponge inside 34 DISHWASHING SPONGE, Foam; size: 3 inches x 3 inches; 12pcs/set | 28 | DISINFECTANT CLEANER, all purpose | gallon | 32 | 32 | - | - |
| 30 DISWASHING LIQUID, anti-grease with antibacterial; 500ml/bottle 31 DISWASHING LIQUID, Chemical Foam Booster, 250ml per pack 32 DISWASHING LIQUID SOAP, Liquid soap, Antibacterial, Grease stripper/Fresh Scent, Color -Blue,1000ml/Bottle or pouch 33 DISWASHING PASTE, 200g with free sponge inside 34 DISHWASHING SPONGE, Foam; size: 3 set 2 2 inches x 3 inches; 12pcs/set | 29 | DISWASHING LIQUID, Antibacterial | bottle | 85 | 85 | - | - |
| 31 DISWASHING LIQUID, Chemical Foam Booster, 250ml per pack 160 80 40 40 32 DISWASHING LIQUID SOAP, Liquid soap, Antibacterial, Grease stripper/Fresh Scent, Color -Blue,1000ml/Bottle or pouch 150 150 - 33 DISWASHING PASTE, 200g with free sponge inside 120 120 - 34 DISHWASHING SPONGE, Foam; size: 3 set 2 2 - inches x 3 inches; 12pcs/set 160 80 40 40 40 40 40 40 40 | 30 | DISWASHING LIQUID, anti-grease | bottle | 500 | 250 | 125 | 125 |
| 32 DISWASHING LIQUID SOAP, Liquid soap, Antibacterial, Grease stripper/Fresh Scent, Color -Blue,1000ml/Bottle or pouch 33 DISWASHING PASTE, 200g with free sponge inside 34 DISHWASHING SPONGE, Foam; size: 3 set 2 2 inches x 3 inches; 12pcs/set | 31 | DISWASHING LIQUID, Chemical Foam | pack | 160 | 80 | 40 | 40 |
| 33 DISWASHING PASTE, 200g with free sponge inside 34 DISHWASHING SPONGE, Foam; size: 3 set 2 2 inches x 3 inches; 12pcs/set | 32 | DISWASHING LIQUID SOAP, Liquid soap, Antibacterial, Grease stripper/Fresh | bottle | 150 | 150 | - | - |
| 34 DISHWASHING SPONGE, Foam; size: 3 set 2 2 inches x 3 inches; 12pcs/set | 33 | DISWASHING PASTE, 200g with free | canister | 120 | 120 | - | - |
| | 34 | DISHWASHING SPONGE, Foam; size: 3 | set | 2 | 2 | - | - |
| | 35 | DUCT TAPE, 2 inches, 10 meters length | roll | 56 | 56 | _ | - |

| 37 DUCT TAPE, 2 times, 50 metres length roll 60 60 . . | 36 | DUCT TAPE, 2 inches, 10 meters length | roll | 10 | 10 | _ | _ |
|--|-------|--|--------|-------|-------|----------|-------|
| HOOR WAX, coloreless, 3.11/gal. gallon 10 10 - - - | | | | | | | |
| GLASS CLEANER, Antihacterial Biolius can vibs perspector brush vibs vib | | | | | | | |
| with spray/bottle | | | 0 | | | <u>-</u> | - |
| A | 39 | | can | 120 | 120 | - | - |
| Negret (CIDE) aerosed type, 600 mt can 3,300 1,650 825 825 825 421 LIQUID HAND SOAP, Isquid, antibacterial, floral can, 500ml 5,300 1,650 825 | | | | 10 | 10 | | |
| A | 40 | | piece | 10 | 10 | - | - |
| LiQUID HAND SOAP, liquid, antibacterial, formic cros, 50th of antibacterial, formic cros, 50th of antibacterial, formic cros, 50th of the cross of | | | | | | | |
| a nithacterial, florat care, 50thml | 41 | | | | | | |
| Antibactral liquid soap Japilon South Antibactral liquid soap Japilon South Sout | 42 | LIQUID HAND SOAP, liquid, | bottle | 3,300 | 1,650 | 825 | 825 |
| | | antibacterial, floral care, 500ml | | | | | |
| Antibacterial liquid soap, 1 pallon | 43 | | bottle | 123 | 123 | - | - |
| 14 InQUID HAND SANTIZER, 500nl. bottle 2,000 1,000 500 500 45 MOP, with spinner unit 5 5 46 MOPHEAD, made of rayon piece 1,450 725 363 361 47 RAGS, all cotton, 32pcs/klal/bundle bundle 35,000 1,730 875 875 48 SCOURING PAD synthetic nylon, 5 pack 450 226 113 111 49 SCRUB SPONGE, made of mylon polyster (100mm x 70 mm/3) pec/psek 500 SCRUB SPONGE, made of mylon polyster (100mm x 70 mm/3) pec/psek 511,534,530 most of seconds 3 cleaner, convenient-quick, confortable to grip 50 SCRUBBING BRUSH, Size: 531,534,530 most of seconds 3 cleaner, convenient-quick, confortable to grip 51 TOILET ITSUE PAPER, plus (100% pack | | | 2000 | | | | |
| 45 MOP, with spinner | 11 | | hottle | 2.000 | 1 000 | 500 | 500 |
| ABO MOPHEAD made of rayon piece 1,450 726 363 361 48 SCOURING PAD, synthetic nylon, 5 pack 450 226 113 111 ppc/puck 450 226 126 126 126 SCRUBSING BRUSH, Size: 5x11,5x45cm, assorted colors, 3x cleaner, convenient-quick, comfortable to grip TOILET ITSUE PAPER, 2-ply, 100% pack 9,000 4,500 2,250 2,250 recycled 12 roll/pack 250 250 250 TOILET ITSUE PAPER, psp. 100% pack 9,000 4,500 2,250 2,250 TOILET ITSUE PAPER, psp. 100% pack 1,000 500 250 250 STISSUE PAPER, 100HE, 1/1ssue Multiple of towel, 150 pulls, 1ply, size: 200mmx, 240sheets, box 12 12 - | | | | | | 300 | 300 |
| AF RAGS, all cotton, 32pcs/lole/bundle bundle 3,500 1,750 875 875 | | | | | _ | | - |
| SCOURING PAD, synthetic replon, 5 pack 450 226 113 111 111 peck pack peck pack 100mm x 70 mm/3 pex/ pack 33 33 - - | | | | | | | |
| Pos/Pack 9 SCRUBENG BUSHS, 182E: 5 SCRUBENG BUSH | 47 | RAGS, all cotton, 32pcs/kilo/bundle | bundle | 3,500 | 1,750 | 875 | 875 |
| Pos/Pack 9 SCRUBENG BUSHS, 182E: 5 SCRUBENG BUSH | 48 | SCOURING PAD, synthetic nylon, 5 | pack | 450 | 226 | 113 | 111 |
| SGRUB SPONGE made of nylon polybact (100mm x 70 mm/3) polybact (100mm | | | • | | | | |
| Dolyester (100mm x 70 mm),3 pcx 3 pack S | 49 | | pack | 33 | 33 | _ | _ |
| SCRUBBING BRUSH, Size: SSIL584.5cm, assorted colors, 3x cleaner, convenient-quick, comfortable to grip | 1.5 | | puck | 00 | 33 | | |
| St.1 5x4.5cm, assorted colors, 3x cleaner, convenient-quick, controlable to grip St.1 TOILET TISSUE PAPER, 2-ply, 100% reveled 21 zoil/ pack reveled 21 zoil/ pack reveled 21 zoil/ pack reveled 21 zoil/ pack pack reveled 21 zoil/ pack St.2 TOILET TISSUE PAPER, Interfolded Paper Towds, 150 publs, pack St.2 TOILET TISSUE PAPER, Interfolded Paper Towds, 150 publs, pack St.2 TISSUE FACEAL, 2-ply, approx, shoet Size 200mmo200mm 340hords/box St.2 TISSUE PAPER TOWEL, 150 publs, 1ply, size 200mmo200mm St.2 TISSUE PAPER TOWEL, Tissue Multi-fold, Multi-fold Towels, Absorbency Packets, 92/5x 9/1/5, White, 250 Sheets Per Tock (Case of 12 pack) St.2 TISSUE PAPER TOWEL, Tissue Multi-fold, multi-fold pack For Tock (Case of 12 pack) St.2 TISSUE, Interfolded paper towel, 170 publ ups/ size 200 mm x 200 mm/ pack of 3 TISSUE, Lumbo Roil, Foroll/box box St.2 TISSUE, Lumbo Roil, Foroll/box box St.2 TAPE, Date MAXBOND, heavy duty, St.2 TAPE, Lumbo Roil, Foroll/box box St.2 TAPE, Cleartical 19mm x 16m, made of popolywiny clhoride (Ptv) St.2 TAPE, Isoam type Double Adhesive tape 1" Tol. TAPE, Foam type Double Adhesive tape 2" Tol. TAPE, Jean type Double Adhesive tape 2" Tol. Tape Share Tol. Tape Tol. Tol. Tol. Tol. Tol. Tol. Tol. Tol. | | | 1. | 90 | 90 | | |
| Convenient-quick, comfortable to grip 1 1 1 1 1 1 2 2 2 2 | 50 | | раск | 80 | 80 | - | - |
| TOILET TISSUE PAPER, 2-ply, 100% pack power preveded 2701 pack paper 250 | | | | | | | |
| recycled 12 roll/ pack 2 | | | | | | | |
| recycled 12 roll/ pack Paper Towel, 150 pulls/ pack Paper Towel, 150 pulls, pack Pape | 51 | | pack | 9,000 | 4,500 | 2,250 | 2,250 |
| TOILET TISSUE PAPER, Interfolded Paper Towel, 150 publs/ pack Paper Towel, 150 publs/ pack Paper Towel, 150 publs/ pack Size 200mmx200mm 3,48sheets/box Size 200mmx200mm 3,48sheets/box Size 200mmx200mm 3,48sheets/box Size 200mmx200mm 3,48sheets/box Size 200mmx200mm Size 200mmx200mmx Size 200mmx200mm Size 200mmx200mm Size 200mmx200mmx Size 200mmx200mm Size 200mmx200mmx Size 200mmx200mx Size 200mmx200mx Siz | | | | 1 | | | |
| Paper Towel, 150 pulls/ pack | 52 | | piece | 1,000 | 500 | 250 | 250 |
| Say TISSUE PACIAL 2-ply, approx. sheet size. 200mmx200mm, 3/40sheets/box Size. 200mmx200mm Size. 200mmx200mmx200mm Size. 200mmx200 | | | P.2000 | 1,000 | 230 | _50 | |
| Size: 200mmx/200mm 340sheets/box | E2 | | hov | 10 | 12 | | |
| Section Tissue FAPER TOWEL, Tissue Multises Fold, Multi-Fold Towels, Absorberacy Pockets, 97 /5 v 91 /5, White, 230 Sheets Per Pack (Case of 12 pack) | 23 | | DOX | 12 | 12 | - | _ |
| Size: 200mmx200mm | L | | | 2 00- | 4 225 | = | = |
| TisSUE PAPER TOWEL, Tissue Multi-Fold, Multi-Fold Towels, Absorbency Pockets, 9 2/5 x 9 1/5, White, 250 Sheets Per Pack (Case of 12 pack) Pack (Case of 12 pack) | 54 | | pack | 2,000 | 1,000 | 500 | 500 |
| Fold, Multi-Fold Towels, Absorbency Pockets, 92/5 v 91/5, White, 250 Sheets Per Pack (Case of 12 pack) Pack (Case of 12 pack) Pack of 3 | | | | | | | |
| Fold, Multi-Fold Towels, Absorbency Pockets, 92/S v 91/5, 94/5, White, 250 Sheets Per Pack (Case of 12 pack) Pack (Case of 12 pack) Pack of 3 | 55 | TISSUE PAPER TOWEL, Tissue Multi- | pack | 15 | 15 | - | - |
| Pockets, 9 2/5 x 9 1/5, White, 250 Sheets Per Pack (Case of 12 pack) | | | 1 | | | | |
| Per Pack (Case of 12 pack) | | | | | | | |
| TISSUE, interfolded paper towel, 170 pull ups/ size 200 mm x 200 mm/ pack of 3 1 1 1 1 1 1 1 1 1 | | | | | | | |
| ups/ size 200 mm x 200 mm/ pack of 3 | r.c | | maale | 1.000 | E00 | 250 | 250 |
| TISSUE, Jumbo Roll, 16roll/box | 50 | | pack | 1,000 | 300 | 230 | 230 |
| TAPE, Duct MAXBOND, heavy duty, high strength, 48mm x 20m | | | | | | | |
| high strength, 48mm x 20m 59 TAPE, electrical 19mm x 16m, made of polyvinyl chloride (PVC) 60 TAPE, Foam type Double Adhesive tape 1" roll 17 17 - - - - - - - | | | box | | | - | - |
| TAPE, electrical 19mm x 16m, made of polyvinyl chloride (PVC) | 58 | TAPE, Duct MAXBOND, heavy duty, | roll | 23 | 23 | - | - |
| TAPE, electrical 19mm x 16m, made of polyvinyl chloride (PVC) | | high strength, 48mm x 20m | | | | | |
| polyvinyl chloride (PVC) | 59 | | roll | 158 | 80 | 40 | 38 |
| TAPE, Foam type Double Adhesive tape 1" roll 17 17 17 | 33 | | 1011 | 100 | 00 | 10 | 30 |
| TAPE, Foam type Double Adhesive tape 2" | 60 | | #ol1 | 17 | 17 | | |
| TAPE masking, 24mm | | | | | | | - |
| TWINE, plastic 1 kilo/roll | | | | | | - | - |
| TRASHBAG, plastic transparent, 10's/pack, medium | 62 | | roll | 12 | 12 | - | - |
| 10's/pack, medium | 63 | TWINE, plastic 1 kilo/roll | roll | 900 | 450 | 225 | 225 |
| 10's/pack, medium | 64 | | pack | 2,500 | 1,250 | 625 | 625 |
| TRASHBAG, plastic transparent, 10%/pack, Large pack 160 160 160 160 10%/pack, Large 10%/pack, Large pack 10%/pack, Delastic transparent, 10%/pack, XL pack 10%/pack, XL pack 150 150 150 - | - | | r | , | , | | |
| 10's/pack, Large pack 2,500 1,250 625 625 10's/pack, Description pack 2,500 1,250 625 625 10's/pack, Description pack 150 150 - - | 6E | | nagle | 160 | 160 | | |
| TRASHBAG, plastic transparent, 10's/pack, XL | 05 | | pack | 100 | 100 | - | - |
| 10's/pack, XL | | | | | | | |
| 67 TRASHBAG, transparent, plastic/ 100's/ pack, biodegradable, Clear XXL 37x40 thickness: 0.05mm pack 150 - | 66 | | pack | 2,500 | 1,250 | 625 | 625 |
| pack, biodegradable, Clear XXL 37x40 thickness: 0.05mm | | | | | | | |
| pack, biodegradable, Clear XXL 37x40 thickness: 0.05mm | 67 | TRASHBAG, transparent, plastic/ 100's/ | pack | 150 | 150 | - | - |
| thickness: 0.05mm 68 | | | _ | | | | |
| 68 TRASHBAG, yellow, large (26"x32"), 50 pcs per pack 13 13 - - 69 TRASHBAG, Yellow Plastic Bag (large); pack 100/pack 200 100 50 50 70 TRASHBAG, yellow garbage bag home commercial use small, medium, large, extra-large, 10roll/pack 6 6 - - - 71 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Large pack 250 126 63 61 72 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Medium pack 100 100 - - - 73 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small pack 50 50 - - - 74 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XL pack 5,000 2,500 1,250 1,250 75 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL pack 900 450 225 225 76 TRASHBAG, 100's/pack SML: 15x15x37(3 packs); Medium:11x11x24 (3 packs) -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size 24 24 - - | | | | 1 | | | |
| pcs per pack | 68 | | nack | 12 | 12 | | |
| TRASHBAG, Yellow Plastic Bag (large); pack 200 100 50 50 50 100/pack 70 TRASHBAG, yellow garbage bag home commercial use small, medium, large, extra-large, 10roll/pack pack 250 126 63 61 10's/pack, Large pack 10's/pack, Large pack 100 100 - - - 10's/pack, Medium pack 50 50 - - - 10's/pack, Small 74 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small pack 5,000 2,500 1,250 1,250 10's/pack, XL 75 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL 76 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL 76 TRASHBAG, 100's/pack pack pack 50 50 225 225 10's/pack, XXL 76 TRASHBAG, 100's/pack pack pack 5,000 450 225 225 225 10's/pack, XXL 15x15x37(3 packs) -Large: 13x13x32''(3 packs); Medium:11x11x24 (3 packs) -Large: 13x13x32''(3 packs); Color: Yellow/Green/Black; One (1) color each size | UO | | pack | 13 | 15 | - | _ |
| 100/pack 70 TRASHBAG, yellow garbage bag home commercial use small, medium, large, extra-large, 10roll/pack 71 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Large 72 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Medium 73 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small 74 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small 74 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XL 75 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL 76 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL 76 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL 76 TRASHBAG, 100's/pack 76 TRASHBAG, 100's/pack 76 TRASHBAG, 100's/pack 76 TRASHBAG, 100's/pack 76 77 77 77 77 77 77 7 | | | - | 200 | 400 | E o | =- |
| 70 TRASHBAG, yellow garbage bag home commercial use small, medium, large, extra-large, 10roll/pack pack 6 - - - 71 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Large pack 250 126 63 61 72 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Medium pack 100 100 - - 73 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small pack 50 50 - - 74 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XL pack 5,000 2,500 1,250 1,250 75 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL pack 900 450 225 225 76 TRASHBAG, 100's/pack Small: 9x9x20 (3 packs); Alz: 15x15x37(3 packs); Color: Yellow/Green/Black; One (1) color each size 24 24 - - | 69 | | pack | 200 | 100 | 50 | 50 |
| commercial use small, medium, large, extra-large, 10roll/pack | | | | | | | |
| commercial use small, medium, large, extra-large, 10roll/pack | 70 | TRASHBAG, yellow garbage bag home | pack | 6 | 6 | - | - |
| extra-large, 10roll/pack 71 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Large 72 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Medium 73 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small 74 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XL 75 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL 76 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL 76 TRASHBAG, 100's/pack 76 TRASHBAG, 100's/pack 77 78 78 78 78 78 78 7 | | | _ | | | | |
| 71 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Large pack 250 126 63 61 72 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Medium pack 100 100 - - - 73 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small pack 50 50 - <td< td=""><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td></td<> | | | | 1 | | | |
| 10's/pack, Large | 71 | | nack | 250 | 126 | 63 | 61 |
| 72 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Medium pack 100 100 - - 73 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small pack 50 50 - - 74 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XL pack 5,000 2,500 1,250 1,250 75 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL pack 900 450 225 225 76 TRASHBAG, 100's/pack Small: 9x9x20 (3 packs); Medium:11x11x24 (3 packs) -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size 24 24 - - | ′ 1 | | Pack | 250 | 120 | 0.5 | 01 |
| 10's/pack, Medium | 72 | | | 100 | 100 | | |
| 73 TRASHBAG, plastic Black Garbage Bag, 10's/pack, Small pack 50 50 - | /2 | | pack | 100 | 100 | - | - |
| 10's/pack, Small | | | | | | | |
| 74 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XL pack 5,000 2,500 1,250 1,250 75 TRASHBAG, plastic Black Garbage Bag, 10's/pack, XXL pack 900 450 225 225 76 TRASHBAG, 100's/pack Small: 9x9x20 (3 packs); Medium:11x11x24 (3 packs) -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size | 73 | | pack | 50 | 50 | - | - |
| 10's/pack, XL | | | | | | | |
| 10's/pack, XL | 74 | | pack | 5,000 | 2,500 | 1,250 | 1,250 |
| 75 TRASHBAG, plastic Black Garbage Bag, pack 900 450 225 225 10's/pack, XXL 76 TRASHBAG, 100's/pack pack 24 24 Small: 9x9x20 (3 packs); Medium:11x11x24 (3 packs) -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size | | | • | 1 | | | |
| 10's/pack, XXL 76 TRASHBAG, 100's/pack pack 24 24 Small: 9x9x20 (3 packs); Medium:11x11x24 (3 packs) -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size | 75 | | pack | 900 | 450 | 225 | 225 |
| 76 TRASHBAG, 100's/pack pack 24 24 | ,,, | | Puck | | 450 | 220 | 220 |
| Small: 9x9x20 (3 packs); Medium:11x11x24 (3 packs) -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size | 70 | | 1 | 24 | 2.4 | | |
| Medium:11x11x24 (3 packs) -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size | /6 | | pack | 24 | 24 | - | - |
| -Large: 13x13x32"(3 packs); XL: 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size | | | | | | | |
| 15x15x37(3 packs) -Color: Yellow/Green/Black; One (1) color each size | | | | | | | |
| -Color: Yellow/Green/Black; One (1) color each size | | | | | | | |
| -Color: Yellow/Green/Black; One (1) color each size | | | | | | | |
| color each size | | | | 1 | | | |
| | | | | 1 | | | |
| 77 TRASHBIN, plastic, standard size pack 30 30 | 77 | TRASHBIN, plastic, standard size | pack | 30 | 30 | | _ |
| 11 IAMOTEDIA, passe, standard size pack 50 50 | _ / / | i katoribir, piasuc, stanuaru size | pack | 30 | 50 | | |

| 70 | TATA CITED A CIZETT | • | FO | FO | 1 | |
|----------|---|------------------|----------|-----|----------|--|
| 78 | WASTEBASKET, non-rigid plastic | piece | 50 | 50 | - | - |
| 79 | WASTEBASKET, with lid, non-rigid, | piece | 10 | 10 | _ | - |
| 00 | plastic 35 cm Height | | 1 500 | 750 | 275 | 275 |
| 80 | LINEAR TUBE, Light Emitting Diode (LED), 8-9 watts LED tube, daylight, 600mm, | piece | 1,500 | 750 | 375 | 375 |
| 81 | LED Fluorescent Tube Light, | piece | 120 | 120 | _ | - |
| " | Polycarbonate LED T8, 20 watts Big; single- | Prece | 120 | 120 | | |
| | ended; High lumen output 120lm/w; | | | | | |
| | 2200lm; 129.5 x 18 x 15.5cm | | <u> </u> | | | <u> </u> |
| 82 | LIGHT BULB, Light Emitting Diode | piece | 30 | 30 | - | - |
| | (LED), 12 watts, LED bulb daylight | | | | | |
| 83 | LIGHT BULB, Light Emitting Diode | piece | 60 | 60 | - | - |
| <u> </u> | (LED), 13 watts, LED bulb daylight | | | | | |
| 84 | LIGHT BULB, Light Emitting Diode | piece | 120 | 120 | - | - |
| | (LED), 15W, wide voltage 110-240V AC | | | | | |
| O.F. | 50/60Hz; non-dimmable; daylight | | 220 | 111 | 58 | 58 |
| 85 | LIGHT BULB, Light Emitting Diode | piece | 230 | 114 | 58 | 58 |
| 86 | (LED), daylight, 7 watts, 100-250V LIGHT BULB, Light Emitting Diode | piece | 130 | 130 | _ | _ |
| 30 | (LED), daylight, 9 Watts, t 806 lumens | Picce | 150 | 150 | _ | - |
| | 170-240V 50/60Hz | | | | | |
| 87 | LINEAR TUBE, Light Emitting Diode | piece | 50 | 50 | - | - |
| | (LED),12W panel light, day light white, | 1 - 3-2 | | | | |
| | 6"diameter | | | | | |
| 88 | LINEAR TUBE, Light Emitting Diode | piece | 1,000 | 500 | 250 | 250 |
| | (LED),Cool Daylight, 6500k, 18 Watts, | _ | | | | |
| | 220-240 v, 50/60 Hz | | | | | |
| 89 | LINEAR TUBE, Light Emitting Diode | piece | 50 | 50 | - | |
| | (LED),T5 LED 24W, 2FT Industrial | | | | | |
| | Daylight double ended | | | | _ | _ |
| 90 | LINEAR TUBE, Light Emitting Diode | piece | 300 | 150 | 75 | 75 |
| | (LED), T8 LED 16W, Single-ended, Color | | | | | |
| | Temperature: Daylight, Life: 15,000 hours, Operating Voltage: 220-240V AC 50/60Hz, | | | | | |
| | 1600 Lumens, Dimensions: 25.4x1200mm | | | | | |
| 91 | EXTERNAL HARD DRIVE, 2TB external | piece | 5 | 5 | - | - |
| | Hard Drive Expansion Desktop | 1 | | • | | |
| 92 | EXTERNAL HARD DRIVE,4TB, Color: | piece | 3 | 3 | - | - |
| | Red, USB 3.2 Gen 1, Dimensions (L x W x | * | | | | |
| | H): 107.2mm x 75mm x 19.15mm | | <u> </u> | | | |
| 93 | FLASH DRIVE, 16 GB capacity USB 2.0 | piece | 1,200 | 600 | 300 | 300 |
| | port compatible, plug and play, with | | | | | |
| | light indicator, built-in USB interface | | | | | |
| | cover carrying strap, OTG 3.0 | | _ | | _ | |
| 94 | FLASH DRIVE, 32GB, capacity USB 2.0 | piece | 300 | 150 | 75 | 75 |
| | port compatible, plug and play, with | | | | | |
| | light indicator, built-in USB interface | | | | | |
| OF | cover carrying strap, OTG 3.0 | mis | 105 | 60 | 2.4 | 22 |
| 95 | FLASH DRIVE , 64GB capacity- USB 3.2 Gen 1 Speeds, plug and play, with light | piece | 135 | 68 | 34 | 33 |
| | indicator, built-in USB interface cover | | | | | |
| | carrying strap Dual Drive OTG 3.0 USB | | | | | |
| | Flash Drive | | | | | <u> </u> |
| 96 | FLASH DRIVE, 128GB, Capacity, 2.0 | piece | 146 | 72 | 37 | 37 |
| | Compatible, plug and play128GB, | | | | | |
| | Capacity, 2.0 Compatible, plug and play | | | | | |
| 97 | MOUSE, OPTICAL, USB connection type | unit | 200 | 100 | 50 | 50 |
| 98 | MOUSE, Logitech, M100R, corded | unit | 50 | 50 | - | - |
| 99 | KEYBOARD, Logitech, K120, corded | unit | 50 | 50 | - | - |
| 100 | KEYBOARD, USB wired keyboard, Drain | unit | 4 | 4 | - | - |
| | holes design | | | | | |
| 101 | PHILIPPINE NATIONAL FLAG | piece | 4 | 4 | - | - |
| | Size: 3ft X 6ft (standard size), Materials: Super- Weave Polyester, 100% water proof material, | | | | | |
| | Designs are through-printed and visible on both | | | | | |
| | sides, Bright, fade-resistant inks, Reinforced | | | | | |
| | grommet holes with metal rings | | | | | |
| 102 | MONOBLOC CHAIR, beige | piece | 30 | 30 | - | - |
| 103 | AUX CABLE, audio cable 3.5mm | piece | 2 | 2 | - | - |
| 104 | BACK WRENCH SET, H.D. 23pcs | set | 1 | 1 | - | - |
| 105 | Combination Wrench Cr-V Set 6-32mm #33-650 BADMINTON RACKET, Badminton | unit | 10 | 10 | | |
| 103 | racket, frame: high modulus graphite, shaft: | unit | 10 | 10 | _ | - |
| | titanium mesh/full carbon graphite, weight: | | | | | |
| | 3U (Ave. 85g), head shape: isometric, with | | | | | |
| | badminton string, high polymer nylon, | | | | | |
| | multifilament, gauge: 0.66mm, length: 10 | | | | | |
| | meter, color: white | | | | | |
| 106 | BADMINTON SHUTTLECOCKS, | tubes | 2 | 2 | - | - |
| | shuttlecocks, goose feather, 12pcs per | | | | | |
| 107 | tube, authentic BALL BAG, mesh bag with shoulder | ,,, <u>,,</u> ;, | 1 | 1 | | |
| 107 | strap, large capacity, durable and wear- | unit | 1 | 1 | _ | - |
| | samp, mage capacity, durable and wear- | | 1 | | <u>I</u> | <u> </u> |
| | | | 50 | | | |

| _ | | 1 | 1 | | | |
|-----|--|-------|-----|-----|-----|-----|
| | resistant, Materials: oxford-cloth, type: Large Backpack | | | | | |
| 108 | BALL PUMP, with 160 PSI pressure | unit | 2 | 2 | _ | _ |
| 100 | gauge, type: floor/track pump, color: | unit | _ | _ | | |
| | black valve, type: dual (presta & | | | | | |
| 100 | schrader), material: aluminum alloy | | 4 | | | |
| 109 | BED MATTRESS , with Leatherette cover Size: Length: 75 x Width: 36 x Thickness: | piece | 4 | 4 | - | - |
| | 4" for hospital bed | | | | | |
| 110 | BED SHEET, plain green or white in color | piece | 30 | 30 | - | - |
| | bed sheet fitted, cotton for single bed | | | | | |
| 111 | BILLIARD CUE STICK, 13 mm shaft | unit | 4 | 4 | - | - |
| 112 | size, 58 inches height BROWN PAPER, Kraft, 90gsm 50 sheets | roll | 12 | 12 | _ | _ |
| 112 | per pack, 24 inches in length | 1011 | 12 | 12 | _ | - |
| 113 | CARBON FILM, Legal, 100sheets per | pack | 10 | 10 | - | - |
| | pack | | 100 | 200 | 100 | 100 |
| 114 | CERTIFICATE HOLDER, Double Sided 8.27x11.69 inches DCH-4 | piece | 400 | 200 | 100 | 100 |
| 115 | CERTIFICATE FRAMES, 8.5X11 | piece | 100 | 100 | - | - |
| 116 | CERTIFICATE FRAMES, A4, Frame: | piece | 15 | 15 | - | - |
| | Weight 0.4kg; Length 31cm; Width | | | | | |
| 117 | 22cm,Height 1.5cm CIRCUIT BREAKER,30 amp, plug-in | piece | 3 | 3 | | |
| 118 | CIRCUIT BREAKER, ECB with 40AT | piece | 4 | 4 | | - |
| 119 | CLEANING CLOTH, multi-purpose | set | 3 | 3 | - | - |
| | cleaning cloth; flannel 18"x18" 12pcs/set; | | | | | |
| 422 | multi-color | 11 | 2 | 2 | | |
| 120 | COIL MATTING SOFT RUBBER MATTING, 5yards x 1meter per roll, | roll | 3 | 3 | - | - |
| | extremely durable, Anti-Slip. Spiked | | | | | |
| | Backing Can be washed and scrubbed | | | | | |
| | Removable Made of Rubber / PVC | | - | | | |
| 121 | COMPUTER BLOWER CLEANER, plug type, 220V | piece | 1 | 1 | - | - |
| 122 | CRAYONS, 16 CRAYONS/BOX | box | 125 | 125 | - | - |
| 123 | DART PIN, steel tip, 22 gram weight, | set | 2 | 2 | - | - |
| | 85% tungsten, 3 pieces per set | | | | | |
| 124 | DART STAND, heavy duty, quality design, stable, less wiggle when it used, it | unit | 1 | 1 | - | - |
| | can disassemble, portable, adjustable | | | | | |
| | height up to 8 feet, inclusions: dart board | | | | | |
| | bracket, 6 pcs. Wood screw, 8 pieces | | | | | |
| 125 | stand big screw | it | 1 | 1 | | |
| 125 | DARTBOARD, official size, movable number ring, staple-free, thin wiring | unit | 1 | 1 | - | - |
| | segments fins, 2 years warranty | | | | | |
| 126 | DEODORIZER, Urinal anti blocking, | piece | 80 | 80 | - | - |
| 427 | anti-splash, deodorizing mat | 1 | 10 | 10 | | |
| 127 | DISPOSABLE GLOVES, latex, medium size | box | 10 | 10 | - | - |
| 128 | DISTRIBUTION PANEL BOARD, 250 | unit | 1 | 1 | - | - |
| | AT Main 2 Branches, 1-150AT & 1-100AT | | | | | |
| 129 | DOORMAT RAGS, rectangle machine | piece | 120 | 120 | - | - |
| 130 | sewn 35cm x 50cm ELASTIC CORD, 3mm 10yards | yard | 70 | 70 | _ | - |
| 131 | EMERGENCY LIGHT, for Brownout | piece | 25 | 25 | - | - |
| | Automatic; Rechargeable LED Light Bulb; | 1 | | | | |
| | 12V rechargeable batteries included; | | | | | |
| | Emergency light wall mounted; 2hours | | | | | |
| | usage duration; 24hour charging time; 16 pcs SMD LED Light; White Light; Fire | | | | | |
| | retardant; Overcharge protection; Over | | | | | |
| | discharge protection; Adjustable dual | | | | | |
| | optics; Up to 90 degree Tilt Range Lamp | | | | | |
| | Head; Wall mountable; Rechargeable. Built-in4V2Ah Sealed Lead Acid Battery; | | | | | |
| | 220-240V AC 50/60Hz; Built in power | | | | | |
| | cord. | | | | | |
| 132 | EXTENSION CORD, Reel Set 30 meters, | unit | 24 | 24 | - | - |
| | 2.5inch x 2mm2 -Wire Label; Socket: 4 Sockets; Plug Fuse: 16 Amps; Max Load: | | | | | |
| | Wound-720W/240V Unwound | | | | | |
| | 3120W/240V Reel Set 10 meters | | | | | |
| 133 | EXTENSION CORD,(AEC-923)With | unit | 38 | 38 | - | |
| | Individual Switch Control, With 2 USB Ports at 5V 2A, With Surge Protection, | | | | | |
| | Cable Length: 4 meter, Socket type: 5 | | | | | |
| | Gang Multipurpose Sockets, Maximum | | | | | |
| | Load Capacity: 6A 1500 Watts, Input | | | | | |
| | | | | | | |

| | II I. DENI EN COLL D. 1 | | 1 | | | 1 |
|---|--|---|--|--|----------------------------|---------------------------------|
| | Voltage: 250Vac, 50/60Hz, Product | | | | | |
| | Dimension: 3.5 x 7 x 36cm | | | | | |
| 134 | EXTENSION CORD, with switch, 5 | unit | 3 | 3 | - | - |
| | meters, Max. Capacity: 2500W; 6 Parallel | | | | | |
| | Outlets w/ Grounding | | | | | |
| 135 | EXTENSION WHEEL, 1 0A, 2500W, 15 | unit | 8 | 8 | - | - |
| | meters wire, universal heavy duty outlets, | | | | | |
| | with over heating protection button, | | | | | |
| | Power leakage protector safety breaker, | | | | | |
| | rapid flame retardant | | | | | |
| 136 | FABRIC CONDITIONER, 1.8L - 2L | bottle | 50 | 50 | _ | _ |
| | Branded | | | | | |
| 137 | FABRIC CONDITIONER, 8.5L, Branded | unit | 3 | 3 | _ | _ |
| 138 | FACE MASK, 50pcs/box | box | 10 | 10 | _ | _ |
| 139 | FACE SHIELD, direct splash protection | | 50 | 50 | - | - |
| | | piece | | | - | - |
| 140 | FLOOR FINISH, 3M 5 Liter (1.32 per | gal | 15 | 15 | - | - |
| | gallon) | | | | | |
| 141 | FLOOR MOP SPONGE MOP TWIST, | piece | 20 | 20 | - | - |
| | The Water Mop Microfiber Nozzle Self- | | | | | |
| | squeezing Home cleaning Sponge Mops | | | | | |
| 142 | FLOOR SCRUB (TILES SCRUB), scrub | piece | 2 | 2 | - | - |
| | brush with long handle, stiff bristle | | | | | |
| 143 | FLOOR STRIPPING PAD | piece | 10 | 10 | - | - |
| | 16inches Diameter: 16inches | | | | | |
| | Hole diameter: 3 3/8inches; Color: black; | | | | | |
| | floor type: hard floors; Shape: round; | | | | | |
| | thickness: 3/4inch; | | | | | |
| | types: pads; usage: stripping | | | | | |
| 144 | FOOT RAGS, High quality rags; assorted | piece | 1,000 | 500 | 250 | 250 |
| | colors; 13x18" | 1.000 | _,,,,, | 200 | | |
| 145 | FUNNEL (BIG), Thickened 304 Stainless | piece | 1 | 1 | - | _ |
| 143 | Steel Funnel Large Diameter with Filter | Picce | 1 | 1 | _ | - |
| | Household Wine Oil Funnel Extra Large | | | | | |
| | | | | | | |
| 116 | Industrial Hopper | | 40 | 40 | | |
| 146 | GROUND WIRE, 125mm | meter | 49 | 49 | - | - |
| 147 | GROUND WIRE, 14mm | meter | 25 | 25 | - | - |
| 148 | GUN TUCKER, arrow type | piece | 3 | 3 | - | - |
| 149 | HAND TOWEL, Hand Towel | pail | 1,501 | 751 | 375 | 375 |
| | Rectangular Shape, white, 100% cotton 5 | | | | | |
| | pcs / pail | | | | | |
| | | | | | | |
| 150 | HDMI TO HDMI CABLE, 10m cable | piece | 5 | 5 | - | - |
| 150 151 | HDMI TO HDMI CABLE, 10m cable HDMI TO VGA ADAPTOR KIT, | | 5 3 | 5 3 | - | - |
| | | piece piece | | | - | - |
| 151 | HDMI TO VGA ADAPTOR KIT, adaptor kit | piece | | | - | - |
| | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head | | 3 | 3 | - | - |
| 151 152 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's | piece piece | 3 5 | 3 5 | - | - |
| 151 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ | piece | 3 | 3 | - | - |
| 151 152 153 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" | piece piece piece | 3 5 30 | 3 5 30 | - | |
| 151 152 153 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts | piece piece piece | 3 5 30 30 | 3 5 30 30 | - | - - - |
| 151 152 153 154 155 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves | piece piece piece piece pack | 3 5 30 30 20 | 3 5 30 30 20 | - - - - - | - - - - |
| 151 152 153 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural | piece piece piece | 3 5 30 30 | 3 5 30 30 | - - - - - - | - - - - - |
| 151 152 153 154 155 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, | piece piece piece piece pack | 3 5 30 30 20 | 3 5 30 30 20 | - - - - - | - - - - - |
| 151 152 153 154 155 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for | piece piece piece piece pack | 3 5 30 30 20 | 3 5 30 30 20 | - - - - - | - - - - - |
| 151 152 153 154 155 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling | piece piece piece piece pack | 3 5 30 30 20 | 3 5 30 30 20 | - - - - - | - - - - - |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip | piece piece piece piece pack pairs | 3 5 30 30 20 70 | 3 5 30 30 20 70 | - | - |
| 151 152 153 154 155 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry | piece piece piece piece pack | 3 5 30 30 20 | 3 5 30 30 20 | - - - - - - | - - - - - - - |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch | piece piece piece piece pack pairs | 3 5 30 30 20 70 | 3 5 30 30 20 70 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, | piece piece piece piece pack pairs | 3 5 30 30 20 70 | 3 5 30 30 20 70 | - | - |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel | piece piece piece piece pack pairs | 3 5 30 30 20 70 | 3 5 30 30 20 70 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 | 3 5 30 30 20 70 176 250 | 88 | 86 |
| 151 152 153 154 155 156 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature Display - able to know about the timely | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature Display - able to know about the timely temperature, not able to go outside; 24H | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature Display - able to know about the timely temperature, not able to go outside; 24H display, large arabic numbers, easy to | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature Display - able to know about the timely temperature, not able to go outside; 24H display, large arabic numbers, easy to read; Functions - 24H display, | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature Display - able to know about the timely temperature, not able to go outside; 24H display, large arabic numbers, easy to read; Functions - 24H display, temperature, date, calendar, visuable at | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature Display - able to know about the timely temperature, not able to go outside; 24H display, large arabic numbers, easy to read; Functions - 24H display, temperature, date, calendar, visuable at night; Other uses- for shop, cafe, school, | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |
| 151 152 153 154 155 156 157 158 159 | HDMI TO VGA ADAPTOR KIT, adaptor kit HEAD COVER, Bouffant cap, Head cover, disposable 100's HOSPITAL BED FLAT SHEET/ BLANKET, white size 77x58" INCANDESCENT, bulb, 10 watts KITCHEN GLOVES, plastic gloves LAUNDRY GLOVES, 100% natural rubber material with honeycomb pattern, with cotton lining and lemon scent for sweat absorption and pleasant smelling hands, thin gloves for better grip LAUNDRY SOAP POWDER, Laundry soap 2.2 kg per pouch LAUNDRY/DETERGENT SOAP, Laundry/Detergent Soap 2 Bars / pail LAVATORY FAUCET, Stainless Steel Kitchen Faucet; Net weight: 360g; Structural form: single type; Inlet and outlet pipe diameter: 20mm; Functional Category: Mixing Faucet; Working temperature: 0-90°; Opening method: wrench type; Material: Stainless steel; Valve seat diameter: 35mm; Nominal pressure: 1.6Mpa Installation type: thread; Surface technology: brushed; Applicable type: Basin faucet; Valve core type: ceramic valve core; Style: modern minimalist LED DIGITAL CLOCK, Large LED clock, alarm clock, easy viewing in living room, hall, kitchen; Indoor Temperature Display - able to know about the timely temperature, not able to go outside; 24H display, large arabic numbers, easy to read; Functions - 24H display, temperature, date, calendar, visuable at | piece piece piece piece pack pairs pouch piece | 3 5 30 30 20 70 350 500 24 | 3 5 30 30 20 70 176 250 24 | 88 | 86 |

| pipes, sinks and drains, I liter Scent Rain Clean, anti-bacterial sulfate free / bottle | 72 - - - 225 75 |
|--|--------------------------------|
| 161 LIQUID SOSA DECLOGGER, Unclog pipes, sinks and drains, liter Scent Rain Clean, anti-bacterial sulfate free / bottle | 72 - - - 25 75 |
| pipes, sinks and drains, I liter Scent Rain | 72 - - - 25 75 |
| Clean, anti-bacterial sulfate free / bottle LiQUIFIED PETROLEUM GAS, 50kg/tank 50k | - - 225 75 |
| 162 LIQUIFIED PETROLEUM GAS, Soky (Jana) Soky (Jan | - - 225 75 |
| Sokg/tank | - - 225 775 31 |
| 164 MICROFIBER TOWEL, 30x30 / pc piece 20 20 - 165 MICROFIBER TOWEL, 30x30 / pc piece 102 102 - 166 MICROFIBER TOWEL, 30x30 / pc piece 102 102 - 167 MICRAFACE CLEANER & bottle 100 50 25 168 DEODORIZER, ditutable cleaner, in Lavender or Fresh Scent 60oz/bottle 100 50 25 169 MICHAITIC ACID, 21 tiers/bottle bottle 300 150 75 168 NEMA BOX 3R Box Metal, Steel Gray Hinged Door, Lid 8.000inches L x & 5000inches W (203.20mm x 152.40mm) x 8.000inches (203.20mm) 20 01 LITLER CAP REMOVAL WRENCH SOCKET SET, 23pes Set Ratchet Spanner Cup Type With Portable Storage Case 1 | - - 225 775 31 |
| 165 MOTH BALLS, 175 grams/pack pack pack 90 90 | - 225 775 31 |
| 166 MOTH BALLS, 175 grams/ pack pack 90 90 - | 25 75 31 |
| DEODORIZER, dilutable cleaner, in Lavender or Fresh Scent 60oz/bottle 161 MURIATIC ACID, 2 liters/ bottle bottle 300 150 75 168 NEMA BOX 3R, Box Metal, Steel Gray Hinged Door, Lid 8.000inches Lx 6.000inches W (203.20mm x 152.40mm) x 8.000inches W (203.20mm x 152.40mm) x 8.000inches (203.20mm) x 152.40mm) x 8.000inches W (203.20mm) x 152.40mm) | 75 31 |
| Lavender or Fresh Scent 60oz/bottle 167 MURIATIC ACID, 2 liters/bottle bottle 300 150 75 168 MURIATIC ACID, 2 liters/bottle piece 3 3 3 8 800 Michal, Steel Gray Hinged Door, Lid 8,000 inches I. x 6,000 inches W (20,3.20mm x 152.40mm) x 8,000 inches W (20,3.20mm) x 152.40mm) x 8,000 inches W (203.20mm) x 152.40mm) x 152.40m | 31 |
| 168 NEMA BOX 3R, Box Metal, Steel Gray Hinged Door, Lid 8.000inches Lx 6.000inches W (203.20mm) x 152.40mm) x 8.000inches (203.20mm) x 152.40mm] x | 31 |
| NEMA BOX 3R, Box Metal, Steel Gray Hinged Door, Lid 8.000inches L x 6.000inches W (203.20mm) x 152.40mm) x 8.000inches W (203.20mm) x 152.40mm) x 8.000inches (203.20mm) x 152.40mm) x 152 | 31 |
| Box Metal, Steel Gray Hinged Door, Lid 8,000inches Lx 6,000inches W (203,20mm x 152,40mm) x 8,000inches (203,20mm) x 152,40mm) x 8,000inches (203,20mm) | - |
| 8.000inches L x 6.000inches W (203.20mm) x 152.40mm) x 8.000inches (203.20mm) | - |
| x 152.40mm) x 8.000inches (203.20mm) 169 NOTARIAL SEAL, Notarial seal #23 (40 box 125 63 31 c) cos per box) 170 OII. FILTER CAP REMOVAL WRENCH SOCKET SET, 23pcs Set Ratchet Spanner Cup Type With Portable Storage Case 171 PANEL BOARD 100 AT, Main 4 piece 1 1 c Branches, 4-40AT | - |
| 169 NOTARIAL SEAL, Notarial seal #23 (40 box 125 63 31 170 Olt FILTER CAP REMOVAL WRENCH SOCKET SET, 23pcs Set Ratchet Spanner Cup Type With Portable Storage Case 1 1 - | - |
| pcs per box | - |
| 170 OIL FILTER CAP REMOVAL WRENCH SOCKET SET, 23pcs set Ratchet Spanner Cup Type With Portable Storage Case 171 PANEL BOARD 100 AT, Main 4 piece 1 1 - 172 PILLOW, size 18x28 inches piece 15 15 - 173 PILLOW CASE, cotton, size 18x28 inches, 2pcs per pack 174 POWER CORD EXTENSION, 6 sockets, 5 meters 175 PROTECTIVE SAFETY GOGGLES, silicone 176 PVC CLAMP, ¼ inch piece 50 50 - 177 PVC ELECTRICAL, ¼ inch piece 5 5 - 178 PVC ELECTRICAL, ¼ inch piece 50 50 - 179 PVC ELECTRICAL, ¼ inch piece 10 10 - 179 ROLLING TRASHBIN, heavy duty piece 6 6 - 180 ROLLING TRASHBIN, heavy duty piece 6 6 - 181 RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE : 94X55cm / 100Kg- 105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 10 10 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black Diece 10 10 185 SCOREBOARD FOR DIAC, Color: black Diece 10 10 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| SOCKET SET, 23pcs Set Ratchet Spanner Cup Type With Portable Storage Case 171 PANEL BOARD 100 AT, Main 4 Branches, 4-40AT 172 PILLOW, size 18x28 inches piece 15 15 - 173 PILLOW CASE, cotton, size 18x28 inches, pack 15 15 - 15 - 174 POWER CORD EXTENSION, 6 sockets, piece 4 4 - 18 | |
| Cup Type With Portable Storage Case | |
| 171 PANEL BOARD 100 AT, Main 4 piece 1 1 1 - | |
| Branches, 4-40AT | - |
| 173 PILLOW CASE, cotton, size 18x28 inches, 2pcs per pack 2pcs per pack 2pcs per pack 2pcs per pack 5 meters 2pcs per pack 5 meters 2pcs per pack 2pcs p | |
| 2pcs per pack 174 POWER CORD EXTENSION, 6 sockets, 5 meters 5 meters | - |
| 2pcs per pack 174 POWER CORD EXTENSION, 6 sockets, 5 meters 5 meters | - |
| 175 PROTECTIVE SAFETY GOGGLES, silicone 50 50 50 - | |
| 175 PROTECTIVE SAFETY GOGGLES, silicone 50 50 50 - | - |
| silicone 176 PVC CLAMP, ¾ inch 177 PVC ELECTRICAL, 1inch 178 PVC ELECTRICAL, ¾ inch 179 ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L 180 ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L 181 RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg- 105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| 176 PVC CLAMP, ¾ inch piece 50 50 - 177 PVC ELECTRICAL, 1inch piece 5 5 5 - 178 PVC ELECTRICAL, ¾ inch piece 10 10 - 179 ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L plastic, with wheels, 80L 180 ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L 181 RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg-105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, piece 1 1 - | - |
| 177 PVC ELECTRICAL, 1inch piece 5 5 - 178 PVC ELECTRICAL, 34 inch piece 10 10 - 179 ROLLING TRASHBIN, heavy duty piece 6 6 - plastic, with wheels, 80L 180 ROLLING TRASHBIN, heavy duty piece 6 6 - plastic, with wheels, 80L 181 RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg- 105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, piece 1 1 - | |
| 178 PVC ELECTRICAL, ¾ inch piece 10 10 - | |
| 179 ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L 180 ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L 181 RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg-105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic SANDO BAG, XL, plastic piece 50 50 - 14 15 16 16 16 16 16 16 16 | - |
| plastic, with wheels, 80L 180 ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L 181 RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg-105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4-digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | - |
| ROLLING TRASHBIN, heavy duty plastic, with wheels, 80L 181 RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg-105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4-digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | - |
| plastic, with wheels, 80L 181 RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg- 105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | _ |
| RUBBER GLOVES ELBOW LENGTH, Length, High Quality Waterproof Rubber 38cm/pair Diece SO SO So So So So So So | - |
| Length, High Quality Waterproof Rubber 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg-105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| 38cm/pair 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg- 105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | - |
| 182 SACKS, Clean Plastic made, Woven Bag Coated LARGE: 94X55cm / 100Kg- 105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| Coated LARGE: 94X55cm / 100Kg- 105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | 56 |
| 105kg, color: white, thickness: 15mm 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| 183 SANDO BAG, XL, plastic piece 50 50 - 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| 184 SCOREBOARD FOR BASKETBALL, 4- digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | - |
| digit score board, Material: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | - |
| cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| cm x 19 cm x 20 cm, color: black: Outer shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| shell: high quality plastic, core page: special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| special cardboard, weight: 900 grams, size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| size: 38.8 cm x 19 cm x 20 cm, color: black 185 SCOREBOARD FOR VOLLEYBALL, piece 1 1 - light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| 185 SCOREBOARD FOR VOLLEYBALL, piece 1 1 - light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| light foldable tabs allow the scoreboard to stand upright, storage pocket on inner lid, | |
| stand upright, storage pocket on inner lid, | - |
| | |
| made of high quality plastic | |
| 186 SCREW DRIVER, 6 pcs per set piece 2 2 - | |
| Specifications: Sizes: Flat Blades: | |
| 3x100mm 4x100mm 5.5x125mm | |
| 6.5x150mm Phillips Head: 1x80mm | |
| 2x100mm; Dimensions: width=21.8, | |
| height=4.5, length=30.6; Weight: 0.91kgs | |
| 187 SEPARABLE SPIN MOP, with Double piece 5 5 - | - |
| Bucket 360 Tornado Mop with Spinner | |
| Magic Spin Mop Floor Mop Lazy Mop | |
| 188 SHOE COVER, non-woven, 100's (50 piece 2 2 | - |
| pairs), non-sterile | |
| 189 SPLITTER/HUB, HDMI splitter/hub piece 3 3 - | - |
| 190 STORAGE BOX, Mega Box Plastic Made; piece 10 10 - | - |
| High-Impact" Series | |
| Size. 95 liters (cm): L67.6 / W47.8 / H41.0; | |
| Color Available: Transparent Clear | 524 |
| 191 STORAGE BOX, with lid Hardboard, piece 2,499 1,250 625 6 | 524 |
| | |
| 192 STUDY LAMPS WITH BULB piece 6 6 - Material: metal | |
| -Lampshade size: 12.5cm (Dia.) | - |
| -Base size:15cm (Dia.), 3cm (H) | - |
| -The lamp body: 60cm | - |
| 53 Schedule of Delivery Pa | - |

| | | | | | | 1 |
|-----|--|----------------|------|------|-------------|---|
| | -Operated by 230V, 50/60Hz or 120V, 50/60H, light bulb - 8-12 watts | | | | | |
| 193 | THWN WIRE, 5.5mm2 | piece | 1 | 1 | _ | _ |
| 155 | 150Meters/ Box | piece | 1 | 1 | _ | _ |
| | THWN 75°C, 600v Building Wire | | | | | |
| | Oil and Heat Resistant, Flame Retardant, | | | | | |
| | Solid sizes of 1.60mm to 3.20mm; | | | | | |
| | Stranded sizes 2.0mm ² to 500mm ² | | | | | |
| 194 | UNIVERSAL ADAPTOR, | piece | 5 | 5 | - | - |
| | 10A, universal socket adaptor | | | | | |
| 195 | USB C TO HDMI - USB-C TO | piece | 3 | 3 | - | - |
| | LAN/HDMI/VGA/USB3.0 | | | | | |
| | GIGABIT/4K/100W/PD black charge adapter thunderbolt 3 AVC004BTBK; | | | | | |
| | Color: Black; Features: Multi-Port USB- | | | | | |
| | C Power Delivery 4K UHD Compatible; | | | | | |
| | Cable connectors: USB-C Ethernet | | | | | |
| | USB-A VGA HDMI; Multi-port | | | | | |
| | adapter with USB-A 3.0, VGA, and 4K | | | | | |
| | HDMI ports; Connects to your device's | | | | | |
| | USB-C port; USB-C Power Delivery up to | | | | | |
| | 100W; Package Includes: USB-C Multimedia Adapter + Charge (100W) | | | | | |
| 196 | USB WIRELESS PRESENTER | piece | 6 | 6 | _ | _ |
| | Wireless mini-receiver | Piece | ~ | J | | |
| | • 2 AAA batteries; • Carrying case; | | | | | |
| | Dimensions (height x width x depth): 1.49 | | | | | |
| | in (37.8 mm) x 4.55 in (115.5 mm) x 1.08 in | | | | | |
| | (27.4 mm) | | | | | |
| | Weight: 2.01oz (57g); Receiver Dimensions (height y width y donth): 0.65 | | | | | |
| | Dimensions (height x width x depth): 0.65 in (16.5 mm) x 2.31 in (58.6 mm) x 0.31 in | | | | | |
| | (7.9 mm) x 2.31 in (38.6 mm) x 0.31 in | | | | | |
| | • Receiver Weight: 0.21oz (6 g); • Color: | | | | | |
| | Black; • Laser Class: Class 2 Laser; • Max | | | | | |
| | Output: Less than 1mW; • Wave Length: | | | | | |
| | 640∼660nm (red light); • Battery type: 2 | | | | | |
| | AAA batteries; • Battery life (Laser | | | | | |
| | pointer): 20-hour maximum; • Battery life | | | | | |
| | (Presenter): 1050-hour maximum; • | | | | | |
| | Wireless operating distance: Approx. 10m2 | | | | | |
| | Wireless technology: 2.4 GHz wireless | | | | | |
| | technology | | | | | |
| 197 | UTILITY PAIL, with metal handle with | piece | 30 | 30 | - | - |
| | cover; 16Liters | | 4.0 | | | |
| 198 | UV LIGHT BULB | piece | 10 | 10 | - | - |
| | 11 watts UV Light Flow Rate: 4 LPM (Liters Per Minute) | | | | | |
| | Lamp Life: 9,000 Burning Hours | | | | | |
| | Dimensions: 3.14inches H x 12inches W x | | | | | |
| | 2.36inches L | | | | | |
| | 220V - 11 watts | | | | | |
| | Weight: 0.8 kg | | - | | | |
| 199 | VGA CABLE, 10 meters | piece piece | 3 | 3 | - | - |
| 200 | VOLLEYBALL ANTENNA MARKET SET, | DIECE | 1 . | - 1 | | |
| 1 | | piece | 1 | 1 | - | - |
| | · · | piece | 1 | 1 | - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, | piece | 1 | 1 | - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert | piece | 1 | 1 | - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of | piece | 1 | 1 | - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair | piece | 1 | 1 | - | - |
| 201 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set | | | | - | - |
| 201 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, | piece | 1 | 1 | - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty | piece | | | - | - |
| 201 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, | | 1 | 1 | - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 | piece | 1 | 1 | - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 | piece | 1 | 1 | - - - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, | piece | 1 | 1 | - - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V | piece | 1 | 1 | - - - | |
| 202 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters | piece piece | 1 12 | 1 12 | - - | - |
| | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, | piece | 1 | 1 | - | - |
| 202 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / | piece piece | 1 12 | 1 12 | - | - |
| 202 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, | piece piece | 1 12 | 1 12 | - | - |
| 202 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night | piece piece | 1 12 | 1 12 | | - |
| 202 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) | piece piece | 1 12 | 1 12 | - - | - |
| 202 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display | piece piece | 1 12 | 1 12 | - | - |
| 202 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display -Built-in battery back-up (for setting) | piece piece | 1 12 | 1 12 | - | - |
| 202 | Rounded bottom edges to prevent snagging or tearing of sideline marker, includes full length pocket to insert antenna, Solid fiberglass rods, bands of red and white striping on top half, 1 pair or set VOLLEYBALL NET, , tournament size, with cable, heavy duty VOLTAGE SURGE PROTECTOR, 6 outlet with individual switch and built in safety circuit breaker maximum wattage 2500W, 3 2-way outlets and 3 parallel outlets with grounding pin, durable steel housing, 10A, 250V universal outlet; 5 meters WALL CLOCK, DIGITAL, 24 Hours; Temperature / Day of Week / Date; LED display visible in day / night operation -Power: 220V AC or 5V DC (Adapter included) -Wall Display | piece piece | 1 12 | 1 12 | - | - |

| | | | | ı | | |
|-----|--|-------|-----|-----|----|----|
| | -Product Dimensions: 20 x 7.5 x 2 (inches) | | | | | |
| | -Red Digital Large Jumbo LED Wall Desk | | | | | |
| | Alarm Clock Calendar Temperature | | | | | |
| | Practical Product Description Model | | | | | |
| | 4819Time (Hour, Minute, Second) | | | | | |
| | Calendar (Date, Month, Year) | | | | | |
| | Temperature Display | | | | | |
| | -Technical Specification: | | | | | |
| | *Clock Size: 480mmx190mmx50mm (L X | | | | | |
| | H X W) | | | | | |
| | *Time Digits Size 45mm X 75mm | | | | | |
| | *Calendar Digits Size: 10 x 15 mm | | | | | |
| | * Output: AC100v-240v 50/60Hz | | | | | |
| | *Power Consumption: ≤ 3 watts | | | | | |
| | *Colour: red | | | | | |
| | *Weight: about 2KG | | | | | |
| | | | | | | |
| | *Material - Front panel (glass), Frame | | | | | |
| | (aluminum alloy) | | | | | |
| | - Features : 24-hour mode with calendar | | | | | |
| | & temperature displayed along the | | | | | |
| | bottom; can be placed on a table or hung | | | | | |
| | the wall have no alarm and punctual | | | | | |
| | reporting function | | | | | |
| | -Time memory function: time saved when | | | | | |
| | power off | | | | | |
| | energy-saving less than 3W power | | | | | |
| | consumption | | | | | |
| | a button cell battery included for memory | | | | | |
| | back-up (Notice: This battery is just for | | | | | |
| | memory back-up | | | | | |
| 204 | WALL MOUNT FAUCET, Stainless Steel | piece | 12 | 12 | - | - |
| | 90° quick open | | | | | |
| 205 | WASTE COTTON, white, rag | piece | 300 | 150 | 75 | 75 |
| | White round cotton rags; 14-16 cm | _ | | | | |
| | diameter; 25-45pcs (depends on the rags | | | | | |
| | made); very absorbent; quality made; | | | | | |
| | affordable; good for cleaning and painting | | | | | |
| | purposes | | | | | |
| 206 | WATER DIPPER, Heavy duty plastic, 41 | piece | 30 | 30 | - | - |
| | cm x 13cm | 1 | | | | |
| 207 | WHISTLE, ABS+ titanium alloy + | piece | 3 | 3 | - | - |
| | polymer material + rope, with storage box | Γ | - | | | |
| 208 | WIDE STEEL MOP HEAD, made of soft | piece | 50 | 50 | _ | - |
| | cotton yarn 120cm/pc | ricce | | | | |
| 209 | WIPES, Clorox 30 pcs, | piece | 10 | 10 | _ | _ |
| 200 | Didecyldimethylammonium chloride | Piece | 10 | | | |
| | (0.40%), Other ingredients: <5% cationic | | | | | |
| | surfactants, <5% non-ionic surfactants, | | | | | |
| | <5% hydrocarbons, perfumes | | | | | |
| 210 | WRAPPING PAPER, kraft, 50's/pack | pack | 17 | 17 | _ | _ |
| | | Puck | 1/ | 1/ | | |

Schedule of Delivery Page 8 of 8 CGSD-24-JS2-0265