

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF FLAT CORD WIRE AND OTHERS

PROJECT NO. QCU-24-ITPAP-0554B

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	13
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements	27
Section	VII. Technical Specifications	30
Section	VIII. Checklist of Technical and Financial Documents	35

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES

1 ·


INVITATION TO BID

÷



May 06, 2024

NO	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF	DELIVERY PERIOD
1.	CAO(OCSLIBAN)-24 VEHICLES-0882	CITY ADMINISTRATOR'S OFFICE (OFFICE OF COUN. SHAIRA L. LIBAN)	DROPSIDE TRUCK	P 2,450,000.00	GENERAL FUND	30 CD
2	HEALTH-24-CCP-070	7 QUEZON CITY HEALTH DEPARTMENT	VARIOUS CHEMICAL SUPPLIES (PERMETHRIN AND OTHERS)	P 2,458,072.00	GENERAL FUND	30 CD
3.	HEALTH-24-HLMF- 0630B	QUEZON CITY HEALTH DEPARIMENT	HOTEL ACCOMMODATION WITH FOOD AND DRINKS AND OTHERS	P 23,384,240.00	GENERAL FUND	6 MONTHS
4	HEALTH-24-MSLI-070	9 QUEZON CITY HEALTH DEPARTMENT	VARIOUS MEDICAL AND DENTAL SUPPLIES	P 9,999,996.38	GENERAL FUND	30 CD
5.	LIGA-24-BMOP-0816	LIGA NG MGA BARANGAY	VARIOUS BOOKS	P 77,897,255.00	GENERAL FUND	30 CD
6.	OCM(GAD)-24-EM-089	2 OFFICE OF THE CITY MAYOR (GAD COUNCIL OFFICE)	QUEZON CITY PRIDE MARCH FESTIVAL 2024	F 6,840,000.00	GENERAL FUND	30 CD
7.	OCM(POPS)-24-SOP- 0350B	OFFICE OF THE CITY MAYOR - POPS PLAN	FROTECTIVE GEARS AND OTHERS	P 3,647,999.68	GENERAL FUND	45 CD
8. 	QCDRRMO-24-DM-068	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	VARIOUS DRUGS AND MEDICINES	P 6,985,671.00	GENERAL FUND	90 CD
9.	QCDRRMO-24-EM-0785	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	EVENTS MANAGEMENT, CONCEPTUALIZATION AND PRODUCTION OF PARAPHERNALIAS AND VIDEOS FOR THE QC GREEN AWARDS SEARCH FOR DISASTER RESILIENCE AND CLIMATE ACTION	P 9,112,054.00	GENERAL FUND	6 MONTHS
			LINE 1: FOOD AND DRINKS AND OTHERS	P 11,674,140.00		
			LINE 2: FOOD AND DRINKS AND OTHERS	P 17,727,400.00		
10.	QCDRRMO-24-HLMF-	QUEZON CITY DISASTER RISK	LINE 3: HOTEL ACCOMMODATION AND OTHERS	P 17,100,600.00		
	0795	REDUCTION AND MANAGEMENT OFFICE	LINE 4: HOTEL ACCOMMODATION AND OTHERS	P 12,738,000.00	GENERAL FUND	6 MONTHS
		I.	INE 5: HOTEL ACCOMMODATION AND OTHERS	P 11,224,090.00		
	LI		INE 6: HOTEL ACCOMMODATION AND OTHERS	P 12,716,000.00		
11.	QCDTRC(TAHANAN)- 24-CS1-0832	QUEZON CITY DRUG TREATMENT AND REHABILITATION CENTER (TAHANAN)	FOOD AND DRINKS AND OTHERS	P 1,301,596.00	GENERAL FUND	6 MONTHS
12	QCSBCDPO-24-PS2-0804	QUEZON CITY SMALL BUSINESS AND COOPERATIVES DEVELOPMENT AND PROMOTIONS OFFICE	PRINTING OF COMMUNITY SAVINGS GROUP PASSBOOK AND OTHERS	P1,510,180.00	GENERAL FUND	30 CD



.



NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
13.	QCTD-24-MI-0581B	QUEZON CITY TOURISM DEPARTMENT	VARIOUS MUSICAL INSTRUMENTS AND OTHERS	P 2,060,822.53	GENERAL FUND	180 CD
14.	QCU-24-GM-0599	QUEZON CITY UNIVERSITY	ACRYLIC PODIUM AND OTHERS	P 1,038,512.00	GENERAL FUND	45 CD
15.	QCU-24-IIPAP-0554B	QUEZON CITY UNIVERSITY	FLAT CORD WIRE AND OTHERS	P 1,011,158.78	GENERAL FUND	30 CD
16.	QCU-24-0E-0770	QUEZON CITY UNIVERSITY	SERVER AND OTHERS	P 9,685,228.00	GENERAL FUND	90 CD
17.	RMBGH-24-OE-0518B	ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL	DUPLICATING MACHINE AND OTHERS	F 1,161,467.40	general fund	30 CD
18.	SPORTS-24-SG-0810	QUEZON CITY SPORTS DEVELOPMENT OFFICE	VARIOUS SPORTING GOODS AND OTHERS	F 10,129,237.00	GENERAL FUND	6 MONTHS
19.	SSDD-24-OESC-0828	SOCIAL SERVICES DEVELOPMENT DEPARTMENT	VARIOUS INK AND TONER CARTRIDGE	P 3,786,073.14	GENERAL FUND	30 CD

- 1. The QUEZON CITY LOCAL GOVERNMENT, through the General Fund of various years intends to apply the sums stated above being the ABC to payments under the contract for the above stated projects of contract for each lot/item. Bids received in excess of the ABC shall be antomatically rejected at bid opening.
- 2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretarian and inspect the Bidding Documents at the address given below during weekdays from 7:00 a.m. - 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>Tuesday, May 07, 2024</u> from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB.* The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person.*

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)

IB FOR MAY 28, 2024 - ABOVE

Þ

The Quezon City Local Government will hold a Pre-Bid Conference on 9:00 A.M. of <u>Tuesday, May 14, 2024</u> at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre-Bid Conference Meeting Join Zoom Meeting <u>https://us02web.zoom.us/j/84835002246?pwd=QVRuVE0weXZMNXYwZG5LaWd1dXk1QT09</u>

Meeting ID: 848 3500 2246 Passcode: 154733

6.

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before <u>10:00 A.M.</u> of <u>Tuesday</u>, <u>May 28</u>, <u>2024</u>. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on <u>11:00 A.M.</u> of <u>Tuesday. May 28, 2024</u> at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING Join Zoom Meeting https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz09 Marting ID: 950.5005.5005

Meeting ID: 858 5085 5933 Passcode: 118682

- 10. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u> Tel. No. (02)8988-4242 loc. 8506/8710 Website: <u>www.quezoncity.gov.ph</u>

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By: S. MA. MARGARITA T. SANTOS, DPA Chairperson, QC-DAC-Goods and Services Z MS. MA.

IB FOR MAY 28, 2024 - ABOVE

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF FLAT CORD WIRE AND OTHERS** with identification number: **QCU-24-ITPAP-0554B**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *Twenty-three* (23) *items*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2024** in the amount of **ONE MILLION ELEVEN THOUSAND ONE HUNDRED FIFTY EIGHT PESOS AND 78/100 ONLY (Php 1,011,158.78).**
- 2.2. The source of funding is:
 - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of **Non Expendable Supplies and Services**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **fifty percent (50%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security *in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government.* Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB Clause					
5.3	For this purpose, contracts similar to the Proje	ect shall be:			
	a. A single contract similar to the item/s percent (50%) of the ABC.	to be bid and must be at least fifty			
	b. Completed within the last three (3) y submission and receipt of bids substanti QC-BAC-GOODS AND SERVICES, of Certificate of Acceptance by the e or Sales Invoice (S.I.) issued for the C	ially in a FORM prescribed by the , must be accompanied by a copy nd-user or Official Receipt (O.R)			
7.1	Subcontracting is not allowed.				
12	The price of the Goods shall be quoted DDP <i>w</i> International Commercial Terms (INCOTER)	~ 11			
14.1	The bid security shall be in the form of a Bid s following forms and amounts:	Securing Declaration, or any of the			
	 a. The amount of not less than <i>Php 20,223.18</i> or equivalent to two per (2%) of ABC if bid security is in cash, cashier's/manager's check, b draft/guarantee or irrevocable letter of credit; or 				
	57.94 or equivalent to five percent ty Bond.				
19.3	BREAKDOWN OF APPROVED CONTRACT (4				
	For Item Nos. 1 - 10	P 531,939.00			
	For Item Nos. 11-18	P 84,514.00			
	For Item Nos. 19-23	P 394,705.78			
	TOTAL ABC	P 1,011,158.78			
20.2	 List of required licenses and permits recorresponding law requiring it. No additional requirement 	elevant to the Project and the			
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.				
	• Statement of Warranty – minimum o	of one (1) year for item nos. 19-23			

Bid Data Sheet

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Special Conditions of Contract

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

	Contract Description
	Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	 The terms of payment shall be as follows: The City shall pay the supplier upon every complete delivery and acceptance of the goods delivered herein and upon presentation of the billing statement.
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF FLAT CORD WIRE AND OTHERS PROJECT NO. QCU-24-ITPAP-0554B

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
	ACADEMIC PROGRAM			
1	#16 FLAT CORD WIRE 100% brand new, authentic, high quality Flat Cord / Duplex Stranded Electrical Wire Pure Copper	roll/ bulk	30	
2	SURFACE 4-GANG CONVENIENCE OUTLET	piece	1,000	
3	SWING TYPE PLUG 10A, 250 V	piece	1,000	
4	CAT 5E UTP CABLE Fast Ethernet, 155Mbps ATM * 4 pairs twisted pair cable * All cables meet or exceed the requirement * Proposed by TIA /EIA 568 B.2, ISO/IEC 11801 Category 5E * 24AWG (0.51mm) insulated copper conducts with PVC jacket * Performance characterized to 350MHz * Ultra smooth jacket makes this cable easy to pull in tight spaces * Packing: 305m packaged in a full box / piece FLASH DRIVE 16GB	box	20	
5	FLASH DRIVE 16GB 16 GB capacity, USB 2.0 port compatible, plug and play, with light indicator, built-in USB interface cover carrying strap	piece	20	Within Thister (20)
6	RJ45 CONNECTOR FOR CAT5E 100 pieces RJ45 Connectors per bag-clear color, 50 micron gold plating connectors, For CAT5 CAT5E Solid or Stranded Cable, the internal cable cannot be removed after being fixed, high quality, gold-plated contacts provides reliable performance for a gigabit ethernet rated network	box	15	Within Thirty (30) Calendar Days Upon Issuance of Notice to Proceed
7	ALL WEATHER DUCT TAPE 2230, 1.88 inches x 30 yards, 12 rolls/case Backing (Carrier) Material: Polyethylene Overall Width (Metric): 48 mm Product Color: Gray Total Tape Thickness without Liner (metric): 0.165 mm	piece	10	
8	8 PORT (10/100MBPS) SWITCH HUB The Fast Ethernet Switch is designed for SOHO (Small Office/Home Office) or workgroup users. All 8 ports support auto MDI/MDIX, no need to worry about the cable type, simply plug and play. Moreover, with the innovative energy- efficient technology, it can save power consumption, making it an eco-friendly solution for business network.	unit	12	
9	CABLE RAMP PROTECTOR Withstand Load N (kgf) 1960(200) Overall Length (m) 2 Dimension B (mm) 30	piece	50	

	Dimension h (mm) 5			
	Dimension H (mm) 8			
	Material Base cover / PVC			
	Color Gray			
	Standard OP3 type Suitable Cable			
	[Center] Communication cable / cable of $\Phi 5$ or			
	less, VCTFK (1.25 × 2C-1) [Both sides]			
10	DUCT TAPE	roll	47	
	1.8 inches x 50 meters, cloth, high tensile strength			
11	STUDENT SERVICES PROGRAM DP CABLE	piece	4	
	The DP Cable male to male V1.2 supports video	piece	4	
	resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flawless audio pass-thru for			
	uncompressed digital 7.1, 5.1 or 2 channels.			
	Made of triple shielding, gold plated connectors			
	and 28AWG tinned copper to ensure			
	interference-free signal transmission with a			
10	release button for easy and secure connection.		4	_
12	DP PORT CONVERTER Displayport to VGA adapter converts a	piece	4	
	DisplayPort (DP, DP++, DisplayPort++) equipped			
	laptop, graphic card or desktop to a monitor or			
	projector with VGA port. Works with DisplayPort			
	computers and graphics cards such as Elitebook			
	Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not			Within Thirty (30)
	included) is required			Calendar Days
	DIGITAL TO ANALOG: DP to VGA adapter with			Upon Issuance of Notice to Proceed
	built-in chipset, converts displayport digital signal			
	to VGA analog signal. It is not bi-directional, only			
	transfers digital signal from Displayport source devices to VGA displays, TV, projector or			
	monitors			
	HIGH 1080P RESOLUTION: DP to VGA converter			
	supports video output in VGA: 1920 x 1200 or			
	1920 x 1080@60Hz(Max)			
	PLUG & PLAY: No any driver or program required; you could connect and configure your monitor			
	for an Extended Desktop or Mirrored Displays			
	BROAD COMPATIBILITY: compatible with all			
	Displayport input devices and VGA output			
	devices			
13	LED TUBE LIGHT BAR	piece	20	
	Portable, emergency, rechargeable tube light, remote control dimming LED			
14	MICROPHONE BOOM ARM	piece	3	-
	Overhead Broadcast Boom	-		
	Brass, clamp type, fully articulating, compact,			
	professional quality, for video podcasting,			
15	broadcasting, in-studio app ON AIR LIGHT	piece	1	
15	Acyrylic On Air Recording Studio LED Neon Light	PIECE	I	
	Sign, 400x300mm, rectangle			
16	PRINTER MAINTENANCE BOX	unit	12	
	(PRINTER FOR DIPLOMA)			
17	Model Code: C12C934591 USB HUB	nicco	3	
17	USB multiple port hub 3.0 HUB, USB hub with	piece	3	
	power supply 4 port adapter micro USB power			
	multi USB splitter high speed OTG extension for			
	Laptop Macbook PC Computer Accessories			
	Adaptor powered USB hub			

18	USB EXTENDER	piece	4	
	Blue 5M USB 2.0 Male to Female Extend Extension	-		
	Cable			
	Active USB extension cable, excellent signal			
	quality to meet USB specification			
	5M USB 2.0 cable gives you enough length and			
	hence more flexibility to put your USB devices.			
	The USB 2.0 A-A cable is fully compliant with the			
	New High Speed 2.0 Standard and also			
	downward Compatible with USB 1.1/1.0.			
	Suitable for all USB devices.			
	High-Speed transfer rates up to 480 Mbps.			
	Length: 5M			
19	BARCODE SCANNER	unit	3	
	Cradle Interface: RS232, RS485 (IBM), USB,			
	Keyboard Wedge			
	Color: Black; White			
	Battery: Rechargeable replaceable battery with			Within Thirty (30)
	green sustainability			Calendar Days
20	DIGITAL BOARD INTERACTIVE	unit	1	Upon Issuance of Notice to Proceed
	65 inches 4k UHD Android TV			Notice to 1 loceed
	4K UHD Android TV			
	3840 x 2160 (UHD)			
	4K Google TV			
	IPS Panel			
	Eye Care TV			
	Antibacterial Remote			
	Dolby Audio			
	Chameleon Extreme 2.0			
	Boundless Screen; Game Mode			
	Pure HDR 10 & HLG			
21	INTERNAL SSD	unit	9	
	2TB 2.5 Inch SATA III Internal SSD			
00	For LAPTOP, AIO, Desktop PC			
22	HARD DRIVE	unit	1	
	Specifications			
	Capacity: 6TB Capacity: 115B 2 1 Cap 1 (115B			
	• Connection Interface: 2 x USB 3.1 Gen 1 (USB			
	Type-A)			
	Maximum Read Speed: 160 MB/s			
	 Maximum Write Speed: 160 MB/s Internal Interface: SATA (Unspecified) 			
	Type: Hard Disk Drive			
23	WEBCAM	unit	11	
20	Full HD 1080p; smart Auto-focus	UIII	11	
	FUILED T060P, STEAT AUTO-TOCUS ***			

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of:

Schedule of Requirements Page 3 of 3

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF FLAT CORD WIRE AND OTHERS PROJECT NO. QCU-24-ITPAP-0554B

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or
		"Not Comply" against each of the individual
		parameters of each Specification stating the
		corresponding performance parameter of the
		equipment offered. Statements of "Comply"
		or "Not Comply" must be supported by
		evidence in a Bidders Bid and cross-
		referenced to that evidence. Evidence shall be
		in the form of manufacturer's un-amended
		sales literature, unconditional statements of
		specification and compliance issued by the
		manufacturer, samples, independent test data
		etc., as appropriate. A statement that is not
		supported by evidence or is subsequently
		found to be contradicted by the evidence
		presented will render the Bid under evaluation
		liable for rejection. A statement either in the
		5
		Bidder's statement of compliance or the
		supporting evidence that is found to be false
		either during Bid evaluation, post-
		qualification or the execution of the Contract
		may be regarded as fraudulent and render the
		Bidder or supplier liable for prosecution
		subject to the applicable laws and issuances.]
A.	ACADEMIC PROGRAM	
1	#16 FLAT CORD WIRE	
	100% brand new, authentic, high quality	
	Flat Cord / Duplex Stranded Electrical Wire	
	Pure Copper	
2	SURFACE 4-GANG CONVENIENCE OUTLET	
3	10A, 250 V SWING TYPE PLUG	
3		
4	10A, 250 V	
4		
	Fast Ethernet, 155Mbps ATM	
	* 4 pairs twisted pair cable	
	* All cables meet or exceed the requirement	
	* Proposed by TIA /EIA 568 B.2, ISO/IEC 11801	
	Category 5E	
	* 24AWG (0.51mm) insulated copper conducts with	
	PVC jacket	
	* Performance characterized to 350MHz	
	* Ultra smooth jacket makes this cable easy to pull in	
	tight spaces	
	* Packing: 305m packaged in a full box / piece	
5	FLASH DRIVE 16GB	
	16 GB capacity, USB 2.0 port compatible, plug and	
	play, with light indicator, built-in USB interface cover	
	carrying strap	
6	RJ45 CONNECTOR FOR CAT5E	
	100 pieces RJ45 Connectors per bag-clear color, 50	
	micron gold plating connectors, For CAT5 CAT5E Solid	
	or Stranded Cable, the internal cable cannot be	
	removed after being fixed, high quality, gold-plated	
	contacts provides reliable performance for a gigabit	
	ethernet rated network	

7 ALL WEATHER DUCT TAPE 2230, J.BB Inches x 30 yards, J.2 rolls/cose Backing (Carrier) Material: Polyethylene Overall Midth (Metric): 48 mm Product Color: Gray Total Tape Trickness without Liner (metric): 0.165 mm 8 B PORT (10/100MBP3) SWITCH HUB The Fost Ethernel's without Liner (metric): 0.165 mm 8 B PORT (10/100MBP3) SWITCH HUB moduli Tape Trickness without Liner (metric): 0.165 mm 9 CABLE RAMP PROTECTOR WithItsfand Load N (kg) I 190(200) Overall Length (m) 2 Dimension H (mm) 8 Material Bias network. 9 CABLE RAMP PROTECTOR WithItsfand Load N (kg) I 190(200) Overall Length (m) 2 Dimension H (mm) 8 Material Bias cover / PVC Color Gray Standard OP3 type Suitable Cable 10 DUCT LAPE 1.8 (Dentil 19, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20			
Backing (Corrier) Material: Polysthylene Overall Width (Weith): 48 mm Product Color: Gray Total Tape Thickness without Liner (metric): 0.145 mm 8 PORT (10/100MBPS) SWITCH HUB The Fast Ethernet Switch is designed for SOHO (Small Office/Home Office) or workgroup uses. All 8 ports support and to MU/MDX. no need to work about the cable type, simply plug and play. Marcover, with the innovative energy-efficient technology, if can save power consumption, making if an eco-friendly solution for business network. 9 CABLE RAMP PROTECTOR Withinstand Load N (kgt) 1940(200) Overall Length (m) 2 Dimension H (mm) 3 Dimension H (mm) 3 Dimension H (mm) 3 Dimension H (mm) 8 Material Base cover / PVC Colle Cortex (1 25 × 2C-1) (Both side) Dimension H (mm) 8 Suitable Cable Suitable Sociale 10 DUCT (FE Student's Structes PROGRAM 11 DF CABLE The DF Cable mole to male V1.2 supports video resolutions up to 4K (38402.160, Ultra HD) and 1000P (Füll H	7	ALL WEATHER DUCT TAPE	
Backing (Corrier) Material: Polysthylene Overall Width (Weith): 48 mm Product Color: Gray Total Tape Thickness without Liner (metric): 0.145 mm 8 PORT (10/100MBPS) SWITCH HUB The Fast Ethernet Switch is designed for SOHO (Small Office/Home Office) or workgroup uses. All 8 ports support and to MU/MDX. no need to work about the cable type, simply plug and play. Marcover, with the innovative energy-efficient technology, if can save power consumption, making if an eco-friendly solution for business network. 9 CABLE RAMP PROTECTOR Withinstand Load N (kgt) 1940(200) Overall Length (m) 2 Dimension H (mm) 3 Dimension H (mm) 3 Dimension H (mm) 3 Dimension H (mm) 8 Material Base cover / PVC Colle Cortex (1 25 × 2C-1) (Both side) Dimension H (mm) 8 Suitable Cable Suitable Sociale 10 DUCT (FE Student's Structes PROGRAM 11 DF CABLE The DF Cable mole to male V1.2 supports video resolutions up to 4K (38402.160, Ultra HD) and 1000P (Füll H		2230, 1.88 inches x 30 vards, 12 rolls/case	
Overal Width (Weific): 48 mm Product Color: Gray Total Tape Thickness without Liner (metric): 0.165 mm 8 8 PCR (10/1008FS) SWICH HUB The Fast Ethement Switch is designed for SOHO (Small Office/Home Office) or workingroup users. All 8 ports support auto MD/(MDIX, no need to wary about the coble type, simply Jug) and play. Moreover, with the innovative energy-efficient technology. It can sove power consumption, making it an eco-friendly solution for business metwork. 9 CABLE RAMP PROTECTOR Withstand Load N (kgf) 1960(200) Overall Lingth (m) 2 Dimension B (mm) 30 Dimension B (mm) 30 Dimension H (mm) 8 Bimension H (mm) 8 Material Base cover / PVC Color Gray Standard Of 9 type Suitable Cable Suitable Cable Celle of 0.5 or less. VCTFK (1.25 × 22-1) [Boith sides] I 10 DUCT TAFE 1.8 Inchesx 50 meters, cloth, high tensile strength 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (B480/2160. Ultra HD) and 1060P (Full HD) and flawless audio pass-thru for uncompressed digit 7.1, 5.1 or 2 channels. Mode of trible shielding, gold plated connectors and 28 AWG finned coper to ensure interference-tree signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER DisplayPort to VGA a			
Product Color: Gray 1 Total Tage Thickness without Liner (metric): 0.145 mm 8 PORT (10/100MPF) SWITCH HUB 1 The Fast Ethemet Switch is designed for SOHO (Small Office/Home Office) or warkgroup users. All 8 ports support auto MD/MDK, no need for wark pobult the cable type, simply plug and play. Moreover, with the innovative energy-efficient technology. It can save power consumption, making it an eco-friendly solution for business network. 9 CABLE FAMP FROETCOR Withstrant Load N (kgf) 1960(200) Overeal Length (m) 2 Dimension B (mm) 30 Dimension B (mm) 35 Dimension H (mm) 15 Dimension H (mm) 15 Dimension H (mm) 15 Standard OP3 type Suitable Cable Standard OP3 type Suitable Cable 10 DUCT TAPE 1.8 Inches x 50 meters, cloth, high tensile strength Standard OP3 type Suitable Cable male to male V1.2 supports video resolutions up to 4K (\$840x2160, Ultra HD) and 1080P [Full HD] and flowless audio pas-thru for uncompressed digital 7.1.5.1 or 2 channets. Mode of Inple shielding, gold plated connectors and 28AWG tinned copper to ensure inferference-free signal transmission with a release button for easy and secure connection. 12 DP FOR CONVERTER DisplayPort to VGA adapter converts an DisplayPort (IDF, DP++, DisplayPort+) equipped lapto, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elthebook Revolve 810 G3, folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable [not included] is required		• • •	
Total Tape Thickness without Liner (metric): 0.165 mm 8 B FORT (10/1008PS) SWITCH HUB The Fost Ethernet Switch is designed for SOHO (Small Office/Home Office) or workgroup users. All 8 ports support auto MDI/MDIX, no need to worw about the cable type, simply plag and play. Marcever, with the innovative energy-efficient technology, it can save power consumption, making it an eac-triendly solution for business network. 9 CABLE AMP FROTECTOR Withstand Load N (kgf) 1960(200) Overall Length (m) 2 Dimension h (mm) 30 Dimension h (mm) 30 Dimension h (mm) 30 Dimension h (mm) 30 Dimension h (mm) 30 Dimension h (mm) 30 Standard Or3 type Suitadard Or3 type Suitadard Or30 type Suitadard Or30 type 10 DUCT TAPE 1.8 Student Structure Struct			
8 Prof: 10/100x8F3) SWITCH HUB The Fair Ethemet Switch is designed for SOHO [Small Office/Home Office) or warkgroup users. All 8 ports support auto MU/MDX, no need to wary about the cable type, simply plug and play. Moreover, with the innovative energy-efficient technology, it can save power consumption, making it an eco-friendly solution for business network. 9 CABLE RAMF PROTECTOR Withstand Load N (kgf) 1960(200) Overal Length (m) 2 Dimension h [mn] 3 Dimension h [mn] 3 Dimension h [mn] 4 Dimension h [mn] 5 Dimension h [mn] 5 Dimension h [mn] 5 Dimension h [mn] 5 Dimension h [mn] 6 Moteletal Base cover / PVC Color Gray Standard OP3 type Suitable Cable [Centrel Communication cable / cable of Φ5 or less, VCTFK (1,25 × 2C-1) [Both sides] 10 DUCT TAPE 1.8 inches x 50 meters, cloth, high lensile strength student SERVCES PROCRAM 11 DP CABLE The DF Cable mole to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flawless aucida pas-thru for uncompressed digit 21, 2, 1 or 2 channels. Made of thiple stileding, gold plated connectors and 28AWG finned copper to ensure interference-free signal transmission with a release button for easy and zecure connection. 12 DP PORT CONVENTER DisplayPort to VGA adapter converts an DisplayPort (DP, DP++, DisplayPort+) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Stilebook Revolve 810 G3, Folio 1040 G2. Dell Optipiex 790. Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset; converts toglayport of toyCA converter supports video output in VGA; 1920 x 1200 or 1920 x 10098/60Hz(Max) HEID TUBELINER RR Portable, emergenc			
The Fast Ethernet Switch is designed for SOHO (Small Office/Home Office) or workgroup users. All 8 ports support auto MDI/MDX, no need to worw about the cable Hype, simply pulg and play. Mareover, with the innovative energy-efficient technology, it can save power consumption, making it an eco-friendly solution for Dubiness network. 9 CABLE RAMP FROTECTOR Withstand Load N (kgf) 1920/200) Overall Length (m) 2 Dimension h (mm) 30 Dimension h (mm) 3 Dimension h (mm) 8 Marterial Base cover / PVC Color Gray Standard DP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTFK [1:25 × 2C-1) [Both sides] 10 DUCT FAFE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (FGU HD) and flawless audio pas-thur for uncompressed digital 7.1, 5.1 or 2 channels. Marder file Base coper in Projector with VGA approx 10 to GAR adapter converts a DisplayPort (DP D RT ConvETTER DisplayPort to VGA adapter converts and graphics cards such as Bioper of consure interference-rise signal transmission with a release button for easy and secure connection. 12 DP POR CONVETTER DisplayPort to VGA adapter converts and graphics cards such as Bibleook Revolve 30 G3, Failo 1040 C2, Dell Optiglay 790, Acer Chromebax etc. A VGA cable (not included) bis required DISplayport to VGA adapter converts and graphics cards such as Bibleook Revolve 30 G3, Failo 1040 C2, Dell Optiglay 790, Acer Chromebax etc. A VGA cable (not included) bis required 30 G3, Failo 1040 C2, Dell Optiglay 790, Acer Chromebax etc. A VGA cable (not included) bis to VGA adapter with vorifers supports video output in VGA: 1920 x 1200 or 1920 x 10909/R0H_/MOX 13 LED TUBE LIGHT BAR Portabole, mergency, rechargeable tube light, remote control dimming LED			
Office/Home Office) or workgröup users. All 8 ports support auto ADI/ADIX, no need to work yobut the cable Nope, simply plug and play, Moreover, with the innovative energy-efficient technology, it can save power consumption, making it an eco-friendly solution for Dusiness network. P CABLE RAME PROFECOR Withstand Load N [kgt] 1960(200) Overall Length (m) 2 Dimension B (mm) 30 Dimension H (mm) 5 Dimension H (mm) 8 Matterial Base cover / PVC Color Gray Standard OP3 type Suitable Cable ICenter] Communication cable / cable of Φ5 or less. VCTRE [1.25 × 3C-1] (Both sides] 10 DUCT TAPE 11.8 DP Cable male to male V1.2 support video resolutions up to AK (3840/2100.0) (Unto HD) and 1080P (Full HD) and flawless audio pass-thm for uncompressed digital 7.1, 5.1 or 2 channels. Made of frigle shielding, gold plated connectors and 28/WG tinned copper to ensure inteference-free signal transmission with a release button for ecsy and secure connection. 12 DP FORT CONVERTER DisplayPort to WGA adapter converts a DisplayPort	8	8 PORT (10/100MBPS) SWITCH HUB	
Office/Home Office) or workgröup users. All 8 ports support auto ADI/ADIX, no need to work yobut the cable Nope, simply plug and play, Moreover, with the innovative energy-efficient technology, it can save power consumption, making it an eco-friendly solution for Dusiness network. P CABLE RAME PROFECOR Withstand Load N [kgt] 1960(200) Overall Length (m) 2 Dimension B (mm) 30 Dimension H (mm) 5 Dimension H (mm) 8 Matterial Base cover / PVC Color Gray Standard OP3 type Suitable Cable ICenter] Communication cable / cable of Φ5 or less. VCTRE [1.25 × 3C-1] (Both sides] 10 DUCT TAPE 11.8 DP Cable male to male V1.2 support video resolutions up to AK (3840/2100.0) (Unto HD) and 1080P (Full HD) and flawless audio pass-thm for uncompressed digital 7.1, 5.1 or 2 channels. Made of frigle shielding, gold plated connectors and 28/WG tinned copper to ensure inteference-free signal transmission with a release button for ecsy and secure connection. 12 DP FORT CONVERTER DisplayPort to WGA adapter converts a DisplayPort		The Fast Ethernet Switch is designed for SOHO (Small	
support auto MD//MDX, no need to worry about the coble type, simply plug and play, Moreover, with the innovative energy-efficient technology, it can save power consumption, making it an eco-friendly solution for business network. 9 CABLE RAMP FROTEOTOR Willistand Load N (kgf) 1960(200) Overal Length (m) 2 Dimension B (mm) 30 Dimension B (mm) 30 Dimension B (mm) 30 Dimension H (mm) 4 Material Base cover / PVC Color Gray Standard OP3 type Suitable Coble [Center] Communication cable / cable of Φ5 or less. VCTFK (1.25 × 20-1) [Both sides] 10 DICT APE 1.8 Inchesx 50 meters, cloth, high tensile strength The DP Cable The DP Cable male to male V1.2 supports video resolutions up to 4K (34902160, Ultra HD) and 1080P (Fuil HD) and flawless audio past-thur for uncompressed digital 7.1, 5.1 or 2 channels. Made of trijle stielding, gold ploted connectors and 28AWG lined copper to ensure interference-free signand transmission with a release button for easy and secure connection. 12 DP OPT CONVERTER Disployport to VGA adapter converts a DisployPort (DP, DP++, DisplayPort computes and graphics card or desktop to a manitor or projector with VGA analog signal, it is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, Tv, projector or monitors HIGH HD0 Port CONVERTER			
coble type, simply plug and play. Moreover, with the innovative energy-efficient technology, it can save power consumption, making it an eco-triendly solution for business network. 9 CABLE RAMP PROTECTOR Withstand Load N (kg1) 1960(200) Overall Length (m) 2 Dimension h (mm) 3 Dimension h (mm) 5 Dimension h (mm) 5 Dimension h (mm) 5 Dimension h (mm) 8 Material Base cover / PVC Color Gray Standard OP3 type Suitable Coble (Center] Communication cable / cable of Φ5 or less, VCTEK (1.25 × 2C-1) [Both sides] 10 DUCTAPE I.Binchesx J5 meters, cloth, high tensile strength Statable Coble (Center] Communication cable / cable of Φ5 or less, VCTEK (1.25 × 2C-1) [Both sides] 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840/216). Ultra HD) and 1080P [Fuil HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels, Made of triple shielding, gold plated connectors and 28AWG linned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP POX CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, D++), DisplayPort +) equipped laptop, graphic cord or desktop to a monitor or projector with VGA apport, Warks with DisplayPort dors are displayPort (DP, D++), DisplayPort displayPort displayPort (DP, D++), DisplayPort displayPort displayPort (DP, D++), DisplayPort displayPort displayPort (DP, D++), DisplayPort displayPort (DP, D++), DisplayPort displayPort (DP, D++), DisplayPort displayPort (DP) N CONVERTER Displayport in VGA: 1920 X 1200 or 1920 x 1080/KM/k(Max) 12 DE I.D ANALOG: DP to VGA adapter with buill-in chipper, convert sisplayPort displayPort (DP) to VGA converter supports video output in VGA: 1920 X 1200 or 1920 x 1080/KM/k(Max) 13 LED TUBE LUH		,	
innovative energy-efficient technology, it can save power consumption, moking it an eco-friendly solution for business network. 9 CABLE RAMP PROTECTOR Writistand Load N [kg1] 1960(200) Overall Length (m) 2 Dimension B (mm) 30 Dimension B (mm) 30 Dimension I (mm) 3 Dimension H (mm) 8 Material Base cover / PVC Color Gray Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCIFK (1.25 × 2C-1) [Both sides] Image: Center Science Cable 10 DUCT TAFE Isonetres, cloth, high tensile strength 11 DF CABLE StuDent StRVICES PROGRAM 11 DF CABLE The DP Cable mole to mole V1.2 supports video resolutions up to 4K (3840z160, Ultra HD) and 1080P (Full HD) and flowless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28A/WS finned copper to ensue interference-free signal transmission with a release button for easy and secure connection. 12 DF POPT CONVERTE DisplayPort to VGA adapter converts a DisplayPort (DP. D++). DisplayPort+) equipped laptog: graphic card or destop to a monitor or projector with VGA apati. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2. Dell (Dptiplex 79). Acer Chromebox etc. A VGA cable (Into included) is required DIGIAL TO ANLAGG: DP to VGA adapter with built-In chipset, converts displayport source devices to VGA digital signal from Displayport source devices to VGA digital signal from Displayport source devices to VGA digital signal from Displaypor			
 power consumption, making it an eco-friendly solution for business network. CABLE RAMP PROTECTOR Withstand Load N (kg1) 1960(200) Overall Length (m) 2 Dimension B (mm) 30 Dimension I (mm) 5 Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less. VCTTRF (1.25 × 2-1) [Both sides] DUCT TAFE 1.8 inches x 50 meters, cloth, high tensile strength StuDeNT SERVICES PROGRAM DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (FkUI HD) and flawless audio pass-thru for uncompressed digital 7.1.5.1 or 2 channels. Made of trije shielding, gold pated connectors and 28AWG tinned copper to ensure interference-free signal framediate to a malter on projector with VGA paper. ConvERTER DP PONT CONVERTER Diplayport 10 VGA adapter converts a DisplayPort (DP, DP++, DisplayPort computers and graphic card viscks with DisplayPort computers and graphic card viscks and DisplayPort computers and graphic card such as Ellebaok Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable [not included] is required DiGTALTO ANALOG: DP to VGA adapter with built-in chipset, converti displayport source devices to VGA displays, 7V, poisector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video autput in VGA: 1920 x 1200 or 1920 x 1080/6047[Max) PLUG & FLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPARIBUITY: compatible with all Displaypont input devices and VGA output devices LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 			
for business network. 9 CABLE RAMP PROTECTOR Withstand Load N (kgt) 1960(200) Overall Length (m) 2 Dimension N (mm) 30 Dimension N (mm) 40 Dimension N (mm) 5 Dimension N (mm) 40 Material Base cover / PVC Color Gray Standard OP3 type Suitable Coble (Center) Communication cable / cable of Φ5 or less, VC[FK (1.25 × 2C-1) [Both sides] 10 DUCT TAFE 1.8 inchesx 30 meters, cloth, high tensile strength Suitable Coble (Fill HD) and RawBas, audio pass-true for the tensile 11 DP CABLE The DP Coble male to mole V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Fill HD) and RawBas, gold plated connectors and 28AWC tinned copper to ensure interference-free signal transmision with a release button for easy and secure connection. 12 DP PORT CONVERTER DisplayPort to VGA adapter converts a DisplayPort Diplay Diplay DO to VGA adapter with built-in chinest, as the isolation computers and graphics card or desitap to a monitor or projector with VGA apart, Works with DisplayPort computers and graphics card or desitap to a monitor or projector with VGA aptort incl			
 9 CABLE RAMP PROTECTOR Withstand Load N (kgf) 1960(200) Overall Length (m) 2 Dimension h (mn) 3 Dimension H (mn) 5 Dimension H (mn) 8 Material Base cover / PVC Color Gray Standard OP3 type Standard OP3 type Standard OP3 type The DC 2016 (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014) (2014		power consumption, making it an eco-friendly solution	
Withstand Load N (kgf) 1960(200) Overall Length (m) 2 Dimension B (mm) 30 Dimension H (mm) 8 Material Base cover / PVC Color Gray Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTRK (1.25 × 2C-1) [Both sides] 10 DUC TLAPE 1.3 inches x 50 meters, cloth, high tensile strength 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x460, Ultra HD) and 1080P (Full HD) and flawless audio pass-thru for uncompressed digital 7.1.5 or 2 channels, Made of triple shielding, gold plated connectors and 28AWG linned copper to ensure interference-tree signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptol, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elhebook Revolve 810 0.3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport source devices to VGA anadog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA anadog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA anadog signal. It is not bi-directional, only transfers digital signal from Displayport s		for business network.	
Overall Length (m) 2 Dimension B (mm) 30 Dimension H (mm) 3 Material Base cover / PVC Color Gray Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTTK (1.25 × 2C-1) [Both sides] 10 DUCT IAPE 1.8 inches x 50 meters, cloth, high tensile strength Standard OP3 type Student's S0 meters, cloth, high tensile strength Standard OP3 type Student's S0 meters, cloth, high tensile strength Stanchards Student's S0 meters, cloth, high tensile strength Stanchards Student's S0 meters, cloth, high tensile strength Stanchards Student's S0 meters, cloth, high tensile strength Made of thiple shielding, gold plated connectors and 328AWG timed copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displaypont to VGA adopter converts a DisplayPort (DP, DP++, DisplayPort+) equipped laptop, graphic cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable Inclicital s	9	CABLE RAMP PROTECTOR	
Overall Length (m) 2 Dimension B (mm) 30 Dimension H (mm) 3 Material Base cover / PVC Color Gray Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTTK (1.25 × 2C-1) [Both sides] 10 DUCT IAPE 1.8 inches x 50 meters, cloth, high tensile strength Standard OP3 type Student's S0 meters, cloth, high tensile strength Standard OP3 type Student's S0 meters, cloth, high tensile strength Stanchards Student's S0 meters, cloth, high tensile strength Stanchards Student's S0 meters, cloth, high tensile strength Stanchards Student's S0 meters, cloth, high tensile strength Made of thiple shielding, gold plated connectors and 328AWG timed copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displaypont to VGA adopter converts a DisplayPort (DP, DP++, DisplayPort+) equipped laptop, graphic cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable Inclicital s			
Dimension B (mm) 30 Dimension H (mm) 5 Dimension H (mm) 8 Material Base cover / PVC Color Gray Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less. VCTFK [1:25 × 2C-1] [Both sides] 10 DUCT IAPE 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P [Fuil HD] and flawless audio pass-thru for uncompressed digital 71.5 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort DF, DP++, DisplayPort+1 equipped laptor, graphic card or desktop to a monitor or projector with VGA port. Works with Displayport source devices to VGA cable Include Signal, It is not bi-directional, only transfer anadog signal. It is not bi-directional, only transfer digital signal from Displayport source devices to VGA digital signal from Displayport source devices to VGA			
Dimension h (mm) 8 Matterial Base cover / PVC Color Gray Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTFK (1.25 × 2C-1) [Both sides] 10 DUCTTAPE 1.3 inches x 50 meters, cloth, high tensile strength StudeNT SERVICES PROGRAM 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P ([FUIHD] and Hawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels, Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, convert sidisplayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport digital signal to VGA analog signal. It is not bi-directional, only transfers HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 108086/0Hz/Max) PUUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBLINT: compatible with all Displayp			
Dimension H (mm) 8 Material Base cover / PVC Color Gray Standard QP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTFK (1.25 × 2C-1) [Both sides] 10 DUCT TAPE 1.8 inches x 50 meters, cloth, high tensile strength Stübert SERVICES PROGRAM 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x21.60. Ultra HD) and 1080P (Full HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP FORT CONVERTE Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort ++) equipped laptop, graphic card or destkop to a monifor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chorwe B10 G4, analog signal. It is not b-directional, only transfers digital signal from Displayport source devices to VGA displays. TV, projector or monitors HIGH 108			
Material Base cover / PVC Color Gray Standard 073 type Suitable Cable IDENTIFY Standard 073 type Suitable Cable IDENTIFY IDENTIFY 10 DUCTAPE 1.8 inches x 50 meters, cloth, high tensile strength 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (FUIIHD) and Inawles audio pass-thru to for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTEN Displayort to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphics cards such as Elfebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, convert displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUIDN: DP to VGA converter supports video output in VGA: 1220 x 1200 or 1220 x 108086/bti/Max) PULUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Destop or Mirrored Displays BROAD COMPRIBILIT': compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT RAR Portable, emergency, rechargeable tube light, remote control dimming LED			
Color Gray Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less. VCTK (1.25 × 2C-1) [Both sides] 10 DUCT TAPE 1.8 inches x 50 meters, cloth, high tensile strength 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flawless audio pas-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWC tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (JP, P++, DisplayPart++) equipped laptop, graphic card such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGTAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors		Dimension H (mm) 8	
Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTFK (1.25 × 2C-1) [Both sides] 10 DUCT IAPE 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flowless aucio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG finned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PONI CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP+++, DisplayPort+) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipsel, converts displayport digital signal to VGA displays, TV, projector or monitors HIGCH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & RLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop ro Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED		Material Base cover / PVC	
Standard OP3 type Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTFK (1.25 × 2C-1) [Both sides] 10 DUCT IAPE 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flowless aucio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG finned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PONI CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP+++, DisplayPort+) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790. Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipsel, converts displayport digital signal to VGA displays, TV, projector or monitors HIGCH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & RLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop ro Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED		Color Gray	
Suitable Cable [Center] Communication cable / cable of Φ5 or less, VCTFK (1,25 × 2C-1) [Both sides] 10 BUCTTAPE 1.8 inches x 50 meters, cloth, high tensile strength StuDENT SERVICES PROGRAM 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flowless aucio pas-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required Displayport to NGA adapter converts a Using and the substant of			
ICenter] Communication cable / cable of Φ5 or less, VCTFK (1.25 × 2C-1) [Both sides] 10 DUCTTAFE 1.8 inches x 50 meters, cloth, high tensile strength STUDENT SERVICES PROGRAM 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P [Full HD] and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort [DP, DP++, DisplayPort++] equipped laptop, graphic cards or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable [not included] is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz[Max] PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
VCTFK [1,25 × 2C-1] [Both sides] 10 DUCT APE 1.3 inches x 50 meters, cloth, high tensile strength STUDENT SERVICES PROGRAM 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P [Full HD) and flawless audio pass-thru for uncompressed digital 71, 51, or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic cards adextop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable [not included] is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital ginal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays. TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz[Max] PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Destop or Mirored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 <t< th=""><th></th><th></th><th></th></t<>			
10 DUCT TAPE 1.8 inches x 50 meters, cloth, high tensile strength STUDENT SERVICES PROGRAM 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic cards or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080%0HZ(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBUITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LUGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
1.8 inches x 50 meters, cloth, high tensile strength StuDent SERVICES PROGRAM 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG finned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic cards vackstop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport source devices to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays. TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirared Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BCOM ARM			
STUDENT SERVICES PROGRAM 11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P [Full HD) and flowless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic cards such as Elitebook Revolve 810 G3, Folio 1040 G2. Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayports urce devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 108@@doHz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an	10		
11 DP CABLE The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (FUII HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG finned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM		1.8 inches x 50 meters, cloth, high tensile strength	
The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic cards uch as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 108@60Hz/(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirored Displays BROAD COMPATIBILITY: compatible with a		STUDENT SERVICES PROGRAM	
The DP Cable male to male V1.2 supports video resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic cards uch as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 108@60Hz/(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirored Displays BROAD COMPATIBILITY: compatible with a	11	DP CABLE	
 resolutions up to 4K (3840x2160, Ultra HD) and 1080P (Full HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@40H2(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED MICROPHONE BOOM ARM 			
(Full HD) and flawless audio pass-thru for uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080 RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
uncompressed digital 7.1, 5.1 or 2 channels. Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVENTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic cards are disted to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA			
Made of triple shielding, gold plated connectors and 28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBLITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
28AWG tinned copper to ensure interference-free signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort+) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM		Made of triple shielding, gold plated connectors and	
signal transmission with a release button for easy and secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM		28AWG tinned copper to ensure interference-free	
secure connection. 12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort+) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM		signal transmission with a release button for easy and	
12 DP PORT CONVERTER Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14		÷	
Displayport to VGA adapter converts a DisplayPort (DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM	12		
(DP, DP++, DisplayPort++) equipped laptop, graphic card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM	12		
card or desktop to a monitor or projector with VGA port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
port. Works with DisplayPort computers and graphics cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is requiredDIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM			
cards such as Elitebook Revolve 810 G3, Folio 1040 G2, Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is required DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
Dell Optiplex 790, Acer Chromebox etc. A VGA cable (not included) is requiredDIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM			
(not included) is requiredDIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM		cards such as Elitebook Revolve 810 G3, Folio 1040 G2,	
DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM		Dell Optiplex 790, Acer Chromebox etc. A VGA cable	
DIGITAL TO ANALOG: DP to VGA adapter with built-in chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM		(not included) is required	
chipset, converts displayport digital signal to VGA analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM		· · · · · · · · · · · · · · · · · · ·	
analog signal. It is not bi-directional, only transfers digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM			
digital signal from Displayport source devices to VGA displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14			
displays, TV, projector or monitors HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14			
HIGH 1080P RESOLUTION: DP to VGA converter supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14			
supports video output in VGA: 1920 x 1200 or 1920 x 1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices13LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED14MICROPHONE BOOM ARM			
1080@60Hz(Max) PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM		HIGH 1080P RESOLUTION: DP to VGA converter	
PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM		supports video output in VGA: 1920 x 1200 or 1920 x	
PLUG & PLAY: No any driver or program required; you could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM		1080@60Hz(Max)	
could connect and configure your monitor for an Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14			
Extended Desktop or Mirrored Displays BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
BROAD COMPATIBILITY: compatible with all Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
Displayport input devices and VGA output devices 13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
13 LED TUBE LIGHT BAR Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
Portable, emergency, rechargeable tube light, remote control dimming LED 14 MICROPHONE BOOM ARM			
remote control dimming LED 14 MICROPHONE BOOM ARM	13	LED TUBE LIGHT BAR	
remote control dimming LED 14 MICROPHONE BOOM ARM		Portable, emergency, rechargeable tube light,	
14 MICROPHONE BOOM ARM			
	14		
	ד י		
			<u> </u>

	Draw clamp two fully articulating compared	
	Brass, clamp type, fully articulating, compact,	
	professional quality, for video podcasting,	
	broadcasting, in-studio app	
15	ON AIR LIGHT	
	Acyrylic On Air Recording Studio LED Neon Light Sign,	
	400x300mm, rectangle	
16	PRINTER MAINTENANCE BOX	
	(PRINTER FOR DIPLOMA)	
	Model Code: C12C934591	
17	USB HUB	
	USB multiple port hub 3.0 HUB, USB hub with power	
	supply 4 port adapter micro USB power multi USB	
	splitter high speed OTG extension for Laptop	
	Macbook PC Computer Accessories Adaptor	
	powered USB hub	
18	USB EXTENDER	
10	Blue 5M USB 2.0 Male to Female Extend Extension	
	Cable	
	Active USB extension cable, excellent signal quality to	
	meet USB specification	
	5M USB 2.0 cable gives you enough length and hence	
	more flexibility to put your USB devices.	
	The USB 2.0 A-A cable is fully compliant with the New	
	High Speed 2.0 Standard and also downward	
	Compatible with USB 1.1/1.0.	
	Suitable for all USB devices.	
	High-Speed transfer rates up to 480 Mbps.	
	Length: 5M	
19	BARCODE SCANNER	
	Cradle Interface: RS232, RS485 (IBM), USB, Keyboard	
	Wedge	
	Color: Black; White	
	Battery: Rechargeable replaceable battery with	
	green sustainability	
20	DIGITAL BOARD INTERACTIVE	
	65 inches 4k UHD Android TV	
	4K UHD Android TV	
	3840 x 2160 (UHD)	
	4K Google TV	
	IPS Panel	
	Eye Care TV	
	Antibacterial Remote	
	Dolby Audio	
	Chameleon Extreme 2.0	
	Boundless Screen; Game Mode	
	Pure HDR 10 & HLG	
21	INTERNAL SSD	
Z I	2TB 2.5 Inch SATA III Internal SSD	
00	For LAPTOP, AIO, Desktop PC	
22	HARD DRIVE	
	Specifications	
	Capacity: 6TB	
	• Connection Interface: 2 x USB 3.1 Gen 1 (USB Type-	
	A)	
	Maximum Read Speed: 160 MB/s	
	Maximum Write Speed: 160 MB/s	
	Internal Interface: SATA (Unspecified)	
	Type: Hard Disk Drive	
23	WEBCAM	
	Full LID 1000pt are get Auto fo gue	
	Full HD 1080p; smart Auto-focus	
В.	Compliance to the Schedule of Requirements	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

□ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- □ (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 <u>or</u>

Original copy of Notarized Bid Securing Declaration; and

- □ (h) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (i) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

□ (j) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

☐ (k) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- □ (1) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (m) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- \Box (a) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- \Box (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• Statement of Warranty – minimum of one (1) year for item nos. 19-23

Note:

- 1. Please refer to [https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh aring] for the following requirements:
 - a. Computation of NFCC;
 - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
 - c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

