



REPUBLIC OF THE PHILIPPINES
QUEZON CITY GOVERNMENT
BIDS AND AWARDS COMMITTEE –
GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

PROCUREMENT OF VARIOUS HARDWARE SUPPLIES AND OTHERS

PROJECT NO. CGSD-24-HCS-0844

Government of the Republic of the Philippines

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid	7
Section II. Instructions to Bidders	11
1. Scope of Bid	12
2. Funding Information	12
3. Bidding Requirements	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5. Eligible Bidders	13
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	14
9. Clarification and Amendment of Bidding Documents	14
10. Documents comprising the Bid: Eligibility and Technical Components	14
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	16
16. Deadline for Submission of Bids	16
17. Opening and Preliminary Examination of Bids	16
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	20
1. Scope of Contract	21
2. Advance Payment and Terms of Payment	21
3. Performance Security	21
4. Inspection and Tests	21
5. Warranty	21
6. Liability of the Supplier	22
Section V. Special Conditions of Contract	23
Section VI. Schedule of Requirements	27
Section VII. Technical Specifications	35
Section VIII. Checklist of Technical and Financial Documents	46

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



QUEZON CITY GOVERNMENT
BAC – GOODS AND SERVICES



INVITATION TO BID

May 20, 2024

NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1.	CAO-24-IT-0683B	CITY ADMINISTRATOR'S OFFICE	LINE 3: SUPPLY, DELIVERY, INSTALLATION, TESTING, AND COMMISSIONING OF AN ONLINE DATABASE MANAGEMENT SYSTEM FOR INDICATORS OF QUEZON CITY	P 12,000,000.00	GENERAL FUND	120 CD
2.	CAO(ENGINEERING)-24-VEHICLES-0671C	CITY ADMINISTRATOR'S OFFICE (DEPARTMENT OF ENGINEERING)	LINE 1: PICK-UP VEHICLE	P 1,718,420.00	GENERAL FUND	60 CD
			LINE 2: PASSENGER VAN	P 14,124,000.00		
3.	CGSD-24-HCS-0844	CITY GENERAL SERVICES DEPARTMENT	VARIOUS HARDWARE SUPPLIES AND OTHERS	P 4,322,796.36	GENERAL FUND	30 CD
4.	CGSD-24-SERVICES-0830	CITY GENERAL SERVICES DEPARTMENT	SUPPLY AND APPLICATION OF ANTI-SLIP SOLUTION AND FLOOR MAINTENANCE	P 2,624,999.75	GENERAL FUND	30 CD
5.	CTO-24-IT-0837	CITY TREASURER'S OFFICE	COMPUTER SERVER WITH SOFTWARE	P 2,766,050.00	GENERAL FUND	90 CD
6.	ENGINEERING-24-CE2-0733B	DEPARTMENT OF ENGINEERING	HYDRAULIC POWER UNIT WITH HYDRAULIC JACKHAMMER	P 2,601,000.00	GENERAL FUND	60 CD
7.	ENGINEERING-24-ES-0447	DEPARTMENT OF ENGINEERING	VARIOUS ELECTRICAL SUPPLIES	P 2,226,208.58	GENERAL FUND	6 MONTHS
8.	LEIPO-24-EM-0591B	LOCAL ECONOMIC INVESTMENT PROMOTIONS OFFICE	E-SPORTS GRASSROOT EDUCATION PROGRAM (GAMING FORUM 2024)	P 3,000,000.00	GENERAL FUND	6 MONTHS
9.	OCM-24-CS1-0977	OFFICE OF THE CITY MAYOR	FOOD AND DRINKS	P 5,248,000.00	GENERAL FUND	30 CD
10.	OCM-24-GARMENTS-0978	OFFICE OF THE CITY MAYOR	ROUND NECK SHIRTS AND OTHERS	P 4,290,000.00	GENERAL FUND	30 CD
11.	OCM(POPS)-24-CS1-0893	OFFICE OF THE CITY MAYOR - POPS PLAN	FOOD AND DRINKS AND OTHERS	P 4,000,000.00	GENERAL FUND	5 MONTHS
12.	OVM-24-EM-0822	OFFICE OF THE VICE MAYOR	EVENTS MANAGEMENT PACKAGE (RENEWAL OF VOWS)	P 5,540,000.00	GENERAL FUND	5 MONTHS
13.	OVM-24-EM-0823	OFFICE OF THE VICE MAYOR	PHYSICAL ARRANGEMENT, VIDEO COVERAGE AND OTHERS	P 1,552,000.00	GENERAL FUND	5 MONTHS
14.	OVM-24-FOODSTUFF-0852	OFFICE OF THE VICE MAYOR	RICE IN RESEALABLE PLASTIC BAG	P 18,205,000.00	GENERAL FUND	5 MONTHS
15.	QCADAAC-24-GI2-0933	QUEZON CITY ANTI-DRUG ABUSE ADVISORY COUNCIL	GROCERY PACKS	P 2,632,000.00	GENERAL FUND	6 MONTHS
16.	QCRRMO-24-BMOP-0908	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	CONCEPTUALIZATION AND PRINTING OF GREEN AWARDS 2023 AND 2024 COFFEE TABLE BOOK	P 10,000,000.00	GENERAL FUND	5 MONTHS

NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
17.	QCDRRMO-24-EM-0909	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	EVENTS MANAGEMENT AND PROJECT EXECUTION FOR 2024 JULY DISASTER RESILIENCE MONTH CHILDREN'S FAIR PROJECT	P 7,500,000.00	GENERAL FUND	1 MONTH
18.	QCDRRMO-24-HLMF-0965	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	HOTEL ACCOMMODATION AND OTHERS	P 17,274,400.00	GENERAL FUND	5 MONTHS
19.	QCU-24-AMS-0598B	QUEZON CITY UNIVERSITY	REPAIR AND MAINTENANCE OF AIRCONDITIONING SYSTEMS	P 1,889,077.60	GENERAL FUND	30 CD
20.	QCYDO-24-EM-0894	QUEZON CITY YOUTH DEVELOPMENT OFFICE	YOUTH ORGANIZATION ASSEMBLY	P 1,148,000.00	GENERAL FUND	30 CD
21.	RMBGH-24-MSLI-0573B	ROSARIO MACLANG BAUTISTA GENERAL HOSPITAL	LINE 4: VARIOUS MEDICAL SUPPLIES AND OTHERS FOR PATHOLOGY DEPARTMENT	P 70,890,349.00	GENERAL FUND	5 MONTHS
			LINE 6: VARIOUS MEDICAL SUPPLIES AND OTHERS FOR PEDIA DEPARTMENT	P 11,798,050.00	GENERAL FUND	60 CD
22.	CONSO-24-APP-0966	SCHOOLS DIVISION OFFICE	LINE 1: SMART TV	P 30,000,000.00	SPECIAL EDUCATION FUND	30 CD
			LINE 2: INDUSTRIAL COOLER FAN	P 5,888,000.00	SPECIAL EDUCATION FUND	60 CD
23.	CONSO-24-OE-0967	SCHOOLS DIVISION OFFICE	LINE 1: LAPTOP FOR PUBLIC SCHOOL TEACHERS AND DAYCARE WORKERS	P 76,575,000.00	SPECIAL EDUCATION FUND	60 CD
			LINE 2: BRAILLE EMBOSSER	P 3,500,000.00	SPECIAL EDUCATION FUND	45 CD
24.	SDO-24-OE-0902	SCHOOLS DIVISION OFFICE	OPTICAL MARK READER (OMR) TESTING AND ASSESSMENT TESTING PACKAGE	P 1,200,000.00	SPECIAL EDUCATION FUND	30 CD
25.	SDO-24-PP-0898	SCHOOLS DIVISION OFFICE	TABLET ARMCHAIRS AND OTHERS	P 68,800,298.50	SPECIAL EDUCATION FUND	60 CD
26.	SDO-24-PS2-0897	SCHOOLS DIVISION OFFICE	PRINTING OF SCANNABLE ANSWER SHEETS	P 6,223,470.00	SPECIAL EDUCATION FUND	30 CD
27.	VET-24-MSLI-0460	QUEZON CITY VETERINARY DEPARTMENT	PROCUREMENT OF NEEDLE, SURGICAL BLADE AND OTHERS	P 5,294,815.76	GENERAL FUND	30 CD

- The **QUEZON CITY LOCAL GOVERNMENT**, through the *General Fund and Special Education Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- The **QUEZON CITY LOCAL GOVERNMENT** now invites bids for various *Projects*. Delivery of the Goods is required *as stated above*. Bidders should have completed, within *the last three (3) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- Bidding will be conducted through open competitive bidding procedures using a non-discretionary *“pass/fail”* criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- Prospective Bidders may obtain further information from **QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat** and inspect the Bidding Documents at the address given below during *weekdays from 7:00 a.m. – 5:00 p.m.*
- A complete set of Bidding Documents may be acquired by interested Bidders on **Tuesday, May 21, 2024** from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

STANDARD RATES:-

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- PhilGEPS Registration Certificate (Platinum – 3 pages)
 - Document Request List (DRL)
 - Authorization to Purchase Bidding Documents
 - Corporate Secretary Certificate for corporation (specific for the project)
 - Special Power of Attorney for single proprietorship (specific for the project)
 - Notarized Joint Venture Agreement (as applicable)
6. The **Quezon City Local Government** will hold a Pre-Bid Conference on 9:00 A.M. of **Tuesday, May 28, 2024** at **2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound**, and/or through video conferencing *via Zoom* which shall be open to prospective bidders.
- Topic: BAC-GOODS Pre-Bid Conference Meeting
Join Zoom Meeting
<https://us02web.zoom.us/j/84835002246?pwd=QVRuVE0weXZMNXYwZG5LaWdlcXk1QT09>
- Meeting ID: 848 3500 2246
Passcode: 154733
7. Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before **10:00 A.M. of Tuesday, June 11, 2024**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
9. Bid opening shall be on **11:00 A.M. of Tuesday, June 11, 2024** at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- Topic: BAC-GOODS & SERVICES BIDDING
Join Zoom Meeting
<https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lvU29iZGV1WmdKRjZCdz09>
- Meeting ID: 858 5085 5933
Passcode: 118682
10. The **Quezon City Local Government** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA
OIC, Procurement Department
2nd Floor, Procurement Department,
Finance Building, Quezon City Hall Compound
Elliptical Road, Barangay Central Diliman, Quezon City.
Email Add: bacgoods.procurement@quezoncity.gov.ph
Tel. No. (02)8988-4242 loc. 8506/8710
Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:


MS. MA. MARGARITA S. MEJIA, DPA
Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the **PROCUREMENT OF VARIOUS HARDWARE SUPPLIES AND OTHERS** with identification number **CGSD-24-HCS-0844**.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is composed of **two hundred forty-four (244) items**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for **2024** in the amount of **FOUR MILLION THREE HUNDRED TWENTY-TWO THOUSAND SEVEN HUNDRED NINETY-SIX PESOS AND 36/100 ONLY (Php4,322,796.36)**.

2.2. The source of funding is:

a. LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of **Non-Expendable Supplies and services**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **fifty percent (50%)** of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security *in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.

19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause																	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <p>a. A single contract similar to <i>the item/s to be bid</i> and must be at least fifty percent (50%) of the ABC.</p> <p>b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.</p>																
7.1	<p>Subcontracting is not allowed.</p>																
12	<p>The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.</p>																
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p>a. The amount of not less than Php 86,455.93 or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</p> <p>b. The amount of not less than Php 216,139.82 or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</p>																
19.3	<table><tr><th colspan="2">BREAKDOWN OF APPROVED BUDGET FOR THE CONTRACT</th></tr><tr><td>Item no. 1</td><td>23,400.00</td></tr><tr><td>Item nos. 2 - 4</td><td>169,050.00</td></tr><tr><td>Item nos. 5 - 224</td><td>3,613,209.36</td></tr><tr><td>Item nos. 225 - 237</td><td>318,159.00</td></tr><tr><td>Item nos. 238 - 239</td><td>11,150.00</td></tr><tr><td>Item nos. 240 - 244</td><td>187,828.00</td></tr><tr><td>TOTAL</td><td>P 4,322,796.36</td></tr></table>	BREAKDOWN OF APPROVED BUDGET FOR THE CONTRACT		Item no. 1	23,400.00	Item nos. 2 - 4	169,050.00	Item nos. 5 - 224	3,613,209.36	Item nos. 225 - 237	318,159.00	Item nos. 238 - 239	11,150.00	Item nos. 240 - 244	187,828.00	TOTAL	P 4,322,796.36
BREAKDOWN OF APPROVED BUDGET FOR THE CONTRACT																	
Item no. 1	23,400.00																
Item nos. 2 - 4	169,050.00																
Item nos. 5 - 224	3,613,209.36																
Item nos. 225 - 237	318,159.00																
Item nos. 238 - 239	11,150.00																
Item nos. 240 - 244	187,828.00																
TOTAL	P 4,322,796.36																
20.2	<p>List of required licenses and permits relevant to the Project and the corresponding law requiring it.</p> <ul style="list-style-type: none">No additional requirement																
21.2	<p>Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.</p> <ul style="list-style-type: none">Statement of Warranty: Minimum of one (1) year for item nos. 1 to 3, 225 to 244																

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
<p>1</p>	<p><i>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]</i></p> <p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered <i>[indicate place of destination]</i>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>[indicate name(s)]</i>.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ul style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ul style="list-style-type: none"> e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. <i>[Specify additional incidental service requirements, as needed.]</i> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>

	<p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <ul style="list-style-type: none">a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; andb. in the event of termination of production of the spare parts:<ul style="list-style-type: none">i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; andii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of <i>[indicate here the time period specified. If not used indicate a time period of three times the warranty period]</i>.</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within <i>[insert appropriate time period]</i> months of placing the order.</p>
	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier</p>

	<p>Contract Description</p> <p>Final Destination</p> <p>Gross weight</p> <p>Any special lifting instructions</p> <p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p><i>[If partial payment is allowed, state]</i> “The terms of payment shall be as follows: _____.”</p>
4	<p>The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i></p>

Section VI. Schedule of Requirements

PROJECT NAME: PROCUREMENT OF VARIOUS HARDWARE SUPPLIES
AND OTHERS
PROJECT NO. CGSD-24-HCS-0844

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
1	Pallet Jack Heavy Duty, Snap-off Blade Utility knife, screw-lock system, stainless steel blade, sliding-track, with built in blade snapper 18mm	unit	1	Within thirty (30) Calendar Days Upon Issuance of Notice to Proceed
2	Wheel Balancer Max Wheel Weight: 65kgs Max Power Consumption: 0.25 kw Power Supply: 220V Balancing Precision: 5g Balancing Speed: 220 rpm Rim Diameter; 10" - 24" Rim Width: 1.5" - 14" Cycle Time: 8s Bead Breaker Force: <70db	unit	1	
3	Air Compressor Vertical, 5.5 HP, 200 Liter tank Cap, 145-175 PSI	unit	1	
4	Hot Air Heat Gun Power Input: 2000W Heat Setting: Variable Switch Control: 2 Stages Temperature: 50-450 C / 90-600 C Air Flow: 300 / 500ipm Cable Length: 3m	unit	1	
5	CAUTION Barricade Tape 3inches width x 250m long, yellow	roll	1	
6	DANGER Barricade Tape 3inches width x 250m long, red	roll	1	
7	Monoblock Chair Cloth Cover with GSD logo Fabric: Katrina cloth, color white with QC Hall Logo	piece	30	
8	PVC Plant pots 2 x 2 ft. Height, Plastic, white	piece	10	
9	PVC Plant pots 1 1/2 ft. x 1 1/2 ft. Height, Plastic, white	piece	10	
10	PVC Plant pots 1 x 1 ft. Height, Plastic, white	piece	10	
11	Table Cloth, katrina, white, pleated table skirting with embroidered CGSD, 30 inches x 72 inches	piece	5	
12	Acoustic Board 2 feet x 4 feet x 55 mm, fine fissured and concord design	piece	30	
13	Barrel Bolt 2 1/2 inches, stainless 201, chrome plated, screw included	piece	20	
14	Blind rivets 1/8 inch x 1 inch, 100's/box	box	1	
15	Blind rivets 1/8 inch x 1/2 inch, 100's/box	box	1	
16	Blind rivets 1/8 inch x 3/4 inch, 100's/box	box	1	
17	Blind rivets	box	1	

	3/16 inch x 1 inch, 100's/box			
18	Blind rivets 3/16inch x 1/2inch, 100's/box	box	1	
19	Blind rivets 3/16 inch x 3/4 inch, 100's/box	box	1	
20	Black Screw pointed,1 inch, 100's/ box	box	2	
21	Black Screw pointed, 1 1/2 inches, 100's /box	box	2	
22	Black Screw pointed, 2 inches, 100's /box	box	2	
23	Black Screw pointed, 2 1/2 inches, 100's /box	box	2	
24	Black Screw pointed, 3 inches, 100's/box	box	2	
25	Black Screw metal, 1 inch, 100's/ box	box	2	
26	Black Screw metal, 1 1/2 inches 100's /box	box	2	
27	Black Screw metal, 2 inches, 100's /box	box	2	
28	Black Screw metal, 2 1/2 inches, 100's /box	box	1	
29	Black Screw metal, 3 inches, 100's/box	box	1	
30	Blade Grinder (Cutting Disc) Steel-4" 1mm thick 4" diameter, for steel	piece	2	
31	Blade Grinder (Cutting Disc) Stone-4" 5mm thick 4" diameter, for stone	piece	2	
32	Blade Grinder (Cutting Disc) Tile-4", 4" diameter, for tile	piece	2	
33	Carbide Tipped Saw Blade for circular saw, 4" diameter	piece	2	
34	Dyna bolt , 1/4inch	piece	10	
35	Dyna bolt , 3/8inch	piece	10	
36	Dyna bolt , 1/2inch	piece	10	
37	Dyna bolt , 3/4inch	piece	10	
38	Diamond cutter Heavy Duty, 100mm dia. Arbor: 5/8" (16mm)	piece	2	
39	Door Knob, ordinary, stainless steel	piece	15	
40	Expansion Bolt, 1/4inch	piece	10	
41	Expansion Bolt, 3/8inch	piece	10	
42	Expansion Bolt, 1/2inch	piece	10	
43	Expansion Bolt, 3/4inch	piece	10	
44	Glass door bottom patch lock for frameless glass door, for 12mm glass, heavy duty, good quality	piece	5	
45	Gloves cotton with orange rubber, 75g, 10inches	pair	20	
46	G.I. Wire gauge #16	kilo	50	
47	Grinding Disc, 4inches diameter	piece	2	
48	Hinges 2inches x 3inches with screw	piece	10	
49	Keyed lock safety hasp with key 2 1/2 inches, stainless steel with screw and 3 pcs keys	piece	10	
50	Keyed lock safety hasp with key 3 inches, stainless steel with screw and 3 pcs keys	piece	10	
51	No More Nails 300grams, tube	tube	10	
52	Padlock-50mm heavy duty, weatherproof solid brass	piece	15	

53	Padlock-40mm heavy duty, weatherproof solid brass	piece	15	
54	Paint Baby Roller-Cloth 4 inches, Cloth	piece	5	
55	Paint Baby Roller-Foam 4 inches, foam	piece	5	
56	Paint Brush-1inch	piece	10	
57	Paint Brush-2 inches	piece	10	
58	Paint Brush-3 inches	piece	10	
59	Paint Brush-4 inches	piece	10	
60	Paint Thinner 350ml/bottle	bottle	12	
61	Paint-Elastomeric 4 liters/gallon, white, 2-in 1 primer/ topcoat, resistant to UV, dirt, dust & temperature	gallon	1	
62	Paint-Quick Dry Enamel, Flat wall, 4 liters/gallon	gallon	3	
63	Paint-Quick Dry Enamel, Gloss, 4 liters/gallon	gallon	3	
64	Paint-Latex Flat Per Gallon, 4 liters/gallon	gallon	3	
65	Paint-Latex Semi-Gloss Per Gallon, 4 liters/gallon	gallon	3	
66	Polyester Body Filler 1 liter/can with 30gram tube hardener	can	2	
67	Plywood Marine-1/2"X4'X 8'	piece	2	
68	Plywood Marine-1/4"X4'X8'	piece	2	
69	Plywood Marine-3/4"X4'X 8'	piece	2	
70	Plywood Ordinary-1/4"X4'X8'	piece	3	
71	Plywood Ordinary-1/2"X4'X8'	piece	3	
72	Plywood Ordinary-3/4"X4'X8'	piece	3	
73	Reflectorized Paint Yellow 4 liters per gallon, flat	gallon	3	
74	Reflectorized Paint White White 4 liters per gallon, flat	gallon	3	
75	Reflectorized Paint Black Black 4 liters per gallon, flat	gallon	3	
76	Roller Brush, 4inches, foam	piece	5	
77	Roller Brush 4inches, cloth/cotton	piece	5	
78	Safety Hasp Ordinary, 1 x 3"	pair	10	
79	Safety Hasp Ordinary, 1 x 4"	pair	10	
80	Sanding Paper, no. 120	piece	10	
81	Sanding Paper, no. 100	piece	10	
82	Sealant Elastomeric, waterproof	quart	5	
83	Sealant Rubber Plumber and marine waterproof sealant, 1-quart	quart	2	
84	Tox #6, 30 mm, 100 pcs/box	box	5	
85	Welding Gloves, 11 inches	pair	2	
86	Welding Rod, Ordinary, good quality, per kilo	kilo	1	
87	Welding Rod Stainless, good quality, per kilo	kilo	1	
88	Welding Hinge Materials: iron, Size: 200kgs, Finish: Satin, Application: outdoor/indoor	piece	3	
89	Wood Glue, Adhesive, 500 grams/can	can	2	
90	Capacitor (single), 40 uF, 450 V	piece	2	
91	Capacitor (single), 60 uF, 450 V	piece	2	
92	Capacitor (single), 3uF	piece	2	
93	Capacitor (single), 4uF	piece	2	
94	Capacitor (single), 6 uF	piece	2	
95	Coil Temperature Sensor	piece	2	

	For ceiling cassette type aircon, normal voltage at 25 degrees, Size: 1 inch copper tube head, 1 meter wire with port at end			
96	Thermostatic Switch Anti-flammable PC materials, slide switch, easy to operate, cooling/heating mode selection, three speed selection, control fan coil only, control fan speed and turning on/off of motorized valve, motorized air damper, power supply: 220VAC, 50/60Hz, temperature range: 10-30 deg. celsius	piece	3	
97	Insulation tape/Aerotape Self-adhesive insulation foam tape size: 3mm thick x 50mm width x 9.1meters, glue type: polyurethane, color white	roll	10	
98	Mapp Gas Brazing Torch Gas with Igniter Lighter Handheld Brazing hand torch with igniter mapp gas, heavy duty	piece	2	
99	Polyethylene tape 2 inches	roll	5	
100	Polyethylene tape 4 inches	roll	5	
101	Pressure washer hose Compatible with portable pressure washer	piece	1	
102	Pressure washer nozzle Compatible with portable pressure washer	piece	1	
103	Refrigerant manifold gauge low & high for R22 VMG-2R410a with 3 hose, PVC Case	set	1	
104	Refrigerant manifold gauge low & high for R410A VMG-2R410a with 3 hose, PVC Case	set	2	
105	Vacuum pump oil 2L 2 liters, high quality oil for rotary vacuum pumps, low vapor pressure and excellent anti-emulsifying and water separability, ISO viscosity grade: VG68	can	2	
106	Battery, Rechargeable 3.7 Volts	piece	6	
107	Battery Rechargeable 9 Volts	piece	4	
108	Battery,12V 12 Volts Heavy Duty 200 amps/hour SM-200 Lead Acid Dimension: 524mm(L) x 278mm(W) x 240mm(H)	piece	6	
109	Battery Distilled, 1 liter	bottle	60	
110	Battery Solution, 1 liter	bottle	60	
111	Cable blanket/floor cord cover and protector 5ft. Dimensions: 60in x 4in x 0.13in (152.4cm x 10.2cm x 0.3cm) fits up to 10 ethernet cables or 5 power strips, adhesive ready, can be easily cut by scissors, color beige	piece	3	
112	Cable Tie-12 inches 4mm x 300mm , 100 pcs per pack	pack	5	
113	Cable Tie-8 inches 4mm x 200mm , 100 pcs per pack	pack	5	
114	Cable Tie-6 inches 3mm x 150mm , 100 pcs per pack	pack	11	
115	Circuit Breaker bolt-on,20amp 20amp. 2 pole with enclosure	set	4	
116	Circuit Breaker bolt-on, 30 amp 30amp. 2 pole with enclosure	set	4	
117	Circuit Breaker bolt-on, 50 amp 50amp. 2 pole with enclosure	set	1	
118	Circuit Breaker bolt-on, 60 amp 60amp. 2 pole with enclosure	set	1	
119	Circuit Breaker bolt-on, 50 amp, Industrial Type	set	8	
120	Circuit Breaker bolt-on, 100 amp 3 phase 3 pole, with enclosure	set	1	
121	Convenience Outlet flush type, 15Amp, 250V 2 gang, 15 Amp, 250 Volts, Flush Type with plate & cover	piece	15	
122	Convenience Outlet Surface type, 15Amp, 250V	piece	20	

	2 gang, 15 Amp, 250 Volts, Surface Type with plate & cover			
123	Electrical Tape, 0.16mmx19mmx16m, big roll	piece	100	
124	Flatcord #16, stranded, 150 meters/roll, branded	roll	6	
125	Flatcord #18, stranded, 150 meters/roll, branded	roll	6	
126	LED Fluorescent Lamp/tube 9W (T8 2ft.) 220V 60 Hz/Day light	piece	1308	
127	LED Fluorescent Lamp/tube 18W (T8 2ft.) 220V 60 Hz/Day light	piece	400	
128	LED lights bulb with screw screw type, 7watts/ 9watts	piece	300	
129	LED Lights with Driver Round 15W model: 48 W, input: 180260 50/60Hz output: DC 90130V 240mA±5%	piece	50	
130	LED Round vertical recessed pinlight housing with beehive reflector, 6 ", diameter: 170mm, heighth: 177mm, lamp holder/socket: E27 (standard), beehive reflector	piece	10	
131	Lighting Unit Emergency Light LED Daylight Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid battery pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and function control with LED, Rated voltage 120/230V/277V 50/60Hz, Dimension (LXWxH) 310mm x 80mmx140mm	piece	20	
132	LED spotlight 250W Outdoor 220V 6500K IP65 Waterproof, shock & vibration Resistant, bulb is made of Polycarbonate, Lamp Base: E27, Beam angle: 200, non-dimmable, No UV emissions	sets	5	
133	LED spotlight 100-150 watts Outdoor 220V 6500K IP65 Waterproof, shock & vibration Resistant, bulb is made of Polycarbonate, Lamp Base: E27, Beam angle: 200, non-dimmable, No UV emissions	sets	3	
134	LED Square Slim Panel Light, 30x30cm, daylight	piece	20	
135	LED Square Slim Panel Light, 60x60cm, daylight	piece	20	
136	LED round downlight, Built-in type, 12 watts, dia. 175mm x 25mm, Voltage: Ac100V-245V	piece	10	
137	LED Flood Lights, 100 watts	piece	10	
138	Magnetic Contactor, 240 Volts 15K	piece	1	
139	Male Plug Heavy duty 2-wire, Rubber plug, 10-15 Amp	piece	40	
140	Panel LED Downlight Round 12 watts	piece	20	
141	PVC Pipe 3/4inch diameter x 10ft for electrical	piece	10	
142	Surface type utility box 4.5inches x 3inches, PVC (Amco Box)	piece	50	
143	Surface type switch 1 gang, 16A, 250V	piece	10	
144	Surface type switch 2-gang, 16A, 250V	piece	10	
145	Splice Lock Wire Connector Splicing connector, 100 per pack	pack	1	
146	Wire, stranded, 2.0 mm ² (#14), 150 meter/roll	roll	4	
147	Wire, stranded #6, 14mm ² , 150meter/roll	roll	2	
148	Wire, stranded #12, 3.5 mm ² , 150 meter/roll	roll	4	
149	Wire, stranded #10, 5.5mm ² , 150 meter/roll	roll	2	
150	Bidet	piece	26	

	Handheld Bidet Toilet Sprayer, Premium Stainless Steel Bathroom Bidet Sprayer , branded			
151	Bidet hose Stainless metal with heavy duty rubberized hose inside, 1.5m hose, 1/2"x1/2" fittings	piece	20	
152	Brass faucet Plain bibb 12" diameter, quarter turn	piece	10	
153	Brass faucet with hose bibb, 1/2" diameter, quarter turn	piece	10	
154	B.I. Bushing, 1/2 x 3/8"	piece	10	
155	B.I. Nipple, 3/8 x 4"	piece	6	
156	B.I. Plug, 1/2"	piece	6	
157	B.I. Reducer, 1/2 x 3/8"	piece	6	
158	B.I. Reducer, Bell type, 1/2 x 3/4"	piece	10	
159	Check Valve Vertical, brass, 2 inches diameter	piece	2	
160	Check Valve Horizontal, brass, 2 inches diameter	piece	2	
161	Chlorine Per Gallon, High grade chlorine	gallon	2	
162	Clog Remover/De-clogging Liquid, class A (branded), 16liters/pail	pail	4	
163	Drinking Faucet Fountain, gooseneck type, 1/4 inch diameter	piece	3	
164	Drinking Fountain Faucet, push type, 1/4inch diameter	piece	2	
165	Faucet Cartridge, 1/2inch diameter 20 teeth quarter turn, ceramic disc	piece	15	
166	Faucet Extender 1/2inch x 3 inches	piece	6	
167	Faucet Extender 2 inches x 1/2"	piece	7	
168	Faucet Extender 3 inches x 1/2inch"	piece	6	
169	Faucet Extender 4inches x 1/2"	piece	6	
170	Float Valve Brass 2 inches	piece	2	
171	Foot Valve Brass 2 inches	piece	2	
172	Float Switch cable type float SW water level 1.9 meter cable, heavy duty	set	6	
173	Floor Drain Strainer, brass 4" x 4"	piece	5	
174	High Pressure Pump Cleaner Toilet Plunger Air Blaster 100 psi, heavy duty	piece	1	
175	Lavatory Angle Valve, 1/2 x 1/2 HD, Brass	piece	21	
176	Lavatory P-trap PVC, 1 1/4" without accessories	piece	30	
177	Lavatory P-trap 1 1/4 inches diameter, stainless, complete with basket, strainer and tail piece	piece	20	
178	Lavatory Gooseneck faucet 1/2 inch. diameter, stainless, heavy duty	piece	40	
179	Lavatory Single Faucet 1/2 inch. diameter, stainless, heavy duty	piece	40	
180	Lavatory Flexible Hose 1/2inch x 1/2inch x 18inches	piece	40	
181	Mini-Vent Air Admittance Valve, 2 inches diameter	piece	1	
182	Pipe Jointing Epoxy, 1.5 kg./can	liter	6	
183	Ppr Elbow 1/2inch	piece	20	
184	Ppr Elbow 3/4inch	piece	15	
185	Ppr Elbow Female threaded 1/2inch	piece	3	
186	Ppr Male Adaptor 1/2 inch	piece	3	
187	Ppr Male Adaptor 3/4 inch	piece	3	
188	Ppr Female Adaptor 1/2 inch	piece	3	
189	Ppr Female Adaptor 3/4 inch	piece	3	
190	Ppr Pipe Cutter 1/2 inch to 1 1/2 inches	piece	1	
191	Ppr Tee 1/2inch	piece	6	
192	Ppr Tee Threaded 1/2inch	piece	4	
193	Pressure Switch, heavy duty, 200 psi	piece	3	

194	Pressure Gauge, heavy duty, condor type, 160 psi	piece	2
195	PVC Elbow, 1/2 inch diameter	piece	30
196	PVC Pipe Solvent Cement, 400 cc, Atlanta with brush	can	11
197	Spring pipe drain cleaner with drill connector auger wire diameter: 2.0mm, Diameter: 10 mm, length: 5meters	piece	1
198	Teflon tape, 50 meters/roll, 1/2 inch thick	piece	60
199	Urinal Bowl strainer drain ceramic cover, ceramic type	piece	20
200	Urinal Flusher, Push Button, 1/2inch diameter (1 set with accessories)	set	20
201	Urinal Sloan Valve 3/4inch diameter	piece	15
202	Water Closet Angle Valve 3-way, universal, 1/2" x 1/2" x 1/2"Ø, brass/stainless	piece	15
203	Water Closet Angle Valve 1/2" x 1/2"x 1/2" diameter, 2-way, universal, brass/stainless	piece	15
204	Water Closet Set, Water, toilet bowl with water tank 1piece	set	3
205	Water Closet Tank Handle Lever heavy duty, universal for all kind of tank	set	15
206	Water Closet Single push button, 38mm	piece	15
207	Water Closet Fill Valve Universal, adjustable, 1/2 inch/ 5/8inch	piece	20
208	Water Closet Flexible Hose, 1/2"x1/2"x16"	piece	30
209	Water Closet Sloan Valve 1" diameter	piece	12
210	Water Closet Sloan Valve Repair Kit G-1007 piston kit for 3.5 GPF/13.2LPF	set	15
211	Water Closet Sloan Valve Rubber Gasket Replacement G1005A, Gem2 series	set	15
212	Water closet tank fittings for 1 piece, push type, 4"Ø	set	20
213	Water closet tank handle lever type, heavy duty, universal for all kind of tank	set	10
214	Audio Mic Connector Plug, 3-PIN (1-Pair Male and Female) Material: zinc alloy Male head size: approx. 69 * 19 mm /2.7 * 0.7inch Female head size: approx. 72.5 * 16 mm / 2.9 * 0.6inch Interface type: XLR plug male*1; XLR plug female *1Color: black. Package List: 1-Pair of male to female welding plugs	piece	5
215	Connector, XLR Male & Female, RJ 11	piece	12
216	Connector, Stereo, RJ 9	piece	7
217	Contact Cleaner, 469ml	can	3
218	Duct tape, 3inchesx 50yds	piece	5
219	Microphone PL Jack mono, stereo type	piece	6
220	RCA Jack with cable (Blue, yellow, red)	piece	5
221	Rechargeable battery 1.5 volts (Double A)	piece	5
222	Soldering Lead Wire Roll (450gms) 60% TIN / 40% LEAD, 1.2mm, Size : 450gms	piece	1
223	UTP cable, 4 pairs	roll	1
224	Water Displacement Spray, 12.9oz (382ml)	can	2
225	Air Compressor Voltage: 220-240V~60Hz, Input power: 1.5 kW (2 HP) Tank: 24L(6.3Gal)	unit	1
226	Angle Grinder 4", 850 watts, Disc Diameter: 100 mm, Weight: 1.9kgs, Max cutting depth: 16 mm, trigger type: paddle with dead man switch, A-weighted emission sound pressure level:85 dB (A), Triaxial vibration value for angle grinding: 6.5m/s	piece	1
227	Chipping gun Input power: 1100W, Impact energy: 7.8J, Impact rate at rated speed: 2900 bpm, Weight: 5.6kg, Dimension: 103mmW, 458mmL, 235mmH, Tool holder: HEX 17mm, With patented grease sealing ring, improved dust cap, with rubber holder, with complete accessories in a carrying case	piece	1

228	Chain Saw, 22inches, 54cc, 3.8 kw Engine Type: Air cooled, 2 stroke single cylinder, Displacement: 54cc, Rated power: 205KW/7500RPM, Idling speed:3000±200rpm, gasoline mixing ratio:1:25, Carburetor: Diaphragm type, Chain pitch:0.325", Bar & Chain: 20"/22"	piece	1
229	Cordless Hammer Drill Driver, 209x87x212mm Max torque: 65 Nm for soft joint , 80 Nm for hard joint, No load RPM: gear 1- 490 rpm, gear 2- 2000rpm, clamping rang: 2-3mm, number of gear : 2, torque increment: 15, Dimension: 209 mm x 87 mm x 212 mm, weight: 1.686 kg, 216 V, weighted emission sound pressure level: 91 dB (A)	piece	1
230	Desk Fan, 8 inches, 60 Hz (OEM)	piece	10
231	Drain Cleaning Machine, Sink Machine 3/4" to 1/1/2" drain lines, advance & retrieves cable with push lever, lightweight, east to use, variable speed power unit rotates cables 0-600 rpm, two piece twist lock canister with interchangeable inner drum, rust & dent proof drum, drum capacity: 50ft of 5/6 inch or 35ft of 3/8 inch, vinyl wrapped inner core to prevent from rusting to spring, package includes: drain cleaner, C-1IC cable with bulb auger, C-6 cable with 3/8 inch coupling, C-21 cable with bulb auger, A- 13 pin key, T-203 bulb auger, T-205 C-cutter, T-201 grease cutter, T-217 drop head auger, C-6429 carrying case and gloves	unit	1
232	Drain Cleaner Sectional Machine, 50mm -to 200mm	unit	1
233	Electric Jigsaw 880W power input: 600 watts, no load speed: 500-3000 rpm, 6 speed settings, stroke length: 19mm, bevel cutting: +/-45 degrees, max cutting capacity (wood):75mm, max cutting capacity (steel): 6mm, max cutting capacity (aluminum): 10mm, with pendulum action, lock on switch 7 automatic blade change	piece	1
234	Floor Blower/Dryer, 12inches, 900 watts	piece	2
235	High Pressure Washer Cleaner Portable corded electric 1900W, green color, 36.5cmL x 36cmW x 44cmH, weight: 6.55kgs, hose length: 7meters, weight: 7.9kg, with 3in1 nozzle: fan jet, rotary jet and point jet, low pressure soap settings, auto-stop system which delivers power only when needed, high pressure 135 bar, max. flow rate: 410lph, with complete accessories including high pressure spray gun	units	1
236	Vacuum (wet & dry) Made of ABS plastic, 10 liters capacity, with washable cloth bag, HEPA filter, 1200 watts, 220-240 Volts, 50-60Hz, measurement: (LxWxH) 32.5 cm x 32 cm x 40 cm, handheld vacuum for wet & dry application	unit	2
237	Palm Sander Orbital sander with 2.3A at 14000 OPM, with rubber over mold texture for smooth & comfortable control, improved paper clamp for paper retention, locking dust-port system to lock vacuum hose to the sander, with separate counterweight design to reduce vibration, rubber dust boot to protect switch, orbit size: 16mm, pad size: 108 x 115 mm, pad grip method: hook & loop, 240 Volts, plug in type: type G-British 3-pin	piece	1
238	Digital AC Clamp Meter 4digits display, measuring ac/dc voltage; AC current resistance, capacitance and frequency ampere range 20 to 400amp., voltage range: 10 to 600 volts AC/DC resistance range 0 to 400 ohms; battery type: AAA; frequency a 20 to 4k/10mhz.	piece	1

239	Digital Multi Tester, 600volts	set	2	
240	Cart Trolley, Heavy Duty, capacity: 100kgs Wheel diameter: 12" Black Rubber Wheels, heavy duty, 100kgs capacity	piece	1	
241	Carpet Mats Red passion carpet, heavy duty, size: 3 feet X 40 feet	set	2	
242	Floor Matting PVC Anti-slip rubberized, 0.9m width x10m long	roll	15	
243	Speaker Stand, Heavy Duty Height: 1200 mm to 2600 mm, Load Capacity: up to 90kgs, High Quality Metal with Precision Stand Indicator, Vibration proof, Speaker stand with Crank	piece	6	
244	Pruning Scissors Telescopic rod, 7m high	piece	1	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: PROCUREMENT OF VARIOUS HARDWARE SUPPLIES
AND OTHERS
PROJECT NO. CGSD-24-HCS-0844

Item	Specification	Statement of Compliance
		<i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i>
A.1	Pallet Jack Heavy Duty, Snap-off Blade Utility knife, screw-lock system, stainless steel blade, sliding-track, with built in blade snapper 18mm	
2	Wheel Balancer Max Wheel Weight: 65kgs Max Power Consumption: 0.25 kw Power Supply: 220V Balancing Precision: 5g Balancing Speed: 220 rpm Rim Diameter; 10" - 24" Rim Width: 1.5" - 14" Cycle Time: 8s Bead Breaker Force: <70db	
3	Air Compressor Vertical, 5.5 HP, 200 Liter tank Cap, 145-175 PSI	
4	Hot Air Heat Gun Power Input: 2000W Heat Setting: Variable Switch Control: 2 Stages Temperature: 50-450 C / 90-600 C Air Flow: 300 / 500ipm Cable Length: 3m	
5	CAUTION Barricade Tape 3inches width x 250m long, yellow	
6	DANGER Barricade Tape 3inches width x 250m long, red	
7	Monoblock Chair Cloth Cover with GSD logo Fabric: Katrina cloth, color white with QC Hall Logo	
8	PVC Plant pots 2 x 2 ft. Height, Plastic, white	

9	PVC Plant pots 1 1/2 ft. x 1 1/2 ft. Height, Plastic, white	
10	PVC Plant pots 1 x 1 ft. Height, Plastic, white	
11	Table Cloth, katrina, white, pleated table skirting with embroidered CGSD, 30 inches x 72 inches	
12	Acoustic Board 2 feet x 4 feet x 55 mm, fine fissured and concord design	
13	Barrel Bolt 2 1/2 inches, stainless 201, chrome plated, screw included	
14	Blind rivets 1/8 inch x 1 inch, 100's/box	
15	Blind rivets 1/8 inch x 1/2 inch, 100's/box	
16	Blind rivets 1/8 inch x 3/4 inch, 100's/box	
17	Blind rivets 3/16 inch x 1 inch, 100's/box	
18	Blind rivets 3/16inch x 1/2inch, 100's/box	
19	Blind rivets 3/16 inch x 3/4 inch, 100's/box	
20	Black Screw pointed,1 inch, 100's/ box	
21	Black Screw pointed, 1 1/2 inches, 100's /box	
22	Black Screw pointed, 2 inches, 100's /box	
23	Black Screw pointed, 2 1/2 inches, 100's /box	
24	Black Screw pointed, 3 inches, 100's/box	
25	Black Screw metal, 1 inch, 100's/ box	
26	Black Screw metal, 1 1/2 inches, 100's /box	
27	Black Screw metal, 2 inches, 100's /box	
28	Black Screw metal, 2 1/2 inches, 100's /box	
29	Black Screw metal, 3 inches, 100's/box	
30	Blade Grinder (Cutting Disc) Steel-4" 1mm thick 4" diameter, for steel	
31	Blade Grinder (Cutting Disc) Stone-4" 5mm thick 4" diameter, for stone	
32	Blade Grinder (Cutting Disc) Tile-4", 4" diameter, for tile	
33	Carbide Tipped Saw Blade for circular saw, 4" diameter	
34	Dyna bolt , 1/4inch	
35	Dyna bolt , 3/8inch	
36	Dyna bolt , 1/2inch	
37	Dyna bolt , 3/4inch	
38	Diamond cutter	

	Heavy Duty, 100mm dia. Arbor: 5/8" (16mm)	
39	Door Knob, ordinary, stainless steel	
40	Expansion Bolt, ¼inch	
41	Expansion Bolt, 3/8inch	
42	Expansion Bolt, ½inch	
43	Expansion Bolt, ¾inch	
44	Glass door bottom patch lock for frameless glass door, for 12mm glass, heavy duty, good quality	
45	Gloves cotton with orange rubber, 75g, 10inches	
46	G.I. Wire gauge #16	
47	Grinding Disc, 4inches diameter	
48	Hinges 2inches x 3inches with screw	
49	Keyed lock safety hasp with key 2 1/2 inches, stainless steel with screw and 3 pcs keys	
50	Keyed lock safety hasp with key 3 inches, stainless steel with screw and 3 pcs keys	
51	No More Nails 300grams, tube	
52	Padlock-50mm heavy duty, weatherproof solid brass	
53	Padlock-40mm heavy duty, weatherproof solid brass	
54	Paint Baby Roller-Cloth 4 inches, Cloth	
55	Paint Baby Roller-Foam 4 inches, foam	
56	Paint Brush-1inch	
57	Paint Brush-2 inches	
58	Paint Brush-3 inches	
59	Paint Brush-4 inches	
60	Paint Thinner 350ml/bottle	
61	Paint-Elastomeric 4 liters/gallon, white, 2-in 1 primer/ topcoat, resistant to UV, dirt, dust & temperature	
62	Paint-Quick Dry Enamel, Flat wall, 4 liters/gallon	
63	Paint-Quick Dry Enamel, Gloss, 4 liters/gallon	
64	Paint-Latex Flat Per Gallon, 4 liters/gallon	
65	Paint-Latex Semi-Gloss Per Gallon, 4 liters/gallon	
66	Polyester Body Filler 1 liter/can with 30gram tube hardener	
67	Plywood Marine-1/2"X4'X 8'	
68	Plywood Marine-1/4"X4'X8'	
69	Plywood Marine-3/4"X4'X 8'	
70	Plywood Ordinary-1/4"X4'X8'	
71	Plywood Ordinary-1/2"X4'X8'	
72	Plywood Ordinary-3/4"X4'X8'	
73	Reflectorized Paint Yellow 4 liters per gallon, flat	
74	Reflectorized Paint White White 4 liters per gallon, flat	
75	Reflectorized Paint Black Black 4 liters per gallon, flat	
76	Roller Brush, 4inches, foam	
77	Roller Brush 4inches, cloth/cotton	
78	Safety Hasp Ordinary, 1 x 3"	

79	Safety Hasp Ordinary, 1 x 4"	
80	Sanding Paper, no. 120	
81	Sanding Paper, no. 100	
82	Sealant Elastomeric, waterproof	
83	Sealant Rubber Plumber and marine waterproof sealant, 1-quart	
84	Tox #6, 30 mm, 100 pcs/box	
85	Welding Gloves, 11 inches	
86	Welding Rod, Ordinary, good quality, per kilo	
87	Welding Rod Stainless, good quality, per kilo	
88	Welding Hinge Materials: iron, Size: 200kgs, Finish: Satin, Application: outdoor/indoor	
89	Wood Glue, Adhesive, 500 grams/can	
90	Capacitor (single), 40 uF, 450 V	
91	Capacitor (single), 60 uF, 450 V	
92	Capacitor (single), 3uF	
93	Capacitor (single), 4uF	
94	Capacitor (single), 6 uF	
95	Coil Temperature Sensor For ceiling cassette type aircon, normal voltage at 25 degrees, Size: 1 inch copper tube head, 1 meter wire with port at end	
96	Thermostatic Switch Anti-flammable PC materials, slide switch, easy to operate, cooling/heating mode selection, three speed selection, control fan coil only, control fan speed and turning on/off of motorized valve, motorized air damper, power supply: 220VAC, 50/60Hz, temperature range: 10-30 deg. celsius	
97	Insulation tape/Aerotape Self-adhesive insulation foam tape size: 3mm thick x 50mm width x 9.1meters, glue type: polyurethane, color white	
98	Mapp Gas Brazing Torch Gas with Igniter Lighter Handheld Brazing hand torch with igniter mapp gas, heavy duty	
99	Polyethylene tape 2 inches	
100	Polyethylene tape 4 inches	
101	Pressure washer hose Compatible with portable pressure washer	
102	Pressure washer nozzle Compatible with portable pressure washer	
103	Refrigerant manifold gauge low & high for R22 VMG-2R410a with 3 hose, PVC Case	
104	Refrigerant manifold gauge low & high for R410A VMG-2R410a with 3 hose, PVC Case	
105	Vacuum pump oil 2L 2 liters, high quality oil for rotary vacuum pumps, low vapor pressure and excellent anti-emulsifying and water separability, ISO viscosity grade: VG68	
106	Battery, Rechargeable 3.7 Volts	
107	Battery Rechargeable 9 Volts	
108	Battery,12V 12 Volts Heavy Duty 200 amps/hour SM-200 Lead Acid	

	Dimension: 524mm(L) x 278mm(W) x 240mm(H)	
109	Battery Distilled, 1 liter	
110	Battery Solution, 1 liter	
111	Cable blanket/floor cord cover and protector 5ft. Dimensions: 60in x 4in x 0.13in (152.4cm x 10.2cm x 0.3cm) fits up to 10 ethernet cables or 5 power strips, adhesive ready, can be easily cut by scissors, color beige	
112	Cable Tie-12 inches 4mm x 300mm , 100 pcs per pack	
113	Cable Tie-8 inches 4mm x 200mm , 100 pcs per pack	
114	Cable Tie-6 inches 3mm x 150mm , 100 pcs per pack	
115	Circuit Breaker bolt-on,20amp 20amp. 2 pole with enclosure	
116	Circuit Breaker bolt-on, 30 amp 30amp. 2 pole with enclosure	
117	Circuit Breaker bolt-on, 50 amp 50amp. 2 pole with enclosure	
118	Circuit Breaker bolt-on, 60 amp 60amp. 2 pole with enclosure	
119	Circuit Breaker bolt-on, 50 amp, Industrial Type	
120	Circuit Breaker bolt-on, 100 amp 3 phase 3 pole with enclosure	
121	Convenience Outlet flush type, 15Amp, 250V 2 gang, 15 Amp, 250 Volts, Flush Type with plate & cover	
122	Convenience Outlet Surface type, 15Amp, 250V 2 gang, 15 Amp, 250 Volts, Surface Type with plate & cover	
123	Electrical Tape, 0.16mmx19mmx16m, big roll	
124	Flatcord #16, stranded, 150 meters/roll, branded	
125	Flatcord #18, stranded, 150 meters/roll, branded	
126	LED Fluorescent Lamp/tube 9W (T8 2ft.) 220V 60 Hz/Day light	
127	LED Fluorescent Lamp/tube 18W (T8 2ft.) 220V 60 Hz/Day light	
128	LED lights bulb with screw screw type, 7watts/ 9watts	
129	LED Lights with Driver Round 15W model: 48 W, input: 180260 50/60Hz output: DC 90130V 240mA±5%	
130	LED Round vertical recessed pinlight housing with beehive reflector, 6 ", diameter: 170mm, heighth: 177mm, lamp holder/socket: E27 (standard), beehive reflector	
131	Lighting Unit Emergency Light LED Daylight Color White, Suitable for standby mode operation, * 2 x 1.5W LED, Injection molded ABS casing, Sealed Lead Acid battery pack, 16-20 hours emergency lightning duration, Change indicator and test push button switch, Stand by and function control with LED, Rated voltage 120/230V/277V 50/60Hz, Dimension (LXWxH) 310mm x 80mmx140mm	
132	LED spotlight 250W Outdoor 220V 6500K IP65 Waterproof, shock & vibration Resistant, bulb is made of Polycarbonate,	

	Lamp Base: E27, Beam angle: 200, non-dimmable, No UV emissions	
133	LED spotlight 100-150 watts Outdoor 220V 6500K IP65 Waterproof, shock & vibration Resistant, bulb is made of Polycarbonate, Lamp Base: E27, Beam angle: 200, non-dimmable, No UV emissions	
134	LED Square Slim Panel Light, 30x30cm, daylight	
135	LED Square Slim Panel Light, 60x60cm, daylight	
136	LED round downlight, Built-in type, 12 watts, dia. 175mm x 25mm, Voltage: Ac100V-245V	
137	LED Flood Lights, 100 watts	
138	Magnetic Contactor, 240 Volts 15K	
139	Male Plug Heavy duty 2-wire, Rubber plug, 10-15 Amp	
140	Panel LED Downlight Round 12 watts	
141	PVC Pipe 3/4inch diameter x 10ft for electrical	
142	Surface type utility box 4.5inches x 3inches, PVC (Amco Box)	
143	Surface type switch 1 gang, 16A, 250V	
144	Surface type switch 2-gang, 16A, 250V	
145	Splice Lock Wire Connector Splicing connector, 100 per pack	
146	Wire, stranded, 2.0 mm ² (#14), 150 meter/roll	
147	Wire, stranded #6, 14mm ² , 150meter/roll	
148	Wire, stranded #12, 3.5 mm ² , 150 meter/roll	
149	Wire, stranded #10, 5.5mm ² , 150 meter/roll	
150	Bidet Handheld Bidet Toilet Sprayer, Premium Stainless Steel Bathroom Bidet Sprayer , branded	
151	Bidet hose Stainless metal with heavy duty rubberized hose inside, 1.5m hose, 1/2"x1/2" fittings	
152	Brass faucet Plain bibb 12"diameter, quarter turn	
153	Brass faucet with hose bibb, 1/2" diameter, quarter turn	
154	B.I. Bushing, 1/2 x 3/8"	
155	B.I. Nipple, 3/8 x 4"	
156	B.I. Plug, 1/2"	
157	B.I. Reducer, 1/2 x 3/8"	
158	B.I. Reducer, Bell type, 1/2 x 3/4"	
159	Check Valve Vertical, brass, 2 inches diameter	
160	Check Valve Horizontal, brass, 2 inches diameter	
161	Chlorine Per Gallon, High grade chlorine	
162	Clog Remover/De-clogging Liquid, class A (branded), 16liters/pail	
163	Drinking Faucet Fountain, gooseneck type, 1/4 inch diameter	
164	Drinking Fountain Faucet, push type, 1/4inch diameter	
165	Faucet Cartridge, 1/2inch diameter 20 teeth quarter turn, ceramic disc	

166	Faucet Extender 1/2inch x 3 inches	
167	Faucet Extender 2 inches x 1/2"	
168	Faucet Extender 3 inches x 1/2inch"	
169	Faucet Extender 4inches x 1/2"	
170	Float Valve Brass 2 inches	
171	Foot Valve Brass 2 inches	
172	Float Switch cable type float SW water level 1.9 meter cable, heavy duty	
173	Floor Drain Strainer, brass 4" x 4"	
174	High Pressure Pump Cleaner Toilet Plunger Air Blaster 100 psi, heavy duty	
175	Lavatory Angle Valve, 1/2 x 1/2 HD, Brass	
176	Lavatory P-trap PVC, 1 1/4" without accessories	
177	Lavatory P-trap 1 1/4 inches diameter, stainless, complete with basket, strainer and tail piece	
178	Lavatory Gooseneck faucet 1/2 inch. diameter, stainless, heavy duty	
179	Lavatory Single Faucet 1/2 inch. diameter, stainless, heavy duty	
180	Lavatory Flexible Hose 1/2inch x 1/2inch x 18inches	
181	Mini-Vent Air Admittance Valve, 2 inches diameter	
182	Pipe Jointing Epoxy, 1.5 kg./can	
183	Ppr Elbow 1/2inch	
184	Ppr Elbow 3/4inch	
185	Ppr Elbow Female threaded 1/2inch	
186	Ppr Male Adaptor 1/2 inch	
187	Ppr Male Adaptor 3/4 inch	
188	Ppr Female Adaptor 1/2 inch	
189	Ppr Female Adaptor 3/4 inch	
190	Ppr Pipe Cutter 1/2 inch to 1 1/2 inches	
191	Ppr Tee 1/2inch	
192	Ppr Tee Threaded 1/2inch	
193	Pressure Switch, heavy duty, 200 psi	
194	Pressure Gauge, heavy duty, condor type, 160 psi	
195	PVC Elbow, 1/2 inch diameter	
196	PVC Pipe Solvent Cement, 400 cc, Atlanta with brush	
197	Spring pipe drain cleaner with drill connector auger wire diameter: 2.0mm, Diameter: 10 mm, length: 5meters	
198	Teflon tape, 50 meters/roll, 1/2 inch thick	
199	Urinal Bowl strainer drain ceramic cover, ceramic type	
200	Urinal Flusher, Push Button, 1/2inch diameter (1 set with accessories)	
201	Urinal Sloan Valve 3/4inch diameter	
202	Water Closet Angle Valve 3-way, universal, 1/2" x 1/2" x 1/2"Ø, brass/stainless	
203	Water Closet Angle Valve 1/2" x 1/2"x 1/2" diameter, 2-way, universal, brass/stainless	

204	Water Closet Set, Water, toilet bowl with water tank 1piece	
205	Water Closet Tank Handle Lever heavy duty, universal for all kind of tank	
206	Water Closet Single push button, 38mm	
207	Water Closet Fill Valve Universal, adjustable, 1/2 inch/ 5/8inch	
208	Water Closet Flexible Hose, 1/2"x1/2"x16"	
209	Water Closet Sloan Valve 1" diameter	
210	Water Closet Sloan Valve Repair Kit G-1007 piston kit for 3.5 GPF/13.2LPF	
211	Water Closet Sloan Valve Rubber Gasket Replacement G1005A, Gem2 series	
212	Water closet tank fittings for 1 piece, push type, 4"Ø	
213	Water closet tank handle lever type, heavy duty, universal for all kind of tank	
214	Audio Mic Connector Plug, 3-PIN (1-Pair Male and Female) Material: zinc alloy Male head size: approx. 69 * 19 mm /2.7 * 0.7inch Female head size: approx. 72.5 * 16 mm / 2.9 * 0.6inch Interface type: XLR plug male*1; XLR plug female *1Color: black. Package List: 1-Pair of male to female welding plugs	
215	Connector, XLR Male & Female, RJ 11	
216	Connector, Stereo, RJ 9	
217	Contact Cleaner, 469ml	
218	Duct tape, 3inchesx 50yds	
219	Microphone PL Jack mono, stereo type	
220	RCA Jack with cable (Blue, yellow, red)	
221	Rechargeable battery 1.5 volts (Double A)	
222	Soldering Lead Wire Roll (450gms) 60% TIN / 40% LEAD, 1.2mm, Size : 450gms	
223	UTP cable, 4 pairs	
224	Water Displacement Spray, 12.9oz (382ml)	
225	Air Compressor Voltage: 220-240V~60Hz, Input power: 1.5 kW (2 HP) Tank: 24L(6.3Gal)	
226	Angle Grinder 4", 850 watts, Disc Diameter: 100 mm, Weight: 1.9kgs, Max cutting depth: 16 mm, trigger type: paddle with dead man switch, A-weighted emission sound pressure level:85 dB (A), Triaxial vibration value for angle grinding: 6.5m/s	
227	Chipping gun Input power: 1100W, Impact energy: 7.8J, Impact rate at rated speed: 2900 bpm, Weight: 5.6kg, Dimension: 103mmW, 458mmL, 235mmH, Tool holder: HEX 17mm, With patented grease sealing ring, improved dust cap, with rubber holder, with complete accessories in a carrying case	
228	Chain Saw, 22inches, 54cc, 3.8 kw Engine Type: Air cooled, 2 stroke single cylinder, Displacement: 54cc, Rated power: 205KW/7500RPM, Idling speed:3000±200rpm, gasoline mixing ratio:1:25, Carburetor: Diaphragm type, Chain pitch:0.325", Bar & Chain: 20"/22"	

229	Cordless Hammer Drill Driver, 209x87x212mm Max torque: 65 Nm for soft joint , 80 Nm for hard joint, No load RPM: gear 1- 490 rpm, gear 2- 2000rpm, clamping rang: 2-3mm, number of gear : 2, torque increment: 15, Dimension: 209 mm x 87 mm x 212 mm, weight: 1.686 kg, 216 V, weighted emission sound pressure level: 91 dB (A)	
230	Desk Fan, 8 inches, 60 Hz (OEM)	
231	Drain Cleaning Machine, Sink Machine 3/4" to 1 1/2" drain lines, advance & retrieves cable with push lever, lightweight, east to use, variable speed power unit rotates cables 0-600 rpm, two piece twist lock canister with interchangeable inner drum, rust & dent proof drum, drum capacity: 50ft of 5/6 inch or 35ft of 3/8 inch, vinyl wrapped inner core to prevent from rusting to spring, package includes: drain cleaner, C-11C cable with bulb auger, C-6 cable with 3/8 inch coupling, C-21 cable with bulb auger, A-13 pin key, T-203 bulb auger, T-205 C-cutter, T-201 grease cutter, T-217 drop head auger, C-6429 carrying case and gloves	
232	Drain Cleaner Sectional Machine, 50mm -to 200mm	
233	Electric Jigsaw 880W power input: 600 watts, no load speed: 500-3000 rpm, 6 speed settings, stroke length: 19mm, bevel cutting: +/-45 degrees, max cutting capacity (wood):75mm, max cutting capacity (steel): 6mm, max cutting capacity (aluminum): 10mm, with pendulum action, lock on switch 7 automatic blade change	
234	Floor Blower/Dryer, 12inches, 900 watts	
235	High Pressure Washer Cleaner Portable corded electric 1900W, green color, 36.5cmL x 36cmW x 44cmH, weight: 6.55kgs, hose length: 7meters, weight: 7.9kg, with 3in1 nozzle: fan jet, rotary jet and point jet, low pressure soap settings, auto-stop system which delivers power only when needed, high pressure 135 bar, max. flow rate: 410lph, with complete accessories including high pressure spray gun	
236	Vacuum (wet & dry) Made of ABS plastic, 10 liters capacity, with washable cloth bag, HEPA filter, 1200 watts, 220-240 Volts, 50-60Hz, measurement: (LxWxH) 32.5 cm x 32 cm x 40 cm, handheld vacuum for wet & dry application	
237	Palm Sander Orbital sander with 2.3A at 14000 OPM, with rubber over mold texture for smooth & comfortable control, improved paper clamp for paper retention, locking dust-port system to lock vacuum hose to the sander, with separate counterweight design to reduce vibration, rubber dust boot to protect switch, orbit size: 16mm, pad size: 108 x 115 mm, pad grip method: hook & loop, 240 Volts, plug in type: type G-British 3-pin	
238	Digital AC Clamp Meter	

	4digits display, measuring ac/dc voltage; AC current resistance, capacitance and frequency ampere range 20 to 400amp., voltage range: 10 to 600 volts AC/DC resistance range 0 to 400 ohms; battery type: AAA; frequency a 20 to 4k/10mhz.	
239	Digital Multi Tester, 600volts	
240	Cart Trolley, Heavy Duty, capacity: 100kgs Wheel diameter: 12" Black Rubber Wheels, heavy duty, 100kgs capacity	
241	Carpet Mats Red passion carpet, heavy duty, size: 3 feet X 40 feet	
242	Floor Matting PVC Anti-slip rubberized, 0.9m width x10m long	
243	Speaker Stand, Heavy Duty Height: 1200 mm to 2600 mm, Load Capacity: up to 90kgs, High Quality Metal with Precision Stand Indicator, Vibration proof, Speaker stand with Crank	
244	Pruning Scissors Telescopic rod, 7m high	
B.	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

Technical Documents

- ☐ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**); **and**
- ☐ (f) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**); **and**
- ☐ (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (h) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- ☐ (i) Original duly signed Omnibus Sworn Statement (OSS);
and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (j) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC) (in a **FORM prescribed by the QC-BAC-GOODS AND SERVICES**);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- ☐ (k) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- ☐ (l) [For foreign bidders claiming by reason of their country’s extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (m) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (a) Original of duly signed and accomplished Financial Bid Form; **and**
- ☐ (b) Original of duly signed and accomplished Price Schedule(s).

III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

- **Statement of Warranty: Minimum of one (1) year for item nos. 1 to 3, 225 to 244**

Note:

1. Please refer to [\[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing\]](https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sharing) for the following requirements:
 - a. Computation of NFCC;
 - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
 - c. Statement of Single Largest Completed Contract
2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement

