

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

# PROCUREMENT OF VARIOUS ELECTRICAL SUPPLIES

PROJECT NO. ENGINEERING-24-ES-0447

Government of the Republic of the Philippines

Sixth Edition July 2020

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	4
Sectio	on I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	11
1.	Scope of Bid	
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Bidding Documents	
10.	Documents comprising the Bid: Eligibility and Technical Components 144	
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	
21.	Signing of the Contract	17
Sectio	on III. Bid Data Sheet	18
Sectio	on IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	
5.	Warranty	
6.	Liability of the Supplier	
Sectio	on V. Special Conditions of Contract	23
Sectio	on VI. Schedule of Requirements	27
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA -** Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

- **CPI** Consumer Price Index.
- DDP Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

FCA – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

NGA – National Government Agency.

**PhilGEPS -** Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

### Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



- 92

#### QUEZON CITY GOVERNMENT BAC – GOODS AND SERVICES

### **INVITATION TO BID**

· · · · ·



May 20, 2024

NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1.	CAO-24-IT-0683B	CITY ADMINISTRATOR'S OFFICE	LINE 3: SUPPLY, DELIVERY, INSTALLATION, TESTING, AND COMMISSIONING OF AN ONLINE DATABASE MANAGEMENT SYSTEM FOR INDICATORS OF QUEZON CITY	P 12,000,000.00	GENERAL FUND	120 CD
2.	CAO(ENGINEERING)-	CITY ADMINISTRATOR'S OFFICE (DEPARTMENT OF	LINE 1: PICK-UP VEHICLE	P 1,718,420.00	GENERAL	60 CD
2.	24-VEHICLES-0671C	ENGINEERING)	LINE 2: PASSENGER VAN	P 14,124,000.00	FUND	80 CD
3.	CGSD-24-HCS-0844	CITY GENERAL SERVICES DEPARTMENT	VARIOUS HARDWARE SUPPLIES AND OTHERS	P 4,322,796.36	GENERAL FUND	30 CD
4.	CGSD-24-SERVICES- 0830	CITY GENERAL SERVICES DEPARTMENT	SUPPLY AND APPLICATION OF ANTI-SLIP SOLUTION AND FLOOR MAINTENANCE	P 2,624,999.75	GENERAL FUND	30 CD
5.	CTO-24-IT-0837	CITY TREASURER'S OFFICE	COMPUTER SERVER WITH SOFTWARE	P 2,766,050.00	GENERAL FUND	90 CD
6.	ENGINEERING-24-CE2- 0733B	DEPARTMENT OF ENGINEERING	HYDRAULIC POWER UNIT WITH HYDRAULIC JACKHAMMER	P 2,601,000.00	GENERAL FUND	60 CD
7.	ENGINEERING-24-ES- 0447	DEPARTMENT OF ENGINEERING	VARIOUS ELECTRICAL SUPPLIES	P 2,226,208.58	GENERAL FUND	6 MONTHS
8.	LEIPO-24-EM-0591B	LOCAL ECONOMIC INVESTMENT PROMOTIONS OFFICE	E-SPORTS GRASSROOT EDUCATION PROGRAM (GAMING FORUM 2024)	P 3,000,000.00	GENERAL FUND	6 MONTHS
9.	OCM-24-CS1-0977	OFFICE OF THE CITY MAYOR	FOOD AND DRINKS	P 5,248,000.00	GENERAL FUND	30 CD
10.	OCM-24-GARMENTS- 0978	OFFICE OF THE CITY MAYOR	ROUND NECK SHIRIS AND OTHERS	P 4,290,000.00	GENERAL FUND	30 CD
11.	OCM(POP5)-24-CS1-0893	OFFICE OF THE CITY MAYOR - POPS PLAN	FOOD AND DRINKS AND OTHERS	P 4,000,000.00	GENERAL FUND	5 MONTHS
12.	OVM-24-EM-0822	OFFICE OF THE VICE MAYOR	EVENTS MANAGEMENT PACKAGE (RENEWAL OF VOWS)	P 5,540,000.00	GENERAL FUND	5 MONTHS
13.	OVM-24-EM-0823	OFFICE OF THE VICE MAYOR	PHYSICAL ARRANGEMENT, VIDEO COVERAGE AND OTHERS	P 1,552,000.00	GENERAL FUND	5 MONTHS
14.	OVM-24-FOODSTUFF- 0852	OFFICE OF THE VICE MAYOR	RICE IN RESEALABLE PLASTIC BAG	P 18,205,000.00	GENERAL FUND	5 MONTHS
15.	QCADAAC-24-G12-0933	QUEZON CITY ANTI-DRUG ABUSE ADVISORY COUNCIL	GROCERY PACKS	P 2,632,000.00	GENERAL FUND	6 MONTHS
16.	QCDRRMO-24-BMOP- 0908	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	CONCEPTUALIZATION AND PRINTING OF GREEN AWARDS 2023 AND 2024 COFFEE TABLE BOOK	P 10,000,000.00	GENERAL FUND	5 MONTHS

IB FOR JUNE 11, 2024 - ABOVE



NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF	DELIVERY
17.	QCDRRMO-24-EM-0909	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	EVENTS MANAGEMENT AND PROJECT EXECUTION FOR 2024 JULY DISASTER RESILIENCE MONTH CHILDREN'S FAIR PROJECT	P 7,500,000.00	GENERAL FUND	1 MONTH
18.	QCDRRMO-24-HLMF- 0965	QUEZON CITY DISASTER RISK REDUCTION AND MANAGEMENT OFFICE	HOTEL ACCOMMODATION AND OTHERS	P 17,274,400.99	GENERAL FUND	5 MONTHS
19.	QCU-24-AMS-0598B	QUEZON CITY UNIVERSITY	REPAIR AND MAINTENANCE OF AIRCONDITIONING SYSTEM5	P 1,889,077.60	GENERAL FUND	30 CD
20.	QCYDO-24-EM-0894	QUEZON CITY YOUTH DEVELOPMENT OFFICE	YOUTH ORGANIZATION ASSEMBLY	P 1,148,000.00	GENERAL FUND	30 CD
21.	RMBGH-24-MSLI-0573B	ROSARIO MACLANG BAUTISTA	LINE 4: VARIOUS MEDICAL SUPPLIES AND OTHERS FOR PATHOLOGY DEPARTMENT	P 70,890,349.00	GENERAL FUND	5 MONTHS
	21. KMDGH-24-M5LI-05/38	GENERAL HOSPITAL	LINE 6: VARIOUS MEDICAL SUPPLIES AND OTHERS FOR PEDIA DEPARTMENT	P 11,798,050.00	GENERAL FUND	60 CD
22.	CONSO-24-APP-0966	SCHOOLS DIVISION OFFICE	LINE 1: SMART TV	P 30,000,000.00	SPECIAL EDUCATION FUND	30 CD
		LINE 2: INDUSTRIAL COOLER FAN	P 5.888.000.00	SPECIAL FDUCATION FUND	60 CD	
23.	CONSO-24-OE-0967	SCHOOLS DIVISION OFFICE	LINE 1: LAPTOP FOR PUBLIC SCHOOL TEACHERS AND DAYCARE WORKERS	P 76,575,000.00	SPECIAL EDUCATION FUND	60 CD
			LINE 2: BRAILLE EMBOSSER	P 3,500,000.00	SPECIAL EDUCATION FUND	45 CD
24.	5DO-24-OE-0902	SCHOOLS DIVISION OFFICE	OPTICAL MARK READER (OMR) TESTING AND ASSESSMENT TESTING PACKAGE	P 1,200,000.00	SPECIAL EDUCATION FUND	30 CD
25.	SDO-24-PP-0898	SCHOOLS DIVISION OFFICE	TABLET ARMCHAIRS AND OTHERS	P 68,800,298.50	SPECIAL EDUCATION FUND	60 CD
26.	SDO-24-PS2-0897	SCHOOLS DIVISION OFFICE	PRINTING OF SCANNABLE ANSWER SHEETS	₽ 6,223,470.00	SPECIAL EDUCATION	30 CD

The QUEZON CITY LOCAL GOVERNMENT, through the General Fund and Special Education Fund of various years intends 1. to apply the sums stated above being the ABC to payments under the contract for the above stated projects of contract for each lot/item. Bids received in excess of the ABC shall be automatically rejected at bid opening.

QUEZON CITY VETERINARY

DEPARTMENT

PROCUREMENT OF NEEDLE,

SURGICAL BLADE AND OTHERS

- 2. The QUEZON CITY LOCAL GOVERNMENT now invites bids for various Projects. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fatl" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent 2. (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183. Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 7:00 a.m. -5:00 p.m.
- A complete set of Bidding Documents may be acquired by interested Bidders on Tuesday, May 21, 2024 from the given address 5. and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guddelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

27.

VET-24-MSLI-0460

4.

FUND

GENERAL

FUND

30 CD

P 5,294,815.76

б.

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- 3. Authorization to Purchase Bidding Documents
  - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
  - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- The Quezon City Local Government will hold a Pre-Bid Conference on 9:00 A.M. of <u>Tuesday, May 28, 2024</u> at 2<sup>nd</sup> Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pro-Bid Conference Meeting Join Zoom Meeting https://us02web.zoom.us/j/84835002246?pwd=OVRnVE0weXZMNXYwZG5LzWd1dXk1QT09

Meeting ID: 848 3500 2246 Passcode: 154733

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound on or before <u>10:00 A.M.</u> of <u>Tuesday</u>, June 11, 2024. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on <u>11:00 A.M.</u> of <u>Tuesday</u>, <u>June 11, 2024</u> at the given address below and/or via Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING Join Zoom Meeting https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29jZGV1WmdKRjZCdz09

Meeting ID: 858 5085 5933 Passcode: 118682

- 10. The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B GARCIA OIC, Procurement Department 2<sup>nd</sup> Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u> Tel. No. (02)8988-4242 loc. 8506/8710 Website: <u>www.quezoncity.gov.ph</u>

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

M. MA. MARGARITA S. MEJIA, DPA Chairperson, QC-BAC-Goods and Services

L

IB FOR JUNE 11, 2024 - ABOVE

### Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, **Quezon City Local Government** *wishes* to receive Bids for the *PROCUREMENT OF VARIOUS ELECTRICAL SUPPLIES with* identification number **ENGINEERING-24-ES-0447.** 

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of **ONE HUNDRED EIGHTY-THREE (183)** *items*, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2024 in the amount of TWO MILLION TWO HUNDRED TWENTY-SIX THOUSAND TWO HUNDRED EIGHT PESOS AND 58/100 ONLY (Php2,226,208.58).
- 2.2. The source of funding is:
  - *a.* LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

#### **3.** Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement **Expendable Supplies**: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least **twenty-five percent** (**25%**) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the

Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### **10.** Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and

- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

<sup>&</sup>lt;sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

#### **17.** Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **18.** Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

### Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to <b>the item/s to be bid</b> and must be at least <b>twenty-five percent (25%)</b> of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP <i>within Quezon City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	<ul> <li>a. The amount of not less than <i>Php44,524.17</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> </ul>
	<ul> <li>b. The amount of not less than <i>Php111,310.43</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.</li> </ul>
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	No additional requirement
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	No additional requirement

# **Bid Data Sheet**

# Section IV. General Conditions of Contract

### Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### **3.** Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

### Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

#### GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with **INCOTERMS.**" [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and training of the Procuring Entity's personnel, at the Supplier's plant e. and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

# **Special Conditions of Contract**

#### Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

#### Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

Ι Γ	Contract Description
	Contract Description Final Destination
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:"
4	The inspections and tests that will be conducted are: <i>Product Presentation/Demonstration/Site Inspection, if applicable.</i>

### Section VI. Schedule of Requirements project name: procurement of various electrical supplies project no. engineering-24-es-0447

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/Months
1	Circuit Breaker - 20 amperes, 2P, 230V, plug in	set	10	
2	Circuit Breaker – 30 amperes, 2P, 230V, plug in	set	12	
3	Circuit Breaker – 20 amperes, 2P, 230V, bolt on	set	1	
4	Circuit Breaker - 30 amperes, 2P, 230V, bolt on	set	1	
5	Circuit Breaker - 60 amperes, 2P, 230V, bolt on	set	8	
6	Circuit Breaker - 100 ampere trip, 2 poles, bolt on with Nema 3R	set	5	
7	Circuit Breaker - 125 ampere trip, 2 poles, bolt on with Nema 3R	set	3	
8	Concrete drill bit - 5/8 inch diameter SDS	piece	2	
9	Convenience outlet - Universal convenience outlet with grounding, with plate and cover (2- gang)	set	190	
10	Convenience outlet - Aircon with ground	set	17	
11	Electrical Tape - Big	roll	187	Upon request by
12	Expansion Shield with lug screw - 5/8 inch diameter x 3 inches	pair	10	the end-user until December
13	Flexible Hose - ½ inch	l.m.	202	31,2024
14	Fluorescent Lamp - 36 watts with housing, box type	set	30	
15	Fluorescent Lamp - 18 watts, with housing, box type	set	30	
16	IMC pipe - 1 inch diameter x 10 feet	piece	2	
17	Junction Box - 4 inches x 4 inches, with cover, PVC	piece	66	
18	LED Bulb - 18 watts	set	144	
19	Locknut and Bushing - 1 inch diameter x 4 inches	piece	41	
20	Locknut and Bushing - 1 ¼ inches diameter	piece	31	
21	Locknut and Bushing - 1 ½ inches diameter	piece	21	
22	Locknut and Bushing - 2 inches diameter	piece	20	
23	Locknut and Bushing - 2 ½ inches diameter	piece	30	1
24	Locknut and Bushing - 3 inches diameter	piece	22	-
	-			L

Schedule of Requirements Page 1 of 8

25	Malleable Iron Clamp - 2 ½ inches diameter	piece	56	
26	Malleable Iron Clamp - 3 inches diameter	piece	1	]
27	Masking Tape - 1 inch	piece	20	
28	Nema 3R - with GROUND TERMINAL with BOLT- ON TYPE (30AT CB to 100AT CB)	piece	1	
29	PVC pipe - 1/2 inch diameter x 10 feet	meter	50	
30	PVC pipe - ¾ inch diameter x 10 feet	meter	103	
31	PVC pipe - 1 inch diameter x 10 feet	meter	36	
32	PVC pipe - 1 ¼ inches diameter x 10 feet	meter	31	
33	PVC pipe - 1 ½ inches diameter x 10 feet	meter	25	
34	PVC pipe - 2 inches diameter x 10 feet	meter	16	
35	PVC Receptacle - 4 x 4 inches	piece	66	
36	PVC Solvent - 400cc	can	60	
37	RSC Nipple - 1 inch diameter x 4 inches	piece	1	
38	Rubber Tape - ¾ inch	piece	11	
39	Sealant (all around sealant) - one liter per can	can	19	Upon request by the end-user
40	Secondary Rack - with 2 spools	set	14	until December 31,2024
41	Secondary Rack - with 3 spools	set	15	
42	Single 3 Way Switch - with plate (wide series)	set	10	
43	Steel drill bit - 1/8 inch diameter	piece	37	
44	Switch, 1-gang - 1 way switch, 1 gang 15A 250V with plate & cover (wide series)	set	75	-
45	Switch, 2-gang - 1 way switch, 2 gang 15A 250V with plate & cover (wide series)	set	107	
46	Switch, 3-gang - 1 way switch, 3 gang 15A 250V with plate & cover (wide series)	set	52	-
47	THHN Wire - 5.5mm2, 150 I.m per roll	roll	32	
48	THHN Wire - 3.5mm2, 150 l.m per roll	roll	20	
49	THHN Wire - 2.0mm2, 150 I.m per roll	roll	12	
50	THHN Wire - 8.0mm2, 150 I.m per roll	roll	6	
51	THHN Wire - 14mm2, 150 I.m per roll	roll	3	
52	THHN Wire - 22mm2, 150 I.m per roll	roll	1	
53	THHN Wire - 30mm2, 150 I.m per roll	roll	2	
				1

Schedule of Requirements Page 2 of 8

_				,
54	Tox with Screw - #8, 100 piece/box	box	39	
55	Tox with Screw - #6, 100 piece/box	box	1	
56	U-bolt with nut & washer - 3 inches diameter x 3/8 inches	pair	4	
57	Utility Box - 2 inches x 4 inches, plastic, deep type	piece	8	
58	THHN wire 100mm2, stranded, black	l.m.	30	
59	Led Flourescent Tube - 10 Watts Led Tube	piece	71	
60	Led Housing - 10 Watts Led Housing (Box Type)	piece	10	
61	Led Bulb - 15 Watts	piece	128	
62	Led Bulb - 12 Watts	piece	67	
63	Led Bulb - 9 Watts	piece	2	
64	Circuit Breaker - 60 At, 2P, Plug In Type	piece	2	
65	Panel Board - Molded Circuit Breaker 250 At, Cb, 3P, 230V with Enclosure Weather Proof Type with Ground Terminal In Nema 3R	set	1	
66	Panel Board - Moulded Circuit Breaker 350 At, Cb, 3P, 230V with Enclosure Weather Proof Type with Ground Terminal In Nema 3R	set	1	Upon request by the end-user until December
67	Panel Board - Main 70 At, Cb, 2P, 230V Bolt On Type with Branches 5-20 At, Cb, 2P, 230V Bolt On Type, 5-30 At, Cb, 2P, 230V Bolt On Type	set	1	31,2024
68	Grounding Rod with Clamp - 5/8 Inch Diameter X 8 Inches	pair	1	
69	Anchor Bolt W/Knot - 5/8 Inch Diameter X 6 Inches	pair	50	
70	Dyna Bolt W/Knot - ½ Inch Diameter X 4 Inches	pair	300	
71	Tox - #10, 100pcs/box	box	15	
72	Imc Pipe - ¾ Inch Diameter X 10 Ft.	piece	30	
73	Imc Pipe - 2 ½ Inches Diameter X 10 Ft.	piece	31	
74	Imc Pipe - 3 Inches Diameter X 10 Ft.	piece	32	
75	Pvc Pipe - 2 ½ Inches Diameter X 10 Ft.	piece	14	
76	Pvc Pipe - 3 Inches Diameter X 10 Ft.	piece	10	
77	Pvc Flexible Tube - ½ Inch Diameter 500L.M/Roll	roll	4	
78	Pvc Flexible Tube - ¾ Inch Diameter 500L.M/Roll	roll	2	
79	Imc Long Elbow - 1 Inch Diameter	piece	10	
L				I

Schedule of Requirements Page 3 of 8

80	Imc Long Elbow - 1 ¼ Inches Diameter	piece	10	
81	Imc Long Elbow - 1 ½ Inches Diameter	piece	10	
82	Imc Long Elbow - 2 Inches Diameter	piece	10	
83	Imc Long Elbow - 2 ½ Inches Diameter	piece	10	
84	Imc Long Elbow - 3 Inches Diameter	piece	10	
85	Pvc Long Elbow - ½ Inch Diameter	piece	10	
86	Pvc Long Elbow - ¾ Inch Diameter	piece	6	
87	Pvc Long Elbow - 1 Inch Diameter	piece	16	
88	Pvc Long Elbow - 1 ½ Inches Diameter	piece	22	
89	Pvc Long Elbow - 2 Inches Diameter	piece	42	
90	Pvc Long Elbow - 2 ½ Inches Diameter	piece	24	
91	Pvc Long Elbow - 3 Inches Diameter	piece	10	
92	Pvc Short Elbow - ½ Inch Diameter	piece	50	
93	Pvc Short Elbow - ¾ Inch Diameter	piece	50	
94	Pvc Short Elbow - 1 Inch Diameter	piece	30	Upon request by
95	Entrance Cap Diecast with Two Bolt - 2 ½ Inches Diameter	piece	1	the end-user until December 31,2024
96	Entrance Cap Diecast with Two Bolt - 3 Inches Diameter	piece	2	
97	Pvc Flexible Connector - 1/2 Inch Diameter	piece	12	
98	Pvc Adaptor W/Locknut - ½ Inch Diameter	piece	51	
99	Pvc Adaptor W/Locknut - ¾ Inch Diameter	piece	314	
100	Pvc Adaptor W/Locknut - 1 Inch Diameter	piece	52	
101	Malleable Iron Clamp - ½ Inch Diameter	piece	80	
102	Malleable Iron Clamp - ¾ Inch Diameter	piece	70	
103	Malleable Iron Clamp - 1 Inch Diameter	piece	104	
104	Malleable Iron Clamp - 1 ¼ Inches Diameter	piece	50	
105	Malleable Iron Clamp - 1 ½ Inches Diameter	piece	65	
106	Malleable Iron Clamp - 2 Inches Diameter	piece	50	
107	Imc Locknut & Bushing - ½ Inch Diameter	piece	20	
108	Imc Locknut & Bushing - ¾ Inch Diameter	piece	20	
109	Imc Locknut & Bushing - 1 Inch Diameter	piece	3	
<u> </u>		1		1

Schedule of Requirements Page 4 of 8

110	Pvc Square Box with Cover - 4 Inches/16 Inches X 4 Inches/16 Inches	pair	62	
111	Mica Tube - 3/8 Inch Diameter	roll	2	-
112	Plier - 10 Inches	piece	6	
113	Plier - 8 Inches Long Nose	piece	6	_
114	Plier - 8 Inches Plier Cutter	piece	6	-
115	Masonry Drill Bit – 19mm Diameter (160mm)	piece	12	_
116	Metal Drill Bit – 4mm Diameter (75mm)	piece	10	
117	3/4 inch PVC Molding	piece	8	_
118	2 ½ inches diameter PVC Pipe Adaptor	piece	4	-
119	36W Troffer Lighting	set	36	-
120	Circuit Breaker - 200 ampere trip, 3 poles, bolt on with Nema 3R	set	3	-
121	Flexible Hose - ¾ inch	l.m.	50	
122	Anchor Box	piece	100	_
123	16mm x 16mm x 2.44m Rectangular PVC Molding	piece	8	Upon request by the end-user
124	Led pinned light 10 watts round	piece	2	until December 31,2024
125	T8 LIGHT 1,200mm with complete set	piece	32	
126	Flood light 100 watts	piece	6	1
127	Imc Pipe - ½ inch Diameter X 10 Ft.	piece	20	
128	Imc Locknut & Bushing - 3 inches Diameter	piece	15	_
129	Imc Locknut & Bushing - 2.5 inches Diameter	piece	15	1
130	Fluorescent bulb, with ballast and starter (open type),1 x 40 watts	set	28	-
131	Fluorescent tube, 40 watts (T8)	piece	14	_
132	J bolt with Washer	piece	3,860	1
133	Pvc Adaptor with Locknut & Bushing- 1 ½ Inches Diameter	piece	5	
134	Pvc Adaptor with Locknut & Bushing- 1 Inch Diameter	piece	11	
135	Entrance Cap 1 inch	piece	4	
136	1 ½ inches Entrance Cap	piece	4	
137	Dyna Bolt with Knot - ½ Inch Diameter X 3 Inches	pair	24	
L		1	1	1

Schedule of Requirements Page 5 of 8

-				
138	Dyna Bolt with Knot and Washer 16mmØ x 5 inches	piece	9	
139	Dyna Bolt with Knot - 5/8 Inch Diameter X 4 Inches	pair	10	
140	Eye Bolt with Nut 5/8 inch x 10 inch	set	1	
141	Troffer Fixture LED Tube Light T5	set	5	
142	LED Tube Lights T8 18 Watts 230 Volts with Housing	piece	27	
143	Pin Lights 12 Watts 230 Volts	piece	3	
144	Tox and Screw 3/6 inch	box	1	
145	Rigid Iron Clamp - 1 inch diameter	piece	12	
146	Rigid Iron Clamp - ½ inch diameter	piece	4	
147	Masking Tape - 2 inch	piece	2	
148	Line Conduit LB-50 ¾ inch	piece	3	
149	Fluorescent Lamp - 40 watts 230V with Housing and Ballast	set	58	
150	AMCO Box	piece	4	
151	Pvc Pipe - 3/4 inch diameter x 3 meters (Orange)	piece	120	Upon request by the end-user
152	Pvc Elbow - 3/4 inch diameter x 3 meters (Orange)	piece	50	until December 31,2024
153	Circuit Breaker - 150 ampere trip, Single phase, 2 poles, bolt on with Nema 5R enclosure	set	1	
154	Circuit Breaker - 30 amperes, single phase, 230V, bolt-on	piece	12	
155	PVC pipe - 2 inches diameter 6 meter length (Orange)	piece	50	
156	Spray Paint Gray	piece	5	
157	G.I. Metal Clamp with Screw 2 inches diameter, heavy duty	piece	30	
158	G.I. Metal Clamp with Screw ¾ inch diameter, heavy duty	piece	30	
159	Square Box 4 x 11 inches square box with cover	piece	20	
160	Cable Tie - 12 inches - 3.6mm x 300mm	pack	5	
161	Torch - Heavy Duty with Butane	piece	20	
162	IMC pipe - 2 inches diameter x 10 feet	piece	1	
163	Service Entrance Cap 2 inches	piece	1	
		1		I]

164 165 166	Expansion Bolt with screw - ½ inch x 2 inches Concrete drill bit - ½ inch diameter SDS Bolt and nut with washer ¼ inch x 1 ½ inches	piece pack	10	-
167	(25 pieces per pack) Grounding Rod, ½ inch diameter x 5 feet with	set	1	
168	clamp Solderless Connector - 250 mm 2 diameter	piece	2	-
		ploco	L	
169	20mm diameter PVC locknut & bushing	pair	1	
170	32mm diameter PVC locknut & bushing	pair	1	
171	32mm diameter PVC Adaptor	piece	298	
172	20mm diameter Straight connector	piece	11	Upon request by the end-user until December 31,2024
173	32mm diameter Weatherproof entrance cap	piece	8	
174	MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront	Assy.	6	
175	2 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type	sets	7	
176	10watts Led bulb with receptacle	set	2	
177	16mmØ Grounding rod (cooped clad) with ground clamp	set	2	
178	Metal Drill Bit 1/8 inch	piece	5	
179	Masonry Drill Bit 1/8 inch	piece	5	
180	Metal Drill Bit 16mm Ø	piece	1	
181	Masonry Drill Bit 16mm Ø	piece	1	
182	Blind Rivet 1/8 inch x 1 inch	box	4	
183	Blind Rivet 5/32 inch x ¾ inch	box	1	
***				

Schedule of Requirements Page 7 of 8

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Schedule of Requirements Page 8 of 8

#### Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

## **Technical Specifications** PROJECT NAME: PROCUREMENT OF VARIOUS ELECTRICAL SUPPLIES PROJECT NO. ENGINEERING-24-ES-0447

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
<b>A.</b> 1	Circuit Breaker - 20 amperes, 2P, 230V, plug in	
2	Circuit Breaker – 30 amperes, 2P, 230V, plug in	
3	Circuit Breaker – 20 amperes, 2P, 230V, bolt on	
4	Circuit Breaker - 30 amperes, 2P, 230V, bolt on	
5	Circuit Breaker - 60 amperes, 2P, 230V, bolt on	
6	Circuit Breaker - 100 ampere trip, 2 poles, bolt on with Nema 3R	
7	Circuit Breaker - 125 ampere trip, 2 poles, bolt on with Nema 3R	
8	Concrete drill bit - 5/8 inch diameter SDS	
9	Convenience outlet - Universal convenience outlet with grounding, with plate and cover (2- gang)	
10	Convenience outlet - Aircon with ground	
11	Electrical Tape - Big	
12	Expansion Shield with lug screw - 5/8 inch diameter x 3 inches	
13	Flexible Hose - ½ inch	
14	Fluorescent Lamp - 36 watts with housing, box type	
15	Fluorescent Lamp - 18 watts, with housing, box type	
16	IMC pipe - 1 inch diameter x 10 feet	

17	Junction Box - 4 inches x 4 inches, with cover, PVC	
18	LED Bulb - 18 watts	
19	Locknut and Bushing - 1 inch diameter x 4 inches	
20	Locknut and Bushing - 1 ¼ inches diameter	
21	Locknut and Bushing - 1 ½ inches diameter	
22	Locknut and Bushing - 2 inches diameter	
23	Locknut and Bushing - 2 ½ inches diameter	
24	Locknut and Bushing - 3 inches diameter	
25	Malleable Iron Clamp - 2 ½ inches diameter	
26	Malleable Iron Clamp - 3 inches diameter	
27	Masking Tape - 1 inch	
28	Nema 3R - with GROUND TERMINAL with BOLT-ON TYPE (30AT CB to 100AT CB)	
29	PVC pipe - 1/2 inch diameter x 10 feet	
30	PVC pipe - ¾ inch diameter x 10 feet	
31	PVC pipe - 1 inch diameter x 10 feet	
32	PVC pipe - 1 ¼ inches diameter x 10 feet	
33	PVC pipe - 1 ½ inches diameter x 10 feet	
34	PVC pipe - 2 inches diameter x 10 feet	
35	PVC Receptacle - 4 x 4 inches	
36	PVC Solvent - 400cc	
37	RSC Nipple - 1 inch diameter x 4 inches	
38	Rubber Tape - ¾ inch	
39	Sealant (all around sealant) - one liter per can	
40	Secondary Rack - with 2 spools	
41	Secondary Rack - with 3 spools	
42	Single 3 Way Switch - with plate (wide series)	
43	Steel drill bit - 1/8 inch diameter	
44	Switch, 1-gang - 1 way switch, 1 gang 15A 250V with plate & cover (wide series)	

45 46	Switch, 2-gang - 1 way switch, 2 gang 15A 250V with plate & cover (wide series) Switch, 3-gang - 1 way switch, 3 gang 15A 250V with plate & cover (wide series)
46	
	plate & cover (wide series)
47	THHN Wire - 5.5mm2, 150 l.m per roll
48	THHN Wire - 3.5mm2, 150 l.m per roll
49	THHN Wire - 2.0mm2, 150 l.m per roll
50	THHN Wire - 8.0mm2, 150 l.m per roll
51	THHN Wire - 14mm2, 150 l.m per roll
52	THHN Wire - 22mm2, 150 l.m per roll
53	THHN Wire - 30mm2, 150 l.m per roll
54	Tox with Screw - #8, 100 piece/box
55	Tox with Screw - #6, 100 piece/box
56	U-bolt with nut & washer - 3 inches diameter x 3/8 inches
57	Utility Box - 2 inches x 4 inches, plastic, deep type
58	THHN wire 100mm2, stranded, black
59	Led Flourescent Tube - 10 Watts Led Tube
60	Led Housing - 10 Watts Led Housing (Box Type)
61	Led Bulb - 15 Watts
62	Led Bulb - 12 Watts
63	Led Bulb - 9 Watts
64	Circuit Breaker - 60 At, 2P, Plug In Type
65	Panel Board - Molded Circuit Breaker 250 At, Cb, 3P, 230V with Enclosure Weather Proof Type with Ground Terminal In Nema 3R
66	Panel Board - Moulded Circuit Breaker 350 At, Cb, 3P, 230V with Enclosure Weather Proof Type with Ground Terminal In Nema 3R
67	Panel Board - Main 70 At, Cb, 2P, 230V Bolt On Type with Branches 5-20 At, Cb, 2P, 230V Bolt On Type, 5- 30 At, Cb, 2P, 230V Bolt On Type
68	Grounding Rod with Clamp - 5/8 Inch Diameter X 8 Inches
69	Anchor Bolt W/Knot - 5/8 Inch Diameter X 6 Inches
70	Dyna Bolt W/Knot - ½ Inch Diameter X 4 Inches
71	Tox - #10, 100pcs/box

72	Imc Pipe - ¾ Inch Diameter X 10 Ft.
73	Imc Pipe - 2 ½ Inches Diameter X 10 Ft.
74	Imc Pipe - 3 Inches Diameter X 10 Ft.
75	Pvc Pipe - 2 ½ Inches Diameter X 10 Ft.
76	Pvc Pipe - 3 Inches Diameter X 10 Ft.
77	Pvc Flexible Tube - ½ Inch Diameter 500L.M/Roll
78	Pvc Flexible Tube - ¾ Inch Diameter 500L.M/Roll
79	Imc Long Elbow - 1 Inch Diameter
80	Imc Long Elbow - 1 ¼ Inches Diameter
81	Imc Long Elbow - 1 ½ Inches Diameter
82	Imc Long Elbow - 2 Inches Diameter
83	Imc Long Elbow - 2 ½ Inches Diameter
84	Imc Long Elbow - 3 Inches Diameter
85	Pvc Long Elbow - ½ Inch Diameter
86	Pvc Long Elbow - ¾ Inch Diameter
87	Pvc Long Elbow - 1 Inch Diameter
88	Pvc Long Elbow - 1 ½ Inches Diameter
89	Pvc Long Elbow - 2 Inches Diameter
90	Pvc Long Elbow - 2 ½ Inches Diameter
91	Pvc Long Elbow - 3 Inches Diameter
92	Pvc Short Elbow - ½ Inch Diameter
93	Pvc Short Elbow - ¾ Inch Diameter
94	Pvc Short Elbow - 1 Inch Diameter
95	Entrance Cap Diecast with Two Bolt - 2 ½ Inches Diameter
96	Entrance Cap Diecast with Two Bolt - 3 Inches Diameter
97	Pvc Flexible Connector - ½ Inch Diameter
98	Pvc Adaptor W/Locknut - ½ Inch Diameter
99	Pvc Adaptor W/Locknut - ¾ Inch Diameter

100	Pvc Adaptor W/Locknut - 1 Inch Diameter
101	Malleable Iron Clamp - ½ Inch Diameter
102	Malleable Iron Clamp - ¾ Inch Diameter
103	Malleable Iron Clamp - 1 Inch Diameter
104	Malleable Iron Clamp - 1 ¼ Inches Diameter
105	Malleable Iron Clamp - 1 ½ Inches Diameter
106	Malleable Iron Clamp - 2 Inches Diameter
107	Imc Locknut & Bushing - ½ Inch Diameter
108	Imc Locknut & Bushing - ¾ Inch Diameter
109	Imc Locknut & Bushing - 1 Inch Diameter
110	Pvc Square Box with Cover - 4 Inches/16 Inches X 4 Inches/16 Inches
111	Mica Tube - 3/8 Inch Diameter
112	Plier - 10 Inches
113	Plier - 8 Inches Long Nose
114	Plier - 8 Inches Plier Cutter
115	Masonry Drill Bit – 19mm Diameter (160mm)
116	Metal Drill Bit – 4mm Diameter (75mm)
117	3/4 inch PVC Molding
118	2 ½ inches diameter PVC Pipe Adaptor
119	36W Troffer Lighting
120	Circuit Breaker - 200 ampere trip, 3 poles, bolt on with Nema 3R
121	Flexible Hose - ¾ inch
122	Anchor Box
123	16mm x 16mm x 2.44m Rectangular PVC Molding
124	Led pinned light 10 watts round
125	T8 LIGHT 1,200mm with complete set
126	Flood light 100 watts
127	Imc Pipe - ½ inch Diameter X 10 Ft.

128	Imc Locknut & Bushing - 3 inches Diameter	
129	Imc Locknut & Bushing - 2.5 inches Diameter	
130	Fluorescent bulb, with ballast and starter (open type),1 x 40 watts	
131	Fluorescent tube, 40 watts (T8)	
132	J bolt with Washer	
133	Pvc Adaptor with Locknut & Bushing- 1 ½ Inches Diameter	
134	Pvc Adaptor with Locknut & Bushing- 1 Inch Diameter	
135	Entrance Cap 1 inch	
136	1 ½ inches Entrance Cap	
137	Dyna Bolt with Knot - ½ Inch Diameter X 3 Inches	
138	Dyna Bolt with Knot and Washer 16mmØ x 5 inches	
139	Dyna Bolt with Knot - 5/8 Inch Diameter X 4 Inches	
140	Eye Bolt with Nut 5/8 inch x 10 inch	
141	Troffer Fixture LED Tube Light T5	
142	LED Tube Lights T8 18 Watts 230 Volts with Housing	
143	Pin Lights 12 Watts 230 Volts	
144	Tox and Screw 3/6 inch	
145	Rigid Iron Clamp - 1 inch diameter	
146	Rigid Iron Clamp - ½ inch diameter	
147	Masking Tape - 2 inch	
148	Line Conduit LB-50 ¾ inch	
149	Fluorescent Lamp - 40 watts 230V with Housing and Ballast	
150	AMCO Box	
151	Pvc Pipe - 3/4 inch diameter x 3 meters (Orange)	
152	Pvc Elbow - 3/4 inch diameter x 3 meters (Orange)	
153	Circuit Breaker - 150 ampere trip, Single phase, 2 poles, bolt on with Nema 5R enclosure	
154	Circuit Breaker - 30 amperes, single phase, 230V, bolt-on	

Technical Specifications Page 6 of 8

155       Toronge         156       Spray Paint Gray         157       Gronge         158       GJ. Metal Clamp with Screw 2 inches diameter, heavy duty         159       Square Box 4 x 11 inches square box with cover         160       Cable Tie - 12 inches - 3.6mm x 300mm         161       Torch - Heavy Duty with Butane         162       IMC pipe - 2 inches diameter x 10 feet         163       Service Entrance Cap 2 inches         164       Expansion Bolt with screw - ½ inch x 2 inches         165       Concrete dill bit - ½ inch diameter SDS         166       Dorrete dill bit - ½ inch diameter SDS         167       Grounding Rod, ½ inch diameter x 5 feet with clamp         168       Solderless Connector - 250 mm 2 diameter         170       32mm diameter PVC locknut & bushing         171       32mm diameter PVC locknut & bushing         172       20mm diameter PVC locknut & bushing         173       32mm diameter Weatherproof entrance cap         174       PPP - Main 40AT Ampere Tip, 100AF Ampere Tip, 200AF Ampere Ti		PVC pipe - 2 inches diameter 6 meter length
IS7     G.I. Metal Clamp with Screw 2 inches diameter, heavy duty       IS8     G.I. Metal Clamp with Screw % inch diameter, heavy duty       IS9     Square Box 4 x 11 inches square box with cover       I60     Cable Tie - 12 inches - 3.6mm x 300mm       I61     forch - Heavy Duty with Butane       I62     IMC pipe - 2 inches diameter x 10 feet       I63     Service Entrance Cap 2 inches       I64     Expansion Boll with screw - ½ inch x 2 inches       I65     Concrete drill bit - ½ inch diameter SDS       I66     Bolt and nut with washer ½ inch x 1 ½ inches [25 pieces per pack]       I67     Grounding Rod, ½ inch diameter x 5 feet with clamp       I68     Solderless Connector - 250 mm 2 diameter       I69     20mm diameter PVC locknul & bushing       I70     32mm diameter PVC locknul & bushing       I71     32mm diameter PVC locknul & bushing       I72     20mm diameter VC locknul & bushing       I73     32mm diameter VC locknul & bushing       I74     APP - Main 40AT Ampere Trip, 100AF Ampere Frome, 2P Fole, 5000 Amst Interrupting Capacity, 200 K. Molded Case Circuit Browther (MCCB); 200 K. Molded Case Circuit Browther (M	155	
157     heavy duty       158     duty       159     Square Box 4 x 11 inches square box with cover       160     Cable Tie - 12 inches - 3.4mm x 300mm       161     Torch - Heavy Duty with Butone       162     IMC pipe - 2 inches diameter x 10 feet       163     Service Entrance Cap 2 inches       164     Expansion Bolt with screw -½ inch x 2 inches       165     Concrete drill bit -½ inch diameter SDS       166     Bolt and nut with washer ½ inch x 1 ½ inches (25       167     Grounding Rod, ½ inch diameter x 5 feet with clamp       168     Solderless Connector - 250 mm 2 diameter       169     20mm diameter PVC locknut & bushing       170     32mm diameter PVC locknut & bushing       171     32mm diameter VC locknut & bushing       172     20mm diameter Straight connector       173     32mm diameter Vect Adaptor       174     Renches: 220AT, 220AV, Bit on, 2:30AT, 2P, 230V, Bit on: Enclosure - Nema 3R aviath ground terminals and metal deadfront       174     Formes: 220AF, 220AV, Bit on, 2:30AT, 2P, 230V, Bit on: Enclosure - Nema 3R aviath ground terminals and metal deadfront       175     2ft, x 18W Lod Tube in 600mm x 1,200mm troffer fixture recessed type       176     Howatts Led bulb with receptacle       177     16mm2 Grounding rod (cooped clad) with ground clamate       178     Metal Dill Bit 1/8 inch	156	Spray Paint Gray
136     duty       159     Square Box 4 x 11 inches square box with cover       160     Cable Tie - 12 inches - 3.4mm x 300mm       161     Torch - Heavy Duty with Butane       162     IMC pipe - 2 inches diameter x 10 feet       163     Service Entrance Cap 2 inches       164     Expansion Bolt with screw - ½ inch x 2 inches       165     Concrete drill bit - ½ inch diameter SDS       166     Bolt and nut with washer ¼ inch x 1 ½ inches [25       167     Grounding Rod, ¼ inch diameter x 5 feet with clamp       168     Solderfess Connector - 250 mm 2 diameter       169     20mm diameter PVC locknut & bushing       170     32mm diameter PVC locknut & bushing       171     32mm diameter PVC locknut & bushing       172     20mm diameter Straight connector       173     32mm diameter Weatherproof entrance cap       174*     Practices: 220AT, 200 Amps Interoxipting Capacity, 240 Volt, Moded Case Circuit Breaker (MCCB); 370 Modes Ampere Trapping Capacity, 240 Volt, Moded Case Circuit Breaker (MCCB); 380 More, 330 Amps Interoxipting Capacity, 240 Volt, Moded Case Circuit Breaker (MCCB); 371 Bre	157	
160Cable Tie - 12 inches - 3.6mm x 300mm161Torch - Heavy Duty with Butane162IMC pipe - 2 inches diameter x 10 feet163Service Entrance Cap 2 inches164Expansion Bolt with screw - ½ inch x 2 inches165Concrete drill bit - ½ inch diameter SDS166Bolt and nut with washer ½ inch x 1 ½ inches [25167Grounding Rod, ½ inch diameter x 5 feet with clamp168Solderless Connector - 250 mm 2 diameter16920mm diameter PVC locknut & bushing17032mm diameter PVC locknut & bushing17132mm diameter PVC Adaptor17220mm diameter Etraight connector17332mm diameter PVC Adaptor174Apple - Su00 Amps Interrupting Capacity, Borth 2000, Bolt on, 2:30N, 2:00, Su00 Amps Interrupting Capacity, Branches: 2:20AT, 2:p. 230V, Bolt on, 2:30AT, 2:p. 230V, Bolt	158	
161Torch - Heavy Duty with Butane162IMC pipe - 2 inches diameter x 10 feet163Service Entrance Cap 2 inches164Expansion Bolt with screw - ½ inch x 2 inches165Concrete drill bit - ½ inch diameter SDS166Bolt and nut with washer ¼ inch x 1 ½ inches (25 pieces per pack)167Grounding Rod, ½ inch diameter x 5 feet with clamp168Solderless Connector - 250 mm 2 diameter16920mm diameter PVC locknut & bushing17032mm diameter PVC locknut & bushing17132mm diameter PVC locknut & bushing17220mm diameter PVC Adaptor17332mm diameter Weatherproof entrance cap174MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Branches: 2-20	159	Square Box 4 x 11 inches square box with cover
162IMC pipe - 2 inches diameter x 10 feet163Service Entrance Cap 2 inches164Expansion Bolt with screw - ½ inch x 2 inches165Concrete drill bit - ½ inch diameter SDS166Bolt and nut with washer ½ inch x 1 ½ inches (25 pieces per pack)167Grounding Rod, ½ inch diameter x 5 feet with clamp168Solderless Connector - 250 mm 2 diameter16920mm diameter PVC locknut & bushing17032mm diameter PVC locknut & bushing17132mm diameter PVC locknut & bushing17220mm diameter Straight connector17332mm diameter Weatherproof entrance cap174MPFB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches; 2:20AT, 2p, 230V, Bolt on, 2:30AT, 2P, 230V, Bolt on; Enclosure - Nema 38 ewiath ground terminols and metal deadfront1752.ft, x 18W Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mm/2 Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	160	Cable Tie - 12 inches - 3.6mm x 300mm
163Service Entrance Cap 2 inches164Expansion Bolt with screw - ½ inch x 2 inches165Concrete drill bit - ½ inch diameter SDS166Bolt and nut with washer ½ inch x 1 ½ inches (25 pieces per pack)167Grounding Rod, ½ inch diameter x 5 feet with clamp168Solderless Connector - 250 mm 2 diameter16920mm diameter PVC locknut & bushing17032mm diameter PVC locknut & bushing17132mm diameter PVC locknut & bushing17220mm diameter PVC Adaptor17332mm diameter Weatherproof entrance cap174MPFB - Main 40AT Ampere Tip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Bolt on: Enclosure - Nema 3R awidth ground terminals and metal deadfront1752 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mm/2 Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	161	Torch - Heavy Duty with Butane
164Expansion Bolt with screw - ½ inch x 2 inches165Concrete drill bit - ½ inch diameter SDS166Bolt and nut with washer ¼ inch x 1 ½ inches (25 pieces per pack)167Grounding Rod, ½ inch diameter x 5 feet with clamp168Solderless Connector - 250 mm 2 diameter16920mm diameter PVC locknut & bushing17032mm diameter PVC locknut & bushing17132mm diameter PVC locknut & bushing17220mm diameter Straight connector17332mm diameter VC locknut & bushing174Bronest Straight connector1752.ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle177Masonry Drill Bit 1/8 inch178Metal Drill Bit 1/8 inch	162	IMC pipe - 2 inches diameter x 10 feet
145       Concrete drill bit - ½ inch diameter SDS         146       Bolt and nut with washer ¼ inch x 1 ½ inches (25 pieces per pack)         147       Grounding Rod, ½ inch diameter x 5 feet with clamp         148       Solderless Connector - 250 mm 2 diameter         149       20mm diameter PVC locknut & bushing         170       32mm diameter PVC locknut & bushing         171       32mm diameter PVC locknut & bushing         172       20mm diameter PVC locknut & bushing         173       32mm diameter Straight connector         174       32MM diameter Weatherproof entrance cap         MPPB - Main 40AT Ampere Trip, 100AF Ampere Frome, 2P Pole, 5000 Amps Interrupting Capacity, 2V Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nemo 3R aviath ground terminats and metal deadfront         175       2 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type         176       10watts Led bulb with receptacle         177       16mmØ Grounding rod (cooped clad) with ground clamp         178       Metal Drill Bit 1/8 inch         179       Masonry Drill Bit 1/8 inch	163	Service Entrance Cap 2 inches
Bolt and nut with washer ¼ inch x 1 ½ inches (25166Bolt and nut with washer ¼ inch x 1 ½ inches (25167Grounding Rod, ½ inch diameter x 5 feet with clamp168Solderless Connector - 250 mm 2 diameter16920mm diameter PVC locknut & bushing17032mm diameter PVC locknut & bushing17132mm diameter PVC locknut & bushing17220mm diameter PVC Adaptor17332mm diameter Straight connector17432mm diameter Weatherproof entrance cap175MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2p, 230V, Bolt on; Enclosure - Nema 3R aviath ground terminals and metal deadfront1752 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mm@ Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	164	Expansion Bolt with screw - ½ inch x 2 inches
160       pieces per pack)         167       Grounding Rod, ½ inch diameter x 5 feet with clamp         168       Solderless Connector - 250 mm 2 diameter         169       20mm diameter PVC locknut & bushing         170       32mm diameter PVC locknut & bushing         171       32mm diameter PVC locknut & bushing         172       20mm diameter PVC Adaptor         173       32mm diameter Straight connector         173       32mm diameter Weatherproof entrance cap         MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Borton; Enclosure - Nema 3R awiath ground terminals and metal deadfront         175       2f.t. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type         176       10watts Led bulb with receptacle         177       16mm@ Grounding rod (cooped clad) with ground clamp         178       Metal Drill Bit 1/8 inch         179       Masonry Drill Bit 1/8 inch	165	Concrete drill bit - ½ inch diameter SDS
168Solderless Connector - 250 mm 2 diameter16920mm diameter PVC locknut & bushing17032mm diameter PVC locknut & bushing17132mm diameter PVC Adaptor17220mm diameter Straight connector17332mm diameter Weatherproof entrance cap174MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront1752 ft, x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mmØ Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	166	·
16920mm diameter PVC locknut & bushing17032mm diameter PVC locknut & bushing17132mm diameter PVC Adaptor17132mm diameter PVC Adaptor17220mm diameter Straight connector17332mm diameter Weatherproof entrance cap174MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront1752 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mmØ Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	167	Grounding Rod, ½ inch diameter x 5 feet with clamp
170       32mm diameter PVC locknut & bushing         171       32mm diameter PVC Adaptor         172       20mm diameter Straight connector         173       32mm diameter Weatherproof entrance cap         174       MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront         175       2 fft x1 8w Led tube in 600mm x 1,200mm troffer fixture recessed type         176       10watts Led bulb with receptacle         177       16mmØ Grounding rod (cooped clad) with ground clamp         178       Metal Drill Bit 1/8 inch         179       Masonry Drill Bit 1/8 inch	168	Solderless Connector - 250 mm 2 diameter
171       32mm diameter PVC Adaptor         172       20mm diameter Straight connector         173       32mm diameter Weatherproof entrance cap         174       MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront         175       2 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type         176       10watts Led bulb with receptacle         177       16mmØ Grounding rod (cooped clad) with ground clamp         178       Metal Drill Bit 1/8 inch         179       Masonry Drill Bit 1/8 inch	169	20mm diameter PVC locknut & bushing
17220mm diameter Straight connector17332mm diameter Weatherproof entrance cap174MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront1752 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mmØ Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	170	32mm diameter PVC locknut & bushing
17332mm diameter Weatherproof entrance cap17332mm diameter Weatherproof entrance cap174MPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront1752 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mmØ Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	171	32mm diameter PVC Adaptor
InstructionInstructionMPPB - Main 40AT Ampere Trip, 100AF Ampere Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront1752 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mmØ Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	172	20mm diameter Straight connector
174Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground terminals and metal deadfront1752 ft. x 18w Led tube in 600mm x 1,200mm troffer fixture recessed type17610watts Led bulb with receptacle17716mmØ Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	173	32mm diameter Weatherproof entrance cap
175fixture recessed type17610watts Led bulb with receptacle17716mmØ Grounding rod (cooped clad) with ground clamp178Metal Drill Bit 1/8 inch179Masonry Drill Bit 1/8 inch	174	Frame, 2P Pole, 5000 Amps Interrupting Capacity, 240 Volt, Molded Case Circuit Breaker (MCCB); Branches: 2-20AT, 2p, 230V, Bolt on, 2-30AT, 2P, 230V, Bolt on; Enclosure - Nema 3R awiath ground
177     16mmØ Grounding rod (cooped clad) with ground clamp       178     Metal Drill Bit 1/8 inch       179     Masonry Drill Bit 1/8 inch	175	
177     clamp       178     Metal Drill Bit 1/8 inch       179     Masonry Drill Bit 1/8 inch	176	10watts Led bulb with receptacle
179 Masonry Drill Bit 1/8 inch	177	
	178	Metal Drill Bit 1/8 inch
180 Metal Drill Bit 16mm Ø	179	Masonry Drill Bit 1/8 inch
	180	Metal Drill Bit 16mm Ø

181	Masonry Drill Bit 16mm Ø	
182	Blind Rivet 1/8 inch x 1 inch	
183	Blind Rivet 5/32 inch x ¾ inch	
В.	Compliance to the Schedule of Requirements (Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name: \_\_\_\_\_ Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Technical Specifications Page 8 of 8

# Section VIII. Checklist of Technical and Financial Documents

# Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

### **Checklist of Technical and Financial Documents** I. TECHNICAL COMPONENT ENVELOPE

#### Class "A" Documents

#### Legal Documents

□ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

#### Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- □ (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
   or

Original copy of Notarized Bid Securing Declaration; and

- □ (e) Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- □ (f) Original duly signed Omnibus Sworn Statement (OSS);
   and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

□ (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);

#### <u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### Class "B" Documents

 $\Box$  (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

#### <u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### Other documentary requirements under RA No. 9184 (as applicable)

- □ (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

#### II. FINANCIAL COMPONENT ENVELOPE

- □ (a) Original of duly signed and accomplished Financial Bid Form; **and**
- $\Box$  (b) Original of duly signed and accomplished Price Schedule(s).

#### **III. REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2**

• No additional requirement

Note:

- Please refer to
   [https://drive.google.com/file/d/1uiYurh5WrpBL5B\_pqpzAb62yucAblR1p/view?usp=sharing] for the following requirements:
  - a. Computation of NFCC;
  - b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started;
  - c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
  - a. Bid Form;
  - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
  - c. Bid Securing Declaration; and
  - d. Omnibus Sworn Statement

