

REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

LINE 2: PROCUREMENT OF VARIOUS MEDICAL SUPPLIES (WATER TEST KIT AND OTHERS)

PROJECT NO. CONSO-24-MSLI-1132B

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossar	y of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	13
6.	Origin of Goods	13
7.	Subcontracts	13
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	14
13.	Bid and Payment Currencies	15
14.	Bid Security	15
15.	Sealing and Marking of Bids	15
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	16
19.	Detailed Evaluation and Comparison of Bids	16
20.	Post-Qualification	17
21.	Signing of the Contract	17
Section	III. Bid Data Sheet	18
Section	IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	V. Special Conditions of Contract	23
Section	VI. Schedule of Requirements Error! Bookmark not	defined.
Section '	VII. Technical Specifications	32
Section 7	VIII. Checklist of Technical and Financial Documents	33

Glossary of Acronyms, Terms, and Abbreviations

ABC - Approved Budget for the Contract.

BAC - Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA - "Free Carrier" shipping point.

FOB - "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC - Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (e.g., the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republika ng Pilipinas





BIDS AND AWARDS COMMITTEE – GOODS & SERVICES
Second Floor, Civic Center Building F, Quezon City Hall Complex, Elliptical Road, Quezon City
8988-4242 local 8712 / 8710 / 8709

Procurement@quezoncity.gov.ph

INVITATION TO BID

August 05, 2024

NO.	PROJECT NO.	OFFICE	PROJECT NAME	AMOUNT	SOURCE OF FUND	DELIVERY PERIOD
1.	CTO-24-AAS2-0993B	CITY TREASURER'S OFFICE	AIRCONDITIONING UNITS	P 3,005,850.00	GENERAL FUND	30 CD
			LINE 1: CONDUCT OF GEOTECHNICAL INVESTIGATIONS FOR PROPOSED MASTER DEVELOPMENT PLAN OF BAGBAG CEMETERY AT BARANGAY BAGBAG	P 300,000.00	GENERAL FUND	30 CD
			LINE 2: CONDUCT OF GEOTECHNICAL INVESTIGATIONS FOR PROPOSED CONSTRUCTION OF THREE (3) STOREY MULTI-PURPOSE SPORTS CENTER BUILDING AT BARANGAY STO. CRISTO	P 150,000.00	GENERAL FUND	30 CD
			LINE 3: CONDUCT OF GEOTECHNICAL INVESTIGATIONS FOR PROPOSED MASTER DEVELOPMENT PLAN FOR TERESA HEIGHTS OPEN SPACE	P 500,000.00	GENERAL FUND	30 CD
2.	CAD-24-SERVICES-1298	CITY ARCHITECT DEPARTMENT	LINE 4: CONDUCT OF GEOTECHNICAL INVESTIGATIONS FOR PROPOSED CONSTRUCTION OF HOUSING FACILITY AT SITIO KAWAYAN, BARANGAY SAN AGUSTIN	P 400,000.00	GENERAL FUND	30 CD
			LINE 5: CONDUCT OF GEOTECHNICAL INVESTIGATIONS FOR PROPOSED CONSTRUCTION OF QCITIZEN HOMES BAGONG SILANGAN TRANSITION HOUSING	P 200,000.00	GENERAL FUND	30 CD
			LINE 6: CONDUCT OF GEOTECHNICAL INVESTIGATIONS FOR PROPOSED CONSTRUCTION OF SIX (6) STOREY WITH DECK MULTI- PURPOSE BUILDING PARK 9 AT BARANGAY LOYOLA HEIGHTS	P 200,000.00	GENERAL FUND	30 CD
			LINE 7: CONDUCT OF GEOTECHNICAL INVESTIGATIONS FOR PROPOSED CONSTRUCTION OF FOUR (4) STOREY WITH DECK SCHOOL BUILDING AT SAN JOSE ELEMENTARY SCHOOL - PAG- IBIG SA NAYON ANNEX	P 100,000.00	GENERAL FUND	30 CD
3.	ENGINEERING-24-IT-0936B	DEPARTMENT OF ENGINEERING	COMPUTER SOFTWARES	P 6,048,000.00	GENERAL FUND	30 CD



40			LINE 1: VARIOUS BOOKS (WINDOWS TO BETTER ENGLISH AND OTHERS)	P 54,297,931.94	GENERAL FUND	30 CD
4.	CONSO-24-BMOP-1211	LIGA NG MGA BARANGAY	LINE 2: VARIOUS BOOKS (SMART REWRITABLE PAD WITH ACTIVITY BOOK AND OTHERS)	P 4,993,648.00	GENERAL FUND	30 CD
			LINE 3: VARIOUS BOOKS (ENGAGING IN THE WORLD OF HEALTH OPTIMIZING PHYSICAL EDUCATION AND OTHERS)	P37,446,738.00	GENERAL FUND	30 CD
5.	QCGH-24-DM-1221	QUEZON CITY GENERAL HOSPITAL	VARIOUS DRUGS AND MEDICINES FOR ELDERLY WOMAN	P 2,488,145.00	GENERAL FUND	30 CD
6.	QCGH-24-JS2-1161	QUEZON CITY GENERAL HOSPITAL	VARIOUS JANITORIAL SUPPLIES (LIQUID DETERGENT SOAP AND OTHERS)	P 1,100,000.00	GENERAL FUND	30 CD
7.	CONSO-24-MSLI-1132B	QUEZON CITY HEALTH DEPARTMENT	LINE 2: VARIOUS MEDICAL SUPPLIES (WATER TEST KIT AND OTHERS)	P 6,090,638.79	GENERAL FUND	60 CD
8.	SDO-24-CS1-0610B	SCHOOLS DIVISION OFFICE	FOOD AND DRINKS	P 5,136,360.00	GENERAL FUND	3 MONTHS
9.	SSDD-24-DM-1213	SOCIAL SERVICES DEVELOPMENT DEPARTMENT	MULTIVITAMINS	P 1,500,000.00	GENERAL FUND	3 MONTHS

- 1. The *QUEZON CITY LOCAL GOVERNMENT*, through the *General Fund of various years* intends to apply the sums stated above being the ABC to payments under the contract for *the above stated projects of contract for each lot/item*. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *QUEZON CITY LOCAL GOVERNMENT* now invites bids for various *Projects*. Delivery of the Goods is required as stated above. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from QUEZON CITY GOVERNMENT Bids and Awards Committee (BAC) Secretariat and inspect the Bidding Documents at the address given below during weekdays from 7:00 a.m. 5:00 p.m.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>Tuesday</u>, <u>August 06</u>, <u>2024</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

STANDARD RATES:

Approved Budget for the Contract	Maximum Cost of Bidding Documer (in Philippine Peso)		
500,000 and below	500.00		
More than 500,000 up to 1 Million	1,000.00		
More than 1 Million up to 5 Million	5,000.00		
More than 5 Million up to 10 Million	10,000.00		
More than 10 Million up to 50 Million	25,000.00		
More than 50 Million up to 500 Million	50,000.00		
More than 500 Million	75,000.00		

The following are the requirements for purchase of Bidding Documents;

- 1. PhilGEPS Registration Certificate (Platinum 3 pages)
- 2. Document Request List (DRL)
- Authorization to Purchase Bidding Documents
 - 3.1 Corporate Secretary Certificate for corporation (specific for the project)
 - 3.2 Special Power of Attorney for single proprietorship (specific for the project)
- 4. Notarized Joint Venture Agreement (as applicable)
- The Ouezon City Local Government will hold a Pre-Bid Conference on 9:00 A.M. of Tuesday, August 6. 13, 2024 at 2nd Floor, Procurement Department-Bidding Room, Finance Building, Quezon City Hall Compound, and/or through video conferencing via Zoom which shall be open to prospective bidders.

Topic: BAC-GOODS Pre-Bid Conference Meeting

Join Zoom Meeting

https://us02web.zoom.us/j/84835002246?pwd=OVRuVE0weXZMNXYwZG5LaWd1dXk1QT09

Meeting ID: 848 3500 2246

Passcode: 154733

- Bids must be duly received by the BAC Secretariat through manual submission at the 2nd Floor, Procurement 7. Department, Finance Building, Quezon City Hall Compound on or before 10:00 A.M. of Tuesday, August 27, 2024. Late bids shall not be accepted.
- All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in 8. ITB Clause 14.
- Bid opening shall be on 11:00 A.M. of Tuesday, August 27, 2024 at the given address below and/or via 9 Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

Topic: BAC-GOODS & SERVICES BIDDING

Join Zoom Meeting

https://us02web.zoom.us/j/85850855933?pwd=R2dZUUp4Z3lyU29iZGV1WmdKRjZCdz09

Meeting ID: 858 5085 5933

Passcode: 118682

- The Quezon City Local Government reserves the right to reject any and all bids, declare a failure of bidding, 10. or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. DOMINIC B. GARCIA

OIC, Procurement Department 2nd Floor, Procurement Department, Finance Building, Quezon City Hall Compound Elliptical Road, Barangay Central Diliman, Quezon City. Email Add: <u>bacgoods.procurement@quezoncity.gov.ph</u>

Tel. No. (02)8988-4242 loc. 8506/8710

Website: www.quezoncity.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.quezoncity.gov.ph

By:

TA S. MEJIA, DPA Chairperson, QC-BAC-Goods and Services

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the LINE 2: PROCUREMENT OF VARIOUS MEDICAL SUPPLIES (WATER TEST KIT AND OTHERS) with identification number CONSO-24-MSLI-1132B.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *One (1) line item*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2024 in the amount of SIX MILLION NINETY THOUSAND SIX HUNDRED THIRTY EIGHT PESOS AND 79/100 ONLY (Php6,090,638.79).
- 2.2. The source of funding is:
 - a) LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

1948

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

my onek

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:

- i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the IB.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to the items to be bid and must be at least twenty-five percent (25%) of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice (S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	LINE 2:
:	a. The amount of not less than <i>Php121,812.78</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Php304,531.94</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	 Copy of valid, current License to Operate for Medical Supplies/Devices from DOH Accreditation as Supplier, Distributor or Manufacturer.
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	No additional requirements



Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

Special Conditions of Contract					
GCC Clause					
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]				
	Delivery and Documents –				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."				
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).				
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].				
	Incidental Services –				
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.				
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;				
	 b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; 				
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and				
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.				
	f. [Specify additional incidental service requirements, as needed.]				
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

]	Contract Description
	Final Destination
	Gross weight
] .	Any special lifting instructions
].	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:
4	The inspections and tests that will be conducted are: Product Presentation/Demonstration/Site Inspection, if applicable.

Section VI. Schedule of Requirements

PROJECT NAME: LINE 2: PROCUREMENT OF VARIOUS MEDICAL SUPPLIES (WATER TEST KIT AND OTHERS) PROJECT NO. CONSO-24-MSLI-1132B

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
1.	API 20 E - Standardized identification for Enterobacteriaceae and other non-fastidious gram negative rods. (4 x 25 strips) total of 100 strips; inclusive of VP1 + VP2, NIT 1 + NIT 2, James Reagent, TDA, Sterile Mineral Oil; Supplier must provide updated software of API web to be installed to end-user's	kit	1	
2.	computer API Staph - overnight identification of clinical staphylococci	kit	1	
3.	and micrococci Asparagine Broth - Powder/Granulated, 500g/bottle; Media for Multiple Tube Fermentation Method for Pseudomonas Aeruginosa Confirmatory Testing	bottle	1	
4.	Autoclave Deodorant - Apple Fragrance 100 pieces/pack	pack	5	
5.	Bacillus Atrophaeus Biological Indicators - Biological Indicator Intended for Steam Sterilization (121 degrees C) contains Bacillus atrophaeus; 24 hour result; Log: 6, Population: 2.2 x 10 -6; Provide certificate of analysis	box	1	
	Brilliant Green Lactose Bile Broth - Granulated, 500g/bottle	bottie	3	
7.	Bromothymol Blue Sodium Salt - pH indicator (pH 6.0-7.6); For glassware pH checking; 10 grams per bottle	bottle	1	
8.	Buffered Peptone Water - Buffered Peptone Water / Bacto Peptone Water; Dehydrated Culture Media, Buffered Peptone Water, 500 grams; for culture preparation	bottle	2	Within Sixty
9.	Coagulase Reagent - 6 x 3ml; for coagulase testing; for the identification of S. aureus strain	bottle	2	(60) Calendar Days upon
10.	Denatured Alcohol - denatured, 1 gallon/bottle	gallon	12	issuance of
11.	EC Media - Granulated 500 grams/bottle	bottle	3	Notice to
12.	EC MUG Media - Granulated; For the confirmation of E.coli as part of the completed phase of MTFT procedure; to add to EC Media; provide sample for evaluation	bottle	2	Proceed
13.	Eosin Methylene Blue Agar - Granulated / Not granulated; 500g/bottle, provide sample for evaluation	bottle	3	
14.	Filling and Storage Solution for pH Electrode - 125ml/bottle	bottle	2	
15.	Geobacillus Stearothermophilus - Biological Indicators (Plastic ampoule) - Biological Indicator Intended for Steam Sterilization (121 degrees C) contains Geobacillus Stearothermophilus; 24 hours result; 100 ampoules/box; EZ Test Biological Indicator; Catalog # EZ S/6 Log: 6, Population: 2.2 x 10-6; Provide certificate of analysis; plastic ampoule	box	3	
16.	Kovacs Reagent - Kovacs reagent for indoles for microbiology, 100ml/bottle	bottle	1	
17.	Lauryl Sulfate Broth - Granulated 500 grams/bottle	bottle	60	1
18.	MacConkey Agar - Granulated 500g/bottle; for the confirmation of E.coli as part of the completed phase of MTFT procedure	bottle	1	
19.	Magna Amp Ampoule Geobacillus Stearothermophilus Biological Indicators (Glass Ampoule) - Intended for Steam Sterilization (121 degrees C) contains Geobacillus	bottle	2	

	Stearothermophilus; 48 hours result; Log: 6, Population: 2.2 x			
	10-6; Provide certificate of analysis; 50 pieces/box	bottle	1	
20.	Malachite Green Broth - Granulated	pack	10	
21.	M-Fc Broth for Fecal Coliform - Microbiological Media, 2ml plastic ampoules, used for membrane filter technique, 50	раск	10	
	ampoules/pack			
22.	MF-Endo Broth for Total Coliform - Microbiological Media, 2ml plastic ampoules, used for membrane filter technique, 50	pack	10	
	ampoules/pack			
23.	Mineral Oil - For culture preservation; used for microbiology	bottle	1	
24.	Non Denatured Ethanol - HPLC Grade, 4L, at least 95% pure; no additives	bottle	1	
25.	Nutrient Broth - for microbiology, granulated, 500 grams	bottle	1	1
26.	Bactident Oxidase Reagent - for microbiology; for fecal streptococci testing	bottle	1	-
		bottle	1	
27.	Selective Enterococcus Agar - Granulated, 500 grams/bottle	box	2	
28.	ProSpore Ampoule Geobacillus Stearothermophilus Biological Indicators (50 Glass ampoule) - Intended for Steam Sterilization (121 degrees C) contains Geobacillus Stearothermophilus; 48 hours result; box; Log 6		-	:
20	pH buffer - 4, 7, 10, with certificate of analysis, 500ml/bottle	set	2	1
29.	Sodium Thiosulfate Pentahydrate - 500 grams in plastic bottle;	bottle	1	1
30.	Sodium thiosulfate anhydrous CAS 7772-98-7, pH 6.0 - 8.5 (50 g/l, H ₂ O, 20 °C)			
31.	Tryptic Soy Agar - 500 grams/bottle; for parallel testing with the Performance of Nutrient Agar	bottle	2	- Within Sixt
32.	Voges-Proskauer Reagent A - Alpha Naphthol, 15ml, with dropper; use in determining the Voges-Proskauer (VP) reaction of bacteria	bottle	2	(60) Calenda Days upon issuance of
		bottle	2	Notice to
33.	Voges-Proskauer Reagent B - KOH 40%, 15ml, with dropper; use in determining the Voges-Proskauer (VP) reaction of		_	Proceed
34.	bacteria Water Test Kit - Enzyme Substrate Coliforms; 20 blisters/pack;	pack	80	<u>-</u> [
35.	US-EPA Approved; PNSDW 2017 approved 20ml Screw Neck Vial - N24 outer diameter; 27.5mm outer	pack	1	
	height; 57mm clear, flat bottom pack of 100 (autoclavable)	l	20	-
36.	Water Test Kit - Enzyme Substrate Coliforms; clear snap pack for 100ml sample; EPA approved (40 CFR Part 141); Selective enrichment broth for the simultaneous detection of Total Coliforms and E.coli in water	pack	30	
37.	Heterotrophic Plate Count, QC - one lyophilized standard containing a heterotrophic bacteria present in the range 5-500 CFU/ml or MPN/ml. Use with the Standard Methods 9215B — Pour Plate Method; Cat # 084 ERA	pack	1	
38.	E.coli ATCC - ATCC strain, E power CRM,1 passage from the reference culture, with Certificate of Analysis; Maximum of one (1) year expiry	pack	5	
39.	Enterobacter aerogenes ATCC - ATCC strain, E power CRM,1 passage from the reference culture, with Certificate of	pack	5	
40.	Analysis; Maximum of one (1) year expiry Proteus vulgaris ATCC - ATCC strain, 1-2 passage from the reference culture, with Certificate of Analysis; Maximum of	pack	1	-
41.	one (1) year expiry Pseudomonas aeruginosa ATCC - ATCC strain, 1-2 passage	pack	1	_
41,	from the reference culture, with Certificate of Analysis; Maximum of one (1) year expiry	, 	_	
42.	Staphylococcus aureus ATCC - ATCC strain, E power CRM,1 passage from the reference culture, with Certificate of	pack	5	

43.	Autoclave tape - With indicating label; 1 inch W; 500 inches 1 RL/Pk	pack	5	
44.	Culture Tube Closures - Natural Polypropylene, Autoclavable Closure for 200 x 25mm Test Tube;	piece	300	
45.	Culture Tube Closures - Natural Polypropylene, Autoclavable Closure for 150 x 16mm Test Tube;	piece	300	
46.	Culture Tube with screw cap - 9ml, pack of 144; Pyrex 9825- 13; Autoclavable; Clear; round bottom; tube for L-drying of cultures	piece	1,000	
47.	Depyrogenated Sample Containers for Endotoxin - 10ml glass bottle with screw cap, 100's/box. Pyrogenicity <0.01 EU/ml	box	6	
4 8.	Dilution Bottles - Borosilicate Glass Wide Mouth Dilution Bottle; Screw Cap, Graduated, 160ml Capacity, 150mm Height (Case of 48)	case	2	
49.	Disposable Inoculating Loop - Overall Length (mm) 227; 10ul, sterile, individual wrap, calibrated with cert of calibration	piece	1,000	
50.	Disposable Spreaders - durable, non-breakable polystyrene (PS) spreaders; L-shaped for convenient spreading; Individually packaged in pre sterilized pouches	piece	100	
51.	Disposable Syringe - plastic, non-sterile, for syringe filtration, luer-lock tip, 100ml capacity	piece	100	
52.	Dropper Bulbs for Pasteur Pipets - Capacity: 3ml, Rubber Material, Length: 1-5/8 inches; Diameter of Opening: 0 275 inches	piece	20	
53.	Durham Tubes - 75mm x 10mm, narrow mouth, Class A, borosilicate glass	piece	500	
54.	Durham Tubes - 50mm x 5mm, narrow mouth, Class A, borosilicate glass	piece	500	
55.	Eppendorf Biopur Pipette Tips for Endotoxin - 2-200uL, 5 trays/pkg; 96 tips/tray. Pyrogenicity <0.01 EU/ml	tray	5	
56.	Eppendorf Biopur Pipette Tips for Endotoxin - 50-1000uL, 5 trays/pkg; 96 tips/tray. Pyrogenicity <0.01 EU/ml	tray	5	
57.	Forceps - Halsted Mosquito Forceps, Premium Grade, Straight, 5 inches; Length (in) 5; Length (cm) 12.7; End-Type Straight; Material Stainless Steel; Description with lock on the holder; For water sampling	piece	20	
58.	Gauze roll - absorbent cotton gauze roll; 40'S 28 x 24 MESH; 36 inches x 100 Y- 2 PLY 1 Roll	roll	6	
59.	Inoculating Loop - 22 or 24 gauge nickel alloy or platinum iridium for flame sterilization; diameter: 3mm loop; 45mm length; Used to inoculate colony for microbiology; preferably NiChrome, calibrated with certificate of calibration, preferably combined loop and handle	piece	500	
60.	Inoculating Needle - Nickel alloy or platinum-iridium for flame sterilization; diameter; 45mm length; Used to inoculate colony for microbiology; preferably NiChrome;	piece	200	
61.	Laboratory Grade Detergent - liquid, for cleaning glassware's that leaves no residue, 1 gallon/bottle	gallon	12	
62.	Laboratory Hair Nets/Bouffant Caps - white or blue, 21 inches; disposable; polypropylene; free size for all size of heads; for sterile room	piece	200	
63.	Laboratory Eyewash - portable with water storage	piece	2]
64.	Laboratory Spatula - polypropylene sampling spoon; 1 tbsp.	piece	10	
65.	Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white	piece	5	
66.	Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white	piece	10	

Within Sixty (60) Calendar Days upon issuance of Notice to Proceed

29

67.	Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning;	piece	10
	Uniform 3/16 inches heavy wall construction for added		
	rigidity; Standard color natural white		
68.	LAL Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case	case	5
69.	Membrane Disc Filters - 0.45um, 47mm, grid, gamma- irradiated; GN-6 Metricel; 1,000/pkg.	pack	1
70.	Metal Canister - 10 inches in height; 3.5cm width	piece	20
71,	Micro Funnel Filter - 300ml; Consumable of PALL Vacuum	piece	500
	Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter		
72.	Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches	piece	2,000
73.	Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom	piece	2,000
74.	Petri Dish for Membrane Filter Method with Absorbent Pads -	piece	1,000
	Petri Dishes for MFT Method; 9 by 50mm		
<i>7</i> 5.	Pipette - to deliver pipette, glass, 10ml	piece	100
76.	pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack	pack	10
77.	Pipette Canisters - Heavy gauge, satin finish stainless steel,	piece	10
	67mm × 67mm × 406mm		
78.	Plastic Sampling Bottles - 120ml shrink banded vessel with 3%	piece	1,000
	sodium hypochlorite solution for chlorine neutralization;	ļ	
	sterile; with plastic cover on cap		
79.	Purification Pack Cartridge - Cartridge pack for Deionized	piece	1
	water feed; Low organics, type I water, For use with Nanopure		
	water purification systems, with cleaning solution		
80.	Reagent Dispensers - Volume range 0.5-10ml; 1L cap with	piece	5
	bottle, accurate dispensing and chemical resistant; Made in		
	Germany or US, supplier must provide sample		
81.	Reagent bottles, 500ml - 500ml cap, clear borosilicate glass	bottle	10
	with graduation; screw cap, wide mouth		
82.	Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820;	piece	400
	borosilicate glass; for L-dried cultures	<u>-</u>	
83.	Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate	piece	500
	glass; for L-dried cultures	-1	400
84.	Screw-cap Test Tubes - 150mm x 16mm, narrow mouth, Class A, borosilicate glass	piece	400
85.	Screw-cap Test Tubes - 200mm x 25mm, narrow mouth, Class	piece	500
	A, borosilicate glass		
86.	Spatula - with wooden handle	piece	20
87.	Stir Bar - Slim-Line, 1-1/2 inches L x 5/16 inches dia; Length	piece	12
	(cm)- 3.81; Diameter (inches)-0.3125; Diameter (cm)-0.8		
88.	Syringe Filters - 0.2 um; Sterile; can fit to 10ml Syringe;	piece	1,000
	Supplier must provide sample to end-user	# !##*	400
89.	Test Tube with Glass Cap - 10ml with graduation	piece	100
90.	Test Tube with Glass Cap - 5ml with graduation	piece	100
91.	Test Tube Racks - Stainless Steel/Plastic, autoclavable,	rack	30
	unbreakable, for 150 by 16mm test tubes; Tubes Held 24 or		
	more	mak	20
92.	Test Tube Racks - Stainless Steel/Plastic, autoclavable,	rack	20
	unbreakable, for 200 by 25mm test tubes; Tubes Held 50	pione	1
93.	UV Lamp for Gen Pure - UV Lamp for Gen Pure Purification	piece	1
	System; Part 09-2002 Thermo	pine.	6
	Wash Bottle - wide mouth, nonstick and easy to clean,	piece	b
94.	The control of the co		
94.	transparent, break-resistant bottles, ideal for ultra-pure		
94. 95.	transparent, break-resistant bottles, ideal for ultra-pure environmental and analytical work, 500ml capacity Cotton - absorbent cotton, 400 grams/roll	roll	20

Within Sixty (60) Calendar Days upon issuance of Notice to Proceed

97.	Cotton Swab - Sterile Wooden Cotton Applicator, 6 inches Small Head, for Water Micro, 100's	pack	10	
98.	Cotton Twine - 150 G. Wt., 6 ply/roll	roll	30	1
99.	Face Mask - ear loop surgical, disposable; 50 pieces/box	box	100	Within Sixty (60) Calenda
100.	Gloves - nitrile, non-sterile, powderless, disposable, large, 100 pieces/box	box	30	Days upon issuance of
101.	Gloves - nitrile, non-sterile, powderless, disposable, medium, 100 pieces/box	box	30	Notice to Proceed
102.	Gloves - nitrile, non-sterile, powderless, disposable, small, 100 pieces/box	box	50	
103.	Reagent Bottle for Water Sampling - Borosilicate Glass specimen Bottle 250ml with Sodium Thiosulfate (for water analysis)	bottle	3,600	

I hereby certify to comply and deliver all the above requirements.

Name:	 	
Legal Capacity:	 ·	
Signature:	 	_
Duly authorized to sign the Bid for and behalf of:		_

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

PROJECT NAME: LINE 2: PROCUREMENT OF VARIOUS MEDICAL SUPPLIES (WATER TEST KIT AND OTHERS) PROJECT NO. CONSO-24-MSLI-1132B

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A.1	API 20 E - Standardized identification for Enterobacteriaceae and other non-fastidious gram negative rods. (4 x 25 strips) total of 100 strips; inclusive of VP1 + VP2, NIT 1 + NIT 2, James Reagent, TDA, Sterile	
	Mineral Oil; Supplier must provide updated software of API web to be installed to end-user's computer	
2	API Staph - overnight identification of clinical staphylococci and micrococci	
3	Asparagine Broth - Powder/Granulated, 500g/bottle; Media for Multiple Tube Fermentation Method for	
4	Pseudomonas Aeruginosa Confirmatory Testing Autoclave Deodorant - Apple Fragrance 100 pieces/pack	
5	Bacillus Atrophaeus Biological Indicators - Biological Indicator Intended for Steam Sterilization (121 degrees C) contains Bacillus atrophaeus; 24 hour result; Log: 6, Population: 2.2 x 10 -6; Provide certificate of analysis	
6	Brilliant Green Lactose Bile Broth - Granulated, 500g/bottle	
7	Bromothymol Blue Sodium Salt - pH indicator (pH 6.0-7.6); For glassware pH checking; 10 grams per bottle	
8	Buffered Peptone Water - Buffered Peptone Water / Bacto Peptone Water; Dehydrated Culture Media, Buffered Peptone Water, 500 grams; for culture preparation	
9	Coagulase Reagent - 6 x 3ml; for coagulase testing; for the identification of S. aureus strain	
10	Denatured Alcohol - denatured, 1 gallon/bottle	
11	EC Media - Granulated 500 grams/bottle	
12	EC MUG Media - Granulated; For the confirmation of E.coli as part of the completed phase of MTFT procedure; to add to EC Media; provide sample for evaluation	
13	Eosin Methylene Blue Agar - Granulated / Not granulated; 500g/bottle, provide sample for evaluation	
14	Filling and Storage Solution for pH Electrode - 125ml/bottle	

	-	
	Geobacillus Stearothermophilus - Biological Indicators	
	(Plastic ampoule) - Biological Indicator Intended for	
	Steam Sterilization (121 degrees C) contains Geobacillus	
15	Stearothermophilus; 24 hours result; 100 ampoules/box;	
	EZ Test Biological Indicator; Catalog # EZ S/6 Log: 6,	
	Population: 2.2 x 10-6; Provide certificate of analysis;	
	plastic ampoule	
	Kovacs Reagent - Kovacs reagent for indoles for	
16	microbiology, 100ml/bottle	
17	Lauryl Sulfate Broth - Granulated 500 grams/bottle	
<u> </u>	·	
	MacConkey Agar - Granulated 500g/bottle; for the	
18	confirmation of E.coli as part of the completed phase of	
	MTFT procedure	
	Magna Amp Ampoule Geobacillus Stearothermophilus	
	Biological Indicators (Glass Ampoule) - Intended for	
19	Steam Sterilization (121 degrees C) contains Geobacillus	
	Stearothermophilus; 48 hours result; Log: 6, Population:	
	2.2 x 10-6; Provide certificate of analysis; 50 pieces/box	
20	Malachite Green Broth - Granulated	
	M-Fc Broth for Fecal Coliform - Microbiological Media,	
21	2ml plastic ampoules, used for membrane filter	
	technique, 50 ampoules/pack	
	MF-Endo Broth for Total Coliform - Microbiological	
22	_	
22	Media, 2ml plastic ampoules, used for membrane filter	
	technique, 50 ampoules/pack	
23	Mineral Oil - For culture preservation; used for	
	microbiology	
24	Non Denatured Ethanol - HPLC Grade, 4L, at least 95%	
24	pure; no additives	
25	Nutrient Broth - for microbiology, granulated, 500 grams	
3.6	Bactident Oxidase Reagent - for microbiology; for fecal	
26	streptococci testing	
	Selective Enterococcus Agar - Granulated, 500	
27	grams/bottle	
	ProSpore Ampoule Geobacillus Stearothermophilus	
	Biological Indicators (50 Glass ampoule) - Intended for	
28	Steam Sterilization (121 degrees C) contains Geobacillus	
	Stearothermophilus; 48 hours result; box; Log 6	
29	pH buffer - 4, 7, 10, with certificate of analysis,	
	500ml/bottle	
	Sodium Thiosulfate Pentahydrate - 500 grams in plastic	
30	bottle; Sodium thiosulfate anhydrous CAS 7772-98-7, pH	
	6.0 - 8.5 (50 g/l, H₂O, 20 °C)	
31	Tryptic Soy Agar - 500 grams/bottle; for parallel testing	
31	with the Performance of Nutrient Agar	
	Voges-Proskauer Reagent A - Alpha Naphthol, 15ml, with	
32	dropper; use in determining the Voges-Proskauer (VP)	
	reaction of bacteria	
	Voges-Proskauer Reagent B - KOH 40%, 15ml, with	
33	dropper; use in determining the Voges-Proskauer (VP)	
	reaction of bacteria	
-		
34	Water Test Kit - Enzyme Substrate Coliforms; 20	
	blisters/pack; US-EPA Approved; PNSDW 2017 approved	
	20ml Screw Neck Vial - N24 outer diameter; 27.5mm	
35	outer height; 57mm clear, flat bottom pack of 100	
	(autoclavable)	
	Water Test Kit - Enzyme Substrate Coliforms; clear snap	
36	pack for 100ml sample; EPA approved (40 CFR Part 141);	
	Selective enrichment broth for the simultaneous	
	detection of Total Coliforms and E.coli in water	

37	Heterotrophic Plate Count, QC - one lyophilized standard containing a heterotrophic bacteria present in the range 5-500 CFU/ml or MPN/ml. Use with the Standard	
	Methods 9215B – Pour Plate Method; Cat # 084 ERA	
38	E.coli ATCC - ATCC strain, E power CRM,1 passage from	
	the reference culture, with Certificate of Analysis; Maximum of one (1) year expiry	
	Enterobacter aerogenes ATCC - ATCC strain, E power	
39	CRM,1 passage from the reference culture, with	
	Certificate of Analysis; Maximum of one (1) year expiry	
	Proteus vulgaris ATCC - ATCC strain, 1-2 passage from the	
40	reference culture, with Certificate of Analysis; Maximum	
	of one (1) year expiry	
41	Pseudomonas aeruginosa ATCC - ATCC strain, 1-2 passage from the reference culture, with Certificate of	
41	Analysis; Maximum of one (1) year expiry	
	Staphylococcus aureus ATCC - ATCC strain, E power	
42	CRM,1 passage from the reference culture, with	
	Certificate of Analysis; Maximum of one (1) year expiry	
43	Autoclave tape - With indicating label; 1 inch W; 500	
43	inches 1 RL/Pk	
44	Culture Tube Closures - Natural Polypropylene,	
	Autoclavable Closure for 200 x 25mm Test Tube;	
45	Culture Tube Closures - Natural Polypropylene,	
	Autoclavable Closure for 150 x 16mm Test Tube;	
45	Culture Tube with screw cap - 9ml, pack of 144; Pyrex	
46	9825-13; Autoclavable; Clear; round bottom; tube for Ldrying of cultures	
	Depyrogenated Sample Containers for Endotoxin - 10ml	
47	glass bottle with screw cap, 100's/box. Pyrogenicity	
',	<0.01 EU/ml	
	Dilution Bottles - Borosilicate Glass Wide Mouth Dilution	
48	Bottle; Screw Cap, Graduated, 160ml Capacity, 150mm	
	Height (Case of 48)	
_	Disposable Inoculating Loop - Overall Length (mm) 227;	
49	10ul, sterile, individual wrap, calibrated with cert of	
	calibration	
50	Disposable Spreaders - durable, non-breakable	
30	polystyrene (PS) spreaders; L-shaped for convenient spreading; Individually packaged in pre sterilized pouches	
	Disposable Syringe - plastic, non-sterile, for syringe	
51	filtration, luer-lock tip, 100ml capacity	
	Dropper Bulbs for Pasteur Pipets - Capacity: 3ml, Rubber	
52	Material, Length: 1-5/8 inches; Diameter of Opening: 0	
	275 inches	
53	Durham Tubes - 75mm x 10mm, narrow mouth, Class A,	
	borosilicate glass	
54	Durham Tubes - 50mm x 5mm, narrow mouth, Class A,	
	borosilicate glass	
55	Eppendorf Biopur Pipette Tips for Endotoxin - 2-200uL, 5 trays/pkg; 96 tips/tray. Pyrogenicity <0.01 EU/ml	
	Eppendorf Biopur Pipette Tips for Endotoxin - 50-1000uL,	
56	5 trays/pkg; 96 tips/tray. Pyrogenicity <0.01 EU/ml	
	Forceps - Halsted Mosquito Forceps, Premium Grade,	
	Straight, 5 inches; Length (in) 5; Length (cm) 12.7; End-	
57	Type Straight; Material Stainless Steel; Description with	
	lock on the holder; For water sampling	
58	Gauze roll - absorbent cotton gauze roll; 40'S 28 x 24	
	MESH; 36 inches x 100 Y- 2 PLY 1 Roll	
		·

indium for flame sterilization, diameter: 3 mm loop; 4 mm length; Used to inoculate colony for microbiology; preferably NiChrome, calibrated with certificate of calibration, preferably combined loop and handle inoculating Needle - NiCetal alloy or platinum-iridium for flame sterilization, diameter, 45 mm length; Used to inoculate colony for microbiology; preferably NiChrome; Laboratory Grade Detergent - Ilquid, for cleaning glassware's that leaves on residue, 1 gallon/bottle Laboratory Hair Nets/Bouffant Caps - white or blue, 21 inches; disposable; polypropylene; free size for all size of heads; for sterile room 63 Laboratory Eyewash - portable with water storage Laboratory Spatula - polypropylene sampling spoon; 1 tbsp. Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 68 Lat Reagent Grade 5 e- well plates for endotoxin-catalog number 25-340, 96 well plates, 50/case 69 Membrane Disc Filters - 0.45 un, Arm, grid, gamma-irradiated; 6N-6 Merrice; 1,1000/pkg. 70 Metal Canister - 10 inches in height; 3.5 cm width Micro Funne Filter - 300ml; Consumable of PALL Vacuum Filter and Suchelly; plastic; autoclavable, fit for 47 mm membrane filter 72 unplugged, 9 inches 73 Eyen Disches inches in the plate; 3.5 cm width Micro Funne Filter - 300ml; Consumable of PALL Vacuum Filter Solomis in the strips, range; 1-14; 100 pleces/pack 74 Pads - Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishs for Mem Filter Method with Absorbent Pads - Petri Dishs fo		
45mm length; Used to inoculate colony for microbiology; preferably NiChrome, calibrated with certificate of calibration, preferably combined loop and handle inoculating Needle - Nickel alloy or platinum-idium for flam sterilization; diameter; 45mm length; Used to inoculate colony for microbiology; preferably NiChrome; Laboratory Grade Detergent- liquid, for cleaning glassware's that leaves no residue, 1 gallon/bottle Laboratory Hain Nets/Bouffart Caps, white or blue, 21 inches; disposable; polypropylene; free size for all size of heads; for sterile room 63 Laboratory Eyewash - portable with water storage Laboratory Spatula - polypropylene; free size for all size of heads; for sterile room 64 Laboratory Tay - Dim: 46 x 14 x 2 inches; easy cleaning; Laboratory Tay - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 68 Lak Reagent Grade 96 - well plates for endotoxin-catalatory (10 millor of 10 mill		Inoculating Loop - 22 or 24 gauge nickel alloy or platinum
preferably NiChrome, calibrated with certificate of calibration, preferably combined loop and handle inoculating Needle - Nickel alloy or platinum-indium for flame sterilization; diameter, 45mm length; Used to inoculate colony for microbiology; preferably NiChrome; Laboratory Grade Detergent - liquid, for cleaning glassware's that leaves no residue, 1 gallon/hostile Laboratory fair Nets/Bouffant Caps - white or blue, 21 inches; disposable; polypropylene; fee size for all size of heads; for sterile room heads for sterile room heads for sterile room heads; for sterile room heads for sterile room heads; for sterile room heads for sterile room heads for sterile room heads		iridium for flame sterilization; diameter: 3mm loop;
calibration, preferably combined loop and handle noculating Needle - Nickei alloy or platinum-iridium for flame sterilization; diameter; 45mm length; Used to inoculate colony for microbiology, preferably NiChrome; calibration of the production o	59	45mm length; Used to inoculate colony for microbiology;
calibration, preferably combined loop and handle noculating Needle - Nickei alloy or platinum-iridium for flame sterilization; diameter; 45mm length; Used to inoculate colony for microbiology, preferably NiChrome; calibration of the production o		preferably NiChrome, calibrated with certificate of
Inoculating Needle - Nickel alloy or platinum-ridium for flams strilization, diameter, 45mm length; Used to inoculate colony for microbiology; preferably NiChrome;		1'
fame sterilization; diameter; 45mm length; Used to inoculate colony for microbiology; preferably NiChrome; Laboratory Grade Detergent - liquid, for cleaning glassware's that leaves no residue, 1 gallon/bottle Laboratory Hair Net/Bouffant Caps - white or blue, 21 inches; disposable; polypropylene; free size for all size of heads; for sterile room 63. Laboratory Eyewash - portable with water storage Laboratory Spatula - polypropylene sampling spoon; 1 tbsp. 64. Laboratory Spatula - polypropylene sampling spoon; 1 tbsp. 65. Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 31/6 inches heavy wall construction for added nigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 31/6 inches heavy wall construction for added nigidity; Standard color natural white Laboratory Tray - Dim: 37 x 9 x 1 inches; easy cleaning; Uniform 31/6 inches heavy wall construction for added nigidity; Standard color natural white 68. LAL Reagent Grade 96 - well plates for endotoxin-catalog number 25-340, 96 well plates, 50/case 69. Membrane Disc Filters - 0.45um, 47mm, gnd, gamma-irradiated; 6N-6 Metrice; 1,000/pkg. 70. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter: 300m; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter 71. Pasteur Pipette - glass, disposable, non-sterile, unpugged, 91 inches she plays, 100 x 15 mm or 150 x 20mm, bubble and scratch-free bottom 72. Petri Dish for Membrane Filter Method; 9 by 50mm 73. Petri Dish or Membrane Filter Method; 9 by 50mm 74. Petri Dish or Membrane Filter Method; 9 by 50mm 75. Pipette - to deliver pipette, glass, 10ml 76. Pipette - to deliver pipette, glass, 10ml 77. Pipette - to deliver pipette, glass, 10ml 78. Pipette - to deliver pipette, glass, 10ml 79. Purification Pack Cartridge - Cartridge pack for Delonized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution 80. Petro Pipette -		
inoculate colony for microbiology; preferably NiChrome; Laboratory Grade Detergent - liquid, for cleaning glassware's that leaves no residue, 1 gallon/bottle Laboratory Hair Nets/Bouffant Caps - white or blue, 21 cleaning, disposable, polypropylene; free size for all size of heads, for sterile room All Laboratory Speaks - portable with water storage Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Calogory of the storage of the s	60	
Laboratory Grade Detergent - liquid, for cleaning glassware's that leaves no residue, 1 gallon/bottle Laboratory Hair Nets/Bouffant Caps - white or blue, 21 inches; disposable, polypropylene; free size for all size of heads, for sterile room 3. Laboratory Spewash - portable with water storage Laboratory Spewash - portable with water storage Laboratory Spewash - portable with water storage Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning: Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white LAL Reagent Grade 96 - well plates for endotoxin catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.4 Sum, 47mm, grid, gamma-irradiated; GNH-6 Metricel; 1,000/pkg. 70 Metal Canister - 10 linches in height; 3.5 cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unputaged, 9 linches Petri Dish inches in height, 3 brown with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml Ph Paper - ultrafine ph strips, range: 1-14; 100 pieces/pack Pipette - to deliver pipette, glass, 10ml Ph Paper - ultrafine ph strips, range: 1-14; 100 pieces/pack Pipette - to deliver pipette, glass, 10ml Ph Paper - ultrafine ph strips, range: 1-14; 100 pieces/pack Pipette - to deliver pipette, glass, 10ml Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization, streen - Carridge pack for Delonized wate	00	
laboratory Hair Nets/Bouffant Caps - white or blue, 21 inches; disposable; polypropylene; free size for all size of heads; for sterile room alaboratory Spatula - polypropylene; free size for all size of heads; for sterile room Laboratory Spatula - polypropylene sampling spoon; 1 tbsp. Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy gauge, satin fire for 47mm membrane filter Petri Dish for Membrane Filter Method with Absorbent Past urpices past of the	-	
Laboratory Hair Nets/Bouffant Caps - white or blue, 21 inches; disposable; polypropylene; free size for all size of heads, for sterile room 1 Laboratory Eyewash - portable with water storage 1 Laboratory Eyewash - portable with water storage 1 Laboratory Tray - Dim: 48 x 14 x 2 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 1 Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 1 Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 1 Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 1 Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 2 Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; 2 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 2 Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; 3 Membrane Disc Filters - 0.4 Sum, 4 Tram, grid, gamma-irradiated, GN-6 Metricel; 1,000/ptg. 3 Membrane Disc Filters - 10.5 Sum, 2 Sum width 3 Micro Funnel Filter - 300mi; Consumable of PALL Vacuum Filteration Assembly; plastic; autoclavable, fit for 47mm membrane filter 3 Pastur Pipette - glass, disposable, non-sterile, unplugged, 9 inches 4 pastur Pipette - glass, disposable, non-sterile, unplugged, 9 inches 5 Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15 pp. 100 x 15 pp. 100 p	61	
inches; disposable; polypropylene; free size for all size of heads; for sterile room Laboratory Eyewash - portable with water storage Laboratory Spatula - polypropylene sampling spoon; 1 tbsp. Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/15 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/15 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 69 6- well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gamma-irradiated; GN-6 Merricel 1; 0.000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300m; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish- sterile, disposable plastic (57 cm2); 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish- sterile, disposable plastic (57 cm2); 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish- sterile, disposable plastic (57 cm2); 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish- sterile, disposable plastic (57 cm2); 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish- sterile, disposable plastic (57 cm2); 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish- sterile, disposable plastic (57 cm2); 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish- steri		
heads; for sterile room Laboratory Eyewash - portable with water storage Laboratory Spatula - polypropylene sampling spoon; 1 tbsp. Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches in height; 3.5cm width Micro Funnel Filter - 300m; Consumable of PALL Vacuum Filtradiated; 6N-6 Metricel; 3.000/pkg. Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish of Membrane Filter Method with Masorent Pads - Petri Dish for Membrane Filter Method with Masorent Pads - Petri Dish for Membrane Filter Method with Masorent Pads - Petri Dish for Membrane Filter Method with Masorent Pads - Petri Dish for Membrane Filter Me		
Laboratory Eyewash - portable with water storage Laboratory Spatula - polypropylene sampling spoon; 1 tbsp. Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Lat Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.4 Sum, 47mm, grid, gamma- iradiated; GN-6 Mercined 1; 3,000/pkg, Metal Canister - 10 inches in helght; 3.5cm width Micro Funnel Filter - 300mi; Consumable of PALL Vacuum Filteration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15 mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishe storile pletter, glass, 10ml ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette - to deliver pipette, glass, 10ml ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile, with plastic cover on cap Purification Pack Carridge - Carridge pack for Delonized water feed; Low organics, type I water, For use with Nanopure water purificati	62	
Laboratory Spatula - polypropylene sampling spoon; 1 tbsp. Laboratory Tray - Dim: 46 x 14 x 2 Inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 Inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white LAL Reagent Grade 96 - well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gamma-irradiated; GN-6 Metrice! 1,000/pkg. Membrane Disc Filters - 0.45um, 47mm, grid, gamma-irradiated; GN-6 Metrice! 1,000/pkg. Micro Funnel Filter - 300mi; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and szartch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishs for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml Ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette - in deliver pipette, glass, 10ml Ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with Masor pack cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant, Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 10 cap with bottle, accurate dispensin		
tbsp. Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1	63	Laboratory Eyewash - portable with water storage
tbsp. 1 boratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 1 Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 1 Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 1 Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; 1 Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 1 LaL Reagent Grade 96 - well plates for endotoxin-catalog number 25-340, 96 well plates, 50/case 6 Membrane Disc Filters - 0.45 wind, 47 mg rid, gamma-irradiated; GN-6 Metricel; 1,000/pkg. 7 Metal Canister - 10 inches in height; 3.5cm width 1 Micro Funnel Filters - 300mit; Consumable of PALL Vacuum 2 Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter 2 Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches 2 Petri Dish - sterile, disposable plastic (57 cm2), 100 x 2 15mm or 150 x 20mm, bubble and scratch-free bottom 2 Petri Dish of Membrane Filter Method with Absorbent Past- Petri Dishs for Membrane Filter Method with Absorbent Past- Petri Dishs for Membrane Filter Method with Absorbent Past- Petri Dishs for Membrane Filter Method with Absorbent Past- Petri Dish gottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap 2 Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution 3 Reagent Dispensers - Volume range 0.5-10ml; 1L cap with Nanopure water purification systems, with cleaning solution 3 Reagent Dispensers - Volume range 0.5-10ml; 1L cap with Nanopure water purification systems, and the micro post of the past of the p	64	Laboratory Spatula - polypropylene sampling spoon; 1
Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white LAL Reagent Grade 96 - well plates for endotoxin-catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45 w. 45 m., 47 mm, grid, gamma-irradiated; GN-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml ph Paper - ultrafine ph strips, range: 1-14; 100 pieces/pack Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with Nanopure water purification systems, with cleaning solution Screw-cap Test Tubes - 127mm x 15-24mm, Pyrex; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 107mm x 15-24mm, Pyrex; borosilicate glass; for L-dried cultures	04	tbsp.
Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white LAL Reagent Grade 96 - well plates for endotoxin-catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45 w. 45 m., 47 mm, grid, gamma-irradiated; GN-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml ph Paper - ultrafine ph strips, range: 1-14; 100 pieces/pack Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with Nanopure water purification systems, with cleaning solution Screw-cap Test Tubes - 127mm x 15-24mm, Pyrex; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 107mm x 15-24mm, Pyrex; borosilicate glass; for L-dried cultures		Laboratory Tray - Dim: 46 x 14 x 2 inches; easy cleaning;
rigidity; Standard color natural white Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white LAL Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gammairradiated; GN-6 Metricel; 1,000/pkg. 70 Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, filt for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Phaper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 11 cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 11 cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass; for L-dr	65	
Laboratory Tray - Dim: 34 x 14 x 2 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 68 LAL Reagent Grade 96 - well plates for endotoxin-catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45 w., 47mm, grid, gamma-irradiated; GN-6 Metricel; 1,000/pkg. 70 Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter 72 Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches 73 15mm or 150 x 20mm, bubble and scratch-free bottom 74 Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom 75 Pipette - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		·
Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white LAL Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gamma-irradiated; GN-6 Metricei; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishs for Membrane Filter Method with Absorbent Pads - Petri Dishs for Membrane Filter Method with Absorbent Pads - Petri Dishses for MFT Method; 9 by 50mm Pleptte - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless Steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypothorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15-24mm, Pyrex; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15-24mm, Pyrex; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15-24mm, Pyre		
rigidity; Standard color natural white Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white LAL Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gamma-irradiated; 6N-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishe for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 11 cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 11 cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 11 cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	66	
Laboratory Tray - Dim: 17 x 9 x 1 inches; easy cleaning; Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white 68 LAL Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case 69 Membrane Disc Filters - 0.45um, 47mm, grid, gamma- irradiated; 6N-6 Metricel; 1,000/pkg. 70 Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter 71 Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches 72 unplugged, 9 inches 73 Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom 74 Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm 75 Pipette - to deliver pipette, glass, 10ml 76 pl Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack 77 Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution 80 Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample 81 Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth 82 Screw-cap Test Tubes - 107mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	00	
Uniform 3/16 inches heavy wall construction for added rigidity; Standard color natural white ALR Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gamma-irradiated; GN-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
rigidity; Standard color natural white LAL Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gammairradiated; GN-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300m; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml PH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Delonized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
LAL Reagent Grade 96 - well plates for endotoxin - catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gamma-irradiated; 6N-6 Metrice! 1.000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300mi; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, vide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	67	1
catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gamma- irradiated; GN-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300mi; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
catalog number 25-340, 96 well plates, 50/case Membrane Disc Filters - 0.45um, 47mm, grid, gamma- irradiated; GN-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 107mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	68	LAL Reagent Grade 96 - well plates for endotoxin -
irradiated; GN-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	00	catalog number 25-340, 96 well plates, 50/case
irradiated; GN-6 Metricel; 1,000/pkg. Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pleptre - to deliver pipette, glass, 10ml ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		Membrane Disc Filters - 0.45um, 47mm, grid, gamma-
Metal Canister - 10 inches in height; 3.5cm width Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml ph Paper - ultrafline pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	69	irradiated; GN-6 Metricel; 1,000/pkg.
Micro Funnel Filter - 300ml; Consumable of PALL Vacuum Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	70	
Filtration Assembly; plastic; autoclavable, fit for 47mm membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml Ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm x 67mm x 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
membrane filter Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Plette - to deliver pipette, glass, 10ml ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	71	·
Pasteur Pipette - glass, disposable, non-sterile, unplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml PH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	'1	, , , , , , , , , , , , , , , , , , ,
vunplugged, 9 inches Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml Ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosillicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
Petri Dish - sterile, disposable plastic (57 cm2), 100 x 15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml Ph Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	72	
15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml PH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
15mm or 150 x 20mm, bubble and scratch-free bottom Petri Dish for Membrane Filter Method with Absorbent Pads - Petri Dishes for MFT Method; 9 by 50mm 75 Pipette - to deliver pipette, glass, 10ml pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	73	· · · · · · · · · · · · · · · · · · ·
Pads - Petri Dishes for MFT Method; 9 by 50mm 75 Pipette - to deliver pipette, glass, 10ml 76 pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack 77 Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
Pads - Petri Dishes for MFT Method; 9 by 50mm Pipette - to deliver pipette, glass, 10ml PH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	74	
pH Paper - ultrafine pH strips, range: 1-14; 100 pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		Pads - Petri Dishes for MFT Method; 9 by 50mm
pieces/pack Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	75	Pipette - to deliver pipette, glass, 10ml
Pipette Canisters - Heavy gauge, satin finish stainless steel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	7.0	pH Paper - ultrafine pH strips, range: 1-14; 100
yesteel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	/6	pieces/pack
yesteel, 67mm × 67mm × 406mm Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		Pipette Canisters - Heavy gauge, satin finish stainless
Plastic Sampling Bottles - 120ml shrink banded vessel with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	//	
with 3% sodium hypochlorite solution for chlorine neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		· · · · · · · · · · · · · · · · · · ·
neutralization; sterile; with plastic cover on cap Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	78	
Purification Pack Cartridge - Cartridge pack for Deionized water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	'	1
water feed; Low organics, type I water, For use with Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
Nanopure water purification systems, with cleaning solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		:
solution Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	79	
Reagent Dispensers - Volume range 0.5-10ml; 1L cap with bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
bottle, accurate dispensing and chemical resistant; Made in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
in Germany or US, supplier must provide sample Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	80	
Reagent bottles, 500ml - 500ml cap, clear borosilicate glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		bottle, accurate dispensing and chemical resistant; Made
glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		in Germany or US, supplier must provide sample
glass with graduation; screw cap, wide mouth Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	01	Reagent bottles, 500ml - 500ml cap, clear borosilicate
Screw-cap Test Tubes - 100mm x 13mm, Pyrex 9,820; borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	91	
borosilicate glass; for L-dried cultures Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures		
Screw-cap Test Tubes - 127mm x 15.24mm, Pyrex; borosilicate glass; for L-dried cultures	82	· · · · · · · · · · · · · · · · · · ·
borosilicate glass; for L-dried cultures	· ·	
	83	
26	L	

84	Screw-cap Test Tubes - 150mm x 16mm, narrow mouth,	
	Class A, borosilicate glass Screw-cap Test Tubes - 200mm x 25mm, narrow mouth,	
85	Class A, borosilicate glass	
86	Spatula - with wooden handle	
00	Stir Bar - Slim-Line, 1-1/2 inches L x 5/16 inches dia;	
87	Length (cm)- 3.81; Diameter (inches)-0.3125; Diameter	
87	(cm)-0.8	
	Syringe Filters - 0.2 um; Sterile; can fit to 10ml Syringe;	
88	Supplier must provide sample to end-user	
89	Test Tube with Glass Cap - 10ml with graduation	
90	Test Tube with Glass Cap - 5ml with graduation	
	Test Tube Racks - Stainless Steel/Plastic, autoclavable,	
91	unbreakable, for 150 by 16mm test tubes; Tubes Held 24	
	or more	
	Test Tube Racks - Stainless Steel/Plastic, autoclavable,	
92	unbreakable, for 200 by 25mm test tubes; Tubes Held 50	
	UV Lamp for Gen Pure - UV Lamp for Gen Pure	
93	Purification System; Part 09-2002 Thermo	
	Wash Bottle - wide mouth, nonstick and easy to clean,	
94	transparent, break-resistant bottles, ideal for ultra-pure	
	environmental and analytical work, 500ml capacity	
95	Cotton - absorbent cotton, 400 grams/roll	
96	Cotton Balls - 1,000 pieces/pack	
07	Cotton Swab - Sterile Wooden Cotton Applicator, 6	
97	inches Small Head, for Water Micro, 100's	
98	Cotton Twine - 150 G. Wt., 6 ply/roll	
99	Face Mask - ear loop surgical, disposable; 50 pieces/box	
100	Gloves - nitrile, non-sterile, powderless, disposable,	
100	large, 100 pieces/box	
101	Gloves - nitrile, non-sterile, powderless, disposable,	
101	medium, 100 pieces/box	
102	Gloves - nitrile, non-sterile, powderless, disposable,	
102	small, 100 pieces/box	
	Reagent Bottle for Water Sampling - Borosilicate Glass	
103	specimen Bottle 250ml with Sodium Thiosulfate (for	
	water analysis)	
В.	Compliance to the Schedule of Requirements	
	(Section VI)	

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Legal Documents</u>			
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;	
<u>Tech</u>	<u>nical</u>	<u>Documents</u>	
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and	
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and	
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; <u>or</u> Original copy of Notarized Bid Securing Declaration; <u>and</u>	
	(e)	Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; <u>and</u>	
	(f)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.	
Fina	ncial	Docum <u>ents</u>	
	(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES);	
		or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.	
	(h)	Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or	
		duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.	
Other documentary requirements under RA No. 9184 (as applicable)			
	(i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.	
	(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.	

H.	FINANC	IAL COMPONENT ENVELOPE
	(a)	Original of duly signed and accomplished Financial Bid Form; and
	(b)	Original of duly signed and accomplished Price Schedule(s).

III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2

• Copy of valid, current License to Operate for Medical Supplies/Devices from DOH Accreditation as Supplier, Distributor or Manufacturer.

Note:

1. Please refer to

[https://drive.google.com/file/d/1uiYurh5WrpBL5B_pqpzAb62yucAblR1p/view?usp=sh_aring] for the following requirements:

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started:
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
 - a. Bid Form;
 - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
 - c. Bid Securing Declaration; and
 - d. Omnibus Sworn Statement



