


Republika ng Pilipinas Lungsod Quezon

BIDS AND AWARDS COMMITTEE - GOODS & SERVICES





REQUEST FOR QUOTATION NEGOTIATED 53.9 SMALL VALUE PROCUREMENT

		DATE : AUGUST 06, 2024
		Project No. : DSQC-24-EHSE-1098D
Name of Company	:	
Address	:	
Contact No.	:	
Project Title	:	PROCUREMENT OF GAS ANALYZER AND OPACIMETER
Approved Budget of the Contract	:	P 500,000.00
End-User / Implementing Office	:	DEPARTMENT OF SANITATION AND CLEANUP WORKS OF QUEZON CITY

Please quote your best offer for the item/s described below, subject to the Terms and Conditions provided. Submit your quotation duly signed by you or your duly authorized representative not later than **AUGUST 09, 2024, 10:00 A.M.** Philippine Standard Time, together with the following documents of your company:

- 1 PhilGEPS certificate (not expired on the time of opening of quotations);
- 2 Business Registration (DTI/SEC)
- 3 Mayor's/Business Permit (2024);
- 4 Tax Clearance; and
- 5 Omnibus Sworn Statement prescribed by the QC BAC- Goods and Services
- 6 Income/Business Tax Return (for FY 2023) (For ABCs above P500,000.00)
- If applicable, the JVA in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

in a SEALED LONG BROWN ENVELOPE issued by QC BAC- Goods and Services.

NOTE: Submission of a Document Request List (DRL) is required prior to the issuance of the Long Brown Envelope.

Officer-In-Charge Head, BAC Secretariat

DSQC-24-EHSE-1098D

Page 1 | 3

QCG.PD.TSD.F.07

TERMS AND CONDITIONS

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3. Price quotation/s, to be denominated in Philippine Peso shall include all taxes, duties and/or levies payable.
- 4. Quotation exceeding the Approved Budget for the Contract (ABC) shall be rejected.
- 5. Award of contract shall be made to the lowest quotation (for goods) or the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 7. The City General Services Department (CGSD) shall have the right to inspect the goods.
- 8. Non-submission of eligibility documents shall mean disqualification of Quotation.
- 9. Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. CGSD shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 10. Failure to follow these instructions will disqualify your entire quotation.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s as follows:

An analytical device that measures the concentration or aquality of a specific gaseous compound within a mixture of multiple gases. To be used as a main equipment for Anti Smoke Belching Operation. Internal printer, probe, hose, computer cable, PC program, and extra filters a) Heavy duty and accurate Gas Analyzer b) Deluxe Abs Case (main controller) c; Automatic calculation of averages d) Automatic Carco-calibration e) Self diagnostic f) Measurement range: CO 0.00-10.00% HC 0-9999 ppm (15000 ppm) g) Graphic Large LCD and Six Button Key (black light and touch keypad operation) h) High Speed Internal Themal Printer i) RS 232 Serial Communication port for data transfer to PC 2 OPACIMETER A smoke density measuring device that allows a continuous smoke density measurement of all performance class Diesel engines. To be used as a main equipment for Anti Smoke Belching Operation. a) Heavy duty and accurate Smoke Opacity Meter b) Deluxe Abs Case (main controller) c; Automatic calculation of averages d) Automatic Zero-calibration e) Self diagnostic f) Measurement in N-Value (%) & k-Value (m-1) g) Graphic Large LCD and Six Button Key (black light and touch keypad operation) h) High Speed Internal Thormal Printer ii) RS 232 Serial Communication and fouch keypad operation) h) High Speed Internal Thormal Printer ii RS 232 Serial Communication and fouch keypad operation) h) High Speed Internal Thormal Printer ii RS 232 Serial Communication and fouch keypad operation) h) High Speed Internal Thormal Printer ii RS 232 Serial Communication and fouch keypad operation and fouch	ITEM NO.	ITEM & DESCRIPTION	UNIT OF ISSUE	QTY.	UNIT PRICE	ITEM TOTAL
2 OPACIMETER A smoke density measuring device that allows a continuous smoke density measurement of all performance class Diesel engines. To be used as a main equipment for Anti Smoke Belching Operation. a) Heavy duty and accurate Smoke Opacity Meter b) Deluxe Abs Case (main controller) c) Automatic calculation of averages d) Automatic Zero-calibration e) Self diagnostic f) Measurement in N-Value (%) & k-Value (m-1) g) Graphic Large LCD and Six Button Key (black light and touch keypad operation) h) High Speed Internal Thermal Printer	1	An analytical device that measures the concentration or quality of a specific gaseous compound within a mixture of multiple gases. To be used as a main equipment for Anti Smoke Belching Operation. Internal printer, probe, hose, computer cable, PC program, and extra filters a) Heavy duty and accurate Gas Analyzer b) Deluxe Abs Case (main controller) c) Automatic calculation of averages d) Automatic Zero-calibration e) Self diagnostic f) Measurement range: CO 0.00-10.00% HC 0-9999 ppm (15000 ppm) g) Graphic Large LCD and Six Button Key (black light and touch keypad operation) h) High Speed Internal Thermal Printer i) RS 232 Serial Communication port for data transfer to	unit			
PC	2	OPACIMETER A smoke density measuring device that allows a continuous smoke density measurement of all performance class Diesel engines. To be used as a main equipment for Anti Smoke Belching Operation. a) Heavy duty and accurate Smoke Opacity Meter b) Deluxe Abs Case (main controller) c) Automatic calculation of averages d) Automatic Zero-calibration e) Self diagnostic f) Measurement in N-Value (%) & k-Value (m-1) g) Graphic Large LCD and Six Button Key (black light and touch keypad operation) h) High Speed Internal Thermal Printer i) RS 232 Serial Communication port for data transfer to	unit			

Amount in Words:				

DSQC-24-EHSE-1098D

Page 2 | 3

REQUIREMENTS:			
Statement of Warranty with project	number and project title	– Minim	um of one (1) year.
	Delivery Period	:	Thirty (30) Calendar Days
	Warranty	:	
			Signature over printed name
		-	Office Telephone No./Fax/Mobile No.
		_	Date
	R REQUIREMENTS: Statement of Warranty with project	Statement of Warranty with project number and project title Delivery Period	Statement of Warranty with project number and project title – Minim Delivery Period :