



PO Number

408068

Purchase Order

Date: SEP 3 0 2024

Procuring Unit

; QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

1142

Company Name

: LXS TRADING

Mode of

:Public Bidding

Procurement

Address

: 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

Resolution No.

:24-PB-703

Quezon City

TIN Number

238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number

:0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninely (90) Calendar Days

Payment Term:

Credit

itock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
	Specification:				
	- Suitable for: Spine board				
	- Material: Polyester				
	Size Chart: 109 x 60cm/42,91 x 23.62 inches	1			
	Package Includes:			1	
	- 1 Piece Spider Strap			1	
				1	
				1	
			1		
		4		1 1	
				1 1	
				1 1	
				1 1	
				1 1	
		1		1 1	
				1 1	
				1	

Total Amount:

16,030,552.50

Total Amount In Words (Pesos): Sixleen Million Thirty Thousand Five Hundred Fifty Two Pesos and 50/100 Only

MA. JOSEFINA G. BELMONTE City Mayor

02985853

Signature Over Printed Name of Supplier / Date

Funds Available:

RUBY'G, MANANGU City Accountant

Approved Budget for the Contract: 16,030,552.50

OBR: M- RAYL 08 -0 8819





PO Number

408068

Purchase Order

SEP 3 0 2024

Procuring Unit

; QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

Company Name

: LXS TRADING

Mode of

:Public Bidding

1142

Procurement

Address

: 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

Resolution No.

:24-PB-703

Quezon City

TIN Number

:238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number :0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
1	ELSAROC BOX	box	150	106,870.35	16,030,552.50
	Inclusions:			Participant Programme Control	
/ /	Wooden Box (1 piece)				
	with Vinyl QCDRRMO and QC Logo with Four Roller				
	Wheels, 8ft. x 2ft. x 2ft., L x W x H (Logo Size: A4).				
	Rechargeable Light (5 units)				
	Battery: Li-ion rechargeable (1), Light Output: 450 lumens high with dimming, Weight with batteries: 2.9 ounces, Run time: 1.3 – 50 hours, Charge time: 3 - 4 hours.				
	Disposable Face Mask (1 pack)				
	1st layer (Outer): Non-woven Fabric PP.; 2nd layer: Spun bond Filter Layer: Melt-down fabric (Medical Grade); 3rd Layer (Inner): Non- woven Fabric PP Spun bond; Nose Piece: Plastic, Covered Iron Ear loop; Ear loop: Round Elastic Band (Polyester and Spandex), 50 pieces per pack				
	Rain Coat (7 sets)				
	weight: 210-230 g/m2; Composition: 40% Linen, 40% Cotton, 20% Polyurethane - 74% Linen, 26% Polyurethane, Description: long sleeves with hood and pants (Sizes: Small, Medium, Large).				
	Whistle (5 pieces)		1 0		
	Material: PP Plastic; Color: Orange; A high decibel whistle, loud and performance excellent for penetration, is an excellent safety device for camping, boating, hiking, biking and other outdoor activities. It can be used to alert people if you are in distress. Made of high impact plastic, corrosion resistance. Light weight, simple and easy to carry. You can attach it almost anywhere with built in clip and lanyard.  Gloves (10 pairs)				

MA. JOSEFINA G. BELMONTE City Mayop

Signature Over Printed Name of Supplier / Date

OBR: 140- 2024 0st 06815

Funds Available:

Approved Budget for the Contract: 16,030,552.50

RUBY G. MANANGU City Accountant

Page 1 of 10

QCG.PD.DMD.F.04

abs 1)





PO Number

2408068

Purchase Order Date:

SEP 3 0 2024

Procuring Unit

: QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

1142

Company Name

: LXS TRADING

Mode of

:Public Bidding

Address

Procurement Resolution No.

:24-PB-703

Quezon City

; 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

TIN Number

:238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number :0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Uson end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

ock Vo.	Item	Unit of Issue	QTY	Unit Cost	Amount
3	Leather foundations with high-strength materials such as polymer/TPR shells, carbon fibers, neoprene, nylon, aramids.	31.500.11			
	White Cloth Triangular Bandage (10 pieces)		1 1		
	Materials: 100% Cotton, woven fabric; Weight: Approx. 84g/m2; Size: 96cm x 95cm x 136cm (+/- 2.5%).				
	Flat Screw Driver - ¼ inch x 8 inches (2 pieces)		1 1		
	Ergonomically design polypropylene handle with thermoplastic rubber (TPR) grip with increased comfort and torque.; Tip size: 1.2mm x 6.5mm with magnet; Blade length: 150mm; Overall length: 260mm.				
11	Philip Screw Driver - 3 x 150mm (5/16-inch x 6 inches) (2 units)				
	Ergonomically design polypropylene handle with thermoplastic rubber (TPR) grip with increased comfort and torque.; Tip size: 1.2mm x 6.5mm with magnet; Blade length: 150mm; Overall length: 260mm.				
- 11	Metal Snip – 8.5cm x 2.5cm x 25cm (2 pieces)				
	Cuts up to 18 gauge (1.2mm) cold-rolled steel or 23 gauge (0.7mm) stainless-steel Forged chrome molybdenum steel cutting blades for strength, durability and long cutting life, serrated cutting blades provides a sturdy bite and helps prevent material from slipping during use, latch design allows for a quick single-handed operation, Adjustment-free fasteners prevent loosening of the blades, Colorcoded, slip-resistant bi-material grip for comfort and control				
	Mechanical Plier (2 pieces)		1		
	Gripping combined with cutting, known as side cutting pliers, used for cutting as well as bending and twisting wire and as fish tape puller, Available in: 7 inches or 8 inches Made popular by electricians, Material: Metal				
			1		

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

OBR: (10. grant 08 0 8879

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 16,030,552.50

Page 2 of 10





PO Number

408068

Purchase Order

SEP 3 n 2024

Procuring Unit

QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-1142

Company Name

: LXS TRADING

Mode of

:Public Bidding

Procurement

Address

: 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central, Quezon City

Resolution No.

:24-PB-703

Business Type

TIN Number

:238-643-432-000

; Sole Proprietorship Registration #1441303

Contact Number :0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

tock Vo.	Item	Unit of	QTY	Unit Cost	Amount
	Diagonal Plier 6 inches (2 pieces)				
	100% original, heavy Duty Diagonal Cutting Pliers Max grip Variations: - 84 - 027: 6 inches Pliers comes with jaws forged from carbon steel and fully heat treated for durability and optimal performance, forged carbon steel jaws fully heat treated for optimum performance and durability Induction hardened cutting edges for greater reliability in cutting, Bi-material soft grip handle provides excellent comfort, ergonomically designed handle with finger guards for better efficiency and handling.				
	Safety Helmet Outdoor Rock Climbing and Rescue				
	Hard Hat and Safety Goggles Set (7 sets)				
	Safety Helmet: Shock absorption, penetration resistance (against sharp and pointed objects), flame resistance, chin strap attachment: chin strap releases at minimum 150N and maximum 250N. Safety Goggles: Lens Thickness: 3mm, Lens Size (Vertical): 60mm, Lens size (Horizontal): 140mm; Overall Length (lens edge): 182mm (approx.). Height: 75mm, Width 88mm; lens: Clear.				
	Ball Hammer- 12oz. (3/4lbs) (1 piece)				
	Used to close, type tools, mounds and metal canopy, used in manufacturing, repair, assembly, produced with high technology and high-quality materials, Drop-forged carbon steel hammerhead Heat treatment, ground polished Fiberglass handle with rubberized cousin. Drop-forged carbon steel head Fiber-glass handle with ruberrized coating Length: 12 inches or 30.5cm.				
	Claw Hammer (1 piece) individually heat-treated or long life hardened & Tempered tubular steel shaft for strength Flock-filled rubber grip for comfort & durability. Meets ANSI standards Exclusive rim temper reduces incidences of chipping or spalling, Yellow-colored shaft for easy				

MA. JOSEFINA G. BELMONTE City Mayog

Signature Over Printed Name of Supplier / Date

OBR: 120- 2024 05 0818

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 16.030,552.50

Page 3 of 10





PO Number

2408068

Purchase Order Date: SEP 3 0 2024

Procuring Unit

: QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

1142

Company Name

: LXS TRADING

Mode of

Public Bidding

Procurement

Address

; 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

Resolution No.

:24-PB-703

Quezon City

TIN Number

:238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number

:0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock No.	Item	Unit of Issue	QTY	Unit Cost	Amount
	product visibility, Fiberglass core adds strength and durability to the handle.				
	Chisel Flat-1 inch (1 piece)				
	Chisels, cold, 1-inch x 11 inches Ideal for cutting/shaping wrought iron, cast-iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets.				
	Chisel Pointed - 4.8mm (3/16) 95 (1 piece)				
	Ideal for cutting/shaping wrought iron, cast-iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets. Ergonomic, bi-material hand guard helps protect from overstrike, reduces slipping and absorbs vibrations, One-piece construction forged for strength, 1-inch heat-treated tip allows for additional sharpening, Hardened, quenched and tempered for long life and durability, Powder-coated finish for easy visibility, Blade Width: 1 inch/25mm				
	Cement Trawel – 8 inches (1 piece)				
	Drop forged special tool steel Black powder coated, total length: 330mm, Thickness: 1.5mm, Two-component plastic handle, packing: hang tag.				
	Meter-8m/26 inches (1 piece)				
	8 meters tylon tape rolled measurements metal.			1	
	Kabra Heavy Duty Crowbar Claw Bar 24 inches (1 piece)				
	Crow Wrecking Bar, Claw Bar Forged carbon steel with heat treatment, Sizes: 24 inches, 30 inches, 36 inches, high quality, heavy duty. Sledge Hammer (2-10lbs) (1 piece) Faces are machine finished, select hickory handle is finished with clear lacquer, a head that is made of forged steel which is also hardened and tempered. The face of this hammer is machine				
			1		

MA. JOSEFÍNA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

OBR: 10. 2024-05 05819

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 16,030,552.50

Page 4 of 10







PO Number

408068

Purchase Order Date:

SEP 3 D 2024

Procuring Unit

: QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

Company Name

: LXS TRADING

Quezon City

Mode of

Public Bidding

Procurement

Address

; 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

Resolution No.

:24-PB-703

1142

TIN Number

:238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number

:0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

ock Vo.	Item	Unit of Issue	QTY	Unit Cost	Amount
	finished for greater precision and striking force.				
	Pick Mattock 37 centimeters (1 piece)				
	Measurement: 36 inches x 21 inches x 2.25 inches Weight: 5 lbs., No slip hand grip.				
	Shovel Flat - heavy duty square shovel with wooden handle (1,020mm/1,470mm) (1 piece)				
	All Steel Shovel 100cm, Spade, Square and Round Type, Powder Coated paint, Rust Protection, Heavy Duty, Light Weight, 100% Steel.				
	Shovel Pointed - heavy duty pointed shovel with wooden handle (1,020mm /1,470mm) (10 pieces)				
	Wooden handle, Length: 1,020mm x 1,470mm, Shovel weight: 1kg, Shovel head width: 215mm, Shovel head length: 290mm, Material: carbon steel, Packing: color label.				
	Wooden Wedge (1 piece)			8 11	
	Length up to 10 inches Dimensions: 1.5 inches W x 1.5 inches H, secures outdoor ground covers and mulching, Fabric, made of premium hardwood, Smooth, planed 4 sides, Lightweight.				
	2-Ton Hydraulic Jack (1 unit)				
	Load: 2 Tons height. 6 inches Max Height: 11.5 inches, Whole body cast iron heavy duty.				
	Metal Pulley 500kg (1 piece)				
	Designed for hanging weight things to lighten load. Using gravity and skating to lift. Durable, strong, reliable, waterproof, anti-rust, anti-high temperature, corrosion resistance, Material: stainless steel, color: silver, Runner Diameter: 20mm, Wheel Width: 8mm, Rotating Ring Width:13mm, Total Length: 73mm, Max Load. 500kg.				
	Padlock – 50mm (1 piece)				
	0(-32) 33		1		

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

OBR: NO. addy or 0849

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 16,030,552.50

Page 5 of 10





PO Number

408068

Purchase Order Date:

SEP 3 0 2024

Procuring Unit

QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

1142

Company Name

· LXS TRADING

Mode of

Public Bidding

Procurement

Address

; 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

Resolution No.

:24-PB-703

Quezon City

TIN Number

:238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number

:0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days.

Payment Term :

Credit

Stock Item Unit of QTY Unit Cost Amount No. Issue Body width: 50mm: Shackle Diameter: 8mm, made of solid brass body and extra strong hardened steel shackle for additional protection: Includes 3 keys; 5-pin keying mechanism. Double locking; Excellent security and durability; anti-rust, anti-picking and anti-saving. Water Resistant Safety Matches 10 Boxes per pack (2 packs) Each match box is made of sturdy corrugated kraft board with a strike panel on one edge. Box Diameter: 5.5 inches x 0.75 inch, Weight 150g. Straw Ball / Plastic Twine Ball (5 pieces) 1 roll is 1kg. Laminated Plastic, (10 pieces) 6ft. x 8ft. trapal, Water Plastic Container with Plastic Glasses 20L (1 piece) 20 liters capacity faucet. Carpentry Apron Maong (1 piece) All around free size 66cm x 70cm; high quality and durable denim within pocket. Lime (Apog) (1 sack) 50kg. Enamel Aerosol Paint, Aerosol Type (1 can) Material: Aerosol Spray Can; Premium quality-spray paint formulated from 100% pure acrylic: Highly durable, fast drying, high gloss, weather resistant; Ideal for automobiles, motorcycles, appliances, furniture, etc., Reliable performance. Pail Bucket - 20L (1 piece) Capacity: 20L.; Materials: HDPE; Weight: 1,030gm; Diameter: 304mm; Height: 390mm.

MA. JOSEFINA G. BELMONTE City Mayor

Name of Supplier / Date

Funds Available:

RUBÝ G. MANANGU City Accountant

Approved Budget for the Contract: 16,030,552.50

Page 6 of 10

OBR: 100. 2024-03. 08819

QCG.PD.DMD.F.04







PO Number

2408068

Purchase Order Date: SEP 3 p 2824

Procuring Unit

: QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

Company Name

: LXS TRADING

Mode of

Public Bidding

Procurement

Address

; 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

Resolution No.

:24-PB-703

1142

Quezon City

TIN Number

:238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number

:0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

ock o.	Item	Unit of Issue	QTY	Unit Cost	Amount
	Dipper (1 piece)				
	large, heavy duty, with handle.				
	Rags (1 pack)				
	(25 pieces/pack) Cotton, high absorbent.				
	Tool Box (1 piece)				
	for the screwdrivers and etc., large.				
	First Aid Kit (1 kit)				
	Plasters in a variety of different sizes and shapes, small, medium and large, sterile gauze dressings at least 2 sterile eye dressings, triangular bandages, crepe rolled bandages, safety pins, disposable sterile gloves, tweezers.				
- 1	Nails (50 pieces)				
	sizes: 1, 1 ½, 2, 2 ½, 3, 4, 5				
- 1	1/4k 1inch; 1/4k 1 ½ inches, 1/4k 2 inches; 1/4k 2 1/2 inches; 1/4k 3 inches; 1/4k 4 inches; 1/4k 5 inches.				
	Nylon Rope (2 pieces)				
	12mm, Nylon Rope Heavy Duty 500 meters roll.				
	Spine Board Long (1 piece)				
	Dimensions: Length 1,830mm (±40mm) Width 406mm (±13mm), Thickness 58mm (±13mm) (16±0.5-inch x 72±1.5-inch x 2.5 inches), Weighs 6.02kg (13.5 lbs.), Thickness 2.3 inches, 14 handholds, handholds width of 2 inches, Handhold length of 5.25 inches, Minimum storage space for 2 boards of approximately 4.00 inches. Heavy Duty Hacksaw Frame 12 inches/300mm (1 piece) Rugged design for heavy duty use. Fully adjustable tension holds				
	blade up to 32,000psi - delivers sat, accurate cuts and long blade				
	life; Blade strong integrated into frame, quick-release, blade				

MA. JOSEFINA G. BELMONTE

City Mayor

SAUS 10/3/2020 Signature Over Printed Name of Supplier / Date

OBR: 10. 2024 18-085/9

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 16.030,552.50

Page 7 of 10







PO Number

408068

Purchase Order Date:

SEP 3 0 2024

1142

Procuring Unit

: QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

Company Name

: LXS TRADING

Mode of

Public Bidding

Procurement

Address

: 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

Resolution No.

:24-PB-703

Quezon City

TIN Number

:238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number :0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery : Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

Stock Item Unit of QTY Unit Cost Amount No. Issue changing mechanism in handle maintains tension setting; Blade can be positioned at 45° or 90° cutting angle Hacksaw Blade 12 inches (1 piece) Good Cutting quality hacksaw blade, Bi-metal hacksaw blade; 12 inches bimetal hacksaw blade; Bimetal hacksaw blade 300mm; Flexible, unbreakable, high resilience, shatter proof, 100% original. Heavy Duty Axe / Forestry Axe (1 piece) Hardened forged steel blade stays sharp longer than traditional axes, proprietary blade-grinding techniques provides a sharper edge for better contract and cleaner cuts; Fiberglass core and bi-material slip-resistant handle, includes protective sheath blade guard; Ideal for splitting medium-to large-sized logs Bolt Cutter (24 inches) (1 piece) Hardened alloy steel jaws are designed to ensure the longest. possible blade life; One-step internal cam mechanism provide the quickest way to keep the cutting blades precisely aligned, handles and grips designed to allow greater mechanical advantage for crisp and controlled cutting Crosscut Saw with PVC Handle 22 inches (1 piece) Ultrasonically Welded handle: Ensuing secure and reliable cutting performance over time. Finger-rest: For maximum control, Bimaterial: Ergonomic Handle anti-slip and enhanced comfort; Induction hardened Teeth: For Long Lasting Sharpness, Smooth and Clean Cuts, Triple Ground Teeth: For fast and smooth cutting: For all wood types. Kerosene Lamp (1 piece) Large Capacity, Exquisite appearance, good sealing and high brightness; Portable kerosene lamp, need to use alcohol, does not

MA. JOSEFINA G. BELMONTE

City Mayor

use candle: material: Iron; Size: 19 x 9.62cm (Approx.)

Signature Over Printed Name of Supplier / Date

L

OBR: 160- 2124-09. 08870

Funds Available:

City Accountant

Approved Budget for the Contract: 16,030,552.50

Page 8 of 10

QCG.PD.DMQ F 34





PO Number

408068

Purchase Order Date:

SEP 3 0 2024

Procuring Unit

QUEZON CITY DISASTER RISK REDUCTION AND

MANAGEMENT OFFICE

Project Number

:QCDRRMO-24-SOP-

1142

Company Name

: LXS TRADING

Mode of

:Public Bidding

Procurement

Address

: 2910 SunTrust Capitol Plaza, Matalino St., Brgy. Central,

Resolution No.

:24-PB-703

Quezon City

TIN Number

238-643-432-000

Business Type

: Sole Proprietorship Registration #1441303

Contact Number :0916-413-5047

Sir/Madam:

Please furnish this office the following articles subject to the terms and conditions contained here:

Place of Delivery: Upon end-user's instruction subject to proper coordination with CGSD

Delivery Schedule: Ninety (90) Calendar Days

Payment Term:

Credit

ck ).	Item	Unit of Issue	QTY	Unit Cost	Amount
7	Rechargeable Flashlights (5 units)				
	The search light is with built-in long-life and free maintenance rechargeable battery of high capacity as 2800mAh. The battery has more than 500 times charging and discharging recycle life. LED is in advantage of energy-saving, high light and long life. Function as search light or emergency light is available. Technical Parameters: Battery Capacity: 2800mAh: Voltage: AC 100-24V 50/60Hz; Current: AC 0.2A 1.8W, Power Factor: 0.1; Charge Time: 15 Hours: Using Time: 8/16 hours (strong/weak degrees).				
	Padded Splint (5 pieces)		1		
	padded board splints constructed of a sturdy ½ inch x 3 inches solid wood core with rounded corners for safety. ½ inch foam on one side for comfort, covered and sealed with durable orange vinyl that can be easily cleaned for reuse. Padded board splints can be used for first aid splinting emergencies or can be used in class for teaching the skill of splinting a leg.				
i	Spider Strap (2 pieces)		1		
ď	Description:				
	- The spider strap is composed of a trunk and multiple branches, used for securing patients.				
	- Each branch has a can fixed to each handle of the spine fixation board to direct the patient.				
	- The whole is bundled inside, safe and firm, simple and fast.				
	- Color coded design. 10 Point Straps, ease of use, suitable for EMS professionals to use.				
	<ul> <li>It is suitable for any spinal fixation plate and plastic stretcher, which can fix the injured during the transfer of the patient, so as to prevent the patient from causing secondary injury.</li> </ul>				
			1		

MA. JOSEFINA G. BELMONTE City Mayor

Signature Over Printed Name of Supplier / Date

OBR: 10. 2004-08- 08819)

Funds Available:

RUBY G. MANANGU City Accountant

Approved Budget for the Contract: 16,030,552.50

Page 9 of 10