

### REPUBLIC OF THE PHILIPPINES QUEZON CITY GOVERNMENT BIDS AND AWARDS COMMITTEE – GOODS AND SERVICES



# PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# PREVENTIVE MAINTENANCE OF AIR CONDITIONING UNITS WITHIN QUEZON CITY GOVERNMENT FACILITIES FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY) PROJECT NO. CGSD-25-GRMS-0034

Government of the Republic of the Philippines

Sixth Edition July 2020

### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# **Table of Contents**

Glossar	y of Acronyms, Terms, and Abbreviations	4
Section	I. Invitation to Bid	7
Section	II. Instructions to Bidders	8
1.	Scope of Bid	13
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	13
5.	Eligible Bidders	14
6.	Origin of Goods	14
7.	Subcontracts	14
8.	Pre-Bid Conference	15
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents comprising the Bid: Eligibility and Technical Components	15
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	15
13.	Bid and Payment Currencies	16
14.	Bid Security	16
15.	Sealing and Marking of Bids	17
16.	Deadline for Submission of Bids	17
17.	Opening and Preliminary Examination of Bids	17
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	18
21.	Signing of the Contract	18
Section	III. Bid Data Sheet	19
Section	IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	22
5.	Warranty	22
6.	Liability of the Supplier	23
Section	V. Special Conditions of Contract	24
Section	VI. Schedule of Requirements	28
Section	VII. Technical Specifications	32
Section	VIII. Checklist of Technical and Financial Documents	41

# Glossary of Acronyms, Terms, and Abbreviations

ABC - Approved Budget for the Contract.

BAC - Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP - Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI - Consumer Price Index.

DDP - Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB - "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI - Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

INCOTERMS - International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency

which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

### Section I. Invitation to Bid

### Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (e.g., the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.

## Section II. Instructions to Bidders

### Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

### 1. Scope of Bid

The Procuring Entity, Quezon City Local Government wishes to receive Bids for the PREVENTIVE MAINTENANCE OF AIR CONDITIONING UNITS WITHIN QUEZON CITY GOVERNMENT FACILITIES FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY) with identification number CGSD-25-GRMS-0034.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of *one* (1) item, the details of which are described in Section VII (Technical Specifications).

### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2025 in the amount of SEVENTEEN MILLION FOUR HUNDRED THIRTY-SEVEN THOUSAND SIX HUNDRED TWENTY-SIX PESOS AND 00/100 ONLY (Php17,437,626.00).
- 2.2. The source of funding is:
  - a) LGUs, the proposed Local Expenditure Program.

### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing as indicated in paragraph 6 of the IB.

### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last three (3) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an Apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

### 12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
  - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
  - ii. The cost of all customs duties and sales and other taxes already paid or payable;
  - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in e.

### b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security in no case shall exceed One Hundred Twenty (120) calendar days from the date of opening of bids, unless duly extended by the bidder upon the request of the Head of the Procuring Entity (HoPE) of the Quezon City Local Government. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

<sup>&</sup>lt;sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time through manual submission as indicated in paragraph 7 of the **IB**.

### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as follows:
  - One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

### Section III. Bid Data Sheet

### Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

TOD	
ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. A single contract similar to <b>the item/s to be bid</b> and must be at least <b>fifty percent</b> (50%) of the ABC.
	b. Completed within the last three (3) years prior to the deadline for the submission and receipt of bids substantially in a FORM prescribed by the QC-BAC-GOODS AND SERVICES, must be accompanied by a copy of Certificate of Acceptance by the end-user or Official Receipt (O.R) or Sales Invoice
<u></u>	(S.I.) issued for the Contract.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP within Quezon City or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>Php 348,752.52</i> or equivalent to two percent (2%) of ABC if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <i>Php 871,881.30</i> or equivalent to five percent (5%) of ABC if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	List of required licenses and permits relevant to the Project and the corresponding law requiring it.
	No additional requirement
21.2	Additional required documents relevant to the Project that are required by existing laws and/or the Procuring Entity.
	<ol> <li>Organizational Structure         The service provider shall submit its detailed organization chart which shall indicate an established organizational structure of technical personnel to show its capability to undertake the project.     </li> </ol>
	2) List of Manpower requirement  The service provider shall provide at least ten (10) technical personnel
	<ul> <li>3) Notarized Affidavit of Undertaking stating the following:         <ul> <li>The service provider has at least three (3) years actual experience in aircon installation, repair and maintenance of air conditioning units/ systems.</li> <li>The Contractor will provide at least ten (10) technical personnel wearing proper personal protective equipment and using appropriate equipment in conducting the</li> </ul> </li> </ul>
	general cleaning.  General cleaning and repair services to be rendered shall be supervised by an accredited Safety Officer or duly licensed Mechanical Engineer who are required to provide Certificate of Registration and License.  Statement of Warranty
	- Three (3) months warranty of the workmanship for the maintenance of the air conditioning units or system.
	(With attached Terms of Reference which will form an integral part of this bidding document)

# Section IV. General Conditions of Contract

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

### 5. Warranty

6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

**Special Conditions of Contract** 

GCC	Special Conditions of Contract
Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ul> <li>e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. [Specify additional incidental service requirements, as needed.]</li> </ul>
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	I

### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier

	T'
	Contract Description
	Final Destination Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
·	
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	[If partial payment is allowed, state] "The terms of payment shall be as follows:
4	The inspections and tests that will be conducted are: Product Presentation/Demonstration/Site Inspection, if applicable.

# Section VI. Schedule of Requirements

# PROJECT NAME: PREVENTIVE MAINTENANCE OF AIR CONDITIONING UNITS WITHIN QUEZON CITY GOVERNMENT FACILITIES FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY) PROJECT NO. CGSD-25-GRMS-0034

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Unit of Issue	Quantity	Delivered, Weeks/ Months
1	PREVENTIVE MAINTENANCE OF AIR CONDITIONING UNITS WITHIN QUEZON CITY GOVERNMENT FACILITIES FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY)	Lot	1	
	Scope of Work:	!		
	PREVENTIVE MAINTENANCE PROPER (ONCE IN FOUR (4) MONTHS UNTIL DECEMBER 31, 2025)			
	The scope of work for the general cleaning of air conditioning system at various Quezon City Government Facilities shall include, but not limited to, the following:			
	<ul> <li>Dismantling the air conditioning unit components for cleaning.</li> <li>Check and clean:  <ul> <li>Air filter, front grille, frame assembly, fan orifice, condensate drain and pump, valve, evaporator, condenser coils, fan motor, outdoor unit casing.</li> <li>Electronic components</li> <li>Electrical components</li> </ul> </li> <li>Check and assess:  <ul> <li>Air temperature of the evaporator</li> <li>Insulation resistance of cables and motors</li> <li>Compressor and fan motor voltage and current flow</li> <li>Fuses and breaker rating</li> <li>Wiring harness condition</li> </ul> </li> <li>Record temperature output of air conditioning indoor unit.</li> <li>Check and lubricate fan bearing if necessary.</li> <li>Check all panels and ensure that these are properly secured.</li> <li>Tighten all electrical terminal connections.</li> <li>De-clogging of drain line from unit to the main drain line.</li> <li>Reinstallation of all parts after cleaning.</li> <li>Test run and observe the cleaned unit.</li> </ul>			Upon Issuance of Notice to Proceed until December 31, 2025
	<ul> <li>Recheck operating pressure of the system and the room temperature.</li> <li>General housekeeping after servicing of units.</li> </ul>			
	<ul> <li>RESPONSIBILITIES OF THE SERVICE PROVIDER</li> <li>Coordinate to Offices/Departments concerned, Security Agency and City General Services Department before conducting general cleaning, troubleshooting or repair services, acquire gate pass if possible.</li> <li>Provide four (4) on-site technicians within the regular office hours on weekdays that shall report to the CGSD authorized representative, conduct minor repairs, troubleshoot and other tasks as requested by the CGSD, without any additional</li> </ul>			
	<ul> <li>cost to the City.</li> <li>Ensure all technicians are always wearing company uniform with proper identifications and personal protective equipment (PPE).</li> <li>Replace the on-site technicians upon official request of the CGSD.</li> </ul>			

Schedule of Requirements Page 1 of 4 CGSD-25-GRMS-0034

- Provide one (1) motorcycle for the transportation of the technicians to various Quezon City Government Facilities.
- Provide necessary tools and equipment for the check-up, general cleaning or repair of the air conditioning units.
- Conduct pre-inspection of all enrolled units prior to the scheduled cleaning.
   Cleaning proper shall not proceed without the approved pre-inspection reports which shall indicate temperature output, physical condition and all defects of enrolled air conditioning units/system upon checking.
- Cleaning shall be scheduled to the Administrative Division/ authorized representative of each Offices/ Department.
- Submit service and accomplishment reports upon completion of works to be submitted with acknowledgement by CGSD authorized representative.
- Submit recommendations and quotations for every Quezon City Government Facilities, as attachment to the cleaning reports.
- Supply and delivery of refrigerant, as stated in the Area of Coverage for Delivery.

### **AREA OF COVERAGE FOR GENERAL CLEANING:**

#### HIGH RISE BUILDING

1. Window Type Aircon	unit	7
2. Floor Mounted Aircon	unit	5
3. Wall Mounted Aircon	unit	35
4. Ceiling Cassette Type	unit	231
5. Ceiling Suspended Type	unit	40
6. Air Cooled Condensing Units VRF	unit	71

### **ANNEX BUILDING**

Ceiling Cassette Aircon  VRF	unit	93
2. Floor Mounted Aircon	unit	28
3. Wall Mounted Aircon	unit	4
4. Air Cooled Condensing Units VRF	unit	20

### CIVIC CENTER BUILDING A

1. Window Type Aircon	unit	1
2. Floor Mounted Aircon	unit	7
3. Ceiling Cassette Aircon	unit	110
4. Wall Mounted Aircon	unit	12

### CIVIC CENTER BUILDING B

1. Window Type Aircon	unit	1
2. Floor Mounted Aircon	unit	10
3. Ceiling Cassette Aircon	unit	114
4. Ceiling Mounted Aircon	unit	12

### CIVIC CENTER BUILDING C

1. Wall Mounted Aircon	unit	3
2. Ceiling Cassette Aircon	unit	64
3. Window Type Aircon	unit	6
4. Air Cooled Condensing Units	unit	13

#### CIVIC CENTER BUILDING D

Ceiling Cassette VRF Aircon	unit	225
2. Wall Mounted Aircon	unit	5
3. Air Cooled Condensing Units	unit	46

### CIVIC CENTER BUILDING E

1. Ceiling Cassette Type	unit	72
--------------------------	------	----

Schedule of Requirements Page 2 of 4 CGSD-25-GRMS-0034

HEALTH BUILDING  1. Ceiling Cassette Type VRF unit 167 Into 167 In					
CIVIC CENTER BUILDING F  1. Ceiling Cassette Type 2. Air Cooled Condensing unit 46  HEALTH BUILDING 1. Ceiling Cassette Type VRF unit 167  2. Air Cooled Condensing unit 25  Inits NCO BUILDING 1. Ceiling Cassette Type VRF unit 12  1. Ceiling Cassette Type VRF unit 12  DISTRICT 1 1. Window Type Aircon unit 2. Wall Mounted Jirot unit 3. Air Cooled Condensing unit 2. Wall Mounted Type VRF unit 43  2. Wall Mounted Type Aircon unit 3. Air Cooled Condensing unit 2. Wall Mounted Type Aircon unit 3. Air Cooled Condensing unit 43  2. Wall Mounted Type Aircon unit 3. Ceiling Cassette VRF Type unit 45  1. Ceiling Cassette VRF Type unit 45  1. Ceiling Cassette Type VRF unit 45  1. Ceiling Cassette Type VRF unit 45  COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF unit 45  COMMUNITY CENTER BUILDING 2. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING 2. Air Cooled Condensing unit 45  COMMUNITY CENTER BUILDING 2. Air Cooled Condensing unit 45  COD MOTORPOOL 1. Window Type Aircon unit 8  POLICE DETACHMENT 1. Wall Mounted Aircon unit 1. Window Type Aircon unit 2. Wall Mounted Aircon unit 3. Floor Mounted Aircon unit 1. Window Type Aircon unit 1. Window Type Aircon unit 2. Wall Mounted Aircon unit 3. Floor Mounted Aircon unit 1. Window Type Aircon unit 1. Window Type Aircon unit 1. Window Type Aircon unit 2. Wall Mounted VRF Type unit 3. Ceiling Cassette Type VRF unit 43  1. Ceiling Cassette Type VRF unit 43  1. Ceiling Cassette Type VRF unit 1. Ceil	L	unit	16	1	
1. Ceiling Cassette Type 2. Air Cooled Condensing Unit 46  HEALTH BUILDING 1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing Unit 28  NGO BUILDING 1. Ceiling Cassette Type VRF Aircon 3. Air Cooled Condensing Unit 2. Wall Meansted Aircon 1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing Unit 2. Wall Meansted Aircon 2. Air Cooled Condensing Unit 2. Wall Meansted Aircon 3. Air Cooled Condensing Unit 43  NGO BUILDING 1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing Unit 3. Ceiling Cassette VRF Type Aircon 3. Ceiling Cassette VRF Type VRF Aircon 4. Air Cooled Condensing Unit 5. COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing Unit 5. COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing Unit 5. Community 1. Will Mounted Type Aircon 1. Will Mounted Type Aircon 2. Air Cooled Condensing Unit 5. Community 1. Will Mounted Type Aircon 1. Will Mounted Type Aircon 2. Air Cooled Condensing Unit 5. Ceiling Cassette Type Unit 6. Community 1. Will Mounted Type Aircon 1. Will Mounted Type Aircon 2. Ceiling Cassette Type Unit 1. Will Mounted Type Aircon 2. Wall Mounted Aircon 3. Floor Mounted Aircon 4. Will Mounted		<b>L</b>	L,	J	1
2. Air Cooled Condensing unit 46  HEALTH BUILDING 1. Ceiling Cassette Type VRF unit 28  Into Deposit District of the state	•		240	1	
HEALTH BUILDING  1. Ceiling Cassette Type VRF unit 167 Aircon  2. Air Cooled Condensing unit 28 Instance of the property of th					
1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing unit 28 NOO BUILDING 1. Ceiling Cassette Type VRF unit 29 3. Air Cooled Condensing unit 21 Justs DPOS BUILDING 1. Ceiling Cassette Type VRF unit 3. Air Cooled Condensing unit 12 LIBRARY 1. Ceiling Cassette Type VRF unit 43 Aircon 2. Air Cooled Condensing unit 9 LIBRARY 1. Window Type Aircon unit 3. Ceiling Cassette VRF Type Aircon 4. Air Cooled Condensing unit 55 COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF unit 45 Aircon 2. Air Cooled Condensing unit 5 COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF unit 45 Aircon 2. Air Cooled Condensing unit 5 COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF unit 45 Aircon 2. Air Cooled Condensing unit 6 DISTRICT 1 1. Wall Mounted Type Aircon unit 2. Wall Mounted Aircon unit 3. Ceiling Cassette Type Aircon DISTRICT 1 1. Floor Mounted Aircon unit 1. Window Type Aircon unit 1. Ceiling Cassette Type VRF Aircon 2. Wall Mounted Aircon unit 1. Ceiling Cassette Type VRF Aircon 3. Ceiling Mounted Type unit 18 Aircon 4. Window Type Aircon unit 1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing unit 13 Aircon 1. Ceiling Cassette Type VRF Aircon 1. Ceiling Cassette Type VRF Aircon 2. Ceiling Cassette Type VRF Aircon 3. Ceiling Mounted Aircon unit 1. Ceiling Cassette Type VRF Aircon 1. Ceiling Cassette Type VRF Aircon 2. Ceiling Cassette Type VRF Aircon 3. Ceiling Mounted Aircon unit 1. Ceiling Cassette Type VRF Aircon	Units	unit	46		
Aircon  2. Air Cooled Condensing unit  2. Air Cooled Condensing unit  3. Ceiling Cassette Type VRF aircon  3. Air Cooled Condensing unit  2. Wall Mounted Aircon  1. Ceiling Cassette Type VRF unit  2. Wall Mounted Type Aircon  2. Wall Mounted Type Aircon  3. Ceiling Cassette Type VRF unit  4. Air Cooled Condensing unit  5. Ceiling Cassette VRF Type  4. Air Cooled Condensing unit  5. COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF  Aircon  2. Air Cooled Condensing unit  5. COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF  Aircon  2. Air Cooled Condensing unit  6. Ceiling Cassette Type VRF  Aircon  1. Window Type Aircon unit  8. POLICE DETACHMENT  1. Wall Mounted Type Aircon unit  2. Ceiling Cassette Type VRF  Aircon  DISTRICT 1  1. Floor Mounted Aircon unit  2. Wall Mounted Aircon unit  3. Floor Mounted Aircon unit  1. Window Type Aircon unit  1. Ceiling Cassette Type VRF unit  1. Ceiling Cassette Type unit  1. Ceiling Cassette Type unit  1. Ceiling Cassette Type VRF  Aircon	HEALTH BUILDING			_	
2 Air Cooled Condensing unit 28  NGO BUILDING  1. Ceiling Cassette Type VRF unit 52  Aircon  2. Wall Mounted Aircon unit 2  3. Air Cooled Condensing unit 12  DPOS BUILDING  1. Ceiling Cassette Type VRF unit 43  Aircon  2. Air Cooled Condensing unit 9  LIBRARY  1. Window Type Aircon unit 3  3. Ceiling Cassette VRF Type unit 44  4. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit 45  Aircon  2. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit 45  Aircon  2. Air Cooled Condensing unit 6  CSD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Well Mounted Type Aircon unit 6  2. Ceiling Cassette Type VRF unit 7  Aircon  DISTRICT 1  1. Floor Mounted Aircon unit 6  2. Wall Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1  3. Floor Mounted Aircon unit 1  3. Ceiling Cassette Type VRF unit 18  Aircon  3. Ceiling Cassette Type VRF unit 18  Aircon  4. Window Type Aircon unit 10  DISTRICT 3  1. Ceiling Cassette Type VRF unit 18  Aircon  2. Air Cooled Condensing unit 13  Aircon  1. Ceiling Cassette Type VRF unit 16  Aircon unit 3  DISTRICT 4  1. Ceiling Cassette Type VRF unit 16  Aircon unit 13  Aircon unit 14  Aircon unit 15		unit	167		
NGO BUILDING  1. Ceiling Cassette Type VRF vircon  2. Wall Mounted Aircon unit  2. Wall Mounted Aircon unit  2. Wall Mounted Aircon unit  3. Air Cooled Condensing unit  12 Units  1. Ceiling Cassette Type VRF unit  43 Units  2. Air Cooled Condensing unit  9 Units  1. Window Type Aircon unit  3. Ceiling Cassette VRF Type unit  4. Air Cooled Condensing unit  5 UNITS  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit  6. Air Cooled Condensing unit  6 Units  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit  6. Ceiling Cassette Type VRF unit  7 UNITS  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit  2. Ceiling Cassette Type VRF unit  1. Wall Mounted Type Aircon unit  2. Wall Mounted Aircon unit  2. Wall Mounted Aircon unit  3. Floor Mounted Aircon unit  1. Ceiling Cassette Type VRF unit  2. Wall Mounted Aircon unit  3. Floor Mounted Aircon unit  1. Ceiling Cassette Type VRF  Aircon  1. Ceiling Cassette Type VRF  DISTRICT 5  1. Ceiling Cassette Type VRF  Aircon					
Alreon unit 52  2. Wall Mounted Aircon unit 2  3. Air Cooled Condensing unit 12  DPOS BUILDING  1. Ceiling Cassette Type VRF Aircon  2. Air Cooled Condensing unit 9  LIBRARY  1. Window Type Aircon unit 3  3. Ceiling Cassette VRF Type Aircon  4. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit 45  Aircon  2. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit 45  Aircon  2. Air Cooled Condensing unit 6  Localing Cassette Type VRF unit 45  Aircon  2. Air Cooled Condensing unit 6  Intis CGD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 6  2. Ceiling Cassette Type Aircon unit 7  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 1  1. Floor Mounted Aircon unit 1  2. Wall Mounted Aircon unit 1  3. Floor Mounted Aircon unit 1  2. Wall Mounted Aircon unit 1  3. Floor Mounted Aircon unit 1  2. Wall Mounted Aircon unit 1  3. Ceiling Cassette Type VRF aircon unit 1  4. Ceiling Cassette Type unit 16  Aircon  3. Ceiling Mounted VRF Type unit 16  Aircon  3. Ceiling Cassette Type VRF unit 18  Aircon  3. Ceiling Mounted Type unit 16  Aircon  3. Ceiling Mounted Type unit 16  Aircon  3. Ceiling Cassette Type unit 16  Aircon  3. Ceiling Mounted Type unit 16  Aircon  3. Ceiling Mounted Type unit 16  Aircon  3. Ceiling Cassette Type unit 16  Aircon  3. Ceiling Mounted Aircon unit 1  Aircon  3. Ceiling Mounted Aircon unit 1  Aircon  3. Ceiling Cassette Type VRF  Aircon  4. Aircon	Units	unit	28		
Aircon unit 52  2. Wall Mounted Aircon unit 12  DPOS BUILDING  1. Ceiling Cassette Type VRF Aircon unit 3  2. Air Cooled Condensing unit 9  LIBRARY  1. Window Type Aircon unit 3  3. Ceiling Cassette VRF Type Aircon unit 3  3. Ceiling Cassette VRF Type Aircon unit 45  LOMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit 45  Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit 45  Aircon unit 45  Air Cooled Condensing unit 6  GSD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 6  2. Ceiling Cassette Type unit 2  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1  2. Wall Mounted Aircon unit 1  3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 18  Aircon unit 16  2. Wall Mounted Aircon unit 1  3. Floor Mounted Aircon unit 1  3. Ceiling Cassette Type unit 16  4. Wall Mounted Aircon unit 16  DISTRICT 3  1. Ceiling Cassette Type VRF unit 16  Aircon unit 17  DISTRICT 3  1. Ceiling Cassette Type unit 16  Aircon unit 10  DISTRICT 3  1. Ceiling Cassette Type unit 16  Aircon unit 10  DISTRICT 4  1. Ceiling Cassette Type unit 16  Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  Aircon unit 10  Lour Cassette Type VRF unit 17  Aircon unit 10	NGO BUILDING				
2. Wall Mounted Aircon 3. Air Cooled Condensing Unit DPOS BUILDING 1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing Unit UIBRARY 1. Window Type Aircon 1. Ceiling Cassette VF Type Aircon 4. Air Cooled Condensing Unit 5. COMMUNITY CENTER BUILDING 1. Ceiling Cassette VF Type Aircon 2. Air Cooled Condensing Unit 4. Air Cooled Condensing Unit 5. COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing Unit 6. CSD MOTORPOOL 1. Window Type Aircon Unit 8. CODITY CENTER BUILDING 1. Window Type Aircon Unit 1. Window Type Aircon Unit 2. Wall Mounted Type Aircon Unit 2. Ceiling Cassette Type Unit 1. Floor Mounted Aircon Unit 2. Wall Mounted Aircon Unit 3. Floor Mounted Aircon Unit 4. Ceiling Cassette Type VRF Aircon 1. Ceiling Cassette Type Unit 1. C		unit	52		
Units DPOS BUILDING  1. Ceiling Cassette Type VRF Aircon  2. Air Cooled Condensing unit  43  2. Air Cooled Condensing unit  19  LIBRARY  1. Window Type Aircon  3. Ceiling Cassette VRF Type Aircon  4. Air Cooled Condensing unit  5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF Aircon  2. Air Cooled Condensing unit  5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF Aircon  2. Air Cooled Condensing unit  6  CSD MOTORPOOL  1. Window Type Aircon unit  2. Ceiling Cassette Type Aircon unit  2. Ceiling Cassette Type Aircon unit  3. Ceiling Cassette Type Aircon unit  5  DISTRICT 1  1. Floor Mounted Aircon unit  2. Wall Mounted Aircon unit  3. Floor Mounted Aircon unit  1. Window Type Aircon unit  2. Wall Mounted Aircon unit  3. Floor Mounted Aircon unit  1. Ceiling Cassette Type VRF Aircon  DISTRICT 3  1. Ceiling Cassette Type VRF Aircon  3. Ceiling Mounted VRF Type unit  18  3. Ceiling Mounted Type unit  16  4. Window Type Aircon unit  1. Ceiling Cassette Type VRF		unit	2		
DPOS BUILDING  1. Ceiling Cassette Type VRF   unit   43   2. Air Cooled Condensing   unit   9    LIBRARY  1. Window Type Aircon   unit   3   2. Wall Mounted Type Aircon   unit   3   3. Ceiling Cassette VRF Type   unit   45   Aircon   Air Cooled Condensing   unit   5    COMMUNITY CENTER BUILDING  1. Ceiling Cassette VRF Unit   45   Air Cooled Condensing   unit   6   Community Center Building   unit   6   Aircon   Air Cooled Condensing   unit   6   Community Center Building   unit   6   Aircon   Air Cooled Condensing   unit   6   Community Center Building   unit   6   Aircon   Air Cooled Condensing   unit   6   Community Center Building   unit   7   DISTRICT 1  1. Floor Mounted Aircon   unit   1   Community Center Building   unit   4   Community Cente		<del> </del>			
1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing unit 9  LIBRARY 1. Window Type Aircon 3. Ceiling Cassette VRF Type Aircon 4. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF Aircon 1. Window Type Aircon 1. Window Type Aircon 1. Window Type Aircon 1. Ceiling Cassette Type VRF Unit 2. Air Cooled Condensing Unit 3  2. Air Cooled Condensing Unit 45  CSD MOTORPOOL 1. Window Type Aircon 2. Wall Mounted Aircon 2. Wall Mounted Aircon 3. Ceiling Cassette Type VRF Unit 3. Floor Mounted Aircon 1. Window Type Aircon 2. Wall Mounted Aircon 3. Ceiling Cassette Type VRF Unit 4. Window Type Aircon 2. Wall Mounted VRF Type 4. Window Type Aircon 3. Ceiling Mounted Type 4. Window Type Aircon 1. Ceiling Cassette Type VRF 4. Window Type Aircon 1. Ceiling Cassette Type VRF 4. Window Type Aircon 1. Ceiling Cassette Type VRF 4. Window Type Aircon 1. Ceiling Cassette Type VRF 4. Window Type Aircon 1. Ceiling Cassette Type VRF 4. Window Type Aircon 1. Ceiling Cassette Type VRF 4. Window Type Aircon 1. Ceiling Cassette Type VRF 4. Window Type Aircon 4. Window Type Ai	Units	unit	12		
LIBRARY  1. Window Type Aircon unit 3 2. Wall Mounted Type Aircon unit 3 3. Ceiling Cassette VRF Type alron unit 5 4. Air Cooled Condensing unit 5 COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF unit 45 Aircon 2. Air Cooled Condensing unit 6 COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF unit 45 Aircon 2. Air Cooled Condensing unit 6 CSD MOTORPOOL 1. Window Type Aircon unit 8 POLICE DETACHMENT 1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2 Aircon DISTRICT 1 1. Floor Mounted Aircon unit 7 DISTRICT 2 1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 4. Wall Mounted VRF Type unit 18 Aircon 2. Wall Mounted VRF Type unit 16 Aircon unit 18 Aircon unit 19 DISTRICT 4 1. Ceiling Cassette Type unit 16 4. Window Type Aircon unit 43 Aircon unit 13 3. Ceiling Mounted VRF Type unit 16 4. Window Type Aircon unit 17 DISTRICT 4 1. Ceiling Cassette Type unit 16 A. Window Type Aircon unit 13 3. Ceiling Mounted Aircon unit 13 3. Ceiling Mounted Aircon unit 10 DISTRICT 5 1. Ceiling Cassette Type VRF unit 13 A. Ceiling Cassette Type VRF unit 14 Aircon 10 DISTRICT 5 A. Ceiling Cassette Type VRF unit 14			r	1	
2. Air Cooled Condensing Units UIBRARY  1. Window Type Aircon Unit 3 2. Wall Mounted Type Aircon Unit 3 3. Ceiling Cassette VRF Type Aircon Unit 24 Air Cooled Condensing Unit 5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF Aircon Unit 45 2. Air Cooled Condensing Unit 6 2. Air Cooled Condensing Unit 6  GSD MOTORPOOL Unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon Unit 6 2. Ceiling Cassette Type VRF Unit 2  Aircon Unit 7  DISTRICT 1  1. Floor Mounted Aircon Unit 6 2. Wall Mounted Aircon Unit 7  DISTRICT 2  1. Window Type Aircon Unit 1 2. Wall Mounted Aircon Unit 1 3. Floor Mounted Aircon Unit 1 4. Window Type Aircon Unit 1 5. Ceiling Cassette Type VRF Unit 1 6. Colling Cassette Type VRF Unit 1 6. Colling Cassette Type VRF Unit 1 6. Colling Cassette Type Unit 16 6. Colling Cassette Type Unit 17 6. Ceiling Cassette Type Unit 17 6. Ceiling Cassette Type Unit 17 6. Ceiling Cassette Type Unit 18 6. Colling Cassette Type VRF Unit 19 6. Ceiling Cassette Type Unit 19 6. Ceiling Cassette Type Unit 19 6. Ceiling Cassette Type VRF Unit 19 6. C		unit	43		
Lilbrary  LIBRARY  1. Window Type Aircon unit 3 2. Wall Mounted Type Aircon unit 3 3. Ceiling Cassette VRF Type unit 24 Aircon 4. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit 45 Aircon 2. Air Cooled Condensing unit 6 Dists  GSD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2 Aircon Unit 7  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 3  DISTRICT 2  1. Ceiling Cassette Type VRF unit 1 3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 18 Aircon 1  2. Wall Mounted VRF Type Unit 18 Aircon 2. Wall Mounted VRF Type Unit 16 Aircon 4. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type VRF unit 16 Aircon 4. Window Type Aircon unit 13  DISTRICT 4  1. Ceiling Cassette Type Unit 16 DISTRICT 5  1. Ceiling Cassette Type VRF unit 13 3. Ceiling Mounted Aircon unit 13 DISTRICT 5  1. Ceiling Cassette Type VRF unit 13 3. Ceiling Mounted Aircon unit 13 DISTRICT 5  1. Ceiling Cassette Type VRF unit 43 Aircon 4  Aircon 4		<u> </u>	_		
1. Window Type Aircon unit 3 2. Wall Mounted Type Aircon unit 3 3. Ceiling Cassette VRF Type winit 24 Air Cooled Condensing unit 5 COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF unit 45 Air Cooled Condensing unit 6 2. Air Cooled Condensing unit 6 CSD MOTORPOOL 1. Window Type Aircon unit 8 POLICE DETACHMENT 1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2 Aircon Mounted Aircon unit 7 DISTRICT 1 1. Floor Mounted Aircon unit 7 DISTRICT 2 1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 3 DISTRICT 3 1. Ceiling Cassette Type VRF unit 18 Aircon 1 2. Wall Mounted VRF Type Unit 18 Aircon 1 3. Ceiling Cassette Type Unit 16 Aircon 1 4. Window Type Aircon unit 16 DISTRICT 4 1. Ceiling Cassette Type unit 16 Aircon 1 3. Ceiling Mounted Type Aircon unit 10 DISTRICT 4 1. Ceiling Cassette Type Unit 16 DISTRICT 5 1. Ceiling Cassette Type VRF unit 13 3. Ceiling Mounted Aircon unit 13 3. Ceiling Mounted Type Aircon unit 16 DISTRICT 5 1. Ceiling Cassette Type VRF unit 43 Aircon 2. Air Cooled Condensing unit 13 3. Ceiling Mounted Aircon unit 1 DISTRICT 5 1. Ceiling Cassette Type VRF unit 4 Aircon 4. Ceiling Cassette Type VRF unit 18 Aircon 2. Air Cooled Condensing unit 13 A. Ceiling Mounted Aircon unit 10 DISTRICT 5 1. Ceiling Cassette Type VRF unit 4 Aircon 4. Ceiling Cassette Type VRF unit 4	Units	unit	ļ <u> </u>		
2. Wall Mounted Type Aircon unit 3 3. Celling Cassette VRF Type unit 24 4. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING 1. Ceiling Cassette Type VRF unit 45 Aircon 2. Air Cooled Condensing unit 6 Ditts  GSD MOTORPOOL 1. Window Type Aircon unit 8  POLICE DETACHMENT 1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2 Aircon DISTRICT 1 1. Floor Mounted Aircon unit 7  DISTRICT 2 1. Window Type Aircon unit 1 3. Floor Mounted Aircon unit 7  DISTRICT 3 1. Ceiling Cassette Type VRF unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 3. Ceiling Cassette Type VRF unit 16 Aircon 10 Aircon unit 10 Aircon 11 Aircon 12 Air Cooled Condensing unit 16 Aircon 13 Air Ceiling Cassette Type Unit 16 Aircon 14 Aircon 15 Aircon 16 Aircon 17 Aircon 17 Aircon 18 Aircon 19 Aircon	LIBRARY		· · · · · · · · · · · · · · · · · · ·	1	
Aircon  4. Air Cooled Condensing Units  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF Aircon  2. Air Cooled Condensing Units  CSD MOTORPOOL  1. Window Type Aircon  1. Wall Mounted Type Aircon  2. Ceiling Cassette Type Unit  1. Floor Mounted Aircon  DISTRICT 2  1. Window Type Aircon  Unit  2. Wall Mounted Aircon  Unit  3. Floor Mounted Aircon  Unit  1. Wall Mounted Type Aircon  Unit  1. Window Type Aircon  Unit  1. Window Type Aircon  Unit  1. Floor Mounted Aircon  Unit  1. Window Type Aircon  Unit  1. Window Type Aircon  Unit  1. Window Type Aircon  Unit  1. Ceiling Cassette Type Unit  I. Ceiling Cassette Type VRF Aircon  2. Wall Mounted VRF Type Unit  II. Ceiling Cassette Type Unit Unit  II. Ceiling Cassette Type Unit Unit  II. Ceiling Cassette Type Unit Unit Unit Unit Unit Unit Unit Unit	1. Window Type Aircon	unit	3		
Aircon 4. Air Cooled Condensing unit 5  COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit 45  2. Air Cooled Condensing unit 6  CSD MOTORPOOL  1. Window Type Aircon unit 6  2. Ceiling Cassette Type unit 2  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1  2. Wall Mounted Aircon unit 1  3. Floor Mounted Aircon unit 1  3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 1  2. Wall Mounted VRF Type unit 18  Aircon 1  3. Ceiling Mounted Type unit 16  4. Window Type Aircon unit 6  DISTRICT 3  1. Ceiling Cassette Type VRF unit 16  Aircon 2. Air Cooled Condensing unit 13  3. Ceiling Mounted Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type unit 15  Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 13  3. Ceiling Mounted Aircon unit 13  DISTRICT 5  1. Ceiling Cassette Type VRF unit 13  JOSTRICT 5  1. Ceiling Cassette Type VRF unit 13  JOSTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5	<u> </u>	unit	3		
Units COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF Aircon  2. Air Cooled Condensing unit 45  Dilts GSD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 2  Aircon  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1  2. Wall Mounted Aircon unit 1  3. Floor Mounted Aircon unit 1  3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF Aircon 2. Wall Mounted VRF Type unit 18  Aircon 3. Ceiling Mounted Type unit 16  4. Window Type Aircon unit 6  1. Window Type Aircon unit 10  2. Wall Mounted VRF Type Unit 18  Aircon 1. Ceiling Cassette Type Unit 16  4. Window Type Aircon unit 16  1. Ceiling Cassette Type Unit 16  4. Window Type Aircon unit 16  DISTRICT 4  1. Ceiling Cassette Type Unit 13  3. Ceiling Mounted Aircon unit 13  DISTRICT 5  1. Ceiling Cassette Type VRF unit 13  3. Ceiling Mounted Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  Aircon unit 19  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  Aircon unit 19  DISTRICT 5		unit	24		
COMMUNITY CENTER BUILDING  1. Ceiling Cassette Type VRF unit Aircon  2. Air Cooled Condensing unit 6  GSD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 6  2. Ceiling Cassette Type unit 2  Aircon  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 2  1. Will Mounted Aircon unit 1  2. Wall Mounted Aircon unit 1  3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 18  Aircon  3. Ceiling Mounted Type unit 16  4. Window Type Aircon unit 16  4. Window Type Aircon unit 17  DISTRICT 4  1. Ceiling Cassette Type unit 16  4. Window Type Aircon unit 16  1. Ceiling Cassette Type unit 17  Aircon 17  Aircon 18  Aircon 19  Air			<b>E</b>		
1. Ceiling Cassette Type VRF Aircon 2. Air Cooled Condensing unit 6 2. Air Cooled Condensing unit 6  GSD MOTORPOOL 1. Window Type Aircon unit 8  POLICE DETACHMENT 1. Wall Mounted Type Aircon unit 2. Ceiling Cassette Type unit 2  DISTRICT 1 1. Floor Mounted Aircon unit 6 2. Wall Mounted Aircon unit 7  DISTRICT 2 1. Window Type Aircon unit 1. Window Type Aircon unit 2. Wall Mounted Aircon unit 3. Floor Mounted Aircon unit 3. Floor Mounted Aircon unit 1. Ceiling Cassette Type VRF unit 1. Ceiling Cassette Type unit 1. Ceiling Cassette Type unit 1. Ceiling Cassette Type unit 1. Ceiling Mounted VRF Type 1. Ceiling Mounted Type unit 1. Ceiling Cassette Type VRF unit	Units	ļ	5		
Aircon  2. Air Cooled Condensing unit 2. Air Cooled Condensing unit  GSD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 2. Ceiling Cassette Type unit 2. The month of t		DING	ı	1	
2. Air Cooled Condensing unit 6  GSD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 1 2. Wall Mounted Aircon unit 1 3. Ceiling Cassette Type VRF unit 1 4. Window Type Aircon unit 1 2. Wall Mounted VRF Type unit 16  Aircon 1 3. Ceiling Mounted Type unit 16  4. Window Type Aircon unit 16  DISTRICT 4  1. Ceiling Cassette Type VRF unit 16  Aircon 2. Air Cooled Condensing unit 13  3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF unit 13  3. Ceiling Mounted Aircon unit 10  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 17  DISTRICT 5  1. Ceiling Cassette Type VRF unit 44  Aircon 44  Aircon 44  Aircon 45  Aircon 44  A		unit	45		
GSD MOTORPOOL  1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2  Aircon  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 1 Aircon 2. Wall Mounted VRF Type unit 18 Aircon 3. Ceiling Mounted Type unit 16  4. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type VRF unit 16  Aircon 4. Window Type Aircon unit 43  DISTRICT 5  1. Ceiling Cassette Type Unit 43  Aircon 13  3. Ceiling Mounted Type unit 43  Aircon 14  15  16  17  18  19  19  10  10  11  12  13  15  16  16  17  18  18  19  19  10  10  10  10  10  10  10  10			4		
1. Window Type Aircon unit 8  POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2  DISTRICT 1  1. Floor Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 3. Ceiling Cassette Type VRF unit 1 Aircon 1 2. Wall Mounted VRF Type unit 18 Aircon 4. Window Type Aircon unit 6  DISTRICT 4 1. Ceiling Cassette Type unit 6  DISTRICT 5 1. Ceiling Cassette Type unit 13  Juits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5 1. Ceiling Cassette Type VRF unit 1  DISTRICT 5 1. Ceiling Cassette Type VRF unit 4  Aircon unit 1	Units	unit	0		
POLICE DETACHMENT  1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2  DISTRICT 1  1. Floor Mounted Aircon unit 6 2. Wall Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 1 2. Wall Mounted VRF Type unit 18  Aircon 3. Ceiling Mounted VRF Type unit 16  Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type VRF unit 16  Aircon unit 13  3. Ceiling Cassette Type unit 16  A. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 13  3. Ceiling Cassette Type unit 13  3. Ceiling Cassette Type unit 13  3. Ceiling Cassette Type unit 13  DISTRICT 5  1. Ceiling Cassette Type VRF unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF unit 4  Aircon unit 1			I	1	
1. Wall Mounted Type Aircon unit 6 2. Ceiling Cassette Type unit 2  DISTRICT 1 1. Floor Mounted Aircon unit 6 2. Wall Mounted Aircon unit 7  DISTRICT 2 1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 1 3. Ceiling Cassette Type VRF unit 1 Aircon 2. Wall Mounted VRF Type unit 18 Aircon 3. Ceiling Mounted Type unit 16 Aircon 4. Window Type Aircon unit 6  DISTRICT 4 1. Ceiling Cassette Type unit 43 Aircon 2. Air Cooled Condensing unit 13 Juits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5 1. Ceiling Cassette Type VRF unit 4 Aircon 4. Ceiling Mounted Aircon unit 1		unit	8		
2. Ceiling Cassette Type Aircon  DISTRICT 1  1. Floor Mounted Aircon unit 6 2. Wall Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 3  DISTRICT 3 1. Ceiling Cassette Type VRF Aircon unit 18  Aircon 3. Ceiling Mounted VRF Type unit 18  Aircon 4. Window Type Aircon unit 6  DISTRICT 4 1. Ceiling Cassette Type Unit 6  DISTRICT 4 1. Ceiling Cassette Type unit 13  Juits 13  Juits 13  Juits 14  Leiling Mounted Aircon unit 1  DISTRICT 5 1. Ceiling Cassette Type VRF unit 13  Juits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5 1. Ceiling Cassette Type VRF unit 4  Aircon 4  Air		<del></del>		1	
Aircon  DISTRICT 1  1. Floor Mounted Aircon unit 6 2. Wall Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF Aircon unit 18  Aircon 3. Ceiling Mounted Type unit 16  4. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 43  2. Air Cooled Condensing unit 13  Jinits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF unit 43  Aircon 4  DISTRICT 5  1. Ceiling Cassette Type VRF unit 43  Aircon 4  DISTRICT 5  1. Ceiling Cassette Type VRF unit 44  Aircon 4		unit	6		
DISTRICT 1  1. Floor Mounted Aircon unit 6 2. Wall Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF Aircon unit 1 2. Wall Mounted VRF Type unit 18  Aircon 16  Aircon unit 16  4. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 43  2. Air Cooled Condensing unit 13  Juits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4  Aircon 4  DISTRICT 5  1. Ceiling Cassette Type VRF unit 4  Aircon 4  Airc		unit	2		
1. Floor Mounted Aircon unit 6 2. Wall Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 3  DISTRICT 3 1. Ceiling Cassette Type VRF unit 1 2. Wall Mounted VRF Type Aircon unit 1 4. Window Type Aircon unit 16 4. Window Type Aircon unit 6  DISTRICT 4 1. Ceiling Cassette Type unit 43  Aircon 2. Air Cooled Condensing unit 13  J. Ceiling Mounted Aircon unit 1  DISTRICT 5 1. Ceiling Cassette Type VRF unit 4  Aircon unit 4  DISTRICT 5 1. Ceiling Cassette Type VRF unit 4  Aircon unit 4  DISTRICT 5 1. Ceiling Cassette Type VRF Aircon unit 4				J	
2. Wall Mounted Aircon unit 7  DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF Aircon 2. Wall Mounted VPP Aircon unit 16  Aircon 4. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 43  Aircon 2. Air Cooled Condensing unit 13  3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF unit 4  Aircon unit 1		unit	6		
DISTRICT 2  1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF Aircon unit 1  2. Wall Mounted VRF Type unit 18  Aircon 3. Ceiling Mounted Type unit 16  AIRCON unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 13  3. Ceiling Mounted Type unit 13  3. Ceiling Cassette Type unit 13  DISTRICT 5  1. Ceiling Cassette Type VRF unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF unit 4  Aircon unit 1		<del>                                     </del>			
1. Window Type Aircon unit 1 2. Wall Mounted Aircon unit 3 DISTRICT 3 1. Ceiling Cassette Type VRF unit 1 Aircon 2. Wall Mounted VRF Type unit 18 Aircon 3. Ceiling Mounted Type unit 16 4. Window Type Aircon unit 6 DISTRICT 4 1. Ceiling Cassette Type unit 43 1. Ceiling Cassette Type unit 13 3. Ceiling Mounted Type unit 15 DISTRICT 5 1. Ceiling Cassette Type VRF unit 1 DISTRICT 5 1. Ceiling Cassette Type VRF unit 4 Aircon unit 1		<b></b>		,	
2. Wall Mounted Aircon unit 1 3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 1 2. Wall Mounted VRF Type unit 18 Aircon 3. Ceiling Mounted Type unit 16 Aircon 4. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 43 Aircon 2. Air Cooled Condensing unit 13 Juits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4  Aircon		unit	1		
3. Floor Mounted Aircon unit 3  DISTRICT 3  1. Ceiling Cassette Type VRF unit 1  2. Wall Mounted VRF Type unit 18  Aircon 3. Ceiling Mounted Type unit 16  4. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 43  2. Air Cooled Condensing unit 13  Juits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4  Aircon unit 4	<del> </del>	unit			
1. Ceiling Cassette Type VRF Aircon 2. Wall Mounted VRF Type Aircon 3. Ceiling Mounted Type unit 16 4. Window Type Aircon unit 6  DISTRICT 4 1. Ceiling Cassette Type unit 43 2. Air Cooled Condensing unit 13 Jnits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5 1. Ceiling Cassette Type VRF Aircon unit 4		unit	3	-	
1. Ceiling Cassette Type VRF Aircon 2. Wall Mounted VRF Type Aircon 3. Ceiling Mounted Type unit 16 4. Window Type Aircon unit 6  DISTRICT 4 1. Ceiling Cassette Type unit 43 2. Air Cooled Condensing unit 13 Jnits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5 1. Ceiling Cassette Type VRF Aircon unit 4	DISTRICT 3	•			
Aircon  2. Wall Mounted VRF Type Aircon  3. Ceiling Mounted Type unit  4. Window Type Aircon unit  6  DISTRICT 4  1. Ceiling Cassette Type unit  Aircon  2. Air Cooled Condensing unit  3. Ceiling Mounted Aircon unit  1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon  unit  4  4	1. Ceiling Cassette Type VRF	lini+	1		
Aircon  3. Ceiling Mounted Type unit  4. Window Type Aircon unit  6  DISTRICT 4  1. Ceiling Cassette Type unit  Aircon  2. Air Cooled Condensing unit  3. Ceiling Mounted Aircon unit  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon  4. Window Type Aircon  unit  43  3. Ceiling Mounted Aircon unit  1  DISTRICT 5	Aircon	- uiut	1		
3. Ceiling Mounted Type unit 16 4. Window Type Aircon unit 6  DISTRICT 4  1. Ceiling Cassette Type unit 43  2. Air Cooled Condensing unit 13  3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4	2. Wall Mounted VRF Type Aircon	unit	18		
Aircon  4. Window Type Aircon  unit  6  DISTRICT 4  1. Ceiling Cassette Type unit Aircon  2. Air Cooled Condensing unit  3. Ceiling Mounted Aircon  unit  1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon  unit  4		125:4	14		
DISTRICT 4  1. Ceiling Cassette Type unit 43  2. Air Cooled Condensing unit 13  Juits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4	Aircon				
1. Ceiling Cassette Type unit 43  2. Air Cooled Condensing unit 13  3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4	L	unit	6		
Aircon  2. Air Cooled Condensing unit 13  Juits  3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon 44				1	
2. Air Cooled Condensing unit 13  Juits 3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4		unit	43		
3. Ceiling Mounted Aircon unit 1  DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4		!	12		
DISTRICT 5  1. Ceiling Cassette Type VRF Aircon unit 4	Units	unit	13		
1. Ceiling Cassette Type VRF unit 4		unit	1		
Aircon unit 4	,		Г	1	
		unit	4	•	
	Ancon	1.	<u> </u>	<u> </u>	

2. Wall Mounted VRF Type	unit	1
Aircon		
3. Floor Mounted Type	unit	6
Aircon		
4. Window Type Aircon	unit	8
DISTRICT 6		
1. Window Type Aircon	unit	2
MOLECULAR LABORATORY		
1. Ceiling Cassette Type	unit	20
Aircon	<u> </u>	20
QCX MUSEUM		
1. Ceiling Cassette Type VRF		11
Aircon	unit	11
2. Wall Mounted VRF Type	unit	1
Aircon	urut	1
3. Floor Mounted Type	unit	7

4. Ceiling Mounted Type

Aircon

### AREA OF COVERAGE FOR DELIVERY

unit

### ALLOCATION OF REFRIGERANT (DELIVERY EVERY 4 MONTHS)

Building	Type of Refrigerant	Qty.
1. High Rise	R410A	3
2. Annex Building	R410A	3
3. Civic Center A	R410A	5
4. Civic Center A	R22	5
5. Civic Center B	R22	5
6. Civic Center C	R410A	3
7. Civic Center D	R410A	3
8. Civic Center E	R410A	3
9. Civic Center F	R410A	3
10. Health	R410A	3
11. NGO	R410A	2
12. DPOS	R410A	2
13. Library	R410A	2
14. Community Center	R410A	2
15. District 4 Action Center	R410A	3

### **Terms of Payment:**

- Three (3) times payment upon completion of the scope of works every four (4) months.
- (With attached Terms of Reference which will form an integral part of this bidding document)

I hereby certify to comply and deliver all the above requirements.

Name:	
Legal Capacity:	_
Signature:	
Duly authorized to sign the Bid for and behalf of:	

Schedule of Requirements Page 4 of 4 CGSD-25-GRMS-0034

# Section VII. Technical Specifications

### Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# **Technical Specifications**

# PROJECT NAME: PREVENTIVE MAINTENANCE OF AIR CONDITIONING UNITS / WITHIN QUEZON CITY GOVERNMENT FACILITIES FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY) PROJECT NO. CGSD-25-GRMS-0034 /

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
A.1	PREVENTIVE MAINTENANCE OF AIR	laws and issuances. J
	CONDITIONING UNITS WITHIN QUEZON CITY	
	GOVERNMENT FACILITIES FOR THE YEAR 2025	
	(EARLY PROCUREMENT ACTIVITY)	
	Scope of Work:	
	PREVENTIVE MAINTENANCE PROPER (ONCE IN FOUR (4) MONTHS UNTIL DECEMBER 31, 2025)	
	The scope of work for the general cleaning of air conditioning	
	system at various Quezon City Government Facilities shall	
	include, but not limited to, the following:	
	<ul> <li>Dismantling the air conditioning unit components for cleaning.</li> </ul>	
	Check and clean:	
1	Air filter, front grille, frame assembly, fan orifice,	
1	condensate drain and pump, valve, evaporator,	
	condenser coils, fan motor, outdoor unit casing.	
	<ul><li>Electronic components</li><li>Electrical components</li></ul>	
	Check and assess:	
	<ul> <li>Air temperature of the evaporator</li> </ul>	
	Insulation resistance of cables and motors	
	Compressor and fan motor voltage and current	
	flow	
	Fuses and breaker rating Wiring harness condition	
	<ul> <li>Wiring harness condition</li> <li>Record temperature output of air conditioning indoor</li> </ul>	
	unit.	
	Check and lubricate fan bearing if necessary.	

Technical Specifications Page 1 of 5 CGSD-25-GRMS-0034

- Check all panels and ensure that these are properly secured.
- Tighten all electrical terminal connections.
- De-clogging of drain line from unit to the main drain line.
- · Reinstallation of all parts after cleaning.
- Test run and observe the cleaned unit.
- Recheck operating pressure of the system and the room temperature.
- General housekeeping after servicing of units.

### RESPONSIBILITIES OF THE SERVICE PROVIDER

- Coordinate to Offices/Departments concerned, Security Agency and City General Services Department before conducting general cleaning, troubleshooting or repair services, acquire gate pass if possible.
- Provide four (4) on-site technicians within the regular office hours on weekdays that shall report to the CGSD authorized representative, conduct minor repairs, troubleshoot and other tasks as requested by the CGSD, without any additional cost to the City.
- Ensure all technicians are always wearing company uniform with proper identifications and personal protective equipment (PPE).
- Replace the on-site technicians upon official request of the CGSD.
- Provide one (1) motorcycle for the transportation of the technicians to various Quezon City Government Facilities.
- Provide necessary tools and equipment for the check-up, general cleaning or repair of the air conditioning units.
- Conduct pre-inspection of all enrolled units prior to the scheduled cleaning. Cleaning proper shall not proceed without the approved pre-inspection reports which shall indicate temperature output, physical condition and all defects of enrolled air conditioning units/system upon checking.
- Cleaning shall be scheduled to the Administrative Division/ authorized representative of each Offices/ Department.
- Submit service and accomplishment reports upon completion of works to be submitted with acknowledgement by CGSD authorized representative.
- Submit recommendations and quotations for every Quezon City Government Facilities, as attachment to the cleaning reports.
- Supply and delivery of refrigerant, as stated in the Area of Coverage for Delivery.

### AREA OF COVERAGE FOR GENERAL CLEANING:

#### HIGH RISE BUILDING

1. Window Type Aircon	unit	7
2. Floor Mounted Aircon	unit	5
3. Wall Mounted Aircon	unit	35
4. Ceiling Cassette Type	unit	231
5. Ceiling Suspended Type	unit	40
6. Air Cooled Condensing Units VRF	unit	71

### ANNEX BUILDING

1.	Ceiling	Cassette	Aircon		02
VRF				unit	93

2. Floor Mounted Aircon	unit	28
3. Wall Mounted Aircon	unit	4
4. Air Cooled Condensing	unit	20
Units VRF		
CIVIC CENTER BUILDING A		
1. Window Type Aircon	unit	1
2. Floor Mounted Aircon	unit	7
3. Ceiling Cassette Aircon	unit	110
4. Wall Mounted Aircon	unit	12
CIVIC CENTER BUILDING B		
1. Window Type Aircon	unit	1
2. Floor Mounted Aircon	unit	10
3. Ceiling Cassette Aircon	unit	114
4. Ceiling Mounted Aircon	unit	12
CIVIC CENTER BUILDING C		
1. Wall Mounted Aircon	unit	3
2. Ceiling Cassette Aircon	unit	64
3. Window Type Aircon	unit	6
4. Air Cooled Condensing		
Units	unit	13
CIVIC CENTER BUILDING D		
1. Ceiling Cassette VRF	unit	225
Aircon		
2. Wall Mounted Aircon	unit	5
3. Air Cooled Condensing Units	unit	46
CIVIC CENTER BUILDING E		I
1. Ceiling Cassette Type	unit	72
Air Cooled Condensing	_	
Units	unit	16
CIVIC CENTER BUILDING F		
1. Ceiling Cassette Type	unit	249
2. Air Cooled Condensing	unit	46
Units		
HEALTH BUILDING	1	<del></del>
Ceiling Cassette Type VRF  Aircon	unit	167
2. Air Cooled Condensing	1,	28
Units	unit	
NGO BUILDING		
Ceiling Cassette Type VRF	unit	52
Aircon  2. Wall Mounted Aircon	unit	2
Air Cooled Condensing	unit	
Units	unit	12
DPOS BUILDING		
1. Ceiling Cassette Type VRF	,,,,,;,	12
Aircon	unit	43
2. Air Cooled Condensing	unit	9
Units LIBRARY		
		,
1. Window Type Aircon	unit	3
2. Wall Mounted Type Aircon	unit	3
3. Ceiling Cassette VRF Type Aircon	unit	24
4. Air Cooled Condensing		
Units	unit	5
COMMUNITY CENTER BUILI	DING	
1. Ceiling Cassette Type VRF	unit	45
Aircon  2. Air Cooled Condensing	ļ	
Units 2. Air Cooled Condensing	unit	6
	•	

Technical Specifications Page 3 of 5 CGSD-25-GRMS-0034

· · · · · · · · · · · · · · · · · · ·		
GSD MOTORPOOL	<u></u>	
1. Window Type Aircon	unit	8
POLICE DETACHMENT		
1. Wall Mounted Type Aircon	unit	6
Ceiling Cassette Type  Aircon	unit	2
DISTRICT 1	I	
1. Floor Mounted Aircon	unit	6
2. Wall Mounted Aircon	unit	7
	unit 1	
DISTRICT 2		1
1. Window Type Aircon	unit	1
2. Wall Mounted Aircon	unit	1
3. Floor Mounted Aircon	unit	3
DISTRICT 3		
1. Ceiling Cassette Type VRF	unit	1
Aircon  2. Wall Mounted VRF Type		
Aircon	unit	18
3. Ceiling Mounted Type Aircon	unit	16
4. Window Type Aircon	unit	6
DISTRICT 4	,	
1. Ceiling Cassette Type		40
Aircon	unit	43
2. Air Cooled Condensing Units	unit	13
3. Ceiling Mounted Aircon	unit	1
DISTRICT 5		
Ceiling Cassette Type VRF Aircon	unit	4
2. Wall Mounted VRF Type Aircon	unit	1
3. Floor Mounted Type Aircon	unit	6
4. Window Type Aircon	unit	8
DISTRICT 6		
1. Window Type Aircon	unit	2
MOLECULAR LABORATORY	L	L
Ceiling Cassette Type	1	
Aircon	unit	20
QCX MUSEUM		
Ceiling Cassette Type VRF Aircon	unit	11
2. Wall Mounted VRF Type Aircon	unit	1
3. Floor Mounted Type Aircon	unit	7
4. Ceiling Mounted Type	unit	4

### AREA OF COVERAGE FOR DELIVERY

### ALLOCATION OF REFRIGERANT (DELIVERY EVERY 4

Building	Type of Refrigerant	
16. High Rise	R410A	
17. Annex Building	R410A	
18. Civic Center A	R410A	
19. Civic Center A	R22	
20. Civic Center B	R22	
21. Civic Center C	R410A	
22. Civic Center D	R410A	

23. Civic Center E R410A 3 24. Civic Center F R410A 3 25. Health R410A 3 26. NGO R410A 2 27. DPOS R410A 2 28. Library R410A 2 29. Community Center R410A 2 30. District 4 Action R410A 3 Center Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this bidding document)					
25. Health R410A 3  26. NGO R410A 2  27. DPOS R410A 2  28. Library R410A 2  29. Community Center R410A 2  30. District 4 Action R410A 3  Center R410A 3  With attached Terms of Reference which will form an integral part of this		23. Civic Center E	R410A	3	
26. NGO R410A 2 27. DPOS R410A 2 28. Library R410A 2 29. Community Center R410A 2 30. District 4 Action R410A 3 Center  Terms of Payment:  • Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this		24. Civic Center F	R410A	3	
27. DPOS R410A 2 28. Library R410A 2 29. Community Center R410A 2 30. District 4 Action R410A 3 Center  Terms of Payment:  • Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this		25. Health	R410A	3	
28. Library R410A 2 29. Community Center R410A 2 30. District 4 Action R410A 3 Center  Terms of Payment:  • Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this		26. NGO	R410A	2	
29. Community Center R410A 2 30. District 4 Action R410A 3 Center  Terms of Payment:  • Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this		27. DPOS	R410A	2	
30. District 4 Action R410A 3  Terms of Payment:  • Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this		28. Library	R410A	2	
Terms of Payment:  • Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this		29. Community Center	R410A	2	
Terms of Payment:  • Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this		30. District 4 Action	R410A	3	
• Three (3) times payment upon completion of the scope of works every four (4) months.  (With attached Terms of Reference which will form an integral part of this		Center			
	•	Three (3) times payment upon cor works every four (4) months.  h attached Terms of Reference which will	form an integral part		
	B. Com VI)	pliance to the Schedule of Re	quirements (Se	ction	

I hereby certify to comply and deliver all the above requirements.

Name:	 	
Legal Capacity:	 <del></del>	
Signature:	 	
Duly authorized to sign the Bid for and behalf of:	 	

Technical Specifications Page 5 of 5 CGSD-25-GRMS-0034

### **COST DERIVATION**

# PROJECT NAME: PREVENTIVE MAINTENANCE OF AIR CONDITIONING UNITS WITHIN QUEZON CITY GOVERNMENT FACILITIES FOR THE YEAR 2025 (EARLY PROCUREMENT ACTIVITY) PROJECT NO. CGSD-25-GRMS-0034

### HIGH RISE BUILDING

ITEM DESCRIPTION	UNIT OF ISSUE	QUANTITY	UNIT COST	TOTAL COST
1. Window Type Aircon	unit	7		
2. Floor Mounted Aircon	unit	5		
3. Wall Mounted Aircon	unit	35		
4. Ceiling Cassette Type	unit	231		
5. Ceiling Suspended Type	unit	40		
6. Air Cooled Condensing Units VRF	unit	71		
7. R410A Freon	tank	3		
ANNEX BUILDING				
1. Ceiling Cassette Aircon	unit	93		
2. Floor Mounted Aircon	unit	28		
3. Wall Mounted Aircon	unit	4		
4. Air Cooled Condensing Units VRF	unit	20		
5. R410A Freon	tank	3		
CIVIC CENTER BUILDING A				
1. Window Type Aircon	unit	1		-
2. Floor Mounted Aircon	unit	7		
3. Ceiling Cassette Aircon	unit	110		
4. Wall Mounted Aircon	unit	12		
5. R410A Freon	tank	5		· · · · · · · · · · · · · · · · · · ·
6. R22 Freon	tank	5		
CIVIC CENTER BUILDING B				
1. Window Type Aircon	unit	1		
2. Floor Mounted Aircon	unit	10		
3. Ceiling Cassette Aircon	unit	114		
4. Ceiling Mounted Aircon	unit	12		
5. R22 Freon	tank	5		
CIVIC CENTER BUILDING C				
1. Wall Mounted Aircon	unit	3		
2. Ceiling Cassette Aircon	unit	64		
3. Window Type Aircon	unit	6		
4. Air Cooled Condensing Units VRF	unit	13		
5. R410A Freon	tank	3		
CIVIC CENTER BUILDING D				
1. Ceiling Cassette VRF Aircon	unit	225		
2. Wall Mounted Aircon	unit	5		
3. Air Cooled Condensing Units	unit	46		
4. R410A Freon	tank '	3 /		
CINIC CENTED BUILDING E			<u> </u>	
CIVIC CENTER BUILDING E		70	<del></del>	
1. Ceiling Cassette Type	unit	72		
2. Air Cooled Condensing Units	unit	16		
3. R410A Freon	tank	3 /		

### CIVIC CENTER BUILDING F

CIVIC CENTER BUILDING F				
Ceiling Cassette Type	unit	249		
2. Air Cooled Condensing Units	unit	46		
3. R410A Freon	tank	3		
HEALTH BUILDING		·		
1. Ceiling Cassette Type VRF Aircon	unit	167		
2. Air Cooled Condensing Units	unit	28		<del></del>
3. R410A Freon	tank	3		
NGO BUILDING	14-11			
Ceiling Cassette Type VRF Aircon	unit	52		
2. Wall Mounted VRF Type Aircon	unit	2		
3. Air Cooled Condensing Units	unit	12		-
4. R410A Freon	tank	2		
DPOS BUILDING		<u> </u>		
		43		
1. Ceiling Cassette Type VRF Aircon	unit	9		
2. Air Cooled Condensing Units	unit	<del>                                     </del>		
3. R410A Freon	tank	2		
LIBRARY				
1. Window Type Aircon	<u>unit</u>	3	<u> </u>	
2. Wall Mounted Type Aircon	unit	3		
3. Ceiling Cassette VRF Type Aircon	unit	24		
4. Air Cooled Condensing Units	unit	5		
5. R410A Freon	tank	2		
COMMUNITY CENTER BUILDING				
1. Ceiling Cassette Type VRF Aircon	unit	45		-
2. Air Cooled Condensing Units	unit	6		
3. R410A Freon	tank	2		
GSD MOTORPOOL				
1. Window Type Aircon	unit	8		
POLICE DETACHMENT				
1. Wall Mounted Type Airconditioning		-		
System	unit 	6		
2. Ceiling Cassette Type Aircon	unit	2		
DISTRICT 1				
1. Floor Mounted Aircon	unit	6		
2. Wall Mounted Aircon	unit	7		
DISTRICT 2				
1. Window Type Aircon	unit	1		
2. Wall Mounted Type Aircon	unit	1		
3. Floor Mounted Type Aircon	unit	3	-	
DISTRICT 3	<b>V</b>	1		·
	unit	1		
1. Ceiling Cassette Type VRF Aircon		18		
2. Wall Mounted VRF Type Aircon	unit	-		
3. Ceiling Mounted Type Aircon	unit	16		·
4. Window Type Aircon	unit	6		
DISTRICT 4			<u> </u>	
1. Ceiling Cassette Type Aircon	unit	43		
2. Ceiling Mounted Aircon	unit	1		
3. Air Cooled Condensing Units	unit	13		
4. R410A Freon	tank	3		
DISTRICT 5				
	unit	4		
1. Ceiling Mounted Type Aircon				
Ceiling Mounted Type Aircon     Wall Mounted Type Aircon	unit	1		

Cost Derivation Page 2 of 3 CGSD-25-GRMS-0034

4. Window Type Aircon	unit	8	
DISTRICT 6			
1. Window Type Aircon	unit	2	
MOLECULAR LABORATORY			
1. Ceiling Cassette Type VRF Aircon	unit	20	
QCX MUSEUM			
1. Ceiling Cassette Type VRF Aircon	unit	11	
2. Wall Mounted Type Aircon	unit	11	
3. Floor Mounted Type Aircon	unit	7	
4. Ceiling Mounted Type Aircon	unit	4	
TOTAL	COST EVERY	PREVENTIVE MA	AINTENANCE
TOTAL COST	FOR 3 TIMES	PREVENTIVE MA	AINTENANCE

Name:		
Legal Capacity:		
Signature:		
Duly authorized to sign the Bid for and behalf	f of:	

Cost Derivation Page 3 of 3 CGSD-25-GRMS-0034

# Section VIII. Checklist of Technical and Financial Documents

### Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# **Checklist of Technical and Financial Documents**

### I. TECHNICAL COMPONENT ENVELOPE

### Class "A" Documents

<u>Lega</u>	<u>l Doc</u>	<u>uments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
<u>Tech</u>	nic <u>al</u>	<u>Documents</u>
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); and
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and
	(e)	Conformity with Section VI. (Schedule of Requirements) and Section VII. (Technical Specifications), which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
	(f)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Fina	incial	Documents
	(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (in a FORM prescribed by the QC-BAC-GOODS AND SERVICES); or
		A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
		Class "B" Documents
	(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
		or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
<u>O</u> the	er doc	cumentary requirements under RA No. 9184 (as applicable)
	(i)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(j)	Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

### II. FINANCIAL COMPONENT ENVELOPE

- □ (a) Original of duly signed and accomplished Financial Bid Form;
- ☐ (b) Original of duly signed and accomplished Price Schedule(s); and
  - (c) COST DERIVATION

### **III.REQUIRED DOCUMENTS in BDS SECTION 20.2 and 21.2**

### 1) Organizational Structure

The service provider shall submit its detailed organization chart which shall indicate an established organizational structure of technical personnel to show its capability to undertake the project.

### 2) List of Manpower requirement

> The service provider shall provide at least ten (10) technical personnel

### 3) Notarized Affidavit of Undertaking stating the following:

- The service provider has at least three (3) years actual experience in aircon installation, repair and maintenance of air conditioning units/ systems.
- The Contractor will provide at least ten (10) technical personnel wearing proper personal protective equipment and using appropriate equipment in conducting the general cleaning.
  - General cleaning and repair services to be rendered shall be supervised by an accredited **Safety Officer** or duly licensed **Mechanical Engineer** who are required to provide Certificate of Registration and License.

### 4) Statement of Warranty

- Three (3) months warranty of the workmanship for the maintenance of the air conditioning units or system.

(With attached Terms of Reference which will form an integral part of this bidding document)

### Note:

### 1. Please refer to

 $[\underline{https://drive.google.com/file/d/1uiYurh5WrpBL5B\_pqpzAb62yucAblR1p/view?usp=sh\_aring}] \ for the following requirements:$ 

- a. Computation of NFCC;
- b. List of All Ongoing Contracts/List of Contracts already awarded but not yet started:
- c. Statement of Single Largest Completed Contract
- 2. Please refer to GPPB Resolution No. 16-2020 for the following requirements:
  - a. Bid Form;
  - b. Price Schedule (for Goods Offered from Abroad/ Within the Philippines)
  - c. Bid Securing Declaration; and
  - d. Omnibus Sworn Statement

Republic of the Philippines

Government Procurement Policy Board